

BILSTEIN Application Guide



2013 Full Product Line



TABLE OF CONTENTS

PASSENGER CAR APPLICATIONS

ACURA	2
ALFA ROMEO	5
AUDI	11
BMW	168
BUICK	342
CADILLAC	359
CHEVROLET	364
CHRYSLER	413
DAEWOO	422
DODGE	422
EAGLE	426
FORD	429
FIAT	427
HONDA	470
HYUNDAI	499
INFINITI	509
JAGUAR	511
KIA	522
LEXUS	523
LINCOLN	526
MAZDA	530
MERCEDES-BENZ	552
MERCURY	694
MERKUR	702
MINI	703
MITSUBISHI	720
NISSAN	724
OLDSMOBILE	734
PONTIAC	749
PORSCHE	766
ROLLS ROYCE	832
SAAB	834
SATURN	855
SEAT	855
SMART	884
SUBARU	887
SUZUKI	894
TOYOTA	895
VOLKSWAGEN	906
VOLVO	1213

LIGHT TRUCK & SUV APPLICATIONS

AUDI	1261
BMW	1263
BUICK	1278
CADILLAC	1278
CHEVROLET	1280
CHRYSLER	1556
DODGE	1566
FORD	1626
GMC	1869
GEO	2129
HONDA	2130
HUMMER	2132
ISUZU	2137
JEEP	2141
KIA	2219
LAND ROVER	2220
LINCOLN	2232
MAZDA	2234
MERCEDES-BENZ	2239
MERCURY	2249
MITSUBISHI	2249
NISSAN	2252
OLDSMOBILE	2272
PLYMOUTH	2274
PONTIAC	2275
PORSCHE	2275
RAM	2277
SAAB	2283
SEAT	2284
SUZUKI	2285
TOYOTA	2288
VOLKSWAGEN	2318
VOLVO	2335

MEDIUM DUTY TRUCK APPLICATIONS

CHEVROLET	2340
FREIGHTLINER	2343
GMC	2344
ISUZU	2347
WORKHORSE	2347



TABLE OF CONTENTS

MOTORHOME CHASSIS LISTINGS

CHEVROLET / GMC	2351
DODGE	2351
FORD	2352
FORETRAVEL	2352
FREIGHTLINER	2352
ISUZU	2353
JOHN DEERE	2353
MERCEDES-BENZ	2353
MONACO	2353
MOR / RYDE	2353
SAFARI	2353
SPARTAN	2353
TOYOTA	2354
VOLKSWAGEN	2354
TRAILER /5TH WHEEL	
CHASSIS LISTING	2354
FLEETWOOD TRAILER	2354
TRAILER /5TH WHEEL	
W/DEXTER AXLES	2354

ROAD RACE APPLICATIONS

BMW	2356
CHEVROLET	2356
PORSCHE	2356
VOLKSWAGEN	2356

PASSENGER CAR APPLICATIONS





Passenger Cars

Year	Application	Series	Front			Rear		
Acura CL								
2003	Base	B6 (HD)	Front	24-185714		Rear	24-185721	
2003	Base	B8 (SP)	Front	24-065801		Rear	24-185738	
2003	Type-S	B6 (HD)	Front	24-185714		Rear	24-185721	
2003	Type-S	B8 (SP)	Front	24-065801		Rear	24-185738	
2002	Base	B6 (HD)	Front	24-185714		Rear	24-185721	
2002	Base	B8 (SP)	Front	24-065801		Rear	24-185738	
2002	Type-S	B6 (HD)	Front	24-185714		Rear	24-185721	
2002	Type-S	B8 (SP)	Front	24-065801		Rear	24-185738	
2001	Premium	B6 (HD)	Front	24-185714		Rear	24-185721	
2001	Premium	B8 (SP)	Front	24-065801		Rear	24-185738	
2001	Type-S	B6 (HD)	Front	24-185714		Rear	24-185721	
2001	Type-S	B8 (SP)	Front	24-065801		Rear	24-185738	
1999	Premium	B6 (HD)	Front	24-023719	Must reuse original brake line brackets. Installation tool included with shock.	Rear	24-021142	
1998	Base	B6 (HD)	Front	24-023719	Must reuse original brake line brackets. Installation tool included with shock.	Rear	24-021142	
1998	Premium	B6 (HD)	Front	24-023719	Must reuse original brake line brackets. Installation tool included with shock.	Rear	24-021142	
1997	Base	B6 (HD)	Front	24-023719	Must reuse original brake line brackets. Installation tool included with shock.	Rear	24-021142	
1997	Premium	B6 (HD)	Front	24-023719	Must reuse original brake line brackets. Installation tool included with shock.	Rear	24-021142	
Acura Integra								
2001	GS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2001	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2001	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2001	Type R	B8 (SP)	Front	24-023405		Rear	24-023412	
2000	GS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2000	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2000	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2000	Type R	B8 (SP)	Front	24-023405		Rear	24-023412	



Passenger Cars

Year	Application	Series	Front			Rear		
Acura Integra (continued)								
1999	GS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1999	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1999	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1998	GS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1998	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1998	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1998	RS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1998	Type R	B8 (SP)	Front	24-023405		Rear	24-023412	
1997	GS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1997	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1997	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1997	RS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1997	Type R	B8 (SP)	Front	24-023405		Rear	24-023412	
1996	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1996	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1996	RS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1996	Special Edition	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1995	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1995	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1995	RS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				



Passenger Cars

Year	Application	Series	Front			Rear		
Acura Integra (continued)								
1995	Special Edition	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1994	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1994	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1994	RS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
Acura Legend								
1990	Base	B6 (HD)	Front Right	24-012003		Rear	24-011921	
			Front Left	24-011990				
1990	L	B6 (HD)	Front Right	24-012003		Rear	24-011921	
			Front Left	24-011990				
1990	LS	B6 (HD)	Front Right	24-012003		Rear	24-011921	
			Front Left	24-011990				
1989	Base	B6 (HD)	Front Right	24-012003		Rear	24-011921	
			Front Left	24-011990				
1989	L	B6 (HD)	Front Right	24-012003		Rear	24-011921	
			Front Left	24-011990				
1989	LS	B6 (HD)	Front Right	24-012003		Rear	24-011921	
			Front Left	24-011990				
1988	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-011921	
1988	2 Dr.; Coupe; L	B6 (HD)				Rear	24-011921	
1988	2 Dr.; Coupe; LS	B6 (HD)				Rear	24-011921	
1988	Base	B6 (HD)	Front Right	24-012003				
			Front Left	24-011990				
1988	L	B6 (HD)	Front Right	24-012003				
			Front Left	24-011990				
1988	LS	B6 (HD)	Front Right	24-012003				
			Front Left	24-011990				
1987	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-011921	
1987	2 Dr.; Coupe; L	B6 (HD)				Rear	24-011921	
1987	2 Dr.; Coupe; LS	B6 (HD)				Rear	24-011921	
1987	Base	B6 (HD)	Front Right	24-012003				
			Front Left	24-011990				
1987	L	B6 (HD)	Front Right	24-012003				
			Front Left	24-011990				



Passenger Cars

Year	Application	Series	Front			Rear		
Acura Legend (continued)								
1987	LS	B6 (HD)	Front Right	24-012003				
			Front Left	24-011990				
1986	Base	B6 (HD)	Front Right	24-012003				
			Front Left	24-011990				
Acura NSX								
2002	T	B6 (HD)	Front	24-016636		Rear	24-016650	
2001	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
2001	T	B6 (HD)	Front	24-016636		Rear	24-016650	
2000	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
2000	T	B6 (HD)	Front	24-016636		Rear	24-016650	
1999	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
1999	T	B6 (HD)	Front	24-016636		Rear	24-016650	
1998	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
1998	T	B6 (HD)	Front	24-016636		Rear	24-016650	
1997	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
1997	T	B6 (HD)	Front	24-016636		Rear	24-016650	
1996	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
1996	T	B6 (HD)	Front	24-016636		Rear	24-016650	
1995	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
1995	T	B6 (HD)	Front	24-016636		Rear	24-016650	
1994	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
1993	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
1992	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
1991	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
Acura TSX								
2008	Base	B6 (HD)	Front	24-107303	Without Xenon lights			
2007	Base	B6 (HD)	Front	24-107303	Without Xenon lights			
2006	Base	B6 (HD)	Front	24-107303	Without Xenon lights			
2005	Base	B6 (HD)	Front	24-107303	Without Xenon lights			
2004	Base	B6 (HD)	Front	24-107303	Without Xenon lights			
Alfa Romeo 147								
2007	Distinctive	B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2007	Distinctive	B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2007	Distinctive	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Alfa Romeo 147 (continued)								
2006	Distinctive	B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2006	Distinctive	B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2006	Distinctive	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension
2005	Distinctive	B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2005	Distinctive	B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2005	Distinctive	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension
2004	Confort	B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2004	Confort	B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2004	Confort	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension
2004	Elegance	B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2004	Elegance	B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2004	Elegance	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension
2004	Sport	B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2004	Sport	B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2004	Sport	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension
2004	TI	B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2004	TI	B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2004	TI	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Alfa Romeo 147 (continued)								
2002	Base	B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2002	Base	B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2002	Base	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension
Alfa Romeo 156								
2004	Confort	B12 (Pro-Kit)	Front and Rear	46-182739	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1060kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Confort	B12 (Sportline)	Front and Rear	46-182913	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 45-50mm, up to 980kg Axle Load			
2004	Confort	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
2004	Deportivo TI	B12 (Pro-Kit)	Front and Rear	46-182739	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1060kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Deportivo TI	B12 (Sportline)	Front and Rear	46-182913	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 45-50mm, up to 980kg Axle Load			
2004	Deportivo TI	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
2004	Elegance	B12 (Pro-Kit)	Front and Rear	46-182739	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1060kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Elegance	B12 (Sportline)	Front and Rear	46-182913	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 45-50mm, up to 980kg Axle Load			
2004	Elegance	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
2002	Distinctive	B12 (Pro-Kit)	Front and Rear	46-182739	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1060kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2002	Distinctive	B12 (Sportline)	Front and Rear	46-182913	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 45-50mm, up to 980kg Axle Load			
2002	Distinctive	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
Alfa Romeo 159								
2008	JTS	B12 (Pro-Kit)	Front and Rear	46-182760	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1200kg Axle Load; Rear Lowered Height: 30-35mm, up to 1100kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Alfa Romeo 159 (continued)								
2008	JTS	B12 (Sportline)	Front and Rear	46-182951	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1200kg Axle Load; Rear Lowered Height: 45-50mm, up to 1000kg Axle Load			
2008	JTS	B8 (SP)	Front	24-128803		Rear	24-128810	
2007	JTS	B12 (Pro-Kit)	Front and Rear	46-182760	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1200kg Axle Load; Rear Lowered Height: 30-35mm, up to 1100kg Axle Load			
2007	JTS	B12 (Sportline)	Front and Rear	46-182951	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1200kg Axle Load; Rear Lowered Height: 45-50mm, up to 1000kg Axle Load			
2007	JTS	B8 (SP)	Front	24-128803		Rear	24-128810	
2007	JTS Q4	B8 (SP)	Front	24-128803		Rear	24-128810	
Alfa Romeo Alfetta								
1977	GT	B6 (HD)	Front	24-004657		Rear	24-004756	
1977	Sport	B6 (HD)	Front	24-004657		Rear	24-004756	
1976	GT	B6 (HD)	Front	24-004657		Rear	24-004756	
1976	Sport	B6 (HD)	Front	24-004657		Rear	24-004756	
1975	GT	B6 (HD)	Front	24-004657		Rear	24-004756	
1975	Sport	B6 (HD)	Front	24-004657		Rear	24-004756	
Alfa Romeo Berlina								
1974	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1973	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1972	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1971	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1970	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1969	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo Brera								
2008	Base	B12 (Pro-Kit)	Front and Rear	46-000064	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1300kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load			
2008	Base	B8 (SP)	Front	24-128803		Rear	24-128810	
2007	Base	B12 (Pro-Kit)	Front and Rear	46-000064	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1300kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load			
2007	Base	B8 (SP)	Front	24-128803		Rear	24-128810	
Alfa Romeo Duetto 1600								
1968	Spider	B6 (HD)	Front	24-004633		Rear	24-004732	
1967	Spider	B6 (HD)	Front	24-004633		Rear	24-004732	
1966	Spider	B6 (HD)	Front	24-004633		Rear	24-004732	



Passenger Cars

Year	Application	Series	Front			Rear		
Alfa Romeo GT								
2008	Distinctive	B12 (Pro-Kit)	Front and Rear	46-188434	Front Lowered Height: 25mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 980kg Axle Load			
2008	Distinctive	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
2007	3.2	B12 (Pro-Kit)	Front and Rear	46-188441	Front Lowered Height: 20mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 980kg Axle Load			
2007	3.2	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
2007	Distinctive	B12 (Pro-Kit)	Front and Rear	46-188434	Front Lowered Height: 25mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 980kg Axle Load			
2007	Distinctive	B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
Alfa Romeo GT Veloce								
1974	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1973	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1972	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1971	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1970	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo GTA								
1965	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo GTV-6								
1986	2.5	B6 (HD)	Front	24-004657		Rear	24-004756	
1985	2.5	B6 (HD)	Front	24-004657		Rear	24-004756	
1984	2.5	B6 (HD)	Front	24-004657		Rear	24-004756	
1983	2.5	B6 (HD)	Front	24-004657		Rear	24-004756	
1982	2.5	B6 (HD)	Front	24-004657		Rear	24-004756	
1981	2.5	B6 (HD)	Front	24-004657		Rear	24-004756	
Alfa Romeo Giulia Sprint								
1966	GT	B6 (HD)	Front	24-004633		Rear	24-004732	
1965	GT	B6 (HD)	Front	24-004633		Rear	24-004732	
1964	GT	B6 (HD)	Front	24-004633		Rear	24-004732	
1963	GT	B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo Milano								
1989	Gold	B6 (HD)	Front	24-011754		Rear	24-011761	
1989	Verde	B6 (HD)	Front	24-011754		Rear	24-011761	
1988	Gold	B6 (HD)	Front	24-011754		Rear	24-011761	
1988	Platinum	B6 (HD)	Front	24-011754		Rear	24-011761	
1988	Verde	B6 (HD)	Front	24-011754		Rear	24-011761	
1987	Gold	B6 (HD)	Front	24-011754		Rear	24-011761	



Passenger Cars

Year	Application	Series	Front			Rear		
Alfa Romeo Milano (continued)								
1987	Platinum	B6 (HD)	Front	24-011754		Rear	24-011761	
1987	Silver	B6 (HD)	Front	24-011754		Rear	24-011761	
Alfa Romeo Montreal								
1974	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1973	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1972	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo Spider								
2008	Base	B12 (Pro-Kit)	Front and Rear	46-000040	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 1300kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2008	Base	B8 (SP)	Front	24-128803		Rear	24-128810	
2007	Base	B12 (Pro-Kit)	Front and Rear	46-000040	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 1300kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2007	Base	B8 (SP)	Front	24-128803		Rear	24-128810	
1994	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1994	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1993	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1993	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1992	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1992	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1991	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1991	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1990	Graduate	B6 (HD)	Front	24-004633		Rear	24-004732	
1990	Quadrifoglio	B6 (HD)	Front	24-004633		Rear	24-004732	
1990	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1989	Graduate	B6 (HD)	Front	24-004633		Rear	24-004732	
1989	Quadrifoglio	B6 (HD)	Front	24-004633		Rear	24-004732	
1989	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1988	Graduate	B6 (HD)	Front	24-004633		Rear	24-004732	
1988	Quadrifoglio	B6 (HD)	Front	24-004633		Rear	24-004732	
1988	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1987	Graduate	B6 (HD)	Front	24-004633		Rear	24-004732	
1987	Quadrifoglio	B6 (HD)	Front	24-004633		Rear	24-004732	
1987	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1986	Graduate	B6 (HD)	Front	24-004633		Rear	24-004732	
1986	Quadrifoglio	B6 (HD)	Front	24-004633		Rear	24-004732	
1986	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	



Passenger Cars

Year	Application	Series	Front			Rear		
Alfa Romeo Spider (continued)								
1985	Graduate	B6 (HD)	Front	24-004633		Rear	24-004732	
1985	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1984	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1983	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1982	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1981	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1980	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1979	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1978	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1977	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1976	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1975	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1974	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1973	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1972	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1971	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1971	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1970	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
1970	Veloce	B6 (HD)	Front	24-004633		Rear	24-004732	
1969	Base	B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo Sprint								
1979	Veloce	B6 (HD)	Front	24-004657		Rear	24-004756	
1978	Veloce	B6 (HD)	Front	24-004657		Rear	24-004756	
1977	Veloce	B6 (HD)	Front	24-004657		Rear	24-004756	
Audi 100								
1994	CS	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1994	CS	B6 (HD)	Front	34-003701		Rear	24-015769	
1994	CS	B8 (SP)	Front	34-003695		Rear	24-015738	
1994	S	B4	Front	21-030390				
1994	S	B6 (HD)	Front	34-003701		Rear	24-015769	
1994	S	B8 (SP)	Front	34-003695		Rear	24-015738	
1994	S; Sedan	B4				Rear	19-029214	Standard Chassis
1994	S; Wagon	B4				Rear	19-029214	Standard Chassis; With 10mm Upper Mount
1993	Base	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1993	Base	B6 (HD)	Front	34-003701		Rear	24-015769	
1993	Base	B8 (SP)	Front	34-003695		Rear	24-015738	
1993	CS	B4	Front	21-030390		Rear	19-029214	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 100 (continued)								
1993	CS	B6 (HD)	Front	34-003701		Rear	24-015769	
1993	CS	B8 (SP)	Front	34-003695		Rear	24-015738	
1993	S	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1993	S	B6 (HD)	Front	34-003701		Rear	24-015769	
1993	S	B8 (SP)	Front	34-003695		Rear	24-015738	
1992	Base	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1992	Base	B6 (HD)	Front	34-003701		Rear	24-015769	
1992	Base	B8 (SP)	Front	34-003695		Rear	24-015738	
1992	CS	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1992	CS	B6 (HD)	Front	34-003701		Rear	24-015769	
1992	CS	B8 (SP)	Front	34-003695		Rear	24-015738	
1992	S	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1992	S	B6 (HD)	Front	34-003701		Rear	24-015769	
1992	S	B8 (SP)	Front	34-003695		Rear	24-015738	
1991	Base	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1991	Base	B6 (HD)	Front	34-003701		Rear	24-001304	
1990	Base	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1990	Base	B6 (HD)	Front	34-003701		Rear	24-001304	
1989	Base	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1989	Base	B6 (HD)	Front	34-003701		Rear	24-001304	
1989	E	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1989	E	B6 (HD)	Front	34-003701		Rear	24-001304	
Audi 100 Quattro								
1994	CS	B4	Front	21-030390				
1994	CS	B6 (HD)	Front	34-003701		Rear	24-020657	Sport Suspension; Standard Chassis; With 12mm Upper Stem Thread
						Rear	24-025935	With 10mm Upper Stem Threads
1994	CS	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension
1994	CS; Sedan; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192400	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 100 Quattro (continued)								
1994	CS; Sedan; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1993	CS	B4	Front	21-030390				
1993	CS	B6 (HD)	Front	34-003701		Rear	24-020657	Sport Suspension; Standard Chassis; With 12mm Upper Stem Thread
						Rear	24-025935	With 10mm Upper Stem Threads
1993	CS	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension
1993	CS; Sedan; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192400	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1993	CS; Sedan; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1992	CS	B4	Front	21-030390				
1992	CS	B6 (HD)	Front	34-003701		Rear	24-020657	Sport Suspension; Standard Chassis; With 12mm Upper Stem Thread
						Rear	24-025935	With 10mm Upper Stem Threads
1992	CS	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension
1992	CS; Sedan; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192400	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1992	CS; Sedan; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1991	Base	B4	Front	21-030390				
1991	Base	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
1990	Base	B4	Front	21-030390				
1990	Base	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
1989	Base	B4	Front	21-030390				
1989	Base	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread

Audi 100 Series

1977	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1977	LS	Motorsports				Rear	24-632621	
1976	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1976	LS	Motorsports				Rear	24-632621	
1975	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1975	LS	Motorsports				Rear	24-632621	
1974	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1974	LS	Motorsports				Rear	24-632621	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 100 Series (continued)								
1973	Base	B6 (HD)	Front	24-632164		Rear	24-632157	
1973	Base	Motorsports				Rear	24-632621	
1973	GL	B6 (HD)	Front	24-632164		Rear	24-632157	
1973	GL	Motorsports				Rear	24-632621	
1973	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1973	LS	Motorsports				Rear	24-632621	
1972	Base	B6 (HD)	Front	24-632164		Rear	24-632157	
1972	Base	Motorsports				Rear	24-632621	
1972	GL	B6 (HD)	Front	24-632164		Rear	24-632157	
1972	GL	Motorsports				Rear	24-632621	
1972	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1972	LS	Motorsports				Rear	24-632621	
1971	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1971	LS	Motorsports				Rear	24-632621	
1970	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1970	LS	Motorsports				Rear	24-632621	
1969	LS	B6 (HD)	Front	24-632164		Rear	24-632157	
1969	LS	Motorsports				Rear	24-632621	
Audi 200								
1991	Base	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1991	Base	B6 (HD)	Front	34-003701		Rear	24-015769	
1991	Base	B8 (SP)	Front	34-003695		Rear	24-015738	
1990	Base	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1990	Base	B6 (HD)	Front	34-003701		Rear	24-015769	
1990	Base	B8 (SP)	Front	34-003695		Rear	24-015738	
1989	Base	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1989	Base	B6 (HD)	Front	34-003701		Rear	24-015769	
1989	Base	B8 (SP)	Front	34-003695		Rear	24-015738	
Audi 200 Quattro								
1991	20v	B4	Front	21-030390				
1991	20v	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
1991	20v Avant	B4	Front	21-030390				
1991	20v Avant	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 200 Quattro (continued)								
1991	Avant	B4	Front	21-030390				
1991	Avant	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
1991	Base	B4	Front	21-030390				
1991	Base	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
1990	Base	B4	Front	21-030390				
1990	Base	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
1989	Base	B4	Front	21-030390				
1989	Base	B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
Audi 4000								
1987	S	B4	Front	21-030406		Rear	19-019680	
1987	S	B6 (HD)	Front	34-030059		Rear	24-020510	
1987	S	B8 (SP)	Front	34-030066		Rear	24-020503	
1986	S	B4	Front	21-030406		Rear	19-019680	
1986	S	B6 (HD)	Front	34-030059		Rear	24-020510	
1986	S	B8 (SP)	Front	34-030066		Rear	24-020503	
1985	S	B4	Front	21-030406		Rear	19-019680	
1985	S	B6 (HD)	Front	34-030059		Rear	24-020510	
1985	S	B8 (SP)	Front	34-030066		Rear	24-020503	
1984	S	B4	Front	21-030406		Rear	19-019680	
1984	S	B6 (HD)	Front	34-030059		Rear	24-020510	
1984	S	B8 (SP)	Front	34-030066		Rear	24-020503	
1983	Base	B4	Front	21-030406		Rear	19-019680	
1983	Base	B6 (HD)	Front	34-030059		Rear	24-020510	
1983	Base	B8 (SP)	Front	34-030066		Rear	24-020503	
1983	GT	B4	Front	21-030406		Rear	19-019680	
1983	GT	B6 (HD)	Front	34-030059		Rear	24-020510	
1983	GT	B8 (SP)	Front	34-030066		Rear	24-020503	
1983	S	B4	Front	21-030406		Rear	19-019680	
1983	S	B6 (HD)	Front	34-030059		Rear	24-020510	
1983	S	B8 (SP)	Front	34-030066		Rear	24-020503	
1982	Base	B4	Front	21-030406		Rear	19-019680	
1982	Base	B6 (HD)	Front	34-030059		Rear	24-020510	
1982	Base	B8 (SP)	Front	34-030066		Rear	24-020503	
1982	GT	B4	Front	21-030406		Rear	19-019680	
1982	GT	B6 (HD)	Front	34-030059		Rear	24-020510	
1982	GT	B8 (SP)	Front	34-030066		Rear	24-020503	
1982	S	B4	Front	21-030406		Rear	19-019680	
1982	S	B6 (HD)	Front	34-030059		Rear	24-020510	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 4000 (continued)								
1982	S	B8 (SP)	Front	34-030066		Rear	24-020503	
1981	Base	B4	Front	21-030406		Rear	19-019680	
1981	Base	B6 (HD)	Front	34-030059		Rear	24-020510	
1981	Base	B8 (SP)	Front	34-030066		Rear	24-020503	
1980	Base	B4	Front	21-030406		Rear	19-019680	
1980	Base	B6 (HD)	Front	34-030059		Rear	24-020510	
1980	Base	B8 (SP)	Front	34-030066		Rear	24-020503	
Audi 4000 Quattro								
1987	CS	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1987	CS	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	
1986	CS	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1986	CS	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	
1985	S	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1985	S	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	
1984	S	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1984	S	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	
Audi 5000								
1988	CS	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1988	CS	B6 (HD)	Front	34-003701		Rear	24-001304	
1988	S	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1988	S	B6 (HD)	Front	34-003701		Rear	24-001304	
1987	CS	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1987	CS	B6 (HD)	Front	34-003701		Rear	24-001304	
1987	S	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1987	S	B6 (HD)	Front	34-003701		Rear	24-001304	
1986	CS	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1986	CS	B6 (HD)	Front	34-003701		Rear	24-001304	
1986	S	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1986	S	B6 (HD)	Front	34-003701		Rear	24-001304	
1985	S	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1985	S	B6 (HD)	Front	34-003701		Rear	24-001304	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 5000 (continued)								
1985	S Turbo	B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1985	S Turbo	B6 (HD)	Front	34-003701		Rear	24-001304	
1984	S	B4	Front	21-030390				
1984	S	B6 (HD)	Front	34-003701				
1984	S Turbo	B4	Front	21-030390				
1984	S Turbo	B6 (HD)	Front	34-003701				
1983	Base	B4	Front	21-030390				
1983	Base	B6 (HD)	Front	34-003701				
1983	S	B4	Front	21-030390				
1983	S	B6 (HD)	Front	34-003701				
1983	Turbo	B4	Front	21-030390				
1983	Turbo	B6 (HD)	Front	34-003701				
1982	Base	B4	Front	21-030390				
1982	Base	B6 (HD)	Front	34-003701				
1982	S	B4	Front	21-030390				
1982	S	B6 (HD)	Front	34-003701				
1982	Turbo	B4	Front	21-030390				
1982	Turbo	B6 (HD)	Front	34-003701				
1981	Base	B4	Front	21-030390				
1981	Base	B6 (HD)	Front	34-003701				
1981	S	B4	Front	21-030390				
1981	S	B6 (HD)	Front	34-003701				
1981	Turbo	B4	Front	21-030390				
1981	Turbo	B6 (HD)	Front	34-003701				
1980	Base	B4	Front	21-030390				
1980	Base	B6 (HD)	Front	34-003701				
1980	S	B4	Front	21-030390				
1980	S	B6 (HD)	Front	34-003701				
1979	Base	B4	Front	21-030390				
1979	Base	B6 (HD)	Front	34-003701				
1979	S	B4	Front	21-030390				
1979	S	B6 (HD)	Front	34-003701				
1978	Base	B4	Front	21-030390				
1978	Base	B6 (HD)	Front	34-003701				
Audi 5000 Quattro								
1988	CS	B6 (HD)	Front	34-003701				
1988	CS	B8 (SP)	Front	34-003695		Rear	24-020664	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 5000 Quattro (continued)								
1988	S	B4	Front	21-030390				
1988	S	B6 (HD)	Front	34-003701				
1988	S	B8 (SP)	Front	34-003695		Rear	24-020664	
1987	CS	B6 (HD)	Front	34-003701				
1987	CS	B8 (SP)	Front	34-003695		Rear	24-020664	
1987	S	B4	Front	21-030390				
1987	S	B6 (HD)	Front	34-003701				
1987	S	B8 (SP)	Front	34-003695		Rear	24-020664	
1986	CS	B6 (HD)	Front	34-003701				
1986	CS	B8 (SP)	Front	34-003695		Rear	24-020664	
Audi 80								
1992	Base	B4	Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
			Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-019680	Standard Suspension
1992	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1992	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
1991	Base	B4	Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
			Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-019680	Standard Suspension
1991	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1991	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
1990	Base	B4	Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
			Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-019680	Standard Suspension
1990	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1990	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
1989	Base	B4	Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
			Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-019680	Standard Suspension
1989	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1989	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
1988	Base	B4	Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
			Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-019680	Standard Suspension
1988	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 80 (continued)								
1988	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
Audi 80 Quattro								
1992	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1992	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1992	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
1991	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1991	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1991	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
1990	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1990	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1990	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
1989	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1989	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1989	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
1988	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1988	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1988	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
Audi 90								
1995	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-029184	Sport Suspension
						Rear	19-019673	Standard Chassis
1995	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-186377	
1995	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-016964	
1995	Sport	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-029184	Sport Suspension
						Rear	19-019673	Standard Chassis
1995	Sport	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-186377	
1995	Sport	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-016964	
1994	CS	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-029184	Sport Suspension
						Rear	19-019673	Standard Chassis
1994	CS	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-186377	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 90 (continued)								
1994	CS	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-016964	
1994	S	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-029184	Sport Suspension
						Rear	19-019673	Standard Chassis
1994	S	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-186377	
1994	S	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-016964	
1993	CS	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-029184	Sport Suspension
						Rear	19-019673	Standard Chassis
1993	CS	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-186377	
1993	CS	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-016964	
1993	S	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-029184	Sport Suspension
						Rear	19-019673	Standard Chassis
1993	S	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-186377	
1993	S	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-016964	
1991	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
						Rear	19-019680	Standard Suspension
1991	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1991	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
1990	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
						Rear	19-019680	Standard Suspension
1990	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1990	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
1989	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
						Rear	19-019680	Standard Suspension
1989	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1989	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
1988	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
						Rear	19-019680	Standard Suspension
1988	Base	B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1988	Base	B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
Audi 90 Quattro								
1995	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi 90 Quattro (continued)								
1995	Base	B6 (HD)	Front	34-030868	Setting: B6 (HD); With 55mm Outside Strut Diameter	Rear	24-062121	
			Front	34-030059	With 50mm Outside Strut Diameter			
1995	Sport	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1995	Sport	B6 (HD)	Front	34-030868	Setting: B6 (HD); With 55mm Outside Strut Diameter	Rear	24-062121	
			Front	34-030059	With 50mm Outside Strut Diameter			
1994	CS	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1994	CS	B6 (HD)	Front	34-030868	Setting: B6 (HD); With 55mm Outside Strut Diameter	Rear	24-062121	
			Front	34-030059	With 50mm Outside Strut Diameter			
1993	CS	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1993	CS	B6 (HD)	Front	34-030868	Setting: B6 (HD); With 55mm Outside Strut Diameter	Rear	24-062121	
			Front	34-030059	With 50mm Outside Strut Diameter			
1991	20v	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1991	20v	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1991	20v	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
1990	20v	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1990	20v	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1990	20v	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
1989	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1989	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1989	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
1988	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1988	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1988	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3						
2012	2.0L L4 1984cc 121 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter	
2012	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2012	4 Dr.; Base	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2012	4 Dr.; TDI	B12 (Pro-Kit)	Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2012	Base	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2012	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012	Base	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012	Base	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Base	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2012	Base	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2012	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	Base; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012	Base; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Base; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Hatchback; Quattro	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	Hatchback; Quattro	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012	Hatchback; Quattro	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Hatchback; Quattro	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Hatchback; TDI	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2012	Hatchback; TDI	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012	Hatchback; TDI	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Hatchback; TDI	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Quattro	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2012	Quattro	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012	Quattro	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012	Quattro	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Quattro	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2012	Quattro	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2012	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2012	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2012	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012	TDI	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2012	TDI	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	TDI	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2012	TDI	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2012	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2011	2.0L L4 1984cc 121 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter			
2011	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2011	4 Dr.; Base	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2011	4 Dr.; TDI	B12 (Pro-Kit)	Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2011	Base	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2011	Base	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Base	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Base; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2011	Base; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Base; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Hatchback; Quattro	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2011	Hatchback; Quattro	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2011	Hatchback; Quattro	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Hatchback; Quattro	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Hatchback; TDI	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Hatchback; TDI	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2011	Hatchback; TDI	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Hatchback; TDI	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Quattro	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Quattro	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2011	Quattro	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2011	Quattro	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Quattro	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2011	Quattro	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2011	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2011	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2011	TDI	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2011	TDI	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	TDI	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2011	TDI	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2011	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2010	1.4L L4 1390cc 85 CID; 4 Dr.; Ambiente	B12 (Sportline)	Front and Rear	46-183408	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194657	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2010	2.0L L4 1984cc 121 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2010	4 Dr.; Ambiente	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2010	4 Dr.; Attraction	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2010	4 Dr.; Attraction	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2010	4 Dr.; Attraction Plus	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2010	4 Dr.; Attraction Plus	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2010	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	4 Dr.; Base	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2010	4 Dr.; TDI	B12 (Pro-Kit)	Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2010	Ambiente	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Ambiente	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Ambiente	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Ambiente	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Ambiente	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Ambiente	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Ambiente; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Ambiente; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2010	Ambiente; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	Ambiente; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Attraction	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Attraction	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Attraction	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Attraction	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Attraction	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2010	Attraction Plus	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Attraction Plus	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Attraction Plus	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Attraction Plus	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction Plus	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Attraction Plus	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Attraction Plus	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	Attraction Plus; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Attraction Plus; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2010	Attraction Plus; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction Plus; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Attraction; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2010	Attraction; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Base	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	Base	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Base	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2010	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Base; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2010	Base; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Base; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Cabrio	B12 (Pro-Kit)	Front and Rear	46-192431	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1155kg Axle Load; Rear Lowered Height: 25mm, up to 985kg Axle Load; With 55mm Outside Strut Diameter			
2010	Cabrio	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 40-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Cabrio	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Cabrio	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Cabrio	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Cabrio	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Cabrio; Convertible	B4				Rear	19-172996	Except Electronic Adjustable Suspension; Standard Chassis
2010	Hatchback; Quattro	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Hatchback; Quattro	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	Hatchback; Quattro	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Hatchback; Quattro	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Hatchback; TDI	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Hatchback; TDI	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2010	Hatchback; TDI	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Hatchback; TDI	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Quattro	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Quattro	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	Quattro	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Quattro	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2010	Quattro	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Quattro	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	TDI	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	TDI	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2010	TDI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	TDI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2009	1.4L L4 1390cc 85 CID; 4 Dr.; Ambiente	B12 (Sportline)	Front and Rear	46-183408	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194657	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0L L4 1984cc 121 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter			
2009	3.2L V6 3189cc 195 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183118	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2009	4 Dr.; Ambiente	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2009	4 Dr.; Attraction	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2009	4 Dr.; Attraction	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2009	4 Dr.; Attraction Plus	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2009	4 Dr.; Attraction Plus	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2009	4 Dr.; Base	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	Ambiente	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Ambiente	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Ambiente	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Ambiente	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Ambiente	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2009	Ambiente	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2009	Ambiente; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2009	Ambiente; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2009	Ambiente; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Ambiente; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Attraction	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2009	Attraction	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Attraction	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Attraction	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Attraction	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2009	Attraction	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2009	Attraction	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2009	Attraction Plus	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Attraction Plus	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Attraction Plus	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Attraction Plus	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Attraction Plus	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2009	Attraction Plus	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2009	Attraction Plus	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2009	Attraction Plus; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2009	Attraction Plus; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2009	Attraction Plus; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Attraction Plus; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Attraction; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2009	Attraction; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2009	Attraction; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Attraction; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Base	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	Base	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Base	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2009	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2009	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2009	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2009	Base; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2009	Base; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2009	Base; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Base; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Cabrio	B12 (Pro-Kit)	Front and Rear	46-192431	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1155kg Axle Load; Rear Lowered Height: 25mm, up to 985kg Axle Load; With 55mm Outside Strut Diameter			
2009	Cabrio	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 40-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Cabrio	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Cabrio	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Cabrio	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2009	Cabrio	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2009	Cabrio; Convertible	B4				Rear	19-172996	Except Electronic Adjustable Suspension; Standard Chassis
2009	Hatchback; Quattro	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2009	Hatchback; Quattro	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2009	Hatchback; Quattro	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Hatchback; Quattro	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009	Quattro	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Quattro	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	Quattro	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Quattro	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2009	Quattro	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2009	Quattro	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2009	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2008	1.4L L4 1390cc 85 CID; 4 Dr.; Ambiente	B12 (Sportline)	Front and Rear	46-183408	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194657	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2008	2.0L L4 1984cc 121 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter	
2008	3.2L V6 3189cc 195 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183118	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter	
2008	4 Dr.; Ambiente	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2008	4 Dr.; Attraction	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2008	4 Dr.; Attraction	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2008	4 Dr.; Attraction Plus	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2008	4 Dr.; Attraction Plus	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2008	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2008	4 Dr.; Base	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2008	Ambiente	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Ambiente	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Ambiente	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Ambiente	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Ambiente	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2008	Ambiente	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2008	Ambiente; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2008	Ambiente; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2008	Ambiente; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Ambiente; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Attraction	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2008	Attraction	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Attraction	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Attraction	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Attraction	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2008	Attraction	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2008	Attraction	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2008	Attraction Plus	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Attraction Plus	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Attraction Plus	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Attraction Plus	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Attraction Plus	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2008	Attraction Plus	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2008	Attraction Plus	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2008	Attraction Plus; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2008	Attraction Plus; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2008	Attraction Plus; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Attraction Plus; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Attraction; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2008	Attraction; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2008	Attraction; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Attraction; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Base	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	Base	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Base	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2008	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2008	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2008	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2008	Base; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2008	Base; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2008	Base; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Base; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Hatchback; Quattro	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2008	Hatchback; Quattro	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2008	Hatchback; Quattro	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Hatchback; Quattro	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2008	Quattro	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Quattro	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	Quattro	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2008	Quattro	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2008	Quattro	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2008	Quattro	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2008	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0L L4 1984cc 121 CID; 4 Dr.; Ambiente	B12 (Pro-Kit)	Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0L L4 1984cc 121 CID; 4 Dr.; Ambiente	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0L L4 1984cc 121 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter			
2007	3.2L V6 3189cc 195 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183118	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2007	4 Dr.; Ambiente	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2007	4 Dr.; Attraction	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2007	4 Dr.; Attraction	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2007	4 Dr.; Attraction Plus	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2007	4 Dr.; Attraction Plus	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2007	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2007	4 Dr.; Base	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2007	4 Dr.; LE	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2007	4 Dr.; LE	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2007	4 Dr.; X Aniversario	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2007	4 Dr.; X Aniversario	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2007	Ambiente	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Ambiente	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Ambiente	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Ambiente	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Ambiente	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2007	Ambiente	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2007	Ambiente; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2007	Ambiente; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2007	Ambiente; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Ambiente; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Attraction	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Attraction	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Attraction	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Attraction	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Attraction	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2007	Attraction	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2007	Attraction	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2007	Attraction Plus	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Attraction Plus	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Attraction Plus	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2007	Attraction Plus	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Attraction Plus	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2007	Attraction Plus	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2007	Attraction Plus	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2007	Attraction Plus; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2007	Attraction Plus; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2007	Attraction Plus; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Attraction Plus; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Attraction; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2007	Attraction; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2007	Attraction; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Attraction; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Base	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2007	Base	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Base	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2007	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2007	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2007	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2007	Base; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2007	Base; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2007	Base; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Base; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Hatchback; LE	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2007	Hatchback; LE	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2007	Hatchback; LE	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Hatchback; LE	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Hatchback; Quattro	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2007	Hatchback; Quattro	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2007	Hatchback; Quattro	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Hatchback; Quattro	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Hatchback; X Aniversario	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2007	Hatchback; X Aniversario	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2007	Hatchback; X Aniversario	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	Hatchback; X Aniversario	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	LE	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	LE	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	LE	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	LE	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	LE	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2007	LE	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2007	LE	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2007	Quattro	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Quattro	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2007	Quattro	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Quattro	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2007	Quattro	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2007	Quattro	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2007	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2007	X Aniversario	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	X Aniversario	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	X Aniversario	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	X Aniversario	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2007	X Aniversario	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2007	X Aniversario	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2007	X Aniversario	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter	
2006	2.0L L4 1984cc 121 CID; 4 Dr.; Ambiente	B12 (Pro-Kit)	Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2006	2.0L L4 1984cc 121 CID; 4 Dr.; Ambiente	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2006	2.0L L4 1984cc 121 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter	
2006	3.2L V6 3189cc 195 CID; 4 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183118	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter	
2006	4 Dr.; Ambiente	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2006	4 Dr.; Attraction	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2006	4 Dr.; Attraction	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2006	4 Dr.; Attraction Plus	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2006	4 Dr.; Attraction Plus	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2006	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2006	4 Dr.; Base	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2006	Ambiente	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2006	Ambiente	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2006	Ambiente	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2006	Ambiente	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Ambiente	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2006	Ambiente	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2006	Ambiente; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2006	Ambiente; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2006	Ambiente; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Ambiente; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Attraction	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Attraction	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Attraction	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Attraction	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Attraction	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2006	Attraction	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2006	Attraction	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2006	Attraction Plus	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2006	Attraction Plus	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Attraction Plus	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Attraction Plus	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Attraction Plus	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2006	Attraction Plus	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2006	Attraction Plus	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2006	Attraction Plus; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2006	Attraction Plus; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2006	Attraction Plus; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Attraction Plus; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Attraction; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2006	Attraction; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2006	Attraction; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Attraction; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2006	Base	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	Base	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Base	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2006	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2006	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2006	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2006	Base; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2006	Base; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2006	Base; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Base; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Hatchback; Quattro	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2006	Hatchback; Quattro	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2006	Hatchback; Quattro	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Hatchback; Quattro	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2006	Quattro	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Quattro	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	Quattro	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Quattro	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2006	Quattro	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2006	Quattro	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2006	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2005	3 Dr.; Ambiente	B12 (Sportline)	Front and Rear	46-183446	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194688	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2005	3 Dr.; Ambiente; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183163	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194596	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A3 (continued)						
2005	3 Dr.; Ambiente; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183156	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194589	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2005	3 Dr.; Attraction	B12 (Sportline)	Front and Rear	46-183446	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194688	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2005	3 Dr.; Attraction Plus	B12 (Sportline)	Front and Rear	46-183446	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194688	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2005	3 Dr.; Attraction Plus; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183163	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194596	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2005	3 Dr.; Attraction Plus; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183156	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194589	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2005	3 Dr.; Attraction; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183163	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194596	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2005	3 Dr.; Attraction; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183156	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194589	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2005	3 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183187	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194640	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter			
2005	Ambiente	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Ambiente	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2005	Ambiente	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2005	Ambiente; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2005	Ambiente; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Ambiente; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Attraction	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Attraction	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2005	Attraction	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2005	Attraction	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2005	Attraction Plus	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Attraction Plus	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2005	Attraction Plus	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2005	Attraction Plus	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2005	Attraction Plus; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2005	Attraction Plus; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Attraction Plus; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Attraction; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2005	Attraction; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Attraction; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Hatchback; Quattro	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2005	Hatchback; Quattro	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Hatchback; Quattro	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Quattro	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005	Quattro	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2005	Quattro	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2005	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2004	Advance	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2004	Advance; Hatchback	B4				Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
2004	Advance; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2004	Advance; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2004	Ambiente; Hatchback	B4				Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
2004	Attraction Plus; Hatchback	B4				Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
2004	Attraction; Hatchback	B4				Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
2004	Hatchback; Quattro	B4				Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
2003	Advance	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2003	Advance	B4				Rear	19-029160	Standard Chassis
2003	Advance	B6 (HD)				Rear	24-025430	
2003	Advance	B8 (SP)				Rear	24-025447	
2003	Advance; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2003	Advance; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2003	Ambiente	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2003	Ambiente	B4				Rear	19-029160	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2003	Ambiente	B6 (HD)				Rear	24-025430	
2003	Ambiente	B8 (SP)				Rear	24-025447	
2003	Ambiente; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2003	Ambiente; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2003	Attraction	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2003	Attraction	B4				Rear	19-029160	Standard Chassis
2003	Attraction	B6 (HD)				Rear	24-025430	
2003	Attraction	B8 (SP)				Rear	24-025447	
2003	Attraction; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2003	Attraction; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2002	Advance	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2002	Advance	B4				Rear	19-029160	Standard Chassis
2002	Advance	B6 (HD)				Rear	24-025430	
2002	Advance	B8 (SP)				Rear	24-025447	
2002	Advance; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2002	Advance; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2002	Ambiente	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2002	Ambiente	B4				Rear	19-029160	Standard Chassis
2002	Ambiente	B6 (HD)				Rear	24-025430	
2002	Ambiente	B8 (SP)				Rear	24-025447	
2002	Ambiente; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2002	Ambiente; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2002	Attraction	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2002	Attraction	B4				Rear	19-029160	Standard Chassis
2002	Attraction	B6 (HD)				Rear	24-025430	
2002	Attraction	B8 (SP)				Rear	24-025447	
2002	Attraction; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2002	Attraction; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2001	Ambiente	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2001	Ambiente	B4				Rear	19-029160	Standard Chassis
2001	Ambiente	B6 (HD)				Rear	24-025430	
2001	Ambiente	B8 (SP)				Rear	24-025447	
2001	Ambiente; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2001	Ambiente; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2001	Ambition	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2001	Ambition	B4				Rear	19-029160	Standard Chassis
2001	Ambition	B6 (HD)				Rear	24-025430	
2001	Ambition	B8 (SP)				Rear	24-025447	
2001	Ambition; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2001	Ambition; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2001	Attraction	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2001	Attraction	B4				Rear	19-029160	Standard Chassis
2001	Attraction	B6 (HD)				Rear	24-025430	
2001	Attraction	B8 (SP)				Rear	24-025447	
2001	Attraction; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2001	Attraction; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2000	Ambition	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2000	Ambition	B4				Rear	19-029160	Standard Chassis
2000	Ambition	B6 (HD)				Rear	24-025430	
2000	Ambition	B8 (SP)				Rear	24-025447	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
2000	Ambition; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2000	Ambition; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2000	Attraction	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2000	Attraction	B4				Rear	19-029160	Standard Chassis
2000	Attraction	B6 (HD)				Rear	24-025430	
2000	Attraction	B8 (SP)				Rear	24-025447	
2000	Attraction; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2000	Attraction; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
1999	Base	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
1999	Base	B4				Rear	19-029160	Standard Chassis
1999	Base	B6 (HD)				Rear	24-025430	
1999	Base	B8 (SP)				Rear	24-025447	
1999	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
1999	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
1998	Base	B12 (Sportline)	Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A3 (continued)								
1998	Base	B4				Rear	19-029160	Standard Chassis
1998	Base	B6 (HD)				Rear	24-025430	
1998	Base	B8 (SP)				Rear	24-025447	
1998	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
1998	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
Audi A4								
2012	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2011	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2011	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2011	Base	B16 (Ride Control)	Front and Rear	49-151282				
2011	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2010	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Base	B16 (Ride Control)	Front and Rear	49-151282				
2010	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Sport	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Sport	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Sport	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Trendy	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Trendy	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Trendy	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2010	Trendy Plus	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Trendy Plus	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Trendy Plus	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2009	Base	B16 (Ride Control)	Front and Rear	49-151282				
2009	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-188687	From Chassis # 8E-7-400001; Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2009	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2009	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2009	Cabriolet	B4	Front	19-109510	Sport Suspension; To Chassis # 8H-7-400 000			
2009	Cabriolet	B6 (HD)	Front	24-119788		Rear	24-119795	
2009	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2009	Luxury	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Luxury	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Luxury	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Sport	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Sport	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Sport	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Trendy	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Trendy	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Trendy	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Trendy Plus	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2009	Trendy Plus	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Trendy Plus	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2008	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2008	1.8L L4 1781cc; Luxury	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2008	1.8L L4 1781cc; Trendy Plus	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2008	1.8L L4 1781cc; Trendy Plus	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Base	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Trendy	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Trendy	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2008	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2008	3.2L V6 3123cc; Base	B12 (Sportline)	Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2008	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-169301				
2008	Base	B4	Front	19-164472	Sport Suspension	Rear	19-158952	Standard Suspension
			Front	19-158945	Standard Suspension			
2008	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2008	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2008	Base; w/ B7 Body	B4				Rear	19-164489	Sport Suspension
2008	Cabrio Elite	B12 (Pro-Kit)	Front and Rear	46-188687	From Chassis # 8E-7-400001; Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2008	Cabrio Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-188687	From Chassis # 8E-7-400001; Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2008	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2008	Cabriolet	B4	Front	19-109510	Sport Suspension			
2008	Cabriolet	B6 (HD)	Front	24-119788		Rear	24-119795	
2008	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2008	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Luxury	B4	Front	19-164472	Sport Suspension			
2008	Trendy	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Trendy	B4	Front	19-164472	Sport Suspension			
2008	Trendy Plus	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Trendy Plus	B4	Front	19-164472	Sport Suspension			
2007	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2007	1.8L L4 1781cc; Luxury	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A4 (continued)						
2007	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2007	2.0L L4 1984cc 121 CID; Base	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2007	2.0L L4 1984cc 121 CID; Cabriolet; Convertible	B12 (Pro-Kit)	Front and Rear	46-189837	Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000	
2007	2.0L L4 1984cc 121 CID; Elite	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2007	2.0L L4 1984cc 121 CID; Elite	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2007	2.0L L4 1984cc 121 CID; Trendy	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2007	2.0L L4 1984cc 121 CID; Trendy	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2007	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2007	3.2L V6 3123cc; Base	B12 (Sportline)	Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2007	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load	
2007	Base	B16 (PSS9)	Front and Rear	48-169301		



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2007	Base	B4	Front	19-164472	Sport Suspension	Rear	19-158952	Standard Suspension
			Front	19-158945	Standard Suspension			
2007	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2007	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2007	Base; w/ B7 Body	B4				Rear	19-164489	Sport Suspension
2007	Cabrio Elite	B12 (Pro-Kit)	Front and Rear	46-188687	From Chassis # 8E-7-400001; Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2007	Cabrio Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-188687	From Chassis # 8E-7-400001; Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2007	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2007	Cabriolet	B4	Front	19-109510	Sport Suspension			
2007	Cabriolet	B6 (HD)	Front	24-119788		Rear	24-119795	
2007	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2007	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Elite	B4	Front	19-164472	Sport Suspension			
2007	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Luxury	B4	Front	19-164472	Sport Suspension			
2007	Trendy	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Trendy	B4	Front	19-164472	Sport Suspension			
2006	1.8L L4 1781cc; Cabriolet; Convertible	B12 (Pro-Kit)	Front and Rear	46-189837	Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000			
2006	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2006	1.8L L4 1781cc; Luxury	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	1.8L L4 1781cc; Trendy	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2006	1.8L L4 1781cc; Trendy	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Base	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Vanguard	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Vanguard	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2006	3.2L V6 3123cc; Base	B12 (Sportline)	Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-169301				
2006	Base	B4	Front	19-164472	Sport Suspension	Rear	19-158952	Standard Suspension
			Front	19-158945	Standard Suspension			
2006	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2006	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2006	Base; w/ B7 Body	B4				Rear	19-164489	Sport Suspension
2006	Cabrio	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2006	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2006	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2006	Cabriolet	B6 (HD)	Front	24-065146				
2006	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2006	Elite	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Limited Edition	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	Limited Edition	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Trendy	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Vanguard	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-188526	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	1.8L L4 1781cc; Avant	B12 (Sportline)	Front and Rear	46-188601	From Chassis # 8E-5-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load			
2005	1.8L L4 1781cc; Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2005	1.8L L4 1781cc; Base; w/ B6 Body	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2005	1.8L L4 1781cc; Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2005	1.8L L4 1781cc; Base; w/ B7 Body	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2005	1.8L L4 1781cc; Cabriolet; Convertible	B12 (Pro-Kit)	Front and Rear	46-189837	Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000			
2005	2.0L L4 1984cc 121 CID; Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Base; w/ B6 Body	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Base; w/ B7 Body	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2005	3.0L V6 2976cc; Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188472	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2005	3.0L V6 2976cc; Base; w/ B6 Body	B12 (Sportline)	Front and Rear	46-188595	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2005	3.0L V6 2976cc; Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189820	Front Lowered Height: 20mm, up to 1230kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000			
2005	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2005	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Base	B16 (PSS9)	Front and Rear	48-169301				
2005	Base	B6 (HD)	Front	24-119788	From 10/02			
2005	Base; FWD	B6 (HD)				Rear	24-119795	From 10/02
2005	Base; FWD	B8 (SP)	Front	24-119818	From 10/02	Rear	24-119825	From 10/02
2005	Base; w/ B7 Body	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
			Front	19-158945	Standard Suspension	Rear	19-158952	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2005	Cabrio	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2005	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2005	Cabriolet	B6 (HD)	Front	24-065146				
2005	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2005	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Trendy	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Vanguard	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-188526	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-183026	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-5-400 000			
2004	1.8L L4 1781cc; Avant	B12 (Sportline)	Front and Rear	46-188601	From Chassis # 8E-5-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load			
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
2004	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2004	1.8L L4 1781cc; Base	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A4 (continued)						
2004	1.8L L4 1781cc; Cabriolet; Convertible	B12 (Pro-Kit)	Front and Rear	46-189837	Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000	
2004	1.8L L4 1781cc; Confort	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2004	1.8L L4 1781cc; Confort	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
2004	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2004	1.8L L4 1781cc; Luxury	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
2004	1.8L L4 1781cc; Vanguard	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2004	1.8L L4 1781cc; Vanguard	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
2004	3.0L V6 2976cc; Avant	B12 (Pro-Kit)	Front and Rear	46-188533	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load	
			Front and Rear	46-183033	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-5-400 000	
2004	3.0L V6 2976cc; Avant	B12 (Sportline)	Front and Rear	46-188618	From Chassis # 8E-5-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load	
			Front and Rear	46-182418	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2004	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-188472	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2004	3.0L V6 2976cc; Base	B12 (Sportline)	Front and Rear	46-188595	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-182418	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
2004	3.0L V6 2976cc; Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189820	Front Lowered Height: 20mm, up to 1230kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000			
2004	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2004	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-169301				
2004	Base	B6 (HD)	Front	24-119788	From 10/02			
2004	Base; FWD	B6 (HD)				Rear	24-119795	From 10/02
2004	Base; FWD	B8 (SP)	Front	24-119818	From 10/02	Rear	24-119825	From 10/02
2004	Cabrio	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2004	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2004	Cabriolet	B6 (HD)	Front	24-065146				
2004	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2004	Confort	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Vangard	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A4 (continued)						
2003	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
2003	1.8L L4 1781cc; Base	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
2003	1.8L L4 1781cc; Cabriolet; Convertible	B12 (Pro-Kit)	Front and Rear	46-189837	Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000	
2003	1.8L L4 1781cc; Confort	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
2003	1.8L L4 1781cc; Confort	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
2003	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
2003	1.8L L4 1781cc; Luxury	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2003	1.8L L4 1781cc; Vanguard	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2003	1.8L L4 1781cc; Vanguard	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
2003	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-188472	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-182975	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-183385	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2003	3.0L V6 2976cc; Base	B12 (Sportline)	Front and Rear	46-188595	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-182418	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
2003	3.0L V6 2976cc; Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189820	Front Lowered Height: 20mm, up to 1230kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000			
2003	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	Base	B16 (PSS9)	Front and Rear	48-169301				
2003	Base	B6 (HD)	Front	24-119788	From 10/02			
2003	Base; FWD	B6 (HD)				Rear	24-119795	From 10/02
2003	Base; FWD	B8 (SP)	Front	24-119818	From 10/02	Rear	24-119825	From 10/02
2003	Base; Sedan; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Cabrio	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	Cabrio; Convertible	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2003	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2003	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2003	Cabriolet	B6 (HD)	Front	24-065146				
2003	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2003	Confort	B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2003	Confort	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	Confort; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Luxury	B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2003	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	Luxury; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Sedan; Vanguard	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Vanguard	B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2003	Vanguard	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2002	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A4 (continued)						
2002	1.8L L4 1781cc; Base	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
2002	1.8L L4 1781cc; Confort	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
2002	1.8L L4 1781cc; Confort	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
2002	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
2002	1.8L L4 1781cc; Luxury	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
2002	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-188472	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-182975	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-183385	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2002	3.0L V6 2976cc; Base	B12 (Sportline)	Front and Rear	46-188595	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-182418	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
2002	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2002	Base	B16 (PSS9)	Front and Rear	48-169301				
2002	Base	B4	Front	19-109510	Sport Suspension; To 9/02; To Chassis # 8E-2-400 000	Rear	19-111803	Sport Suspension; To Chassis # 8E-2-400 000
2002	Base	B6 (HD)	Front	24-119788	From 10/02			
			Front	24-065146	To 9/02			
2002	Base; FWD	B6 (HD)				Rear	24-119795	From 10/02
2002	Base; FWD	B8 (SP)	Front	24-119818	From 10/02	Rear	24-119825	From 10/02
2002	Base; Sedan; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2002	Confort	B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2002	Confort	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2002	Confort; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2002	Luxury	B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2002	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2002	Luxury; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2001	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2001	1.8L L4 1781cc; Base	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189196	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2001	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2001	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001	Avant Confort	B12 (Pro-Kit)	Front and Rear	46-189158	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
2001	Avant Confort	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001	Avant Confort	B4	Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
2001	Avant Confort	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001			
2001	Avant Luxury	B12 (Pro-Kit)	Front and Rear	46-189158	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
2001	Avant Luxury	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001	Avant Luxury	B4	Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
2001	Avant Luxury	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001			
2001	Base	B4	Front	19-119939	From 7/00 To 01; Sport Suspension	Rear	19-103471	
			Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
2001	Base	B6 (HD)	Front	24-065122	From 7/00 To 01	Rear	24-062596	
2001	Base	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001			
2001	Basico	B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2001	Basico	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001	Basico	B4	Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
2001	Basico	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001			
2001	Confort	B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2001	Confort	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001	Confort	B4	Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
2001	Confort	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001			
2001	Luxury	B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Audi A4 (continued)						
2001	Luxury	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load	
2001	Luxury	B4	Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis	
2001	Luxury	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001	
2001	Sport	B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load	
2001	Sport	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load	
2001	Sport	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001	
2000	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load	
2000	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189097	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load	
			Front and Rear	46-189080	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load	
			Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load	
2000	1.8L L4 1781cc; Base	B12 (Sportline)	Front and Rear	46-189264	From Chassis # 8D-1-030001; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load	
2000	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189196	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load	
			Front and Rear	46-189189	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
2000	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189097	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189080	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2000	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-189264	From Chassis # 8D-1-030001; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2000	Avant	B12 (Pro-Kit)	Front and Rear	46-189158	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
			Front and Rear	46-189141	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
2000	Avant	B12 (Sportline)	Front and Rear	46-189264	From Chassis # 8D-1-030001; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2000	Avant	B4	Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
2000	Avant	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001			
2000	Base	B4	Front	19-119939	From 7/00 To 01; Sport Suspension	Rear	19-103471	
			Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
			Front	19-045771	Sport Suspension; To 6/00			
			Front	22-031167	Standard Suspension; To 6/00			
2000	Base	B6 (HD)	Front	24-065122	From 7/00 To 01	Rear	24-062596	
			Front	24-020794	To 6/00			
2000	Base	B8 (SP)	Front	24-065139	From Chassis # 8D-1-030001			
			Front	24-020817	To 6/00			
1999	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
1999	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189080	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
			Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
1999	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189189	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-183279	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
1999	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189080	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
			Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
1999	Avant	B12 (Pro-Kit)	Front and Rear	46-189141	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
			Front and Rear	46-183248	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load; To Chassis # 8D-X-200000			
			Front and Rear	46-183361	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; To Chassis # 8D-X-200000			
1999	Avant	B4				Rear	19-105376	Standard Chassis; To Chassis # 8D-X-200000
1999	Base	B12 (Pro-Kit)	Front and Rear	46-183361	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; To Chassis # 8D-X-200000			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
1999	Base	B4	Front	19-045771	Sport Suspension; To 6/00	Rear	19-103471	
			Front	22-031167	Standard Suspension; To 6/00			
1999	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-062596	
1999	Base	B8 (SP)	Front	24-020817	To 6/00			
1998	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-183248	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
1998	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1998	2.8L V6 2771cc; Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183248	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
1998	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183279	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
1998	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1998	Avant	B12 (Pro-Kit)	Front and Rear	46-183361	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; To Chassis # 8D-X-200000			
1998	Avant	B4	Front	22-031167		Rear	19-105376	Standard Chassis; To Chassis # 8D-X-200000
1998	Avant	B6 (HD)	Front	24-020794		Rear	24-020800	
1998	Avant	B8 (SP)	Front	24-020817		Rear	24-020824	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-183361	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; To Chassis # 8D-X-200000			
1998	Base	B4	Front	19-045771	Sport Suspension; To 6/00	Rear	19-029207	
			Front	22-031167	Standard Suspension; To 6/00			
1998	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-020800	
1998	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-020824	
1997	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1997	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183279	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 (continued)								
1997	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1997	Base	B12 (Pro-Kit)	Front and Rear	46-183361	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; To Chassis # 8D-X-200000			
1997	Base	B4	Front	19-045771	Sport Suspension; To 6/00	Rear	19-029207	
			Front	22-031167	Standard Suspension; To 6/00			
1997	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-020800	
1997	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-020824	
1996	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183279	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
1996	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1996	Base	B12 (Pro-Kit)	Front and Rear	46-183361	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; To Chassis # 8D-X-200000			
1996	Base	B4	Front	19-045771	Sport Suspension; To 6/00	Rear	19-029207	
			Front	22-031167	Standard Suspension; To 6/00			
1996	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-020800	
1996	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-020824	
Audi A4 Quattro								
2012	Avant	B12 (Pro-Kit)	Front and Rear	46-183354	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1225kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012	Avant	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2012	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2012	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Avant	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011	Avant	B12 (Pro-Kit)	Front and Rear	46-183354	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1225kg Axle Load; Standard Chassis; Without Lowered Chassis			
2011	Avant	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2011	Avant	B16 (Ride Control)	Front and Rear	49-151282				
2011	Avant	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Avant	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2011	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2011	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2011	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2011	Base	B16 (Ride Control)	Front and Rear	49-151282				
2011	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	3.2L V6 3123cc; Elite	B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Avant	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2010	Avant	B12 (Pro-Kit)	Front and Rear	46-183354	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1225kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Avant	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Avant	B16 (Ride Control)	Front and Rear	49-151282				
2010	Avant	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Avant	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Base	B16 (Ride Control)	Front and Rear	49-151282				
2010	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Elite	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Elite	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Elite	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2009	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	3.2L V6 3123cc; Elite	B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Avant	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Avant	B12 (Pro-Kit)	Front and Rear	46-183354	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1225kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Avant	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2009	Avant	B16 (Ride Control)	Front and Rear	49-151282				
2009	Avant	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Avant	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2009	Base	B16 (Ride Control)	Front and Rear	49-151282				
2009	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2009	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2009	Cabriolet	B6 (HD)	Front	24-119788				
2009	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2009	Elite	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
			Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2009	Elite	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Elite	B4	Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2008	2.0L L4 1984cc 121 CID; Avant	B12 (Pro-Kit)	Front and Rear	46-188564	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Elite	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Trendy	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008	Avant	B12 (Pro-Kit)	Front and Rear	46-188571	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2008	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Avant	B16 (PSS9)	Front and Rear	48-169301				
2008	Avant	B6 (HD)	Front	24-119788		Rear	24-119795	
2008	Avant	B8 (SP)	Front	24-119818		Rear	24-119825	
2008	Base	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-169301				



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2008	Base	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
			Front	19-158945	Standard Suspension	Rear	19-158952	Standard Suspension
2008	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2008	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2008	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2008	Cabriolet	B6 (HD)	Front	24-119788				
2008	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2008	Elite	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Elite	B4	Front	19-164472	Sport Suspension			
2008	Trendy	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008	Trendy	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Trendy	B4	Front	19-164472	Sport Suspension			
2007	2.0L L4 1984cc 121 CID; Avant	B12 (Pro-Kit)	Front and Rear	46-188564	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2007	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2007	2.0L L4 1984cc 121 CID; DTM	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2007	2.0L L4 1984cc 121 CID; Elite	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2007	AWD; Avant	B8 (SP)	Front	24-119818				
2007	Avant	B12 (Pro-Kit)	Front and Rear	46-188571	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2007	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Avant	B16 (PSS9)	Front and Rear	48-169301				
2007	Avant	B6 (HD)	Front	24-119788		Rear	24-119795	
2007	Avant	B8 (SP)				Rear	24-119825	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2007	Base	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-169301				
2007	Base	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
			Front	19-158945	Standard Suspension	Rear	19-158952	Standard Suspension
2007	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2007	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2007	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2007	Cabriolet	B6 (HD)	Front	24-119788		Rear	24-119795	
2007	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2007	DTM	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2007	DTM	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	DTM	B4	Front	19-164472	Sport Suspension			
2007	Elite	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2007	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Elite	B4	Front	19-164472	Sport Suspension			
2006	2.0L L4 1984cc 121 CID; Avant	B12 (Pro-Kit)	Front and Rear	46-188564	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2006	2.0L L4 1984cc 121 CID; DTM	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Elite	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2006	AWD; Avant	B8 (SP)	Front	24-119818				



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2006	Avant	B12 (Pro-Kit)	Front and Rear	46-188571	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2006	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Avant	B16 (PSS9)	Front and Rear	48-169301				
2006	Avant	B6 (HD)	Front	24-119788		Rear	24-119795	
2006	Avant	B8 (SP)				Rear	24-119825	
2006	Base	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-169301				
2006	Base	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
			Front	19-158945	Standard Suspension	Rear	19-158952	Standard Suspension
2006	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2006	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2006	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2006	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2006	Cabriolet	B6 (HD)	Front	24-065146				
2006	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2006	DTM	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2006	DTM	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Elite	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2006	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Vanguard	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2005	1.8L L4 1781cc; Avant; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188564	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	1.8L L4 1781cc; Avant; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188564	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	1.8L L4 1781cc; Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	1.8L L4 1781cc; Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Avant; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188564	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	AWD; Avant; w/ B7 Body	B8 (SP)	Front	24-119818				
2005	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Avant	B16 (PSS9)	Front and Rear	48-169301				
2005	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2005	Avant; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188571	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	Avant; w/ B6 Body	B4				Rear	19-111803	Sport Suspension; To Chassis # 8E-5-400 000
2005	Avant; w/ B6 Body	B6 (HD)	Front	24-065146				
2005	Avant; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188571	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	Avant; w/ B7 Body	B6 (HD)	Front	24-119788		Rear	24-119795	
2005	Avant; w/ B7 Body	B8 (SP)				Rear	24-119825	
2005	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Base	B16 (PSS9)	Front and Rear	48-169301				
2005	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2005	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2005	Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188502	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2005	Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	Base; w/ B7 Body	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
			Front	19-158945	Standard Suspension	Rear	19-158952	Standard Suspension
2005	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2005	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2005	Cabriolet	B6 (HD)	Front	24-065146				
2005	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2005	Elite	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Luxury	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-188564	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
			Front and Rear	46-183064	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load; To Chassis # 8E-5-400 000			
2004	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004	Avant	B12 (Pro-Kit)	Front and Rear	46-188571	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
			Front and Rear	46-183071	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load; To Chassis # 8E-5-400 000			
2004	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Avant	B16 (PSS9)	Front and Rear	48-169301				



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2004	Avant	B4				Rear	19-111803	Sport Suspension; To Chassis # 8E-5-400 000
2004	Avant	B6 (HD)	Front	24-065146				
2004	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2004	Base	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-169301				
2004	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2004	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2004	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2004	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2004	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2004	Cabriolet	B6 (HD)	Front	24-065146				
2004	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2004	Luxury	B12 (Pro-Kit)	Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-188564	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
			Front and Rear	46-183064	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load; To Chassis # 8E-5-400 000			
2003	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-182999	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2003	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-182999	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2003	Avant	B12 (Pro-Kit)	Front and Rear	46-188571	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
			Front and Rear	46-183071	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load; To Chassis # 8E-5-400 000			
2003	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	Avant	B16 (PSS9)	Front and Rear	48-169301				
2003	Avant	B4				Rear	19-111803	Sport Suspension; To Chassis # 8E-5-400 000
2003	Avant	B6 (HD)	Front	24-065146				
2003	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2003	Base	B12 (Pro-Kit)	Front and Rear	46-188502	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2003	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	Base	B16 (PSS9)	Front and Rear	48-169301				
2003	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2003	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2003	Base; Sedan; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Luxury	B12 (Pro-Kit)	Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-188502	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2003	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2003	Luxury; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2002	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-188564	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
			Front and Rear	46-183064	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load; To Chassis # 8E-5-400 000			
2002	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-182999	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2002	1.8L L4 1781cc; Le Mans	B12 (Pro-Kit)	Front and Rear	46-182999	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2002	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-182999	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2002	Avant	B12 (Pro-Kit)	Front and Rear	46-188571	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
			Front and Rear	46-183071	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load; To Chassis # 8E-5-400 000			
2002	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2002	Avant	B16 (PSS9)	Front and Rear	48-169301				
2002	Avant	B4				Rear	19-111803	Sport Suspension; To Chassis # 8E-5-400 000
2002	Avant	B6 (HD)	Front	24-065146				
2002	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2002	Base	B12 (Pro-Kit)	Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2002	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2002	Base	B16 (PSS9)	Front and Rear	48-169301				
2002	Base	B4	Front	19-109510	Sport Suspension; To 9/02; To Chassis # 8E-2-400 000	Rear	19-111803	Sport Suspension; To Chassis # 8E-2-400 000



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2002	Base	B6 (HD)	Front	24-119788	From 10/02	Rear	24-119795	From 10/02
			Front	24-065146	To 9/02			
2002	Base	B8 (SP)	Front	24-119818	From 10/02	Rear	24-119825	From 10/02
2002	Base; Sedan; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2002	Le Mans	B12 (Pro-Kit)	Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2002	Le Mans	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2002	Le Mans; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2002	Luxury	B12 (Pro-Kit)	Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2002	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2002	Luxury; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2001	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189172	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2001	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189110	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2001	2.8L V6 2771cc; Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189233	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2001	2.8L V6 2771cc; Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189172	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2001	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189202	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2001	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189110	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2001	Avant	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2001	Avant	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
2001	Avant	B6 (HD)	Front	24-065122	From 7/00 To 01	Rear	24-062121	From 7/00 To 01
2001	Avant	B8 (SP)	Front	24-065139	For Vehicles Without Ride Height Control; From Chassis # F8D-1-030001	Rear	24-062145	From 7/00 To 01
2001	Base	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
2001	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
2001	Base	B6 (HD)	Front	24-065122	From 7/00 To 01	Rear	24-062121	From 7/00 To 01
2001	Base	B8 (SP)	Front	24-065139	For Vehicles Without Ride Height Control; From Chassis # F8D-1-030001	Rear	24-062145	From 7/00 To 01
2001	Confort	B12 (Pro-Kit)	Front and Rear	46-189110	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2001	Confort	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
2001	Confort	B4				Rear	19-184050	
2001	Confort	B8 (SP)	Front	24-065139	For Vehicles Without Ride Height Control; From Chassis # F8D-1-030001			
2000	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189172	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
			Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2000	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189110	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
			Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 8D-1-030000			
2000	2.8L V6 2771cc; Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189233	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
			Front and Rear	46-183309	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2000	2.8L V6 2771cc; Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189172	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
			Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2000	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189202	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
			Front and Rear	46-183286	Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 8D-1-030000			
2000	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189110	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
			Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 8D-1-030000			
2000	Avant	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
2000	Avant	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
2000	Avant	B6 (HD)	Front	24-065122	From 7/00 To 01	Rear	24-062121	From 7/00 To 01
2000	Avant	B8 (SP)	Front	24-065139	For Vehicles Without Ride Height Control; From Chassis # F8D-1-030001	Rear	24-062145	From 7/00 To 01
2000	Base	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
2000	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
2000	Base	B6 (HD)	Front	24-065122	From 7/00 To 01	Rear	24-062121	From 7/00 To 01
			Front	24-020794	To 6/00	Rear	24-026215	To 6/00
2000	Base	B8 (SP)	Front	24-065139	For Vehicles Without Ride Height Control; From Chassis # F8D-1-030001	Rear	24-026222	From 3/98 To 6/00
						Rear	24-062145	From 7/00 To 01
			Front	24-020817	To 6/00			
1999	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
1999	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1999	2.8L V6 2771cc; Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183309	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1999	2.8L V6 2771cc; Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1999	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183286	Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1999	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1999	Avant	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
1999	Avant	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
1999	Avant	B6 (HD)	Front	24-020794				
1999	Avant	B8 (SP)	Front	24-020817		Rear	24-062145	
1999	Base	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
1999	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
1999	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-026215	To 6/00
1999	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-026222	From 3/98 To 6/00
1998	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1998	2.8L V6 2771cc; Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183309	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1998	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183286	Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1998	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
1998	Avant	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
1998	Avant	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
1998	Avant	B6 (HD)	Front	24-020794				
1998	Avant	B8 (SP)	Front	24-020817		Rear	24-062145	
1998	Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1998	Base	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
1998	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
1998	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-026215	To 6/00
1998	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-026222	From 3/98 To 6/00
						Rear	24-026697	To 2/98
1997	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183286	Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997	Base	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
1997	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
1997	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-026215	To 6/00
1997	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-026697	
1996	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183286	Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1996	Base	B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
1996	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
1996	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-026215	To 6/00
1996	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-026697	
1996	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
Audi A5								
2012		B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			
2012	Cabriolet	B4				Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
2011		B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis			
2011	Cabriolet	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			
2011	Cabriolet	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2011	Cabriolet	B16 (Ride Control)	Front and Rear	49-151282				
2011	Cabriolet	B4				Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
2011	Cabriolet	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010		B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis			
2010	Base	B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
2010	Base	B4				Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
2010	Cabriolet	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A5 (continued)								
2010	Cabriolet	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Cabriolet	B16 (Ride Control)	Front and Rear	49-151282				
2010	Cabriolet	B4				Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
2010	Cabriolet	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009		B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis			
2009	Base	B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
2009	Base	B4				Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
2008		B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis			
2008	Base	B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
2008	Base	B4				Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
Audi A5 Quattro								
2012	2.0L L4 1984cc 121 CID; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
2012	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2012	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189769	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1240kg Axle Load			
2012	Cabriolet	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A5 Quattro (continued)								
2012	Premium	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2012	Premium Plus	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	2.0L L4 1984cc 121 CID; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
2011	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2011	Base	B16 (Ride Control)	Front and Rear	49-151282				
2011	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2011	Cabriolet	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189769	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1240kg Axle Load			
2011	Cabriolet	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2011	Cabriolet	B16 (Ride Control)	Front and Rear	49-151282				
2011	Cabriolet	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Cabriolet	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	2.0L L4 1984cc 121 CID; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
2010	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2010	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Base	B16 (Ride Control)	Front and Rear	49-151282				



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A5 Quattro (continued)								
2010	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Cabriolet	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189769	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1240kg Axle Load			
2010	Cabriolet	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Cabriolet	B16 (Ride Control)	Front and Rear	49-151282				
2010	Cabriolet	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Cabriolet	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2009	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2009	Base	B16 (Ride Control)	Front and Rear	49-151282				
2009	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2008	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2008	Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2008	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2008	Base	B16 (Ride Control)	Front and Rear	49-151282				
2008	Base	B4	Front	19-171616	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Model 1BV; Sport Suspension
			Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2008	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6								
2012	Premium	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2012	Premium Plus	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2011	Base	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2011	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2011	Base	B16 (PSS9)	Front and Rear	48-116541				
2011	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2011	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2011	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2010	Base	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2010	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2010	Base	B16 (PSS9)	Front and Rear	48-116541				
2010	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2010	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2010	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2010	Elite	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2010	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2010	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2010	Luxury	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2010	Luxury	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2010	Luxury	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2010	Sport	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2010	Sport	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2010	Sport	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2009	Base	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2009	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2009	Base	B16 (PSS9)	Front and Rear	48-116541				
2009	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2009	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2009	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2009	Elite	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2009	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2009	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2009	Luxury	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2009	Luxury	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2009	Luxury	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2009	Sport	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2009	Sport	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2009	Sport	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2008	Base	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2008	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-116541				
2008	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2008	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2008	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2008	Elite	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2008	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2008	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2008	Luxury	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2008	Luxury	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2008	Luxury	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2008	Sport	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2008	Sport	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2007	Base	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-116541				
2007	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2007	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2007	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2007	Elite	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2007	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2007	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2007	Sport	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2007	Sport	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2006	Base	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-116541				
2006	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2006	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2006	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2006	Elite	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2006	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2006	Luxury	B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2006	Luxury	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Luxury	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2005	Confort	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2005	Confort	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2005	Confort	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2005	Elite	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2005	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2005	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2005	Luxury	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2005	Luxury	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2005	Luxury	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2005	Luxury AA Plus	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2005	Luxury AA Plus	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2005	Luxury AA Plus	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2004	Base	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2004	Base	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-088749				
2004	Base	B4	Front	19-119939		Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
						Rear	19-029443	Standard Suspension
2004	Base	B6 (HD)	Front	24-065085		Rear	24-065429	
2004	Base	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2004	Base; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2004	Confort	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2004	Confort	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2004	Confort	B4				Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
2004	Confort	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2004	Confort; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2004	Luxury	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2004	Luxury	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2004	Luxury	B4				Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
2004	Luxury	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2004	Luxury; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2003	Base	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2003	Base	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2003	Base	B16 (PSS9)	Front and Rear	48-088749				
2003	Base	B4	Front	19-119939		Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
						Rear	19-029443	Standard Suspension
2003	Base	B6 (HD)	Front	24-065085		Rear	24-065429	
2003	Base	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2003	Base; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2003	Confort	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2003	Confort	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2003	Confort	B4				Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
2003	Confort	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2003	Confort; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2003	Luxury	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2003	Luxury	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2003	Luxury	B4				Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
2003	Luxury	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2003	Luxury; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2002	Base	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2002	Base	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2002	Base	B16 (PSS9)	Front and Rear	48-088749				
2002	Base	B4	Front	19-119939		Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
						Rear	19-029443	Standard Suspension
2002	Base	B6 (HD)	Front	24-065085		Rear	24-065429	
2002	Base	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2002	Base; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2002	Luxury	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2002	Luxury	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2002	Luxury	B4				Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
2002	Luxury	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2002	Luxury; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2002	Premium	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2002	Premium	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2002	Premium	B4				Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
2002	Premium	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2002	Premium; Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2001	Base	B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
2001	Base	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2001	Base	B16 (PSS9)	Front and Rear	48-088749				
2001	Base	B4	Front	19-045771	Sport Suspension	Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
			Front	22-031167	Standard Suspension	Rear	19-029443	Standard Suspension
2001	Base	B6 (HD)	Front	24-020794		Rear	24-025324	
2001	Base	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001	Rear	24-025331	
						Rear	F4-BE3-2533-H0	
						Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2000	Avant	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2000	Avant	B4				Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
2000	Avant	B6 (HD)				Rear	24-026994	Must reuse O.E. spring seat; To Chassis # 4B-Y-200 000; Without Ride Height Adjustability
2000	Base	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2000	Base	B16 (PSS9)	Front and Rear	48-088749				
2000	Base	B4	Front	19-045771	Sport Suspension	Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
			Front	22-031167	Standard Suspension	Rear	19-029443	Standard Suspension
2000	Base	B6 (HD)	Front	24-020794		Rear	24-025324	
2000	Base	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
1999	Avant	B12 (Pro-Kit)	Front and Rear	46-192295	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 4B-Y-200 000			
1999	Avant	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
1999	Avant	B4				Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
1999	Avant	B6 (HD)				Rear	24-026994	Must reuse O.E. spring seat; To Chassis # 4B-Y-200 000; Without Ride Height Adjustability



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
1999	Base	B12 (Pro-Kit)	Front and Rear	46-192219	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load; To Chassis # 4B-Y-200 000			
1999	Base	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
1999	Base	B16 (PSS9)	Front and Rear	48-088749				
1999	Base	B4	Front	19-045771	Sport Suspension	Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
			Front	22-031167	Standard Suspension	Rear	19-029443	Standard Suspension
1999	Base	B6 (HD)	Front	24-020794		Rear	24-025324	
1999	Base	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-192219	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load; To Chassis # 4B-Y-200 000			
1998	Base	B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
1998	Base	B16 (PSS9)	Front and Rear	48-088749				
1998	Base	B4	Front	19-045771	Sport Suspension	Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
			Front	22-031167	Standard Suspension	Rear	19-029443	Standard Suspension
1998	Base	B6 (HD)	Front	24-020794		Rear	24-025324	
1998	Base	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
1997	Avant	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1997	Avant	B6 (HD)	Front	34-003701		Rear	24-015769	
1997	Avant	B8 (SP)	Front	34-003695		Rear	24-015738	
1997	Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192417	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997	Base	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1997	Base	B6 (HD)	Front	34-003701		Rear	24-015769	
1997	Base	B8 (SP)	Front	34-003695		Rear	24-015738	
1997	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192394	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 (continued)								
1996	Avant	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1996	Avant	B6 (HD)	Front	34-003701		Rear	24-015769	
1996	Avant	B8 (SP)	Front	34-003695		Rear	24-015738	
1996	Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192417	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1996	Base	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1996	Base	B6 (HD)	Front	34-003701		Rear	24-015769	
1996	Base	B8 (SP)	Front	34-003695		Rear	24-015738	
1996	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192394	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1995	Avant	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1995	Avant	B6 (HD)	Front	34-003701		Rear	24-015769	
1995	Avant	B8 (SP)	Front	34-003695		Rear	24-015738	
1995	Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192417	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1995	Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192370	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1995	Base	B4	Front	21-030390		Rear	19-029214	Standard Chassis
1995	Base	B6 (HD)	Front	34-003701		Rear	24-015769	
1995	Base	B8 (SP)	Front	34-003695		Rear	24-015738	
1995	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192394	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1995	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192356	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			

Audi A6 Quattro

2012	Premium	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2012	Premium	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2012	Premium Plus	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2012	Premium Plus	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2012	Prestige	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2012	Prestige	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2011	3.0L V6 2995cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2011	4.2L V8 4163cc; Base	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2011	Avant	B12 (Pro-Kit)	Front and Rear	46-189899	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load			
2011	Avant	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2011	Avant	B16 (PSS9)	Front and Rear	48-116541				
2011	Avant	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2011	Avant	B6 (HD)	Front	35-116288		Rear	24-116299	
2011	Avant	B8 (SP)	Front	35-116301		Rear	24-116312	
2011	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2011	Base	B16 (PSS9)	Front and Rear	48-116541				
2011	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2011	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2011	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2010	3.0L V6 2995cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2010	4.2L V8 4163cc; Base	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2010	Avant	B12 (Pro-Kit)	Front and Rear	46-189899	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load			
2010	Avant	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2010	Avant	B16 (PSS9)	Front and Rear	48-116541				
2010	Avant	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2010	Avant	B6 (HD)	Front	35-116288		Rear	24-116299	
2010	Avant	B8 (SP)	Front	35-116301		Rear	24-116312	
2010	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2010	Base	B16 (PSS9)	Front and Rear	48-116541				
2010	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2010	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2010	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2009	3.0L V6 2995cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2009	4.2L V8 4163cc; Base	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2009	Avant	B12 (Pro-Kit)	Front and Rear	46-189899	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load			
2009	Avant	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2009	Avant	B16 (PSS9)	Front and Rear	48-116541				
2009	Avant	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2009	Avant	B6 (HD)	Front	35-116288		Rear	24-116299	
2009	Avant	B8 (SP)	Front	35-116301		Rear	24-116312	
2009	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2009	Base	B16 (PSS9)	Front and Rear	48-116541				
2009	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2009	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2009	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2009	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2009	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2008	3.2L V6 3123cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189912	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1335kg Axle Load			
2008	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2008	4.2L V8 4163cc; Base	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2008	Avant	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2008	Avant	B16 (PSS9)	Front and Rear	48-116541				
2008	Avant	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2008	Avant	B6 (HD)	Front	35-116288		Rear	24-116299	
2008	Avant	B8 (SP)	Front	35-116301		Rear	24-116312	
2008	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-116541				



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2008	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2008	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2008	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2008	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2008	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2007	3.2L V6 3123cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189912	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1335kg Axle Load			
2007	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2007	4.2L V8 4163cc; Base	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2007	Avant	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2007	Avant	B16 (PSS9)	Front and Rear	48-116541				
2007	Avant	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2007	Avant	B6 (HD)	Front	35-116288		Rear	24-116299	
2007	Avant	B8 (SP)	Front	35-116301		Rear	24-116312	
2007	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-116541				
2007	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2007	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2007	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2007	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2007	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2006	3.2L V6 3123cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189912	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1335kg Axle Load			
2006	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2006	4.2L V8 4163cc; Base	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2006	Avant	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Avant	B16 (PSS9)	Front and Rear	48-116541				
2006	Avant	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2006	Avant	B6 (HD)	Front	35-116288		Rear	24-116299	
2006	Avant	B8 (SP)	Front	35-116301		Rear	24-116312	
2006	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-116541				
2006	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2006	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2006	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2006	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2006	S Line	B4				Rear	19-139968	For Vehicles Without Ride Height Control
2005	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2005	4.2L V8 4163cc; Base	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2005	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2005	Base	B16 (PSS9)	Front and Rear	48-116541				
2005	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2005	Base	B6 (HD)	Front	35-116288		Rear	24-116299	
2005	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2005	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2005	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2004	2.7L V6 2671cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2004	2.7L V6 2671cc; Base	B6 (HD)				Rear	24-065092	
2004	2.7L V6 2671cc; Base	B8 (SP)				Rear	24-065115	
2004	3.0L V6 2950cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2004	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2004	3.0L V6 2976cc; Base	B6 (HD)				Rear	24-065092	
2004	3.0L V6 2976cc; Base	B8 (SP)				Rear	24-065115	
2004	Avant	B12 (Pro-Kit)	Front and Rear	46-192349	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	Avant	B16 (PSS9)	Front and Rear	48-088688				
2004	Avant	B4	Front	19-119939		Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
2004	Avant	B6 (HD)	Front	24-065085		Rear	24-065092	
2004	Avant	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001	Rear	24-065115	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2004	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-088688				
2004	Base	B4	Front	19-119939		Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
2004	Base	B6 (HD)	Front	24-065085				
2004	Base	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2003	2.7L V6 2671cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2003	2.7L V6 2671cc; Base	B6 (HD)				Rear	24-065092	
2003	2.7L V6 2671cc; Base	B8 (SP)				Rear	24-065115	
2003	3.0L V6 2950cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2003	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2003	3.0L V6 2976cc; Base	B6 (HD)				Rear	24-065092	
2003	3.0L V6 2976cc; Base	B8 (SP)				Rear	24-065115	
2003	Avant	B12 (Pro-Kit)	Front and Rear	46-192349	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2003	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003	Avant	B16 (PSS9)	Front and Rear	48-088688				
2003	Avant	B4	Front	19-119939		Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
2003	Avant	B6 (HD)	Front	24-065085		Rear	24-065092	
2003	Avant	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001	Rear	24-065115	
2003	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003	Base	B16 (PSS9)	Front and Rear	48-088688				
2003	Base	B4	Front	19-119939		Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2003	Base	B6 (HD)	Front	24-065085				
2003	Base	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2002	2.7L V6 2671cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2002	2.7L V6 2671cc; Base	B6 (HD)				Rear	24-065092	
2002	2.7L V6 2671cc; Base	B8 (SP)				Rear	24-065115	
2002	3.0L V6 2950cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2002	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2002	3.0L V6 2976cc; Base	B6 (HD)				Rear	24-065092	
2002	3.0L V6 2976cc; Base	B8 (SP)				Rear	24-065115	
2002	Avant	B12 (Pro-Kit)	Front and Rear	46-192349	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2002	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	Avant	B16 (PSS9)	Front and Rear	48-088688				
2002	Avant	B4	Front	19-119939		Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
2002	Avant	B6 (HD)	Front	24-065085		Rear	24-065092	
2002	Avant	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001	Rear	24-065115	
2002	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	Base	B16 (PSS9)	Front and Rear	48-088688				
2002	Base	B4	Front	19-119939		Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
2002	Base	B6 (HD)	Front	24-065085				
2002	Base	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2002	Luxury	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2002	Luxury	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	Luxury	B4				Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
2002	Luxury	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2001	2.7L V6 2671cc; Base	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
			Front and Rear	46-192264	From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2001	2.7L V6 2671cc; Base	B6 (HD)				Rear	24-065092	
2001	2.7L V6 2671cc; Base	B8 (SP)				Rear	24-065115	
2001	2.8L V6 2771cc; Base	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
			Front and Rear	46-192264	From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2001	2.8L V6 2771cc; Base	B6 (HD)				Rear	24-065092	
2001	2.8L V6 2771cc; Base	B8 (SP)				Rear	24-065115	
2001	2.8L V6 2771cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
2001	Avant	B12 (Pro-Kit)	Front and Rear	46-192349	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-192332	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1230kg Axle Load			
2001	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2001	Avant	B16 (PSS9)	Front and Rear	48-088688				
2001	Avant	B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
2001	Avant	B6 (HD)	Front	24-020794		Rear	24-065092	
2001	Avant	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001	Rear	24-065115	
2001	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2001	Base	B16 (PSS9)	Front and Rear	48-088688				
2001	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
2001	Base	B6 (HD)	Front	24-020794				
2001	Base	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2001	Luxury	B12 (Pro-Kit)	Front and Rear	46-192264	From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2001	Luxury	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2001	Luxury	B4				Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
2001	Luxury	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001			
2000	2.7L V6 2671cc; Base	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
2000	2.7L V6 2671cc; Base	B6 (HD)				Rear	24-065092	
2000	2.7L V6 2671cc; Base	B8 (SP)				Rear	24-065115	
2000	2.8L V6 2771cc; Base	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
2000	2.8L V6 2771cc; Base	B6 (HD)				Rear	24-065092	
2000	2.8L V6 2771cc; Base	B8 (SP)				Rear	24-065115	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2000	Avant	B12 (Pro-Kit)	Front and Rear	46-192332	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1230kg Axle Load			
2000	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2000	Avant	B16 (PSS9)	Front and Rear	48-088688				
2000	Avant	B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
2000	Avant	B6 (HD)	Front	24-020794		Rear	24-065092	
2000	Avant	B8 (SP)				Rear	24-065115	
2000	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2000	Base	B16 (PSS9)	Front and Rear	48-088688				
2000	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
2000	Base	B6 (HD)	Front	24-020794				
1999	2.8L V6 2771cc; Base	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
1999	2.8L V6 2771cc; Base	B6 (HD)				Rear	24-065092	
1999	2.8L V6 2771cc; Base	B8 (SP)				Rear	24-065115	
1999	Avant	B12 (Pro-Kit)	Front and Rear	46-192332	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1230kg Axle Load			
1999	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
1999	Avant	B16 (PSS9)	Front and Rear	48-088688				
1999	Avant	B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
1999	Avant	B6 (HD)	Front	24-020794		Rear	24-065092	
1999	Avant	B8 (SP)				Rear	24-065115	
1999	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
1999	Base	B16 (PSS9)	Front and Rear	48-088688				
1999	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
1999	Base	B6 (HD)	Front	24-020794				
1998	2.8L V6 2771cc; Base	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
1998	2.8L V6 2771cc; Base	B6 (HD)				Rear	24-065092	
1998	2.8L V6 2771cc; Base	B8 (SP)				Rear	24-065115	
1998	Avant	B12 (Pro-Kit)	Front and Rear	46-192332	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1230kg Axle Load			
1998	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
1998	Avant	B16 (PSS9)	Front and Rear	48-088688				
1998	Avant	B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
1998	Avant	B6 (HD)	Front	24-020794		Rear	24-065092	
1998	Avant	B8 (SP)				Rear	24-065115	
1998	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
1998	Base	B16 (PSS9)	Front and Rear	48-088688				
1998	Base	B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
1998	Base	B6 (HD)	Front	24-020794				
1997	Avant	B4	Front	21-030390	Standard Suspension			
1997	Avant	B6 (HD)	Front	34-003701		Rear	24-020657	With O.E. sport suspension (M12 upper stem)
						Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1997	Avant	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
1997	Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192424	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1997	Base	B4	Front	21-030390				



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
1997	Base	B6 (HD)	Front	34-003701		Rear	24-020657	With O.E. sport suspension (M12 upper stem)
						Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1997	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
1997	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192400	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1996	Avant	B4	Front	21-030390	Standard Suspension			
1996	Avant	B6 (HD)	Front	34-003701		Rear	24-020657	With O.E. sport suspension (M12 upper stem)
						Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1996	Avant	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
1996	Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192424	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1996	Base	B4	Front	21-030390				
1996	Base	B6 (HD)	Front	34-003701		Rear	24-020657	With O.E. sport suspension (M12 upper stem)
						Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1996	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
1996	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192400	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1995	Avant	B4	Front	21-030390	Standard Suspension			
1995	Avant	B6 (HD)	Front	34-003701		Rear	24-020657	With O.E. sport suspension (M12 upper stem)
						Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1995	Avant	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
1995	Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192424	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1995	Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192387	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1995	Base	B4	Front	21-030390				
1995	Base	B6 (HD)	Front	34-003701		Rear	24-020657	With O.E. sport suspension (M12 upper stem)
						Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1995	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
1995	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192400	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1995	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
Audi A8								
2000	Base	B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
1999	Base	B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
1999	Base	B6 (HD)	Front	24-026093		Rear	24-026161	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
1998	Base	B6 (HD)	Front	24-026093		Rear	24-026161	
1997	Base	B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
1997	Base	B6 (HD)	Front	24-026093		Rear	24-026161	
Audi A8 Quattro								
2003	Base	B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
2003	Base	B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
2003	L	B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
2003	L	B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
2002	Base	B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
2002	L	B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A8 Quattro (continued)								
2002	L	B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
			Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
2001	Base	B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
2001	L	B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
			Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
2001	L	B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
2000	Base	B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
			Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
2000	Base	B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
			Front	24-026093	To 4/00			
2000	L	B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
			Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
2000	L	B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
1999	Base	B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
1999	Base	B6 (HD)	Front	24-026093	To 4/00	Rear	24-026161	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi A8 Quattro (continued)								
1998	Base	B6 (HD)	Front	24-026093	To 4/00	Rear	24-026161	
1997	Base	B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
1997	Base	B6 (HD)	Front	24-026093	To 4/00	Rear	24-026161	
Audi Cabriolet								
1998	Base	B12 (Pro-Kit)	Front and Rear	46-189813	Front Lowered Height: 20mm, up to 1100kg Axle Load; Rear Lowered Height: 20mm, up to 870kg Axle Load; With 50mm Outside Strut Diameter			
1998	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-028873	
1998	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-018449	
1998	Base	B8 (SP)	Front	24-018432				
			Front	34-030066	With 50mm Outside Strut Diameter			
1997	Base	B12 (Pro-Kit)	Front and Rear	46-189813	Front Lowered Height: 20mm, up to 1100kg Axle Load; Rear Lowered Height: 20mm, up to 870kg Axle Load; With 50mm Outside Strut Diameter			
1997	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-028873	
1997	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-018449	
1997	Base	B8 (SP)	Front	24-018432				
			Front	34-030066	With 50mm Outside Strut Diameter			
1996	Base	B12 (Pro-Kit)	Front and Rear	46-189813	Front Lowered Height: 20mm, up to 1100kg Axle Load; Rear Lowered Height: 20mm, up to 870kg Axle Load; With 50mm Outside Strut Diameter			
1996	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-028873	
1996	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-018449	
1996	Base	B8 (SP)	Front	24-018432				
			Front	34-030066	With 50mm Outside Strut Diameter			
1995	Base	B12 (Pro-Kit)	Front and Rear	46-189813	Front Lowered Height: 20mm, up to 1100kg Axle Load; Rear Lowered Height: 20mm, up to 870kg Axle Load; With 50mm Outside Strut Diameter			
1995	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-028873	
1995	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-018449	
1995	Base	B8 (SP)	Front	24-018432				
			Front	34-030066	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi Cabriolet (continued)								
1994	Base	B12 (Pro-Kit)	Front and Rear	46-189813	Front Lowered Height: 20mm, up to 1100kg Axle Load; Rear Lowered Height: 20mm, up to 870kg Axle Load; With 50mm Outside Strut Diameter			
1994	Base	B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-028873	
1994	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-018449	
1994	Base	B8 (SP)	Front	24-018432				
			Front	34-030066	With 50mm Outside Strut Diameter			
Audi Coupe								
1987	GT	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019680	
1987	GT	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-020510	
1987	GT	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-020503	
1986	GT	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019680	
1986	GT	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-020510	
1986	GT	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-020503	
1985	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019680	
1985	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-020510	
1985	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-020503	
1984	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019680	
1984	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-020510	
1984	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-020503	
1983	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019680	
1983	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-020510	
1983	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-020503	
1982	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019680	
1982	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-020510	
1982	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-020503	
1981	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019680	
1981	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-020510	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi Coupe (continued)								
1981	Base	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-020503	
Audi Coupe Quattro								
1991	20v	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1991	20v	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1991	20v	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
1990	20v	B4	Front	21-030444	With 50mm Outside Strut Diameter			
1990	20v	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1990	20v	B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
Audi Fox								
1979	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1979	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter			
1978	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1978	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter			
1977	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1977	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter			
1976	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1976	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter			
1975	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1975	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter			
1974	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1974	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter			
1973	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1973	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter			
Audi Quattro								
1985	Base	B4	Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi Quattro (continued)								
1985	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
			Front	34-030165	With 55mm Outside Strut Diameter			
1984	Base	B4	Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter			
1984	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
			Front	34-030165	With 55mm Outside Strut Diameter			
1983	Base	B4	Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter			
1983	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
			Front	34-030165	With 55mm Outside Strut Diameter			
Audi R8								
2012	Base	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
2012	GT	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
2011	Base	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
2011	Spyder	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
2010	Base	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
2009	Base	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
2008	Base	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi RS4								
2008	Base	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-105958	Dynamic Ride Control (DRC) must be removed			
2008	Base	B8 (SP)	Front	24-119818	Dynamic Ride Control (DRC) must be removed	Rear	24-119825	Dynamic Ride Control (DRC) must be removed
2008	Cabriolet	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2008	Cabriolet	B16 (PSS9)	Front and Rear	48-105958	Dynamic Ride Control (DRC) must be removed			
2008	Cabriolet	B8 (SP)	Front	24-119818	Dynamic Ride Control (DRC) must be removed	Rear	24-119825	Dynamic Ride Control (DRC) must be removed
2007	Base	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-105958	Dynamic Ride Control (DRC) must be removed			
2007	Base	B8 (SP)	Front	24-119818	Dynamic Ride Control (DRC) must be removed	Rear	24-119825	Dynamic Ride Control (DRC) must be removed
Audi RS6								
2004	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-088688	Dynamic Ride Control (DRC) must be removed			
2003	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003	Base	B16 (PSS9)	Front and Rear	48-088688	Dynamic Ride Control (DRC) must be removed			
Audi S3								
2004	Base	B12 (Pro-Kit)	Front and Rear	46-180186	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 20mm, up to 1120kg Axle Load			
2003	Base	B12 (Pro-Kit)	Front and Rear	46-180186	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 20mm, up to 1120kg Axle Load			
2002	Base	B12 (Pro-Kit)	Front and Rear	46-180186	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 20mm, up to 1120kg Axle Load			
2001	Base	B12 (Pro-Kit)	Front and Rear	46-180186	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 20mm, up to 1120kg Axle Load			
2000	Base	B12 (Pro-Kit)	Front and Rear	46-180186	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 20mm, up to 1120kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi S4								
2012	Base	B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2011	Base	B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2011	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Base	B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Cabriolet	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2009	Cabriolet	B16 (PSS9)	Front and Rear	48-105958				
2009	Cabriolet	B4				Rear	19-164489	
2009	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2008	Avant	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2008	Avant	B16 (PSS9)	Front and Rear	48-105958				
2008	Avant	B8 (SP)	Front	24-119818		Rear	24-119825	
2008	Base	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-105958				
2008	Base	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
2008	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2008	Cabriolet	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2008	Cabriolet	B16 (PSS9)	Front and Rear	48-105958				
2008	Cabriolet	B4				Rear	19-164489	
2008	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi S4 (continued)								
2007	Avant	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2007	Avant	B16 (PSS9)	Front and Rear	48-105958				
2007	Avant	B8 (SP)	Front	24-119818		Rear	24-119825	
2007	Base	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-105958				
2007	Base	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
2007	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2007	Cabriolet	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2007	Cabriolet	B16 (PSS9)	Front and Rear	48-105958				
2007	Cabriolet	B4				Rear	19-164489	
2007	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2006	Avant	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2006	Avant	B16 (PSS9)	Front and Rear	48-105958				
2006	Avant	B8 (SP)	Front	24-119818		Rear	24-119825	
2006	Base	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-105958				
2006	Base	B4				Rear	19-164489	Sport Suspension
2006	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2006	Base; w/ B7 Body	B4	Front	19-164472	Sport Suspension			
2006	Cabriolet	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2006	Cabriolet	B16 (PSS9)	Front and Rear	48-105958				
2006	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2005	Avant	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2005	Avant	B16 (PSS9)	Front and Rear	48-105958				
2005	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2005	Avant; w/ B7 Body	B8 (SP)	Front	24-119818		Rear	24-119825	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi S4 (continued)								
2005	Base	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2005	Base	B16 (PSS9)	Front and Rear	48-105958				
2005	Base; w/ B7 Body	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
2005	Base; w/ B7 Body	B8 (SP)	Front	24-119818		Rear	24-119825	
2005	Cabriolet	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2005	Cabriolet	B16 (PSS9)	Front and Rear	48-105958				
2005	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2004	Avant	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 10-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2004	Avant	B16 (PSS9)	Front and Rear	48-105958				
2004	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2004	Base	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 10-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-105958				
2004	Cabriolet	B14 (PSS)	Front and Rear	47-119444	Front Lowered Height: 15-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1170kg Axle Load			
2004	Cabriolet	B16 (PSS9)	Front and Rear	48-105958				
2004	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2002	Avant	B12 (Pro-Kit)	Front and Rear	46-183316	Front Lowered Height: 20mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20mm, up to 1130kg Axle Load			
2002	Avant	B16 (PSS9)	Front and Rear	48-086165				
2002	Avant	B6 (HD)	Front	24-185028		Rear	24-062121	
2002	Avant	B8 (SP)	Front	24-185059		Rear	24-062145	
2002	Base	B16 (PSS9)	Front and Rear	48-086165				
2002	Base	B6 (HD)	Front	24-185028		Rear	24-062121	
2002	Base	B8 (SP)	Front	24-185059		Rear	24-062145	
2001	Avant	B12 (Pro-Kit)	Front and Rear	46-183316	Front Lowered Height: 20mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20mm, up to 1130kg Axle Load			
2001	Avant	B16 (PSS9)	Front and Rear	48-086165				
2001	Avant	B6 (HD)	Front	24-185028		Rear	24-062121	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi S4 (continued)								
2001	Avant	B8 (SP)	Front	24-185059		Rear	24-062145	
2001	Base	B16 (PSS9)	Front and Rear	48-086165				
2001	Base	B6 (HD)	Front	24-185028		Rear	24-062121	
2001	Base	B8 (SP)	Front	24-185059		Rear	24-062145	
2000	Base	B16 (PSS9)	Front and Rear	48-086165				
2000	Base	B6 (HD)	Front	24-185028		Rear	24-062121	
2000	Base	B8 (SP)	Front	24-185059		Rear	24-062145	
1994	Base	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1993	Base	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1992	Base	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
Audi S5								
2012	Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2012	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189776	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1245kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			
2011	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011	Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2011	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2011	Cabriolet	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189776	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1245kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			
2011	Cabriolet	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2010	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Audi S5 (continued)								
2010	Cabriolet	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189776	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1245kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			
2010	Cabriolet	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2010	Cabriolet	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2009	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2009	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2008	Base	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2008	Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2008	Base	B16 (PSS10)	Front and Rear	48-147231	Excludes Electronic Suspension			
2008	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
Audi S6								
2011	Base	B16 (PSS9)	Front and Rear	48-116541				
2010	Base	B16 (PSS9)	Front and Rear	48-116541				
2010	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2009	Base	B16 (PSS9)	Front and Rear	48-116541				
2009	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2008	Base	B16 (PSS9)	Front and Rear	48-116541				
2008	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2007	Base	B16 (PSS9)	Front and Rear	48-116541				
2007	Base	B8 (SP)	Front	35-116301		Rear	24-116312	
2004	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	Base; Sedan	B8 (SP)	Front	24-065108	From Chassis # 4B-1-000001			
2003	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003	Avant	B16 (PSS9)	Front and Rear	48-088688				
2003	Avant	B8 (SP)				Rear	24-065115	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi S6 (continued)								
2003	Avant; w/ C5 Body	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Sport Suspension			
2003	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003	Base; Sedan	B8 (SP)	Front	24-065108	From Chassis # 4B-1-000001			
2002	Avant	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	Avant	B16 (PSS9)	Front and Rear	48-088688				
2002	Avant	B8 (SP)				Rear	24-065115	
2002	Avant; w/ C5 Body	B8 (SP)	Front	24-065108	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Sport Suspension			
2002	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	Base; Sedan	B8 (SP)	Front	24-065108	From Chassis # 4B-1-000001			
2001	Base	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2001	Base; Sedan	B8 (SP)	Front	24-065108	From Chassis # 4B-1-000001			
1995	Avant	B4	Front	21-030390				
1995	Avant	B6 (HD)	Front	34-003701		Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1995	Avant	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
1995	Base	B4	Front	21-030390				
1995	Base	B6 (HD)	Front	34-003701		Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1995	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
Audi S8								
2003	Base	B6 (HD)	Front	24-066785		Rear	24-026161	
2002	Base	B6 (HD)	Front	24-066785		Rear	24-026161	
2001	Base	B6 (HD)	Front	24-066785		Rear	24-026161	
Audi TT								
2010	Base	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2010	Base	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2010	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT (continued)								
2010	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189639	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 785kg Axle Load			
2010	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189615	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 785kg Axle Load			
2009	2 Dr.; Base; Coupe	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2009	Base	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2009	Base	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2009	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2009	Base	B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2009	Base	B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2009	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189639	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 785kg Axle Load			
2009	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189615	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 785kg Axle Load			
2008	2 Dr.; Base; Coupe	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2008	Base	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2008	Base	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2008	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2008	Base	B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2008	Base	B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2008	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189639	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 785kg Axle Load			
2008	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189615	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 785kg Axle Load			
2007	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT (continued)								
2007	Sport	B4	Front	22-170071	Standard Chassis; Without Sport Suspension			
2006	1.8L L4 1781cc; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2006	1.8L L4 1781cc; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2006	1.8L L4 1781cc; Classic Edition; Convertible	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2006	1.8L L4 1781cc; Convertible; Sport	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2006	1.8L L4 1781cc; Coupe; Sport	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-080478				
2006	Base	B16 (PSS9)	Front and Rear	48-080484				
2006	Base	B4	Front	22-145550		Rear	19-145563	
2006	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060325	Excludes S-Line Suspension Package
2006	Base	B8 (SP)	Front	35-046387		Rear	24-060332	
2005	1.8L L4 1781cc; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2005	1.8L L4 1781cc; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2005	1.8L L4 1781cc; Convertible; Sport	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2005	1.8L L4 1781cc; Coupe; Sport	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2005	Base	B14 (PSS)	Front and Rear	47-080478				
2005	Base	B16 (PSS9)	Front and Rear	48-080484				
2005	Base	B4	Front	22-145550		Rear	19-145563	
2005	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060325	Excludes S-Line Suspension Package
2005	Base	B8 (SP)	Front	35-046387		Rear	24-060332	
2004	1.8L L4 1781cc; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT (continued)								
2004	1.8L L4 1781cc; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2004	Base	B14 (PSS)	Front and Rear	47-080478				
2004	Base	B16 (PSS9)	Front and Rear	48-080484				
2004	Base	B4	Front	22-145550		Rear	19-145563	
2004	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060325	Excludes S-Line Suspension Package
2004	Base	B8 (SP)	Front	35-046387		Rear	24-060332	
2003	1.8L L4 1781cc; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2003	1.8L L4 1781cc; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2003	Base	B14 (PSS)	Front and Rear	47-080478				
2003	Base	B16 (PSS9)	Front and Rear	48-080484				
2003	Base	B4	Front	22-145550		Rear	19-145563	
2003	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060325	Excludes S-Line Suspension Package
2003	Base	B8 (SP)	Front	35-046387		Rear	24-060332	
2002	1.8L L4 1781cc; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2002	1.8L L4 1781cc; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2002	Base	B14 (PSS)	Front and Rear	47-080478				
2002	Base	B16 (PSS9)	Front and Rear	48-080484				
2002	Base	B4	Front	22-145550		Rear	19-145563	
2002	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060325	Excludes S-Line Suspension Package
2002	Base	B8 (SP)	Front	35-046387		Rear	24-060332	
2001	1.8L L4 1781cc; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2001	1.8L L4 1781cc; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2001	Base	B14 (PSS)	Front and Rear	47-080478				
2001	Base	B16 (PSS9)	Front and Rear	48-080484				
2001	Base	B4	Front	22-145550		Rear	19-145563	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT (continued)								
2001	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060325	Excludes S-Line Suspension Package
2001	Base	B8 (SP)	Front	35-046387		Rear	24-060332	
2000	1.8L L4 1781cc; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2000	Base	B14 (PSS)	Front and Rear	47-080478				
2000	Base	B16 (PSS9)	Front and Rear	48-080484				
2000	Base	B4	Front	22-145550		Rear	19-145563	
2000	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060325	Excludes S-Line Suspension Package
2000	Base	B8 (SP)	Front	35-046387		Rear	24-060332	
1999	1.8L L4 1781cc; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
Audi TT Quattro								
2012	Premium Plus	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2012	Premium Plus	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2012	Premium Plus	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2012	Prestige	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2012	Prestige	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2012	Prestige	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2012	RS	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2012	S	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2012	S	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2012	S	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT Quattro (continued)								
2011	Base	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2011	Base	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2011	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2011	S	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2011	S	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2011	S	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2010	2 Dr.; Base; Coupe	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2010	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2010	Base	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2010	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2010	Base	B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2010	Base	B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2010	S	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2010	S	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2010	S	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2010	S	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2010	S	B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2010	S	B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2009	2 Dr.; Base; Coupe	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2009	2 Dr.; Coupe; S	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT Quattro (continued)								
2009	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2009	3.2L V6 3189cc 195 CID; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189646	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2009	3.2L V6 3189cc 195 CID; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189622	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2009	Base	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2009	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2009	Base	B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2009	Base	B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2009	S	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2009	S	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2009	S	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2009	S	B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2009	S	B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2008	2 Dr.; Base; Coupe	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2008	3.2L V6 3189cc 195 CID; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189646	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2008	Base	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2008	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2008	Base	B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2008	Base	B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2008	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189622	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2007	3.2L V6 3189cc 195 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189585	Front Lowered Height: 25mm, up to 1100kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT Quattro (continued)								
2007	Base	B4	Front	22-170071	Standard Chassis; Without Sport Suspension			
2006	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2006	3.2L V6 3189cc 195 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189585	Front Lowered Height: 25mm, up to 1100kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-080416				
2006	Base	B16 (PSS9)	Front and Rear	48-080422				
2006	Base	B4	Front	22-145550		Rear	19-145570	
2006	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2006	Base	B8 (SP)	Front	35-046387		Rear	24-060356	
2006	Special Edition	B14 (PSS)	Front and Rear	47-080416				
2006	Special Edition	B16 (PSS9)	Front and Rear	48-080422				
2006	Special Edition	B4	Front	22-145550		Rear	19-145570	
2006	Special Edition	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2006	Special Edition	B8 (SP)	Front	35-046387		Rear	24-060356	
2005	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2005	3.2L V6 3189cc 195 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189585	Front Lowered Height: 25mm, up to 1100kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2005	Base	B14 (PSS)	Front and Rear	47-080416				
2005	Base	B16 (PSS9)	Front and Rear	48-080422				
2005	Base	B4	Front	22-145550		Rear	19-145570	
2005	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2005	Base	B8 (SP)	Front	35-046387		Rear	24-060356	
2004	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2004	3.2L V6 3189cc 195 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189585	Front Lowered Height: 25mm, up to 1100kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2004	Base	B14 (PSS)	Front and Rear	47-080416				
2004	Base	B16 (PSS9)	Front and Rear	48-080422				
2004	Base	B4	Front	22-145550		Rear	19-145570	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT Quattro (continued)								
2004	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2004	Base	B8 (SP)	Front	35-046387		Rear	24-060356	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2003	Base	B14 (PSS)	Front and Rear	47-080416				
2003	Base	B16 (PSS9)	Front and Rear	48-080422				
2003	Base	B4	Front	22-145550		Rear	19-145570	
2003	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2003	Base	B8 (SP)	Front	35-046387		Rear	24-060356	
2002	ALMS Edition	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2002	ALMS Edition	B14 (PSS)	Front and Rear	47-080416				
2002	ALMS Edition	B16 (PSS9)	Front and Rear	48-080422				
2002	ALMS Edition	B4	Front	22-145550		Rear	19-145570	
2002	ALMS Edition	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2002	ALMS Edition	B8 (SP)	Front	35-046387		Rear	24-060356	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2002	Base	B14 (PSS)	Front and Rear	47-080416				
2002	Base	B16 (PSS9)	Front and Rear	48-080422				
2002	Base	B4	Front	22-145550		Rear	19-145570	
2002	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2002	Base	B8 (SP)	Front	35-046387		Rear	24-060356	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2001	Base	B14 (PSS)	Front and Rear	47-080416				
2001	Base	B16 (PSS9)	Front and Rear	48-080422				
2001	Base	B4	Front	22-145550		Rear	19-145570	
2001	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2001	Base	B8 (SP)	Front	35-046387		Rear	24-060356	



Passenger Cars

Year	Application	Series	Front			Rear		
Audi TT Quattro (continued)								
2000	Base	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2000	Base	B14 (PSS)	Front and Rear	47-080416				
2000	Base	B16 (PSS9)	Front and Rear	48-080422				
2000	Base	B4	Front	22-145550		Rear	19-145570	
2000	Base	B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2000	Base	B8 (SP)	Front	35-046387		Rear	24-060356	
Audi V8 Quattro								
1994	Base	B4	Front	21-030390				
1994	Base	B6 (HD)	Front	34-003701		Rear	24-020657	Without Ride Height Adjustability
1994	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Excludes leveling suspension
1993	Base	B4	Front	21-030390				
1993	Base	B6 (HD)	Front	34-003701		Rear	24-020657	Without Ride Height Adjustability
1993	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Excludes leveling suspension
1992	Base	B4	Front	21-030390				
1992	Base	B6 (HD)	Front	34-003701		Rear	24-020657	Without Ride Height Adjustability
1992	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Excludes leveling suspension
1991	Base	B4	Front	21-030390				
1991	Base	B6 (HD)	Front	34-003701		Rear	24-020657	Without Ride Height Adjustability
1991	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Excludes leveling suspension
1990	Base	B4	Front	21-030390				
1990	Base	B6 (HD)	Front	34-003701		Rear	24-020657	Without Ride Height Adjustability
1990	Base	B8 (SP)	Front	34-003695		Rear	24-020664	Excludes leveling suspension
Austin Mini								
1966	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1965	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1964	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1963	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
Austin Mini 850								
1967	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1966	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1965	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1964	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1963	Base	B8 (SP)	Front	24-181464		Rear	24-181471	



Passenger Cars

Year	Application	Series	Front			Rear		
Austin Mini Cooper								
1969	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1969	S	B8 (SP)	Front	24-181464		Rear	24-181471	
1968	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1968	S	B8 (SP)	Front	24-181464		Rear	24-181471	
1967	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1967	S	B8 (SP)	Front	24-181464		Rear	24-181471	
1966	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1966	S	B8 (SP)	Front	24-181464		Rear	24-181471	
1965	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1965	S	B8 (SP)	Front	24-181464		Rear	24-181471	
1964	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
1964	S	B8 (SP)	Front	24-181464		Rear	24-181471	
1963	Base	B8 (SP)	Front	24-181464		Rear	24-181471	
BMW 1 Series M								
2011	Base		Front and Rear	50-174546	With Electronic Suspension			
2011	Base	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
BMW 120i								
2010	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2010	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2010	Dynamic	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2010	Dynamic	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 120i (continued)								
2010	Dynamic	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2010	Dynamic; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2010	Hatchback; M Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2010	Hatchback; Style	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2010	M Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2010	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010	M Sport	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2010	Style	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2010	Style	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010	Style	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2009	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2009	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2009	Dynamic	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 120i (continued)								
2009	Dynamic	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	Dynamic	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2009	Dynamic; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2009	Hatchback; M Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2009	Hatchback; Style	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2009	M Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2009	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	M Sport	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2009	Style	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2009	Style	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	Style	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2008	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2008	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2008	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2008	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 120i (continued)								
2008	Dynamic	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2008	Dynamic	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2008	Dynamic	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2008	Dynamic; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2008	Hatchback; M Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2008	Hatchback; Style	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2008	M Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2008	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2008	M Sport	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2008	Style	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2008	Style	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2008	Style	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2007	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2007	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 120i (continued)								
2007	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2007	Dynamic	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2007	Dynamic	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2007	Dynamic	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2007	Dynamic; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2007	Hatchback; M Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2007	Hatchback; Style	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2007	M Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2007	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2007	M Sport	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2007	Style	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2007	Style	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2007	Style	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2006	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2006	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 120i (continued)								
2006	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2006	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2006	Dynamic	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2006	Dynamic	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2006	Dynamic	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2006	Dynamic; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2006	Hatchback; Style	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2006	Style	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2006	Style	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2006	Style	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2005	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2005	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2005	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2005	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2005	Business	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 120i (continued)								
2005	Business	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2005	Business	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2005	Business; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2005	Dynamic	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2005	Dynamic	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2005	Dynamic	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2005	Dynamic; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2005	Hatchback; Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2005	Hatchback; Style	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2005	Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2005	Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2005	Sport	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2005	Style	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2005	Style	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2005	Style	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 125i								
2010	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2010	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2009	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2009	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
BMW 128i								
2013	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180520	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 945kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2012	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2012	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2012	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180520	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 945kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2012	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2012	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 128i (continued)								
2012	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2012	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2012	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2012	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2012	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2011	Base	B16 (PSS10)	Front and Rear	48-131636				
2011	Base	B16 (Ride Control)	Front and Rear	49-131543				
2011	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2011	Base	B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				
2011	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2011	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180520	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 945kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2011	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2011	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2011	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2011	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2011	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2011	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 128i (continued)								
2011	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010	Base	B16 (PSS10)	Front and Rear	48-131636				
2010	Base	B16 (Ride Control)	Front and Rear	49-131543				
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010	Base	B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				
2010	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2010	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180520	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 945kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2010	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2010	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2010	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2010	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2009	Base	B16 (PSS10)	Front and Rear	48-131636				
2009	Base	B16 (Ride Control)	Front and Rear	49-131543				
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	Base	B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 128i (continued)								
2009	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2009	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180520	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 945kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2009	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2009	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2009	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2009	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2009	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2009	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2009	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2008	Base	B16 (PSS10)	Front and Rear	48-131636				
2008	Base	B16 (Ride Control)	Front and Rear	49-131543				
2008	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2008	Base	B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				
2008	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
			Front Right	35-115946	With M-Technics Suspension			
2008	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180520	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 945kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2008	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 128i (continued)								
2008	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2008	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2008	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2008	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2008	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2008	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
BMW 130i								
2010	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010	Base	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2010	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2010	Hatchback; M Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2010	M Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2010	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010	M Sport	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2009	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 130i (continued)								
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	Base	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2009	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2009	Hatchback; M Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2009	M Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2009	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	M Sport	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2008	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2008	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2008	Base	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2008	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2008	Hatchback; M Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2008	M Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2008	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2008	M Sport	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2007	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 130i (continued)								
2007	Base	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2007	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2007	Hatchback; M Sport	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
2007	M Sport	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2007	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2007	M Sport	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2006	Base	B4	Front Right	22-144270	Sport Suspension			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2006	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2006	Base	B8 (SP)	Front Right	35-115946	With M-Technics Suspension	Rear	24-115957	With M-Technics Suspension
2006	Base; Hatchback	B4				Rear	19-144238	Sport Suspension
						Rear	19-144221	Standard Chassis
BMW 135i								
2012		B8 (SP)				Rear	24-115957	With M-Technics Suspension
2012	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2012	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension			
			Front Right	35-115946	With M-Technics Suspension			
2012	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2012	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2012	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2012	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 135i (continued)								
2012	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2012	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2012	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2011		B8 (SP)				Rear	24-115957	With M-Technics Suspension
2011	Base	B16 (PSS10)	Front and Rear	48-131636				
2011	Base	B16 (Ride Control)	Front and Rear	49-131543				
2011	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2011	Base	B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				
2011	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension			
			Front Right	35-115946	With M-Technics Suspension			
2011	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2011	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2011	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2011	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2011	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2011	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2011	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010		B8 (SP)				Rear	24-115957	With M-Technics Suspension
2010	Base	B16 (PSS10)	Front and Rear	48-131636				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 135i (continued)								
2010	Base	B16 (Ride Control)	Front and Rear	49-131543				
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010	Base	B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				
2010	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension			
			Front Right	35-115946	With M-Technics Suspension			
2010	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2010	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2010	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2010	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2010	Base; Hatchback	B4	Front Right	22-144270	Sport Suspension	Rear	19-144238	Sport Suspension
			Front Left	22-144256	Sport Suspension	Rear	19-144221	Standard Chassis
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2009		B8 (SP)				Rear	24-115957	With M-Technics Suspension
2009	Base	B16 (PSS10)	Front and Rear	48-131636				
2009	Base	B16 (Ride Control)	Front and Rear	49-131543				
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2009	Base	B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 135i (continued)								
2009	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension			
			Front Right	35-115946	With M-Technics Suspension			
2009	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2009	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2009	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2009	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2009	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2009	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2009	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2009	Base; Hatchback	B4	Front Right	22-144270	Sport Suspension	Rear	19-144238	Sport Suspension
			Front Left	22-144256	Sport Suspension	Rear	19-144221	Standard Chassis
			Front Right	22-144263	Standard Chassis			
			Front Left	22-144249	Standard Chassis			
2008		B8 (SP)				Rear	24-115957	With M-Technics Suspension
2008	Base	B16 (PSS10)	Front and Rear	48-131636				
2008	Base	B16 (Ride Control)	Front and Rear	49-131543				
2008	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2008	Base	B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				
2008	Base	B8 (SP)	Front Left	35-115939	With M-Technics Suspension			
			Front Right	35-115946	With M-Technics Suspension			
2008	Base; Convertible	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 135i (continued)								
2008	Base; Convertible; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2008	Base; Convertible; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2008	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2008	Base; Coupe	B4	Front Right	22-152787	Sport Suspension			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152749	Standard Chassis			
2008	Base; Coupe; w/ E82 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
2008	Base; Coupe; w/ E88 Body	B4				Rear	19-152790	Sport Suspension
						Rear	19-152769	Standard Chassis
BMW 1500								
1964	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1964	Base	Motorsports				Rear	24-604277	Race Model
1963	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1963	Base	Motorsports				Rear	24-604277	Race Model
1962	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1962	Base	Motorsports				Rear	24-604277	Race Model
1961	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1961	Base	Motorsports				Rear	24-604277	Race Model
BMW 1600								
1971	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1971	Base	Motorsports				Rear	24-604277	Race Model
1971	Cabriolet	B6 (HD)	Front	34-632192		Rear	24-632133	
1971	Cabriolet	Motorsports				Rear	24-604277	Race Model
1971	Touring	B6 (HD)	Front	34-632192		Rear	24-632133	
1971	Touring	Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1970	Base	Motorsports				Rear	24-604277	Race Model
1970	Cabriolet	B6 (HD)	Front	34-632192		Rear	24-632133	
1970	Cabriolet	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1969	Base	Motorsports				Rear	24-604277	Race Model
1969	Cabriolet	B6 (HD)	Front	34-632192		Rear	24-632133	
1969	Cabriolet	Motorsports				Rear	24-604277	Race Model



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 1600 (continued)								
1968	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1968	Base	Motorsports				Rear	24-604277	Race Model
1968	Cabriolet	B6 (HD)	Front	34-632192		Rear	24-632133	
1968	Cabriolet	Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1967	Base	Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1966	Base	Motorsports				Rear	24-604277	Race Model
1965	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1965	Base	Motorsports				Rear	24-604277	Race Model
1964	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1964	Base	Motorsports				Rear	24-604277	Race Model
BMW 1600-2								
1971	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1971	Base	Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1970	Base	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1969	Base	Motorsports				Rear	24-604277	Race Model
1968	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1968	Base	Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1967	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1967	Base	Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1966	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1966	Base	Motorsports				Rear	24-604277	Race Model
BMW 1600ti								
1968	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1968	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1968	Base	Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1967	Base	B8 (SP)	Front	34-000250		Rear	24-001182	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 1600ti (continued)								
1967	Base	Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1966	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1966	Base	Motorsports				Rear	24-604277	Race Model
BMW 1602								
1971	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1971	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Base	Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1970	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1970	Base	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1969	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1969	Base	Motorsports				Rear	24-604277	Race Model
1968	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1968	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1968	Base	Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1967	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1967	Base	Motorsports				Rear	24-604277	Race Model
BMW 1800								
1971	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1971	Base	Motorsports				Rear	24-604277	Race Model
1971	Touring	B6 (HD)	Front	34-632192		Rear	24-632133	
1971	Touring	Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1970	Base	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1969	Base	Motorsports				Rear	24-604277	Race Model
1968	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1968	Base	Motorsports				Rear	24-604277	Race Model



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 1800 (continued)								
1967	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1967	Base	Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1966	Base	Motorsports				Rear	24-604277	Race Model
1965	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1965	Base	Motorsports				Rear	24-604277	Race Model
1964	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1964	Base	Motorsports				Rear	24-604277	Race Model
1963	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1963	Base	Motorsports				Rear	24-604277	Race Model
BMW 1800ti								
1967	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1967	Base	Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1966	Base	Motorsports				Rear	24-604277	Race Model
1965	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1965	Base	Motorsports				Rear	24-604277	Race Model
1964	Base	B6 (HD)	Front	34-632192		Rear	24-632133	
1964	Base	Motorsports				Rear	24-604277	Race Model
BMW 1802								
1971	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1971	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Base	Motorsports				Rear	24-604277	Race Model
BMW 2000								
1972	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1972	Base	Motorsports				Rear	24-604277	Race Model
1972	Touring	B6 (HD)	Front	34-632192		Rear	24-632140	
1972	Touring	Motorsports				Rear	24-604277	Race Model
1971	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1971	Base	Motorsports				Rear	24-604277	Race Model
1971	Touring	B6 (HD)	Front	34-632192		Rear	24-632140	
1971	Touring	Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1970	Base	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1969	Base	Motorsports				Rear	24-604277	Race Model



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 2000 (continued)								
1968	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1968	Base	Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1967	Base	Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1966	Base	Motorsports				Rear	24-604277	Race Model
BMW 2000c								
1970		Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1969		Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1968		Motorsports				Rear	24-604277	Race Model
1968	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1967		Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1966		Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1965		Motorsports				Rear	24-604277	Race Model
1965	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
BMW 2000cs								
1970		Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1969		Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1968		Motorsports				Rear	24-604277	Race Model
1968	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1967		Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1966		Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1965		Motorsports				Rear	24-604277	Race Model
1965	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
BMW 2000ti								
1971	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1971	Base	Motorsports				Rear	24-604277	Race Model
1971	Lux	B6 (HD)	Front	34-632192		Rear	24-632140	
1971	Lux	Motorsports				Rear	24-604277	Race Model



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 2000ti (continued)								
1970	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1970	Base	Motorsports				Rear	24-604277	Race Model
1970	Lux	B6 (HD)	Front	34-632192		Rear	24-632140	
1970	Lux	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1969	Base	Motorsports				Rear	24-604277	Race Model
1969	Lux	B6 (HD)	Front	34-632192		Rear	24-632140	
1969	Lux	Motorsports				Rear	24-604277	Race Model
1968	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1968	Base	Motorsports				Rear	24-604277	Race Model
1968	Lux	B6 (HD)	Front	34-632192		Rear	24-632140	
1968	Lux	Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1967	Base	Motorsports				Rear	24-604277	Race Model
1967	Lux	B6 (HD)	Front	34-632192		Rear	24-632140	
1967	Lux	Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-632192		Rear	24-632140	
1966	Base	Motorsports				Rear	24-604277	Race Model
1966	Lux	B6 (HD)	Front	34-632192		Rear	24-632140	
1966	Lux	Motorsports				Rear	24-604277	Race Model
BMW 2000tii								
1972	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1972	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1972	Base	Motorsports				Rear	24-604277	Race Model
1972	Touring	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1972	Touring	B8 (SP)	Front	34-000250		Rear	24-001182	
1972	Touring	Motorsports				Rear	24-604277	Race Model
1971	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1971	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Base	Motorsports				Rear	24-604277	Race Model
1971	Lux	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1971	Lux	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Lux	Motorsports				Rear	24-604277	Race Model



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 2000tii (continued)								
1971	Touring	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1971	Touring	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Touring	Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1970	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1970	Base	Motorsports				Rear	24-604277	Race Model
1970	Lux	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1970	Lux	B8 (SP)	Front	34-000250		Rear	24-001182	
1970	Lux	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1969	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1969	Base	Motorsports				Rear	24-604277	Race Model
1969	Lux	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1969	Lux	B8 (SP)	Front	34-000250		Rear	24-001182	
1969	Lux	Motorsports				Rear	24-604277	Race Model
1968	Lux	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1968	Lux	B8 (SP)	Front	34-000250		Rear	24-001182	
1968	Lux	Motorsports				Rear	24-604277	Race Model
BMW 2002								
1976	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1976	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1976	Base	Motorsports				Rear	24-604277	Race Model
1975	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1975	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1975	Base	Motorsports				Rear	24-604277	Race Model
1974	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1974	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1974	Base	Motorsports				Rear	24-604277	Race Model



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 2002 (continued)								
1974	Cabriolet	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1974	Cabriolet	B8 (SP)	Front	34-000250		Rear	24-001182	
1974	Cabriolet	Motorsports				Rear	24-604277	Race Model
1974	Turbo	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1974	Turbo	B8 (SP)	Front	34-000250		Rear	24-001182	
1974	Turbo	Motorsports				Rear	24-604277	Race Model
1973	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1973	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1973	Base	Motorsports				Rear	24-604277	Race Model
1973	Cabriolet	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1973	Cabriolet	B8 (SP)	Front	34-000250		Rear	24-001182	
1973	Cabriolet	Motorsports				Rear	24-604277	Race Model
1973	Turbo	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1973	Turbo	B8 (SP)	Front	34-000250		Rear	24-001182	
1973	Turbo	Motorsports				Rear	24-604277	Race Model
1972	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1972	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1972	Base	Motorsports				Rear	24-604277	Race Model
1972	Cabriolet	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1972	Cabriolet	B8 (SP)	Front	34-000250		Rear	24-001182	
1972	Cabriolet	Motorsports				Rear	24-604277	Race Model
1971	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1971	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Base	Motorsports				Rear	24-604277	Race Model
1971	Cabriolet	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1971	Cabriolet	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Cabriolet	Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 2002 (continued)								
1970	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1970	Base	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1969	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1969	Base	Motorsports				Rear	24-604277	Race Model
1968	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1968	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1968	Base	Motorsports				Rear	24-604277	Race Model
1967	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1967	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1967	Base	Motorsports				Rear	24-604277	Race Model
1966	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1966	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1966	Base	Motorsports				Rear	24-604277	Race Model
BMW 2002ti								
1971	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1971	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Base	Motorsports				Rear	24-604277	Race Model
1970	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1970	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1970	Base	Motorsports				Rear	24-604277	Race Model
1969	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1969	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1969	Base	Motorsports				Rear	24-604277	Race Model
1968	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1968	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1968	Base	Motorsports				Rear	24-604277	Race Model



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 2002tii								
1974	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1974	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1974	Base	Motorsports				Rear	24-604277	Race Model
1973	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1973	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1973	Base	Motorsports				Rear	24-604277	Race Model
1972	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1972	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1972	Base	Motorsports				Rear	24-604277	Race Model
1971	Base	B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1971	Base	B8 (SP)	Front	34-000250		Rear	24-001182	
1971	Base	Motorsports				Rear	24-604277	Race Model
BMW 2500								
1971	Base	B6 (HD)	Front	34-000243	With 51 mm Outside Strut Diameter			
1971	Base	B8 (SP)				Rear	24-008198	
1970	Base	B6 (HD)	Front	34-000243	With 51 mm Outside Strut Diameter			
1970	Base	B8 (SP)				Rear	24-008198	
1969	Base	B6 (HD)	Front	34-000243	With 51 mm Outside Strut Diameter			
1969	Base	B8 (SP)				Rear	24-008198	
1968	Base	B6 (HD)	Front	34-000243	With 51 mm Outside Strut Diameter			
1968	Base	B8 (SP)				Rear	24-008198	
BMW 2800								
1974	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1974	Base	B8 (SP)				Rear	24-008198	
1973	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1973	Base	B8 (SP)				Rear	24-008198	
1972	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1972	Base	B8 (SP)				Rear	24-008198	
1971	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1971	Base	B8 (SP)				Rear	24-008198	
1970	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1970	Base	B8 (SP)				Rear	24-008198	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 2800 (continued)								
1969	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1969	Base	B8 (SP)				Rear	24-008198	
1968	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1968	Base	B8 (SP)				Rear	24-008198	
BMW 2800CS								
1971	Base	B6 (HD)	Front	34-000243				
1970	Base	B6 (HD)	Front	34-000243				
1969	Base	B6 (HD)	Front	34-000243				
1968	Base	B6 (HD)	Front	34-000243				
BMW 3.0CS								
1974	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1973	Base	B6 (HD)				Rear	24-008136	
1972	Base	B6 (HD)				Rear	24-008136	
1971	Base	B6 (HD)				Rear	24-008136	
BMW 3.0CSi								
1974	Base	B6 (HD)	Front	34-000243		Rear	24-008136	
1973	Base	B6 (HD)				Rear	24-008136	
1972	Base	B6 (HD)				Rear	24-008136	
1971	Base	B6 (HD)				Rear	24-008136	
BMW 3.0S								
1974	Base	B6 (HD)	Front	34-000243				
1974	Base	B8 (SP)				Rear	24-008198	
1973	Base	B6 (HD)	Front	34-000243				
1973	Base	B8 (SP)				Rear	24-008198	
1972	Base	B6 (HD)	Front	34-000243				
1972	Base	B8 (SP)				Rear	24-008198	
1971	Base	B6 (HD)	Front	34-000243				
1971	Base	B8 (SP)				Rear	24-008198	
BMW 3.0Si								
1976	Base	B6 (HD)	Front	34-000243				
1976	Base	B8 (SP)	Front	34-193020		Rear	24-008198	
			Front	34-003268	SetOption: Variable depending on application; Setting: B8 (SP)			
1975	Base	B6 (HD)	Front	34-000243				
1975	Base	B8 (SP)				Rear	24-008198	
1971	Base	B6 (HD)	Front	34-000243				
1971	Base	B8 (SP)				Rear	24-008198	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318i								
1999	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	Base	B1 (OEM Components)	Front	12-116829				
1998	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1998	Base	B14 (PSS)	Front and Rear	47-124813				
1998	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1998	Base	B4	Front Right	22-044204	From 6/92 To 98	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1998	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1998	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 98	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 98			
1998	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	Base; Sedan; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1997	Base	B1 (OEM Components)	Front	12-116829				
1997	Base	B14 (PSS)	Front and Rear	47-124813				
1997	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1997	Base	B4	Front Right	22-044204	From 6/92 To 98	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1997	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1997	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 98	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 98			
1997	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1997	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318i (continued)								
1997	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1997	Base; Sedan; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1996	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1996	Base	B1 (OEM Components)	Front	12-116829				
1996	Base	B14 (PSS)	Front and Rear	47-124813				
1996	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1996	Base	B4	Front Right	22-044204	From 6/92 To 98	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1996	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1996	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 98	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 98			
1996	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1996	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1996	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1996	Base; Sedan; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1995	Base	B1 (OEM Components)	Front	12-116829				
1995	Base	B14 (PSS)	Front and Rear	47-124813				
1995	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1995	Base	B4	Front Right	22-044204	From 6/92 To 98	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1995	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1995	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 98	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 98			
1995	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318i (continued)								
1995	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1995	Base; Sedan; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1994	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1994	Base	B1 (OEM Components)	Front	12-116829				
1994	Base	B14 (PSS)	Front and Rear	47-124813				
1994	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1994	Base	B4	Front Right	22-044204	From 6/92 To 98	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1994	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1994	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 98	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 98			
1994	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1994	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1994	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1994	Base; Sedan; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1993	Base	B1 (OEM Components)	Front	12-116829				
1993	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1993	Base	B14 (PSS)	Front and Rear	47-124813				
1993	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1993	Base	B4	Front Right	22-044204	From 6/92 To 98	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318i (continued)								
1993	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1993	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 98	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 98			
1993	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1993	Base; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1992	4 Dr.; Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1992	Base	B1 (OEM Components)	Front	12-116829				
1992	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1992	Base	B4	Front Right	22-044167	From 91 To 5/92			
1992	Base	B6 (HD)	Front Right	22-003805	From 91 To 5/92			
			Front Left	22-003799	From 91 To 5/92			
1992	Base	B8 (SP)	Front Right	35-044031	From 6/92 To 98	Rear	24-027250	
			Front Left	35-044024	From 6/92 To 98			
			Front Right	22-003829	From 91 To 5/92			
			Front Left	22-003812	From 91 To 5/92			
1992	Base; Convertible; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-000156	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1992	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1992	Base; Sedan; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
1992	Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1992	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1992	Base; Sedan; w/ E36 Body; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1992	Base; w/ E30 Body	B4	Front Left	22-044150	E36 Chassis; From 91 To 5/92			
1992	Base; w/ E30 Body	B8 (SP)	Front	34-003350		Rear	24-020275	
1992	Base; w/ E36 Body	B1 (OEM Components)				Rear	12-117109	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318i (continued)								
1992	Base; w/ E36 Body	B14 (PSS)	Front and Rear	47-124813				
1992	Base; w/ E36 Body	B4	Front Right	22-044204	From 6/92 To 98	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1992	Base; w/ E36 Body	B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1991	Base	B1 (OEM Components)	Front	12-116829				
1991	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1991	Base	B4	Front Left	22-044150	E36 Chassis; From 91 To 5/92			
			Front Right	22-044167	From 91 To 5/92			
1991	Base	B6 (HD)	Front Right	22-003805	From 91 To 5/92			
			Front Left	22-003799	From 91 To 5/92			
1991	Base	B8 (SP)	Front	34-003350		Rear	24-027250	
			Front Right	22-003829	From 91 To 5/92	Rear	24-020275	
			Front Left	22-003812	From 91 To 5/92			
1991	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-000156	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1991	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
			Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1991	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1985	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1985	Base	B4	Front	21-030499		Rear	19-019819	
1985	Base	B6 (HD)	Front	34-181522		Rear	24-020282	
1985	Base	B8 (SP)	Front	34-003343		Rear	24-020275	
1985	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1985	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
			Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1985	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318i (continued)								
1984	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1984	Base	B4	Front	21-030499		Rear	19-019819	
1984	Base	B6 (HD)	Front	34-181522		Rear	24-020282	
1984	Base	B8 (SP)	Front	34-003343		Rear	24-020275	
1984	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
BMW 318is								
1999	Base	B1 (OEM Components)				Rear	12-117109	
1999	Base	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1999	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1999	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1998	Base	B1 (OEM Components)				Rear	12-117109	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1998	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1997	Base	B1 (OEM Components)				Rear	12-117109	
1997	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1997	Base	B14 (PSS)	Front and Rear	47-124813				
1997	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1997	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1997	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1997	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318is (continued)								
1997	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1997	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1996	Base	B1 (OEM Components)				Rear	12-117109	
1996	Base	B12 (Pro-Kit)				Front and Rear	BTS-7508	
			Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1996	Base	B14 (PSS)	Front and Rear	47-124813				
1996	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1996	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1996	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1996	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1996	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1996	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1995	Base	B1 (OEM Components)				Rear	12-117109	
1995	Base	B12 (Pro-Kit)				Front and Rear	BTS-7508	
			Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1995	Base	B14 (PSS)	Front and Rear	47-124813				
1995	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1995	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1995	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1995	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1995	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318is (continued)								
1995	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1994	Base	B1 (OEM Components)				Rear	12-117109	
1994	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1994	Base	B14 (PSS)	Front and Rear	47-124813				
1994	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1994	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1994	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1994	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1994	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1994	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1993	Base	B1 (OEM Components)				Rear	12-117109	
1993	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1993	Base	B14 (PSS)	Front and Rear	47-124813				
1993	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1993	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1993	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1993	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1993	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318is (continued)								
1993	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1992	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1992	Base	B14 (PSS)	Front and Rear	47-124813				
1992	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1992	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1992	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1992	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1992	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1992	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1992	Base; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
1992	Base; w/ E36 Body	B1 (OEM Components)				Rear	12-117109	
1992	Base; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1992	Base; w/ E36 Body; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1991	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
1991	Base	B4	Front Left	22-044150				
1991	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1991	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
BMW 318ti								
1999	Base	B1 (OEM Components)	Front	12-116829				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318ti (continued)								
1999	Base	B16 (PSS9)	Front and Rear	48-080408				
1999	Base	B4	Front Right	22-044204		Rear	19-027531	
			Front Left	22-044198	Includes European 3/96-02			
1999	Base	B6 (HD)	Front Left	35-044000		Rear	24-020282	
			Front Right	35-044017				
1999	Base	B8 (SP)	Front Left	35-044024		Rear	24-020275	
			Front Right	35-044031				
1999	Base; Hatchback; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	Base	B1 (OEM Components)	Front	12-116829				
1998	Base	B16 (PSS9)	Front and Rear	48-080408				
1998	Base	B4	Front Right	22-044204		Rear	19-027531	
			Front Left	22-044198	Includes European 3/96-02			
1998	Base	B6 (HD)	Front Left	35-044000		Rear	24-020282	
			Front Right	35-044017				
1998	Base	B8 (SP)	Front Left	35-044024		Rear	24-020275	
			Front Right	35-044031				
1998	Base; Hatchback; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1997	Base	B1 (OEM Components)	Front	12-116829				
1997	Base	B16 (PSS9)	Front and Rear	48-080408				
1997	Base	B4	Front Right	22-044204		Rear	19-027531	
			Front Left	22-044198	Includes European 3/96-02			
1997	Base	B6 (HD)	Front Left	35-044000		Rear	24-020282	
			Front Right	35-044017				
1997	Base	B8 (SP)	Front Left	35-044024		Rear	24-020275	
			Front Right	35-044031				
1997	Base; Hatchback; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1996	Base	B1 (OEM Components)	Front	12-116829				
1996	Base	B16 (PSS9)	Front and Rear	48-080408				
1996	Base	B4	Front Right	22-044204		Rear	19-027531	
			Front Left	22-044198	Includes European 3/96-02			
1996	Base	B6 (HD)	Front Left	35-044000		Rear	24-020282	
			Front Right	35-044017				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 318ti (continued)								
1996	Base	B8 (SP)	Front Left	35-044024		Rear	24-020275	
			Front Right	35-044031				
1996	Base; Hatchback; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1995	Base	B1 (OEM Components)	Front	12-116829				
1995	Base	B16 (PSS9)						
1995	Base	B16 (PSS9)	Front and Rear	48-080408				
1995	Base	B4	Front Right	22-044204		Rear	19-027531	
			Front Left	22-044198	Includes European 3/96-02			
1995	Base	B6 (HD)	Front Left	35-044000		Rear	24-020282	
			Front Right	35-044017				
1995	Base	B8 (SP)	Front Left	35-044024		Rear	24-020275	
			Front Right	35-044031				
1995	Base; Hatchback; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
BMW 320i								
2005	Base	B1 (OEM Components)				Rear	12-117109	
2005	Base	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2005	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2004	Base	B1 (OEM Components)				Rear	12-117109	
2004	Base	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2004	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2004	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2003	Base	B1 (OEM Components)				Rear	12-117109	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 320i (continued)								
2003	Base	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2003	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2003	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2002	Base	B1 (OEM Components)				Rear	12-117109	
2002	Base	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2002	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2002	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2001	Base	B1 (OEM Components)				Rear	12-117109	
2001	Base	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2001	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2001	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
1995	Base	B1 (OEM Components)				Rear	12-117109	
1995	Base	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1994	Base	B1 (OEM Components)				Rear	12-117109	
1994	Base	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 320i (continued)								
1994	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1993	Base	B1 (OEM Components)				Rear	12-117109	
1993	Base	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1993	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1992	Base	B1 (OEM Components)				Rear	12-117109	
1992	Base	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181039	up to 05/92			
1992	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1983	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1983	Base	B4	Front	21-030420		Rear	19-019802	
1983	Base	B6 (HD)	Front	34-001219		Rear	24-006125	
			Front	34-002230	Sport Suspension			
1983	Base	B8 (SP)	Front	34-186350		Rear	24-184618	
1982	Base	B4	Front	21-030420		Rear	19-019802	
1982	Base	B6 (HD)	Front	34-001219		Rear	24-006125	
			Front	34-002230	Sport Suspension			
1982	Base	B8 (SP)	Front	34-186350		Rear	24-184618	
1981	Base	B4	Front	21-030420		Rear	19-019802	
1981	Base	B6 (HD)	Front	34-001219		Rear	24-006125	
			Front	34-002230	Sport Suspension			
1981	Base	B8 (SP)	Front	34-186350		Rear	24-184618	
1980	Base	B4	Front	21-030420		Rear	19-019802	
1980	Base	B6 (HD)	Front	34-001219		Rear	24-006125	
			Front	34-002230	Sport Suspension			
1980	Base	B8 (SP)	Front	34-186350		Rear	24-184618	
1979	Base	B4	Front	21-030420		Rear	19-019802	
1979	Base	B6 (HD)	Front	34-001219		Rear	24-006125	
			Front	34-002230	Sport Suspension			
1979	Base	B8 (SP)	Front	34-186350		Rear	24-184618	
1978	Base	B4	Front	21-030420		Rear	19-019802	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 320i (continued)								
1978	Base	B6 (HD)	Front	34-001219		Rear	24-006125	
			Front	34-002230	Sport Suspension			
1978	Base	B8 (SP)	Front	34-186350		Rear	24-184618	
1977	Base	B4	Front	21-030420		Rear	19-019802	
1977	Base	B6 (HD)	Front	34-001219		Rear	24-006125	
			Front	34-002230	Sport Suspension			
1977	Base	B8 (SP)	Front	34-186350		Rear	24-184618	
BMW 323Ci								
2000	Base	B1 (OEM Components)				Rear	12-117109	
2000	Base	B14 (PSS)	Front and Rear	47-126848				
2000	Base	B16 (PSS10)	Front and Rear	48-126380				
2000	Base	B16 (Ride Control)	Front and Rear	49-135121				
2000	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2000	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2000	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2000	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension			
2000	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension			
2000	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2000	Convertible	B6 (10-Way Adjustable)	Front Right	31-181891	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 323Ci (continued)								
2000	Coupe	B6 (10-Way Adjustable)	Front Right	31-181891	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
BMW 323i								
2011	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2011	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2011	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2010	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2010	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2009	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2008	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2008	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2008	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2007	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2006	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2006	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2006	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 323i (continued)								
2001	Base	B1 (OEM Components)				Rear	12-117109	
2001	Base	B6 (HD)				Rear	24-027243	
2001	Base	B8 (SP)				Rear	24-027250	
2001	Base; Sedan	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2001	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2001	Base; Sedan	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2000	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2000	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base	B14 (PSS)	Front and Rear	47-126848				
2000	Base	B16 (PSS10)	Front and Rear	48-126380				
2000	Base	B16 (Ride Control)	Front and Rear	49-135121				
2000	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2000	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2000	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
2000	Base; Sedan	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2000	Base; Sedan	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2000	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 323i (continued)								
2000	Base; Wagon	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base; Wagon	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2000	Base; Wagon	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2000	Base; Wagon; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
1999	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
1999	Base	B16 (PSS10)	Front and Rear	48-126380				
1999	Base	B16 (Ride Control)	Front and Rear	49-135121				
1999	Base	B4				Rear	19-103150	With M-Technics Suspension
1999	Base	B6 (HD)				Rear	24-027243	
1999	Base	B8 (SP)				Rear	24-027250	
1999	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1999	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
1999	Base; Sedan	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
1999	Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-180957				
1999	Base; Sedan; w/ E36 Body	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1999	Base; Sedan; w/ E46 Body	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
1999	Base; Sedan; w/ E46 Body	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
1999	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 323i (continued)								
1999	Base; w/ E36 Body	B14 (PSS)	Front and Rear	47-124813				
1999	Base; w/ E36 Body	B4	Front Left	22-044198				
			Front Right	22-044204				
1999	Base; w/ E36 Body	B6 (HD)	Front Left	35-044000				
			Front Right	35-044017				
1999	Base; w/ E36 Body	B8 (SP)	Front Left	35-044024				
			Front Right	35-044031				
1999	Base; w/ E46 Body	B14 (PSS)	Front and Rear	47-126848				
1999	Base; w/ E46 Body	B4	Front Right	22-103109				
			Front Left	22-103093				
1999	Base; w/ E46 Body	B6 (HD)	Front Left	35-115045				
			Front Right	35-115052				
1999	Base; w/ E46 Body	B8 (SP)	Front Left	35-115069				
			Front Right	35-115076				
1998	Base	B1 (OEM Components)				Rear	12-117109	
1998	Base	B14 (PSS)	Front and Rear	47-124813				
1998	Base	B16 (PSS10)	Front and Rear	48-126380				
1998	Base	B16 (Ride Control)	Front and Rear	49-135121				
1998	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1998	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1998	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1998	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	Base; Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998	Base; Sedan	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1997	Base	B1 (OEM Components)				Rear	12-117109	
1997	Base	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	Base; Sedan	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 323is								
1999	Base	B1 (OEM Components)				Rear	12-117109	
1999	Base	B12 (Pro-Kit)	Front and Rear	46-180957				
1999	Base	B14 (PSS)	Front and Rear	47-124813				
1999	Base	B16 (PSS10)	Front and Rear	48-126380				
1999	Base	B16 (Ride Control)	Front and Rear	49-135121				
1999	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1999	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1999	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1999	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	Base	B1 (OEM Components)				Rear	12-117109	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-180957				
1998	Base	B14 (PSS)	Front and Rear	47-124813				
1998	Base	B16 (PSS10)	Front and Rear	48-126380				
1998	Base	B16 (Ride Control)	Front and Rear	49-135121				
1998	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204				
1998	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1998	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1998	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
BMW 323ti								
2000	Base	B1 (OEM Components)				Rear	12-117109	
2000	Base; Hatchback	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1999	Base	B1 (OEM Components)				Rear	12-117109	
1999	Base; Hatchback	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325								
1988	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1988	Base	B4	Front	21-030499		Rear	19-019819	
1988	Base	B6 (HD)	Front	34-181522		Rear	24-020282	
1988	Base	B8 (SP)	Front	34-003343		Rear	24-020275	
1988	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1987	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1987	Base	B4	Front	21-030499		Rear	19-019819	
1987	Base	B6 (HD)	Front	34-181522		Rear	24-020282	
1987	Base	B8 (SP)	Front	34-003343		Rear	24-020275	
1987	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1986	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1986	Base	B4	Front	21-030499		Rear	19-019819	
1986	Base	B6 (HD)	Front	34-181522		Rear	24-020282	
1986	Base	B8 (SP)	Front	34-003343		Rear	24-020275	
1986	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
BMW 325Ci								
2006	Base	B14 (PSS)	Front and Rear	47-126848				
2006	Base	B16 (PSS10)	Front and Rear	48-126380				
2006	Base	B16 (Ride Control)	Front and Rear	49-135121				
2006	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2006	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325Ci (continued)								
2006	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2006	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2006	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2006	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2006	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2005	Base	B14 (PSS)	Front and Rear	47-126848				
2005	Base	B16 (PSS10)	Front and Rear	48-126380				
2005	Base	B16 (Ride Control)	Front and Rear	49-135121				
2005	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2005	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2005	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325Ci (continued)								
2005	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2005	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2004	Base	B14 (PSS)	Front and Rear	47-126848				
2004	Base	B16 (PSS10)	Front and Rear	48-126380				
2004	Base	B16 (Ride Control)	Front and Rear	49-135121				
2004	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2004	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2004	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2004	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2004	Base; Coupe	B1 (OEM Components)				Rear	12-117109	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325Ci (continued)								
2004	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2004	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2003	Base	B14 (PSS)	Front and Rear	47-126848				
2003	Base	B16 (PSS10)	Front and Rear	48-126380				
2003	Base	B16 (Ride Control)	Front and Rear	49-135121				
2003	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2003	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2003	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2003	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2003	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2003	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325Ci (continued)								
2003	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2003	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2002	Base	B14 (PSS)	Front and Rear	47-126848				
2002	Base	B16 (PSS10)	Front and Rear	48-126380				
2002	Base	B16 (Ride Control)	Front and Rear	49-135121				
2002	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2002	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2002	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2002	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2002	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2002	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2002	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2001	Base	B14 (PSS)	Front and Rear	47-126848				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325Ci (continued)								
2001	Base	B16 (PSS10)	Front and Rear	48-126380				
2001	Base	B16 (Ride Control)	Front and Rear	49-135121				
2001	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2001	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2001	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2001	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2001	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2001	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2001	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
BMW 325e								
1987	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1987	Base	B4	Front	21-030505		Rear	19-019819	
1987	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1987	Base	B8 (SP)	Front	34-003350		Rear	24-020275	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325e (continued)								
1987	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1987	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1986	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1986	Base	B4	Front	21-030505		Rear	19-019819	
1986	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1986	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1986	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1986	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1985	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1985	Base	B4	Front	21-030505		Rear	19-019819	
1985	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1985	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1985	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1985	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1984	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1984	Base	B4	Front	21-030505		Rear	19-019819	
1984	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1984	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
BMW 325es								
1987	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325es (continued)								
1987	Base	B4	Front	21-030505		Rear	19-019819	
1987	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1987	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1986	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1986	Base	B4	Front	21-030505		Rear	19-019819	
1986	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1986	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
BMW 325i								
2010	Base	B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2010	Base	B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2010	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2010	Base	B8 (SP)				Rear	24-120425	
2010	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base	B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2009	Base	B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2009	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2009	Base	B8 (SP)				Rear	24-120425	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
2009	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2008	Base	B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2008	Base	B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2008	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2008	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2008	Base	B8 (SP)				Rear	24-120425	
2008	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base	B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2007	Base	B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2007	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2007	Base	B8 (SP)				Rear	24-120425	
2007	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2006	Base	B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2006	Base	B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2006	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
2006	Base	B16 (PSS10)	Front and Rear	48-131636				
2006	Base	B16 (Ride Control)	Front and Rear	49-131543				
2006	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2006	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2006	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2006	Base	B8 (SP)				Rear	24-120425	
2006	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2005	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base	B14 (PSS)	Front and Rear	47-126848				
2005	Base	B16 (Ride Control)	Front and Rear	49-135121				
2005	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2005	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2005	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2005	Base; Sedan	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
2005	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2005	Base; Wagon	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Wagon	B4				Rear	19-103112	
2005	Base; Wagon	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	Base; Wagon; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2004	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base	B14 (PSS)	Front and Rear	47-126848				
2004	Base	B16 (Ride Control)	Front and Rear	49-135121				
2004	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2004	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2004	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106				Shortened Shock Absorber 45mm; With M-Technics Suspension
			Front Right	35-115113				Shortened Shock Absorber 45mm; With M-Technics Suspension
2004	Base; Sedan	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2004	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2004	Base; Wagon	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base; Wagon	B4				Rear	19-103112	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
2004	Base; Wagon	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2004	Base; Wagon; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2003	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base	B14 (PSS)	Front and Rear	47-126848				
2003	Base	B16 (Ride Control)	Front and Rear	49-135121				
2003	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2003	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2003	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2003	Base; Sedan	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2003	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2003	Base; Wagon	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base; Wagon	B4				Rear	19-103112	
2003	Base; Wagon	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2003	Base; Wagon; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
2002	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base	B14 (PSS)	Front and Rear	47-126848				
2002	Base	B16 (Ride Control)	Front and Rear	49-135121				
2002	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2002	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2002	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2002	Base; Sedan	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2002	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2002	Base; Wagon	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base; Wagon	B4				Rear	19-103112	
2002	Base; Wagon	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2002	Base; Wagon; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2001	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base	B14 (PSS)	Front and Rear	47-126848				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
2001	Base	B16 (Ride Control)	Front and Rear	49-135121				
2001	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2001	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2001	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2001	Base; Sedan	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2001	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2001	Base; Wagon	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base; Wagon	B4				Rear	19-103112	
2001	Base; Wagon	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2001	Base; Wagon; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
1997	Base	B1 (OEM Components)				Rear	12-117109	
1997	Base	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	Base; Sedan	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1996	Base	B1 (OEM Components)				Rear	12-117109	
1996	Base	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1996	Base; Sedan	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
1995	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1995	Base	B1 (OEM Components)				Rear	12-117109	
1995	Base	B14 (PSS)	Front and Rear	47-124813				
1995	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1995	Base	B4	Front Right	22-044204	From 6/92 To 95	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1995	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1995	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 95	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 95			
1995	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1995	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180957				
1995	Base; Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1994	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1994	Base	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
1994	Base	B14 (PSS)	Front and Rear	47-124813				
1994	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1994	Base	B4	Front Right	22-044204	From 6/92 To 95	Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1994	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1994	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 95	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 95			
1994	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1994	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180957				
1994	Base; Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
1994	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1993	4 Dr.; Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1993	Base	B1 (OEM Components)	Front	12-116829				
1993	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1993	Base	B4				Rear	19-103150	With M-Technics Suspension
1993	Base	B8 (SP)				Rear	24-027250	
1993	Base; Convertible; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1993	Base; Sedan; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1993	Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-180957				
1993	Base; Sedan; w/ E36 Body	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1993	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1993	Base; w/ E36 Body	B1 (OEM Components)				Rear	12-117109	
1993	Base; w/ E36 Body	B14 (PSS)	Front and Rear	47-124813				
1993	Base; w/ E36 Body	B4	Front Right	22-044204	From 6/92 To 95			
			Front Left	22-044198	Includes European 3/96-02			
1993	Base; w/ E36 Body	B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1993	Base; w/ E36 Body	B8 (SP)	Front Left	35-044024	From 6/92 To 95			
			Front Right	35-044031	From 6/92 To 95			
1992	4 Dr.; Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1992	Base	B1 (OEM Components)	Front	12-116829				
1992	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1992	Base	B4	Front Left	22-044174	From 1/92 To 5/92	Rear	19-103150	With M-Technics Suspension
			Front Right	22-044181	From 1/92 To 5/92			
1992	Base	B6 (HD)	Front Left	22-181619	From 1/92 To 5/92			
			Front Right	22-181626	From 1/92 To 5/92			
1992	Base	B8 (SP)	Front Left	22-181633	From 1/92 To 5/92	Rear	24-027250	
			Front Right	22-181640	From 1/92 To 5/92			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
1992	Base; Convertible; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1992	Base; Sedan; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1992	Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-180957	From 6/92			
1992	Base; Sedan; w/ E36 Body	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181039	up to 05/92			
1992	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1992	Base; w/ E36 Body	B1 (OEM Components)				Rear	12-117109	
1992	Base; w/ E36 Body	B14 (PSS)	Front and Rear	47-124813				
1992	Base; w/ E36 Body	B4	Front Right	22-044204	From 6/92 To 95			
			Front Left	22-044198	Includes European 3/96-02			
1992	Base; w/ E36 Body	B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1992	Base; w/ E36 Body	B8 (SP)	Front Left	35-044024	From 6/92 To 95			
			Front Right	35-044031	From 6/92 To 95			
1991	Base	B1 (OEM Components)	Front	12-116829				
1991	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1991	Base	B4	Front	21-030505		Rear	19-019819	
1991	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1991	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1991	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1991	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1991	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
1991	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1990	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1990	Base	B4	Front	21-030505		Rear	19-019819	
1990	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1990	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1990	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1990	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1990	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1990	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1989	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1989	Base	B4	Front	21-030505		Rear	19-019819	
1989	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1989	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1989	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1989	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1989	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1989	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1988	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1988	Base	B4	Front	21-030505		Rear	19-019819	
1988	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1988	Base	B8 (SP)	Front	34-003350		Rear	24-020275	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325i (continued)								
1988	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1988	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1988	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
1987	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1987	Base	B4	Front	21-030505		Rear	19-019819	
1987	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1987	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1987	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1987	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
			Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1987	Base; Sedan	B6 (HD)				Rear	24-007382	With M-Technics Suspension
BMW 325iX								
1991	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1991	Base	B4				Rear	19-019819	
1991	Base	B6 (HD)	Front	34-002513		Rear	24-020282	
1991	Base; Sedan	B4	Front	21-216381	Standard Chassis			
1990	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1990	Base	B4				Rear	19-019819	
1990	Base	B6 (HD)	Front	34-002513		Rear	24-020282	
1990	Base; Sedan	B4	Front	21-216381	Standard Chassis			
1989	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1989	Base	B4				Rear	19-019819	
1989	Base	B6 (HD)	Front	34-002513		Rear	24-020282	
1989	Base; Sedan	B4	Front	21-216381	Standard Chassis			
1988	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325iX (continued)								
1988	Base	B4				Rear	19-019819	
1988	Base	B6 (HD)	Front	34-002513		Rear	24-020282	
BMW 325is								
1995	Base	B1 (OEM Components)				Rear	12-117109	
1995	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				
1995	Base	B14 (PSS)	Front and Rear	47-124813				
1995	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1995	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204	From 6/92 To 95			
1995	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1995	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 95	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 95			
1995	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1994	Base	B1 (OEM Components)				Rear	12-117109	
1994	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				
1994	Base	B14 (PSS)	Front and Rear	47-124813				
1994	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1994	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204	From 6/92 To 95			
1994	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1994	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 95	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 95			
1994	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1993	Base	B1 (OEM Components)				Rear	12-117109	
1993	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325is (continued)								
1993	Base	B14 (PSS)	Front and Rear	47-124813				
1993	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1993	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Right	22-044204	From 6/92 To 95			
1993	Base	B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1993	Base	B8 (SP)	Front Left	35-044024	From 6/92 To 95	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 95			
1993	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1992	Base	B1 (OEM Components)				Rear	12-117109	
1992	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957	From 6/92			
1992	Base	B12 (Sportline)	Front and Rear	46-181039	up to 05/92			
1992	Base	B14 (PSS)	Front and Rear	47-124813				
1992	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1992	Base	B4	Front Left	22-044198		Rear	19-103150	With M-Technics Suspension
			Front Left	22-044174	From 1/92 To 5/92			
			Front Right	22-044181	From 1/92 To 5/92			
			Front Right	22-044204	From 6/92 To 95			
1992	Base	B6 (HD)	Front Right	22-181626	From 1/92 To 5/92	Rear	24-027243	
			Front Left	22-181619	From 1/92 To 5/92			
			Front Right	35-044017	From 6/92 To 95			
			Front Left	35-044000	From 6/92 To 95			
1992	Base	B8 (SP)	Front Right	22-181640	From 1/92 To 5/92	Rear	24-027250	
			Front Left	22-181633	From 1/92 To 5/92			
			Front Right	35-044031	From 6/92 To 95			
			Front Left	35-044024	From 6/92 To 95			
1992	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1991	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1991	Base	B4	Front	21-030505		Rear	19-019819	
1991	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1991	Base	B8 (SP)	Front	34-003350		Rear	24-020275	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325is (continued)								
1990	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1990	Base	B4	Front	21-030505		Rear	19-019819	
1990	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1990	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1989	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1989	Base	B4	Front	21-030505		Rear	19-019819	
1989	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1989	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1988	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1988	Base	B4	Front	21-030505		Rear	19-019819	
1988	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1988	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1987	Base	B12 (Pro-Kit)	Front and Rear	BTS-7511				
1987	Base	B4	Front	21-030505		Rear	19-019819	
1987	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1987	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
BMW 325xi								
2006	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2006	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2006	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2006	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2006	Base; w/ E91 Body	B8 (SP)				Rear	24-120425	
2005	Base	B1 (OEM Components)				Rear	12-117109	
2005	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2005	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2005	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2005	Base; Sedan	B4				Rear	19-220598	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 325xi (continued)								
2004	Base	B1 (OEM Components)				Rear	12-117109	
2004	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2004	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2004	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2004	Base; Sedan	B4				Rear	19-220598	Standard Chassis
2003	Base	B1 (OEM Components)				Rear	12-117109	
2003	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2003	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2003	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2003	Base; Sedan	B4				Rear	19-220598	Standard Chassis
2002	Base	B1 (OEM Components)				Rear	12-117109	
2002	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2002	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2002	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2002	Base; Sedan	B4				Rear	19-220598	Standard Chassis
2001	Base	B1 (OEM Components)				Rear	12-117109	
2001	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2001	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2001	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2001	Base; Sedan	B4				Rear	19-220598	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328Ci								
2000	Base	B1 (OEM Components)				Rear	12-117109	
2000	Base	B12 (Pro-Kit)				Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability
2000	Base	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base	B14 (PSS)	Front and Rear	47-126848				
2000	Base	B16 (PSS10)	Front and Rear	48-126380				
2000	Base	B16 (Ride Control)	Front and Rear	49-135121				
2000	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2000	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2000	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2000	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension			
2000	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2000	Coupe	B6 (10-Way Adjustable)	Front Right	31-181891	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
BMW 328i								
2013	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2013	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180643	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 930kg Axle Load ; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2012	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2012	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
2012	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2012	Base; Convertible; w/ E93 LCI Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2012	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180643	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 930kg Axle Load ; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2012	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2012	Base; Coupe; w/ E92 LCI Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2012	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2012	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-180582	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2012	Base; Wagon	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2012	Base; w/ E91 LCI Body	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2012	Base; w/ E91 LCI Body	B8 (SP)				Rear	24-120425	
2012	Base; w/ E92 LCI Body	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2012	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2012	Base; w/ E93 LCI Body	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2012	Base; w/ E93 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2011	Base	B16 (PSS10)	Front and Rear	48-131636				
2011	Base	B16 (Ride Control)	Front and Rear	49-131543				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
2011	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2011	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2011	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2011	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2011	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2011	Base; Convertible; w/ E93 LCI Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2011	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180643	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 930kg Axle Load ; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2011	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2011	Base; Coupe; w/ E92 LCI Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2011	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2011	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-180582	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2011	Base; Wagon	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2011	Base; w/ E90 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base; w/ E91 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base; w/ E93 LCI Body	B8 (SP)				Rear	24-120425	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
2010	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2010	Base	B16 (PSS10)	Front and Rear	48-131636				
2010	Base	B16 (Ride Control)	Front and Rear	49-131543				
2010	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2010	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2010	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2010	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2010	Base; Convertible; w/ E93 Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2010	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180643	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 930kg Axle Load ; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2010	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2010	Base; Coupe; w/ E92 Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2010	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2010	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-180582	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2010	Base; Wagon	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
2010	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2010	Base; w/ E91 Body	B8 (SP)				Rear	24-120425	
2010	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2010	Base; w/ E93 Body	B8 (SP)				Rear	24-120425	
2009	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2009	Base	B16 (PSS10)	Front and Rear	48-131636				
2009	Base	B16 (Ride Control)	Front and Rear	49-131543				
2009	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2009	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2009	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2009	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base; Convertible; w/ E93 Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2009	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180643	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 930kg Axle Load ; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2009	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base; Coupe; w/ E92 Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2009	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
2009	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-180582	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2009	Base; Wagon	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2009	Base; w/ E91 Body	B8 (SP)				Rear	24-120425	
2009	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2009	Base; w/ E93 Body	B8 (SP)				Rear	24-120425	
2008	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2008	Base	B16 (PSS10)	Front and Rear	48-131636				
2008	Base	B16 (Ride Control)	Front and Rear	49-131543				
2008	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2008	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2008	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2008	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2008	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2008	Base; Convertible; w/ E93 Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2008	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180643	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 930kg Axle Load ; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2008	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
2008	Base; Coupe; w/ E92 Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2008	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2008	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-180582	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2008	Base; Wagon	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2007	Base	B16 (PSS10)	Front and Rear	48-131636				
2007	Base	B16 (Ride Control)	Front and Rear	49-131543				
2007	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2007	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2007	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2007	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base; Convertible; w/ E93 Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2007	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180643	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 930kg Axle Load ; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2007	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
2007	Base; Coupe; w/ E92 Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2007	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-180582	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2007	Base; Wagon	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2000	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2000	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Base	B14 (PSS)	Front and Rear	47-126848				
2000	Base	B16 (PSS10)	Front and Rear	48-126380				
2000	Base	B16 (Ride Control)	Front and Rear	49-135121				
2000	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2000	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2000	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
2000	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2000	Base; Sedan	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2000	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
1999	4 Dr.; Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	BTS-7508				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
1999	Base	B1 (OEM Components)	Front	12-117260				
1999	Base	B6 (HD)				Rear	24-027243	
1999	Base	B8 (SP)				Rear	24-027250	
1999	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1999	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
1999	Base; Sedan	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
1999	Base; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-180957				
1999	Base; Sedan; w/ E36 Body	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1999	Base; Sedan; w/ E46 Body	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
1999	Base; Sedan; w/ E46 Body	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
1999	Base; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
1999	Base; w/ E36 Body	B1 (OEM Components)				Rear	12-117109	
1999	Base; w/ E36 Body	B14 (PSS)	Front and Rear	47-124813				
1999	Base; w/ E36 Body	B4	Front Left	22-044198				
			Front Right	22-044204				
1999	Base; w/ E36 Body	B6 (HD)	Front Left	35-044000				
			Front Right	35-044017				
1999	Base; w/ E36 Body	B8 (SP)	Front Left	35-044024				
			Front Right	35-044031				
1999	Base; w/ E46 Body	B1 (OEM Components)				Rear	12-117109	
1999	Base; w/ E46 Body	B14 (PSS)	Front and Rear	47-126848				
1999	Base; w/ E46 Body	B16 (PSS10)	Front and Rear	48-126380				
1999	Base; w/ E46 Body	B16 (Ride Control)	Front and Rear	49-135121				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
1999	Base; w/ E46 Body	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
1999	Base; w/ E46 Body	B6 (HD)	Front Left	35-115045				
			Front Right	35-115052				
1999	Base; w/ E46 Body	B8 (SP)	Front Left	35-115069				
			Front Right	35-115076				
1998	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1998	Base	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
1998	Base	B14 (PSS)	Front and Rear	47-124813				
1998	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1998	Base	B4	Front Right	22-044204		Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1998	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1998	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1998	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180957				
1998	Base; Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1997	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1997	Base	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
1997	Base	B14 (PSS)	Front and Rear	47-124813				
1997	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1997	Base	B4	Front Right	22-044204		Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1997	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1997	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i (continued)								
1997	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1997	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180957				
1997	Base; Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1996	4 Dr.; Base; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1996	Base	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
1996	Base	B14 (PSS)	Front and Rear	47-124813				
1996	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1996	Base	B4	Front Right	22-044204		Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1996	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1996	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1996	Base; Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1996	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180957				
1996	Base; Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1996	Base; Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
BMW 328i xDrive								
2012	Base; w/ E91 LCI Body	B8 (SP)				Rear	24-120425	
2012	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2011	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2011	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2011	Base; w/ E90 LCI Body	B8 (SP)				Rear	24-120425	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328i xDrive (continued)								
2011	Base; w/ E91 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2010	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2010	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2010	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2010	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2010	Base; w/ E91 Body	B8 (SP)				Rear	24-120425	
2010	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2009	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2009	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2009	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2009	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2009	Base; w/ E91 Body	B8 (SP)				Rear	24-120425	
2009	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
BMW 328is								
1999	Base	B1 (OEM Components)				Rear	12-117109	
1999	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				
1999	Base	B14 (PSS)	Front and Rear	47-124813				
1999	Base	B4	Front Right	22-044204		Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1999	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1999	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1999	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1998	Base	B1 (OEM Components)				Rear	12-117109	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328is (continued)								
1998	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				
1998	Base	B14 (PSS)	Front and Rear	47-124813				
1998	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1998	Base	B4	Front Right	22-044204		Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1998	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1998	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1998	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1997	Base	B1 (OEM Components)				Rear	12-117109	
1997	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				
1997	Base	B14 (PSS)	Front and Rear	47-124813				
1997	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1997	Base	B4	Front Right	22-044204		Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			
1997	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1997	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1997	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
1996	Base	B1 (OEM Components)				Rear	12-117109	
1996	Base	B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				
1996	Base	B14 (PSS)	Front and Rear	47-124813				
1996	Base	B16 (PSS9)	Front and Rear	48-080347	E36 Chassis			
1996	Base	B4	Front Right	22-044204		Rear	19-103150	With M-Technics Suspension
			Front Left	22-044198	Includes European 3/96-02			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 328is (continued)								
1996	Base	B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1996	Base	B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1996	Base; Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Suspension			
			Front Right	22-172525	With M-Technics Suspension			
BMW 328xi								
2008	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2008	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2008	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2008	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2008	Base; w/ E91 Body	B8 (SP)				Rear	24-120425	
2008	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2007	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2007	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2007	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2007	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2007	Base; w/ E91 Body	B8 (SP)				Rear	24-120425	
2007	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
BMW 330Ci								
2006	Base	B14 (PSS)	Front and Rear	47-126848				
2006	Base	B16 (PSS10)	Front and Rear	48-126380				
2006	Base	B16 (Ride Control)	Front and Rear	49-135121				
2006	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2006	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330Ci (continued)								
2006	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2006	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2006	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2006	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2006	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2005	Base	B1 (OEM Components)	Front	12-117260				
2005	Base	B14 (PSS)	Front and Rear	47-126848				
2005	Base	B16 (PSS10)	Front and Rear	48-126380				
2005	Base	B16 (Ride Control)	Front and Rear	49-135121				
2005	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2005	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2005	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330Ci (continued)								
2005	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2005	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2005	Convertible; M	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	Coupe; M	B1 (OEM Components)				Rear	12-117109	
2005	Coupe; M	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	M	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2005	M; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2004	Base	B1 (OEM Components)	Front	12-117260				
2004	Base	B14 (PSS)	Front and Rear	47-126848				
2004	Base	B16 (PSS10)	Front and Rear	48-126380				
2004	Base	B16 (Ride Control)	Front and Rear	49-135121				
2004	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330Ci (continued)								
2004	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2004	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2004	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2004	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2004	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2004	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2003	Base	B1 (OEM Components)	Front	12-117260				
2003	Base	B14 (PSS)	Front and Rear	47-126848				
2003	Base	B16 (PSS10)	Front and Rear	48-126380				
2003	Base	B16 (Ride Control)	Front and Rear	49-135121				
2003	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2003	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330Ci (continued)								
2003	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2003	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2003	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2003	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2003	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2002	Base	B1 (OEM Components)	Front	12-117260				
2002	Base	B14 (PSS)	Front and Rear	47-126848				
2002	Base	B16 (PSS10)	Front and Rear	48-126380				
2002	Base	B16 (Ride Control)	Front and Rear	49-135121				
2002	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2002	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2002	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330Ci (continued)								
2002	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2002	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2002	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2002	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2001	Base	B1 (OEM Components)	Front	12-117260				
2001	Base	B14 (PSS)	Front and Rear	47-126848				
2001	Base	B16 (PSS10)	Front and Rear	48-126380				
2001	Base	B16 (Ride Control)	Front and Rear	49-135121				
2001	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2001	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2001	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2001	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base; Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330Ci (continued)								
2001	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2001	Base; Coupe	B12 (Pro-Kit)				Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability
2001	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base; Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2001	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
BMW 330i								
2007	Base	B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2007	Base	B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2007	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2007	Base	B8 (SP)				Rear	24-120425	
2007	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2006	Base	B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2006	Base	B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2006	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2006	Base	B16 (PSS10)	Front and Rear	48-131636				
2006	Base	B16 (Ride Control)	Front and Rear	49-131543				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330i (continued)								
2006	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2006	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2006	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2006	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2006	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2005	Base	B1 (OEM Components)				Rear	12-117109	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base	B14 (PSS)	Front and Rear	47-126848				
2005	Base	B16 (PSS10)	Front and Rear	48-126380				
2005	Base	B16 (Ride Control)	Front and Rear	49-135121				
2005	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2005	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2005	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2005	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2005	Base; Sedan; w/ E46 Body	B4	Front Right	22-139948	With M-Technics Suspension			
2005	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330i (continued)								
2005	M	B1 (OEM Components)				Rear	12-117109	
2005	M	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2005	M; Sedan	B6 (10-Way Adjustable)	Front Right	31-181891	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
2005	M; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
			Front Right	22-139948	With M-Technics Suspension			
2004	Base	B1 (OEM Components)				Rear	12-117109	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004	Base	B14 (PSS)	Front and Rear	47-126848				
2004	Base	B16 (PSS10)	Front and Rear	48-126380				
2004	Base	B16 (Ride Control)	Front and Rear	49-135121				
2004	Base	B4	Front Right	22-103109				
			Front Left	22-103093				
2004	Base	B6 (HD)	Front Left	35-115045				
			Front Right	35-115052				
2004	Base	B8 (SP)	Front Left	35-115069				
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2004	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2004	Base; Sedan; w/ E46 Body	B4	Front Right	22-139948	With M-Technics Suspension			
2004	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
2003	Base	B1 (OEM Components)				Rear	12-117109	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330i (continued)								
2003	Base	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2003	Base	B14 (PSS)	Front and Rear	47-126848				
2003	Base	B16 (PSS10)	Front and Rear	48-126380				
2003	Base	B16 (Ride Control)	Front and Rear	49-135121				
2003	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2003	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2003	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2003	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2003	Base; Sedan; w/ E46 Body	B4	Front Right	22-139948	With M-Technics Suspension			
2003	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
2002	Base	B1 (OEM Components)				Rear	12-117109	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2002	Base	B14 (PSS)	Front and Rear	47-126848				
2002	Base	B16 (PSS10)	Front and Rear	48-126380				
2002	Base	B16 (Ride Control)	Front and Rear	49-135121				
2002	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2002	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330i (continued)								
2002	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2002	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2002	Base; Sedan; w/ E46 Body	B4	Front Right	22-139948	With M-Technics Suspension			
2002	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			
2001	Base	B1 (OEM Components)				Rear	12-117109	
2001	Base	B12 (Pro-Kit)				Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability
2001	Base	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2001	Base	B14 (PSS)	Front and Rear	47-126848				
2001	Base	B16 (PSS10)	Front and Rear	48-126380				
2001	Base	B16 (Ride Control)	Front and Rear	49-135121				
2001	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Suspension
			Front Left	22-103093				
2001	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2001	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Suspension			
2001	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Suspension	Rear	26-181905	Standard Chassis; With M-Technics Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Suspension			
2001	Base; Sedan; w/ E46 Body	B4	Front Right	22-139948	With M-Technics Suspension			
2001	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330xi								
2006	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2006	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2006	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2006	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2005	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2005	Base	B4				Rear	19-220598	Standard Chassis
2005	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2005	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2005	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2004	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2004	Base	B4				Rear	19-220598	Standard Chassis
2004	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2004	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2004	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2003	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2003	Base	B4				Rear	19-220598	Standard Chassis
2003	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2003	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2003	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2002	Base	B1 (OEM Components)	Front	12-117260		Rear	12-117109	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 330xi (continued)								
2002	Base	B4				Rear	19-220598	Standard Chassis
2002	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2002	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2002	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2001	Base	B1 (OEM Components)	Front	12-117260				
2001	Base	B4				Rear	19-220598	Standard Chassis
2001	Base	B6 (HD)	Front Left	22-052810		Rear	24-024532	
			Front Right	22-052827				
2001	Base	B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2001	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
BMW 335d								
2011	Base	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2011	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2011	Base	B16 (PSS10)	Front and Rear	48-131636				
2011	Base	B16 (Ride Control)	Front and Rear	49-131543				
2011	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2011	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2011	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2011	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335d (continued)								
2011	Base; w/ E90 LCI Body	B8 (SP)				Rear	24-120425	
2010	Base	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2010	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2010	Base	B16 (PSS10)	Front and Rear	48-131636				
2010	Base	B16 (Ride Control)	Front and Rear	49-131543				
2010	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2010	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2010	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2010	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2009	Base	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2009	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2009	Base	B16 (PSS10)	Front and Rear	48-131636				
2009	Base	B16 (Ride Control)	Front and Rear	49-131543				
2009	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2009	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335d (continued)								
2009	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
BMW 335i								
2012	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2012	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2012	Base; Convertible; w/ E93 LCI Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2012	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2012	Base; Coupe; w/ E92 LCI Body	B12 (Pro-Kit)	Front and Rear	46-180650	Without Ride Height Adjustability			
2012	Base; Coupe; w/ E92 LCI Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2012	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2012	Base; w/ E92 LCI Body	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2012	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2012	Base; w/ E93 LCI Body	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2012	Base; w/ E93 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2011	Base	B16 (PSS10)	Front and Rear	48-131636				
2011	Base	B16 (Ride Control)	Front and Rear	49-131543				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335i (continued)								
2011	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2011	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2011	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2011	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2011	Base; Convertible; w/ E93 LCI Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2011	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2011	Base; Coupe; w/ E92 LCI Body	B12 (Pro-Kit)	Front and Rear	46-180650	Without Ride Height Adjustability			
2011	Base; Coupe; w/ E92 LCI Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2011	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2011	Base; Sedan; w/ E90 LCI Body	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2011	Base; w/ E90 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base; w/ E93 LCI Body	B8 (SP)				Rear	24-120425	
2010	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2010	Base	B16 (PSS10)	Front and Rear	48-131636				
2010	Base	B16 (Ride Control)	Front and Rear	49-131543				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335i (continued)								
2010	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2010	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2010	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2010	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2010	Base; Convertible; w/ E93 Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2010	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2010	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180650	Without Ride Height Adjustability			
2010	Base; Coupe; w/ E92 Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2010	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2010	Base; Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2010	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2010	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2010	Base; w/ E93 Body	B8 (SP)				Rear	24-120425	
2010	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2010	M Sport	B8 (SP)				Rear	24-120425	
2010	M Sport; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335i (continued)								
2009	Base	B16 (PSS10)	Front and Rear	48-131636				
2009	Base	B16 (Ride Control)	Front and Rear	49-131543				
2009	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2009	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2009	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2009	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base; Convertible; w/ E93 Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2009	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180650	Without Ride Height Adjustability			
2009	Base; Coupe; w/ E92 Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2009	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2009	Base; Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2009	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2009	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2009	Base; w/ E93 Body	B8 (SP)				Rear	24-120425	
2009	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2009	M Sport	B8 (SP)				Rear	24-120425	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335i (continued)								
2009	M Sport; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2008	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2008	Base	B16 (PSS10)	Front and Rear	48-131636				
2008	Base	B16 (Ride Control)	Front and Rear	49-131543				
2008	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2008	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2008	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2008	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2008	Base; Convertible; w/ E93 Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2008	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2008	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180650	Without Ride Height Adjustability			
2008	Base; Coupe; w/ E92 Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2008	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2008	Base; Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2008	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2008	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2008	Base; w/ E93 Body	B8 (SP)				Rear	24-120425	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335i (continued)								
2008	M Sport	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2008	M Sport	B8 (SP)				Rear	24-120425	
2008	M Sport; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2007	Base	B16 (PSS10)	Front and Rear	48-131636				
2007	Base	B16 (Ride Control)	Front and Rear	49-131543				
2007	Base	B4	Front Right	22-135018		Rear	19-135021	
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135049	Sport Suspension			
			Front Left	22-135032	Sport Suspension			
2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2007	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2007	Base; Convertible	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base; Convertible; w/ E93 Body	B4	Front Right	22-145284	Sport Suspension	Rear	19-145297	Sport Suspension
			Front Left	22-145277	Sport Suspension	Rear	19-145266	Standard Chassis
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145246	Standard Chassis			
2007	Base; Coupe	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180650	Without Ride Height Adjustability			
2007	Base; Coupe; w/ E92 Body	B4	Front Right	22-136619	Sport Suspension	Rear	19-136622	Sport Suspension
			Front Left	22-136602	Sport Suspension	Rear	19-136592	Standard Chassis
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136572	Standard Chassis			
2007	Base; Sedan	B8 (SP)	Front Left	35-120407				
			Front Right	35-120414				
2007	Base; Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335i (continued)								
2007	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2007	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2007	Base; w/ E93 Body	B8 (SP)				Rear	24-120425	
BMW 335i xDrive								
2012	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2011	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2011	Base; w/ E90 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2010	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2010	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2010	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2010	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2009	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2009	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2009	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2009	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
BMW 335is								
2012	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2012	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2012	Base; Convertible	B8 (SP)	Front Right	35-120414				
2012	Base; Convertible; w/ E92 LCI Body	B4				Rear	19-145297	Sport Suspension
2012	Base; Convertible; w/ E93 LCI Body	B4	Front Left	22-145277	Sport Suspension			
			Front Right	22-145284	Sport Suspension			
2012	Base; Coupe	B8 (SP)	Front Right	35-120414				
2012	Base; Coupe; w/ E92 LCI Body	B4	Front Left	22-136589		Rear	19-136622	Sport Suspension
			Front Right	22-136619				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335is (continued)								
2012	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2012	Base; w/ E93 LCI Body	B8 (SP)				Rear	24-120425	
2012	Convertible	B8 (SP)	Front Left	35-120407				
2012	Coupe	B8 (SP)	Front Left	35-120407				
2011	Base	B14 (PSS)	Front and Rear	47-120471	Recommended Front Lowering Range: 30-50mm, up to 1020kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 1200kg Axle Load			
2011	Base	B16 (PSS10)	Front and Rear	48-131636				
2011	Base	B16 (Ride Control)	Front and Rear	49-131543				
2011	Base	B4	Front Left	22-135001		Rear	19-135021	
			Front Right	22-135018				
2011	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Standard Chassis; With M-Technics Suspension	Rear	26-181936	Standard Chassis; With M-Technics Suspension
			Front Right	31-181921	Standard Chassis; With M-Technics Suspension			
2011	Base	B6 (HD)	Front Left	35-120377		Rear	24-120395	
			Front Right	35-120384				
2011	Base; Convertible	B8 (SP)	Front Right	35-120414				
2011	Base; Convertible; w/ E92 LCI Body	B4				Rear	19-145297	Sport Suspension
2011	Base; Convertible; w/ E93 LCI Body	B4	Front Left	22-145277	Sport Suspension			
			Front Right	22-145284	Sport Suspension			
2011	Base; Coupe	B8 (SP)	Front Right	35-120414				
2011	Base; Coupe; w/ E92 LCI Body	B4	Front Left	22-136589		Rear	19-136622	Sport Suspension
			Front Right	22-136619				
2011	Base; w/ E92 LCI Body	B8 (SP)				Rear	24-120425	
2011	Base; w/ E93 LCI Body	B8 (SP)				Rear	24-120425	
2011	Convertible	B8 (SP)	Front Left	35-120407				
2011	Coupe	B8 (SP)	Front Left	35-120407				
BMW 335xi								
2008	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				
2008	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2008	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
2008	Base; w/ E92 Body	B8 (SP)				Rear	24-120425	
2007	Base	B6 (HD)	Front Left	35-142454		Rear	24-120395	
			Front Right	35-142461				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 335xi (continued)								
2007	Base	B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
2007	Base; w/ E90 Body	B8 (SP)				Rear	24-120425	
BMW 524td								
1986	Base	B6 (HD)				Rear	24-007276	Parameter 270/100
1985	Base	B6 (HD)				Rear	24-007276	Parameter 270/100
BMW 525i								
2009		B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2009	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2008		B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2008	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2007		B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2007	Base	B1 (OEM Components)	Front	12-117260				
2007	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2007	Base	B14 (PSS)	Front and Rear	47-111165				
2007	Base	B16 (PSS10)	Front and Rear	48-135498				
2007	Base	B16 (Ride Control)	Front and Rear	49-135169				
2007	Base	B4	Front	22-138361		Rear	19-138381	
2007	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2007	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2006		B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 525i (continued)								
2006	Base	B1 (OEM Components)	Front	12-117260				
2006	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2006	Base	B14 (PSS)	Front and Rear	47-111165				
2006	Base	B16 (PSS10)	Front and Rear	48-135498				
2006	Base	B16 (Ride Control)	Front and Rear	49-135169				
2006	Base	B4	Front	22-138361		Rear	19-138381	
2006	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2006	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2005		B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2005	Base	B1 (OEM Components)	Front	12-117260				
2005	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2005	Base	B14 (PSS)	Front and Rear	47-111165				
2005	Base	B16 (PSS10)	Front and Rear	48-135498				
2005	Base	B16 (Ride Control)	Front and Rear	49-135169				
2005	Base	B4	Front	22-138361		Rear	19-138381	
2005	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2005	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2004		B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2004	Base	B1 (OEM Components)	Front	12-117260				
2004	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2004	Base	B14 (PSS)	Front and Rear	47-111165				
2004	Base	B16 (PSS10)	Front and Rear	48-135498				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 525i (continued)								
2004	Base	B16 (Ride Control)	Front and Rear	49-135169				
2004	Base	B4	Front	22-138361		Rear	19-138381	
2004	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2004	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2003	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2003	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2003	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2003	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
2003	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
2003	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2003	4 Dr.; Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
2003	Base	B1 (OEM Components)	Front	12-117260				
2003	Base	B16 (PSS9)	Front and Rear	48-104692				
2003	Base	B4	Front	22-111074				
2003	Base	B6 (HD)	Front	35-114062				
2003	Base	B8 (SP)	Front	35-114079				
2003	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
2002	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2002	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2002	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2002	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
2002	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
2002	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2002	4 Dr.; Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
2002	Base	B1 (OEM Components)	Front	12-117260				
2002	Base	B16 (PSS9)	Front and Rear	48-104692				
2002	Base	B4	Front	22-111074				
2002	Base	B6 (HD)	Front	35-114062				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 525i (continued)								
2002	Base	B8 (SP)	Front	35-114079				
2002	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
2001	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2001	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2001	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2001	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
2001	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
2001	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2001	4 Dr.; Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
2001	Base	B1 (OEM Components)	Front	12-117260				
2001	Base	B16 (PSS9)	Front and Rear	48-104692				
2001	Base	B4	Front	22-111074				
2001	Base	B6 (HD)	Front	35-114062				
2001	Base	B8 (SP)	Front	35-114079				
2001	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
1995	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1995	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1995	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 525i (continued)								
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-012218	
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1994	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1994	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1994	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-012218	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1993	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1993	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1993	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-012218	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 525i (continued)								
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1992	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1992	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1992	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1991	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1991	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1991	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012478	
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 525i (continued)								
1990	Base	B4	Front	21-030253	Standard Chassis			
			Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1990	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1990	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012478	
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1989	Base	B4	Front	21-030253	Standard Chassis			
			Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1989	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1989	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012478	
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1989	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
BMW 525xi								
2007	Base	B1 (OEM Components)	Front	12-117260				
2007	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 525xi (continued)								
2007	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension	Rear	24-141819	Except Electronic Adjustable Suspension
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2006	Base	B1 (OEM Components)	Front	12-117260				
2006	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension	Rear	24-141789	Except Electronic Adjustable Suspension
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2006	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension	Rear	24-141819	Except Electronic Adjustable Suspension
			Front Left	35-141792	Except Electronic Adjustable Suspension			
BMW 528e								
1988	Base	B4	Front	21-030512		Rear	19-020174	
1988	Base	B6 (C)	Front	F4-P36-0239-H0				
1988	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1988	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1987	Base	B4	Front	21-030512		Rear	19-020174	
1987	Base	B6 (C)	Front	F4-P36-0239-H0				
1987	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1987	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1986	Base	B4	Front	21-030512		Rear	19-020174	
1986	Base	B6 (C)	Front	F4-P36-0239-H0				
1986	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1986	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1985	Base	B4	Front	21-030512		Rear	19-020174	
1985	Base	B6 (C)	Front	F4-P36-0239-H0				
1985	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1985	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1984	Base	B4	Front	21-030512		Rear	19-020174	
1984	Base	B6 (C)	Front	F4-P36-0239-H0				
1984	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1984	Base	B8 (SP)	Front	34-181546		Rear	24-006071	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 528e (continued)								
1983	Base	B4	Front	21-030512		Rear	19-020174	
1983	Base	B6 (C)	Front	F4-P36-0239-H0				
1983	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1983	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1982	Base	B4	Front	21-030512		Rear	19-020174	
1982	Base	B6 (C)	Front	F4-P36-0239-H0				
1982	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1982	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 528i								
2012	Base	B12 (Pro-Kit)	Front and Rear	46-195104	Excludes Electronic Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1310kg Axle Load; Without Ride Height Adjustability			
2012	Base	B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Recommended Front Lowering Range: 10-30mm, up to 1250kg Axle Load; Recommended Rear Lowering Range: 10-30mm, up to 1320kg Axle Load			
2012	Base	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Base	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
2011	Base	B12 (Pro-Kit)	Front and Rear	46-195104	Excludes Electronic Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1310kg Axle Load; Without Ride Height Adjustability			
2011	Base	B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Recommended Front Lowering Range: 10-30mm, up to 1250kg Axle Load; Recommended Rear Lowering Range: 10-30mm, up to 1320kg Axle Load			
2011	Base	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2011	Base	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 528i (continued)								
2010	Base	B1 (OEM Components)	Front	12-117260				
2010	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2010	Base	B14 (PSS)	Front and Rear	47-111165				
2010	Base	B16 (PSS10)	Front and Rear	48-135498				
2010	Base	B16 (Ride Control)	Front and Rear	49-135169				
2010	Base	B4	Front	22-138361		Rear	19-138381	
2010	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2010	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2009	Base	B1 (OEM Components)	Front	12-117260				
2009	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2009	Base	B14 (PSS)	Front and Rear	47-111165				
2009	Base	B16 (PSS10)	Front and Rear	48-135498				
2009	Base	B16 (Ride Control)	Front and Rear	49-135169				
2009	Base	B4	Front	22-138361		Rear	19-138381	
2009	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2009	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2008	Base	B1 (OEM Components)	Front	12-117260				
2008	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2008	Base	B14 (PSS)	Front and Rear	47-111165				
2008	Base	B16 (PSS10)	Front and Rear	48-135498				
2008	Base	B16 (Ride Control)	Front and Rear	49-135169				
2008	Base	B4	Front	22-138361		Rear	19-138381	
2008	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2008	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2000	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2000	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 528i (continued)								
2000	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2000	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
2000	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
2000	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2000	4 Dr.; Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
2000	Base	B1 (OEM Components)	Front	12-117260				
2000	Base	B16 (PSS9)	Front and Rear	48-104692				
2000	Base	B4	Front	22-111074				
2000	Base	B6 (HD)	Front	35-114062				
2000	Base	B8 (SP)	Front	35-114079				
2000	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
1999	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
1999	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
1999	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
1999	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
1999	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
1999	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
1999	4 Dr.; Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
1999	Base	B16 (PSS9)	Front and Rear	48-104692				
1999	Base	B4	Front	22-111074				
1999	Base	B6 (HD)	Front	35-114062				
1999	Base	B8 (SP)	Front	35-114079				
1999	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
1998	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
1998	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
1998	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 528i (continued)								
1998	Base	B16 (PSS9)	Front and Rear	48-104692				
1998	Base	B4	Front	22-111074				
1998	Base	B6 (HD)	Front	35-114062		Rear	24-060615	
1998	Base	B8 (SP)	Front	35-114079		Rear	24-060967	
1998	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
1998	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
1997	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
1997	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
1997	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
1997	Base	B16 (PSS9)	Front and Rear	48-104692				
1997	Base	B4	Front	22-111074				
1997	Base	B6 (HD)	Front	35-114062		Rear	24-060615	
1997	Base	B8 (SP)	Front	35-114079		Rear	24-060967	
1997	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
1997	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
1981	Base	B4				Rear	F4-BNE-2016-BE	
1981	Base	B6 (C)	Front	F4-P36-0228-H0				
1981	Base	B6 (HD)				Rear	24-007306	
1981	Base	B8 (SP)	Front	34-193020				
			Front	34-003268	SetOption: Variable depending on application; Setting: B6 (HD)			
1980	Base	B4				Rear	F4-BNE-2016-BE	
1980	Base	B6 (C)	Front	F4-P36-0228-H0				
1980	Base	B6 (HD)				Rear	24-007306	
1980	Base	B8 (SP)	Front	34-193020				
			Front	34-003268	SetOption: Variable depending on application; Setting: B6 (HD)			
1979	Base	B4				Rear	F4-BNE-2016-BE	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 528i (continued)								
1979	Base	B6 (C)	Front	F4-P36-0228-H0				
1979	Base	B6 (HD)				Rear	24-007306	
1979	Base	B8 (SP)	Front	34-193020				
			Front	34-003268	SetOption: Variable depending on application; Setting: B6 (HD)			
BMW 528i xDrive								
2010	Base	B1 (OEM Components)	Front	12-117260				
2010	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension	Rear	24-141789	Except Electronic Adjustable Suspension
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2010	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension	Rear	24-141819	Except Electronic Adjustable Suspension
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2009	Base	B1 (OEM Components)	Front	12-117260				
2009	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension	Rear	24-141789	Except Electronic Adjustable Suspension
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2009	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension	Rear	24-141819	Except Electronic Adjustable Suspension
			Front Left	35-141792	Except Electronic Adjustable Suspension			
BMW 528xi								
2008	Base	B1 (OEM Components)	Front	12-117260				
2008	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension	Rear	24-141789	Except Electronic Adjustable Suspension
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2008	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension	Rear	24-141819	Except Electronic Adjustable Suspension
			Front Left	35-141792	Except Electronic Adjustable Suspension			
BMW 530i								
2009	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2009	Base	B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 530i (continued)								
2008	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2008	Base	B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2007	Base	B1 (OEM Components)	Front	12-117260				
2007	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2007	Base	B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2007	Base	B14 (PSS)	Front and Rear	47-111165				
2007	Base	B16 (PSS10)	Front and Rear	48-135498				
2007	Base	B16 (Ride Control)	Front and Rear	49-135169				
2007	Base	B4	Front	22-138361		Rear	19-138381	
2007	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2007	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2006	Base	B1 (OEM Components)	Front	12-117260				
2006	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2006	Base	B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2006	Base	B14 (PSS)	Front and Rear	47-111165				
2006	Base	B16 (PSS10)	Front and Rear	48-135498				
2006	Base	B16 (Ride Control)	Front and Rear	49-135169				
2006	Base	B4	Front	22-138361		Rear	19-138381	
2006	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2006	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2005	Base	B1 (OEM Components)	Front	12-117260				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 530i (continued)								
2005	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2005	Base	B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2005	Base	B14 (PSS)	Front and Rear	47-111165				
2005	Base	B16 (PSS10)	Front and Rear	48-135498				
2005	Base	B16 (Ride Control)	Front and Rear	49-135169				
2005	Base	B4	Front	22-138361		Rear	19-138381	
2005	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2005	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2004	Base	B1 (OEM Components)	Front	12-117260				
2004	Base	B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2004	Base	B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2004	Base	B14 (PSS)	Front and Rear	47-111165				
2004	Base	B16 (PSS10)	Front and Rear	48-135498				
2004	Base	B16 (Ride Control)	Front and Rear	49-135169				
2004	Base	B4	Front	22-138361		Rear	19-138381	
2004	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2004	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2003	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2003	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2003	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2003	Base	B1 (OEM Components)	Front	12-117260				
2003	Base	B16 (PSS9)	Front and Rear	48-104692				
2003	Base	B4	Front	22-111074				
2003	Base	B6 (HD)	Front	35-114062		Rear	24-060615	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 530i (continued)								
2003	Base	B8 (SP)	Front	35-114079		Rear	24-060967	
2003	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
2003	Base; Sedan	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension			
2003	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
2002	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2002	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2002	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2002	Base	B1 (OEM Components)	Front	12-117260				
2002	Base	B16 (PSS9)	Front and Rear	48-104692				
2002	Base	B4	Front	22-111074				
2002	Base	B6 (HD)	Front	35-114062		Rear	24-060615	
2002	Base	B8 (SP)	Front	35-114079		Rear	24-060967	
2002	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
2002	Base; Sedan	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension			
2002	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
2001	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2001	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2001	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2001	Base	B1 (OEM Components)	Front	12-117260				
2001	Base	B16 (PSS9)	Front and Rear	48-104692				
2001	Base	B4	Front	22-111074				
2001	Base	B6 (HD)	Front	35-114062		Rear	24-060615	
2001	Base	B8 (SP)	Front	35-114079		Rear	24-060967	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 530i (continued)								
2001	Base; Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
2001	Base; Sedan	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension			
2001	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-106649	
1995	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1995	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1995	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1995	Base; Wagon; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190888	Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-012218	
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1994	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1994	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 530i (continued)								
1994	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1994	Base; Wagon; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190888	Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-012218	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1978	Base	B4				Rear	F4-BNE-2016-BE	
1978	Base	B6 (C)	Front	F4-P36-0228-H0				
1978	Base	B6 (HD)				Rear	24-007306	
1978	Base	B8 (SP)	Front	34-193020				
			Front	34-003268	SetOption: Variable depending on application; Setting: B6 (HD)			
1977	Base	B4				Rear	F4-BNE-2016-BE	
1977	Base	B6 (C)	Front	F4-P36-0228-H0				
1977	Base	B6 (HD)				Rear	24-007306	
1977	Base	B8 (SP)	Front	34-193020				
			Front	34-003268	SetOption: Variable depending on application; Setting: B6 (HD)			
1976	Base	B6 (HD)	Front	34-000243		Rear	24-007306	
1975	Base	B6 (HD)	Front	34-000243		Rear	24-007306	
BMW 530xi								
2007	Base	B1 (OEM Components)	Front	12-117260				
2007	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2007	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension			
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2007	Base; Sedan; w/ E60 Body	B6 (HD)				Rear	24-141789	Except Electronic Adjustable Suspension
2007	Base; Sedan; w/ E60 Body	B8 (SP)				Rear	24-141819	Except Electronic Adjustable Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 530xi (continued)								
2007	Base; Wagon; w/ E61 Body	B8 (SP)				Rear	24-120708	Except Electronic Adjustable Suspension
2006	Base	B1 (OEM Components)	Front	12-117260				
2006	Base		Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2006	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension			
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2006	Base; Sedan; w/ E60 Body	B6 (HD)						
2006	Base; Sedan; w/ E60 Body	B8 (SP)				Rear	24-141819	Except Electronic Adjustable Suspension
2006	Base; Wagon; w/ E61 Body	B8 (SP)				Rear	24-120708	Except Electronic Adjustable Suspension
BMW 533i								
1984	Base	B4	Front	21-030512		Rear	19-020174	
1984	Base	B6 (C)	Front	F4-P36-0239-H0				
1984	Base	B6 (HD)	Front	34-002339				
							Rear	24-007276
1984	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1983	Base	B4	Front	21-030512		Rear	19-020174	
1983	Base	B6 (C)	Front	F4-P36-0239-H0				
1983	Base	B6 (HD)	Front	34-002339				
							Rear	24-007276
1983	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 535i								
2012	Base	B12 (Pro-Kit)	Front and Rear	46-195111	Excludes Electronic Suspension; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Rear Lowered Height: 30mm, up to 1310kg Axle Load; Without Ride Height Adjustability			
2012	Base	B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Recommended Front Lowering Range: 10-30mm, up to 1250kg Axle Load; Recommended Rear Lowering Range: 10-30mm, up to 1320kg Axle Load			
2012	Base	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 535i (continued)								
2012	Base	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
2011	Base	B12 (Pro-Kit)	Front and Rear	46-195111	Excludes Electronic Suspension; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Rear Lowered Height: 30mm, up to 1310kg Axle Load; Without Ride Height Adjustability			
2011	Base	B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Recommended Front Lowering Range: 10-30mm, up to 1250kg Axle Load; Recommended Rear Lowering Range: 10-30mm, up to 1320kg Axle Load			
2011	Base	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2011	Base	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
2010	Base	B1 (OEM Components)	Front	12-117260				
2010	Base	B14 (PSS)	Front and Rear	47-111165				
2010	Base	B16 (PSS10)	Front and Rear	48-135498				
2010	Base	B16 (Ride Control)	Front and Rear	49-135169				
2010	Base	B4	Front	22-138361		Rear	19-138381	
2010	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2010	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2010	Base; Wagon; w/ E61 Body	B4				Rear	19-145747	Standard Chassis
2009	Base	B1 (OEM Components)	Front	12-117260				
2009	Base	B14 (PSS)	Front and Rear	47-111165				
2009	Base	B16 (PSS10)	Front and Rear	48-135498				
2009	Base	B16 (Ride Control)	Front and Rear	49-135169				
2009	Base	B4	Front	22-138361		Rear	19-138381	
2009	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2009	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2009	Base; Wagon; w/ E61 Body	B4				Rear	19-145747	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 535i (continued)								
2008	Base	B1 (OEM Components)	Front	12-117260				
2008	Base	B14 (PSS)	Front and Rear	47-111165				
2008	Base	B16 (PSS10)	Front and Rear	48-135498				
2008	Base	B16 (Ride Control)	Front and Rear	49-135169				
2008	Base	B4	Front	22-138361		Rear	19-138381	
2008	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2008	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
1993	Base	B12 (Pro-Kit)	Front and Rear	46-190888	From Chassis # 199008 To # 199209; Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
1993	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1993	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1993	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1992	Base	B12 (Pro-Kit)	Front and Rear	46-190888	From Chassis # 199008 To # 199209; Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
1992	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 535i (continued)								
1992	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1992	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1991	Base	B12 (Pro-Kit)	Front and Rear	46-190888	From Chassis # 199008 To # 199209; Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
1991	Base	B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1991	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1991	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012478	
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1990	Base	B12 (Pro-Kit)	Front and Rear	46-190888	From Chassis # 199008 To # 199209; Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 535i (continued)								
1990	Base	B4	Front	21-030253	Standard Chassis			
			Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1990	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1990	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012478	
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1989	Base	B12 (Pro-Kit)	Front and Rear	46-190888	From Chassis # 199008 To # 199209; Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
1989	Base	B4	Front	21-030253	Standard Chassis			
			Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1989	Base	B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1989	Base	B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012478	
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
1989	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1988	Base	B4	Front	21-030512		Rear	19-020174	
1988	Base	B6 (C)	Front	F4-P36-0239-H0				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 535i (continued)								
1988	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1988	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1987	Base	B4	Front	21-030512		Rear	19-020174	
1987	Base	B6 (C)	Front	F4-P36-0239-H0				
1987	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1987	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1986	Base	B4	Front	21-030512		Rear	19-020174	
1986	Base	B6 (C)	Front	F4-P36-0239-H0				
1986	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1986	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1985	Base	B4	Front	21-030512		Rear	19-020174	
1985	Base	B6 (C)	Front	F4-P36-0239-H0				
1985	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1985	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 535i GT								
2012		B4	Front Right	19-195346	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Base	B4	Front Left	19-195339	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-195353	Except Electronic Adjustable Suspension; Standard Chassis
2012	Base	B6 (HD)	Front Left	24-193580	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-178617	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-193597	Except Electronic Adjustable Suspension; Standard Chassis			
2011		B4	Front Right	19-195346	Except Electronic Adjustable Suspension; Standard Chassis			
2011	Base	B4	Front Left	19-195339	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-195353	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	B6 (HD)	Front Left	24-193580	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-178617	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-193597	Except Electronic Adjustable Suspension; Standard Chassis			
2010		B4	Front Right	19-195346	Except Electronic Adjustable Suspension; Standard Chassis			
2010	Base	B4	Front Left	19-195339	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-195353	Except Electronic Adjustable Suspension; Standard Chassis
2010	Base	B6 (HD)	Front Left	24-193580	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-178617	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-193597	Except Electronic Adjustable Suspension; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 535i xDrive								
2010	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2010	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension			
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2010	Base; Sedan; w/ E60 Body	B6 (HD)				Rear	24-141789	Except Electronic Adjustable Suspension
2010	Base; Sedan; w/ E60 Body	B8 (SP)				Rear	24-141819	Except Electronic Adjustable Suspension
2010	Base; Wagon; w/ E61 Body	B8 (SP)				Rear	24-120708	Except Electronic Adjustable Suspension
2009	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2009	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension			
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2009	Base; Sedan; w/ E60 Body	B6 (HD)				Rear	24-141789	Except Electronic Adjustable Suspension
2009	Base; Sedan; w/ E60 Body	B8 (SP)				Rear	24-141819	Except Electronic Adjustable Suspension
2009	Base; Wagon; w/ E61 Body	B8 (SP)				Rear	24-120708	Except Electronic Adjustable Suspension
BMW 535is								
1988	Base	B4	Front	21-030512		Rear	19-020174	
1988	Base	B6 (C)	Front	F4-P36-0239-H0				
1988	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1988	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 535xi								
2008	Base	B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2008	Base	B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension			
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2008	Base; Sedan; w/ E60 Body	B6 (HD)				Rear	24-141789	Except Electronic Adjustable Suspension
2008	Base; Sedan; w/ E60 Body	B8 (SP)				Rear	24-141819	Except Electronic Adjustable Suspension
2008	Base; Wagon; w/ E61 Body	B8 (SP)				Rear	24-120708	Except Electronic Adjustable Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 540i								
2003	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2003	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2003	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B14 (PSS)	Front and Rear	47-111264				
2003	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2003	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
2003	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
2003	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2003	Base	B1 (OEM Components)	Front	12-117260				
2003	Base	B16 (PSS9)	Front and Rear	48-104555				
2003	Base	B6 (HD)	Front	35-114086				
2003	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension			
2003	Base; Sedan; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20- 25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
2003	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	22-111081				
2002	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2002	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2002	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B14 (PSS)	Front and Rear	47-111264				
2002	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2002	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
2002	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
2002	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2002	Base	B1 (OEM Components)	Front	12-117260				
2002	Base	B16 (PSS9)	Front and Rear	48-104555				
2002	Base	B6 (HD)	Front	35-114086				
2002	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 540i (continued)								
2002	Base; Sedan; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
2002	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	22-111081				
2001	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2001	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2001	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B14 (PSS)	Front and Rear	47-111264				
2001	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2001	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
2001	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
2001	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2001	Base	B1 (OEM Components)	Front	12-117260				
2001	Base	B16 (PSS9)	Front and Rear	48-104555				
2001	Base	B6 (HD)	Front	35-114086				
2001	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension			
2001	Base; Sedan; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
2001	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	22-111081				
2000	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
2000	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
2000	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B14 (PSS)	Front and Rear	47-111264				
2000	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2000	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
2000	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
2000	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2000	Base	B1 (OEM Components)	Front	12-117260				
2000	Base	B16 (PSS9)	Front and Rear	48-104555				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 540i (continued)								
2000	Base	B6 (HD)	Front	35-114086				
2000	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension			
2000	Base; Sedan; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
2000	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	22-111081				
1999	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
1999	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
1999	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B14 (PSS)	Front and Rear	47-111264				
1999	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
1999	4 Dr.; Base; Wagon	B6 (HD)				Rear	24-060615	
1999	4 Dr.; Base; Wagon	B8 (SP)				Rear	24-060967	
1999	4 Dr.; Base; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
1999	Base	B1 (OEM Components)	Front	12-117260				
1999	Base	B16 (PSS9)	Front and Rear	48-104555				
1999	Base	B6 (HD)	Front	35-114086				
1999	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension			
1999	Base; Sedan; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
1999	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	22-111081				
1998	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
1998	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
1998	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
1998	Base	B1 (OEM Components)	Front	12-117260				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 540i (continued)								
1998	Base	B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
1998	Base	B14 (PSS)	Front and Rear	47-111264				
1998	Base	B16 (PSS9)	Front and Rear	48-104555				
1998	Base	B4	Front	22-111081				
1998	Base	B6 (HD)	Front	35-114086		Rear	24-060615	
1998	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension	Rear	24-060967	
1997	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-028288	
1997	4 Dr.; Base; Sedan	B8 (SP)				Rear	24-028295	
1997	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
1997	Base	B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
1997	Base	B14 (PSS)	Front and Rear	47-111264				
1997	Base	B16 (PSS9)	Front and Rear	48-104555				
1997	Base	B4	Front	22-111081				
1997	Base	B6 (HD)	Front	35-114086		Rear	24-060615	
1997	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension	Rear	24-060967	
1995	Base	B4	Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1995	Base	B6 (HD)	Front	34-030226		Rear	24-012218	
1995	Base	B8 (SP)	Front	34-030196		Rear	24-014861	
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1994	Base	B4	Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1994	Base	B6 (HD)	Front	34-030226		Rear	24-012218	
1994	Base	B8 (SP)	Front	34-030196		Rear	24-014861	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 545i								
2006	Base	B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			
2006	Base	B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2005	Base	B1 (OEM Components)	Front	12-117260				
2005	Base	B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			
2005	Base	B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2005	Base	B14 (PSS)	Front and Rear	47-111165				
2005	Base	B16 (PSS10)	Front and Rear	48-135498				
2005	Base	B16 (Ride Control)	Front and Rear	49-135169				
2005	Base	B4	Front	22-138361		Rear	19-138381	
2005	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2005	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2004	Base	B1 (OEM Components)	Front	12-117260				
2004	Base	B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			
2004	Base	B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2004	Base	B14 (PSS)	Front and Rear	47-111165				
2004	Base	B16 (PSS10)	Front and Rear	48-135498				
2004	Base	B16 (Ride Control)	Front and Rear	49-135169				
2004	Base	B4	Front	22-138361		Rear	19-138381	
2004	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2004	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 550i								
2012	Base	B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Recommended Front Lowering Range: 10-30mm, up to 1250kg Axle Load; Recommended Rear Lowering Range: 10-30mm, up to 1320kg Axle Load			
2012	Base	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Base	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
2011	Base	B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Recommended Front Lowering Range: 10-30mm, up to 1250kg Axle Load; Recommended Rear Lowering Range: 10-30mm, up to 1320kg Axle Load			
2011	Base	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2011	Base	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
2010	Base	B1 (OEM Components)	Front	12-117260				
2010	Base	B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			
2010	Base	B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2010	Base	B14 (PSS)	Front and Rear	47-111165				
2010	Base	B16 (PSS10)	Front and Rear	48-135498				
2010	Base	B16 (Ride Control)	Front and Rear	49-135169				
2010	Base	B4	Front	22-138361		Rear	19-138381	
2010	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2010	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2009	Base	B1 (OEM Components)	Front	12-117260				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 550i (continued)								
2009	Base	B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			
2009	Base	B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2009	Base	B14 (PSS)	Front and Rear	47-111165				
2009	Base	B16 (PSS10)	Front and Rear	48-135498				
2009	Base	B16 (Ride Control)	Front and Rear	49-135169				
2009	Base	B4	Front	22-138361		Rear	19-138381	
2009	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2009	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2008	Base	B1 (OEM Components)	Front	12-117260				
2008	Base	B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			
2008	Base	B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2008	Base	B14 (PSS)	Front and Rear	47-111165				
2008	Base	B16 (PSS10)	Front and Rear	48-135498				
2008	Base	B16 (Ride Control)	Front and Rear	49-135169				
2008	Base	B4	Front	22-138361		Rear	19-138381	
2008	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2008	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2007	Base	B1 (OEM Components)	Front	12-117260				
2007	Base	B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			
2007	Base	B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2007	Base	B14 (PSS)	Front and Rear	47-111165				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 550i (continued)								
2007	Base	B16 (PSS10)	Front and Rear	48-135498				
2007	Base	B16 (Ride Control)	Front and Rear	49-135169				
2007	Base	B4	Front	22-138361		Rear	19-138381	
2007	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2007	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
2006	Base	B1 (OEM Components)	Front	12-117260				
2006	Base	B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			
2006	Base	B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2006	Base	B14 (PSS)	Front and Rear	47-111165				
2006	Base	B16 (PSS10)	Front and Rear	48-135498				
2006	Base	B16 (Ride Control)	Front and Rear	49-135169				
2006	Base	B4	Front	22-138361		Rear	19-138381	
2006	Base	B6 (HD)	Front	35-109631		Rear	24-109642	
2006	Base	B8 (SP)	Front	35-109655	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-109666	
BMW 550i GT								
2012		B4	Front Right	19-195346	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Base	B4	Front Left	19-195339	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-195353	Except Electronic Adjustable Suspension; Standard Chassis
2012	Base	B6 (HD)	Front Left	24-193580	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-178617	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-193597	Except Electronic Adjustable Suspension; Standard Chassis			
2011		B4	Front Right	19-195346	Except Electronic Adjustable Suspension; Standard Chassis			
2011	Base	B4	Front Left	19-195339	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-195353	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	B6 (HD)	Front Left	24-193580	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-178617	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-193597	Except Electronic Adjustable Suspension; Standard Chassis			
2010		B4	Front Right	19-195346	Except Electronic Adjustable Suspension; Standard Chassis			
2010	Base	B1 (OEM Components)	Front	12-117260				
2010	Base	B4	Front Left	19-195339	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-195353	Except Electronic Adjustable Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 550i GT (continued)								
2010	Base	B6 (HD)	Front Left	24-193580	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-178617	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-193597	Except Electronic Adjustable Suspension; Standard Chassis			
BMW 630CSi								
1978	Base	B4				Rear	F4-BNE-2016-BE	
1978	Base	B6 (HD)	Front	34-002292		Rear	24-008020	
1978	Base	B8 (SP)	Front	34-193020				
1977	Base	B4				Rear	F4-BNE-2016-BE	From 10/77 To 9/82
1977	Base	B6 (HD)	Front	34-002292	From 10/77 To 9/82	Rear	24-008020	From 10/77 To 9/82
1977	Base	B8 (SP)	Front	34-193020	From 10/77 To 9/82			
BMW 633CSi								
1984	Base	B4	Front	21-030512		Rear	19-020174	
1984	Base	B6 (C)	Front	F4-P36-0239-H0				
1984	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
1984	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1983	Base	B4	Front	21-030512		Rear	19-020174	
1983	Base	B6 (C)	Front	F4-P36-0239-H0				
1983	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
1983	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1982	Base	B4				Rear	F4-BNE-2016-BE	From 10/77 To 9/82
1982	Base	B6 (HD)	Front	34-002292	From 10/77 To 9/82	Rear	24-008020	From 10/77 To 9/82
1982	Base	B8 (SP)	Front	34-193020	From 10/77 To 9/82			
1981	Base	B4				Rear	F4-BNE-2016-BE	From 10/77 To 9/82
1981	Base	B6 (HD)	Front	34-002292	From 10/77 To 9/82	Rear	24-008020	From 10/77 To 9/82
1981	Base	B8 (SP)	Front	34-193020	From 10/77 To 9/82			
1980	Base	B4				Rear	F4-BNE-2016-BE	From 10/77 To 9/82
1980	Base	B6 (HD)	Front	34-002292	From 10/77 To 9/82	Rear	24-008020	From 10/77 To 9/82
1980	Base	B8 (SP)	Front	34-193020	From 10/77 To 9/82			
1979	Base	B4				Rear	F4-BNE-2016-BE	From 10/77 To 9/82
1979	Base	B6 (HD)	Front	34-002292	From 10/77 To 9/82	Rear	24-008020	From 10/77 To 9/82
1979	Base	B8 (SP)	Front	34-193020	From 10/77 To 9/82			
1978	Base	B4				Rear	F4-BNE-2016-BE	From 10/77 To 9/82
1978	Base	B6 (HD)	Front	34-002292	From 10/77 To 9/82	Rear	24-008020	From 10/77 To 9/82
1978	Base	B8 (SP)	Front	34-193020	From 10/77 To 9/82			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 635CSi								
1989	Base	B4	Front	21-030512		Rear	19-020174	
1989	Base	B6 (C)	Front	F4-P36-0239-H0				
1989	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
1989	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1988	Base	B4	Front	21-030512		Rear	19-020174	
1988	Base	B6 (C)	Front	F4-P36-0239-H0				
1988	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
1988	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1987	Base	B4	Front	21-030512		Rear	19-020174	
1987	Base	B6 (C)	Front	F4-P36-0239-H0				
1987	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
1987	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1986	Base	B4	Front	21-030512		Rear	19-020174	
1986	Base	B6 (C)	Front	F4-P36-0239-H0				
1986	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
1986	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
1985	Base	B4	Front	21-030512		Rear	19-020174	
1985	Base	B6 (C)	Front	F4-P36-0239-H0				
1985	Base	B6 (HD)	Front	34-002339		Rear	24-006088	
1985	Base	B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 640i								
2012	Base	B6 (HD)				Rear	24-202961	Excludes Electronic Suspension; Standard Chassis
2012	Base	B8 (SP)				Rear	24-202992	Excludes Electronic Suspension; With M-Technics Suspension
2012	Base; Convertible	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis			
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Base; Convertible	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension			
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
2012	Base; Coupe	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis			
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 640i (continued)								
2012	Base; Coupe	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension			
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
BMW 645Ci								
2005	Base	B16 (PSS9)	Front and Rear	48-123952				
2005	Base	B6 (HD)				Rear	24-112703	
2005	Base	B8 (SP)	Front	35-112716		Rear	24-112727	
			Front	35-109655	SetOption: Variable depending on application; Setting: B6 (HD)			
2004	Base	B16 (PSS9)	Front and Rear	48-123952				
2004	Base	B6 (HD)				Rear	24-112703	
2004	Base	B8 (SP)	Front	35-112716		Rear	24-112727	
			Front	35-109655	SetOption: Variable depending on application; Setting: B6 (HD)			
BMW 650i								
2012	Base	B6 (HD)				Rear	24-202961	Excludes Electronic Suspension; Standard Chassis
2012	Base	B8 (SP)				Rear	24-202992	Excludes Electronic Suspension; With M-Technics Suspension
2012	Base; Convertible	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis			
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Base; Convertible	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension			
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
2012	Base; Coupe	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis			
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Base; Coupe	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Suspension			
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Suspension			
2010	Base	B16 (PSS9)	Front and Rear	48-123952				
2010	Base	B6 (HD)				Rear	24-112703	
2010	Base	B8 (SP)	Front	35-112716		Rear	24-112727	
			Front	35-109655	SetOption: Variable depending on application; Setting: B6 (HD)			
2009	Base	B16 (PSS9)	Front and Rear	48-123952				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 650i (continued)								
2009	Base	B6 (HD)				Rear	24-112703	
2009	Base	B8 (SP)	Front	35-112716		Rear	24-112727	
			Front	35-109655	SetOption: Variable depending on application; Setting: B6 (HD)			
2008	Base	B16 (PSS9)	Front and Rear	48-123952				
2008	Base	B6 (HD)				Rear	24-112703	
2008	Base	B8 (SP)	Front	35-112716		Rear	24-112727	
			Front	35-109655	SetOption: Variable depending on application; Setting: B6 (HD)			
2007	Base	B16 (PSS9)	Front and Rear	48-123952				
2007	Base	B6 (HD)				Rear	24-112703	
2007	Base	B8 (SP)	Front	35-112716		Rear	24-112727	
			Front	35-109655	SetOption: Variable depending on application; Setting: B6 (HD)			
2006	Base	B1 (OEM Components)	Front	12-117260				
2006	Base	B16 (PSS9)	Front and Rear	48-123952				
2006	Base	B6 (HD)				Rear	24-112703	
2006	Base	B8 (SP)	Front	35-112716		Rear	24-112727	
			Front	35-109655	SetOption: Variable depending on application; Setting: B6 (HD)			
BMW 733i								
1984	Base	B6 (C)				Rear	F4-B46-0722-H0	
1984	Base	B6 (HD)	Front	34-002315		Rear	24-007214	
1984	Base	B8 (SP)	Front	34-193020				
1983	Base	B6 (C)				Rear	F4-B46-0722-H0	
1983	Base	B6 (HD)	Front	34-002315		Rear	24-007214	
1983	Base	B8 (SP)	Front	34-193020				
1982	Base	B6 (C)				Rear	F4-B46-0722-H0	
1982	Base	B6 (HD)	Front	34-002315		Rear	24-007214	
1982	Base	B8 (SP)	Front	34-193020				
1981	Base	B6 (HD)	Front	34-002315				
1980	Base	B6 (HD)	Front	34-002315				
1979	Base	B6 (HD)	Front	34-002315				
1978	Base	B6 (HD)	Front	34-002315				
BMW 735i								
1992	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1992	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 735i (continued)								
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1991	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
1991	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1991	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1990	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
1990	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-003688	From 7/90 To 6/94			
1990	Base	B8 (SP)	Front	34-030189	From 3/88 To 6/90			
			Front	34-181560	From 7/90 To 6/94			
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1989	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
1989	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
1989	Base	B8 (SP)	Front	34-030189	From 3/88 To 6/90			
1989	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	
1989	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1988	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
			Front	21-031120	From 87 To 2/88			
1988	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-181553	From 87 To 2/88			
1988	Base	B8 (SP)	Front	34-030189	From 3/88 To 6/90			
1988	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 735i (continued)								
1988	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1987	Base	B4	Front	21-031120	From 87 To 2/88			
1987	Base	B6 (HD)	Front	34-181553	From 87 To 2/88	Rear	24-011488	
1987	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	
1986	Base	B6 (C)				Rear	F4-B46-0722-H0	
1986	Base	B6 (HD)	Front	34-002315		Rear	24-007214	
1986	Base	B8 (SP)	Front	34-193020				
1985	Base	B6 (C)				Rear	F4-B46-0722-H0	
1985	Base	B6 (HD)	Front	34-002315		Rear	24-007214	
1985	Base	B8 (SP)	Front	34-193020				
BMW 735iL								
1992	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1992	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1991	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
1991	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1991	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1990	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
1990	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-003688	From 7/90 To 6/94			
1990	Base	B8 (SP)	Front	34-030189				
			Front	34-181560	From 7/90 To 6/94			
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 735iL (continued)								
1989	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
1989	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
1989	Base	B8 (SP)	Front	34-030189				
1989	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	
1989	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1988	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
			Front	21-031120	From 87 To 2/88			
1988	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-181553	From 87 To 2/88			
1988	Base	B8 (SP)	Front	34-030189				
1988	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	
1988	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
BMW 740i								
2001	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
2001	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
2001	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
2001	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
2000	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
2000	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
2000	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
2000	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1999	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 740i (continued)								
1999	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1999	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1999	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1998	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1998	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1998	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1998	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1997	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1997	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1997	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1997	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1995	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1995	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1994	Base	B4				Rear	19-028675	From 7/94 To 01
1994	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1994	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94	Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01	Rear	24-015271	From 3/88 To 6/94
			Front Right	35-041702	From 7/94 To 01			
1993	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1993	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 740i (continued)								
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
BMW 740iL								
2001	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
2001	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
2001	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
2001	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
2000	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
2000	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
2000	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
2000	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1999	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1999	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1999	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1999	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1998	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1998	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1998	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1998	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1997	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 740iL (continued)								
1997	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1997	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1997	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1996	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1996	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1996	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1996	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1995	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1995	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1994	Base	B4				Rear	19-028675	From 7/94 To 01
1994	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94			
1994	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-011488	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front	34-181560	From 7/90 To 6/94	Rear	24-015271	From 3/88 To 6/94
			Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1993	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94			
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-011488	
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front	34-181560	From 7/90 To 6/94	Rear	24-015271	From 3/88 To 6/94



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 745Li								
2005	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2005	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2004	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2004	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2003	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2003	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2002	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2002	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
BMW 745i								
2005	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2005	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2004	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2004	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2003	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2003	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2002	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2002	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
BMW 750Li								
2008	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2008	Limited Edition	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008	Limited Edition; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 750Li (continued)								
2008	Sport	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008	Sport Limited Edition	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008	Sport Limited Edition; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2008	Sport; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2007	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2007	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2007	Sport	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2007	Sport; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2006	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2006	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2006	Sport	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2006	Sport; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
BMW 750i								
2008	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2008	Limited Edition	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008	Limited Edition; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2008	Sport	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008	Sport Limited Edition	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008	Sport Limited Edition; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2008	Sport; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2007	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 750i (continued)								
2007	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2007	Sport	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2007	Sport; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2006	Base	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2006	Base; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2006	Sport	B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2006	Sport; w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
BMW 750iL								
2001	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
2001	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
2001	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4						
2001	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
2000	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
2000	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
2000	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4						
2000	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1999	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1999	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1999	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4						
1999	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1998	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 750iL (continued)								
1998	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1998	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1998	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1997	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1997	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1997	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1997	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1996	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1996	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1996	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1996	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1995	Base	B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
1995	Base	B8 (SP)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1994	Base	B4				Rear	19-028675	From 7/94 To 01
1994	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1994	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94	Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1994	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front Left	35-041696	From 7/94 To 01	Rear	24-015271	From 3/88 To 6/94
			Front Right	35-041702	From 7/94 To 01			
1993	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1993	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 750iL (continued)								
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1993	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1992	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1992	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1992	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1991	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
1991	Base	B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1991	Base	B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1991	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1990	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
1990	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-003688	From 7/90 To 6/94			
1990	Base	B8 (SP)	Front	34-030189				
			Front	34-181560	From 7/90 To 6/94			
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1990	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1989	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
1989	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
1989	Base	B8 (SP)	Front	34-030189				
1989	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	
1989	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1988	Base	B4	Front	34-100608	Except Electronic Adjustable Suspension			
			Front	21-031137	From 3/88 To 6/90			
			Front	21-031120	From 87 To 2/88			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW 750iL (continued)								
1988	Base	B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-181553	From 87 To 2/88			
1988	Base	B8 (SP)	Front	34-030189				
1988	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	
1988	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
BMW 760Li								
2008	Base; w/ Coil Front Springs	B4	Front Left	22-184283	Standard Chassis			
2007	Base; w/ Coil Front Springs	B4	Front Left	22-184283	Standard Chassis			
2006	Base; w/ Coil Front Springs	B4	Front Left	22-184283	Standard Chassis			
BMW 760i								
2006	Base	B4	Front Left	22-184283	Standard Chassis			
2005	Base	B4	Front Left	22-184283	Standard Chassis			
2004	Base	B4	Front Left	22-184283	Standard Chassis			
BMW 840Ci								
1997	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1996	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1995	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1994	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
BMW 850CSi								
1995	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1994	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
BMW 850Ci								
1997	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1996	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1995	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1994	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1993	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
BMW 850i								
1992	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
1991	Base	B8 (SP)	Front	34-110096		Rear	24-108096	
BMW Bavaria								
1974	Base	B6 (HD)	Front	34-000243				
1973	Base	B6 (HD)	Front	34-000243				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Bavaria (continued)								
1972	Base	B6 (HD)	Front	34-000243				
BMW L6								
1987	Base	B6 (HD)	Front	34-002339				
BMW M3								
2012	Base		Front and Rear	50-174546	With Electronic Suspension			
2012	Base	B6 (HD)	Front Left	35-143321	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143349	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143338	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2012	Base	B8 (SP)	Front Left	35-143291	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143318	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143307	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2012	Base; Convertible; w/ E93 Body	B16 (PSS10)	Front and Rear	48-145701	Except for vehicles with Electronic Damping Control; Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load			
2012	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2012	Base; Coupe; w/ E92 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2011	Base		Front and Rear	50-174546	With Electronic Suspension			
2011	Base	B6 (HD)	Front Left	35-143321	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143349	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143338	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2011	Base	B8 (SP)	Front Left	35-143291	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143318	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143307	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW M3 (continued)								
2011	Base; Convertible; w/ E93 Body	B16 (PSS10)	Front and Rear	48-145701	Except for vehicles with Electronic Damping Control; Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load			
2011	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2011	Base; Coupe; w/ E92 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2011	Base; Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2011	Base; Sedan; w/ E90 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2010	Base		Front and Rear	50-174546	With Electronic Suspension			
2010	Base	B6 (HD)	Front Left	35-143321	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143349	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143338	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2010	Base	B8 (SP)	Front Left	35-143291	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143318	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143307	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2010	Base; Convertible; w/ E93 Body	B16 (PSS10)	Front and Rear	48-145701	Except for vehicles with Electronic Damping Control; Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load			
2010	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2010	Base; Coupe; w/ E92 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW M3 (continued)								
2010	Base; Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2010	Base; Sedan; w/ E90 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2009	Base		Front and Rear	50-174546	With Electronic Suspension			
2009	Base	B6 (HD)	Front Left	35-143321	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143349	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143338	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2009	Base	B8 (SP)	Front Left	35-143291	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143318	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143307	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2009	Base; Convertible; w/ E93 Body	B16 (PSS10)	Front and Rear	48-145701	Except for vehicles with Electronic Damping Control; Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load			
2009	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2009	Base; Coupe; w/ E92 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2009	Base; Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2009	Base; Sedan; w/ E90 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2008	Base		Front and Rear	50-174546	With Electronic Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW M3 (continued)								
2008	Base	B6 (HD)	Front Left	35-143321	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143349	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143338	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2008	Base	B8 (SP)	Front Left	35-143291	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143318	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143307	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2008	Base; Convertible; w/ E93 Body	B16 (PSS10)	Front and Rear	48-145701	Except for vehicles with Electronic Damping Control; Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load			
2008	Base; Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2008	Base; Coupe; w/ E92 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2008	Base; Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2008	Base; Sedan; w/ E90 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2006	Base	B12 (Pro-Kit)	Front and Rear	46-000613	Front Lowered Height: 20mm, up to 990kg Axle Load; Only with Original Strut Spacer 31 32 1 139 423; Rear Lowered Height: 10mm, up to 1170kg Axle Load			
2006	Base	B16 (PSS10)	Front and Rear	48-126687				
2006	Base	B6 (HD)	Front Left	35-142102		Rear	24-143998	
			Front Right	35-142119				
2006	Base	Bilstein Clubsport	Front and Rear	48-213660	Front Lowered Height: 35-40mm, up to 990kg Axle Load; Rear Lowered Height: 35-40mm, up to 1170kg Axle Load			
2006	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-000613	Front Lowered Height: 20mm, up to 990kg Axle Load; Only with Original Strut Spacer 31 32 1 139 423; Rear Lowered Height: 10mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW M3 (continued)								
2005	Base	B16 (PSS10)	Front and Rear	48-126687				
2005	Base	B6 (HD)	Front Left	35-142102		Rear	24-143998	
			Front Right	35-142119				
2005	Base	Bilstein Clubsport	Front and Rear	48-213660	Front Lowered Height: 35-40mm, up to 990kg Axle Load; Rear Lowered Height: 35-40mm, up to 1170kg Axle Load			
2005	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-000613	Front Lowered Height: 20mm, up to 990kg Axle Load; Only with Original Strut Spacer 31 32 1 139 423; Rear Lowered Height: 10mm, up to 1170kg Axle Load			
2004	Base	B16 (PSS10)	Front and Rear	48-126687				
2004	Base	B6 (HD)	Front Left	35-142102		Rear	24-143998	
			Front Right	35-142119				
2004	Base	Bilstein Clubsport	Front and Rear	48-213660	Front Lowered Height: 35-40mm, up to 990kg Axle Load; Rear Lowered Height: 35-40mm, up to 1170kg Axle Load			
2004	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-000613	Front Lowered Height: 20mm, up to 990kg Axle Load; Only with Original Strut Spacer 31 32 1 139 423; Rear Lowered Height: 10mm, up to 1170kg Axle Load			
2003	Base	B16 (PSS10)	Front and Rear	48-126687				
2003	Base	B6 (HD)	Front Left	35-142102		Rear	24-143998	
			Front Right	35-142119				
2003	Base	Bilstein Clubsport	Front and Rear	48-213660	Front Lowered Height: 35-40mm, up to 990kg Axle Load; Rear Lowered Height: 35-40mm, up to 1170kg Axle Load			
2003	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-000613	Front Lowered Height: 20mm, up to 990kg Axle Load; Only with Original Strut Spacer 31 32 1 139 423; Rear Lowered Height: 10mm, up to 1170kg Axle Load			
2002	Base	B16 (PSS10)	Front and Rear	48-126687				
2002	Base	B6 (HD)	Front Left	35-142102		Rear	24-143998	
			Front Right	35-142119				
2002	Base	Bilstein Clubsport	Front and Rear	48-213660	Front Lowered Height: 35-40mm, up to 990kg Axle Load; Rear Lowered Height: 35-40mm, up to 1170kg Axle Load			
2002	Base; Coupe	B1 (OEM Components)				Rear	12-117109	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW M3 (continued)								
2001	Base	B12 (Pro-Kit)	Front and Rear	46-000613	Front Lowered Height: 20mm, up to 990kg Axle Load; Only with Original Strut Spacer 31 32 1 139 423; Rear Lowered Height: 10mm, up to 1170kg Axle Load			
2001	Base	B16 (PSS10)	Front and Rear	48-126687				
2001	Base	B6 (HD)	Front Left	35-142102		Rear	24-143998	
			Front Right	35-142119				
2001	Base	Bilstein Clubsport	Front and Rear	48-213660	Front Lowered Height: 35-40mm, up to 990kg Axle Load; Rear Lowered Height: 35-40mm, up to 1170kg Axle Load			
2001	Base; Coupe	B1 (OEM Components)				Rear	12-117109	
1999	Base	B12 (Pro-Kit)	Front and Rear	46-000781	Front Coil Spring Inside Diameter Must Be 106 mm; Front Lowered Height: 25mm, up to 920kg Axle Load; Rear Lowered Height: 15mm, up to 1130kg Axle Load			
1999	Base	B16 (PSS9)	Front and Rear	48-115674				
1999	Base	B6 (HD)				Rear	24-024532	
1999	Base	B8 (SP)	Front Left	35-105855				
			Front Right	35-105862				
1999	Base	Bilstein Clubsport	Front and Rear	48-215855	Front Lowered Height: 35-40mm, up to 930kg Axle Load; Rear Lowered Height: 35-40mm, up to 1130kg Axle Load			
1999	Base	Motorsports	Front Right	K4-VE3-64175M0	Group N			
			Front Left	K4-VE3-64173M0	Group N			
1998	Base	B12 (Pro-Kit)	Front and Rear	46-000781	Front Coil Spring Inside Diameter Must Be 106 mm; Front Lowered Height: 25mm, up to 920kg Axle Load; Rear Lowered Height: 15mm, up to 1130kg Axle Load			
1998	Base	B16 (PSS9)	Front and Rear	48-115674				
1998	Base	B6 (HD)				Rear	24-024532	
1998	Base	B8 (SP)	Front Left	35-105855				
			Front Right	35-105862				
1998	Base	Bilstein Clubsport	Front and Rear	48-215855	Front Lowered Height: 35-40mm, up to 930kg Axle Load; Rear Lowered Height: 35-40mm, up to 1130kg Axle Load			
1998	Base	Motorsports	Front Right	K4-VE3-64175M0	Group N			
			Front Left	K4-VE3-64173M0	Group N			
1997	Base	B12 (Pro-Kit)	Front and Rear	46-000781	Front Coil Spring Inside Diameter Must Be 106 mm; Front Lowered Height: 25mm, up to 920kg Axle Load; Rear Lowered Height: 15mm, up to 1130kg Axle Load			
1997	Base	B16 (PSS9)	Front and Rear	48-115674				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW M3 (continued)								
1997	Base	B6 (HD)				Rear	24-024532	
1997	Base	B8 (SP)	Front Left	35-105855				
			Front Right	35-105862				
1997	Base	Bilstein Clubsport	Front and Rear	48-215855	Front Lowered Height: 35-40mm, up to 930kg Axle Load; Rear Lowered Height: 35-40mm, up to 1130kg Axle Load			
1997	Base	Motorsports	Front Right	K4-VE3-64175M0	Group N			
			Front Left	K4-VE3-64173M0	Group N			
1996	Base	B12 (Pro-Kit)	Front and Rear	46-000781	Front Coil Spring Inside Diameter Must Be 106 mm; Front Lowered Height: 25mm, up to 920kg Axle Load; Rear Lowered Height: 15mm, up to 1130kg Axle Load			
1996	Base	B16 (PSS9)	Front and Rear	48-115674				
1996	Base	B6 (HD)				Rear	24-024532	
1996	Base	B8 (SP)	Front Left	35-105855				
			Front Right	35-105862				
1996	Base	Bilstein Clubsport	Front and Rear	48-215855	Front Lowered Height: 35-40mm, up to 930kg Axle Load; Rear Lowered Height: 35-40mm, up to 1130kg Axle Load			
1996	Base	Motorsports	Front Right	K4-VE3-64175M0	Group N			
			Front Left	K4-VE3-64173M0	Group N			
1995	Base	B12 (Pro-Kit)	Front and Rear	46-188427	Front Coil Spring Inside Diameter Must Be 116 mm			
1995	Base	B16 (PSS9)	Front and Rear	48-115766				
1995	Base	B6 (HD)				Rear	24-024532	
1995	Base	B8 (SP)	Front Left	35-105855				
			Front Right	35-105862				
1995	Base	Bilstein Clubsport	Front and Rear	48-215855	Front Lowered Height: 35-40mm, up to 930kg Axle Load; Rear Lowered Height: 35-40mm, up to 1130kg Axle Load			
1995	Base	Motorsports	Front Right	K4-VE3-64175M0	Group N			
			Front Left	K4-VE3-64173M0	Group N			
1995	Lightweight	B12 (Pro-Kit)	Front and Rear	46-188427	Front Coil Spring Inside Diameter Must Be 116 mm			
1995	Lightweight	B16 (PSS9)	Front and Rear	48-115766				
1995	Lightweight	B6 (HD)				Rear	24-024532	
1995	Lightweight	B8 (SP)	Front Left	35-105855				
			Front Right	35-105862				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW M3 (continued)								
1995	Lightweight	Bilstein Clubsport	Front and Rear	48-215855	Front Lowered Height: 35-40mm, up to 930kg Axle Load; Rear Lowered Height: 35-40mm, up to 1130kg Axle Load			
1994	Base	Bilstein Clubsport	Front and Rear	48-215855	Front Lowered Height: 35-40mm, up to 930kg Axle Load; Rear Lowered Height: 35-40mm, up to 1130kg Axle Load			
1991		Motorsports				Rear	24-000642	Group N
1991	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1991	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1991	Base	Motorsports	Front	34-046296	Group N			
1990		Motorsports				Rear	24-000642	Group N
1990	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1990	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1990	Base	Motorsports	Front	34-046296	Group N			
1989		Motorsports				Rear	24-000642	Group N
1989	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1989	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1989	Base	Motorsports	Front	34-046296	Group N			
1988		Motorsports				Rear	24-000642	Group N
1988	Base	B6 (HD)	Front	34-001363		Rear	24-020282	
1988	Base	B8 (SP)	Front	34-003350		Rear	24-020275	
1988	Base	Motorsports	Front	34-046296	Group N			
BMW M5								
2003	Base	B14 (PSS)	Front and Rear	47-111264				
2003	Base	B16 (PSS9)	Front and Rear	48-104555				
2003	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension	Rear	24-028295	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension
2002	Base	B14 (PSS)	Front and Rear	47-111264				
2002	Base	B16 (PSS9)	Front and Rear	48-104555				
2002	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension	Rear	24-028295	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension
2001	Base	B14 (PSS)	Front and Rear	47-111264				
2001	Base	B16 (PSS9)	Front and Rear	48-104555				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW M5 (continued)								
2001	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension	Rear	24-028295	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension
2000	Base	B14 (PSS)	Front and Rear	47-111264				
2000	Base	B16 (PSS9)	Front and Rear	48-104555				
2000	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension	Rear	24-028295	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension
1999	Base	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension	Rear	24-028295	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Suspension
1988	Base	B6 (HD)	Front	34-002421		Rear	24-006088	
1988	Base	B8 (SP)	Front	34-181546				
BMW M6								
1988	Base	B6 (HD)	Front	34-002339				
1987	Base	B6 (HD)	Front	34-002339				
BMW X1								
2013	sDrive28i	B12 (Pro-Kit)	Front and Rear	46-189554	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 940kg Axle Load; Rear Lowered Height: 30mm, up to 1180kg Axle Load			
2013	sDrive28i	B4	Front Left	22-183873		Rear	19-183862	
			Front Right	22-183880				
2013	sDrive28i	B6 (HD)	Front Left	35-171553		Rear	24-171311	
			Front Right	35-171560				
2013	xDrive28i	B12 (Pro-Kit)	Front and Rear	46-191465	Front Lowered Height: 30mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 1180kg Axle Load			
2013	xDrive28i	B4	Front Left	22-183842		Rear	19-183862	
			Front Right	22-183859				
2013	xDrive28i	B6 (HD)	Front Right	35-171300		Rear	24-171311	
			Front Left	35-171294				
2013	xDrive35i	B12 (Pro-Kit)	Front and Rear	46-191465	Front Lowered Height: 30mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 1180kg Axle Load			
2013	xDrive35i	B4	Front Left	22-183842		Rear	19-183862	
			Front Right	22-183859				
2013	xDrive35i	B6 (HD)	Front Right	35-171300		Rear	24-171311	
			Front Left	35-171294				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW X1 (continued)								
2012	xDrive28i	B12 (Pro-Kit)	Front and Rear	46-191465	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 1180kg Axle Load			
2012	xDrive28i	B4	Front Left	22-183842		Rear	19-183862	
			Front Right	22-183859				
2012	xDrive28i	B6 (HD)	Front Right	35-171300		Rear	24-171311	
			Front Left	35-171294				
BMW Z3								
2002	2.2i	B1 (OEM Components)				Rear	12-117109	
2002	2.2i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2002	3.0i	B1 (OEM Components)				Rear	12-117109	
2002	3.0i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2002	Coupe	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2002	Coupe	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
2002	Coupe	B8 (SP)	Front Left	35-044024		Rear	24-028172	
			Front Right	35-044031				
2002	M Coupe	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2002	M Coupe	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
2002	M Coupe	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
2002	M Roadster	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2002	M Roadster	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
2002	M Roadster	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
2002	Roadster	B1 (OEM Components)				Rear	12-117109	
2002	Roadster	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2002	Roadster	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z3 (continued)								
2002	Roadster	B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
2001	2.2i	B1 (OEM Components)				Rear	12-117109	
2001	2.2i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2001	3.0i	B1 (OEM Components)				Rear	12-117109	
2001	3.0i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2001	Coupe	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2001	Coupe	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
2001	Coupe	B8 (SP)	Front Left	35-044024		Rear	24-028172	
			Front Right	35-044031				
2001	M Coupe	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2001	M Coupe	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
2001	M Coupe	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
2001	M Roadster	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2001	M Roadster	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
2001	M Roadster	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
2001	Roadster	B1 (OEM Components)				Rear	12-117109	
2001	Roadster	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2001	Roadster	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
2001	Roadster	B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
2000	2.0i	B1 (OEM Components)				Rear	12-117109	
2000	2.0i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2000	2.8i	B1 (OEM Components)				Rear	12-117109	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z3 (continued)								
2000	2.8i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2000	Coupe	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2000	Coupe	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
2000	Coupe	B8 (SP)	Front Left	35-044024		Rear	24-028172	
			Front Right	35-044031				
2000	M Coupe	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2000	M Coupe	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
2000	M Coupe	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
2000	M Roadster	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
2000	M Roadster	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
2000	M Roadster	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
2000	Roadster	B1 (OEM Components)				Rear	12-117109	
2000	Roadster	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2000	Roadster	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
2000	Roadster	B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
1999	1.9i	B1 (OEM Components)				Rear	12-117109	
1999	2.8i	B1 (OEM Components)				Rear	12-117109	
1999	2.8i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1999	Coupe	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
1999	Coupe	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
1999	Coupe	B8 (SP)	Front Left	35-044024		Rear	24-028172	
			Front Right	35-044031				
1999	M Coupe	B1 (OEM Components)	Front	12-116829		Rear	12-117109	



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z3 (continued)								
1999	M Coupe	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
1999	M Coupe	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
1999	M Roadster	B1 (OEM Components)	Front	12-116829		Rear	12-117109	
1999	M Roadster	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
1999	M Roadster	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
1999	Roadster	B1 (OEM Components)				Rear	12-117109	
1999	Roadster	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1999	Roadster	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
1999	Roadster	B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
1998	1.9i	B1 (OEM Components)				Rear	12-117109	
1998	2.8L L6 2793cc; Roadster	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1998	2.8i	B1 (OEM Components)				Rear	12-117109	
1998	2.8i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1998	M Roadster	B1 (OEM Components)				Rear	12-117109	
1998	Roadster	B1 (OEM Components)				Rear	12-117109	
1998	Roadster	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
1998	Roadster	B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
1997	2.8L L6 2793cc; Roadster	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1997	2.8i	B1 (OEM Components)				Rear	12-117109	
1997	2.8i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z3 (continued)								
1997	Base	B1 (OEM Components)				Rear	12-117109	
1997	Roadster	B1 (OEM Components)				Rear	12-117109	
1997	Roadster	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
1997	Roadster	B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
1996	Base	B1 (OEM Components)				Rear	12-117109	
1996	Roadster	B1 (OEM Components)				Rear	12-117109	
1996	Roadster	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
1996	Roadster	B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
BMW Z4								
2012	Convertible; sDrive28i; w/ E89 Body	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2012	Convertible; sDrive35i; w/ E89 Body	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2012	sDrive28i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2012	sDrive28i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2012	sDrive28i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2012	sDrive35i	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2012	sDrive35i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2012	sDrive35i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2012	sDrive35i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z4 (continued)								
2012	sDrive35is	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2011	Convertible; sDrive30i; w/ E89 Body	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2011	Convertible; sDrive35i; w/ E89 Body	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2011	sDrive30i	B12 (Pro-Kit)	Front and Rear	46-181268	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 800kg Axle Load; Rear Lowered Height: 15mm, up to 970kg Axle Load; Without Ride Height Adjustability			
2011	sDrive30i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2011	sDrive30i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2011	sDrive30i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2011	sDrive35i	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2011	sDrive35i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2011	sDrive35i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2011	sDrive35i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2011	sDrive35is	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2010	Convertible; sDrive30i; w/ E89 Body	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2010	Convertible; sDrive35i; w/ E89 Body	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2010	sDrive30i	B16 (PSS10)	Front and Rear	48-169998				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z4 (continued)								
2010	sDrive30i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2010	sDrive30i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2010	sDrive30i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2010	sDrive30i; w/ E89 Body	B12 (Pro-Kit)	Front and Rear	46-181268	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 800kg Axle Load; Rear Lowered Height: 15mm, up to 970kg Axle Load; Without Ride Height Adjustability			
2010	sDrive35i	B16 (PSS10)	Front and Rear	48-169998				
2010	sDrive35i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2010	sDrive35i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2010	sDrive35i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2010	sDrive35i; w/ E89 Body	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2009	Convertible; sDrive30i; w/ E89 Body	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2009	Convertible; sDrive35i; w/ E89 Body	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2009	sDrive30i	B16 (PSS10)	Front and Rear	48-169998				
2009	sDrive30i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2009	sDrive30i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2009	sDrive30i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z4 (continued)								
2009	sDrive30i; w/ E89 Body	B12 (Pro-Kit)	Front	46-181268	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 800kg Axle Load; Rear Lowered Height: 15mm, up to 970kg Axle Load; Without Ride Height Adjustability			
2009	sDrive35i	B16 (PSS10)	Front and Rear	48-169998				
2009	sDrive35i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2009	sDrive35i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2009	sDrive35i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2009	sDrive35i; w/ E89 Body	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2008	2.5si	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2008	3.0si	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2008	Coupe 3.0si	B16 (PSS9)	Front and Rear	48-104739				
2008	Coupe 3.0si	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2008	Coupe 3.0si	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2008	Coupe 3.0si	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2008	M Coupe	B12 (Pro-Kit)	Front and Rear	46-000033	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 855kg Axle Load; Rear Lowered Height: 10mm, up to 935kg Axle Load			
2008	M Coupe	B16 (PSS10)	Front and Rear	48-141635				
2008	M Coupe	B6 (HD)	Front Left	35-141662		Rear	24-141680	
			Front Right	35-141679				
2008	M Roadster	B12 (Pro-Kit)	Front and Rear	46-000033	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 855kg Axle Load; Rear Lowered Height: 10mm, up to 935kg Axle Load			
2008	M Roadster	B16 (PSS10)	Front and Rear	48-141635				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z4 (continued)								
2008	M Roadster	B6 (HD)	Front Left	35-141662		Rear	24-141680	
			Front Right	35-141679				
2008	Roadster 3.0i	B16 (PSS9)	Front and Rear	48-104739				
2008	Roadster 3.0i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2008	Roadster 3.0i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2008	Roadster 3.0i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2008	Roadster 3.0si	B16 (PSS9)	Front and Rear	48-104739				
2008	Roadster 3.0si	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2008	Roadster 3.0si	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2008	Roadster 3.0si	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2007	2.5si	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2007	3.0si	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2007	Coupe 3.0si	B16 (PSS9)	Front and Rear	48-104739				
2007	Coupe 3.0si	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2007	Coupe 3.0si	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2007	Coupe 3.0si	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2007	M Coupe	B12 (Pro-Kit)	Front and Rear	46-000033	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 855kg Axle Load; Rear Lowered Height: 10mm, up to 935kg Axle Load			
2007	M Coupe	B16 (PSS10)	Front and Rear	48-141635				
2007	M Coupe	B6 (HD)	Front Left	35-141662		Rear	24-141680	
			Front Right	35-141679				
2007	M Roadster	B12 (Pro-Kit)	Front and Rear	46-000033	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 855kg Axle Load; Rear Lowered Height: 10mm, up to 935kg Axle Load			
2007	M Roadster	B16 (PSS10)	Front and Rear	48-141635				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z4 (continued)								
2007	M Roadster	B6 (HD)	Front Left	35-141662		Rear	24-141680	
			Front Right	35-141679				
2007	Roadster 3.0i	B16 (PSS9)	Front and Rear	48-104739				
2007	Roadster 3.0i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2007	Roadster 3.0i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2007	Roadster 3.0i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2007	Roadster 3.0si	B16 (PSS9)	Front and Rear	48-104739				
2007	Roadster 3.0si	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2007	Roadster 3.0si	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2007	Roadster 3.0si	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2006	2.5i	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2006	3.0i	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2006	Coupe 3.0si	B16 (PSS9)	Front and Rear	48-104739				
2006	Coupe 3.0si	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2006	Coupe 3.0si	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2006	Coupe 3.0si	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2006	M Coupe	B12 (Pro-Kit)	Front and Rear	46-000033	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 855kg Axle Load; Rear Lowered Height: 10mm, up to 935kg Axle Load			
2006	M Coupe	B16 (PSS10)	Front and Rear	48-141635				
2006	M Coupe	B6 (HD)	Front Left	35-141662		Rear	24-141680	
			Front Right	35-141679				
2006	M Roadster	B12 (Pro-Kit)	Front and Rear	46-000033	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 855kg Axle Load; Rear Lowered Height: 10mm, up to 935kg Axle Load			
2006	M Roadster	B16 (PSS10)	Front and Rear	48-141635				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z4 (continued)								
2006	M Roadster	B6 (HD)	Front Left	35-141662		Rear	24-141680	
			Front Right	35-141679				
2006	Roadster 3.0i	B16 (PSS9)	Front and Rear	48-104739				
2006	Roadster 3.0i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2006	Roadster 3.0i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2006	Roadster 3.0i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2006	Roadster 3.0si	B16 (PSS9)	Front and Rear	48-104739				
2006	Roadster 3.0si	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2006	Roadster 3.0si	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2006	Roadster 3.0si	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2005	2.5i	B16 (PSS9)	Front and Rear	48-104739				
2005	2.5i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2005	2.5i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2005	2.5i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2005	3.0i	B16 (PSS9)	Front and Rear	48-104739				
2005	3.0i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2005	3.0i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2005	3.0i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2004	2.5i	B16 (PSS9)	Front and Rear	48-104739				
2004	2.5i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2004	2.5i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				



Passenger Cars

Year	Application	Series	Front			Rear		
BMW Z4 (continued)								
2004	2.5i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2004	3.0i	B16 (PSS9)	Front and Rear	48-104739				
2004	3.0i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2004	3.0i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2004	3.0i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2003	2.5i	B16 (PSS9)	Front and Rear	48-104739				
2003	2.5i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2003	2.5i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2003	2.5i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2003	3.0i	B16 (PSS9)	Front and Rear	48-104739				
2003	3.0i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2003	3.0i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2003	3.0i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
Buick Century								
2005	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
2005	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	Limited	B6 (C)	Front	35-153375		Rear	35-153382	
2005	Limited	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	Special Edition	B6 (C)	Front	35-153375		Rear	35-153382	
2005	Special Edition	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
2004	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	Limited	B6 (C)	Front	35-153375		Rear	35-153382	
2004	Limited	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
2003	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Century (continued)								
2002	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
2002	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	Limited	B6 (C)	Front	35-153375		Rear	35-153382	
2002	Limited	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
2001	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	Limited	B6 (C)	Front	35-153375		Rear	35-153382	
2001	Limited	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
2000	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	Limited	B6 (C)	Front	35-153375		Rear	35-153382	
2000	Limited	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
1999	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	Limited	B6 (C)	Front	35-153375		Rear	35-153382	
1999	Limited	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
1998	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	Limited	B6 (C)	Front	35-153375		Rear	35-153382	
1998	Limited	B6 (HD)	Front	35-153153		Rear	35-153160	
1997	Custom	B6 (C)	Front	35-153375		Rear	35-153382	
1997	Custom	B6 (HD)	Front	35-153153		Rear	35-153160	
1997	Limited	B6 (C)	Front	35-153375		Rear	35-153382	
1997	Limited	B6 (HD)	Front	35-153153		Rear	35-153160	
1996	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1996	Special	4600 Series	Front	35-132462				
1995	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1995	Special	4600 Series	Front	35-132462				
1994	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1994	Special	4600 Series	Front	35-132462				
1993	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1993	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1993	Special	4600 Series	Front	35-132462		Rear	24-010191	
1992	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1992	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1992	Special	4600 Series	Front	35-132462		Rear	24-010191	
1991	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1991	Limited	4600 Series	Front	35-132462		Rear	24-010191	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Century (continued)								
1991	Special	4600 Series	Front	35-132462		Rear	24-010191	
1990	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1990	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1989	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1989	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1988	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1988	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1987	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1987	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1986	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1986	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1986	T-Type	4600 Series	Front	35-132462		Rear	24-010191	
1985	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1985	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1985	T-Type	4600 Series	Front	35-132462		Rear	24-010191	
1984	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1984	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1984	Olympia Limited	4600 Series	Front	35-132462		Rear	24-010191	
1984	T-Type	4600 Series	Front	35-132462		Rear	24-010191	
1983	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1983	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1983	T-Type	4600 Series	Front	35-132462		Rear	24-010191	
1982	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1982	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1981	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Century (continued)								
1979	Custom	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Custom	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Special	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Special	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Custom	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Custom	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Special	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Special	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Custom	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Custom	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Special	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Special	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Custom	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Custom	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Indianapolis 500 Pace Car	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Century (continued)								
1976	Indianapolis 500 Pace Car	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Special	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Special	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Custom	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Custom	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Special	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Special	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Luxus	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1974	Luxus	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1973	Luxus	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1973	Luxus	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Buick Commercial Chassis								
1996	Base	AK Series				Rear	F4-BE5-E250-M0	
1995	Base	AK Series				Rear	F4-BE5-E250-M0	
1994	Base	AK Series				Rear	F4-BE5-E250-M0	
1993	Base	AK Series				Rear	F4-BE5-E250-M0	
1992	Base	AK Series				Rear	F4-BE5-E250-M0	
1991	Base	AK Series				Rear	F4-BE5-E250-M0	
Buick Electra								
1984	Limited	AK Series				Rear	F4-BE5-E250-M0	
1984	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Park Avenue	AK Series				Rear	F4-BE5-E250-M0	
1984	Park Avenue	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Limited	AK Series				Rear	F4-BE5-E250-M0	
1983	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Electra (continued)								
1983	Park Avenue	AK Series				Rear	F4-BE5-E250-M0	
1983	Park Avenue	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Limited	AK Series				Rear	F4-BE5-E250-M0	
1982	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Park Avenue	AK Series				Rear	F4-BE5-E250-M0	
1982	Park Avenue	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Limited	AK Series				Rear	F4-BE5-E250-M0	
1981	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Park Avenue	AK Series				Rear	F4-BE5-E250-M0	
1981	Park Avenue	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Limited	AK Series				Rear	F4-BE5-E250-M0	
1980	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Park Avenue	AK Series				Rear	F4-BE5-E250-M0	
1980	Park Avenue	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	225	AK Series				Rear	F4-BE5-E250-M0	
1979	225	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Limited	AK Series				Rear	F4-BE5-E250-M0	
1979	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Park Avenue	AK Series				Rear	F4-BE5-E250-M0	
1979	Park Avenue	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	225	AK Series				Rear	F4-BE5-E250-M0	
1978	225	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Limited	AK Series				Rear	F4-BE5-E250-M0	
1978	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Park Avenue	AK Series				Rear	F4-BE5-E250-M0	
1978	Park Avenue	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	225	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Electra (continued)								
1977	225	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Buick Estate Wagon								
1983	Base	AK Series				Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series				Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series				Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series				Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series				Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series				Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series				Rear	F4-BE5-E250-M0	
1977	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series				Rear	F4-BE5-E250-M0	
1976	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series				Rear	F4-BE5-E250-M0	
1975	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Buick LaCrosse								
2008	CX	B6 (C)	Front	35-153375		Rear	35-153382	
2008	CX	B6 (HD)	Front	35-153153		Rear	35-153160	
2008	CXL	B6 (C)	Front	35-153375		Rear	35-153382	
2008	CXL	B6 (HD)	Front	35-153153		Rear	35-153160	
2008	CXS	B6 (C)	Front	35-153375		Rear	35-153382	
2008	CXS	B6 (HD)	Front	35-153153		Rear	35-153160	
2008	Super	B6 (C)	Front	35-153375		Rear	35-153382	
2008	Super	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	CX	B6 (C)	Front	35-153375		Rear	35-153382	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick LaCrosse (continued)								
2007	CX	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	CXL	B6 (C)	Front	35-153375		Rear	35-153382	
2007	CXL	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	CXS	B6 (C)	Front	35-153375		Rear	35-153382	
2007	CXS	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	CX	B6 (C)	Front	35-153375		Rear	35-153382	
2006	CX	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	CXL	B6 (C)	Front	35-153375		Rear	35-153382	
2006	CXL	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	CXS	B6 (C)	Front	35-153375		Rear	35-153382	
2006	CXS	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	CX	B6 (C)	Front	35-153375		Rear	35-153382	
2005	CX	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	CXL	B6 (C)	Front	35-153375		Rear	35-153382	
2005	CXL	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	CXS	B6 (C)	Front	35-153375		Rear	35-153382	
2005	CXS	B6 (HD)	Front	35-153153		Rear	35-153160	
Buick LeSabre								
1996	Custom	B6 (HD)	Front	24-015165				
1996	Custom; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1996	Limited	B6 (HD)	Front	24-015165				
1996	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1995	Custom	B6 (HD)	Front	24-015165				
1995	Custom; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1995	Limited	B6 (HD)	Front	24-015165				
1995	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1994	Custom	B6 (HD)	Front	24-015165				
1994	Custom; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1994	Limited	B6 (HD)	Front	24-015165				
1994	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1993	Custom	B6 (HD)	Front	24-015165				
1993	Custom; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick LeSabre (continued)								
1993	Limited	B6 (HD)	Front	24-015165				
1993	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1992	Custom	B6 (HD)	Front	24-015165				
1992	Custom; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1992	Limited	B6 (HD)	Front	24-015165				
1992	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1991	4 Dr.; Custom; Sedan	B6 (HD)	Front	24-015165				
1991	4 Dr.; Custom; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1991	4 Dr.; Limited; Sedan	B6 (HD)	Front	24-015165				
1991	4 Dr.; Limited; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1990	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1990	Estate Wagon	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1989	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1989	Estate Wagon	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1988	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1988	Estate Wagon	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1986	Estate Wagon	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Collector's Edition	AK Series				Rear	F4-BE5-E250-M0	
1985	Collector's Edition	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Custom	AK Series				Rear	F4-BE5-E250-M0	
1985	Custom	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1985	Estate Wagon	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Limited	AK Series				Rear	F4-BE5-E250-M0	
1985	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Custom	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick LeSabre (continued)								
1984	Custom	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Limited	AK Series				Rear	F4-BE5-E250-M0	
1984	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Custom	AK Series				Rear	F4-BE5-E250-M0	
1983	Custom	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Limited	AK Series				Rear	F4-BE5-E250-M0	
1983	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	4 Dr.; Custom; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	4 Dr.; Limited; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Custom	AK Series				Rear	F4-BE5-E250-M0	
1982	Custom	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1982	Limited	AK Series				Rear	F4-BE5-E250-M0	
1982	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1982	Limited Edition F/E	AK Series				Rear	F4-BE5-E250-M0	
1982	Limited Edition F/E	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series				Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Limited	AK Series				Rear	F4-BE5-E250-M0	
1981	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Sport	AK Series				Rear	F4-BE5-E250-M0	
1981	Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series				Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Limited	AK Series				Rear	F4-BE5-E250-M0	
1980	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Sport	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick LeSabre (continued)								
1980	Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series				Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Limited	AK Series				Rear	F4-BE5-E250-M0	
1979	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Sport	AK Series				Rear	F4-BE5-E250-M0	
1979	Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series				Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Custom	AK Series				Rear	F4-BE5-E250-M0	
1978	Custom	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Sport	AK Series				Rear	F4-BE5-E250-M0	
1978	Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series				Rear	F4-BE5-E250-M0	
1977	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Custom	AK Series				Rear	F4-BE5-E250-M0	
1977	Custom	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Custom Sport	AK Series				Rear	F4-BE5-E250-M0	
1977	Custom Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Buick Regal								
2004	GS	B6 (C)	Front	35-153375		Rear	35-153382	
2004	GS	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2004	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	GS	B6 (C)	Front	35-153375		Rear	35-153382	
2003	GS	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2003	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	GS	B6 (C)	Front	35-153375		Rear	35-153382	
2002	GS	B6 (HD)	Front	35-153153		Rear	35-153160	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Regal (continued)								
2002	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2002	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	GS	B6 (C)	Front	35-153375		Rear	35-153382	
2001	GS	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2001	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	GS	B6 (C)	Front	35-153375		Rear	35-153382	
2000	GS	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	GSE	B6 (C)	Front	35-153375		Rear	35-153382	
2000	GSE	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2000	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	LSE	B6 (C)	Front	35-153375		Rear	35-153382	
2000	LSE	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	GS	B6 (C)	Front	35-153375		Rear	35-153382	
1999	GS	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	LS	B6 (C)	Front	35-153375		Rear	35-153382	
1999	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	25th Anniversary Edition	B6 (C)	Front	35-153375		Rear	35-153382	
1998	25th Anniversary Edition	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	GS	B6 (C)	Front	35-153375		Rear	35-153382	
1998	GS	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	LS	B6 (C)	Front	35-153375		Rear	35-153382	
1998	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
1997	GS	B6 (C)	Front	35-153375		Rear	35-153382	
1997	GS	B6 (HD)	Front	35-153153		Rear	35-153160	
1997	LS	B6 (C)	Front	35-153375		Rear	35-153382	
1997	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
1987	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	GNX	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	GNX	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Grand National	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	Grand National	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Regal (continued)								
1987	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Grand National	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Grand National	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	T-Type	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	T-Type	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Grand National	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Grand National	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	T-Type	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	T-Type	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Grand National	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Grand National	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	T-Type	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	T-Type	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Regal (continued)								
1983	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1983	Estate Wagon	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	T-Type	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	T-Type	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1982	Estate Wagon	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Limited Turbo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Limited Turbo	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Regal (continued)								
1980	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Limited	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	SR	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	SR	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	SR	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	SR	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Buick Roadmaster								
1996	Collector's Edition	AK Series				Rear	F4-BE5-E250-M0	
1996	Collector's Edition	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Roadmaster (continued)								
1996	Estate Wagon Collector's Edition	AK Series				Rear	F4-BE5-E250-M0	
1996	Estate Wagon Collector's Edition	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1996	Limited Collector's Edition	AK Series				Rear	F4-BE5-E250-M0	
1996	Limited Collector's Edition	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1995	Base	AK Series				Rear	F4-BE5-E250-M0	
1995	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1995	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1995	Estate Wagon	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1995	Limited	AK Series				Rear	F4-BE5-E250-M0	
1995	Limited	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1994	Base	AK Series				Rear	F4-BE5-E250-M0	
1994	Base	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1994	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1994	Estate Wagon	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1994	Limited	AK Series				Rear	F4-BE5-E250-M0	
1994	Limited	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1993	Base	AK Series				Rear	F4-BE5-E250-M0	
1993	Base	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1993	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1993	Estate Wagon	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1993	Limited	AK Series				Rear	F4-BE5-E250-M0	
1993	Limited	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1992	Base	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Roadmaster (continued)								
1992	Base	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1992	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1992	Estate Wagon	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1992	Limited	AK Series				Rear	F4-BE5-E250-M0	
1992	Limited	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1991	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1991	Estate Wagon	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
Buick Skylark								
1985	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1985	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1984	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1984	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1984	T-Type	4600 Series	Front	35-132462		Rear	24-010191	
1983	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1983	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1983	Sport	4600 Series	Front	35-132462		Rear	24-010191	
1982	Base	4600 Series	Front	35-132462		Rear	24-010191	
1982	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1982	Sport	4600 Series	Front	35-132462		Rear	24-010191	
1981	Base	4600 Series	Front	35-132462		Rear	24-010191	
1981	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1981	Sport	4600 Series	Front	35-132462		Rear	24-010191	
1980	Base	4600 Series	Front	35-132462		Rear	24-010191	
1980	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1980	Sport	4600 Series	Front	35-132462		Rear	24-010191	
1967	Base	B6 (HD)	Front	24-029728	Exc. sportswagon and HD suspension package			
1966	Base	B6 (HD)	Front	24-029728	Exc. sportswagon and HD suspension package			
1965	Base	B6 (HD)	Front	24-029728	Exc. sportswagon and HD suspension package			
1964	Base	B6 (HD)	Front	24-029728	Exc. sportswagon and HD suspension package			
Buick Special								
1967	Base	B6 (HD)	Front	24-029728				



Passenger Cars

Year	Application	Series	Front			Rear		
Buick Special (continued)								
1967	Deluxe	B6 (HD)	Front	24-029728				
1966	Base	B6 (HD)	Front	24-029728				
1966	Deluxe	B6 (HD)	Front	24-029728				
1965	Base	B6 (HD)	Front	24-029728				
1965	Deluxe	B6 (HD)	Front	24-029728				
1964	Base	B6 (HD)	Front	24-029728				
1964	Deluxe	B6 (HD)	Front	24-029728				
Cadillac Brougham								
1990	Base	AK Series				Rear	F4-BE5-E250-M0	
1990	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1990	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1990	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1989	Base	AK Series				Rear	F4-BE5-E250-M0	
1989	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1989	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1989	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1988	Base	AK Series				Rear	F4-BE5-E250-M0	
1988	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1988	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1988	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Base	AK Series				Rear	F4-BE5-E250-M0	
1987	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1987	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Cadillac DeVille								
1990	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1989	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			



Passenger Cars

Year	Application	Series	Front			Rear		
Cadillac DeVille (continued)								
1987	Touring	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	Touring	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	Cabriolet	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1984	Base	AK Series				Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Cabriolet	AK Series				Rear	F4-BE5-E250-M0	
1984	Cabriolet	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1984	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series				Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Cabriolet	AK Series				Rear	F4-BE5-E250-M0	
1983	Cabriolet	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1983	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series				Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Cabriolet	AK Series				Rear	F4-BE5-E250-M0	
1982	Cabriolet	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1982	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series				Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Cadillac DeVille (continued)								
1981	Cabriolet	AK Series				Rear	F4-BE5-E250-M0	
1981	Cabriolet	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1981	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series				Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Cabriolet	AK Series				Rear	F4-BE5-E250-M0	
1980	Cabriolet	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1980	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Cadillac Fleetwood								
1990	Base	AK Series				Rear	F4-BE5-E250-M0	
1990	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1990	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1989	Base	AK Series				Rear	F4-BE5-E250-M0	
1989	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1989	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	Base	AK Series				Rear	F4-BE5-E250-M0	
1988	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	75	AK Series				Rear	F4-BE5-E250-M0	
1987	75	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	75 Formal	AK Series				Rear	F4-BE5-E250-M0	
1987	75 Formal	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	Base	AK Series				Rear	F4-BE5-E250-M0	
1987	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	Base	AK Series				Rear	F4-BE5-E250-M0	
1986	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			



Passenger Cars

Year	Application	Series	Front			Rear		
Cadillac Fleetwood (continued)								
1986	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1986	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Brougham d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1986	Brougham d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	75	AK Series				Rear	F4-BE5-E250-M0	
1985	75	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	75 Formal	AK Series				Rear	F4-BE5-E250-M0	
1985	75 Formal	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	Base	AK Series				Rear	F4-BE5-E250-M0	
1985	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1985	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Brougham d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1985	Brougham d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1984	Base	AK Series				Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1984	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Brougham d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1984	Brougham d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Formal	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series				Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1983	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Brougham d'Elegance	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Cadillac Fleetwood (continued)								
1983	Brougham d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Formal	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series				Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1982	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Brougham d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1982	Brougham d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Formal	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series				Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1981	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Brougham d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1981	Brougham d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Formal	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series				Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1980	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Brougham d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1980	Brougham d'Elegance	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Formal	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Cadillac Seville								
1979	Base	AK Series	Front	F4-BE3-E249-M0				
1979	Base	B6 (HD)	Front	24-009492				
1979	Elegante	AK Series	Front	F4-BE3-E249-M0				



Passenger Cars

Year	Application	Series	Front			Rear		
Cadillac Seville (continued)								
1979	Elegante	B6 (HD)	Front	24-009492				
1978	Base	AK Series	Front	F4-BE3-E249-M0				
1978	Base	B6 (HD)	Front	24-009492				
1978	Elegante	AK Series	Front	F4-BE3-E249-M0				
1978	Elegante	B6 (HD)	Front	24-009492				
1978	Opera	AK Series	Front	F4-BE3-E249-M0				
1978	Opera	B6 (HD)	Front	24-009492				
1977	Base	AK Series	Front	F4-BE3-E249-M0				
1977	Base	B6 (HD)	Front	24-009492				
1977	Opera	AK Series	Front	F4-BE3-E249-M0				
1977	Opera	B6 (HD)	Front	24-009492				
1976	Base	AK Series	Front	F4-BE3-E249-M0				
1976	Base	B6 (HD)	Front	24-009492				
Chevrolet Astra								
2008	Comfort	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Comfort	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Comfort	B6 (HD)				Rear	24-027823	
2008	Comfort	B8 (SP)				Rear	24-027830	
2008	Confort	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Confort	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Confort	B6 (HD)				Rear	24-027823	
2008	Confort	B8 (SP)				Rear	24-027830	
2008	Elegance	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Elegance	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Elegance	B6 (HD)				Rear	24-027823	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Astra (continued)								
2008	Elegance	B8 (SP)				Rear	24-027830	
2008	Essentia	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Essentia	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Essentia	B6 (HD)				Rear	24-027823	
2008	Essentia	B8 (SP)				Rear	24-027830	
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-182135	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1075kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Sport	B12 (Sportline)	Front and Rear	46-182173	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1025kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Sport	B6 (HD)				Rear	24-027823	
2008	Sport	B8 (SP)				Rear	24-027830	
2007	Comfort	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2007	Comfort	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2007	Comfort	B6 (HD)				Rear	24-027823	
2007	Comfort	B8 (SP)				Rear	24-027830	
2007	Elegance	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2007	Elegance	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2007	Elegance	B6 (HD)				Rear	24-027823	
2007	Elegance	B8 (SP)				Rear	24-027830	
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-182135	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1075kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2007	Sport	B12 (Sportline)	Front and Rear	46-182173	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1025kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2007	Sport	B6 (HD)				Rear	24-027823	
2007	Sport	B8 (SP)				Rear	24-027830	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Astra (continued)								
2006	Base	B6 (HD)				Rear	24-027823	
2006	Base	B8 (SP)				Rear	24-027830	
2006	Comfort	B6 (HD)				Rear	24-027823	
2006	Comfort	B8 (SP)				Rear	24-027830	
2006	Elegance	B6 (HD)				Rear	24-027823	
2006	Elegance	B8 (SP)				Rear	24-027830	
2006	Sport	B6 (HD)				Rear	24-027823	
2006	Sport	B8 (SP)				Rear	24-027830	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2005	Base	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2005	Base	B6 (HD)				Rear	24-027823	
2005	Base	B8 (SP)				Rear	24-027830	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2004	Base	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2004	Base	B6 (HD)				Rear	24-027823	
2004	Base	B8 (SP)				Rear	24-027830	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2003	Base	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2003	Base	B6 (HD)				Rear	24-027823	
2003	Base	B8 (SP)				Rear	24-027830	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Astra (continued)								
2002	Base	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2002	Base	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2002	Base	B6 (HD)				Rear	24-027823	
2002	Base	B8 (SP)				Rear	24-027830	
2002	Comfort	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2002	Comfort	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2002	Comfort	B6 (HD)				Rear	24-027823	
2002	Comfort	B8 (SP)				Rear	24-027830	
2002	Elegance	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2002	Elegance	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2002	Elegance	B6 (HD)				Rear	24-027823	
2002	Elegance	B8 (SP)				Rear	24-027830	
2002	GSi	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2002	GSi	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2002	GSi	B6 (HD)				Rear	24-027823	
2002	GSi	B8 (SP)				Rear	24-027830	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2001	Base	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2001	Base	B6 (HD)				Rear	24-027823	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Astra (continued)								
2001	Base	B8 (SP)				Rear	24-027830	
2001	Comfort	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2001	Comfort	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2001	Comfort	B6 (HD)				Rear	24-027823	
2001	Comfort	B8 (SP)				Rear	24-027830	
2001	Elegance	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2001	Elegance	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2001	Elegance	B6 (HD)				Rear	24-027823	
2001	Elegance	B8 (SP)				Rear	24-027830	
2001	GSi	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2001	GSi	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2001	GSi	B6 (HD)				Rear	24-027823	
2001	GSi	B8 (SP)				Rear	24-027830	
2000	Base	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2000	Base	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2000	Base	B6 (HD)				Rear	24-027823	
2000	Base	B8 (SP)				Rear	24-027830	
2000	Comfort	B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2000	Comfort	B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Astra (continued)								
2000	Comfort	B6 (HD)				Rear	24-027823	
2000	Comfort	B8 (SP)				Rear	24-027830	
Chevrolet Bel Air								
1957	Base	B6 (HD)	Front	24-186254		Rear	AK3502	
1957	Nomad	B6 (HD)	Front	24-186254		Rear	AK3502	
1956	Base	B6 (HD)	Front	24-186254		Rear	AK3502	
1956	Nomad	B6 (HD)	Front	24-186254		Rear	AK3502	
1955	Base	B6 (HD)	Front	24-186254		Rear	AK3502	
1955	Nomad	B6 (HD)	Front	24-186254		Rear	AK3502	
Chevrolet Camaro								
2002	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
2002	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
2002	Z28 SS	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002	Z28 SS	B6 (HD)	Front	24-024068		Rear	24-024075	
2001	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2001	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
2001	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2001	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
2001	Z28 SS	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2001	Z28 SS	B6 (HD)	Front	24-024068		Rear	24-024075	
2000	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2000	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
2000	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2000	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
2000	Z28 SS	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2000	Z28 SS	B6 (HD)	Front	24-024068		Rear	24-024075	
1999	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1999	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1999	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1999	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Camaro (continued)								
1999	Z28 SS	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1999	Z28 SS	B6 (HD)	Front	24-024068		Rear	24-024075	
1998	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1998	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1998	Lujo	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1998	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1998	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
1998	Z28 SS	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1998	Z28 SS	B6 (HD)	Front	24-024068		Rear	24-024075	
1997	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1997	Lujo	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	RS	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	RS	B6 (HD)	Front	24-024068		Rear	24-024075	
1997	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
1997	Z28 30th Anniversary Edition	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	Z28 30th Anniversary Edition	B6 (HD)	Front	24-024068		Rear	24-024075	
1997	Z28 SS 30th Anniversary Edition	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	Z28 SS 30th Anniversary Edition	B6 (HD)	Front	24-024068		Rear	24-024075	
1996	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1996	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1996	Lujo	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1996	RS	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1996	RS	B6 (HD)	Front	24-024068		Rear	24-024075	
1996	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1996	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
1995	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1995	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1995	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Camaro (continued)								
1995	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
1994	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1994	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1994	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1994	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
1993	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1993	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1993	Indianapolis 500 Pace Car	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1993	Indianapolis 500 Pace Car	B6 (HD)	Front	24-024068				
1993	Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1993	Z28	B6 (HD)	Front	24-024068		Rear	24-024075	
1992	RS	B6 (HD)	Front	35-125228		Rear	24-192934	
1992	RS	B8 (SP)				Rear	24-010214	
1992	RS Heritage Edition	B6 (HD)	Front	35-125228		Rear	24-192934	
1992	RS Heritage Edition	B8 (SP)				Rear	24-010214	
1992	Z28	B6 (HD)	Front	35-125228		Rear	24-192934	
1992	Z28	B8 (SP)				Rear	24-010214	
1992	Z28 Heritage Edition	B6 (HD)	Front	35-125228		Rear	24-192934	
1992	Z28 Heritage Edition	B8 (SP)				Rear	24-010214	
1991	RS	B6 (HD)	Front	35-125228		Rear	24-192934	
1991	RS	B8 (SP)				Rear	24-010214	
1991	Z28	B6 (HD)	Front	35-125228		Rear	24-192934	
1991	Z28	B8 (SP)				Rear	24-010214	
1990	Iroc-Z	B6 (HD)	Front	35-125228		Rear	24-192934	
1990	Iroc-Z	B8 (SP)				Rear	24-010214	
1990	RS	B6 (HD)	Front	35-125228		Rear	24-192934	
1990	RS	B8 (SP)				Rear	24-010214	
1989	Iroc-Z	B6 (HD)	Front	35-125228		Rear	24-192934	
1989	Iroc-Z	B8 (SP)				Rear	24-010214	
1989	RS	B6 (HD)	Front	35-125228		Rear	24-192934	
1989	RS	B8 (SP)				Rear	24-010214	
1988	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1988	Base	B8 (SP)				Rear	24-010214	
1988	Iroc-Z	B6 (HD)	Front	35-125228		Rear	24-192934	
1988	Iroc-Z	B8 (SP)				Rear	24-010214	
1987	LT	B6 (HD)	Front	35-125228		Rear	24-192934	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Camaro (continued)								
1987	LT	B8 (SP)				Rear	24-010214	
1987	Sport	B6 (HD)	Front	35-125228		Rear	24-192934	
1987	Sport	B8 (SP)				Rear	24-010214	
1987	Z28	B6 (HD)	Front	35-125228		Rear	24-192934	
1987	Z28	B8 (SP)				Rear	24-010214	
1987	Z28 Iroc-Z	B6 (HD)	Front	35-125228		Rear	24-192934	
1987	Z28 Iroc-Z	B8 (SP)				Rear	24-010214	
1986	Berlinetta	B6 (HD)	Front	35-125228		Rear	24-192934	
1986	Berlinetta	B8 (SP)				Rear	24-010214	
1986	Sport	B6 (HD)	Front	35-125228		Rear	24-192934	
1986	Sport	B8 (SP)				Rear	24-010214	
1986	Z28	B6 (HD)	Front	35-125228		Rear	24-192934	
1986	Z28	B8 (SP)				Rear	24-010214	
1986	Z28 Iroc-Z	B6 (HD)	Front	35-125228		Rear	24-192934	
1986	Z28 Iroc-Z	B8 (SP)				Rear	24-010214	
1985	Berlinetta	B6 (HD)	Front	35-125228		Rear	24-192934	
1985	Berlinetta	B8 (SP)				Rear	24-010214	
1985	Sport	B6 (HD)	Front	35-125228		Rear	24-192934	
1985	Sport	B8 (SP)				Rear	24-010214	
1985	Z28	B6 (HD)	Front	35-125228		Rear	24-192934	
1985	Z28	B8 (SP)				Rear	24-010214	
1985	Z28 Iroc-Z	B6 (HD)	Front	35-125228		Rear	24-192934	
1985	Z28 Iroc-Z	B8 (SP)				Rear	24-010214	
1984	Berlinetta	B6 (HD)	Front	35-125228		Rear	24-192934	
1984	Berlinetta	B8 (SP)				Rear	24-010214	
1984	Sport	B6 (HD)	Front	35-125228		Rear	24-192934	
1984	Sport	B8 (SP)				Rear	24-010214	
1984	Z28	B6 (HD)	Front	35-125228		Rear	24-192934	
1984	Z28	B8 (SP)				Rear	24-010214	
1983	Berlinetta	B6 (HD)	Front	35-125228		Rear	24-192934	
1983	Berlinetta	B8 (SP)				Rear	24-010214	
1983	Sport	B6 (HD)	Front	35-125228		Rear	24-192934	
1983	Sport	B8 (SP)				Rear	24-010214	
1983	Z28	B6 (HD)	Front	35-125228		Rear	24-192934	
1983	Z28	B8 (SP)				Rear	24-010214	
1982	Berlinetta	B6 (HD)	Front	35-125228		Rear	24-192934	
1982	Berlinetta	B8 (SP)				Rear	24-010214	
1982	Sport	B6 (HD)	Front	35-125228		Rear	24-192934	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Camaro (continued)								
1982	Sport	B8 (SP)				Rear	24-010214	
1982	Z28	B6 (HD)	Front	35-125228		Rear	24-192934	
1982	Z28	B8 (SP)				Rear	24-010214	
1982	Z28 Indianapolis 500 Pace Car	B6 (HD)	Front	35-125228		Rear	24-192934	
1982	Z28 Indianapolis 500 Pace Car	B8 (SP)				Rear	24-010214	
1981	Berlinetta	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1981	Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1981	Z28	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1980	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1980	Berlinetta	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1980	Rally Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1980	Z28	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1979	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1979	Berlinetta	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1979	Rally Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1979	Z28	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1978	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1978	LT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1978	LT Rally Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1978	Rally Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1978	Z28	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1977	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1977	LT	B6 (HD)				Rear	24-001564	
1977	LT Rally Sport	B6 (HD)				Rear	24-001564	
1977	Rally Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1977	Z28	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-001564	
1976	Base	B6 (HD)	Front	24-029728		Rear	24-001564	
1976	Base	Drag Series	Front	24-221467				
1976	LT	B6 (HD)	Front	24-029728		Rear	24-001564	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Camaro (continued)								
1976	LT	Drag Series	Front	24-221467				
1976	LT Rally Sport	B6 (HD)	Front	24-029728		Rear	24-001564	
1976	LT Rally Sport	Drag Series	Front	24-221467				
1976	Rally Sport	B6 (HD)	Front	24-029728		Rear	24-001564	
1976	Rally Sport	Drag Series	Front	24-221467				
1975	Base	B6 (HD)	Front	24-029728		Rear	24-001564	
1975	Base	Drag Series	Front	24-221467				
1975	LT	B6 (HD)	Front	24-029728		Rear	24-001564	
1975	LT	Drag Series	Front	24-221467				
1975	RS	B6 (HD)	Front	24-029728		Rear	24-001564	
1975	RS	Drag Series	Front	24-221467				
1974	Base	B6 (HD)				Rear	24-001564	
1974	Base	Drag Series	Front	24-221467				
1974	LT	B6 (HD)				Rear	24-001564	
1974	LT	Drag Series	Front	24-221467				
1973	Base	B6 (HD)				Rear	24-001564	
1973	Base	Drag Series	Front	24-221467				
1973	LT	B6 (HD)				Rear	24-001564	
1973	LT	Drag Series	Front	24-221467				
1972	Base	B6 (HD)				Rear	24-001564	
1972	Base	Drag Series	Front	24-221467				
1972	Z28	B6 (HD)	Front	24-029728		Rear	24-001564	
1972	Z28	Drag Series	Front	24-221467				
1971	Base	B6 (HD)	Front	24-029728		Rear	24-001564	
1971	Base	Drag Series	Front	24-221467				
1970	Base	B6 (HD)	Front	24-029728		Rear	24-001564	
1970	Base	Drag Series	Front	24-221467				
1969	Base	B6 (HD)	Front	24-029728		Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969	Base	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1969	SS	B6 (HD)	Front	24-029728		Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969	SS	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1969	Z28	B6 (HD)	Front	24-029728				
1969	Z28	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Camaro (continued)								
1968	Base	B6 (HD)	Front	24-029728		Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1968	Base	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1967	Base	B6 (HD)	Front	24-029728				
1967	RS	B6 (HD)	Front	24-029728				
1967	SS	B6 (HD)	Front	24-029728				
1967	Z28	B6 (HD)	Front	24-029728				
Chevrolet Caprice								
1996	Classic	AK Series				Rear	F4-BE5-E250-M0	
1996	Classic	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1995	Classic	AK Series				Rear	F4-BE5-E250-M0	
1995	Classic	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1994	Classic	AK Series				Rear	F4-BE5-E250-M0	
1994	Classic	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1994	Classic LS	AK Series				Rear	F4-BE5-E250-M0	
1994	Classic LS	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1993	Classic	AK Series				Rear	F4-BE5-E250-M0	
1993	Classic	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1993	Classic LS	AK Series				Rear	F4-BE5-E250-M0	
1993	Classic LS	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1993	Classic LTZ	AK Series				Rear	F4-BE5-E250-M0	
1993	Classic LTZ	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Caprice (continued)								
1992	Base	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)			
1992	Classic	AK Series				Rear	F4-BE5-E250-M0	
1992	Classic	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1992	Classic LTZ	AK Series				Rear	F4-BE5-E250-M0	
1992	Classic LTZ	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1991	Base	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)			
1991	Classic	AK Series				Rear	F4-BE5-E250-M0	
1991	Classic	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1991	Classic LTZ	AK Series				Rear	F4-BE5-E250-M0	
1991	Classic LTZ	B6 (HD)	Front	24-015165		Rear	24-015172	
			Front	24-011044	SetOption: Variable depending on application; Setting: B8 (SP)	Rear	24-009294	SetOption: Variable depending on application; Setting: B8 (SP)
1990	Classic	AK Series				Rear	F4-BE5-E250-M0	
1990	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1990	Classic Brougham	AK Series				Rear	F4-BE5-E250-M0	
1990	Classic Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1990	Classic LS Brougham	AK Series				Rear	F4-BE5-E250-M0	
1990	Classic LS Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1989	Classic	AK Series				Rear	F4-BE5-E250-M0	
1989	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1989	Classic Brougham	AK Series				Rear	F4-BE5-E250-M0	
1989	Classic Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1989	Classic LS Brougham	AK Series				Rear	F4-BE5-E250-M0	
1989	Classic LS Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Caprice (continued)								
1988	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	Classic	AK Series				Rear	F4-BE5-E250-M0	
1988	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1988	Classic Brougham	AK Series				Rear	F4-BE5-E250-M0	
1988	Classic Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1988	Classic LS Brougham	AK Series				Rear	F4-BE5-E250-M0	
1988	Classic LS Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	Classic	AK Series				Rear	F4-BE5-E250-M0	
1987	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Classic Brougham	AK Series				Rear	F4-BE5-E250-M0	
1987	Classic Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Classic LS Brougham	AK Series				Rear	F4-BE5-E250-M0	
1987	Classic LS Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Classic	AK Series				Rear	F4-BE5-E250-M0	
1986	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Classic Brougham	AK Series				Rear	F4-BE5-E250-M0	
1986	Classic Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Classic	AK Series				Rear	F4-BE5-E250-M0	
1985	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Classic	AK Series				Rear	F4-BE5-E250-M0	
1984	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Classic	AK Series				Rear	F4-BE5-E250-M0	
1983	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Classic	AK Series				Rear	F4-BE5-E250-M0	
1982	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Classic Estate	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Caprice (continued)								
1982	Classic Estate	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Classic	AK Series				Rear	F4-BE5-E250-M0	
1981	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Classic Estate	AK Series				Rear	F4-BE5-E250-M0	
1981	Classic Estate	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Classic Landau	AK Series				Rear	F4-BE5-E250-M0	
1981	Classic Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Classic	AK Series				Rear	F4-BE5-E250-M0	
1980	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Classic Landau	AK Series				Rear	F4-BE5-E250-M0	
1980	Classic Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Classic Sport	AK Series				Rear	F4-BE5-E250-M0	
1980	Classic Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Classic	AK Series				Rear	F4-BE5-E250-M0	
1979	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Classic Landau	AK Series				Rear	F4-BE5-E250-M0	
1979	Classic Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Classic Sport	AK Series				Rear	F4-BE5-E250-M0	
1979	Classic Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1978	Classic Estate	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1977	Classic	AK Series				Rear	F4-BE5-E250-M0	
1977	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Classic Estate	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1977	Classic Landau	AK Series				Rear	F4-BE5-E250-M0	
1977	Classic Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Classic	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Caprice (continued)								
1976	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Classic Estate	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1976	Classic Landau	AK Series				Rear	F4-BE5-E250-M0	
1976	Classic Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Classic Sport	AK Series				Rear	F4-BE5-E250-M0	
1976	Classic Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Classic	AK Series				Rear	F4-BE5-E250-M0	
1975	Classic	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Classic Sport	AK Series				Rear	F4-BE5-E250-M0	
1975	Classic Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Estate Wagon	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1972	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1971	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1970	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1969	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1968	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1967	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1966	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
Chevrolet Celebrity								
1989	Base	4600 Series	Front	35-132462		Rear	24-010191	
1989	CL	4600 Series	Front	35-132462		Rear	24-010191	
1989	Eurosport	4600 Series	Front	35-132462		Rear	24-010191	
1988	Base	4600 Series	Front	35-132462		Rear	24-010191	
1988	Eurosport	4600 Series	Front	35-132462		Rear	24-010191	
1987	Base	4600 Series	Front	35-132462		Rear	24-010191	
1987	Eurosport	4600 Series	Front	35-132462		Rear	24-010191	
1986	Base	4600 Series	Front	35-132462		Rear	24-010191	Straight rod
1986	Eurosport	4600 Series	Front	35-132462		Rear	24-010191	
1985	Base	4600 Series	Front	35-132462		Rear	24-010191	
1985	Classic	4600 Series	Front	35-132462		Rear	24-010191	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Celebrity (continued)								
1985	Eurosport	4600 Series	Front	35-132462		Rear	24-010191	Straight rod
1984	Base	4600 Series	Front	35-132462		Rear	24-010191	Straight rod
1984	Eurosport	4600 Series	Front	35-132462		Rear	24-010191	Straight rod
1983	Base	4600 Series	Front	35-132462		Rear	24-010191	
1983	CL	4600 Series	Front	35-132462		Rear	24-010191	
1982	Base	4600 Series	Front	35-132462		Rear	24-010191	
1982	CL	4600 Series	Front	35-132462		Rear	24-010191	
1982	CS	4600 Series	Front	35-132462		Rear	24-010191	
Chevrolet Chevelle								
1973	2 Dr.; Coupe; Deluxe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application
1973	4 Dr.; Deluxe; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application
1973	Deluxe	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Except Wagon
1973	Deluxe	B6 (HD)	Front	24-009492				
1972	2 Dr.; Convertible; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1972	2 Dr.; Hardtop; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1972	4 Dr.; Malibu; Sedan	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1972	Base	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1972	Concours	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Concours	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1972	Concours Estate	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Greenbrier	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Malibu	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Nomad	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	SS	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1971	2 Dr.; Hardtop; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1971	4 Dr.; Hardtop; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1971	4 Dr.; Malibu; Sedan	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1971	Base	AK Series				Rear	F4-BE5-E250-M0	Except Wagon



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Chevelle (continued)								
1971	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1971	Concours	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1971	Concours	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1971	Concours Estate	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1971	Greenbrier	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1971	Malibu	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1971	Nomad	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1971	SS	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1971	SS	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	2 Dr.; Base; Convertible	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	2 Dr.; Base; Hardtop	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	2 Dr.; Convertible; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	2 Dr.; Hardtop; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	4 Dr.; Base; Sedan	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	4 Dr.; Malibu; Sedan	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	Base	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1970	Concours	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1970	Concours	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	Concours Estate	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1970	Greenbrier	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1970	Malibu	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1970	Nomad	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1970	SS	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1970	SS	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	2 Dr.; Convertible; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	2 Dr.; Hardtop; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	300 Deluxe	AK Series				Rear	F4-BE5-E250-M0	Except Wagon



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Chevelle (continued)								
1969	300 Deluxe	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	4 Dr.; Malibu; Sedan	B6 (HD)	Front	24-131506			24-009294	SetOption: Variable depending on application
1969	Concours	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1969	Concours	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	Concours Estate	AK Series					F4-BE5-E250-M0	Except Wagon
1969	Greenbrier	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1969	Malibu	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1969	Nomad	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1969	SS	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1969	SS	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1968	2 Dr.; 300; Coupe	B6 (HD)	Front	24-131506			24-009294	SetOption: Variable depending on application
1968	2 Dr.; Convertible; Malibu	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1968	2 Dr.; Hardtop; Malibu	B6 (HD)	Front	24-131506			24-009294	SetOption: Variable depending on application
1968	300	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1968	300 Deluxe	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1968	300 Deluxe	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1968	4 Dr.; Malibu; Sedan	B6 (HD)	Front	24-131506			24-009294	SetOption: Variable depending on application
1968	Base	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1968	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1968	Concours	AK Series					F4-BE5-E250-M0	Except Wagon
1968	Concours	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1968	Malibu	AK Series					F4-BE5-E250-M0	Except Wagon
1968	Nomad	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1968	SS	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1968	SS	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1967	2 Dr.; 300 Deluxe; Sedan	B6 (HD)	Front	24-029728			AK2080	With HD rear
1967	300	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1967	300 Deluxe; 4 Dr.; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Chevelle (continued)								
1967	Base	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1967	Deluxe	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1967	SS	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1966	2 Dr.; Base; Convertible	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1966	2 Dr.; Base; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1966	4 Dr.; Base; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1966	Deluxe	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1966	SS	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1965	2 Dr.; Base; Convertible	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1965	2 Dr.; Base; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1965	4 Dr.; Base; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1965	Deluxe	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1965	SS	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1964	2 Dr.; Base; Convertible	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1964	2 Dr.; Base; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1964	4 Dr.; Base; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1964	SS	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
Chevrolet Chevy								
2010	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
2010	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
2010	Comfort	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
2010	Comfort	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
2009	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
2009	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
2009	Comfort	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
2009	Comfort	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
2008	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			



Passenger Cars

Year	Application	Series		Front	Rear
Chevrolet Chevy (continued)					
2008	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load
2008	Comfort	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load
2008	Comfort	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load
2007	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load
2007	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load
2007	Comfort	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load
2007	Comfort	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load
2007	S	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load
2007	S	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load
2006	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load
2006	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load
2006	Comfort	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load
2006	Comfort	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load
2005	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load
2005	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load
2005	Comfort	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load
2005	Comfort	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load



Passenger Cars

Year	Application	Series	Front			Rear
Chevrolet Chevy (continued)						
2005	S	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2005	S	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2004	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2004	Comfort	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2004	Comfort	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2003	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2003	Pop	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2003	Pop	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2002	GL	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2002	GL	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2002	GLS	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2002	GLS	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2002	Joy	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2002	Joy	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2002	Monza	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear
Chevrolet Chevy (continued)						
2002	Monza	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2002	Monza Low Cost	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2002	Monza Low Cost	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2002	Pop	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2002	Pop	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2002	Swing	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2002	Swing	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2002	Swing Pop	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2002	Swing Pop	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2001	GL	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2001	GL	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2001	GLS	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2001	GLS	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2001	Joy	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2001	Joy	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2001	Monza	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2001	Monza	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear
Chevrolet Chevy (continued)						
2001	Monza Low Cost	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2001	Monza Low Cost	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2001	Pop	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2001	Pop	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2001	Swing	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2001	Swing	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2001	Swing Pop	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2001	Swing Pop	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2000	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2000	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2000	Joy	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2000	Joy	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2000	Monza	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2000	Monza	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2000	Popular	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
2000	Popular	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
2000	Swing	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear
Chevrolet Chevy (continued)						
2000	Swing	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1999	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1999	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1999	Joy	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1999	Joy	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1999	Monza	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1999	Monza	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1999	Swing	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1999	Swing	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1999	Taxi	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1999	Taxi	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1998	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1998	Joy	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1998	Joy	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1998	Monza	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1998	Monza	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear
Chevrolet Chevy (continued)						
1998	Swing	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1998	Swing	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1998	Taxi	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1998	Taxi	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1998	World Cup	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1998	World Cup	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1997	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1997	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1997	Joy	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1997	Joy	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1997	Monza	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1997	Monza	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1997	Swing	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1997	Swing	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1997	Taxi	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	
1997	Taxi	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load	
1996	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Chevy (continued)								
1996	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
1996	Joy	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
1996	Joy	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
1996	Swing	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
1996	Swing	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
1995	Joy	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
1995	Joy	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
1995	Swing	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
1995	Swing	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
Chevrolet Chevy II								
1968	Nova	B6 (HD)	Front	24-131506		Rear	24-009294	With Multi leaf rear suspension
						Rear	AK2071	With single leaf rear suspension
Chevrolet Chevy Monza								
2003	Base	B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
2003	Base	B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
Chevrolet Citation								
1983	Base	4600 Series	Front	35-132462		Rear	24-010191	
1983	X-11	4600 Series	Front	35-132462		Rear	24-010191	
1982	Base	4600 Series	Front	35-132462		Rear	24-010191	
1982	X-11	4600 Series	Front	35-132462		Rear	24-010191	
1981	Base	4600 Series	Front	35-132462		Rear	24-010191	
1981	X-11	4600 Series	Front	35-132462		Rear	24-010191	
1980	Base	4600 Series	Front	35-132462		Rear	24-010191	
1980	Club	4600 Series	Front	35-132462		Rear	24-010191	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Citation (continued)								
1980	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1980	X-11	4600 Series	Front	35-132462		Rear	24-010191	
Chevrolet Citation II								
1984	Base	4600 Series	Front	35-132462		Rear	24-010191	
1984	X-11	4600 Series	Front	35-132462		Rear	24-010191	
Chevrolet Corvette								
2011	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2011	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2011	Grand Sport	B6 (HD)	Front	24-029759		Rear	24-029766	
2011	Grand Sport	B8 (SP)	Front	24-029773		Rear	24-029780	
2011	Z06	B6 (HD)				Rear	24-029766	
2011	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2011	Z06 Carbon	B6 (HD)				Rear	24-029766	
2011	Z06 Carbon	B8 (SP)	Front	24-029773		Rear	24-029780	
2011	ZR1	B6 (HD)	Front	24-029759		Rear	24-029766	
2011	ZR1	B8 (SP)	Front	24-029773		Rear	24-029780	
2010	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2010	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2010	Grand Sport	B6 (HD)	Front	24-029759		Rear	24-029766	
2010	Grand Sport	B8 (SP)	Front	24-029773		Rear	24-029780	
2010	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2010	ZR1	B6 (HD)	Front	24-029759		Rear	24-029766	
2010	ZR1	B8 (SP)	Front	24-029773		Rear	24-029780	
2009	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2009	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2009	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2009	ZR1	B6 (HD)	Front	24-029759		Rear	24-029766	
2009	ZR1	B8 (SP)	Front	24-029773		Rear	24-029780	
2008	427 Limited Edition Z06	B6 (HD)	Front	24-029759				
2008	427 Limited Edition Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2008	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2008	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2008	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2007	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2007	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2007	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2006	Base	B6 (HD)	Front	24-029759		Rear	24-029766	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Corvette (continued)								
2006	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2006	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2005	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2005	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2004	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2004	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2004	Z06	B6 (HD)				Rear	24-029766	
2004	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2003	50th Anniversary Edition	B6 (HD)	Front	24-029759		Rear	24-029766	
2003	50th Anniversary Edition	B8 (SP)	Front	24-029773		Rear	24-029780	
2003	50th Anniversary Edition Pace Car	B6 (HD)	Front	24-029759		Rear	24-029766	
2003	50th Anniversary Edition Pace Car	B8 (SP)	Front	24-029773		Rear	24-029780	
2003	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2003	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2003	Z06	B6 (HD)				Rear	24-029766	
2003	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2002	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2002	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2002	Z06	B6 (HD)				Rear	24-029766	
2002	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2001	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2001	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2001	Z06	B6 (HD)				Rear	24-029766	
2001	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2000	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2000	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
1999	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
1999	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
1998	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
1998	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
1998	Indianapolis 500 Pace Car	B6 (HD)	Front	24-029759		Rear	24-029766	
1998	Indianapolis 500 Pace Car	B8 (SP)	Front	24-029773		Rear	24-029780	
1997	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
1997	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
1996	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1996	Base	B8 (SP)	Front	24-184861	Z51 with 17in wheels	Rear	24-184878	Z51 with 17in wheels
1996	Collector's Edition	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Corvette (continued)								
1996	Collector's Edition	B8 (SP)	Front	24-184861	Z51 with 17in wheels	Rear	24-184878	Z51 with 17in wheels
1996	Grand Sport	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1996	Grand Sport	B8 (SP)	Front	24-184861	Z51 with 17in wheels	Rear	24-184878	Z51 with 17in wheels
1995	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1995	Base	B8 (SP)	Front	24-184861	Z51 with 17in wheels	Rear	24-184878	Z51 with 17in wheels
1995	ZR-1	B6 (HD)	Front	20-070274		Rear	20-070281	With selective ride
1994	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1994	Base	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1994	ZR-1	B6 (HD)	Front	20-070274		Rear	20-070281	With selective ride
1993	40th Anniversary Edition	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1993	40th Anniversary Edition	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1993	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1993	Base	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1993	ZR-1	B6 (HD)	Front	20-070274		Rear	20-070281	With selective ride
1992	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1992	Base	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1992	ZR-1	B6 (HD)	Front	20-070274		Rear	20-070281	With selective ride
1991	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1991	Base	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1991	ZR-1	B6 (HD)	Front	20-070007	With selective ride	Rear	20-070014	With selective ride
1990	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1990	Base	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1990	ZR-1	B6 (HD)	Front	20-070007	With selective ride	Rear	20-070014	With selective ride
1989	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1989	Base	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1988	35th Anniversary Edition	B6 (HD)	Front	24-011310	Excludes Z51	Rear	24-020541	Excludes Z51
1988	35th Anniversary Edition	B8 (SP)				Rear	24-011785	Z51 with 17in wheels
1988	Base	B6 (HD)	Front	24-011310	Excludes Z51	Rear	24-020541	Excludes Z51
1988	Base	B8 (SP)				Rear	24-011785	Z51 with 17in wheels
1987	Base	4600 Series				Rear	24-192927	Excludes Z51
1987	Base	B6 (HD)	Front	24-002288				
1987	Base	B8 (SP)				Rear	24-184588	
1986	Base	4600 Series				Rear	24-192927	Excludes Z51
1986	Base	B6 (HD)	Front	24-002288				
1986	Base	B8 (SP)				Rear	24-184588	
1986	Indianapolis 500 Pace Car	4600 Series				Rear	24-192927	Excludes Z51
1986	Indianapolis 500 Pace Car	B6 (HD)	Front	24-002288				
1986	Indianapolis 500 Pace Car	B8 (SP)				Rear	24-184588	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Corvette (continued)								
1985	Base	4600 Series				Rear	24-192927	Excludes Z51
1985	Base	B6 (HD)	Front	24-002288				
1985	Base	B8 (SP)				Rear	24-184588	
1984	Base	4600 Series				Rear	24-192927	Excludes Z51
1984	Base	B6 (HD)	Front	24-002288				
1984	Base	B8 (SP)				Rear	24-184588	
1982	Base	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1982	Base	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1982	Collector's Edition	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1982	Collector's Edition	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1981	Base	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1981	Base	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1980	Base	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1980	Base	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1979	Base	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1979	Base	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1978	Base	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1978	Base	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1978	Indianapolis 500 Pace Car	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1978	Indianapolis 500 Pace Car	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1978	Silver Anniversary Edition	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1978	Silver Anniversary Edition	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1977	Base	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1977	Base	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1976	Stingray	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1976	Stingray	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1975	Stingray	B6 (HD)	Front	24-009461		Rear	24-184649	All models
1975	Stingray	B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models
1974	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1974	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1973	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1973	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1972	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1972	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1971	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1971	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1970	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1970	Base	B8 (SP)	Front	24-184526		Rear	24-184571	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Corvette (continued)								
1969	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1969	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1968	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1968	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1967	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1967	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1966	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1966	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1965	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1965	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1964	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1964	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1963	Base	B6 (HD)	Front	24-009461		Rear	24-184649	
1963	Base	B8 (SP)	Front	24-184526		Rear	24-184571	
1962	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1961	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1960	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1959	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1958	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1957	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1956	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1955	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1954	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
1953	Base	B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
Chevrolet Cruze								
2013	Eco	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2013	Eco	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2013	Eco	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2013	Eco	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2013	LS	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Cruze (continued)								
2013	LS	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2013	LS	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2013	LS	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2013	LT	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2013	LT	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2013	LT	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2013	LT	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2013	LTZ	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2013	LTZ	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2013	LTZ	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2013	LTZ	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2012	Eco	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2012	Eco	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2012	Eco	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2012	Eco	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2012	LS	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2012	LS	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Cruze (continued)								
2012	LS	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2012	LS	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2012	LT	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2012	LT	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2012	LT	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2012	LT	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2012	LTZ	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2012	LTZ	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2012	LTZ	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2012	LTZ	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2011	Eco	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2011	Eco	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2011	Eco	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2011	Eco	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2011	LS	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2011	LS	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2011	LS	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Cruze (continued)								
2011	LS	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2011	LT	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2011	LT	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2011	LT	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2011	LT	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
2011	LTZ	B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2011	LTZ	B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2011	LTZ	B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2011	LTZ	B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
Chevrolet Impala								
2010	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2010	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2010	LT	B6 (C)	Front	35-153375		Rear	35-153382	
2010	LT	B6 (HD)	Front	35-153153		Rear	35-153160	
2010	LTZ	B6 (C)	Front	35-153375		Rear	35-153382	
2010	LTZ	B6 (HD)	Front	35-153153		Rear	35-153160	
2009	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2009	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2009	LT	B6 (C)	Front	35-153375		Rear	35-153382	
2009	LT	B6 (HD)	Front	35-153153		Rear	35-153160	
2009	LTZ	B6 (C)	Front	35-153375		Rear	35-153382	
2009	LTZ	B6 (HD)	Front	35-153153		Rear	35-153160	
2009	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2009	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2008	50th Anniversary Edition	B6 (C)	Front	35-153375		Rear	35-153382	
2008	50th Anniversary Edition	B6 (HD)	Front	35-153153		Rear	35-153160	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Impala (continued)								
2008	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2008	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2008	LT	B6 (C)	Front	35-153375		Rear	35-153382	
2008	LT	B6 (HD)	Front	35-153153		Rear	35-153160	
2008	LTZ	B6 (C)	Front	35-153375		Rear	35-153382	
2008	LTZ	B6 (HD)	Front	35-153153		Rear	35-153160	
2008	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2008	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2007	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	LT	B6 (C)	Front	35-153375		Rear	35-153382	
2007	LT	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	LTZ	B6 (C)	Front	35-153375		Rear	35-153382	
2007	LTZ	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2007	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2006	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	LT	B6 (C)	Front	35-153375		Rear	35-153382	
2006	LT	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	LTZ	B6 (C)	Front	35-153375		Rear	35-153382	
2006	LTZ	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2006	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2005	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2005	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2005	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2004	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2004	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2004	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2003	Base	B6 (HD)	Front	35-153153		Rear	35-153160	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Impala (continued)								
2003	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2003	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	LS Sport	B6 (C)	Front	35-153375		Rear	35-153382	
2003	LS Sport	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2002	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2002	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2001	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2001	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2000	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2000	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
1996	SS	AK Series				Rear	F4-BE5-E250-M0	
1996	SS	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1995	SS	AK Series				Rear	F4-BE5-E250-M0	
1995	SS	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1994	SS	AK Series				Rear	F4-BE5-E250-M0	
1994	SS	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series				Rear	F4-BE5-E250-M0	
1985	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Base	AK Series				Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series				Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series				Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Estate	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Impala (continued)								
1982	Estate	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series				Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Estate	AK Series				Rear	F4-BE5-E250-M0	
1981	Estate	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series				Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Sport	AK Series				Rear	F4-BE5-E250-M0	
1980	Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series				Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Landau	AK Series				Rear	F4-BE5-E250-M0	
1979	Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Sport	AK Series				Rear	F4-BE5-E250-M0	
1979	Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series				Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Landau	AK Series				Rear	F4-BE5-E250-M0	
1978	Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series				Rear	F4-BE5-E250-M0	
1977	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Custom	AK Series				Rear	F4-BE5-E250-M0	
1977	Custom	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Landau	AK Series				Rear	F4-BE5-E250-M0	
1977	Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series				Rear	F4-BE5-E250-M0	
1976	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Impala (continued)								
1976	Custom	AK Series				Rear	F4-BE5-E250-M0	
1976	Custom	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Custom Landau	AK Series				Rear	F4-BE5-E250-M0	
1976	Custom Landau	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	S	AK Series				Rear	F4-BE5-E250-M0	
1976	S	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Sport	AK Series				Rear	F4-BE5-E250-M0	
1976	Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series				Rear	F4-BE5-E250-M0	
1975	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Custom	AK Series				Rear	F4-BE5-E250-M0	
1975	Custom	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Sport	AK Series				Rear	F4-BE5-E250-M0	
1975	Sport	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1973	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1972	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1971	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1970	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1969	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1968	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1967	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1967	SS	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1966	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1966	SS	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1965	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1965	SS	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Malibu								
1983	4 Dr.; Classic; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Classic	B6 (HD)	Front	24-009492				
1982	4 Dr.; Classic; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Classic	B6 (HD)	Front	24-009492				
1981	2 Dr.; Base; Coupe	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	2 Dr.; Classic Landau; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1981	2 Dr.; Classic Landau; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	2 Dr.; Classic; Coupe	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	2 Dr.; Classic; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	4 Dr.; Base; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	4 Dr.; Classic; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	B6 (HD)	Front	24-009492				
1981	Classic	B6 (HD)	Front	24-009492				
1981	Classic Landau	AK Series	Front	F4-BE3-E249-M0				
1981	Classic Landau	B6 (HD)	Front	24-009492				
1980	2 Dr.; Classic Landau; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1980	2 Dr.; Classic Landau; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	2 Dr.; Classic Sport; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1980	2 Dr.; Classic Sport; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	2 Dr.; Coupe; Sport	AK Series				Rear	F4-BE5-E250-M0	
1980	2 Dr.; Coupe; Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	4 Dr.; Base; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Malibu (continued)								
1980	4 Dr.; Classic; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	B6 (HD)	Front	24-009492				
1980	Classic	B6 (HD)	Front	24-009492				
1980	Classic Estate	B6 (HD)	Front	24-009492				
1980	Classic Landau	AK Series	Front	F4-BE3-E249-M0				
1980	Classic Landau	B6 (HD)	Front	24-009492				
1980	Classic Sport	AK Series	Front	F4-BE3-E249-M0				
1980	Classic Sport	B6 (HD)	Front	24-009492				
1980	Estate	B6 (HD)	Front	24-009492				
1980	Sport	AK Series	Front	F4-BE3-E249-M0				
1980	Sport	B6 (HD)	Front	24-009492				
1979	2 Dr.; Base; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1979	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	2 Dr.; Classic Landau; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1979	2 Dr.; Classic Landau; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	2 Dr.; Classic Sport; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1979	2 Dr.; Classic Sport; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	2 Dr.; Classic; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1979	2 Dr.; Classic; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	2 Dr.; Coupe; Landau	AK Series				Rear	F4-BE5-E250-M0	
1979	2 Dr.; Coupe; Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	2 Dr.; Coupe; Sport	AK Series				Rear	F4-BE5-E250-M0	
1979	2 Dr.; Coupe; Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	4 Dr.; Base; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	4 Dr.; Classic Landau; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979	4 Dr.; Classic Landau; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	4 Dr.; Classic Sport; Sedan	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Malibu (continued)								
1979	4 Dr.; Classic Sport; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	4 Dr.; Classic; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	4 Dr.; Landau; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979	4 Dr.; Landau; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	4 Dr.; Police; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979	4 Dr.; Police; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	4 Dr.; Sedan; Sport	AK Series				Rear	F4-BE5-E250-M0	
1979	4 Dr.; Sedan; Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0				
1979	Base	B6 (HD)	Front	24-009492				
1979	Classic	AK Series	Front	F4-BE3-E249-M0				
1979	Classic	B6 (HD)	Front	24-009492				
1979	Classic Estate	B6 (HD)	Front	24-009492				
1979	Classic Landau	AK Series	Front	F4-BE3-E249-M0				
1979	Classic Landau	B6 (HD)	Front	24-009492				
1979	Classic Sport	AK Series	Front	F4-BE3-E249-M0				
1979	Classic Sport	B6 (HD)	Front	24-009492				
1979	Estate	B6 (HD)	Front	24-009492				
1979	Landau	AK Series	Front	F4-BE3-E249-M0				
1979	Landau	B6 (HD)	Front	24-009492				
1979	Police	AK Series	Front	F4-BE3-E249-M0				
1979	Police	B6 (HD)	Front	24-009492				
1979	Sport	AK Series	Front	F4-BE3-E249-M0				
1979	Sport	B6 (HD)	Front	24-009492				
1978	2 Dr.; Base; Coupe	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	2 Dr.; Classic Landau; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1978	2 Dr.; Classic Landau; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Malibu (continued)								
1978	2 Dr.; Classic; Coupe	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	2 Dr.; Classic; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	4 Dr.; Base; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	4 Dr.; Classic; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	B6 (HD)	Front	24-009492				
1978	Classic	B6 (HD)	Front	24-009492				
1978	Classic Estate	B6 (HD)	Front	24-009492				
1978	Classic Landau	AK Series	Front	F4-BE3-E249-M0				
1978	Classic Landau	B6 (HD)	Front	24-009492				
1977	2 Dr.; Classic Landau; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1977	2 Dr.; Classic Landau; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	2 Dr.; Classic Sport; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1977	2 Dr.; Classic Sport; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	2 Dr.; Coupe; Sport	AK Series				Rear	F4-BE5-E250-M0	
1977	2 Dr.; Coupe; Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	4 Dr.; Base; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1977	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	4 Dr.; Classic Landau; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1977	4 Dr.; Classic Landau; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	4 Dr.; Classic; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1977	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series	Front	F4-BE3-E249-M0				
1977	Base	B6 (HD)	Front	24-009492				
1977	Classic	AK Series	Front	F4-BE3-E249-M0				
1977	Classic	B6 (HD)	Front	24-009492				
1977	Classic Landau	AK Series	Front	F4-BE3-E249-M0				
1977	Classic Landau	B6 (HD)	Front	24-009492				



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Malibu (continued)								
1977	Classic Sport	AK Series	Front	F4-BE3-E249-M0				
1977	Classic Sport	B6 (HD)	Front	24-009492				
1977	Sport	AK Series	Front	F4-BE3-E249-M0				
1977	Sport	B6 (HD)	Front	24-009492				
1976	2 Dr.; Base; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1976	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	2 Dr.; Classic Landau; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1976	2 Dr.; Classic Landau; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	2 Dr.; Classic; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1976	2 Dr.; Classic; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	2 Dr.; Coupe; Landau	AK Series				Rear	F4-BE5-E250-M0	
1976	2 Dr.; Coupe; Landau	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	4 Dr.; Base; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1976	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	4 Dr.; Classic Landau; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1976	4 Dr.; Classic Landau; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	4 Dr.; Classic; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1976	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	4 Dr.; Landau; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1976	4 Dr.; Landau; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series	Front	F4-BE3-E249-M0				
1976	Base	B6 (HD)	Front	24-009492				
1976	Classic	AK Series	Front	F4-BE3-E249-M0				
1976	Classic	B6 (HD)	Front	24-009492				
1976	Classic Estate	AK Series	Front	F4-BE3-E249-M0				
1976	Classic Estate	B6 (HD)	Front	24-009492				
1976	Classic Landau	AK Series	Front	F4-BE3-E249-M0				
1976	Classic Landau	B6 (HD)	Front	24-009492				



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Malibu (continued)								
1976	Landau	AK Series	Front	F4-BE3-E249-M0				
1976	Landau	B6 (HD)	Front	24-009492				
1975	2 Dr.; Base; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1975	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	2 Dr.; Classic; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1975	2 Dr.; Classic; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	4 Dr.; Base; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1975	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	4 Dr.; Classic; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1975	4 Dr.; Classic; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0				
1975	Base	B6 (HD)	Front	24-009492				
1975	Classic	AK Series	Front	F4-BE3-E249-M0				
1975	Classic	B6 (HD)	Front	24-009492				
1975	Classic Estate	AK Series	Front	F4-BE3-E249-M0				
1975	Classic Estate	B6 (HD)	Front	24-009492				
1974	Base	B6 (HD)	Front	24-009492				
1974	Classic	B6 (HD)	Front	24-009492				
1974	Estate	B6 (HD)	Front	24-009492				
1973	Base	B6 (HD)	Front	24-009492				
1973	Estate	B6 (HD)	Front	24-009492				
1967	Base	B6 (HD)	Front	24-029728				
1966	Base	B6 (HD)	Front	24-029728				
1965	Base	B6 (HD)	Front	24-029728				
1964	Base	B6 (HD)	Front	24-029728				
Chevrolet Monte Carlo								
2007	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2007	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	LT	B6 (C)	Front	35-153375		Rear	35-153382	
2007	LT	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2007	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	LS	B6 (C)	Front	35-153375		Rear	35-153382	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Monte Carlo (continued)								
2006	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	LT	B6 (C)	Front	35-153375		Rear	35-153382	
2006	LT	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	LTZ	B6 (C)	Front	35-153375		Rear	35-153382	
2006	LTZ	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2006	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2005	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	LT	B6 (C)	Front	35-153375		Rear	35-153382	
2005	LT	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2005	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2004	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2004	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2003	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	LS Competition	B6 (C)	Front	35-153375		Rear	35-153382	
2003	LS Competition	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	LS Sport	B6 (C)	Front	35-153375		Rear	35-153382	
2003	LS Sport	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2003	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	SS High Sport	B6 (C)	Front	35-153375		Rear	35-153382	
2003	SS High Sport	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	SS Pace Car	B6 (C)	Front	35-153375		Rear	35-153382	
2003	SS Pace Car	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2002	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2002	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	SS 35th Anniversary Edition	B6 (C)	Front	35-153375		Rear	35-153382	
2002	SS 35th Anniversary Edition	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	SS Dale Earnhardt Signature Edition	B6 (C)	Front	35-153375		Rear	35-153382	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Monte Carlo (continued)								
2002	SS Dale Earnhardt Signature Edition	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2001	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2001	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	LS	B6 (C)	Front	35-153375		Rear	35-153382	
2000	LS	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	SS	B6 (C)	Front	35-153375		Rear	35-153382	
2000	SS	B6 (HD)	Front	35-153153		Rear	35-153160	
1988	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1988	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1988	LS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1988	LS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1988	SS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1988	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	LS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	LS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	SS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	LS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	LS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	SS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Monte Carlo (continued)								
1985	SS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	SS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	CL	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	CL	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	SS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Landau	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Landau	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Landau	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Landau	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Landau	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Landau	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Landau	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Monte Carlo (continued)								
1978	Landau	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Sport	AK Series	Front	F4-BE3-E249-M0			F4-BE5-E250-M0	
1978	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	S	AK Series	Front	F4-BE3-E249-M0			F4-BE5-E250-M0	
1977	S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Landau	AK Series	Front	F4-BE3-E249-M0			F4-BE5-E250-M0	
1976	Landau	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	S	AK Series	Front	F4-BE3-E249-M0			F4-BE5-E250-M0	
1976	S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	S	AK Series	Front	F4-BE3-E249-M0			F4-BE5-E250-M0	
1975	S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Base	AK Series	Front	F4-BE3-E249-M0				
1974	Base	B6 (HD)	Front	24-009492				
1974	Landau	AK Series	Front	F4-BE3-E249-M0				
1974	Landau	B6 (HD)	Front	24-009492				
1973	Base	AK Series	Front	F4-BE3-E249-M0				
1973	Base	B6 (HD)	Front	24-009492				
1973	Landau	AK Series	Front	F4-BE3-E249-M0				
1973	Landau	B6 (HD)	Front	24-009492				
1973	S	AK Series	Front	F4-BE3-E249-M0				
1973	S	B6 (HD)	Front	24-009492				
Chevrolet Nova								
1974	Base	AK Series	Front	F4-BE3-E249-M0				
1974	Base	B6 (HD)	Front	24-009492		Rear	AK2071	With single leaf rear suspension
1974	Custom	AK Series	Front	F4-BE3-E249-M0				
1974	Custom	B6 (HD)	Front	24-009492				
1973	Base	AK Series	Front	F4-BE3-E249-M0				
1973	Base	B6 (HD)	Front	24-009492		Rear	AK2071	With single leaf rear suspension
1973	Custom	AK Series	Front	F4-BE3-E249-M0				



Passenger Cars

Year	Application	Series	Front			Rear		
Chevrolet Nova (continued)								
1973	Custom	B6 (HD)	Front	24-009492				
1972	Base	AK Series				Rear	F4-BE5-E250-M0	With Multi leaf rear suspension
1972	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD); With Multi leaf rear suspension
						Rear	AK2071	With single leaf rear suspension
1971	Base	AK Series				Rear	F4-BE5-E250-M0	With Multi leaf rear suspension
1971	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD); With Multi leaf rear suspension
						Rear	AK2071	With single leaf rear suspension
1970	Base	AK Series				Rear	F4-BE5-E250-M0	With Multi leaf rear suspension
1970	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD); With Multi leaf rear suspension
						Rear	AK2071	With single leaf rear suspension
1969	Base	B6 (HD)	Front	24-131506		Rear	24-009294	With Multi leaf rear suspension
						Rear	AK2071	With single leaf rear suspension
Chevrolet Two-Ten Series								
1957	Base	B6 (HD)	Front	24-186254		Rear	AK3502	
1956	Base	B6 (HD)	Front	24-186254		Rear	AK3502	
1955	Base	B6 (HD)	Front	24-186254		Rear	AK3502	
Chrysler 300								
2010	Base; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2010	C Lujo; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2010	C SRT8	B6 (HD)	Front Right	24-144773	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
2010	C SRT8; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (C)			
2010	C; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2010	Limited; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2010	RWD; S	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler 300 (continued)								
2010	RWD; Touring	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	Base; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	C Lujo; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	C SRT8	B6 (HD)	Front Right	24-144773	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
2009	C SRT8; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (C)			
2009	C; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	LX; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	Limited; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	RWD; Signature Series	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	RWD; Touring	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	Base; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	C Lujo; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	C SRT8	B6 (HD)	Front Right	24-144773	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
2008	C SRT8; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (C)			
2008	C; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler 300 (continued)								
2008	LX; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	Limited; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	RWD; Touring	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	Base; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	C Heritage Edition II; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	C Lujo; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	C SRT8	B6 (HD)	Front Right	24-144773	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
2007	C SRT8; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (C)			
2007	C; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	Limited; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	RWD; Touring	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	Base; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	C Heritage; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	C SRT8	B6 (HD)	Front Right	24-144773	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
2006	C SRT8; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (C)			



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler 300 (continued)								
2006	C; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	Limited; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	RWD; Touring	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2005	Base; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2005	C SRT8	B6 (HD)	Front Right	24-144773	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
2005	C SRT8; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (C)			
2005	C; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2005	Limited; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2005	RWD; Touring	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
Chrysler Crossfire								
2008	Limited	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2008	Limited	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2008	Limited	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2007	Base	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler Crossfire (continued)								
2007	Limited	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2007	Limited	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2007	Limited	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2006	Base	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2006	Base	B6 (HD)	Front	24-109987		Rear	24-109994	
2006	Limited	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2006	Limited	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2006	Limited	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2006	Limited	B6 (HD)	Front	24-109987		Rear	24-109994	
2006	SRT-6	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2006	SRT-6	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2006	SRT-6	B6 (HD)	Front	24-109987		Rear	24-109994	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2005	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2005	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2005	Base	B6 (HD)	Front	24-109987		Rear	24-109994	



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler Crossfire (continued)								
2005	Limited	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2005	Limited	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2005	Limited	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2005	Limited	B6 (HD)	Front	24-109987		Rear	24-109994	
2005	SRT-6	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2005	SRT-6	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2005	SRT-6	B6 (HD)	Front	24-109987		Rear	24-109994	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2004	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2004	Base	B6 (HD)	Front	24-109987		Rear	24-109994	
Chrysler PT Cruiser								
2010	Classic	B14 (PSS)	Front and Rear	47-087187				
2010	Classic	B6 (HD)				Rear	24-107815	
2010	Classic	B8 (SP)				Rear	24-107839	
2010	Couture Edition	B14 (PSS)	Front and Rear	47-087187				
2009	LX	B14 (PSS)	Front and Rear	47-087187				
2009	LX	B6 (HD)				Rear	24-107815	
2009	LX	B8 (SP)				Rear	24-107839	
2009	Limited	B14 (PSS)	Front and Rear	47-087187				
2009	Limited	B6 (HD)				Rear	24-107815	
2009	Limited	B8 (SP)				Rear	24-107839	
2009	Touring	B14 (PSS)	Front and Rear	47-087187				
2009	Touring	B6 (HD)				Rear	24-107815	
2009	Touring	B8 (SP)				Rear	24-107839	



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler PT Cruiser (continued)								
2008	Base	B14 (PSS)	Front and Rear	47-087187				
2008	Base	B6 (HD)				Rear	24-107815	
2008	Base	B8 (SP)				Rear	24-107839	
2008	LX	B14 (PSS)	Front and Rear	47-087187				
2008	LX	B6 (HD)				Rear	24-107815	
2008	LX	B8 (SP)				Rear	24-107839	
2008	Limited	B14 (PSS)	Front and Rear	47-087187				
2008	Limited	B6 (HD)				Rear	24-107815	
2008	Limited	B8 (SP)				Rear	24-107839	
2008	Touring	B14 (PSS)	Front and Rear	47-087187				
2008	Touring	B6 (HD)				Rear	24-107815	
2008	Touring	B8 (SP)				Rear	24-107839	
2007	Base	B14 (PSS)	Front and Rear	47-087187				
2007	Base	B6 (HD)				Rear	24-107815	
2007	Base	B8 (SP)				Rear	24-107839	
2007	GT	B14 (PSS)	Front and Rear	47-087187				
2007	GT	B6 (HD)				Rear	24-107815	
2007	GT	B8 (SP)				Rear	24-107839	
2007	Limited	B14 (PSS)	Front and Rear	47-087187				
2007	Limited	B6 (HD)				Rear	24-107815	
2007	Limited	B8 (SP)				Rear	24-107839	
2007	Touring	B14 (PSS)	Front and Rear	47-087187				
2007	Touring	B6 (HD)				Rear	24-107815	
2007	Touring	B8 (SP)				Rear	24-107839	
2006	Base	B14 (PSS)	Front and Rear	47-087187				
2006	Base	B6 (HD)				Rear	24-107815	
2006	Base	B8 (SP)				Rear	24-107839	
2006	GT	B14 (PSS)	Front and Rear	47-087187				
2006	GT	B6 (HD)				Rear	24-107815	
2006	GT	B8 (SP)				Rear	24-107839	
2006	Limited	B14 (PSS)	Front and Rear	47-087187				
2006	Limited	B6 (HD)				Rear	24-107815	
2006	Limited	B8 (SP)				Rear	24-107839	



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler PT Cruiser (continued)								
2006	Street Cruiser	B14 (PSS)	Front and Rear	47-087187				
2006	Street Cruiser	B6 (HD)				Rear	24-107815	
2006	Street Cruiser	B8 (SP)				Rear	24-107839	
2006	Touring	B14 (PSS)	Front and Rear	47-087187				
2006	Touring	B6 (HD)				Rear	24-107815	
2006	Touring	B8 (SP)				Rear	24-107839	
2005	Classic	B14 (PSS)	Front and Rear	47-087187				
2005	Classic	B6 (HD)				Rear	24-107815	
2005	Classic	B8 (SP)				Rear	24-107839	
2005	Dream Cruiser	B14 (PSS)	Front and Rear	47-087187				
2005	Dream Cruiser	B6 (HD)				Rear	24-107815	
2005	Dream Cruiser	B8 (SP)				Rear	24-107839	
2005	GT	B14 (PSS)	Front and Rear	47-087187				
2005	GT	B6 (HD)				Rear	24-107815	
2005	GT	B8 (SP)				Rear	24-107839	
2005	Limited	B14 (PSS)	Front and Rear	47-087187				
2005	Limited	B6 (HD)				Rear	24-107815	
2005	Limited	B8 (SP)				Rear	24-107839	
2005	Street Cruiser	B14 (PSS)	Front and Rear	47-087187				
2005	Street Cruiser	B6 (HD)				Rear	24-107815	
2005	Street Cruiser	B8 (SP)				Rear	24-107839	
2005	Touring	B14 (PSS)	Front and Rear	47-087187				
2005	Touring	B6 (HD)				Rear	24-107815	
2005	Touring	B8 (SP)				Rear	24-107839	
2004	Base	B14 (PSS)	Front and Rear	47-087187				
2004	Base	B6 (HD)				Rear	24-107815	
2004	Base	B8 (SP)				Rear	24-107839	
2004	GT	B14 (PSS)	Front and Rear	47-087187				
2004	GT	B6 (HD)				Rear	24-107815	
2004	GT	B8 (SP)				Rear	24-107839	
2004	Limited	B14 (PSS)	Front and Rear	47-087187				
2004	Limited	B6 (HD)				Rear	24-107815	
2004	Limited	B8 (SP)				Rear	24-107839	



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler PT Cruiser (continued)								
2004	Touring	B14 (PSS)	Front and Rear	47-087187				
2004	Touring	B6 (HD)				Rear	24-107815	
2004	Touring	B8 (SP)				Rear	24-107839	
2003	Base	B14 (PSS)	Front and Rear	47-087187				
2003	Base	B6 (HD)				Rear	24-107815	
2003	Base	B8 (SP)				Rear	24-107839	
2003	GT	B14 (PSS)	Front and Rear	47-087187				
2003	GT	B6 (HD)				Rear	24-107815	
2003	GT	B8 (SP)				Rear	24-107839	
2003	Limited	B14 (PSS)	Front and Rear	47-087187				
2003	Limited	B6 (HD)				Rear	24-107815	
2003	Limited	B8 (SP)				Rear	24-107839	
2003	Touring	B14 (PSS)	Front and Rear	47-087187				
2003	Touring	B6 (HD)				Rear	24-107815	
2003	Touring	B8 (SP)				Rear	24-107839	
2002	Base	B14 (PSS)	Front and Rear	47-087187				
2002	Base	B6 (HD)				Rear	24-107815	
2002	Base	B8 (SP)				Rear	24-107839	
2002	Classic	B14 (PSS)	Front and Rear	47-087187				
2002	Classic	B6 (HD)				Rear	24-107815	
2002	Classic	B8 (SP)				Rear	24-107839	
2002	Dream	B14 (PSS)	Front and Rear	47-087187				
2002	Dream	B6 (HD)				Rear	24-107815	
2002	Dream	B8 (SP)				Rear	24-107839	
2002	Limited	B14 (PSS)	Front and Rear	47-087187				
2002	Limited	B6 (HD)				Rear	24-107815	
2002	Limited	B8 (SP)				Rear	24-107839	
2002	Touring	B14 (PSS)	Front and Rear	47-087187				
2002	Touring	B6 (HD)				Rear	24-107815	
2002	Touring	B8 (SP)				Rear	24-107839	
2001	Base	B14 (PSS)	Front and Rear	47-087187				
2001	Base	B6 (HD)				Rear	24-107815	
2001	Base	B8 (SP)				Rear	24-107839	



Passenger Cars

Year	Application	Series	Front			Rear		
Chrysler PT Cruiser (continued)								
2001	Classic	B14 (PSS)	Front and Rear	47-087187				
2001	Classic	B6 (HD)				Rear	24-107815	
2001	Classic	B8 (SP)				Rear	24-107839	
2001	Limited	B14 (PSS)	Front and Rear	47-087187				
2001	Limited	B6 (HD)				Rear	24-107815	
2001	Limited	B8 (SP)				Rear	24-107839	
2001	Touring	B14 (PSS)	Front and Rear	47-087187				
2001	Touring	B6 (HD)				Rear	24-107815	
2001	Touring	B8 (SP)				Rear	24-107839	
Daewoo Lanos								
2002	S	B4				Rear	19-019956	
2002	Sport	B4				Rear	19-019956	
2001	S	B4				Rear	19-019956	
2001	Sport	B4				Rear	19-019956	
2000	S	B4				Rear	19-019956	
2000	SE	B4				Rear	19-019956	
2000	SX	B4				Rear	19-019956	
1999	S	B4				Rear	19-019956	
1999	SE	B4				Rear	19-019956	
1999	SX	B4				Rear	19-019956	
Dodge Challenger								
2012	R/T	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2012	SXT	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2011	R/T	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2011	SE	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2010	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2010	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			



Passenger Cars

Year	Application	Series	Front			Rear		
Dodge Challenger (continued)								
2010	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2010	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2009	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2008	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
Dodge Charger								
2012	R/T; RWD	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2012	RWD; SXT	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2012	SE	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2011	R/T; RWD	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2011	SE	B6 (HD)	Front Left	24-199445	Excludes Self Leveling	Rear	24-216951	Excludes Self Leveling
			Front Right	24-199452	Excludes Self Leveling			
2010	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2010	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2010	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			



Passenger Cars

Year	Application	Series	Front			Rear		
Dodge Charger (continued)								
2010	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2009	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2009	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2008	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2008	SRT8 Super Bee	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2007	Base; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			



Passenger Cars

Year	Application	Series	Front			Rear		
Dodge Charger (continued)								
2007	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2007	SRT8 Super Bee	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2006	Base; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	Daytona R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
Dodge Magnum								
2008	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2008	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2007	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			



Passenger Cars

Year	Application	Series	Front			Rear		
Dodge Magnum (continued)								
2007	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2007	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2006	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2006	SRT8	B6 (HD)	Front Left	24-144766	Setting: B6 (C)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (C)
			Front Right	24-144773	Setting: B6 (C)			
2005	R/T; RWD	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2005	RWD; SE	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2005	RWD; SXT	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
2005	RWD; SXT Special Edition	B6 (HD)	Front Left	24-144766	Setting: B6 (HD)	Rear	24-144780	If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm; Setting: B6 (HD)
			Front Right	24-144773	Setting: B6 (HD)			
Eagle Talon								
1994	AWD; TSi	B4				Rear	19-063379	
1994	DL	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1994	ES	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1994	FWD; TSi	B4				Rear	19-063362	
1994	TSi	B4	Front	F4-VNE-4780-BK				
1993	AWD; TSi	B4				Rear	19-063379	
1993	DL	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1993	ES	B4	Front	F4-VNE-4780-BK		Rear	19-063362	



Passenger Cars

Year	Application	Series	Front			Rear		
Eagle Talon (continued)								
1993	FWD; TSi	B4				Rear	19-063362	
1993	TSi	B4	Front	F4-VNE-4780-BK				
1992	AWD; TSi	B4				Rear	19-063379	
1992	Base	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1992	FWD; TSi	B4				Rear	19-063362	
1992	TSi	B4	Front	F4-VNE-4780-BK				
1991	AWD; TSi	B4				Rear	19-063379	
1991	Base	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1991	FWD; TSi	B4				Rear	19-063362	
1991	TSi	B4	Front	F4-VNE-4780-BK				
1990	AWD; TSi	B4				Rear	19-063379	
1990	Base	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1990	FWD; TSi	B4				Rear	19-063362	
1990	TSi	B4	Front	F4-VNE-4780-BK				
Fiat Grande Punto								
2008	Active	B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Active	B12 (Sportline)	Front and Rear	46-188175	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
			Front and Rear	46-188168	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Active	B8 (SP)	Front Left	35-140238		Rear	24-140256	
			Front Right	35-140245				
2008	Dynamic	B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Dynamic	B12 (Sportline)	Front and Rear	46-188175	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
			Front and Rear	46-188168	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Dynamic	B8 (SP)	Front Left	35-140238		Rear	24-140256	
			Front Right	35-140245				



Passenger Cars

Year	Application	Series	Front			Rear		
Fiat Grande Punto (continued)								
2008	Dynamic Turbo	B12 (Pro-Kit)	Front and Rear	46-188137	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Dynamic Turbo	B12 (Sportline)	Front and Rear	46-188175	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
			Front and Rear	46-188168	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Dynamic Turbo	B8 (SP)	Front Left	35-140238		Rear	24-140256	
			Front Right	35-140245				
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Sport	B12 (Sportline)	Front and Rear	46-188175	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
			Front and Rear	46-188168	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Sport	B8 (SP)	Front Left	35-140238		Rear	24-140256	
			Front Right	35-140245				
2008	Sport Turbo	B12 (Pro-Kit)	Front and Rear	46-188137	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Sport Turbo	B12 (Sportline)	Front and Rear	46-188175	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
			Front and Rear	46-188168	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Sport Turbo	B8 (SP)	Front Left	35-140238		Rear	24-140256	
			Front Right	35-140245				
2007	Dynamic	B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2007	Dynamic	B12 (Sportline)	Front and Rear	46-188175	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
			Front and Rear	46-188168	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Fiat Grande Punto (continued)								
2007	Dynamic	B8 (SP)	Front Left	35-140238		Rear	24-140256	
			Front Right	35-140245				
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2007	Sport	B12 (Sportline)	Front and Rear	46-188175	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
			Front and Rear	46-188168	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2007	Sport	B8 (SP)	Front Left	35-140238		Rear	24-140256	
			Front Right	35-140245				
Fiat Stilo								
2007	Schumacher	B12 (Pro-Kit)	Front and Rear	46-190994	Front Lowered Height: 30mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2007	Schumacher	B12 (Sportline)	Front and Rear	46-191038	Front Lowered Height: 45-50mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2007	Schumacher	B8 (SP)	Front	35-156345		Rear	24-067928	
Ford Contour								
2000	Base	B4	Front	22-045614		Rear	22-045621	
2000	LX	B4	Front	22-045614		Rear	22-045621	
2000	Power	B4	Front	22-045614		Rear	22-045621	
2000	SE	B4	Front	22-045614		Rear	22-045621	
1999	Base	B4	Front	22-045614		Rear	22-045621	
1999	LX	B4	Front	22-045614		Rear	22-045621	
1999	Power	B4	Front	22-045614		Rear	22-045621	
1999	SE	B4	Front	22-045614		Rear	22-045621	
1998	Base	B4	Front	22-045614		Rear	22-045621	
1998	GL	B4	Front	22-045614		Rear	22-045621	
1998	LX	B4	Front	22-045614		Rear	22-045621	
1998	Power	B4	Front	22-045614		Rear	22-045621	
1998	SE	B4	Front	22-045614		Rear	22-045621	
1998	Sport	B4	Front	22-045614		Rear	22-045621	
1997	Base	B4	Front	22-045614		Rear	22-045621	
1997	GL	B4	Front	22-045614		Rear	22-045621	
1997	LX	B4	Front	22-045614		Rear	22-045621	
1997	Power	B4	Front	22-045614		Rear	22-045621	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Contour (continued)								
1997	SE	B4	Front	22-045614		Rear	22-045621	
1997	Sport	B4	Front	22-045614		Rear	22-045621	
1996	Base	B4	Front	22-045614		Rear	22-045621	
1996	GL	B4	Front	22-045614		Rear	22-045621	
1996	LX	B4	Front	22-045614		Rear	22-045621	
1996	Power	B4	Front	22-045614		Rear	22-045621	
1996	SE	B4	Front	22-045614		Rear	22-045621	
1996	Sport	B4	Front	22-045614		Rear	22-045621	
1995	GL	B4	Front	22-045614		Rear	22-045621	
1995	GL Sport	B4	Front	22-045614		Rear	22-045621	
1995	LX	B4	Front	22-045614		Rear	22-045621	
1995	LX Sport	B4	Front	22-045614		Rear	22-045621	
1995	SE	B4	Front	22-045614		Rear	22-045621	
Ford Crown Victoria								
2002	Base	B6 (C)	Front	24-184731		Rear	24-184755	
2002	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
2002	LWB	B6 (C)	Front	24-184731		Rear	24-184755	
2002	LWB	B6 (HD)	Front	24-014953		Rear	24-014960	
2002	LX	B6 (C)	Front	24-184731		Rear	24-184755	
2002	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
2002	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
2002	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
2002	S	B6 (C)	Front	24-184731		Rear	24-184755	
2002	S	B6 (HD)	Front	24-014953		Rear	24-014960	
2001	Base	B6 (C)	Front	24-184731		Rear	24-184755	
2001	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
2001	LX	B6 (C)	Front	24-184731		Rear	24-184755	
2001	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
2001	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
2001	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
2001	S	B6 (C)	Front	24-184731		Rear	24-184755	
2001	S	B6 (HD)	Front	24-014953		Rear	24-014960	
2000	Base	B6 (C)	Front	24-184731		Rear	24-184755	
2000	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
2000	LX	B6 (C)	Front	24-184731		Rear	24-184755	
2000	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
2000	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
2000	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Crown Victoria (continued)								
2000	S	B6 (C)	Front	24-184731		Rear	24-184755	
2000	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1999	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1999	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1999	LX	B6 (C)	Front	24-184731		Rear	24-184755	
1999	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
1999	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
1999	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
1999	S	B6 (C)	Front	24-184731		Rear	24-184755	
1999	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1998	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1998	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1998	LX	B6 (C)	Front	24-184731		Rear	24-184755	
1998	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
1998	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
1998	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
1998	S	B6 (C)	Front	24-184731		Rear	24-184755	
1998	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1997	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1997	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1997	LX	B6 (C)	Front	24-184731		Rear	24-184755	
1997	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
1997	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
1997	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
1997	S	B6 (C)	Front	24-184731		Rear	24-184755	
1997	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1996	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1996	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1996	LX	B6 (C)	Front	24-184731		Rear	24-184755	
1996	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
1996	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
1996	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
1996	S	B6 (C)	Front	24-184731		Rear	24-184755	
1996	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1995	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1995	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1995	LX	B6 (C)	Front	24-184731		Rear	24-184755	
1995	LX	B6 (HD)	Front	24-014953		Rear	24-014960	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Crown Victoria (continued)								
1995	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
1995	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
1995	S	B6 (C)	Front	24-184731		Rear	24-184755	
1995	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1994	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1994	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1994	LX	B6 (C)	Front	24-184731		Rear	24-184755	
1994	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
1994	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
1994	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
1994	S	B6 (C)	Front	24-184731		Rear	24-184755	
1994	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1993	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1993	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1993	LX	B6 (C)	Front	24-184731		Rear	24-184755	
1993	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
1993	Police Interceptor	B6 (C)	Front	24-184731		Rear	24-184755	
1993	Police Interceptor	B6 (HD)	Front	24-014953		Rear	24-014960	
1993	S	B6 (C)	Front	24-184731		Rear	24-184755	
1993	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1992	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1992	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1992	LX	B6 (C)	Front	24-184731		Rear	24-184755	
1992	LX	B6 (HD)	Front	24-014953		Rear	24-014960	
1992	S	B6 (C)	Front	24-184731		Rear	24-184755	
1992	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1992	Touring Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1992	Touring Sedan	B6 (HD)	Front	24-014953		Rear	24-014960	
Ford Custom 500								
1977	Ranch Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Ranch Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Ranch Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
Ford Fairmont								
1983	Futura	B6 (HD)				Rear	AK2288	
1983	S	B6 (HD)				Rear	AK2288	
1982	4 Dr.; Futura; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Base	B6 (HD)				Rear	AK2288	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Fairmont (continued)								
1982	Futura	B6 (HD)				Rear	AK2288	
1981	4 Dr.; Futura; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Futura; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1981	Base	B6 (HD)				Rear	AK2288	
1981	Futura	B6 (HD)				Rear	AK2288	
1981	S	B6 (HD)				Rear	AK2288	
1980	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Futura; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	Base	B6 (HD)				Rear	AK2288	
1980	Futura	B6 (HD)				Rear	AK2288	
1979	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1979	Base	B6 (HD)				Rear	AK2288	
1979	Futura	B6 (HD)				Rear	AK2288	
1978	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1978	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1978	Base	B6 (HD)				Rear	AK2288	
1978	Futura	B6 (HD)				Rear	AK2288	
Ford Fiesta								
2012	Hatchback; SE	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2012	SES	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2011	Hatchback; SE	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2011	SES	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2010	First	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2010	First	B4	Front Right	22-111777				
			Front Left	22-111760				
2010	Trend Comfort	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2010	Trend Comfort	B4	Front Right	22-111777				
			Front Left	22-111760				



Passenger Cars

Year	Application	Series	Front			Rear
Ford Fiesta (continued)						
2009	First	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2009	First	B4	Front Right	22-111777		
			Front Left	22-111760		
2009	Trend Comfort	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2009	Trend Comfort	B4	Front Right	22-111777		
			Front Left	22-111760		
2008	First	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2008	First	B4	Front Right	22-111777		
			Front Left	22-111760		
2008	ST	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2008	ST	B4	Front Right	22-111777		
			Front Left	22-111760		
2008	Trend Comfort	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2008	Trend Comfort	B4	Front Right	22-111777		
			Front Left	22-111760		
2007	FX	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2007	FX	B4	Front Right	22-111777		
			Front Left	22-111760		
2007	First	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2007	First	B4	Front Right	22-111777		
			Front Left	22-111760		
2007	Trend	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2007	Trend	B4	Front Right	22-111777		
			Front Left	22-111760		
2007	Trend Comfort	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2007	Trend Comfort	B4	Front Right	22-111777		
			Front Left	22-111760		



Passenger Cars

Year	Application	Series	Front			Rear
Ford Fiesta (continued)						
2006	FX	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2006	FX	B4	Front Right	22-111777		
			Front Left	22-111760		
2006	First	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2006	First	B4	Front Right	22-111777		
			Front Left	22-111760		
2006	Premium	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2006	Premium	B4	Front Right	22-111777		
			Front Left	22-111760		
2006	Trend	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2006	Trend	B4	Front Right	22-111777		
			Front Left	22-111760		
2006	Trend Comfort	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2006	Trend Comfort	B4	Front Right	22-111777		
			Front Left	22-111760		
2005	First	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2005	First	B4	Front Right	22-111777		
			Front Left	22-111760		
2005	Trend	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2005	Trend	B4	Front Right	22-111777		
			Front Left	22-111760		
2005	Trend Comfort	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2005	Trend Comfort	B4	Front Right	22-111777		
			Front Left	22-111760		
2004	First	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load	
2004	First	B4	Front Right	22-111777		
			Front Left	22-111760		



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Fiesta (continued)								
2004	Trend	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2004	Trend	B4	Front Right	22-111777				
			Front Left	22-111760				
2003	First	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2003	First	B4	Front Right	22-111777				
			Front Left	22-111760				
2003	Trend	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2003	Trend	B4	Front Right	22-111777				
			Front Left	22-111760				
2003	Trend Comfort	B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2003	Trend Comfort	B4	Front Right	22-111777				
			Front Left	22-111760				
Ford Focus								
2013	Electric	B6 (HD)	Front Left	29-196500	Standard Chassis			
			Front Right	29-196517	Standard Chassis			
2013	S	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2013	SE	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2013	ST	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2013	Titanium	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2012	Electric	B6 (HD)	Front Left	29-196500	Standard Chassis			
			Front Right	29-196517	Standard Chassis			
2012	S	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2012	S	B8 (SP)				Rear	24-196550	
2012	SE	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2012	SE	B8 (SP)				Rear	24-196550	
2012	SEL	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2012	SEL	B8 (SP)				Rear	24-196550	
2012	Titanium	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2012	Titanium	B8 (SP)				Rear	24-196550	
2011	S	B4				Rear	19-065878	
2011	S	B8 (SP)				Rear	24-066662	
2011	SE	B4				Rear	19-065878	
2011	SEL	B4				Rear	19-065878	
2011	SEL	B8 (SP)				Rear	24-066662	
2011	SES	B4				Rear	19-065878	
2010	Ambiente	B8 (SP)				Rear	24-066662	
2010	S	B4				Rear	19-065878	
2010	S	B8 (SP)				Rear	24-066662	
2010	SE	B4				Rear	19-065878	
2010	SEL	B4				Rear	19-065878	
2010	SEL	B8 (SP)				Rear	24-066662	
2010	SES	B4				Rear	19-065878	
2010	ST	B8 (SP)				Rear	24-066662	
2010	Sport	B8 (SP)				Rear	24-066662	
2009	Ambiente	B8 (SP)				Rear	24-066662	
2009	S	B4				Rear	19-065878	
2009	S	B8 (SP)				Rear	24-066662	
2009	SE	B4				Rear	19-065878	
2009	SEL	B4				Rear	19-065878	
2009	SEL	B8 (SP)				Rear	24-066662	
2009	SES	B4				Rear	19-065878	
2009	ST	B8 (SP)				Rear	24-066662	
2009	Sport	B8 (SP)				Rear	24-066662	
2008	Ambiente	B8 (SP)				Rear	24-066662	
2008	S	B4				Rear	19-065878	
2008	S	B8 (SP)				Rear	24-066662	
2008	SE	B4				Rear	19-065878	
2008	SES	B4				Rear	19-065878	
2008	ST	B8 (SP)				Rear	24-066662	
2008	Sport	B8 (SP)				Rear	24-066662	
2007	3 Dr.; Hatchback; SE	B4				Rear	19-065878	
2007	3 Dr.; Hatchback; SES	B4				Rear	19-065878	
2007	4 Dr.; SE; Sedan	B4				Rear	19-065878	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2007	4 Dr.; SES; Sedan	B4				Rear	19-065878	
2007	5 Dr.; Hatchback; SE	B4				Rear	19-065878	
2007	5 Dr.; Hatchback; SES	B4				Rear	19-065878	
2007	Ambiente	B8 (SP)				Rear	24-066662	
2007	Hatchback; SE	B8 (SP)				Rear	24-066662	
2007	Hatchback; SES	B8 (SP)				Rear	24-066662	
2007	LX Austero	B8 (SP)				Rear	24-066662	
2007	S	B4				Rear	19-065878	
2007	S	B8 (SP)				Rear	24-066662	
2007	SE Tipico	B8 (SP)				Rear	24-066662	
2007	SE; Sedan	B8 (SP)				Rear	24-066662	
2007	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007	SE; Wagon	B4				Rear	19-065885	
2007	SES; Sedan	B8 (SP)				Rear	24-066662	
2007	SES; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007	SES; Wagon	B4				Rear	19-065885	
2007	ST	B4				Rear	19-065878	
2007	ST	B8 (SP)				Rear	24-066662	
2007	Sport	B8 (SP)				Rear	24-066662	
2006	LX Austero	B8 (SP)				Rear	24-066662	
2006	SE Tipico	B8 (SP)				Rear	24-066662	
2006	ZX3	B4				Rear	19-065878	
2006	ZX3	B8 (SP)				Rear	24-066662	
2006	ZX4	B4				Rear	19-065878	
2006	ZX4	B8 (SP)				Rear	24-066662	
2006	ZX4 ST	B4				Rear	19-065878	
2006	ZX4 ST	B8 (SP)				Rear	24-066662	
2006	ZX5	B4				Rear	19-065878	
2006	ZX5	B8 (SP)				Rear	24-066662	
2006	ZXW	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2006	ZXW	B4				Rear	19-065885	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2005	LX Austero	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2005	LX Austero	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2005	LX Austero	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2005	SE Tipico	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2005	SE Tipico	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2005	SE Tipico	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2005	ZX3	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2005	ZX3	B16 (PSS9)	Front and Rear	48-080460				
2005	ZX3	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2005	ZX3	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2005	ZX3	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2005	ZX4	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2005	ZX4	B16 (PSS9)	Front and Rear	48-080460				
2005	ZX4	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2005	ZX4	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2005	ZX4	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2005	ZX4 ST	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2005	ZX4 ST	B16 (PSS9)	Front and Rear	48-080460				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2005	ZX4 ST	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2005	ZX4 ST	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2005	ZX4 ST	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2005	ZX5	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2005	ZX5	B16 (PSS9)	Front and Rear	48-080460				
2005	ZX5	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2005	ZX5	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2005	ZX5	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2005	ZXW	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2005	ZXW	B16 (PSS9)	Front and Rear	48-080453				
2005	ZXW	B4	Front Right	22-051219		Rear	19-065885	
			Front Left	22-051226				
2005	ZXW	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2005	ZXW	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2004	4 Dr.; SE; Sedan	B16 (PSS9)	Front and Rear	48-080460				
2004	4 Dr.; SE; Sedan	B4				Rear	19-065878	
2004	4 Dr.; SE; Wagon	B16 (PSS9)	Front and Rear	48-080453				
2004	High	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004	High	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2004	High	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2004	LX	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004	LX	B16 (PSS9)	Front and Rear	48-080460				
2004	LX	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2004	LX	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2004	LX	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2004	Mid	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004	Mid	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2004	Mid	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2004	SE	B4	Front Right	22-051219				
			Front Left	22-051226				
2004	SE	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2004	SE	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2004	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004	SE; Sedan	B8 (SP)				Rear	24-066662	
2004	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2004	SE; Wagon	B4				Rear	19-065885	
2004	SVT	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004	SVT	B16 (PSS9)	Front and Rear	48-080460				
2004	SVT	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2004	SVT	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2004	SVT	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2004	ZTS	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004	ZTS	B16 (PSS9)	Front and Rear	48-080460				
2004	ZTS	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2004	ZTS	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2004	ZTS	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2004	ZTW	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2004	ZTW	B16 (PSS9)	Front and Rear	48-080453				
2004	ZTW	B4	Front Right	22-051219		Rear	19-065885	
			Front Left	22-051226				
2004	ZTW	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2004	ZTW	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2004	ZX3	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004	ZX3	B16 (PSS9)	Front and Rear	48-080460				
2004	ZX3	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2004	ZX3	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2004	ZX3	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2004	ZX5	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004	ZX5	B16 (PSS9)	Front and Rear	48-080460				
2004	ZX5	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2004	ZX5	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2004	ZX5	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2003	4 Dr.; SE; Sedan	B16 (PSS9)	Front and Rear	48-080460				
2003	4 Dr.; SE; Sedan	B4				Rear	19-065878	
2003	4 Dr.; SE; Wagon	B16 (PSS9)	Front and Rear	48-080453				
2003	High	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2003	High	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	High	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2003	LX	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2003	LX	B16 (PSS9)	Front and Rear	48-080460				
2003	LX	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2003	LX	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	LX	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2003	Mid	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2003	Mid	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	Mid	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2003	SE	B4	Front Right	22-051219				
			Front Left	22-051226				
2003	SE	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	SE	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2003	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2003	SE; Sedan	B8 (SP)				Rear	24-066662	
2003	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2003	SE; Wagon	B4				Rear	19-065885	
2003	SVT	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2003	SVT	B16 (PSS9)	Front and Rear	48-080460				
2003	SVT	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2003	SVT	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	SVT	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2003	ZTS	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2003	ZTS	B16 (PSS9)	Front and Rear	48-080460				
2003	ZTS	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2003	ZTS	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	ZTS	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2003	ZTW	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2003	ZTW	B16 (PSS9)	Front and Rear	48-080453				
2003	ZTW	B4	Front Right	22-051219		Rear	19-065885	
			Front Left	22-051226				
2003	ZTW	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	ZTW	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2003	ZX3	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2003	ZX3	B16 (PSS9)	Front and Rear	48-080460				
2003	ZX3	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2003	ZX3	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	ZX3	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2003	ZX5	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2003	ZX5	B16 (PSS9)	Front and Rear	48-080460				
2003	ZX5	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2003	ZX5	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2003	ZX5	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2002	4 Dr.; S2; Sedan	B16 (PSS9)	Front and Rear	48-080460				
2002	4 Dr.; S2; Sedan	B4				Rear	19-065878	
2002	4 Dr.; S2; Wagon	B16 (PSS9)	Front and Rear	48-080453				
2002	4 Dr.; SE; Sedan	B16 (PSS9)	Front and Rear	48-080460				
2002	4 Dr.; SE; Sedan	B4				Rear	19-065878	
2002	4 Dr.; SE; Wagon	B16 (PSS9)	Front and Rear	48-080453				
2002	Base	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	Base	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	Base	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2002	LX	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2002	LX	B16 (PSS9)	Front and Rear	48-080460				
2002	LX	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2002	LX	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	LX	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2002	Manual	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	Manual	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	Manual	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2002	S2	B4	Front Right	22-051219				
			Front Left	22-051226				
2002	S2	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	S2	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2002	S2; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	S2; Sedan	B8 (SP)				Rear	24-066662	
2002	S2; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2002	S2; Wagon	B4				Rear	19-065885	
2002	SE	B4	Front Right	22-051219				
			Front Left	22-051226				
2002	SE	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	SE	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2002	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	SE; Sedan	B8 (SP)				Rear	24-066662	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2002	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2002	SE; Wagon	B4				Rear	19-065885	
2002	SVT	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	SVT	B16 (PSS9)	Front and Rear	48-080460				
2002	SVT	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2002	SVT	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	SVT	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2002	Street	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	Street	B16 (PSS9)	Front and Rear	48-080460				
2002	Street	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2002	Street	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	Street	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2002	ZTS	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	ZTS	B16 (PSS9)	Front and Rear	48-080460				
2002	ZTS	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2002	ZTS	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	ZTS	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2002	ZTW	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2002	ZTW	B16 (PSS9)	Front and Rear	48-080453				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2002	ZTW	B4	Front Right	22-051219		Rear	19-065885	
			Front Left	22-051226				
2002	ZTW	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	ZTW	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2002	ZX3	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	ZX3	B16 (PSS9)	Front and Rear	48-080460				
2002	ZX3	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2002	ZX3	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	ZX3	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2002	ZX5	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	ZX5	B16 (PSS9)	Front and Rear	48-080460				
2002	ZX5	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2002	ZX5	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2002	ZX5	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2001	4 Dr.; S2; Sedan	B16 (PSS9)	Front and Rear	48-080460				
2001	4 Dr.; S2; Sedan	B4				Rear	19-065878	
2001	4 Dr.; S2; Wagon	B16 (PSS9)	Front and Rear	48-080453				
2001	4 Dr.; SE; Sedan	B16 (PSS9)	Front and Rear	48-080460				
2001	4 Dr.; SE; Sedan	B4				Rear	19-065878	
2001	4 Dr.; SE; Wagon	B16 (PSS9)	Front and Rear	48-080453				
2001	4 Dr.; Sedan; Street	B16 (PSS9)	Front and Rear	48-080460				
2001	4 Dr.; Sedan; Street	B4				Rear	19-065878	
2001	4 Dr.; Street; Wagon	B16 (PSS9)	Front and Rear	48-080453				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2001	LX	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2001	LX	B16 (PSS9)	Front and Rear	48-080460				
2001	LX	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2001	LX	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2001	LX	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2001	S2	B4	Front Right	22-051219				
			Front Left	22-051226				
2001	S2	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2001	S2	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2001	S2; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2001	S2; Sedan	B8 (SP)				Rear	24-066662	
2001	S2; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2001	S2; Wagon	B4				Rear	19-065885	
2001	SE	B4	Front Right	22-051219				
			Front Left	22-051226				
2001	SE	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2001	SE	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2001	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2001	SE; Sedan	B8 (SP)				Rear	24-066662	
2001	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2001	SE; Wagon	B4				Rear	19-065885	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2001	Sedan; Street	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2001	Sedan; Street	B8 (SP)				Rear	24-066662	
2001	Street	B4	Front Right	22-051219				
			Front Left	22-051226				
2001	Street	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2001	Street	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2001	Street; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2001	Street; Wagon	B4				Rear	19-065885	
2001	ZTS	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2001	ZTS	B16 (PSS9)	Front and Rear	48-080460				
2001	ZTS	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2001	ZTS	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2001	ZTS	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2001	ZX3	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2001	ZX3	B16 (PSS9)	Front and Rear	48-080460				
2001	ZX3	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2001	ZX3	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2001	ZX3	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2000	4 Dr.; SE; Sedan	B16 (PSS9)	Front and Rear	48-080460				
2000	4 Dr.; SE; Sedan	B4				Rear	19-065878	
2000	4 Dr.; SE; Wagon	B16 (PSS9)	Front and Rear	48-080453				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2000	LX	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2000	LX	B16 (PSS9)	Front and Rear	48-080460				
2000	LX	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2000	LX	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2000	LX	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2000	SE	B4	Front Right	22-051219				
			Front Left	22-051226				
2000	SE	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2000	SE	B8 (SP)	Front Left	35-051411				
			Front Right	35-051428				
2000	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2000	SE; Sedan	B8 (SP)				Rear	24-066662	
2000	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2000	SE; Wagon	B4				Rear	19-065885	
2000	Sony Limited Edition	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2000	Sony Limited Edition	B16 (PSS9)	Front and Rear	48-080460				
2000	Sony Limited Edition	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2000	Sony Limited Edition	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2000	Sony Limited Edition	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2000	ZTS	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2000	ZTS	B16 (PSS9)	Front and Rear	48-080460				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Focus (continued)								
2000	ZTS	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2000	ZTS	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2000	ZTS	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
2000	ZX3	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2000	ZX3	B16 (PSS9)	Front and Rear	48-080460				
2000	ZX3	B4	Front Right	22-051219		Rear	19-065878	
			Front Left	22-051226				
2000	ZX3	B6 (HD)	Front Left	35-051398				
			Front Right	35-051404				
2000	ZX3	B8 (SP)	Front Left	35-051411		Rear	24-066662	
			Front Right	35-051428				
Ford Fusion								
2011	FWD; SEL	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2011	FWD; Sport	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2011	Hybrid	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2011	S	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2011	SE	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2010	FWD; SEL	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2010	FWD; Sport	B6 (HD)	Front Right	24-102575		Rear	24-102582	
2010	Hybrid	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2010	S	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2010	SE	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2009	FWD; SE	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Fusion (continued)								
2009	FWD; SEL	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2009	S	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2008	FWD; SE	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2008	FWD; SEL	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2008	S	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2007	FWD; SE	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2007	FWD; SEL	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2007	S	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2006	S	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2006	SE	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2006	SEL	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
Ford Gran Torino								
1976	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1975	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Squire	B6 (C)	Front	24-184731		Rear	24-184755	
Ford Granada								
1982	4 Dr.; GL; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; GL; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; GLX; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; L; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; L; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982	GL	B6 (HD)				Rear	AK2288	
1982	GLX	B6 (HD)				Rear	AK2288	
1982	L	B6 (HD)				Rear	AK2288	
1981	4 Dr.; GL; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Granada (continued)								
1981	4 Dr.; GLX; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; L; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	GL	B6 (HD)				Rear	AK2288	
1981	GLX	B6 (HD)				Rear	AK2288	
1981	L	B6 (HD)				Rear	AK2288	
1980	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Leaf Rear Springs	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; ESS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Leaf Rear Springs	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; ESS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1978	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Leaf Rear Springs	B6 (C)	Front	24-184731		Rear	24-184755	
1978	4 Dr.; ESS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1978	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1977	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Leaf Rear Springs	B6 (C)	Front	24-184731		Rear	24-184755	
1977	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
Ford LTD								
1986	Base	B6 (HD)				Rear	AK2288	
1986	Brougham	B6 (HD)				Rear	AK2288	
1986	Country Squire	B6 (HD)				Rear	AK2288	
1986	Country Squire LX	B6 (HD)				Rear	AK2288	
1985	Base	B6 (HD)				Rear	AK2288	
1985	Brougham	B6 (HD)				Rear	AK2288	
1985	Country Squire	B6 (HD)				Rear	AK2288	
1985	LX Brougham	B6 (HD)				Rear	AK2288	
1984	Base	B6 (HD)				Rear	AK2288	
1984	Brougham	B6 (HD)				Rear	AK2288	
1984	Country Squire	B6 (HD)				Rear	AK2288	
1984	Crown Victoria	B6 (HD)				Rear	AK2288	
1983	Base	B6 (HD)				Rear	AK2288	
1983	Brougham	B6 (HD)				Rear	AK2288	
1983	Country Squire	B6 (HD)				Rear	AK2288	
1983	Crown Victoria	B6 (HD)				Rear	AK2288	
1982	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford LTD (continued)								
1982	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; Crown Victoria; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1982	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Country Squire	B6 (HD)	Front	24-014953		Rear	24-014960	
1982	S	B6 (C)	Front	24-184731		Rear	24-184755	
1982	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1981	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Crown Victoria; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1981	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1981	Country Squire	B6 (HD)	Front	24-014953		Rear	24-014960	
1981	S	B6 (C)	Front	24-184731		Rear	24-184755	
1981	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1980	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Crown Victoria; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; S; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; S; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1980	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1980	Country Squire	B6 (HD)	Front	24-014953		Rear	24-014960	
1980	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1979	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Landau; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1979	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1979	Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
1978	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1978	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1978	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1978	Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
1977	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1977	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1977	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford LTD (continued)								
1977	Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
1976	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1976	Brougham	B6 (HD)	Front	24-014953		Rear	24-014960	
1976	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
1975	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1975	Brougham	B6 (HD)	Front	24-014953		Rear	24-014960	
1975	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
Ford LTD Crown Victoria								
1991	Base	B6 (C)				Rear	24-184755	
1991	LX	B6 (C)				Rear	24-184755	
1991	S	B6 (C)				Rear	24-184755	
1990	Base	B6 (C)				Rear	24-184755	
1990	LX	B6 (C)				Rear	24-184755	
1990	S	B6 (C)				Rear	24-184755	
1989	Base	B6 (C)				Rear	24-184755	
1989	LX	B6 (C)				Rear	24-184755	
1989	S	B6 (C)				Rear	24-184755	
1988	Base	B6 (C)				Rear	24-184755	
1988	LX	B6 (C)				Rear	24-184755	
1988	S	B6 (C)				Rear	24-184755	
1987	Base	B6 (C)				Rear	24-184755	
1987	LX	B6 (C)				Rear	24-184755	
1987	S	B6 (C)				Rear	24-184755	
Ford LTD II								
1979	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1979	Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
1979	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1978	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1978	Brougham	B6 (HD)	Front	24-014953		Rear	24-014960	
1978	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1977	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1977	4 Dr.; S; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1977	Base	B6 (HD)	Front	24-014953		Rear	24-014960	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford LTD II (continued)								
1977	Brougham	B6 (HD)	Front	24-014953		Rear	24-014960	
1977	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1977	Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1977	Squire	B6 (HD)	Front	24-014953		Rear	24-014960	
Ford Maverick								
1977	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Leaf Rear Springs	B6 (C)	Front	24-184731		Rear	24-184755	
Ford Mustang								
2013	Base	B12 (Pro-Kit)	Front and Rear	46-212689	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2013	Base	B6 (HD)	Front	35-212676		Rear	24-122245	
2013	Boss 302	B12 (Pro-Kit)	Front and Rear	46-212689	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2013	Boss 302	B6 (HD)	Front	35-212676		Rear	24-122245	
2013	GT	B12 (Pro-Kit)	Front and Rear	46-212689	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2013	GT	B6 (HD)	Front	35-212676		Rear	24-122245	
2013	Shelby GT500	B12 (Pro-Kit)	Front and Rear	F4-SE5- F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2013	Shelby GT500	B6 (HD)	Front	35-128717		Rear	24-122245	
2012	Base	B12 (Pro-Kit)	Front and Rear	46-212689	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2012	Base	B6 (HD)	Front	35-212676		Rear	24-122245	
2012	Boss 302	B12 (Pro-Kit)	Front and Rear	46-212689	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2012	Boss 302	B6 (HD)	Front	35-212676		Rear	24-122245	
2012	GT	B12 (Pro-Kit)	Front and Rear	46-212689	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2012	GT	B6 (HD)	Front	35-212676		Rear	24-122245	
2012	Shelby GT500	B12 (Pro-Kit)	Front and Rear	F4-SE5- F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2012	Shelby GT500	B6 (HD)	Front	35-128717		Rear	24-122245	
2011	Base	B12 (Pro-Kit)	Front and Rear	46-212689	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2011	Base	B6 (HD)	Front	35-212676		Rear	24-122245	
2011	GT	B12 (Pro-Kit)	Front and Rear	46-212689	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2011	GT	B6 (HD)	Front	35-212676		Rear	24-122245	
2011	Shelby GT500	B12 (Pro-Kit)	Front and Rear	F4-SE5- F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2011	Shelby GT500	B6 (HD)	Front	35-128717		Rear	24-122245	
2010	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5- F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2010	Base	B6 (HD)	Front	35-128717		Rear	24-122245	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
2010	GT	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2010	GT	B6 (HD)	Front	35-128717		Rear	24-122245	
2010	Shelby	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2010	Shelby	B6 (HD)	Front	35-128717		Rear	24-122245	
2010	Shelby GT500	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2010	Shelby GT500	B6 (HD)	Front	35-128717		Rear	24-122245	
2009	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2009	Base	B6 (HD)	Front	35-128717		Rear	24-122245	
2009	Bullitt	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2009	Bullitt	B6 (HD)	Front	35-128717		Rear	24-122245	
2009	GT	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2009	GT	B6 (HD)	Front	35-128717		Rear	24-122245	
2009	GT Equipado	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2009	GT Equipado	B6 (HD)	Front	35-128717		Rear	24-122245	
2009	Lujo	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2009	Lujo	B6 (HD)	Front	35-128717		Rear	24-122245	
2009	Shelby	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2009	Shelby	B6 (HD)	Front	35-128717		Rear	24-122245	
2009	Shelby GT500	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2009	Shelby GT500	B6 (HD)	Front	35-128717		Rear	24-122245	
2009	Shelby GT500KR	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2009	Shelby GT500KR	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	Base	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	Bullitt	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	Bullitt	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	GT	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	GT	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	GT Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	GT Base	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	GT Equipado	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
2008	GT Equipado	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	Lujo	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	Lujo	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	Shelby	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	Shelby	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	Shelby GT	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	Shelby GT	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	Shelby GT500	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	Shelby GT500	B6 (HD)	Front	35-128717		Rear	24-122245	
2008	Shelby GT500KR	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2008	Shelby GT500KR	B6 (HD)	Front	35-128717		Rear	24-122245	
2007	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2007	Base	B6 (HD)	Front	35-128717		Rear	24-122245	
2007	GT	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2007	GT	B6 (HD)	Front	35-128717		Rear	24-122245	
2007	GT Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2007	GT Base	B6 (HD)	Front	35-128717		Rear	24-122245	
2007	GT Equipado	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2007	GT Equipado	B6 (HD)	Front	35-128717		Rear	24-122245	
2007	Lujo	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2007	Lujo	B6 (HD)	Front	35-128717		Rear	24-122245	
2007	Shelby GT	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2007	Shelby GT	B6 (HD)	Front	35-128717		Rear	24-122245	
2007	Shelby GT500	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2007	Shelby GT500	B6 (HD)	Front	35-128717		Rear	24-122245	
2006	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2006	Base	B6 (HD)	Front	35-128717		Rear	24-122245	
2006	GT	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2006	GT	B6 (HD)	Front	35-128717		Rear	24-122245	
2006	GT Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2006	GT Base	B6 (HD)	Front	35-128717		Rear	24-122245	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
2006	GT Equipado	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2006	GT Equipado	B6 (HD)	Front	35-128717		Rear	24-122245	
2005	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2005	Base	B6 (HD)	Front	35-128717		Rear	24-122245	
2005	GT	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2005	GT	B6 (HD)	Front	35-128717		Rear	24-122245	
2005	GT Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2005	GT Base	B6 (HD)	Front	35-128717		Rear	24-122245	
2005	GT Equipado	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2005	GT Equipado	B6 (HD)	Front	35-128717		Rear	24-122245	
2004	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Convertible; GT Base	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Convertible; GT Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Coupe; GT Base	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Coupe; GT Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004	GT Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004	GT Equipado	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004	Mach I	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Mach I	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004	SVT Cobra	B12 (Pro-Kit)	Front and Rear	BTS-7507	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2004	SVT Cobra	B6 (HD)	Front	35-041382		Rear	24-185356	
2004	SVT Cobra	B8 (SP)	Front	35-045939		Rear	24-185974	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
2003	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2003	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2003	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2003	Convertible; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2003	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2003	Coupe; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2003	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2003	Equipado	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2003	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2003	Mach I	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2003	Mach I	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2003	SVT Cobra	B12 (Pro-Kit)	Front and Rear	BTS-7507	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2003	SVT Cobra	B6 (HD)	Front	35-041382		Rear	24-185356	
2003	SVT Cobra	B8 (SP)	Front	35-045939		Rear	24-185974	
2003	SVT Cobra 10th Anniversary	B12 (Pro-Kit)	Front and Rear	BTS-7507	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2003	SVT Cobra 10th Anniversary	B6 (HD)	Front	35-041382		Rear	24-185356	
2003	SVT Cobra 10th Anniversary	B8 (SP)	Front	35-045939		Rear	24-185974	
2002	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2002	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2002	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2002	Convertible; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2002	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2002	Coupe; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2002	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2002	Equipado	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
2002	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2001	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2001	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2001	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2001	Convertible; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2001	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2001	Coupe; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2001	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2001	Equipado	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2001	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2001	GT Bullitt	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2001	GT Bullitt	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2001	SVT Cobra	B12 (Pro-Kit)	Front and Rear	BTS-7507	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2001	SVT Cobra	B6 (HD)	Front	35-041382		Rear	24-185356	
2001	SVT Cobra	B8 (SP)	Front	35-045939		Rear	24-185974	
2000	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2000	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2000	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2000	Convertible; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2000	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2000	Coupe; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2000	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2000	Equipado	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2000	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
2000	SVT Cobra R	B12 (Pro-Kit)	Front and Rear	BTS-7507	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2000	SVT Cobra R	B6 (HD)	Front	35-041382		Rear	24-185356	
2000	SVT Cobra R	B8 (SP)	Front	35-045939		Rear	24-185974	
1999	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1999	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1999	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1999	Convertible; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1999	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1999	Coupe; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1999	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1999	Equipado	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1999	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1999	SVT Cobra	B12 (Pro-Kit)	Front and Rear	BTS-7507	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1999	SVT Cobra	B6 (HD)	Front	35-041382		Rear	24-185356	
1999	SVT Cobra	B8 (SP)	Front	35-045939		Rear	24-185974	
1998	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1998	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Convertible; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Convertible; Semi-Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Coupe; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Coupe; Semi-Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Equipado	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
1998	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1998	SVT Cobra	B6 (HD)	Front	35-041382				
1998	Semi-Equipado	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1997	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1997	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1997	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1997	Cobra	B6 (HD)	Front	35-041382				
1997	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1997	Convertible; High	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1997	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1997	Coupe; High	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1997	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1997	High	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1997	SVT Cobra	B6 (HD)	Front	35-041382				
1996	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1996	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1996	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1996	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1996	Convertible; High	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1996	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1996	Coupe; High	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1996	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1996	High	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1996	SVT Cobra	B6 (HD)	Front	35-041382				



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
1995	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1995	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1995	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1995	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1995	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1995	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1995	GTS	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1995	GTS	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1995	SVT Cobra	B6 (HD)	Front	35-041382				
1995	SVT Cobra R	B6 (HD)	Front	35-041382				
1994	Base	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1994	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1994	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1994	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1994	Coupe; GT	B12 (Pro-Kit)	Front and Rear	BTS-7503	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1994	GT	B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
1994	SVT Cobra	B6 (HD)	Front	35-041382				
1993	2.3L L4 140 CID; LX	B6 (HD)				Rear	AK2288	
1993	5.0L V8 302 CID; Convertible; LX	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1993	5.0L V8 302 CID; Hatchback; LX	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1993	5.0L V8 302 CID; LX	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1993	5.0L V8 302 CID; LX; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1993	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1993	GT	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1993	GT; Hatchback	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
1993	SVT Cobra	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1993	SVT Cobra R	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1992	2.3L L4 140 CID; LX	B6 (HD)				Rear	AK2288	
1992	5.0L V8 302 CID; Convertible; LX	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1992	5.0L V8 302 CID; Hatchback; LX	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1992	5.0L V8 302 CID; LX	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1992	5.0L V8 302 CID; LX; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1992	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1992	GT	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1992	GT; Hatchback	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1991	2.3L L4 140 CID; LX	B6 (HD)				Rear	AK2288	
1991	5.0L V8 302 CID; Convertible; LX	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1991	5.0L V8 302 CID; Hatchback; LX	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1991	5.0L V8 302 CID; LX	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1991	5.0L V8 302 CID; LX; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1991	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1991	GT	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1991	GT; Hatchback	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1990	2.3L L4 140 CID; LX	B6 (HD)				Rear	AK2288	
1990	5.0L V8 302 CID; Convertible; LX	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1990	5.0L V8 302 CID; Hatchback; LX	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1990	5.0L V8 302 CID; LX	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1990	5.0L V8 302 CID; LX; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1990	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
1990	GT	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1990	GT; Hatchback	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1989	2.3L L4 140 CID; LX	B6 (HD)				Rear	AK2288	
1989	5.0L V8 302 CID; Convertible; LX	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1989	5.0L V8 302 CID; Hatchback; LX	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1989	5.0L V8 302 CID; LX	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1989	5.0L V8 302 CID; LX; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1989	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1989	GT	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1989	GT; Hatchback	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1988	2.3L L4 140 CID; LX	B6 (HD)				Rear	AK2288	
1988	5.0L V8 302 CID; Convertible; LX	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1988	5.0L V8 302 CID; Hatchback; LX	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1988	5.0L V8 302 CID; LX	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1988	5.0L V8 302 CID; LX; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1988	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1988	GT	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1988	GT; Hatchback	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1987	2.3L L4 140 CID; LX	B6 (HD)				Rear	AK2288	
1987	5.0L V8 302 CID; Convertible; LX	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1987	5.0L V8 302 CID; Hatchback; LX	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1987	5.0L V8 302 CID; LX	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1987	5.0L V8 302 CID; LX; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1987	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1987	GT	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Mustang (continued)								
1987	GT; Hatchback	B12 (Pro-Kit)	Front and Rear	BTS-7505	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1986	GT	B6 (HD)				Rear	AK2288	
1986	LX	B6 (HD)				Rear	AK2288	
1985	GT	B6 (HD)				Rear	AK2288	
1985	LX	B6 (HD)				Rear	AK2288	
1984	GT	B6 (HD)				Rear	AK2288	
1984	GT-350 20th Anniversary	B6 (HD)				Rear	AK2288	
1984	L	B6 (HD)				Rear	AK2288	
1984	LX	B6 (HD)				Rear	AK2288	
1983	GL	B6 (HD)				Rear	AK2288	
1983	GLX	B6 (HD)				Rear	AK2288	
1983	GT	B6 (HD)				Rear	AK2288	
1983	L	B6 (HD)				Rear	AK2288	
1983	Turbo GT	B6 (HD)				Rear	AK2288	
1982	Base	B6 (HD)				Rear	AK2288	
1982	GL	B6 (HD)				Rear	AK2288	
1982	GLX	B6 (HD)				Rear	AK2288	
1982	GT	B6 (HD)				Rear	AK2288	
1982	Ghia	B6 (HD)				Rear	AK2288	
1982	L	B6 (HD)				Rear	AK2288	
1981	Base	B6 (HD)				Rear	AK2288	
1981	Cobra	B6 (HD)				Rear	AK2288	
1981	Ghia	B6 (HD)				Rear	AK2288	
1980	Base	B6 (HD)				Rear	AK2288	
1980	Ghia	B6 (HD)				Rear	AK2288	
1979	Base	B6 (HD)				Rear	AK2288	
1979	Ghia	B6 (HD)				Rear	AK2288	
Ford Mustang II								
1978	Base	B6 (HD)	Front	24-185035				
1978	Ghia	B6 (HD)	Front	24-185035				
1978	Mach I	B6 (HD)	Front	24-185035				
1977	Base	B6 (HD)	Front	24-185035				
1977	Ghia	B6 (HD)	Front	24-185035				
1977	Mach I	B6 (HD)	Front	24-185035				
1976	Base	B6 (HD)	Front	24-185035				
1976	Ghia	B6 (HD)	Front	24-185035				
1976	Mach I	B6 (HD)	Front	24-185035				



Passenger Cars

Year	Application	Series	Front			Rear	
Ford Mustang II (continued)							
1975	Base	B6 (HD)	Front	24-185035			
1975	Ghia	B6 (HD)	Front	24-185035			
1975	Mach I	B6 (HD)	Front	24-185035			
1974	2+2	B6 (HD)	Front	24-185035			
1974	Base	B6 (HD)	Front	24-185035			
1974	Ghia	B6 (HD)	Front	24-185035			
1974	Mach I	B6 (HD)	Front	24-185035			
Ford Thunderbird							
1988	Base	B6 (HD)			Rear	24-010412	
1988	LX	B6 (HD)			Rear	24-010412	
1988	Sport	B6 (HD)			Rear	24-010412	
1987	Base	B6 (HD)			Rear	24-010412	
1987	LX	B6 (HD)			Rear	24-010412	
1987	Sport	B6 (HD)			Rear	24-010412	
1986	Base	B6 (HD)			Rear	24-010412	
1986	Elan	B6 (HD)			Rear	24-010412	
1986	LX	B6 (HD)			Rear	24-010412	
1986	Sport	B6 (HD)			Rear	24-010412	
1985	Base	B6 (HD)			Rear	24-010412	
1985	Elan	B6 (HD)			Rear	24-010412	
1985	Fila	B6 (HD)			Rear	24-010412	
1985	LX	B6 (HD)			Rear	24-010412	
1985	Sport	B6 (HD)			Rear	24-010412	
1984	Base	B6 (HD)			Rear	24-010412	
1984	Elan	B6 (HD)			Rear	24-010412	
1984	Fila	B6 (HD)			Rear	24-010412	
1984	LX	B6 (HD)			Rear	24-010412	
1984	Sport	B6 (HD)			Rear	24-010412	
1983	Base	B6 (HD)			Rear	24-010412	
1983	Heritage	B6 (HD)			Rear	24-010412	
1983	LX	B6 (HD)			Rear	24-010412	
1983	Sport	B6 (HD)			Rear	24-010412	
1982	Base	B6 (HD)			Rear	24-010412	
1982	Heritage	B6 (HD)			Rear	24-010412	
1982	Town Landau	B6 (HD)			Rear	24-010412	
1981	Base	B6 (HD)			Rear	24-010412	
1981	Heritage	B6 (HD)			Rear	24-010412	
1981	Town Landau	B6 (HD)			Rear	24-010412	



Passenger Cars

Year	Application	Series	Front			Rear		
Ford Thunderbird (continued)								
1980	Base	B6 (HD)				Rear	24-010412	
1980	Silver Anniversary	B6 (HD)				Rear	24-010412	
1980	Town Landau	B6 (HD)				Rear	24-010412	
1979	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1979	Heritage	B6 (HD)	Front	24-014953		Rear	24-014960	
1979	Town Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
1978	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1978	Diamond Jubilee	B6 (HD)	Front	24-014953		Rear	24-014960	
1978	Town Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
1977	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1976	Base	B6 (HD)	Front	24-014953		Rear	AK2074	
1975	Base	B6 (HD)	Front	24-014953		Rear	AK2074	
1974	Base	B6 (HD)	Front	24-014953		Rear	AK2074	
1973	Base	B6 (HD)	Front	24-014953		Rear	AK2074	
1972	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1971	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1970	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1969	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1968	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1967	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
Ford Torino								
1976	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1975	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
Honda Accord								
2002	DX	B6 (HD)				Rear	24-185721	
2002	DX	B8 (SP)	Front	24-065801		Rear	24-185738	
2002	EX	B6 (HD)				Rear	24-185721	
2002	EX	B8 (SP)	Front	24-065801		Rear	24-185738	
2002	LX	B6 (HD)				Rear	24-185721	
2002	LX	B8 (SP)	Front	24-065801		Rear	24-185738	
2002	SE	B6 (HD)				Rear	24-185721	
2002	SE	B8 (SP)	Front	24-065801		Rear	24-185738	
2002	Value Package	B6 (HD)				Rear	24-185721	
2002	Value Package	B8 (SP)	Front	24-065801		Rear	24-185738	
2001	DX	B6 (HD)				Rear	24-185721	



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Accord (continued)								
2001	DX	B8 (SP)	Front	24-065801		Rear	24-185738	
2001	EX	B6 (HD)				Rear	24-185721	
2001	EX	B8 (SP)	Front	24-065801		Rear	24-185738	
2001	LX	B6 (HD)				Rear	24-185721	
2001	LX	B8 (SP)	Front	24-065801		Rear	24-185738	
2001	Value Package	B6 (HD)				Rear	24-185721	
2001	Value Package	B8 (SP)	Front	24-065801		Rear	24-185738	
2000	DX	B6 (HD)				Rear	24-185721	
2000	DX	B8 (SP)	Front	24-065801		Rear	24-185738	
2000	EX	B6 (HD)				Rear	24-185721	
2000	EX	B8 (SP)	Front	24-065801		Rear	24-185738	
2000	LX	B6 (HD)				Rear	24-185721	
2000	LX	B8 (SP)	Front	24-065801		Rear	24-185738	
2000	SE	B6 (HD)				Rear	24-185721	
2000	SE	B8 (SP)	Front	24-065801		Rear	24-185738	
1999	DX	B6 (HD)				Rear	24-185721	
1999	DX	B8 (SP)	Front	24-065801		Rear	24-185738	
1999	EX	B6 (HD)				Rear	24-185721	
1999	EX	B8 (SP)	Front	24-065801		Rear	24-185738	
1999	LX	B6 (HD)				Rear	24-185721	
1999	LX	B8 (SP)	Front	24-065801		Rear	24-185738	
1998	DX	B6 (HD)				Rear	24-185721	
1998	DX	B8 (SP)	Front	24-065801		Rear	24-185738	
1998	EX	B6 (HD)				Rear	24-185721	
1998	EX	B8 (SP)	Front	24-065801		Rear	24-185738	
1998	LX	B6 (HD)				Rear	24-185721	
1998	LX	B8 (SP)	Front	24-065801		Rear	24-185738	
1997	DX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1997	DX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1997	EX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1997	EX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1997	LX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1997	LX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1997	SE	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Accord (continued)								
1997	SE	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1997	Value Package	B6 (HD)	Front	24-023719	From 9/93 To 97			
1996	25th Anniversary Edition	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1996	25th Anniversary Edition	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1996	DX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1996	DX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1996	EX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1996	EX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1996	LX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1996	LX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1996	Value Package	B6 (HD)	Front	24-023719	From 9/93 To 97			
1995	DX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1995	DX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1995	EX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1995	EX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1995	LX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1995	LX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1994	DX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1994	DX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1994	EX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1994	EX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1994	LX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1994	LX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1993	10th Anniversary	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1993	10th Anniversary	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
			Front	24-023719	From 9/93 To 97			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Accord (continued)								
1993	DX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1993	DX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93	Rear	24-021142	From 9/93 To 97
			Front	24-023719	From 9/93 To 97			
1993	EX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1993	EX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93	Rear	24-021142	From 9/93 To 97
			Front	24-023719	From 9/93 To 97			
1993	LX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1993	LX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93	Rear	24-021142	From 9/93 To 97
			Front	24-023719	From 9/93 To 97			
1993	SE	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1993	SE	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1992	DX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1992	EX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1992	LX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1991	DX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1991	EX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1991	LX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1991	SE	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1990	DX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1990	EX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Accord (continued)								
1990	LX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1989	DX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1989	DX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89	Rear	24-017237	From 9/89 To 8/93
			Front Left	24-017213	From 9/89 To 8/93			
			Front Right	24-017220	From 9/89 To 8/93			
1989	LX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1989	LX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89	Rear	24-017237	From 9/89 To 8/93
			Front Left	24-017213	From 9/89 To 8/93			
			Front Right	24-017220	From 9/89 To 8/93			
1989	LXi	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1989	LXi	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89	Rear	24-017237	From 9/89 To 8/93
			Front Left	24-017213	From 9/89 To 8/93			
			Front Right	24-017220	From 9/89 To 8/93			
1989	SEi	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1989	SEi	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89	Rear	24-017237	From 9/89 To 8/93
			Front Left	24-017213	From 9/89 To 8/93			
			Front Right	24-017220	From 9/89 To 8/93			
1988	DX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1988	DX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1988	LX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Accord (continued)								
1988	LX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1988	LXi	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1988	LXi	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1987	DX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1987	DX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1987	LX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1987	LX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1987	LXi	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1987	LXi	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1986	DX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1986	DX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1986	LX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1986	LX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1986	LXi	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1986	LXi	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda CRX								
1991	Base	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	HF	B4				Rear	19-063195	
1991	HF	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	Si	B4				Rear	19-063195	
1991	Si	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990	Base	B4				Rear	19-063195	
1990	Base	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990	HF	B4				Rear	19-063195	
1990	HF	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990	Si	B4				Rear	19-063195	
1990	Si	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1989	Base	B4				Rear	19-063195	
1989	Base	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1989	Si	B4				Rear	19-063195	
1989	Si	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1988	DX	B4				Rear	19-063188	
1988	DX	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	DX	B8 (SP)				Rear	24-023412	
1988	Si	B4				Rear	19-063188	
1988	Si	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	Si	B8 (SP)				Rear	24-023412	
Honda Civic								
2011	Sedan; Si	B14 (PSS)	Front and Rear	47-171329	Front Lowered Height: 25-40mm, up to 1085kg Axle Load ; Rear Lowered Height: 20-40mm, up to 835kg Axle Load			
2010	Sedan; Si	B14 (PSS)	Front and Rear	47-171329	Front Lowered Height: 25-40mm, up to 1085kg Axle Load ; Rear Lowered Height: 20-40mm, up to 835kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
2009	Sedan; Si	B14 (PSS)	Front and Rear	47-171329	Front Lowered Height: 25-40mm, up to 1085kg Axle Load ; Rear Lowered Height: 20-40mm, up to 835kg Axle Load			
2008	MUGEN Si; Sedan	B14 (PSS)	Front and Rear	47-171329	Front Lowered Height: 25-40mm, up to 1085kg Axle Load ; Rear Lowered Height: 20-40mm, up to 835kg Axle Load			
2008	Sedan; Si	B14 (PSS)	Front and Rear	47-171329	Front Lowered Height: 25-40mm, up to 1085kg Axle Load ; Rear Lowered Height: 20-40mm, up to 835kg Axle Load			
2007	Sedan; Si	B14 (PSS)	Front and Rear	47-171329	Front Lowered Height: 25-40mm, up to 1085kg Axle Load ; Rear Lowered Height: 20-40mm, up to 835kg Axle Load			
2005	DX	B6 (HD)				Rear	24-114240	
2005	DX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005	EX	B6 (HD)				Rear	24-114240	
2005	EX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005	GX	B6 (HD)				Rear	24-114240	
2005	GX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005	HX	B6 (HD)				Rear	24-114240	
2005	HX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005	LX	B6 (HD)				Rear	24-114240	
2005	LX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005	Si	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2005	Si	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2005	Si	B6 (HD)				Rear	24-114240	
2005	Si	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005	Value Package	B6 (HD)				Rear	24-114240	
2005	Value Package	B8 (SP)	Front Right	35-114260				
2004	DX	B6 (HD)				Rear	24-114240	
2004	DX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2004	EX	B6 (HD)				Rear	24-114240	



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
2004	EX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2004	GX	B6 (HD)				Rear	24-114240	
2004	GX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2004	HX	B6 (HD)				Rear	24-114240	
2004	HX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2004	LX	B6 (HD)				Rear	24-114240	
2004	LX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2004	Si	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2004	Si	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2004	Si	B6 (HD)				Rear	24-114240	
2004	Si	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2004	SiR	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2004	SiR	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2004	Value Package	B6 (HD)				Rear	24-114240	
2004	Value Package	B8 (SP)	Front Right	35-114260				
2003	DX	B6 (HD)				Rear	24-114240	
2003	DX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2003	EX	B6 (HD)				Rear	24-114240	
2003	EX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2003	GX	B6 (HD)				Rear	24-114240	
2003	GX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2003	HX	B6 (HD)				Rear	24-114240	
2003	HX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2003	LX	B6 (HD)				Rear	24-114240	



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
2003	LX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2003	Si	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2003	Si	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2003	Si	B6 (HD)				Rear	24-114240	
2003	Si	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2003	SiR	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2003	SiR	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2002	DX	B8 (SP)	Front Right	35-114260				
2002	EX	B8 (SP)	Front Right	35-114260				
2002	GX	B8 (SP)	Front Right	35-114260				
2002	HX	B8 (SP)	Front Right	35-114260				
2002	LX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2002	Si	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2002	Si	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2002	Si	B6 (HD)				Rear	24-114240	
2002	Si	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2002	SiR	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2002	SiR	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2000	CX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000	CX	B4	Front	19-062938	Exc. Hybrid			
2000	CX	B6 (HD)	Front	24-023368	Exc. Hybrid			
2000	CX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
2000	DX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
2000	DX	B4	Front	19-062938	Exc. Hybrid			
2000	DX	B6 (HD)	Front	24-023368	Exc. Hybrid			
2000	DX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
2000	EX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000	EX	B4	Front	19-062938	Exc. Hybrid			
2000	EX	B6 (HD)	Front	24-023368	Exc. Hybrid			
2000	EX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
2000	GX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000	GX	B4	Front	19-062938	Exc. Hybrid			
2000	GX	B6 (HD)	Front	24-023368	Exc. Hybrid			
2000	GX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
2000	HX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000	HX	B4	Front	19-062938	Exc. Hybrid			
2000	HX	B6 (HD)	Front	24-023368	Exc. Hybrid			
2000	HX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
2000	LX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000	LX	B4	Front	19-062938	Exc. Hybrid			
2000	LX	B6 (HD)	Front	24-023368	Exc. Hybrid			
2000	LX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
2000	Si	B4	Front	19-062938	Exc. Hybrid			
2000	Si	B6 (HD)	Front	24-023368	Exc. Hybrid			
2000	Si	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	CX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1999	CX	B4	Front	19-062938	Exc. Hybrid			
1999	CX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1999	CX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	DX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1999	DX	B4	Front	19-062938	Exc. Hybrid			
1999	DX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1999	DX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	EX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1999	EX	B4	Front	19-062938	Exc. Hybrid			
1999	EX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1999	EX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	GX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1999	GX	B4	Front	19-062938	Exc. Hybrid			
1999	GX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1999	GX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	HX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1999	HX	B4	Front	19-062938	Exc. Hybrid			
1999	HX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1999	HX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	LX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1999	LX	B4	Front	19-062938	Exc. Hybrid			
1999	LX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1999	LX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	Si	B4	Front	19-062938	Exc. Hybrid			
1999	Si	B6 (HD)	Front	24-023368	Exc. Hybrid			
1999	Si	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	Value Package	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1998	CX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1998	CX	B4	Front	19-062938	Exc. Hybrid			
1998	CX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1998	CX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1998	DX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1998	DX	B4	Front	19-062938	Exc. Hybrid			
1998	DX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1998	DX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1998	EX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1998	EX	B4	Front	19-062938	Exc. Hybrid			
1998	EX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1998	EX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1998	GX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1998	GX	B4	Front	19-062938	Exc. Hybrid			
1998	GX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1998	GX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1998	HX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1998	HX	B4	Front	19-062938	Exc. Hybrid			
1998	HX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1998	HX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1998	LX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1998	LX	B4	Front	19-062938	Exc. Hybrid			
1998	LX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1998	LX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1997	CX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1997	CX	B4	Front	19-062938	Exc. Hybrid			
1997	CX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1997	CX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1997	DX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1997	DX	B4	Front	19-062938	Exc. Hybrid			
1997	DX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1997	DX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1997	EX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1997	EX	B4	Front	19-062938	Exc. Hybrid			
1997	EX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1997	EX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1997	HX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1997	HX	B4	Front	19-062938	Exc. Hybrid			
1997	HX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1997	HX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1997	LX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1997	LX	B4	Front	19-062938	Exc. Hybrid			
1997	LX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1997	LX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1996	CX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1996	CX	B4	Front	19-062938	Exc. Hybrid			
1996	CX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1996	CX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1996	DX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1996	DX	B4	Front	19-062938	Exc. Hybrid			
1996	DX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1996	DX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1996	EX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1996	EX	B4	Front	19-062938	Exc. Hybrid			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1996	EX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1996	EX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1996	HX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1996	HX	B4	Front	19-062938	Exc. Hybrid			
1996	HX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1996	HX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1996	LX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1996	LX	B4	Front	19-062938	Exc. Hybrid			
1996	LX	B6 (HD)	Front	24-023368	Exc. Hybrid			
1996	LX	B8 (SP)	Front	24-185646	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1995	CX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995	CX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1995	DX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995	DX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1995	DX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1995	EX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995	EX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1995	EX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1995	LX	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1995	LX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995	LX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1995	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995	Si	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1995	VX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995	VX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1994	CX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1994	CX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1994	DX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1994	DX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1994	DX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1994	EX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1994	EX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1994	EX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1994	LX	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1994	LX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1994	LX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1994	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1994	Si	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1994	VX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1994	VX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1993	CX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1993	CX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1993	DX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1993	DX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1993	DX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1993	EX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1993	EX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1993	EX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1993	LX	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1993	LX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1993	LX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1993	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1993	Si	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1993	VX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1993	VX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1992	CX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1992	CX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1992	DX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1992	DX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1992	DX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1992	EX	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1992	EX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1992	EX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1992	LX	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1992	LX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1992	LX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1992	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1992	Si	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1992	VX	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1992	VX	B6 (HD)	Front Left	24-016032				
			Front Right	24-016049				
1991	3 Dr.; DX; Hatchback	B4	Front Left	19-062778				
			Front Right	19-062785				
1991	3 Dr.; DX; Hatchback	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	4 Dr.; DX; Sedan	B4	Front Left	19-062778				
			Front Right	19-062785				
1991	4 Dr.; DX; Sedan	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	Base	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991	Base	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1991	Base	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	DX	B12 (Pro-Kit)	Front and Rear	BTS-7512				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1991	DX	B4				Rear	19-063195	
1991	EX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991	EX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1991	EX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	LX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991	LX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1991	LX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	Si	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991	Si	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1991	Si	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990	3 Dr.; Base; Hatchback	B4	Front Left	19-062778				
			Front Right	19-062785				
1990	3 Dr.; Base; Hatchback	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990	Base	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1990	Base	B4				Rear	19-063195	
1990	DX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1990	DX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1990	DX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990	EX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1990	EX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1990	EX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990	LX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1990	LX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1990	LX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990	Si	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1990	Si	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1990	Si	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1989	3 Dr.; Base; Hatchback	B4	Front Left	19-062778				
			Front Right	19-062785				
1989	3 Dr.; Base; Hatchback	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1989	Base	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1989	Base	B4				Rear	19-063195	
1989	DX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1989	DX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1989	DX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1989	LX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1989	LX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1989	LX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1989	Si	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1989	Si	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1989	Si	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1988	3 Dr.; Base; Hatchback	B4	Front Left	19-062778		Rear	19-063188	
			Front Right	19-062785				
1988	3 Dr.; Base; Hatchback	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	3 Dr.; Base; Hatchback	B8 (SP)				Rear	24-023412	Exc. Wagon
1988	Base	B12 (Pro-Kit)	Front and Rear	BTS-7513				
1988	DX	B12 (Pro-Kit)	Front and Rear	BTS-7513				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1988	DX	B4	Front Left	19-062778				
			Front Right	19-062785				
1988	DX	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	DX	B8 (SP)				Rear	24-023412	Exc. Wagon
1988	LX	B12 (Pro-Kit)	Front and Rear	BTS-7513				
1988	LX	B4	Front Left	19-062778				
			Front Right	19-062785				
1988	LX	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	LX	B8 (SP)				Rear	24-023412	Exc. Wagon
1987	Base	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1987	CRX	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1987	CRX HF	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1987	CRX Si	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1986	Base	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1986	CRX	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1986	CRX HF	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1986	CRX Si	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1985	Base	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1985	CRX	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1985	CRX HF	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1985	CRX Si	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1984	CRX	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic (continued)								
1984	CRX 1.5	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1984	DX	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
Honda Civic del Sol								
1997	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1997	Si	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1997	VTEC	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1997	VTEC	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1996	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1996	Si	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1996	VTEC	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1996	VTEC	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1995	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995	Si	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1995	VTEC	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995	VTEC	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1994	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1994	Si	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1994	VTEC	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1994	VTEC	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Civic del Sol (continued)								
1993	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1993	Si	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
Honda Fit								
2012	Base	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2012	Sport	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2011	Base	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2011	DX	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2011	LX	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2011	Sport	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2010	Base	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2010	DX	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2010	LX	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2010	Sport	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2009	Base	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2009	DX	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2009	LX	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2009	Sport	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
Honda Prelude								
2001	Base	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
2001	Base	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
2001	Base	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
2000	Base	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Prelude (continued)								
2000	Base	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
2000	Base	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1999	Base	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1999	Base	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1999	Base	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1998	Base	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1998	Base	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1998	Base	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1997	Base	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1997	Base	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1997	Base	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1996	S	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1996	S	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Prelude (continued)								
1996	S	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1996	S	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1996	Si	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1996	Si	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1996	Si	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1996	Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1996	VTEC	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1996	VTEC	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1996	VTEC	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1996	VTEC	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	S	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1995	S	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	S	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	S	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Prelude (continued)								
1995	SE	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1995	SE	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	SE	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	SE	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	Si	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1995	Si	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	Si	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	VTEC	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1995	VTEC	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	VTEC	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1995	VTEC	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1994	S	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1994	S	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Prelude (continued)								
1994	S	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1994	S	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1994	Si	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1994	Si	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1994	Si	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1994	Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1994	Si 4WS	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1994	VTEC	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1994	VTEC	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1994	VTEC	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1994	VTEC	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1993	S	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1993	S	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1993	S	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Prelude (continued)								
1993	S	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1993	Si	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1993	Si	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1993	Si	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1993	Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1993	Si 4WS	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1993	VTEC	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1993	VTEC	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1993	VTEC	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1993	VTEC	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1992	S	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1992	S	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1992	S	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1992	S	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Prelude (continued)								
1992	Si	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1992	Si	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1992	Si	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1992	Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1992	Si 4WS	B12 (Pro-Kit)	Front and Rear	46-190192	Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 825kg Axle Load			
1991	2.0 Si	B4	Front Right	19-062747	From 88 To 8/91	Rear	19-063263	From 88 To 8/91
			Front Left	19-062730	From 88 To 8/91			
			Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1991	2.0 Si	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1991	2.0 Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1991	Si	B4	Front Right	19-062747	From 88 To 8/91	Rear	19-063263	From 88 To 8/91
			Front Left	19-062730	From 88 To 8/91			
			Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1991	Si	B6 (HD)	Front Left	24-016780	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
			Front Right	24-016797	From 9/91 To 01; Will not fit SH model unless standard ID			
1991	Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID	Rear	24-017770	From 9/91 To 01; Will not work on SH models unless standa
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1990	2.0 S	B4	Front Left	19-062730	From 88 To 8/91	Rear	19-063263	From 88 To 8/91
			Front Right	19-062747	From 88 To 8/91			
1990	2.0 Si	B4	Front Left	19-062730	From 88 To 8/91	Rear	19-063263	From 88 To 8/91
			Front Right	19-062747	From 88 To 8/91			



Passenger Cars

Year	Application	Series	Front			Rear		
Honda Prelude (continued)								
1989	2.0 S	B4	Front Left	19-062730	From 88 To 8/91	Rear	19-063263	From 88 To 8/91
			Front Right	19-062747	From 88 To 8/91			
1989	2.0 Si	B4	Front Left	19-062730	From 88 To 8/91	Rear	19-063263	From 88 To 8/91
			Front Right	19-062747	From 88 To 8/91			
1988	2.0 S	B4	Front Left	19-062730	From 88 To 8/91	Rear	19-063263	From 88 To 8/91
			Front Right	19-062747	From 88 To 8/91			
1988	2.0 Si	B4	Front Left	19-062730	From 88 To 8/91	Rear	19-063263	From 88 To 8/91
			Front Right	19-062747	From 88 To 8/91			
Honda S2000								
2009	Base	B14 (PSS)	Front and Rear	47-080386				
2009	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2009	CR	B14 (PSS)	Front and Rear	47-080386				
2009	CR	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2008	CR	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-080386				
2007	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-080386				
2006	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2005	Base	B14 (PSS)	Front and Rear	47-080386				
2005	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2004	Base	B14 (PSS)	Front and Rear	47-080386				
2004	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2003	Base	B14 (PSS)	Front and Rear	47-080386				



Passenger Cars

Year	Application	Series	Front			Rear		
Honda S2000 (continued)								
2003	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2002	Base	B14 (PSS)	Front and Rear	47-080386				
2002	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2001	Base	B14 (PSS)	Front and Rear	47-080386				
2001	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2000	Base	B14 (PSS)	Front and Rear	47-080386				
2000	Base	B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
Hyundai Accent								
1999	GL	B4	Front Right	22-047359	From 7/94 To 99			
			Front Left	22-047342	From 7/94 To 99			
1999	GS	B4	Front Right	22-047359	From 7/94 To 99			
			Front Left	22-047342	From 7/94 To 99			
1999	L	B4	Front Right	22-047359	From 7/94 To 99			
			Front Left	22-047342	From 7/94 To 99			
1998	GL	B4	Front Right	22-047359	From 7/94 To 99			
			Front Left	22-047342	From 7/94 To 99			
1998	GS	B4	Front Right	22-047359	From 7/94 To 99			
			Front Left	22-047342	From 7/94 To 99			
1998	GSi	B4	Front Right	22-047359	From 7/94 To 99			
			Front Left	22-047342	From 7/94 To 99			
1998	L	B4	Front Right	22-047359	From 7/94 To 99			
			Front Left	22-047342	From 7/94 To 99			
1997	GL	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
1997	GS	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
1997	GT	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
1997	L	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97



Passenger Cars

Year	Application	Series	Front			Rear		
Hyundai Accent (continued)								
1996	Base	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
1996	GT	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
1996	L	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
1995	Base	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
1995	L	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
Hyundai Elantra								
2000	GLS	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1999	GL	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1999	GLS	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1998	Base	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1998	GL	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1998	GLS	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1997	Base	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1997	GL	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1997	GLS	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1996	Base	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1996	GL	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1996	GLS	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	



Passenger Cars

Year	Application	Series	Front			Rear
Hyundai Genesis Coupe						
2013	2.0T	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2013	2.0T	B6 (HD)	Front	35-196389		
2013	2.0T	B8 (SP)	Front	35-197348		
2013	2.0T Premium	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2013	2.0T Premium	B6 (HD)	Front	35-196389		
2013	2.0T Premium	B8 (SP)	Front	35-197348		
2013	2.0T R-Spec	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2013	2.0T R-Spec	B6 (HD)	Front	35-196389		
2013	2.0T R-Spec	B8 (SP)	Front	35-197348		
2013	3.8 GT	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2013	3.8 GT	B6 (HD)	Front	35-196389		
2013	3.8 GT	B8 (SP)	Front	35-197348		
2013	3.8 Grand Touring	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2013	3.8 Grand Touring	B6 (HD)	Front	35-196389		
2013	3.8 Grand Touring	B8 (SP)	Front	35-197348		
2013	3.8 R-Spec	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2013	3.8 R-Spec	B6 (HD)	Front	35-196389		
2013	3.8 R-Spec	B8 (SP)	Front	35-197348		
2013	3.8 Track	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2013	3.8 Track	B6 (HD)	Front	35-196389		
2013	3.8 Track	B8 (SP)	Front	35-197348		
2012	2.0T	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	2.0T	B6 (HD)	Front	35-196389		
2012	2.0T	B8 (SP)	Front	35-197348		
2012	2.0T GT	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	2.0T GT	B6 (HD)	Front	35-196389		
2012	2.0T GT	B8 (SP)	Front	35-197348		



Passenger Cars

Year	Application	Series	Front			Rear
Hyundai Genesis Coupe (continued)						
2012	2.0T Premium	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	2.0T Premium	B6 (HD)	Front	35-196389		
2012	2.0T Premium	B8 (SP)	Front	35-197348		
2012	2.0T R-Spec	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	2.0T R-Spec	B6 (HD)	Front	35-196389		
2012	2.0T R-Spec	B8 (SP)	Front	35-197348		
2012	3.8	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	3.8	B6 (HD)	Front	35-196389		
2012	3.8	B8 (SP)	Front	35-197348		
2012	3.8 GT	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	3.8 GT	B6 (HD)	Front	35-196389		
2012	3.8 GT	B8 (SP)	Front	35-197348		
2012	3.8 Grand Touring	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	3.8 Grand Touring	B6 (HD)	Front	35-196389		
2012	3.8 Grand Touring	B8 (SP)	Front	35-197348		
2012	3.8 R-Spec	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	3.8 R-Spec	B6 (HD)	Front	35-196389		
2012	3.8 R-Spec	B8 (SP)	Front	35-197348		
2012	3.8 Track	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2012	3.8 Track	B6 (HD)	Front	35-196389		
2012	3.8 Track	B8 (SP)	Front	35-197348		
2011	2.0T	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	2.0T	B6 (HD)	Front	35-196389		
2011	2.0T	B8 (SP)	Front	35-197348		
2011	2.0T GT	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	2.0T GT	B6 (HD)	Front	35-196389		
2011	2.0T GT	B8 (SP)	Front	35-197348		



Passenger Cars

Year	Application	Series	Front			Rear
Hyundai Genesis Coupe (continued)						
2011	2.0T Premium	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	2.0T Premium	B6 (HD)	Front	35-196389		
2011	2.0T Premium	B8 (SP)	Front	35-197348		
2011	2.0T R-Spec	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	2.0T R-Spec	B6 (HD)	Front	35-196389		
2011	2.0T R-Spec	B8 (SP)	Front	35-197348		
2011	3.8	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	3.8	B6 (HD)	Front	35-196389		
2011	3.8	B8 (SP)	Front	35-197348		
2011	3.8 GT	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	3.8 GT	B6 (HD)	Front	35-196389		
2011	3.8 GT	B8 (SP)	Front	35-197348		
2011	3.8 Grand Touring	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	3.8 Grand Touring	B6 (HD)	Front	35-196389		
2011	3.8 Grand Touring	B8 (SP)	Front	35-197348		
2011	3.8 R-Spec	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	3.8 R-Spec	B6 (HD)	Front	35-196389		
2011	3.8 R-Spec	B8 (SP)	Front	35-197348		
2011	3.8 Track	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2011	3.8 Track	B6 (HD)	Front	35-196389		
2011	3.8 Track	B8 (SP)	Front	35-197348		
2010	2.0T	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	2.0T	B6 (HD)	Front	35-196389		
2010	2.0T	B8 (SP)	Front	35-197348		
2010	2.0T GT	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	2.0T GT	B6 (HD)	Front	35-196389		
2010	2.0T GT	B8 (SP)	Front	35-197348		



Passenger Cars

Year	Application	Series	Front			Rear
Hyundai Genesis Coupe (continued)						
2010	2.0T Premium	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	2.0T Premium	B6 (HD)	Front	35-196389		
2010	2.0T Premium	B8 (SP)	Front	35-197348		
2010	2.0T R-Spec	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	2.0T R-Spec	B6 (HD)	Front	35-196389		
2010	2.0T R-Spec	B8 (SP)	Front	35-197348		
2010	2.0T Track	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	2.0T Track	B6 (HD)	Front	35-196389		
2010	2.0T Track	B8 (SP)	Front	35-197348		
2010	3.8	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	3.8	B6 (HD)	Front	35-196389		
2010	3.8	B8 (SP)	Front	35-197348		
2010	3.8 GT	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	3.8 GT	B6 (HD)	Front	35-196389		
2010	3.8 GT	B8 (SP)	Front	35-197348		
2010	3.8 Grand Touring	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	3.8 Grand Touring	B6 (HD)	Front	35-196389		
2010	3.8 Grand Touring	B8 (SP)	Front	35-197348		
2010	3.8 Track	B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load	
2010	3.8 Track	B6 (HD)	Front	35-196389		
2010	3.8 Track	B8 (SP)	Front	35-197348		

Hyundai Sonata

2010	GL	B4	Front	19-221519		Rear	19-214481	
2010	GLS	B4	Front	19-221519		Rear	19-214481	
2010	Limited	B4	Front	19-221519		Rear	19-214481	
2010	SE	B4	Front	19-221519		Rear	19-214481	
2009	GL	B4	Front	19-221519		Rear	19-214481	
2009	GLS	B4	Front	19-221519		Rear	19-214481	
2009	Limited	B4	Front	19-221519		Rear	19-214481	



Passenger Cars

Year	Application	Series	Front			Rear		
Hyundai Sonata (continued)								
2009	SE	B4	Front	19-221519		Rear	19-214481	
2008	GL	B4	Front	19-221519		Rear	19-214481	
2008	GLS	B4	Front	19-221519		Rear	19-214481	
2008	Limited	B4	Front	19-221519		Rear	19-214481	
2008	SE	B4	Front	19-221519		Rear	19-214481	
2007	GLS	B4	Front	19-221519		Rear	19-214481	
2007	Limited	B4	Front	19-221519		Rear	19-214481	
2007	SE	B4	Front	19-221519		Rear	19-214481	
2006	GL	B4	Front	19-221519		Rear	19-214481	
2006	GLS	B4	Front	19-221519		Rear	19-214481	
2006	LX	B4	Front	19-221519		Rear	19-214481	
Hyundai Tiburon								
2008	GS	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load			
2008	GS	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	GS	B14 (PSS)	Front and Rear	47-107991				
2008	GS	B16 (PSS9)	Front and Rear	48-108041				
2008	GT	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load			
2008	GT	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	GT	B14 (PSS)	Front and Rear	47-107991				
2008	GT	B16 (PSS9)	Front and Rear	48-108041				
2008	GT Limited	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load			
2008	GT Limited	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	GT Limited	B14 (PSS)	Front and Rear	47-107991				
2008	GT Limited	B16 (PSS9)	Front and Rear	48-108041				
2008	GTP	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Hyundai Tiburon (continued)						
2008	GTP	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2008	SE	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2008	SE	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2008	SE	B14 (PSS)	Front and Rear	47-107991		
2008	SE	B16 (PSS9)	Front and Rear	48-108041		
2007	GS	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2007	GS	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2007	GS	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2007	GS	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2007	GT	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2007	GT	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2007	GT	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2007	GT	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2007	GT Limited	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2007	GT Limited	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2007	GT Limited	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2007	GT Limited	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2007	SE	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2007	SE	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2007	SE	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	



Passenger Cars

Year	Application	Series	Front			Rear
Hyundai Tiburon (continued)						
2007	SE	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2006	GS	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2006	GS	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2006	GS	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2006	GS	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2006	GT	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2006	GT	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2006	GT	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2006	GT	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2006	SE	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2006	SE	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2006	SE	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2006	SE	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2005	GS	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2005	GS	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2005	GS	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2005	GS	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2005	GT	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2005	GT	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2005	GT	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2005	GT	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	



Passenger Cars

Year	Application	Series	Front			Rear
Hyundai Tiburon (continued)						
2005	SE	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2005	SE	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2005	SE	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2005	SE	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2004	Base	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2004	Base	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2004	Base	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2004	GT	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2004	GT	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2004	GT	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2004	GT	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2003	Base	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2003	Base	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2003	Base	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	
2003	GT	B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load	
2003	GT	B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load	
2003	GT	B14 (PSS)	Front and Rear	47-107991	From 02/03; GK Chassis	
2003	GT	B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis	



Passenger Cars

Year	Application	Series	Front			Rear		
Hyundai Tiburon (continued)								
2001	Base	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
2000	Base	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1999	Base	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1999	FX	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1998	Base	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1998	FX	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1997	Base	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
1997	FX	B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
Infiniti G20								
2002	Base	B6 (HD)	Front	24-017824	P11 Chassis	Rear	24-023443	
2002	T	B6 (HD)				Rear	24-023443	
2001	Base	B6 (HD)	Front	24-017824	P11 Chassis	Rear	24-023443	
2001	T	B6 (HD)	Front	24-017824	P11 Chassis	Rear	24-023443	
2000	Base	B6 (HD)	Front	24-017824	P11 Chassis	Rear	24-023443	
2000	T	B6 (HD)	Front	24-017824	P11 Chassis	Rear	24-023443	
1999	Base	B6 (HD)	Front	24-017824	P11 Chassis	Rear	24-023443	
1999	T	B6 (HD)	Front	24-017824	P11 Chassis	Rear	24-023443	
Infiniti G35								
2008	Base	B16 (PSS10)	Front and Rear	48-146142				
2008	Journey	B16 (PSS10)	Front and Rear	48-146142				
2008	Sport	B16 (PSS10)	Front and Rear	48-146142				
2007	Base	B14 (PSS)	Front and Rear	47-101623				
2007	Base	B16 (PSS10)	Front and Rear	48-146142				
2007	Journey	B16 (PSS10)	Front and Rear	48-146142				
2007	Sport	B16 (PSS10)	Front and Rear	48-146142				
2006	Base	B14 (PSS)	Front and Rear	47-101623				



Passenger Cars

Year	Application	Series	Front			Rear		
Infiniti G35 (continued)								
2006	Base	B16 (PSS10)	Front and Rear	48-146142				
2006	Base	Variable depending on application	Front Left	24-101561		Rear	24-101585	
			Front Right	24-101578				
2005	Base	B14 (PSS)	Front and Rear	47-101623				
2005	Base	B16 (PSS10)	Front and Rear	48-146142				
2005	Base	Variable depending on application	Front Left	24-101561		Rear	24-101585	
			Front Right	24-101578				
2004	Base	B14 (PSS)	Front and Rear	47-101623				
2004	Base	B16 (PSS10)	Front and Rear	48-146142				
2004	Base	Variable depending on application	Front Left	24-101561		Rear	24-101585	
			Front Right	24-101578				
2003	Base	B14 (PSS)	Front and Rear	47-101623				
2003	Base	B16 (PSS10)	Front and Rear	48-146142				
2003	Base	Variable depending on application	Front Left	24-101561		Rear	24-101585	
			Front Right	24-101578				
Infiniti G37								
2012	Base; Coupe	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	Coupe; Journey	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	Coupe; Sport	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	IPL	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	Premier	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	Sport	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2011	Base; Coupe	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2011	Coupe; Journey	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Infiniti G37 (continued)								
2011	Coupe; Sport	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2011	IPL	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2010	Base; Coupe	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2010	Coupe; Journey	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2010	Coupe; Sport	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2009	Base; Coupe	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2009	Coupe; Journey	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2009	Coupe; Sport	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2008	Base	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2008	Journey	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2008	Sport	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
Jaguar S-Type								
2008	3.0L V6 183 CID; Base	B4 (ACD)	Front	20-070748	Sport Suspension; With electronic (CATS) suspension	Rear	20-070779	Sport Suspension; With electronic (CATS) suspension
2008	4.2L V8 4196cc; Base	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2008	Base	B4	Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
			Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2008	R	B4	Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2008	R	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2007	3.0L V6 183 CID; Base	B4 (ACD)	Front	20-070748	Sport Suspension; With electronic (CATS) suspension	Rear	20-070779	Sport Suspension; With electronic (CATS) suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar S-Type (continued)								
2007	4.2L V8 4196cc; Base	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2007	Base	B4	Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
			Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2007	R	B4	Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2007	R	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2006	3.0L V6 183 CID; Base	B4 (ACD)	Front	20-070748	Sport Suspension; With electronic (CATS) suspension	Rear	20-070779	Sport Suspension; With electronic (CATS) suspension
2006	4.2L V8 4196cc; Base	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2006	Base	B4	Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
			Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2006	R	B4	Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2006	R	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2005	3.0L V6 183 CID; Base	B4 (ACD)	Front	20-070748	Sport Suspension; With electronic (CATS) suspension	Rear	20-070779	Sport Suspension; With electronic (CATS) suspension
2005	Base	B4	Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
2005	R	B4	Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2005	R	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2005	Sport	B4	Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
			Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2004	3.0L V6 183 CID; Base	B4 (ACD)	Front	20-070748	Sport Suspension; With electronic (CATS) suspension	Rear	20-070779	Sport Suspension; With electronic (CATS) suspension
2004	4.2L V8 4196cc; Base	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2004	Base	B4	Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
			Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar S-Type (continued)								
2004	R	B4		24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2004	R	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2003	3.0L V6 183 CID; Base	B4 (ACD)	Front	20-070748	Sport Suspension; With electronic (CATS) suspension	Rear	20-070779	Sport Suspension; With electronic (CATS) suspension
2003	4.2L V8 4196cc; Base	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2003	Base	B4	Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
			Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2003	R	B4	Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
			Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
2003	R	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2002	Base	B4	Front	24-024921	From 00 To 4/02; Standard Suspension	Rear	24-026628	From 00 To 4/02; Standard Suspension
			Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
2002	Base	B4 (ACD)	Front	20-070632	Sport Suspension; With Electronic Suspension	Rear	20-070649	Sport Suspension; With Electronic Suspension
2002	Base	B6 (HD)	Front	24-067799	From 00 To 4/02	Rear	24-067782	From 00 To 4/02
2001	Base	B4	Front	24-024921	From 00 To 4/02; Standard Suspension	Rear	24-026628	From 00 To 4/02; Standard Suspension
2001	Base	B4 (ACD)	Front	20-070632	Sport Suspension; With Electronic Suspension	Rear	20-070649	Sport Suspension; With Electronic Suspension
2001	Base	B6 (HD)	Front	24-067799	From 00 To 4/02	Rear	24-067782	From 00 To 4/02
2000	Base	B4	Front	24-024921	From 00 To 4/02; Standard Suspension	Rear	24-026628	From 00 To 4/02; Standard Suspension
2000	Base	B4 (ACD)	Front	20-070632	Sport Suspension; With Electronic Suspension	Rear	20-070649	Sport Suspension; With Electronic Suspension
2000	Base	B6 (HD)	Front	24-067799	From 00 To 4/02	Rear	24-067782	From 00 To 4/02
Jaguar X-Type								
2008	Base	B4		22-053626	Sport Suspension	Rear	24-029810	Sport Suspension
			Front	22-053619	Standard Suspension			
2008	Base	B6 (HD)	Front	35-051497		Rear	24-066761	
2008	Base; Wagon	B4				Rear	24-062275	Standard Chassis
2007	Base	B4	Front	22-053626	Sport Suspension	Rear	24-029810	Sport Suspension
			Front	22-053619	Standard Suspension			
2007	Base	B6 (HD)	Front	35-051497		Rear	24-066761	
2007	Base; Wagon	B4				Rear	24-062275	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar X-Type (continued)								
2006	Base	B4	Front	22-053626	Sport Suspension	Rear	24-029810	Sport Suspension
			Front	22-053619	Standard Suspension			
2006	Base	B6 (HD)	Front	35-051497		Rear	24-066761	
2006	Base; Wagon	B4				Rear	24-062275	Standard Chassis
2005	Base	B4	Front	22-053626	Sport Suspension	Rear	24-029810	Sport Suspension
			Front	22-053619	Standard Suspension			
2005	Base	B6 (HD)	Front	35-051497		Rear	24-066761	
2005	Base; Wagon	B4				Rear	24-062275	Standard Chassis
2004	Base	B4	Front	22-053626	Sport Suspension	Rear	24-029810	Sport Suspension
			Front	22-053619	Standard Suspension			
2004	Base	B6 (HD)	Front	35-051497		Rear	24-066761	
2003	Base	B4	Front	22-053626	Sport Suspension	Rear	24-029810	Sport Suspension
			Front	22-053619	Standard Suspension			
2003	Base	B6 (HD)	Front	35-051497		Rear	24-066761	
2002	Base	B4	Front	22-053626	Sport Suspension	Rear	24-029810	Sport Suspension
			Front	22-053619	Standard Suspension			
2002	Base	B6 (HD)	Front	35-051497		Rear	24-066761	
Jaguar XJ								
1971	Base	B6 (HD)	Front	24-024457	For Vehicles Without Ride Height Control	Rear	24-024464	For Vehicles Without Ride Height Control
1970	Base	B6 (HD)	Front	24-024457	For Vehicles Without Ride Height Control	Rear	24-024464	For Vehicles Without Ride Height Control
1969	Base	B6 (HD)	Front	24-024457	For Vehicles Without Ride Height Control	Rear	24-024464	For Vehicles Without Ride Height Control
1968	Base	B6 (HD)	Front	24-024457	For Vehicles Without Ride Height Control	Rear	24-024464	For Vehicles Without Ride Height Control
Jaguar XJ12								
1996	Base	B4				Rear	24-018586	
1995	Base	B4				Rear	24-018586	
1994	Base	B4				Rear	24-018586	
1979	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1978	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1977	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1976	C	B6 (HD)	Front	24-024457		Rear	24-024464	
1976	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1975	C	B6 (HD)	Front	24-024457		Rear	24-024464	
1975	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1974	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1973	Base	B6 (HD)	Front	24-024457		Rear	24-024464	



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar XJ6								
1997	Base	B4	Front	24-018616		Rear	24-018586	
1997	L	B4	Front	24-018616		Rear	24-018586	
1996	Base	B4	Front	24-018616		Rear	24-018586	
1995	Base	B4	Front	24-018616		Rear	24-018586	
1994	Base	B4				Rear	24-018586	
1994	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1993	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1993	Sovereign	B6 (HD)	Front	24-018043		Rear	24-018050	
1992	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1992	Sovereign	B6 (HD)	Front	24-018043		Rear	24-018050	
1991	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1991	Sovereign	B6 (HD)	Front	24-018043		Rear	24-018050	
1990	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1990	Sovereign	B6 (HD)	Front	24-018043		Rear	24-018050	
1989	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1988	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1987	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1986	Base	B6 (HD)	Front	24-018043	From 10/86	Rear	24-018050	From 10/86
			Front	24-024457	To 9/86	Rear	24-024464	To 9/86
1985	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1984	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1983	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1982	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1981	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1980	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1979	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1978	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1977	C	B6 (HD)	Front	24-024457		Rear	24-024464	
1977	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1976	C	B6 (HD)	Front	24-024457		Rear	24-024464	
1976	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1975	C	B6 (HD)	Front	24-024457		Rear	24-024464	
1975	L	B6 (HD)	Front	24-024457		Rear	24-024464	
1974	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1973	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1972	Base	B6 (HD)	Front	24-024457		Rear	24-024464	



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar XJ8								
2009	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2009	L	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2008	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2008	L	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2007	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2007	L	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2006	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2006	L	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2005	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2005	L	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2004	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2003	Base	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
2003	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
2002	Base	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
2002	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
2001	Base	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
2001	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
2001	L	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
2001	L	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar XJ8 (continued)								
2000	Base	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
2000	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
2000	L	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
2000	L	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
1999	Base	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
1999	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
1999	L	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
1999	L	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
1998	Base	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
1998	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
1998	L	B4	Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023733	Sport Suspension
			Front	24-023726	Sport Suspension	Rear	24-023757	Standard Suspension
1998	L	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
Jaguar XJR								
2009	Base	B4 (ACD)				Rear	20-114503	With electronic (CATS) suspension
2009	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2008	Base	B4 (ACD)				Rear	20-114503	With electronic (CATS) suspension
2008	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar XJR (continued)								
2007	Base	B4 (ACD)				Rear	20-114503	With electronic (CATS) suspension
2007	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2006	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2005	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2004	Base	B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2003	Base	B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
						Rear	24-023757	Standard Suspension
2003	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
2002	100	B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
						Rear	24-023757	Standard Suspension
2002	100	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
2002	Base	B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
						Rear	24-023757	Standard Suspension
2002	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
2001	Base	B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
						Rear	24-023757	Standard Suspension
2001	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
2000	Base	B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
						Rear	24-023757	Standard Suspension
2000	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
1999	Base	B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
						Rear	24-023757	Standard Suspension
1999	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
1998	Base	B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
						Rear	24-023757	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar XJR (continued)								
1998	Base	B4 (ACD)	Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
			Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
1997	Base	B6 (HD)	Front	24-067249	X306 Chassis	Rear	24-185806	X306 Chassis
1996	Base	B6 (HD)	Front	24-067249	X306 Chassis	Rear	24-185806	X306 Chassis
1995	Base	B6 (HD)	Front	24-067249	X306 Chassis	Rear	24-185806	X306 Chassis
Jaguar XJS								
1996	2+2	B6 (HD)	Front	24-024457		Rear	24-024464	
1995	2+2	B6 (HD)	Front	24-024457		Rear	24-024464	
1995	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1994	2+2	B6 (HD)	Front	24-024457		Rear	24-024464	
1994	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1993	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1992	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1991	Classic Collection	B6 (HD)	Front	24-024457		Rear	24-024464	
1990	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1990	Classic Collection	B6 (HD)	Front	24-024457		Rear	24-024464	
1990	Collection Rouge	B6 (HD)	Front	24-024457		Rear	24-024464	
1989	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1989	Collection Rouge	B6 (HD)	Front	24-024457		Rear	24-024464	
1988	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1988	C	B6 (HD)	Front	24-024457		Rear	24-024464	
1987	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1987	C	B6 (HD)	Front	24-024457		Rear	24-024464	
1986	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1985	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1984	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1983	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1982	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1981	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1980	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1979	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1978	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1977	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1976	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
Jaguar XK								
2012	Base; Convertible	B4 (ACD)	Front	20-114435	With electronic (CATS) suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar XK (continued)								
2012	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
			Front	24-067263	Excludes CATS Electronic Suspension			
2011	Base; Convertible	B4 (ACD)	Front	20-114435	With electronic (CATS) suspension			
2011	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
			Front	24-067263	Excludes CATS Electronic Suspension			
2010	Base; Convertible	B4 (ACD)	Front	20-114435	With electronic (CATS) suspension			
2010	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
			Front	24-067263	Excludes CATS Electronic Suspension			
2009	Base	B4 (ACD)	Front	20-114411	With electronic (CATS) suspension	Rear	20-114428	With electronic (CATS) suspension
2009	Base; Convertible	B4 (ACD)	Front	20-114435	With electronic (CATS) suspension			
2009	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
			Front	24-067263	Excludes CATS Electronic Suspension			
2008	Base	B4 (ACD)	Front	20-114411	With electronic (CATS) suspension	Rear	20-114428	With electronic (CATS) suspension
2008	Base; Convertible	B4 (ACD)	Front	20-114435	With electronic (CATS) suspension			
2008	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
			Front	24-067263	Excludes CATS Electronic Suspension			
2007	Base	B4 (ACD)	Front	20-114411	With electronic (CATS) suspension	Rear	20-114428	With electronic (CATS) suspension
2007	Base; Convertible	B4 (ACD)	Front	20-114435	With electronic (CATS) suspension			
2007	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
			Front	24-067263	Excludes CATS Electronic Suspension			
Jaguar XK8								
2006	Base	B4				Rear	24-067270	
2006	Base	B4 (ACD)	Front	20-070830	With electronic (CATS) suspension	Rear	20-070847	With electronic (CATS) suspension
2006	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
2006	Convertible; Victory Edition	B4	Front	24-067263	Excludes CATS Electronic Suspension			
2006	Victory Edition	B4				Rear	24-067270	
2006	Victory Edition	B4 (ACD)	Front	20-070830	With electronic (CATS) suspension	Rear	20-070847	With electronic (CATS) suspension
2005	Base	B4				Rear	24-067270	



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar XK8 (continued)								
2005	Base	B4 (ACD)	Front	20-070830	With electronic (CATS) suspension	Rear	20-070847	With electronic (CATS) suspension
2005	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
2004	Base	B4				Rear	24-067270	
2004	Base	B4 (ACD)	Front	20-070830	With electronic (CATS) suspension	Rear	20-070847	With electronic (CATS) suspension
2004	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
2003	Base	B4				Rear	24-067270	
2003	Base	B4 (ACD)	Front	20-070830	With electronic (CATS) suspension	Rear	20-070847	With electronic (CATS) suspension
2003	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
2002	Base	B4				Rear	24-067270	
2002	Base	B4 (ACD)	Front	20-070540	With electronic (CATS) suspension	Rear	20-070557	With electronic (CATS) suspension
2002	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
2001	Base	B4				Rear	24-067270	
2001	Base	B4 (ACD)	Front	20-070540	With electronic (CATS) suspension	Rear	20-070557	With electronic (CATS) suspension
2001	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
2000	Base	B4				Rear	24-067270	
2000	Base	B4 (ACD)	Front	20-070540	With electronic (CATS) suspension	Rear	20-070557	With electronic (CATS) suspension
2000	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
1999	Base	B4				Rear	24-067270	
1999	Base	B4 (ACD)	Front	20-070540	With electronic (CATS) suspension	Rear	20-070557	With electronic (CATS) suspension
1999	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
1998	Base	B4				Rear	24-067270	
1998	Base	B4 (ACD)	Front	20-070540	With electronic (CATS) suspension	Rear	20-070557	With electronic (CATS) suspension
1998	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
1997	Base	B4				Rear	24-067270	
1997	Base	B4 (ACD)	Front	20-070540	With electronic (CATS) suspension	Rear	20-070557	With electronic (CATS) suspension
1997	Base; Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
Jaguar XKR								
2012	Base; Convertible	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2012	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Jaguar XKR (continued)								
2011	Base; Convertible	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2011	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
2010	Base; Convertible	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2010	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
2009	Base	B4 (ACD)	Front	20-114497	With electronic (CATS) suspension			
2009	Base; Convertible	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2009	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
2009	Convertible; Portfolio	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2009	Coupe; Portfolio	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
2008	Base	B4 (ACD)	Front	20-114497	With electronic (CATS) suspension			
2008	Base; Convertible	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2008	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
2008	Convertible; Portfolio	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2008	Coupe; Portfolio	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
2007	Base	B4 (ACD)	Front	20-114497	With electronic (CATS) suspension			
2007	Base; Convertible	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2007	Base; Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
2006	Base	B4 (ACD)	Front	20-070816	With electronic (CATS) suspension	Rear	20-070823	With electronic (CATS) suspension
2006	Victory Edition	B4 (ACD)	Front	20-070816	With electronic (CATS) suspension	Rear	20-070823	With electronic (CATS) suspension
2005	Base	B4 (ACD)	Front	20-070816	With electronic (CATS) suspension	Rear	20-070823	With electronic (CATS) suspension
2004	Base	B4 (ACD)	Front	20-070816	With electronic (CATS) suspension	Rear	20-070823	With electronic (CATS) suspension
2003	Base	B4 (ACD)	Front	20-070816	With electronic (CATS) suspension	Rear	20-070823	With electronic (CATS) suspension
Kia Forte								
2012	EX	B4	Front Left	22-196408				
			Front Right	22-196415				
2012	LX	B4	Front Left	22-196408				
			Front Right	22-196415				
2012	SX	B4	Front Left	22-196408				
			Front Right	22-196415				



Passenger Cars

Year	Application	Series	Front			Rear		
Kia Forte (continued)								
2011	EX	B4	Front Left	22-196408				
			Front Right	22-196415				
2011	LX	B4	Front Left	22-196408				
			Front Right	22-196415				
2011	SX	B4	Front Left	22-196408				
			Front Right	22-196415				
2010	EX	B4	Front Left	22-196408				
			Front Right	22-196415				
2010	LX	B4	Front Left	22-196408				
			Front Right	22-196415				
2010	SX	B4	Front Left	22-196408				
			Front Right	22-196415				
Lexus GS300								
2005	Base	B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
2005	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2005	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2004	Base	B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
2004	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2004	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2003	Base	B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
2003	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2003	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2002	Base	B14 (PSS)	Front and Rear	47-083011				
2002	Base	B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
2002	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2002	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2001	Base	B14 (PSS)	Front and Rear	47-083011				
2001	Base	B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
2001	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2001	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2000	Base	B14 (PSS)	Front and Rear	47-083011				
2000	Base	B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
2000	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2000	Base	B8 (SP)	Front	24-028028		Rear	24-028035	



Passenger Cars

Year	Application	Series	Front			Rear		
Lexus GS300 (continued)								
1999	Base	B14 (PSS)	Front and Rear	47-083011				
1999	Base	B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
1999	Base	B6 (HD)	Front	24-027434				
1999	Base	B8 (SP)	Front	24-028028		Rear	24-027441	
1999	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
1998	Base	B14 (PSS)	Front and Rear	47-083011				
1998	Base	B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
1998	Base	B6 (HD)	Front	24-027434				
1998	Base	B8 (SP)	Front	24-028028		Rear	24-027441	
1998	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
1997	Base	B6 (HD)	Front	24-027434		Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
			Front	24-018692	Except Electronic Adjustable Suspension; Standard Chassis			
1997	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
1997	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-020268	Except Electronic Adjustable Suspension; Sport Suspension
1996	Base	B6 (HD)	Front	24-027434		Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
			Front	24-018692	Except Electronic Adjustable Suspension; Standard Chassis			
1996	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
1996	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-020268	Except Electronic Adjustable Suspension; Sport Suspension
1995	Base	B6 (HD)	Front	24-027434		Rear	24-020268	Except Electronic Adjustable Suspension; Sport Suspension
			Front	24-018692	Except Electronic Adjustable Suspension; Standard Chassis			
1995	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
1995	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-020268	Except Electronic Adjustable Suspension; Sport Suspension
1994	Base	B6 (HD)	Front	24-027434		Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
			Front	24-018692	Except Electronic Adjustable Suspension; Standard Chassis			
1994	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
1994	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-020268	Except Electronic Adjustable Suspension; Sport Suspension
1993	Base	B6 (HD)	Front	24-027434		Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
			Front	24-018692	Except Electronic Adjustable Suspension; Standard Chassis			
1993	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
1993	Base	B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-020268	Except Electronic Adjustable Suspension; Sport Suspension
Lexus GS400								
2000	Base	B14 (PSS)	Front and Rear	47-083011				
2000	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2000	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
1999	Base	B14 (PSS)	Front and Rear	47-083011				
1999	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
1999	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
1998	Base	B14 (PSS)	Front and Rear	47-083011				



Passenger Cars

Year	Application	Series	Front			Rear		
Lexus GS400 (continued)								
1998	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
1998	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
Lexus GS430								
2005	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2005	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2004	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2004	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2003	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2003	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2002	Base	B14 (PSS)	Front and Rear	47-083011				
2002	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2002	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
2001	Base	B14 (PSS)	Front and Rear	47-083011				
2001	Base	B6 (HD)	Front	24-027434		Rear	24-027441	
2001	Base	B8 (SP)	Front	24-028028		Rear	24-028035	
Lexus IS300								
2005	Base	B6 (HD)	Front	24-060486		Rear	24-060493	
2005	Sportcross	B6 (HD)	Front	24-060486		Rear	24-060493	
2004	Base	B6 (HD)	Front	24-060486		Rear	24-060493	
2004	Sportcross	B6 (HD)	Front	24-060486		Rear	24-060493	
2003	Base	B6 (HD)	Front	24-060486		Rear	24-060493	
2003	Sportcross	B6 (HD)	Front	24-060486		Rear	24-060493	
2002	Base	B6 (HD)	Front	24-060486		Rear	24-060493	
2002	Sportcross	B6 (HD)	Front	24-060486		Rear	24-060493	
2001	Base	B6 (HD)	Front	24-060486		Rear	24-060493	
Lexus LS400								
2000	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-027342	Celsior (Exc. air leveling)	Rear	24-027359	
1999	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-027342	Celsior (Exc. air leveling)	Rear	24-027359	
1998	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-027342	Celsior (Exc. air leveling)	Rear	24-027359	
1997	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-027342	Celsior (Exc. air leveling)	Rear	24-027359	
1996	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-027342	Celsior (Exc. air leveling)	Rear	24-027359	



Passenger Cars

Year	Application	Series	Front			Rear		
Lexus LS400 (continued)								
1995	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-027342	Celsior (Exc. air leveling)	Rear	24-027359	
Lincoln Continental								
1983	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1983	Givenchy	B6 (C)	Front	24-184731		Rear	24-184755	
1983	Valentino	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Givenchy	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1980	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1979	Base	B6 (C)	Front	24-184731				
1979	Base	B6 (HD)				Rear	AK2074	
1978	Base	B6 (C)	Front	24-184731				
1978	Base	B6 (HD)				Rear	AK2074	
1977	Base	B6 (C)	Front	24-184731				
1977	Base	B6 (HD)				Rear	AK2074	
1976	Base	B6 (C)	Front	24-184731				
1976	Base	B6 (HD)				Rear	AK2074	
1975	Base	B6 (C)	Front	24-184731				
1975	Base	B6 (HD)				Rear	AK2074	
1974	Base	B6 (C)	Front	24-184731				
1973	Base	B6 (C)	Front	24-184731				
1972	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1971	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1970	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1969	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1968	Base	B6 (C)	Front	24-184731		Rear	24-184755	
Lincoln MKZ								
2010	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2009	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2008	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2007	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				



Passenger Cars

Year	Application	Series	Front			Rear		
Lincoln Mark IV								
1976	Base	B6 (HD)				Rear	AK2074	
1975	Base	B6 (HD)				Rear	AK2074	
Lincoln Mark V								
1979	Base	B6 (HD)				Rear	AK2074	
1978	Base	B6 (HD)				Rear	AK2074	
1977	Base	B6 (HD)				Rear	AK2074	
Lincoln Town Car								
2002	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
2002	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
2002	Cartier L	B6 (C)	Front	24-184731		Rear	24-184755	
2002	Executive L	B6 (C)	Front	24-184731		Rear	24-184755	
2002	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
2001	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
2001	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
2001	Cartier L	B6 (C)	Front	24-184731		Rear	24-184755	
2001	Executive L	B6 (C)	Front	24-184731		Rear	24-184755	
2001	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
2000	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
2000	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
2000	Executive	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
2000	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1999	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1999	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1999	Cartier	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1999	Executive	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1999	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1999	Signature	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1998	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1998	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1998	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1997	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1997	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1997	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1997	Touring Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1996	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1996	Anniversary	B6 (C)	Front	24-184731		Rear	24-184755	
1996	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	



Passenger Cars

Year	Application	Series	Front			Rear		
Lincoln Town Car (continued)								
1996	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1995	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1995	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1995	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1995	Cypress	B6 (C)	Front	24-184731		Rear	24-184755	
1995	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1995	Touring Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1994	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1994	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1994	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1994	Cypress	B6 (C)	Front	24-184731		Rear	24-184755	
1994	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1994	Touring Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1994	Tournament Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1993	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1993	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1993	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1993	Cypress	B6 (C)	Front	24-184731		Rear	24-184755	
1993	Jack Nicklaus	B6 (C)	Front	24-184731		Rear	24-184755	
1993	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1993	Touring Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1992	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1992	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1992	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1992	Cypress	B6 (C)	Front	24-184731		Rear	24-184755	
1992	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1992	Touring Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1991	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1991	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1991	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1991	Cypress	B6 (C)	Front	24-184731		Rear	24-184755	
1991	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1991	Touring Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1990	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1990	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1990	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1990	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1990	Cypress	B6 (C)	Front	24-184731		Rear	24-184755	



Passenger Cars

Year	Application	Series	Front			Rear		
Lincoln Town Car (continued)								
1990	Executive	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1990	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1990	Touring Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1989	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1989	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1989	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1989	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1989	Signature SE	B6 (C)	Front	24-184731		Rear	24-184755	
1988	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1988	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1988	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1988	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1987	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1987	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1987	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1987	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1986	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1986	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1986	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1986	Cartier	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1986	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1986	Signature	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1985	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1985	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1985	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1985	Cartier	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1985	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1985	Signature	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1984	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1984	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1984	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1984	Cartier	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1984	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1984	Signature	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1983	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1983	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1983	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1983	Cartier	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	



Passenger Cars

Year	Application	Series	Front			Rear		
Lincoln Town Car (continued)								
1983	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1983	Signature	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1982	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1982	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Cartier	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1982	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Signature	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
Lincoln Zephyr								
2006	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
Mazda 2								
2012	GS	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2012	GX	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2012	Sport	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2012	Touring	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2011	GS	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2011	GX	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2011	Sport	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2011	Touring	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2011	Yozora	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
Mazda 3								
2012	GS	B6 (HD)				Rear	24-196529	
2012	GS	B8 (SP)				Rear	24-196550	
2012	GS-SKY	B6 (HD)				Rear	24-196529	
2012	GS-SKY	B8 (SP)				Rear	24-196550	



Passenger Cars

Year	Application	Series	Front	Rear		
Mazda 3 (continued)						
2012	GT	B6 (HD)		Rear	24-196529	
2012	GT	B8 (SP)		Rear	24-196550	
2012	GX	B6 (HD)		Rear	24-196529	
2012	GX	B8 (SP)		Rear	24-196550	
2012	Mazdaspeed	B6 (HD)		Rear	24-196529	
2012	Mazdaspeed	B8 (SP)		Rear	24-196550	
2012	S	B6 (HD)		Rear	24-196529	
2012	S	B8 (SP)		Rear	24-196550	
2012	i	B6 (HD)		Rear	24-196529	
2012	i	B8 (SP)		Rear	24-196550	
2011	GS	B6 (HD)		Rear	24-196529	
2011	GS	B8 (SP)		Rear	24-196550	
2011	GT	B6 (HD)		Rear	24-196529	
2011	GT	B8 (SP)		Rear	24-196550	
2011	GX	B6 (HD)		Rear	24-196529	
2011	GX	B8 (SP)		Rear	24-196550	
2011	Mazdaspeed	B6 (HD)		Rear	24-196529	
2011	Mazdaspeed	B8 (SP)		Rear	24-196550	
2011	S	B6 (HD)		Rear	24-196529	
2011	S	B8 (SP)		Rear	24-196550	
2011	Sport GS	B6 (HD)		Rear	24-196529	
2011	Sport GS	B8 (SP)		Rear	24-196550	
2011	Sport GT	B6 (HD)		Rear	24-196529	
2011	Sport GT	B8 (SP)		Rear	24-196550	
2011	Sport GX	B6 (HD)		Rear	24-196529	
2011	Sport GX	B8 (SP)		Rear	24-196550	
2011	i	B6 (HD)		Rear	24-196529	
2011	i	B8 (SP)		Rear	24-196550	
2010	GS	B6 (HD)		Rear	24-196529	
2010	GS	B8 (SP)		Rear	24-196550	
2010	GT	B6 (HD)		Rear	24-196529	
2010	GT	B8 (SP)		Rear	24-196550	
2010	GX	B6 (HD)		Rear	24-196529	
2010	GX	B8 (SP)		Rear	24-196550	
2010	Mazdaspeed	B6 (HD)		Rear	24-196529	
2010	Mazdaspeed	B8 (SP)		Rear	24-196550	
2010	S	B6 (HD)		Rear	24-196529	
2010	S	B8 (SP)		Rear	24-196550	



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda 3 (continued)								
2010	i	B6 (HD)				Rear	24-196529	
2010	i	B8 (SP)				Rear	24-196550	
2009	GS	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2009	GS	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2009	GS	B6 (HD)				Rear	24-215220	
2009	GS	B8 (SP)				Rear	24-215237	
2009	GT	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2009	GT	B6 (HD)				Rear	24-215220	
2009	GT	B8 (SP)				Rear	24-215237	
2009	GX	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2009	GX	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2009	GX	B6 (HD)				Rear	24-215220	
2009	GX	B8 (SP)				Rear	24-215237	
2009	Mazdaspeed	B12 (Pro-Kit)	Front and Rear	46-190321	Front Lowered Height: 25mm, up to 1070kg Axle Load; Rear Lowered Height: 15mm, up to 915kg Axle Load			
2009	Mazdaspeed	B4				Rear	19-119526	Standard Chassis
2009	Mazdaspeed	B6 (HD)				Rear	24-215220	
2009	Mazdaspeed	B8 (SP)				Rear	24-215237	
2009	S	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2009	S	B6 (HD)				Rear	24-215220	
2009	S	B8 (SP)				Rear	24-215237	
2009	i	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2009	i	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2009	i	B6 (HD)				Rear	24-215220	
2009	i	B8 (SP)				Rear	24-215237	
2008	GS	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2008	GS	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda 3 (continued)								
2008	GS	B6 (HD)				Rear	24-215220	
2008	GS	B8 (SP)				Rear	24-215237	
2008	GT	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2008	GT	B6 (HD)				Rear	24-215220	
2008	GT	B8 (SP)				Rear	24-215237	
2008	GX	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2008	GX	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2008	GX	B6 (HD)				Rear	24-215220	
2008	GX	B8 (SP)				Rear	24-215237	
2008	Mazdaspeed	B12 (Pro-Kit)	Front and Rear	46-190321	Front Lowered Height: 25mm, up to 1070kg Axle Load; Rear Lowered Height: 15mm, up to 915kg Axle Load			
2008	Mazdaspeed	B4				Rear	19-119526	Standard Chassis
2008	Mazdaspeed	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2008	Mazdaspeed	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2008	S	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2008	S	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2008	S	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2008	i	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2008	i	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2008	i	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2008	i	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2007	Mazdaspeed	B12 (Pro-Kit)	Front and Rear	46-190321	Front Lowered Height: 25mm, up to 1070kg Axle Load; Rear Lowered Height: 15mm, up to 915kg Axle Load			
2007	Mazdaspeed	B4				Rear	19-119526	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda 3 (continued)								
2007	Mazdaspeed	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2007	Mazdaspeed	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2007	S	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2007	S	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2007	S	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2007	i	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2007	i	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2007	i	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2007	i	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2006	S	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2006	S	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2006	S	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2006	i	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2006	i	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2006	i	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2006	i	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2005	S	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2005	S	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda 3 (continued)								
2005	S	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2005	SP23	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2005	SP23	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2005	SP23	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2005	i	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2005	i	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2005	i	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2005	i	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2004	S	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2004	S	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2004	S	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
2004	i	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2004	i	B4	Front Right	22-112880	Standard Chassis	Rear	19-119526	Standard Chassis
			Front Left	22-112811	Standard Chassis	Rear	19-112893	Standard Chassis
2004	i	B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				
2004	i	B8 (SP)	Front Left	35-110767		Rear	24-110815	
			Front Right	35-110774		Rear	24-215237	
Mazda 3 Sport								
2012	GS	B6 (HD)				Rear	24-196529	
2012	GS	B8 (SP)				Rear	24-196550	
2012	GS-SKY	B6 (HD)				Rear	24-196529	
2012	GS-SKY	B8 (SP)				Rear	24-196550	
2012	GT	B6 (HD)				Rear	24-196529	
2012	GT	B8 (SP)				Rear	24-196550	



Passenger Cars

Year	Application	Series	Front			Rear	
Mazda 3 Sport (continued)							
2012	GX	B6 (HD)				Rear	24-196529
2012	GX	B8 (SP)				Rear	24-196550
Mazda 5							
2010	GS	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2010	GT	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2010	Grand Touring	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2010	Sport	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2010	Touring	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2009	GS	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2009	GT	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2009	Grand Touring	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2009	Sport	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2009	Touring	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2008	GS	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2008	GT	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2008	Grand Touring	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2008	Sport	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2008	Touring	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2007	Grand Touring	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		
2007	Sport	B4	Front Right	22-112880	Standard Chassis		
			Front Left	22-112811	Standard Chassis		



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda 5 (continued)								
2007	Touring	B4	Front Right	22-112880	Standard Chassis			
			Front Left	22-112811	Standard Chassis			
2006	Sport	B4	Front Right	22-112880	Standard Chassis			
			Front Left	22-112811	Standard Chassis			
2006	Touring	B4	Front Right	22-112880	Standard Chassis			
			Front Left	22-112811	Standard Chassis			
Mazda 6								
2010	i	B6 (HD)	Front Left	24-102568				
2009	S	B6 (HD)	Front Left	24-102568				
			Front Right	24-102575				
2009	i	B6 (HD)	Front Left	24-102568				
			Front Right	24-102575				
2008	GS	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2008	GT	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2008	S	B6 (HD)	Front Left	24-102568				
			Front Right	24-102575				
2008	i	B6 (HD)	Front Left	24-102568				
			Front Right	24-102575				
2007	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007	Mazdaspeed	B6 (HD)	Front Left	24-102568	GG/GY Chassis			
			Front Right	24-102575	GG/GY Chassis			
2007	S	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2007	S; Sedan	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007	S; Wagon	B12 (Pro-Kit)	Front and Rear	46-192653	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1100kg Axle Load			
2007	i	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007	i	B6 (HD)	Front Left	24-102568	GG/GY Chassis			
			Front Right	24-102575	GG/GY Chassis			
2006	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda 6 (continued)								
2006	Mazdaspeed	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2006	S	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2006	S; Sedan	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2006	S; Wagon	B12 (Pro-Kit)	Front and Rear	46-192653	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1100kg Axle Load			
2006	i	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2006	i	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2005	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2005	S	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2005	S; Sedan	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2005	S; Wagon	B12 (Pro-Kit)	Front and Rear	46-192653	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1100kg Axle Load			
2005	i	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2005	i	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2004	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2004	S	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2004	S; Sedan	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2004	S; Wagon	B12 (Pro-Kit)	Front and Rear	46-192653	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1100kg Axle Load			
2004	i	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda 6 (continued)								
2004	i	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2003	S	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2003	S	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2003	i	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2003	i	B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
Mazda 626								
1980	Base	B6 (HD)				Rear	24-001540	Rennen Model/Firmer Setting
1979	Base	B6 (HD)				Rear	24-001540	Rennen Model/Firmer Setting
Mazda MX-5								
2008	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2007	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2006	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
Mazda MX-5 Miata								
2012	GS	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	GT	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	GX	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda MX-5 Miata (continued)								
2012	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011	GS	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011	GT	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011	GX	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011	Grand Touring	B14 (PSS)	Front and Rear	47-131811				
2011	Grand Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2011	Grand Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2011	Special Edition	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011	Sport	B14 (PSS)	Front and Rear	47-131811				
2011	Sport	B6 (HD)	Front	24-131742		Rear	24-131759	
2011	Sport	B8 (SP)	Front	24-131766		Rear	24-131773	
2011	Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011	Touring	B14 (PSS)	Front and Rear	47-131811				
2011	Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2011	Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2010	GS	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2010	GT	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2010	GX	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda MX-5 Miata (continued)								
2010	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2010	Grand Touring	B14 (PSS)	Front and Rear	47-131811				
2010	Grand Touring	B16 (PSS10)	Front and Rear	48-131841				
2010	Grand Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2010	Grand Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2010	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2010	Sport	B14 (PSS)	Front and Rear	47-131811				
2010	Sport	B16 (PSS10)	Front and Rear	48-131841				
2010	Sport	B6 (HD)	Front	24-131742		Rear	24-131759	
2010	Sport	B8 (SP)	Front	24-131766		Rear	24-131773	
2010	Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2010	Touring	B14 (PSS)	Front and Rear	47-131811				
2010	Touring	B16 (PSS10)	Front and Rear	48-131841				
2010	Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2010	Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2009	GS	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2009	GT	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2009	GX	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2009	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2009	Grand Touring	B14 (PSS)	Front and Rear	47-131811				
2009	Grand Touring	B16 (PSS10)	Front and Rear	48-131841				
2009	Grand Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2009	Grand Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2009	SV	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda MX-5 Miata (continued)								
2009	SV	B14 (PSS)	Front and Rear	47-131811				
2009	SV	B16 (PSS10)	Front and Rear	48-131841				
2009	SV	B6 (HD)	Front	24-131742		Rear	24-131759	
2009	SV	B8 (SP)	Front	24-131766		Rear	24-131773	
2009	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2009	Sport	B14 (PSS)	Front and Rear	47-131811				
2009	Sport	B16 (PSS10)	Front and Rear	48-131841				
2009	Sport	B6 (HD)	Front	24-131742		Rear	24-131759	
2009	Sport	B8 (SP)	Front	24-131766		Rear	24-131773	
2009	Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2009	Touring	B14 (PSS)	Front and Rear	47-131811				
2009	Touring	B16 (PSS10)	Front and Rear	48-131841				
2009	Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2009	Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2008	GS	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2008	GT	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2008	GX	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2008	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2008	Grand Touring	B14 (PSS)	Front and Rear	47-131811				
2008	Grand Touring	B16 (PSS10)	Front and Rear	48-131841				
2008	Grand Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2008	Grand Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2008	SV	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2008	SV	B14 (PSS)	Front and Rear	47-131811				
2008	SV	B16 (PSS10)	Front and Rear	48-131841				



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda MX-5 Miata (continued)								
2008	SV	B6 (HD)	Front	24-131742		Rear	24-131759	
2008	SV	B8 (SP)	Front	24-131766		Rear	24-131773	
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2008	Sport	B14 (PSS)	Front and Rear	47-131811				
2008	Sport	B16 (PSS10)	Front and Rear	48-131841				
2008	Sport	B6 (HD)	Front	24-131742		Rear	24-131759	
2008	Sport	B8 (SP)	Front	24-131766		Rear	24-131773	
2008	Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2008	Touring	B14 (PSS)	Front and Rear	47-131811				
2008	Touring	B16 (PSS10)	Front and Rear	48-131841				
2008	Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2008	Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2007	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2007	Grand Touring	B14 (PSS)	Front and Rear	47-131811				
2007	Grand Touring	B16 (PSS10)	Front and Rear	48-131841				
2007	Grand Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2007	Grand Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2007	SV	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2007	SV	B14 (PSS)	Front and Rear	47-131811				
2007	SV	B16 (PSS10)	Front and Rear	48-131841				
2007	SV	B6 (HD)	Front	24-131742		Rear	24-131759	
2007	SV	B8 (SP)	Front	24-131766		Rear	24-131773	
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2007	Sport	B14 (PSS)	Front and Rear	47-131811				
2007	Sport	B16 (PSS10)	Front and Rear	48-131841				
2007	Sport	B6 (HD)	Front	24-131742		Rear	24-131759	
2007	Sport	B8 (SP)	Front	24-131766		Rear	24-131773	



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda MX-5 Miata (continued)								
2007	Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2007	Touring	B14 (PSS)	Front and Rear	47-131811				
2007	Touring	B16 (PSS10)	Front and Rear	48-131841				
2007	Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2007	Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2006	Base	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-131811				
2006	Base	B16 (PSS10)	Front and Rear	48-131841				
2006	Base	B6 (HD)	Front	24-131742		Rear	24-131759	
2006	Base	B8 (SP)	Front	24-131766		Rear	24-131773	
2006	Club Spec	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2006	Club Spec	B14 (PSS)	Front and Rear	47-131811				
2006	Club Spec	B16 (PSS10)	Front and Rear	48-131841				
2006	Club Spec	B6 (HD)	Front	24-131742		Rear	24-131759	
2006	Club Spec	B8 (SP)	Front	24-131766		Rear	24-131773	
2006	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2006	Grand Touring	B14 (PSS)	Front and Rear	47-131811				
2006	Grand Touring	B16 (PSS10)	Front and Rear	48-131841				
2006	Grand Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2006	Grand Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2006	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2006	Sport	B14 (PSS)	Front and Rear	47-131811				
2006	Sport	B16 (PSS10)	Front and Rear	48-131841				
2006	Sport	B6 (HD)	Front	24-131742		Rear	24-131759	
2006	Sport	B8 (SP)	Front	24-131766		Rear	24-131773	
2006	Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda MX-5 Miata (continued)								
2006	Touring	B14 (PSS)	Front and Rear	47-131811				
2006	Touring	B16 (PSS10)	Front and Rear	48-131841				
2006	Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2006	Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
Mazda Miata								
2005	Base	B14 (PSS)	Front and Rear	47-083004				
2005	Base	B16 (PSS9)	Front and Rear	48-086097				
2005	Base	B6 (HD)	Front	24-065580		Rear	24-065597	
2005	Base	B8 (SP)	Front	24-065504		Rear	24-065511	
2005	LS	B14 (PSS)	Front and Rear	47-083004				
2005	LS	B16 (PSS9)	Front and Rear	48-086097				
2005	LS	B6 (HD)	Front	24-065580		Rear	24-065597	
2005	LS	B8 (SP)	Front	24-065504		Rear	24-065511	
2005	Mazdaspeed	B6 (HD)	Front	24-065580		Rear	24-065597	
2005	Mazdaspeed	B8 (SP)	Front	24-065504		Rear	24-065511	
2004	Base	B14 (PSS)	Front and Rear	47-083004				
2004	Base	B16 (PSS9)	Front and Rear	48-086097				
2004	Base	B6 (HD)	Front	24-065580		Rear	24-065597	
2004	Base	B8 (SP)	Front	24-065504		Rear	24-065511	
2004	LS	B14 (PSS)	Front and Rear	47-083004				
2004	LS	B16 (PSS9)	Front and Rear	48-086097				
2004	LS	B6 (HD)	Front	24-065580		Rear	24-065597	
2004	LS	B8 (SP)	Front	24-065504		Rear	24-065511	
2004	Mazdaspeed	B6 (HD)	Front	24-065580		Rear	24-065597	
2004	Mazdaspeed	B8 (SP)	Front	24-065504		Rear	24-065511	
2003	Base	B14 (PSS)	Front and Rear	47-083004				
2003	Base	B16 (PSS9)	Front and Rear	48-086097				
2003	Base	B6 (HD)	Front	24-065580		Rear	24-065597	
2003	Base	B8 (SP)	Front	24-065504		Rear	24-065511	
2003	LS	B14 (PSS)	Front and Rear	47-083004				
2003	LS	B16 (PSS9)	Front and Rear	48-086097				
2003	LS	B6 (HD)	Front	24-065580		Rear	24-065597	



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda Miata (continued)								
2003	LS	B8 (SP)	Front	24-065504		Rear	24-065511	
2003	SE	B14 (PSS)	Front and Rear	47-083004				
2003	SE	B16 (PSS9)	Front and Rear	48-086097				
2003	SE	B6 (HD)	Front	24-065580		Rear	24-065597	
2003	SE	B8 (SP)	Front	24-065504		Rear	24-065511	
2003	Shinsen	B14 (PSS)	Front and Rear	47-083004				
2003	Shinsen	B16 (PSS9)	Front and Rear	48-086097				
2003	Shinsen	B6 (HD)	Front	24-065580		Rear	24-065597	
2003	Shinsen	B8 (SP)	Front	24-065504		Rear	24-065511	
2002	Base	B14 (PSS)	Front and Rear	47-083004				
2002	Base	B16 (PSS9)	Front and Rear	48-086097				
2002	Base	B6 (HD)	Front	24-065580		Rear	24-065597	
2002	Base	B8 (SP)	Front	24-065504		Rear	24-065511	
2002	LS	B14 (PSS)	Front and Rear	47-083004				
2002	LS	B16 (PSS9)	Front and Rear	48-086097				
2002	LS	B6 (HD)	Front	24-065580		Rear	24-065597	
2002	LS	B8 (SP)	Front	24-065504		Rear	24-065511	
2002	SE	B14 (PSS)	Front and Rear	47-083004				
2002	SE	B16 (PSS9)	Front and Rear	48-086097				
2002	SE	B6 (HD)	Front	24-065580		Rear	24-065597	
2002	SE	B8 (SP)	Front	24-065504		Rear	24-065511	
2001	Base	B14 (PSS)	Front and Rear	47-083004				
2001	Base	B16 (PSS9)	Front and Rear	48-086097				
2001	Base	B6 (HD)	Front	24-065580		Rear	24-065597	
2001	Base	B8 (SP)	Front	24-065504		Rear	24-065511	
2001	LS	B14 (PSS)	Front and Rear	47-083004				
2001	LS	B16 (PSS9)	Front and Rear	48-086097				
2001	LS	B6 (HD)	Front	24-065580		Rear	24-065597	
2001	LS	B8 (SP)	Front	24-065504		Rear	24-065511	
2001	SE	B14 (PSS)	Front and Rear	47-083004				
2001	SE	B16 (PSS9)	Front and Rear	48-086097				



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda Miata (continued)								
2001	SE	B6 (HD)	Front	24-065580		Rear	24-065597	
2001	SE	B8 (SP)	Front	24-065504		Rear	24-065511	
2000	Base	B14 (PSS)	Front and Rear	47-083004				
2000	Base	B16 (PSS9)	Front and Rear	48-086097				
2000	Base	B6 (HD)	Front	24-065580		Rear	24-065597	
2000	Base	B8 (SP)	Front	24-065504		Rear	24-065511	
2000	LS	B14 (PSS)	Front and Rear	47-083004				
2000	LS	B16 (PSS9)	Front and Rear	48-086097				
2000	LS	B6 (HD)	Front	24-065580		Rear	24-065597	
2000	LS	B8 (SP)	Front	24-065504		Rear	24-065511	
2000	SE	B14 (PSS)	Front and Rear	47-083004				
2000	SE	B16 (PSS9)	Front and Rear	48-086097				
2000	SE	B6 (HD)	Front	24-065580		Rear	24-065597	
2000	SE	B8 (SP)	Front	24-065504		Rear	24-065511	
1999	10th Anniversary	B14 (PSS)	Front and Rear	47-083004				
1999	10th Anniversary	B16 (PSS9)	Front and Rear	48-086097				
1999	10th Anniversary	B6 (HD)	Front	24-065580		Rear	24-065597	
1999	10th Anniversary	B8 (SP)	Front	24-065504		Rear	24-065511	
1999	Base	B14 (PSS)	Front and Rear	47-083004				
1999	Base	B16 (PSS9)	Front and Rear	48-086097				
1999	Base	B6 (HD)	Front	24-065580		Rear	24-065597	
1999	Base	B8 (SP)	Front	24-065504		Rear	24-065511	
1997	Base	B6 (HD)	Front	24-014885		Rear	24-014892	
1997	M Edition	B6 (HD)	Front	24-014885		Rear	24-014892	
1997	STO	B6 (HD)	Front	24-014885		Rear	24-014892	
1996	Base	B6 (HD)	Front	24-014885		Rear	24-014892	
1996	M Edition	B6 (HD)	Front	24-014885		Rear	24-014892	
1995	Base	B6 (HD)	Front	24-014885		Rear	24-014892	
1995	M Edition	B6 (HD)	Front	24-014885		Rear	24-014892	
1994	Base	B6 (HD)	Front	24-014885		Rear	24-014892	
1994	M Edition	B6 (HD)	Front	24-014885		Rear	24-014892	
1993	Base	B6 (HD)	Front	24-014885		Rear	24-014892	
1993	LE	B6 (HD)	Front	24-014885		Rear	24-014892	
1992	Base	B6 (HD)	Front	24-014885		Rear	24-014892	



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda Miata (continued)								
1991	Base	B6 (HD)	Front	24-014885		Rear	24-014892	
1991	SE	B6 (HD)	Front	24-014885		Rear	24-014892	
1990	Base	B6 (HD)	Front	24-014885		Rear	24-014892	
Mazda RX-7								
1995	Base	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1995	R2	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1995	Touring	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1994	Base	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1994	R2	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1994	Touring	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1993	Base	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1993	R1	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1993	Touring	B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1991	Base	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1991	Convertible	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1991	Turbo	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1990	Convertible	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1990	GTU	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1990	GTUs	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1990	GXL	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1990	GXL 2+2	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1990	Turbo	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1989	Convertible	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1989	GTU	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda RX-7 (continued)								
1989	GTUs	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1989	GXL	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1989	GXL 2+2	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1989	Turbo	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1988	10th Anniversary	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1988	Convertible	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1988	GTU	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1988	GXL	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1988	GXL 2+2	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1988	SE	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1988	SE 2+2	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1988	Turbo	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1987	Base	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1987	Base 2+2	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1987	GXL	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1987	GXL 2+2	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1987	LX	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1987	LX 2+2	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1987	Sport	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1987	Turbo	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1986	Base	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1986	GXL	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
Mazda RX-8								
2011	GT	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2011	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2011	Grand Touring	B6 (HD)	Front	24-110044		Rear	24-110051	



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda RX-8 (continued)								
2011	R3	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2011	R3	B6 (HD)	Front	24-110044		Rear	24-110051	
2011	Sport	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2011	Sport	B6 (HD)	Front	24-110044		Rear	24-110051	
2010	GT	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2010	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2010	Grand Touring	B16 (PSS9)	Front and Rear	48-110297				
2010	Grand Touring	B6 (HD)	Front	24-110044		Rear	24-110051	
2010	R3	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2010	R3	B16 (PSS9)	Front and Rear	48-110297				
2010	R3	B6 (HD)	Front	24-110044		Rear	24-110051	
2010	Sport	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2010	Sport	B16 (PSS9)	Front and Rear	48-110297				
2010	Sport	B6 (HD)	Front	24-110044		Rear	24-110051	
2009	GS	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2009	GT	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2009	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2009	Grand Touring	B16 (PSS9)	Front and Rear	48-110297				
2009	Grand Touring	B6 (HD)	Front	24-110044		Rear	24-110051	
2009	R3	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2009	R3	B16 (PSS9)	Front and Rear	48-110297				
2009	R3	B6 (HD)	Front	24-110044		Rear	24-110051	



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda RX-8 (continued)								
2009	Sport	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2009	Sport	B16 (PSS9)	Front and Rear	48-110297				
2009	Sport	B6 (HD)	Front	24-110044		Rear	24-110051	
2009	Touring	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2009	Touring	B16 (PSS9)	Front and Rear	48-110297				
2009	Touring	B6 (HD)	Front	24-110044		Rear	24-110051	
2008	40th Anniversary Edition	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2008	GS	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2008	GT	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2008	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2008	Grand Touring	B16 (PSS9)	Front and Rear	48-110297				
2008	Grand Touring	B6 (HD)	Front	24-110044		Rear	24-110051	
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2008	Sport	B16 (PSS9)	Front and Rear	48-110297				
2008	Sport	B6 (HD)	Front	24-110044		Rear	24-110051	
2008	Touring	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2008	Touring	B16 (PSS9)	Front and Rear	48-110297				
2008	Touring	B6 (HD)	Front	24-110044		Rear	24-110051	
2007	Base	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-110297				
2007	Base	B6 (HD)	Front	24-110044		Rear	24-110051	
2006	Base	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-110297				



Passenger Cars

Year	Application	Series	Front			Rear		
Mazda RX-8 (continued)								
2006	Base	B6 (HD)	Front	24-110044		Rear	24-110051	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2005	Base	B16 (PSS9)	Front and Rear	48-110297				
2005	Base	B6 (HD)	Front	24-110044		Rear	24-110051	
2005	Shinka	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2005	Shinka	B16 (PSS9)	Front and Rear	48-110297				
2005	Shinka	B6 (HD)	Front	24-110044		Rear	24-110051	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-110297				
2004	Base	B6 (HD)	Front	24-110044		Rear	24-110051	
Mercedes-Benz 180D								
1961	Base	B4	Front	24-000024		Rear	24-000123	
1960	Base	B4	Front	24-000024		Rear	24-000123	
Mercedes-Benz 190C								
1965	Base	B4	Front	24-005272		Rear	24-005371	
1965	Base	B4 (Steering Damper)	Front	18-002461				
1964	Base	B4	Front	24-005272				
1964	Base	B4 (Steering Damper)	Front	18-002461				
1963	Base	B4	Front	24-005272				
1963	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 190D								
1989	2.5	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1989	2.5	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1989	2.5	B4 (Steering Damper)	Front	18-140651				
1989	2.5	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 190D (continued)								
1989	2.5	B8 (SP)	Front	22-003652		Rear	24-014700	
1988	2.5	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1988	2.5	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1988	2.5	B4 (Steering Damper)	Front	18-140651				
1988	2.5	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1988	2.5	B8 (SP)	Front	22-003652		Rear	24-014700	
1987	2.5	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1987	2.5	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1987	2.5	B4 (Steering Damper)	Front	18-140651				
1987	2.5	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1987	2.5	B8 (SP)	Front	22-003652		Rear	24-014700	
1987	2.5 Turbo	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1987	2.5 Turbo	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1987	2.5 Turbo	B4 (Steering Damper)	Front	18-140651				
1987	2.5 Turbo	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1987	2.5 Turbo	B8 (SP)	Front	22-003652		Rear	24-014700	
1986	2.5	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear			
Mercedes-Benz 190D (continued)									
1986	2.5	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension	
			Front	22-001924	Off-road Suspension		Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear		24-013901	Sport Suspension
			Front	22-001993	Standard Suspension			Rear	24-014052
1986	2.5	B4 (Steering Damper)	Front	18-140651					
1986	2.5	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control	
1986	2.5	B8 (SP)	Front	22-003652		Rear	24-014700		
1985	2.2	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load				
1985	2.2	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension	
			Front	22-001924	Off-road Suspension		Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear		24-013901	Sport Suspension
			Front	22-001993	Standard Suspension			Rear	24-014052
1985	2.2	B4 (Steering Damper)	Front	18-140651					
1985	2.2	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control	
1985	2.2	B8 (SP)	Front	22-003652		Rear	24-014700		
1984	2.2	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load				
1984	2.2	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension	
			Front	22-001924	Off-road Suspension		Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear		24-013901	Sport Suspension
			Front	22-001993	Standard Suspension			Rear	24-014052
1984	2.2	B4 (Steering Damper)	Front	18-140651					
1984	2.2	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control	
1984	2.2	B8 (SP)	Front	22-003652		Rear	24-014700		
Mercedes-Benz 190DC									
1965	Base	B4	Front	24-005272		Rear	24-005371		
1965	Base	B4 (Steering Damper)	Front	18-002461					
1964	Base	B4	Front	24-005272		Rear	24-005371		
1964	Base	B4 (Steering Damper)	Front	18-002461					
1963	Base	B4	Front	24-005272		Rear	24-005371		



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 190DC (continued)								
1963	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 190E								
1993	2.3	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1993	2.3	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1993	2.3	B4 (Steering Damper)	Front	18-140651				
1993	2.3	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1993	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	
1993	2.6	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1993	2.6	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1993	2.6	B4 (Steering Damper)	Front	18-140651				
1993	2.6	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1993	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1992	2.3	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1992	2.3	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1992	2.3	B4 (Steering Damper)	Front	18-140651				
1992	2.3	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1992	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 190E (continued)								
1992	2.6	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1992	2.6	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1992	2.6	B4 (Steering Damper)	Front	18-140651				
1992	2.6	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1992	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1991	2.3	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1991	2.3	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1991	2.3	B4 (Steering Damper)	Front	18-140651				
1991	2.3	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1991	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	
1991	2.6	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1991	2.6	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1991	2.6	B4 (Steering Damper)	Front	18-140651				
1991	2.6	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1991	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1990	2.6	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 190E (continued)								
1990	2.6	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension			
			Front	22-002006	Sport Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-001993	Standard Suspension			
						Rear	24-013901	Sport Suspension
			Rear	24-014052	Standard Suspension			
1990	2.6	B4 (Steering Damper)	Front	18-140651				
1990	2.6	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1990	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1989	2.6	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1989	2.6	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension			
			Front	22-001993	Standard Suspension	Rear	24-013901	Sport Suspension
1989	2.6	B4 (Steering Damper)	Front	18-140651				
1989	2.6	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1989	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1988	2.3	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1988	2.3	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension			
			Front	22-001993	Standard Suspension	Rear	24-013901	Sport Suspension
1988	2.3	B4 (Steering Damper)	Front	18-140651				
1988	2.3	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1988	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	
1988	2.6	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1988	2.6	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension			
			Front	22-001993	Standard Suspension	Rear	24-013901	Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 190E (continued)								
1988	2.6	B4 (Steering Damper)	Front	18-140651				
1988	2.6	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1988	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1987	2.3	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1987	2.3	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1987	2.3	B4 (Steering Damper)	Front	18-140651				
1987	2.3	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1987	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	
1987	2.3-16	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1987	2.3-16	B4	Front	22-003621	Excludes Self Leveling	Rear	24-013840	Excludes Self Leveling
			Front	22-001924	Off-road Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
1987	2.3-16	B4 (Steering Damper)	Front	18-140651				
1987	2.3-16	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1987	2.3-16	B8 (SP)	Front	22-003652	Excludes Self Leveling	Rear	24-014700	Excludes Self Leveling
1987	2.6	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1987	2.6	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
			Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension
1987	2.6	B4 (Steering Damper)	Front	18-140651				
1987	2.6	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1987	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 190E (continued)								
1986	2.3	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1986	2.3	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension			
			Front	22-001993	Standard Suspension			
						Rear	24-014052	Standard Suspension
1986	2.3	B4 (Steering Damper)	Front	18-140651				
1986	2.3	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1986	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	
1986	2.3-16	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1986	2.3-16	B4	Front	22-003621	Excludes Self Leveling	Rear	24-013840	Excludes Self Leveling
			Front	22-001924	Off-road Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-002006	Sport Suspension	Rear	24-013901	Sport Suspension
1986	2.3-16	B4 (Steering Damper)	Front	18-140651				
1986	2.3-16	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1986	2.3-16	B8 (SP)	Front	22-003652	Excludes Self Leveling	Rear	24-014700	Excludes Self Leveling
1985	2.3	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1985	2.3	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-002006	Sport Suspension			
			Front	22-001993	Standard Suspension			
								Rear
1985	2.3	B4 (Steering Damper)	Front	18-140651				
1985	2.3	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1985	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	
1984	2.3	B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 190E (continued)								
1984	2.3	B4	Front	22-003621	Heavy Duty Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
			Front	22-001924	Off-road Suspension		Rear	24-013840
			Front	22-002006	Sport Suspension	Rear		24-013901
			Front	22-001993	Standard Suspension		Rear	24-014052
1984	2.3	B4 (Steering Damper)	Front	18-140651				
1984	2.3	B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1984	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 200								
1968	Base	B4	Front	24-005272		Rear	24-005371	
1968	Base	B4 (Steering Damper)	Front	18-002461				
1967	Base	B4	Front	24-005272		Rear	24-005371	
1967	Base	B4 (Steering Damper)	Front	18-002461				
1966	Base	B4	Front	24-005272		Rear	24-005371	
1966	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 200D								
1968	Base	B4	Front	24-005272		Rear	24-005371	
1968	Base	B4 (Steering Damper)	Front	18-002461				
1967	Base	B4	Front	24-005272		Rear	24-005371	
1967	Base	B4 (Steering Damper)	Front	18-002461				
1966	Base	B4	Front	24-005272		Rear	24-005371	
1966	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 220								
1973	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1973	Base	B4 (Steering Damper)	Front	18-002461				
1972	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1972	Base	B4 (Steering Damper)	Front	18-002461				
1971	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1971	Base	B4 (Steering Damper)	Front	18-002461				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 220 (continued)								
1970	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1970	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1968	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 220D								
1973	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1973	Base	B4 (Steering Damper)	Front	18-002461				
1972	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1972	Base	B4 (Steering Damper)	Front	18-002461				
1971	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1971	Base	B4 (Steering Damper)	Front	18-002461				
1970	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1970	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1968	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 220S								
1959	Base	B4	Front	24-000024		Rear	24-000123	
1958	Base	B4	Front	24-000024		Rear	24-000123	
1957	Base	B4	Front	24-000024		Rear	24-000123	
1956	Base	B4	Front	24-000024		Rear	24-000123	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 230								
1978	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1978	Base	B4 (Steering Damper)	Front	18-002461				
1978	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1977	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1977	Base	B4 (Steering Damper)	Front	18-002461				
1977	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1976	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1976	Base	B4 (Steering Damper)	Front	18-002461				
1975	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1975	Base	B4 (Steering Damper)	Front	18-002461				
1974	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1974	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005272		Rear	24-005371	
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005272		Rear	24-005371	
1968	Base	B4 (Steering Damper)	Front	18-002461				
1967	Base	B4	Front	24-005272		Rear	24-005371	
1967	Base	B4 (Steering Damper)	Front	18-002461				
1966	Base	B4	Front	24-005272		Rear	24-005371	
1966	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 230S								
1967	Base	B4	Front	24-005272		Rear	24-005371	
1967	Base	B4 (Steering Damper)	Front	18-002461				
1966	Base	B4	Front	24-005272		Rear	24-005371	
1966	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 230SL								
1966	Base	B4	Front	24-005296		Rear	24-005395	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 230SL (continued)								
1966	Base	B4 (Steering Damper)	Front	18-002461				
1965	Base	B4	Front	24-005296		Rear	24-005395	
1965	Base	B4 (Steering Damper)	Front	18-002461				
1964	Base	B4	Front	24-005296		Rear	24-005395	
1964	Base	B4 (Steering Damper)	Front	18-002461				
1963	Base	B4	Front	24-005296		Rear	24-005395	
1963	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 240D								
1983	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1983	Base	B4 (Steering Damper)	Front	18-002461				
1983	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1982	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1982	Base	B4 (Steering Damper)	Front	18-002461				
1982	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1981	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1981	Base	B4 (Steering Damper)	Front	18-002461				
1981	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1980	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1980	Base	B4 (Steering Damper)	Front	18-002461				
1980	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1979	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1979	Base	B4 (Steering Damper)	Front	18-002461				
1979	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1978	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1978	Base	B4 (Steering Damper)	Front	18-002461				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 240D (continued)								
1978	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1977	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1977	Base	B4 (Steering Damper)	Front	18-002461				
1977	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1976	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1976	Base	B4 (Steering Damper)	Front	18-002461				
1975	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1975	Base	B4 (Steering Damper)	Front	18-002461				
1974	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1974	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 250								
1970	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1970	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1968	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 250C								
1972	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1972	Base	B4 (Steering Damper)	Front	18-002461				
1971	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1971	Base	B4 (Steering Damper)	Front	18-002461				
1970	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 250C (continued)								
1970	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 250S								
1967	Base	B4	Front	24-005272		Rear	24-005371	
1967	Base	B4 (Steering Damper)	Front	18-002461				
1966	Base	B4	Front	24-005272		Rear	24-005371	
1966	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 250SE								
1967	Base	B4	Front	24-005272		Rear	24-005371	
1967	Base	B4 (Steering Damper)	Front	18-002461				
1966	Base	B4	Front	24-005272		Rear	24-005371	
1966	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 250SL								
1967	Base	B4	Front	24-005296		Rear	24-005395	
1967	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 260E								
1989	Base	B1 (OEM Components)	Front	11-101406				
1989	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1989	Base	B4 (Steering Damper)	Front	18-140651				
1989	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1989	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1988	Base	B1 (OEM Components)	Front	11-101406				
1988	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1988	Base	B4 (Steering Damper)	Front	18-140651				
1988	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1988	Base	B8 (SP)	Front	22-003652		Rear	24-014700	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 260E (continued)								
1987	Base	B1 (OEM Components)	Front	11-101406				
1987	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1987	Base	B4 (Steering Damper)	Front	18-140651				
1987	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1987	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 280								
1976	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1976	Base	B4 (Steering Damper)	Front	18-002461				
1975	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1975	Base	B4 (Steering Damper)	Front	18-002461				
1974	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1974	Base	B4 (Steering Damper)	Front	18-002461				
1973	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1973	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280C								
1976	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1976	Base	B4 (Steering Damper)	Front	18-002461				
1975	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1975	Base	B4 (Steering Damper)	Front	18-002461				
1974	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
1974	Base	B4 (Steering Damper)	Front	18-002461				
1973	Base	B4	Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
			Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 280C (continued)								
1973	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280CE								
1981	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1981	Base	B4 (Steering Damper)	Front	18-002461				
1981	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1980	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1980	Base	B4 (Steering Damper)	Front	18-002461				
1980	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1979	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1979	Base	B4 (Steering Damper)	Front	18-002461				
1979	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1978	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1978	Base	B4 (Steering Damper)	Front	18-002461				
1978	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
Mercedes-Benz 280E								
1981	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1981	Base	B4 (Steering Damper)	Front	18-002461				
1981	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1980	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1980	Base	B4 (Steering Damper)	Front	18-002461				
1980	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1979	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1979	Base	B4 (Steering Damper)	Front	18-002461				
1979	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 280E (continued)								
1978	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1978	Base	B4 (Steering Damper)	Front	18-002461				
1978	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1977	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1977	Base	B4 (Steering Damper)	Front	18-002461				
1977	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
Mercedes-Benz 280S								
1976	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1975	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1971	Base	B4	Front	24-005272		Rear	24-005371	
1971	Base	B4 (Steering Damper)	Front	18-002461				
1970	Base	B4	Front	24-005272		Rear	24-005371	
1970	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005272		Rear	24-005371	
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005272		Rear	24-005371	
1968	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280SE								
1980	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1979	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1978	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1977	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1973	4.5	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1972	4.5	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 280SE (continued)								
1972	Base	B4	Front	24-005272		Rear	24-005371	
1972	Base	B4 (Steering Damper)	Front	18-002461				
1971	Base	B4	Front	24-005272		Rear	24-005371	
1971	Base	B4 (Steering Damper)	Front	18-002461				
1970	Base	B4	Front	24-005272		Rear	24-005371	
1970	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005272		Rear	24-005371	
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005272		Rear	24-005371	
1968	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280SEL								
1973	Base	B4	Front	24-005272		Rear	24-005371	
1973	Base	B4 (Steering Damper)	Front	18-002461				
1972	Base	B4	Front	24-005272		Rear	24-005371	
1972	Base	B4 (Steering Damper)	Front	18-002461				
1971	Base	B4	Front	24-005272		Rear	24-005371	
1971	Base	B4 (Steering Damper)	Front	18-002461				
1970	Base	B4	Front	24-005272		Rear	24-005371	
1970	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005272		Rear	24-005371	
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005272		Rear	24-005371	
1968	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280SL								
1971	Base	B4	Front	24-005296		Rear	24-005395	
1971	Base	B4 (Steering Damper)	Front	18-002461				
1970	Base	B4	Front	24-005296		Rear	24-005395	
1970	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005296		Rear	24-005395	
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005296		Rear	24-005395	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 280SL (continued)								
1968	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 300CD								
1985	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1985	Base	B4 (Steering Damper)	Front	18-002461				
1985	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1984	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1984	Base	B4 (Steering Damper)	Front	18-002461				
1984	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1983	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1983	Base	B4 (Steering Damper)	Front	18-002461				
1983	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1982	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1982	Base	B4 (Steering Damper)	Front	18-002461				
1982	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1981	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1981	Base	B4 (Steering Damper)	Front	18-002461				
1981	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1980	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1980	Base	B4 (Steering Damper)	Front	18-002461				
1980	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1979	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1979	Base	B4 (Steering Damper)	Front	18-002461				
1979	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300CD (continued)								
1978	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1978	Base	B4 (Steering Damper)	Front	18-002461				
1978	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
Mercedes-Benz 300CE								
1993		B4	Front	22-040534	Sport Suspension	Rear	24-016681	Standard Suspension
1993	Base	B1 (OEM Components)	Front	11-101406				
1993	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001900	Standard Suspension	Rear	24-016124	Sport Suspension
1993	Base	B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
1993	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1992		B4	Front	22-040534	Sport Suspension	Rear	24-016681	Standard Suspension
1992	Base	B1 (OEM Components)	Front	11-101406				
1992	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001900	Standard Suspension	Rear	24-016124	Sport Suspension
1992	Base	B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
1992	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1991		B4	Front	22-040534	Sport Suspension	Rear	24-016681	Standard Suspension
1991	Base	B1 (OEM Components)	Front	11-101406				
1991	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001900	Standard Suspension	Rear	24-016124	Sport Suspension
1991	Base	B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
1991	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1990		B4	Front	22-040534	Sport Suspension	Rear	24-016681	Standard Suspension
1990	Base	B1 (OEM Components)	Front	11-101406				
1990	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001900	Standard Suspension	Rear	24-016124	Sport Suspension
1990	Base	B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
1990	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1989		B4	Front	22-040534	Sport Suspension	Rear	24-016681	Standard Suspension
1989	Base	B1 (OEM Components)	Front	11-101406				
1989	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001900	Standard Suspension	Rear	24-016124	Sport Suspension
1989	Base	B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
1989	Base	B8 (SP)	Front	22-003652		Rear	24-014700	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300CE (continued)								
1988		B4	Front	22-040534	Sport Suspension	Rear	24-016681	Standard Suspension
1988	Base	B1 (OEM Components)	Front	11-101406				
1988	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001900	Standard Suspension	Rear	24-016124	Sport Suspension
1988	Base	B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
1988	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 300D								
1993	2.5	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1993	2.5	B4 (Steering Damper)	Front	18-140651				
1993	2.5	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1993	2.5	B8 (SP)	Front	22-003652		Rear	24-014700	
1992	2.5	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1992	2.5	B4 (Steering Damper)	Front	18-140651				
1992	2.5	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1992	2.5	B8 (SP)	Front	22-003652		Rear	24-014700	
1991	2.5	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1991	2.5	B4 (Steering Damper)	Front	18-140651				
1991	2.5	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1991	2.5	B8 (SP)	Front	22-003652		Rear	24-014700	
1990	2.5	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1990	2.5	B4 (Steering Damper)	Front	18-140651				
1990	2.5	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300D (continued)								
1990	2.5	B8 (SP)	Front	22-003652		Rear	24-014700	
1987	Base	B1 (OEM Components)	Front	11-101406				
1987	Base		B4	Front	22-003614			
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
			1987	Base	B4 (Steering Damper)	Front	18-140651	
							24-100441	For Vehicles Without Ride Height Control
			1987	Base	B6 (HD)			
1987	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1985	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1985	Base	B4 (Steering Damper)	Front	18-002461				
1985	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1984	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1984	Base	B4 (Steering Damper)	Front	18-002461				
1984	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1983	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1983	Base	B4 (Steering Damper)	Front	18-002461				
1983	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1982	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1982	Base	B4 (Steering Damper)	Front	18-002461				
1982	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1981	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1981	Base	B4 (Steering Damper)	Front	18-002461				
1981	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1980	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1980	Base	B4 (Steering Damper)	Front	18-002461				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300D (continued)								
1980	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1979	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1979	Base	B4 (Steering Damper)	Front	18-002461				
1979	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1978	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1978	Base	B4 (Steering Damper)	Front	18-002461				
1978	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1977	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1977	Base	B4 (Steering Damper)	Front	18-002461				
1977	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
Mercedes-Benz 300E								
1993	2.8	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1993	2.8	B4 (Steering Damper)	Front	18-140651				
1993	2.8	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1993	2.8	B8 (SP)	Front	22-003652		Rear	24-014700	
1993	Base	B1 (OEM Components)	Front	11-101406				
1993	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1993	Base	B4 (Steering Damper)	Front	18-140651				
1993	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1993	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1992	2.6	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300E (continued)								
1992	2.6	B4 (Steering Damper)	Front	18-140651				
1992	2.6	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1992	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1992	Base	B1 (OEM Components)	Front	11-101406				
1992	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1992	Base	B4 (Steering Damper)	Front	18-140651				
1992	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1992	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1991	2.6	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1991	2.6	B4 (Steering Damper)	Front	18-140651				
1991	2.6	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1991	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1991	Base	B1 (OEM Components)	Front	11-101406				
1991	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1991	Base	B4 (Steering Damper)	Front	18-140651				
1991	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1991	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1990	2.6	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1990	2.6	B4 (Steering Damper)	Front	18-140651				
1990	2.6	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1990	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300E (continued)								
1990	Base	B1 (OEM Components)	Front	11-101406				
1990	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1990	Base	B4 (Steering Damper)	Front	18-140651				
1990	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1990	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1989	Base	B1 (OEM Components)	Front	11-101406				
1989	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1989	Base	B4 (Steering Damper)	Front	18-140651				
1989	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1989	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1988	Base	B1 (OEM Components)	Front	11-101406				
1988	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1988	Base	B4 (Steering Damper)	Front	18-140651				
1988	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1988	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1987	Base	B1 (OEM Components)	Front	11-101406				
1987	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1987	Base	B4 (Steering Damper)	Front	18-140651				
1987	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1987	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1986	Base	B1 (OEM Components)	Front	11-101406				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300E (continued)								
1986	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension	Rear	24-015189	Standard Suspension
			Front	22-001856	Standard Suspension			
1986	Base	B4 (Steering Damper)	Front	18-140651				
1986	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1986	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 300SD								
1993		B4	Front	24-016827	Rough Terrain			
			Front	24-016834	Rough Terrain			
1993	Base	B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1993	Base	B4 (Steering Damper)	Front	18-140644				
1993	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1992		B4	Front	24-016827	Rough Terrain			
			Front	24-016834	Rough Terrain			
1992	Base	B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1992	Base	B4 (Steering Damper)	Front	18-140644				
1992	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1985	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1985	Base	B4 (Steering Damper)	Front	18-002461				
1985	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1984	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1984	Base	B4 (Steering Damper)	Front	18-002461				
1984	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1983	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1983	Base	B4 (Steering Damper)	Front	18-002461				
1983	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1982	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1982	Base	B4 (Steering Damper)	Front	18-002461				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300SD (continued)								
1982	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1981	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1981	Base	B4 (Steering Damper)	Front	18-002461				
1981	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1980	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1979	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1978	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
Mercedes-Benz 300SDL								
1987	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1987	Base	B4 (Steering Damper)	Front	18-002461				
1987	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1986	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1986	Base	B4 (Steering Damper)	Front	18-002461				
1986	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 300SE								
1993	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1993	Base	B4 (Steering Damper)	Front	18-140644				
1993	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1992	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1992	Base	B4 (Steering Damper)	Front	18-140644				
1992	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1991	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1991	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300SE (continued)								
1991	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1990	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1990	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1990	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1989	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1989	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1989	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1988	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1988	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1988	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 300SEL								
1991	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1991	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1990	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1990	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1989	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1989	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1988	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1988	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1972	Base	B4	Front	24-005074		Rear	24-005340	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300SEL (continued)								
1972	Base	B4 (Steering Damper)	Front	18-002461				
1971	Base	B4	Front	24-005074		Rear	24-005340	
1971	Base	B4 (Steering Damper)	Front	18-002461				
1970	Base	B4	Front	24-005074		Rear	24-005340	
1970	Base	B4 (Steering Damper)	Front	18-002461				
1969	Base	B4	Front	24-005074		Rear	24-005340	
1969	Base	B4 (Steering Damper)	Front	18-002461				
1968	Base	B4	Front	24-005074		Rear	24-005340	
1968	Base	B4 (Steering Damper)	Front	18-002461				
1967	Base	B4	Front	24-005074		Rear	24-005340	
1967	Base	B4 (Steering Damper)	Front	18-002461				
1966	Base	B4	Front	24-005074		Rear	24-005340	
1966	Base	B4 (Steering Damper)	Front	18-002461				
1965	Base	B4	Front	24-005074		Rear	24-005340	
1965	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 300SL								
1993	Base	B4	Front	22-002327	From Chassis # F054768	Rear	24-013161	
1993	Base	B4 (Steering Damper)	Front	18-140651				
1993	Base	B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
1992	Base	B4	Front	22-002327	From Chassis # F054768	Rear	24-013161	
1992	Base	B4 (Steering Damper)	Front	18-140651				
1992	Base	B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
1991	Base	B4	Front	22-002327	From Chassis # F054768	Rear	24-013161	
			Front	22-003645	Up to chassis number F054767			
1991	Base	B4 (Steering Damper)	Front	18-140651				
1991	Base	B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
1990	Base	B4	Front	22-003645	Up to chassis number F054767	Rear	24-013161	
1990	Base	B4 (Steering Damper)	Front	18-140651				
1990	Base	B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300TD								
1987	Base	B4	Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-015189	Standard Suspension
			Front	22-040534	Sport Suspension			
			Front	22-001856	Standard Suspension			
1987	Base	B4 (Steering Damper)	Front	18-140651				
1987	Base	B6 (HD)	Front	22-100436				
1987	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1985	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1985	Base	B4 (Steering Damper)	Front	18-002461				
1985	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control			
1984	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1984	Base	B4 (Steering Damper)	Front	18-002461				
1984	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control			
1983	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1983	Base	B4 (Steering Damper)	Front	18-002461				
1983	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control			
1982	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1982	Base	B4 (Steering Damper)	Front	18-002461				
1982	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control			
1981	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1981	Base	B4 (Steering Damper)	Front	18-002461				
1981	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control			
1980	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1980	Base	B4 (Steering Damper)	Front	18-002461				
1980	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 300TD (continued)								
1979	Base	B4	Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
			Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
1979	Base	B4 (Steering Damper)	Front	18-002461				
1979	Base	B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control			
Mercedes-Benz 300TE								
1993	Base	B4	Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1993	Base	B6 (HD)	Front	22-100436				
1992	Base	B4	Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1992	Base	B6 (HD)	Front	22-100436				
1991	Base	B4	Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1991	Base	B6 (HD)	Front	22-100436				
1990	Base	B4	Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1990	Base	B6 (HD)	Front	22-100436				
1989	Base	B4	Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1989	Base	B6 (HD)	Front	22-100436				
1988	Base	B4	Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1988	Base	B6 (HD)	Front	22-100436				
Mercedes-Benz 350SD								
1991	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 350SDL								
1991	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1991	Base	B4 (Steering Damper)	Front	18-002461				
1991	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1990	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1990	Base	B4 (Steering Damper)	Front	18-002461				
1990	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 350SL								
1972	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
Mercedes-Benz 380SE								
1985	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1985	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1985	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1984	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1984	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1984	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 380SEC								
1983	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1983	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1983	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1982	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1982	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1982	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 380SEL								
1983	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1983	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1983	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1982	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 380SEL (continued)								
1982	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1982	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1981	Base	B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1981	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1981	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 380SL								
1985	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1984	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1983	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1982	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1981	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
Mercedes-Benz 380SLC								
1981	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
Mercedes-Benz 400E								
1993	Base	B4				Rear	24-013857	Heavy Duty Suspension
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
						Rear	24-015189	Standard Suspension
1992	Base	B4				Rear	24-013857	Heavy Duty Suspension
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
						Rear	24-015189	Standard Suspension
Mercedes-Benz 400SE								
1992	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1992	Base	B4 (Steering Damper)	Front	18-140644				
1992	Base	B8 (SP)	Front	24-015370				
Mercedes-Benz 420SEL								
1991	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1991	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 420SEL (continued)								
1990	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1990	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1989	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1989	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1988	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1988	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1987	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1987	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1986	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1986	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 450SE								
1976	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1975	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1974	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1973	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
Mercedes-Benz 450SEL								
1980	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1979	6.9	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1979	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1978	6.9	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1978	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 450SEL (continued)								
1977	6.9	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1977	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1976	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1975	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1974	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1973	Base	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
Mercedes-Benz 450SL								
1980	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1979	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1978	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1977	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1976	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1975	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1974	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1973	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
Mercedes-Benz 450SLC								
1980	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1979	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1978	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1977	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1976	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1975	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1974	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1973	Base	B4	Front	24-007078	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
Mercedes-Benz 500E								
1993	Base	B4				Rear	24-013857	Heavy Duty Suspension
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
						Rear	24-015189	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 500E (continued)								
1992	Base	B4				Rear	24-013857	Heavy Duty Suspension
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
						Rear	24-015189	Standard Suspension
Mercedes-Benz 500SEC								
1993	Base	B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1993	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1985	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1985	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1984	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1984	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 500SEL								
1993	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1993	Base	B4 (Steering Damper)	Front	18-140644				
1993	Base	B8 (SP)	Front	24-015370				
1992	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1992	Base	B4 (Steering Damper)	Front	18-140644				
1992	Base	B8 (SP)	Front	24-015370				
1985	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1985	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1984	Base	B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1984	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 500SL								
1993	Base	B4	Front	22-002327	From Chassis # F054768	Rear	24-013161	
1993	Base	B4 (Steering Damper)	Front	18-140651				
1993	Base	B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
1992	Base	B4	Front	22-002327	From Chassis # F054768	Rear	24-013161	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 500SL (continued)								
1992	Base	B4 (Steering Damper)	Front	18-140651				
1992	Base	B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
1991	Base	B4	Front	22-002327	From Chassis # F054768	Rear	24-013161	
			Front	22-003645	Up to chassis number F054767			
1991	Base	B4 (Steering Damper)	Front	18-140651				
1991	Base	B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
1990	Base	B4	Front	22-003645	Up to chassis number F054767	Rear	24-013161	
1990	Base	B4 (Steering Damper)	Front	18-140651				
1990	Base	B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
Mercedes-Benz 560SEC								
1991	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1991	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1990	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1990	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1989	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1989	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1988	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1988	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1987	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1987	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1986	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1986	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 560SEL								
1991	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1991	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz 560SEL (continued)								
1990	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1990	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1989	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1989	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1988	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1988	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1987	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1987	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1986	Base	B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1986	Base	B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 560SL								
1989	Base	B4	Front	24-005241	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1988	Base	B4	Front	24-005241	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1987	Base	B4	Front	24-005241	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
1986	Base	B4	Front	24-005241	Excludes Self Leveling	Rear	24-005111	Excludes Self Leveling
Mercedes-Benz 600SEC								
1993	Base	B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
Mercedes-Benz 600SL								
1993	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
Mercedes-Benz A160								
2005	Classic	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2005	Classic	B4	Front	22-049698				
2005	Classic	B4 (Dampmatic)				Rear	24-067829	
2005	Classic	B8 (SP)	Front	22-044105		Rear	24-027465	
2004	Classic	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2004	Classic	B4	Front	22-049698				
2004	Classic	B4 (Dampmatic)				Rear	24-067829	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz A160 (continued)								
2004	Classic	B8 (SP)	Front	22-044105		Rear	24-027465	
2003	Classic	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2003	Classic	B4	Front	22-049698				
2003	Classic	B4 (Dampmatic)				Rear	24-067829	
2003	Classic	B8 (SP)	Front	22-044105		Rear	24-027465	
2003	Classic Plus	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2003	Classic Plus	B4	Front	22-049698				
2003	Classic Plus	B4 (Dampmatic)				Rear	24-067829	
2003	Classic Plus	B8 (SP)	Front	22-044105		Rear	24-027465	
2003	Elegance	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2003	Elegance	B4	Front	22-049698				
2003	Elegance	B4 (Dampmatic)				Rear	24-067829	
2003	Elegance	B8 (SP)	Front	22-044105		Rear	24-027465	
2002	Classic	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2002	Classic	B4	Front	22-049698				
2002	Classic	B4 (Dampmatic)				Rear	24-067829	
2002	Classic	B8 (SP)	Front	22-044105		Rear	24-027465	
2002	Classic Plus	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2002	Classic Plus	B4	Front	22-049698				
2002	Classic Plus	B4 (Dampmatic)				Rear	24-067829	
2002	Classic Plus	B8 (SP)	Front	22-044105		Rear	24-027465	
2002	Elegance	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2002	Elegance	B4	Front	22-049698				
2002	Elegance	B4 (Dampmatic)				Rear	24-067829	
2002	Elegance	B8 (SP)	Front	22-044105		Rear	24-027465	
2001	Classic	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2001	Classic	B4	Front	22-049698				
2001	Classic	B4 (Dampmatic)				Rear	24-067829	
2001	Classic	B8 (SP)	Front	22-044105		Rear	24-027465	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz A160 (continued)								
2001	Classic Plus	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2001	Classic Plus	B4	Front	22-049698				
2001	Classic Plus	B4 (Dampmatic)				Rear	24-067829	
2001	Classic Plus	B8 (SP)	Front	22-044105		Rear	24-027465	
2001	Elegance	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2001	Elegance	B4	Front	22-049698				
2001	Elegance	B4 (Dampmatic)				Rear	24-067829	
2001	Elegance	B8 (SP)	Front	22-044105		Rear	24-027465	
2000	Classic	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2000	Classic	B4	Front	22-049698				
2000	Classic	B4 (Dampmatic)				Rear	24-067829	
2000	Classic	B8 (SP)	Front	22-044105		Rear	24-027465	
2000	Classic Plus	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2000	Classic Plus	B4	Front	22-049698				
2000	Classic Plus	B4 (Dampmatic)				Rear	24-067829	
2000	Classic Plus	B8 (SP)	Front	22-044105		Rear	24-027465	
2000	Elegance	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2000	Elegance	B4	Front	22-049698				
2000	Elegance	B4 (Dampmatic)				Rear	24-067829	
2000	Elegance	B8 (SP)	Front	22-044105		Rear	24-027465	
Mercedes-Benz A190								
2005	Avantgarde	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2005	Avantgarde	B4	Front	22-049698				
2005	Avantgarde	B4 (Dampmatic)				Rear	24-067829	
2005	Avantgarde	B8 (SP)	Front	22-044105		Rear	24-027465	
2005	Elegance	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2005	Elegance	B4	Front	22-049698				
2005	Elegance	B4 (Dampmatic)				Rear	24-067829	
2005	Elegance	B8 (SP)	Front	22-044105		Rear	24-027465	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz A190 (continued)								
2004	Avantgarde	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2004	Avantgarde	B4	Front	22-049698				
2004	Avantgarde	B4 (Dampmatic)				Rear	24-067829	
2004	Avantgarde	B8 (SP)	Front	22-044105		Rear	24-027465	
2004	Elegance	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2004	Elegance	B4	Front	22-049698				
2004	Elegance	B4 (Dampmatic)				Rear	24-067829	
2004	Elegance	B8 (SP)	Front	22-044105		Rear	24-027465	
2003	Avantgarde	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2003	Avantgarde	B4	Front	22-049698				
2003	Avantgarde	B4 (Dampmatic)				Rear	24-067829	
2003	Avantgarde	B8 (SP)	Front	22-044105		Rear	24-027465	
2003	Elegance	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2003	Elegance	B4	Front	22-049698				
2003	Elegance	B4 (Dampmatic)				Rear	24-067829	
2003	Elegance	B8 (SP)	Front	22-044105		Rear	24-027465	
2002	Avantgarde	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2002	Avantgarde	B4	Front	22-049698				
2002	Avantgarde	B4 (Dampmatic)				Rear	24-067829	
2002	Avantgarde	B8 (SP)	Front	22-044105		Rear	24-027465	
2001	Avantgarde	B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2001	Avantgarde	B4	Front	22-049698				
2001	Avantgarde	B4 (Dampmatic)				Rear	24-067829	
2001	Avantgarde	B8 (SP)	Front	22-044105		Rear	24-027465	
Mercedes-Benz B180								
2012	Base	B4				Rear	24-110204	Standard Chassis
Mercedes-Benz B200								
2011	Base	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz B200 (continued)								
2011	Base	B4				Rear	24-110204	Standard Chassis
2011	Base	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2011	Base	B4 (Dampmatic)	Front	22-215833	Standard Chassis			
2011	Turbo	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2011	Turbo	B4				Rear	24-110204	Standard Chassis
2011	Turbo	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2011	Turbo	B4 (Dampmatic)	Front	22-215833	Standard Chassis			
2010	Base	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2010	Base	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2010	Base	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2010	Base	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2010	Base	B6 (HD)	Front	22-215819		Rear	24-120364	
2010	Base	B8 (SP)				Rear	24-120340	
2010	Turbo	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2010	Turbo	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2010	Turbo	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2010	Turbo	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2010	Turbo	B6 (HD)	Front	22-215819		Rear	24-120364	
2010	Turbo	B8 (SP)				Rear	24-120340	
2009	Base	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2009	Base	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2009	Base	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2009	Base	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2009	Base	B6 (HD)	Front	22-215819		Rear	24-120364	
2009	Base	B8 (SP)				Rear	24-120340	
2009	Turbo	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2009	Turbo	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2009	Turbo	B4 (DampMatic)	Front	22-153791	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz B200 (continued)								
2009	Turbo	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2009	Turbo	B6 (HD)	Front	22-215819		Rear	24-120364	
2009	Turbo	B8 (SP)				Rear	24-120340	
2008	Base	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2008	Base	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2008	Base	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2008	Base	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2008	Base	B6 (HD)	Front	22-215819		Rear	24-120364	
2008	Base	B8 (SP)				Rear	24-120340	
2008	Turbo	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2008	Turbo	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2008	Turbo	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2008	Turbo	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2008	Turbo	B6 (HD)	Front	22-215819		Rear	24-120364	
2008	Turbo	B8 (SP)				Rear	24-120340	
2007	Base	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2007	Base	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2007	Base	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2007	Base	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2007	Base	B6 (HD)	Front	22-215819		Rear	24-120364	
2007	Base	B8 (SP)				Rear	24-120340	
2007	Turbo	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2007	Turbo	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2007	Turbo	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2007	Turbo	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2007	Turbo	B6 (HD)	Front	22-215819		Rear	24-120364	
2007	Turbo	B8 (SP)				Rear	24-120340	
2006	Base	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz B200 (continued)								
2006	Base	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2006	Base	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2006	Base	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2006	Base	B6 (HD)	Front	22-215819		Rear	24-120364	
2006	Base	B8 (SP)				Rear	24-120340	
2006	Sport	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2006	Sport	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2006	Sport	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2006	Sport	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2006	Sport	B6 (HD)	Front	22-215819		Rear	24-120364	
2006	Sport	B8 (SP)				Rear	24-120340	
2006	Turbo	B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2006	Turbo	B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2006	Turbo	B4 (DampMatic)	Front	22-153791	Standard Chassis			
2006	Turbo	B4 (Dampmatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2006	Turbo	B6 (HD)	Front	22-215819		Rear	24-120364	
2006	Turbo	B8 (SP)				Rear	24-120340	
Mercedes-Benz C220								
1997	Elegance	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	Elegance	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1997	Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C220 (continued)								
1996	Base	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1996	Base	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1996	Base	B4	Front	24-018562		Rear	24-018579	
1996	Base	B4 (Steering Damper)	Front	18-140651				
1996	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1996	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1996	Clasico	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1996	Clasico	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1996	Clasico	B6 (HD)	Front	24-100397		Rear	24-100403	
1996	Elegance	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1996	Elegance	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1996	Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C220 (continued)								
1995	Base	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995	Base	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1995	Base	B4	Front	24-018562		Rear	24-018579	
1995	Base	B4 (Steering Damper)	Front	18-140651				
1995	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1995	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1995	Clasico	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995	Clasico	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1995	Clasico	B6 (HD)	Front	24-100397		Rear	24-100403	
1995	Elegance	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995	Elegance	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1995	Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C220 (continued)								
1994	Base	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1994	Base	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1994	Base	B4	Front	24-018562		Rear	24-018579	
1994	Base	B4 (Steering Damper)	Front	18-140651				
1994	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1994	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
Mercedes-Benz C230								
2009	4Matic	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Suspension
2009	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Base	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2009	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2008	4Matic	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Suspension
2008	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2008	Base	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2008	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
2007	Sport	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Sport	B16 (PSS9)	Front and Rear	48-088602				
2007	Sport	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007	Sport	B6 (HD)	Front	35-053446		Rear	24-068802	
2007	Sport	B8 (SP)	Front	35-053453		Rear	24-068819	
2006	Sport	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Sport	B16 (PSS9)	Front and Rear	48-088602				
2006	Sport	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2006	Sport	B6 (HD)	Front	35-053446		Rear	24-068802	
2006	Sport	B8 (SP)	Front	35-053453		Rear	24-068819	
2005	Coupe; Kompressor	B12 (Pro-Kit)	Front and Rear	46-190475	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1070kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			
2005	Kompressor	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2005	Kompressor	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
2005	Kompressor	B16 (PSS9)	Front and Rear	48-088602				
2005	Kompressor	B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005	Kompressor	B6 (HD)	Front	35-053446		Rear	24-068802	
2005	Kompressor	B8 (SP)	Front	35-053453		Rear	24-068819	
2005	Kompressor Classic	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Kompressor Classic	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Kompressor Classic	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005	Kompressor Elegance	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Kompressor Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Kompressor Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005	Kompressor Sport	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Kompressor Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Kompressor Sport	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005	Kompressor; Sedan	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Kompressor; Sedan	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
2004	Coupe; Kompressor	B12 (Pro-Kit)	Front and Rear	46-190475	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1070kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			
2004	Kompressor	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2004	Kompressor	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Kompressor	B16 (PSS9)	Front and Rear	48-088602				
2004	Kompressor	B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2004	Kompressor	B6 (HD)	Front	35-053446		Rear	24-068802	
2004	Kompressor	B8 (SP)	Front	35-053453		Rear	24-068819	
2004	Kompressor Classic	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	Kompressor Classic	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Kompressor Classic	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2004	Kompressor Elegance	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	Kompressor Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Kompressor Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2004	Kompressor Sport	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
2004	Kompressor Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Kompressor Sport	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2004	Kompressor; Sedan	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	Kompressor; Sedan	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2003	Coupe; Kompressor	B12 (Pro-Kit)	Front and Rear	46-190475	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1070kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			
2003	Kompressor	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2003	Kompressor	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Kompressor	B16 (PSS9)	Front and Rear	48-088602				
2003	Kompressor	B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2003	Kompressor	B6 (HD)	Front	35-053446		Rear	24-068802	
2003	Kompressor	B8 (SP)	Front	35-053453		Rear	24-068819	
2003	Kompressor; Sedan	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Kompressor; Sedan	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2002	Coupe; Kompressor	B12 (Pro-Kit)	Front and Rear	46-190475	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1070kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			
2002	Kompressor	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2002	Kompressor	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002	Kompressor	B16 (PSS9)	Front and Rear	48-088602				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
2002	Kompressor	B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002	Kompressor	B6 (HD)	Front	35-053446		Rear	24-068802	
2002	Kompressor	B8 (SP)	Front	35-053453		Rear	24-068819	
2000	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Kompressor	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Kompressor	B4	Front	24-018562		Rear	24-018579	
2000	Kompressor	B4 (Steering Damper)	Front	18-140651				
2000	Kompressor							
2000	Kompressor	B6 (HD)	Front	24-100397		Rear	24-100403	
2000	Kompressor	B8 (SP)	Front	24-018548		Rear	24-018555	
2000	Kompressor Classic	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Kompressor Classic	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Kompressor Classic	B6 (HD)	Front	24-100397		Rear	24-100403	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
2000	Kompressor Elegance	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Kompressor Elegance	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Kompressor Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	
2000	Kompressor Sport	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Kompressor Sport	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Kompressor Sport	B6 (HD)	Front	24-100397		Rear	24-100403	
1999	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
1999	Kompressor	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Kompressor	B4	Front	24-018562		Rear	24-018579	
1999	Kompressor	B4 (Steering Damper)	Front	18-140651				
1999	Kompressor	B6 (HD)	Front	24-100397		Rear	24-100403	
1999	Kompressor	B8 (SP)	Front	24-018548		Rear	24-018555	
1999	Kompressor Classic	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Kompressor Classic	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Kompressor Classic	B6 (HD)	Front	24-100397		Rear	24-100403	
1999	Kompressor Elegance	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Kompressor Elegance	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Kompressor Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
1999	Kompressor Sport	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Kompressor Sport	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Kompressor Sport	B6 (HD)	Front	24-100397		Rear	24-100403	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998	Base	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1998	Base	B4	Front	24-018562		Rear	24-018579	
1998	Base	B4 (Steering Damper)	Front	18-140651				
1998	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1998	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1998	Classic	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998	Classic	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1998	Classic	B6 (HD)	Front	24-100397		Rear	24-100403	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
1998	Kompressor Elegance	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1998	Kompressor Elegance	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1998	Kompressor Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	
1998	Kompressor Sport	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1998	Kompressor Sport	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1998	Kompressor Sport	B6 (HD)	Front	24-100397		Rear	24-100403	
1997	Base	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	Base	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1997	Base	B4	Front	24-018562		Rear	24-018579	
1997	Base	B4 (Steering Damper)	Front	18-140651				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
1997	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1997	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1997	Classic	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	Classic	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1997	Classic	B6 (HD)	Front	24-100397		Rear	24-100403	
1997	Kompressor Elegance	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1997	Kompressor Elegance	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1997	Kompressor Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	
1997	Kompressor Sport	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1997	Kompressor Sport	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
1997	Kompressor Sport	B6 (HD)	Front	24-100397		Rear	24-100403	
1996	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1996	Kompressor	B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1996	Kompressor	B6 (HD)	Front	24-100397		Rear	24-100403	
Mercedes-Benz C240								
2005	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2005	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Base	B16 (PSS9)	Front and Rear	48-088602				
2005	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2005	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2005	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			
2004	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C240 (continued)								
2004	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Base	B16 (PSS9)	Front and Rear	48-088602				
2004	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2004	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2004	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2004	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			
2003	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2003	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Base	B16 (PSS9)	Front and Rear	48-088602				
2003	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2003	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2003	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2003	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			
2002	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C240 (continued)								
2002	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002	Base	B16 (PSS9)	Front and Rear	48-088602				
2002	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2002	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2002	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002	Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2001	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2001	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2001	Base	B16 (PSS9)	Front and Rear	48-088602				
2001	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2001	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2001	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2001	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C240 (continued)								
2001	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2001	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2001	Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
Mercedes-Benz C250								
2012	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Suspension
2012	4Matic; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2012	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2012	Base; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	Luxury	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012	Luxury	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2012	Luxury; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2012	Luxury; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	Sedan; Sport	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2012	Sedan; Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C250 (continued)								
2012	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2011	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Suspension
2011	4Matic; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2011	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2011	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2011	Base; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Suspension
2010	4Matic; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2010	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2010	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2010	Base; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
Mercedes-Benz C280								
2009	Classic	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2009	Elegance	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2009	Sport	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2008	Classic	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2008	Elegance	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2008	Sport	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C280 (continued)								
2007	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007	Luxury	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	Luxury	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Luxury	B16 (PSS9)	Front and Rear	48-088602				
2007	Luxury	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007	Luxury	B6 (HD)	Front	35-053446		Rear	24-068802	
2007	Luxury	B8 (SP)	Front	35-053453		Rear	24-068819	
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Sport	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2006	Classic	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Classic	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C280 (continued)								
2006	Classic	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2006	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2006	Luxury	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Luxury	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Luxury	B16 (PSS9)	Front and Rear	48-088602				
2006	Luxury	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2006	Luxury	B6 (HD)	Front	35-053446		Rear	24-068802	
2006	Luxury	B8 (SP)	Front	35-053453		Rear	24-068819	
2006	Sport	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Sport	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C280 (continued)								
2000	Base	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Base	B4	Front	24-018562		Rear	24-018579	
2000	Base	B4 (Steering Damper)	Front	18-140651				
2000	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
2000	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
2000	Elegance	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000	Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	
1999	Base	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Base	B4	Front	24-018562		Rear	24-018579	
1999	Base	B4 (Steering Damper)	Front	18-140651				
1999	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1999	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1999	Elegance	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1999	Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1998	Base	B4	Front	24-018562		Rear	24-018579	
1998	Base	B4 (Steering Damper)	Front	18-140651				
1998	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1998	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1998	Elegance	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1998	Elegance	B6 (HD)	Front	24-100397		Rear	24-100403	
1997	Base	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C280 (continued)								
1997	Base	B4	Front	24-018562		Rear	24-018579	
1997	Base	B4 (Steering Damper)	Front	18-140651				
1997	Base							
1997	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1997	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1997	Elegance	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1997	Elegance	B6 (HD)	Front	24-100397				
1996	Base	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1996	Base	B4	Front	24-018562				
1996	Base	B4 (Steering Damper)	Front	18-140651				
1996	Base							
1996	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1996	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1995	Base	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1995	Base	B4	Front	24-018562				
1995	Base	B4 (Steering Damper)	Front	18-140651				
1995	Base							
1995	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1995	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
1994	Base	B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1994	Base	B4	Front	24-018562				
1994	Base	B4 (Steering Damper)	Front	18-140651				
1994	Base							
1994	Base	B6 (HD)	Front	24-100397		Rear	24-100403	
1994	Base	B8 (SP)	Front	24-018548		Rear	24-018555	
Mercedes-Benz C300								
2012	4Matic	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2012	4Matic Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	4Matic Luxury	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2012	4Matic Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C300 (continued)								
2012	4Matic Sport	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2011	4Matic Luxury	B4 (DampMatic)				Rear	24-166218	Standard Suspension
2011	4Matic Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2011	4Matic Luxury	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2011	4Matic Sport	B4 (DampMatic)				Rear	24-166218	Standard Suspension
2011	4Matic Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2011	4Matic Sport	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2011	Luxury	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2011	Luxury	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011	Luxury	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2011	Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2011	Luxury	B6 (HD)	Front	35-141822		Rear	24-141833	
2011	Luxury	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2011	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2011	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011	Sport	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2011	Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2011	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2011	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2010	4Matic	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2010	4Matic Luxury	B4 (DampMatic)				Rear	24-166218	Standard Suspension
2010	4Matic Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	4Matic Luxury	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C300 (continued)								
2010	4Matic Sport	B4 (DampMatic)				Rear	24-166218	Standard Suspension
2010	4Matic Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	4Matic Sport	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2010	Base	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2010	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2010	Base	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2010	Luxury	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2010	Luxury	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2010	Luxury	B16 (PSS10)	Front and Rear	48-141147				
2010	Luxury	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2010	Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	Luxury	B6 (HD)	Front	35-141822		Rear	24-141833	
2010	Luxury	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2010	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2010	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2010	Sport	B16 (PSS10)	Front and Rear	48-141147				
2010	Sport	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2010	Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C300 (continued)								
2010	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2009	4Matic	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2009	4Matic Luxury	B4 (DampMatic)				Rear	24-166218	Standard Suspension
2009	4Matic Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	4Matic Luxury	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2009	4Matic Sport	B4 (DampMatic)				Rear	24-166218	Standard Suspension
2009	4Matic Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	4Matic Sport	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2009	Base	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2009	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Base	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2009	Luxury	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2009	Luxury	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Luxury	B16 (PSS10)	Front and Rear	48-141147				
2009	Luxury	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2009	Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	Luxury	B6 (HD)	Front	35-141822		Rear	24-141833	
2009	Luxury	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2009	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C300 (continued)								
2009	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Sport	B16 (PSS10)	Front and Rear	48-141147				
2009	Sport	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2009	Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2009	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2008	4Matic	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2008	4Matic Luxury	B4 (DampMatic)				Rear	24-166218	Standard Suspension
2008	4Matic Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	4Matic Luxury	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2008	4Matic Sport	B4 (DampMatic)				Rear	24-166218	Standard Suspension
2008	4Matic Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	4Matic Sport	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2008	Base	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2008	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2008	Base	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2008	Luxury	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2008	Luxury	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2008	Luxury	B16 (PSS10)	Front and Rear	48-141147				
2008	Luxury	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C300 (continued)								
2008	Luxury	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	Luxury	B6 (HD)	Front	35-141822		Rear	24-141833	
2008	Luxury	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2008	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2008	Sport	B16 (PSS10)	Front and Rear	48-141147				
2008	Sport	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2008	Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2008	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
Mercedes-Benz C32 AMG								
2004	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Base	B16 (PSS9)	Front and Rear	48-088602				
2004	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2003	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Base	B16 (PSS9)	Front and Rear	48-088602				
2003	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2002	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002	Base	B16 (PSS9)	Front and Rear	48-088602				
2002	Base	B8 (SP)	Front	35-053453		Rear	24-068819	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C320								
2005	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2005	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Base	B16 (PSS9)	Front and Rear	48-088602				
2005	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2005	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2005	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-190482	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			
2005	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Base; Sedan	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2005	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Elegance	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005	Elegance; Sedan	B4				Rear	24-188111	Off-road Suspension
2004	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2004	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Base	B16 (PSS9)	Front and Rear	48-088602				
2004	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2004	Base	B6 (HD)	Front	35-053446		Rear	24-068802	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C320 (continued)								
2004	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2004	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-190482	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			
2004	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	Base; Sedan	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2004	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			
2004	Base; Wagon	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2004	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Elegance	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2004	Elegance; Sedan	B4				Rear	24-188111	Off-road Suspension
2003	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2003	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Base	B16 (PSS9)	Front and Rear	48-088602				
2003	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2003	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2003	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2003	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-190482	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C320 (continued)								
2003	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Base; Sedan	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2003	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			
2003	Base; Wagon	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2003	Classic	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Classic	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Classic	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2003	Classic; Sedan	B4				Rear	24-188111	Off-road Suspension
2003	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Elegance	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2003	Elegance; Sedan	B4				Rear	24-188111	Off-road Suspension
2002	Avantgarde	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002	Avantgarde	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C320 (continued)								
2002	Avantgarde	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002	Avantgarde; Sedan	B4				Rear	24-188111	Off-road Suspension
2002	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2002	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002	Base	B16 (PSS9)	Front and Rear	48-088602				
2002	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2002	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2002	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002	Base; Sedan	B4				Rear	24-188111	Off-road Suspension
2002	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			
2002	Base; Wagon	B4				Rear	24-188111	Off-road Suspension
2002	Classic	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002	Classic	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002	Classic	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002	Classic; Sedan	B4				Rear	24-188111	Off-road Suspension
2002	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C320 (continued)								
2002	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002	Elegance	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002	Elegance; Sedan	B4				Rear	24-188111	Off-road Suspension
2001	Avantgarde	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2001	Avantgarde	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2001	Avantgarde	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2001	Avantgarde; Sedan	B4				Rear	24-188111	Off-road Suspension
2001	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2001	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2001	Base	B16 (PSS9)	Front and Rear	48-088602				
2001	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2001	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2001	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2001	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2001	Base; Sedan	B4				Rear	24-188111	Off-road Suspension
2001	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C320 (continued)								
2001	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2001	Elegance	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2001	Elegance; Sedan	B4				Rear	24-188111	Off-road Suspension
Mercedes-Benz C350								
2012	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2012	4Matic; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2012	Base; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	Sedan; Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2012	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2011	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2011	4Matic; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2011	Sedan; Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2011	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2011	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011	Sport	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2011	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2011	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2010	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C350 (continued)								
2010	4Matic; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	Base	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2010	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2010	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2010	Base; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	Sedan; Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2010	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2010	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2010	Sport	B16 (PSS10)	Front and Rear	48-141147				
2010	Sport	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2010	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2010	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2009	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2009	4Matic; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	Base	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2009	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2009	Base; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	Elegance	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C350 (continued)								
2009	Elegance	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Elegance	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2009	Elegance; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	Sedan; Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2009	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2009	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Sport	B16 (PSS10)	Front and Rear	48-141147				
2009	Sport	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2009	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2009	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2008	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2008	4Matic; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	Base	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2008	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2008	Base	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2008	Base; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	Elegance	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2008	Elegance	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2008	Elegance	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C350 (continued)								
2008	Elegance; Sedan	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	Sedan; Sport	B4 (Dampmatic)				Rear	24-166522	Sport Suspension
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2008	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2008	Sport	B16 (PSS10)	Front and Rear	48-141147				
2008	Sport	B4 (DampMatic)	Front	22-151049	Off-road Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151032	Sport Suspension	Rear	24-166218	Standard Suspension
2008	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2008	Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension; Setting: B8 (SP)	Rear	24-141857	Except Electronic Adjustable Suspension; Setting: B8 (SP)
2007	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007	Luxury	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	Luxury	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Luxury	B16 (PSS9)	Front and Rear	48-088602				
2007	Luxury	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007	Luxury	B6 (HD)	Front	35-053446		Rear	24-068802	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C350 (continued)								
2007	Luxury	B8 (SP)	Front	35-053453		Rear	24-068819	
2007	Sport	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Sport	B16 (PSS9)	Front and Rear	48-088602				
2007	Sport	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007	Sport	B6 (HD)	Front	35-053446		Rear	24-068802	
2007	Sport	B8 (SP)	Front	35-053453		Rear	24-068819	
2006	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2006	Luxury	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Luxury	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Luxury	B16 (PSS9)	Front and Rear	48-088602				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz C350 (continued)								
2006	Luxury	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2006	Luxury	B6 (HD)	Front	35-053446		Rear	24-068802	
2006	Luxury	B8 (SP)	Front	35-053453		Rear	24-068819	
2006	Sport	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Sport	B16 (PSS9)	Front and Rear	48-088602				
2006	Sport	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2006	Sport	B6 (HD)	Front	35-053446		Rear	24-068802	
2006	Sport	B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz C55 AMG								
2007	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Base	B16 (PSS9)	Front and Rear	48-088602				
2006	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2005	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Base	B16 (PSS9)	Front and Rear	48-088602				
2005	Base	B8 (SP)	Front	35-053453		Rear	24-068819	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK320								
2005	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Base	B16 (PSS9)	Front and Rear	48-088602				
2005	Base	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension	Rear	24-114714	Standard Suspension
			Front	22-141705	Standard Suspension			
2005	Base	B6 (HD)	Front	35-053446				
2005	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2005	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2005	Convertible	B6 (HD)				Rear	24-106290	
2005	Coupe	B6 (HD)				Rear	24-068802	
2004	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-088602				
2004	Base	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension	Rear	24-114714	Standard Suspension
			Front	22-141705	Standard Suspension			
2004	Base	B6 (HD)	Front	35-053446				
2004	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2004	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK320 (continued)								
2004	Convertible	B6 (HD)				Rear	24-106290	
2004	Coupe	B6 (HD)				Rear	24-068802	
2003	Base; Convertible; w/ 208.465 Body	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2003	Base; Convertible; w/ 208.465 Body	B6 (HD)				Rear	24-100403	
2003	Base; Convertible; w/ 209.365 Body	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Base; Coupe; w/ 208.465 Body	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2003	Base; Coupe; w/ 208.465 Body	B6 (HD)				Rear	24-100403	
2003	Base; Coupe; w/ 209.365 Body	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2003	Base; w/ 208.465 Body	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2003	Base; w/ 208.465 Body	B4	Front	24-100595		Rear	24-018579	
2003	Base; w/ 208.465 Body	B4 (Steering Damper)	Front	18-140651				
2003	Base; w/ 208.465 Body	B6 (HD)	Front	24-025980				
2003	Base; w/ 208.465 Body	B8 (SP)	Front	24-025997		Rear	24-018555	
2003	Base; w/ 209.365 Body	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Base; w/ 209.365 Body	B16 (PSS9)	Front and Rear	48-088602				
2003	Base; w/ 209.365 Body	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension	Rear	24-114714	Standard Suspension
			Front	22-141705	Standard Suspension			
2003	Base; w/ 209.365 Body	B6 (HD)	Front	35-053446				
2003	Base; w/ 209.365 Body	B8 (SP)	Front	35-053453		Rear	24-068819	
2003	Coupe	B6 (HD)				Rear	24-068802	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK320 (continued)								
2003	Coupe; w/ 209.365 Body	B6 (HD)				Rear	24-068802	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2002	Base	B4	Front	24-100595		Rear	24-018579	
2002	Base	B4 (Steering Damper)	Front	18-140651				
2002	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2002	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
2002	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2002	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2001	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2001	Base	B4	Front	24-100595		Rear	24-018579	
2001	Base	B4 (Steering Damper)	Front	18-140651				
2001	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2001	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
2001	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2001	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2000	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2000	Base	B4	Front	24-100595		Rear	24-018579	
2000	Base	B4 (Steering Damper)	Front	18-140651				
2000	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2000	Base	B8 (SP)	Front	24-025997		Rear	24-018555	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK320 (continued)								
2000	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2000	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1999	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
1999	Base	B4	Front	24-100595		Rear	24-018579	
1999	Base	B4 (Steering Damper)	Front	18-140651				
1999	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
1999	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
1999	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1999	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
1998	Base	B4	Front	24-100595		Rear	24-018579	
1998	Base	B4 (Steering Damper)	Front	18-140651				
1998	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
1998	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
1998	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	Convertible; Elegance	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK320 (continued)								
1997	Coupe; Elegance	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997	Elegance	B6 (HD)				Rear	24-100403	
Mercedes-Benz CLK350								
2009	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2009	Base	B16 (PSS9)	Front and Rear	48-088602				
2009	Base	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension	Rear	24-114714	Standard Suspension
			Front	22-141705	Standard Suspension			
2009	Base	B6 (HD)	Front	35-053446				
2009	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2009	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2009	Convertible	B6 (HD)				Rear	24-106290	
2009	Coupe	B6 (HD)				Rear	24-068802	
2008	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-088602				
2008	Base	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension	Rear	24-114714	Standard Suspension
			Front	22-141705	Standard Suspension			
2008	Base	B6 (HD)	Front	35-053446				
2008	Base	B8 (SP)	Front	35-053453		Rear	24-068819	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK350 (continued)								
2008	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2008	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2008	Convertible	B6 (HD)				Rear	24-106290	
2008	Coupe	B6 (HD)				Rear	24-068802	
2007	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-088602				
2007	Base	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension	Rear	24-114714	Standard Suspension
			Front	22-141705	Standard Suspension			
2007	Base	B6 (HD)	Front	35-053446				
2007	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2007	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2007	Convertible	B6 (HD)				Rear	24-106290	
2007	Coupe	B6 (HD)				Rear	24-068802	
2006	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-088602				
2006	Base	B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension	Rear	24-114714	Standard Suspension
			Front	22-141705	Standard Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK350 (continued)								
2006	Base	B6 (HD)	Front	35-053446				
2006	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2006	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2006	Convertible	B6 (HD)				Rear	24-106290	
2006	Coupe	B6 (HD)				Rear	24-068802	
Mercedes-Benz CLK430								
2003	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2003	Base	B4	Front	24-100595		Rear	24-018579	
2003	Base	B4 (Steering Damper)	Front	18-140651				
2003	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2003	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
2003	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2003	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2002	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2002	Base	B4	Front	24-100595		Rear	24-018579	
2002	Base	B4 (Steering Damper)	Front	18-140651				
2002	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2002	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
2002	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK430 (continued)								
2002	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2001	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2001	Base	B4	Front	24-100595		Rear	24-018579	
2001	Base	B4 (Steering Damper)	Front	18-140651				
2001	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2001	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
2001	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2001	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2000	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2000	Base	B4	Front	24-100595		Rear	24-018579	
2000	Base	B4 (Steering Damper)	Front	18-140651				
2000	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2000	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
2000	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2000	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1999	Base	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
1999	Base	B4	Front	24-100595		Rear	24-018579	
1999	Base	B4 (Steering Damper)	Front	18-140651				
1999	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
1999	Base	B8 (SP)	Front	24-025997		Rear	24-018555	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK430 (continued)								
1999	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1999	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
Mercedes-Benz CLK500								
2009	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2009	Convertible	B6 (HD)				Rear	24-106290	
2009	Coupe	B6 (HD)				Rear	24-068802	
2008	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2008	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2008	Convertible	B6 (HD)				Rear	24-106290	
2008	Coupe	B6 (HD)				Rear	24-068802	
2007	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2007	Convertible	B6 (HD)				Rear	24-106290	
2007	Coupe	B6 (HD)				Rear	24-068802	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK500 (continued)								
2006	Base	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Base	B16 (PSS9)	Front and Rear	48-088602				
2006	Base	B6 (HD)	Front	35-053446				
2006	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2006	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2006	Convertible	B6 (HD)				Rear	24-106290	
2006	Coupe	B6 (HD)				Rear	24-068802	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	Base	B16 (PSS9)	Front and Rear	48-088602				
2005	Base	B6 (HD)	Front	35-053446				
2005	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2005	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2005	Convertible	B6 (HD)				Rear	24-106290	
2005	Coupe	B6 (HD)				Rear	24-068802	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-088602				
2004	Base	B6 (HD)	Front	35-053446				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK500 (continued)								
2004	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2004	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2004	Convertible	B6 (HD)				Rear	24-106290	
2004	Coupe	B6 (HD)				Rear	24-068802	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Base	B16 (PSS9)	Front and Rear	48-088602				
2003	Base	B6 (HD)	Front	35-053446				
2003	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2003	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
Mercedes-Benz CLK55 AMG								
2006	Base	B16 (PSS9)	Front and Rear	48-088602				
2006	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2006	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Base	B16 (PSS9)	Front and Rear	48-088602				
2005	Base	B8 (SP)	Front	35-053453		Rear	24-068819	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK55 AMG (continued)								
2005	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2004	Base	B16 (PSS9)	Front and Rear	48-088602				
2004	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2004	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2003	Base	B16 (PSS9)	Front and Rear	48-088602				
2003	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2003	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2002	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2002	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
2001	Base	B6 (HD)	Front	24-025980		Rear	24-100403	
2001	Base	B8 (SP)	Front	24-025997		Rear	24-018555	
Mercedes-Benz CLK550								
2009	Base	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2009	Base	B16 (PSS9)	Front and Rear	48-088602				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK550 (continued)								
2009	Base	B6 (HD)	Front	35-053446				
2009	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2009	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2009	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009	Convertible	B6 (HD)				Rear	24-106290	
2009	Coupe	B6 (HD)				Rear	24-068802	
2008	Base	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2008	Base	B16 (PSS9)	Front and Rear	48-088602				
2008	Base	B6 (HD)	Front	35-053446				
2008	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2008	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2008	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2008	Convertible	B6 (HD)				Rear	24-106290	
2008	Coupe	B6 (HD)				Rear	24-068802	
2007	Base	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	Base	B16 (PSS9)	Front and Rear	48-088602				
2007	Base	B6 (HD)	Front	35-053446				
2007	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2007	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK550 (continued)								
2007	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007	Convertible	B6 (HD)				Rear	24-106290	
2007	Coupe	B6 (HD)				Rear	24-068802	
Mercedes-Benz CLK63 AMG								
2009	Base	B16 (PSS9)	Front and Rear	48-088602				
2009	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2009	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2009	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2008	Base	B16 (PSS9)	Front and Rear	48-088602				
2008	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2008	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2008	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2008	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2008	Black Series	B16 (PSS9)	Front and Rear	48-088602				
2008	Black Series	B6 (HD)	Front	35-053446		Rear	24-068802	
2008	Black Series	B8 (SP)	Front	35-053453		Rear	24-068819	
2007	Base	B16 (PSS9)	Front and Rear	48-088602				
2007	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2007	Base	B8 (SP)	Front	35-053453		Rear	24-068819	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLK63 AMG (continued)								
2007	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
Mercedes-Benz CLS500								
2006	Base	B16 (PSS9)	Front and Rear	48-088763				
2006	Base	B16 (Ride Control)	Front and Rear	49-132380				
2006	Base	B4	Front	24-121781		Rear	24-105927	
2006	Base	B4 (Air)	Front Left	44-104535	Air Suspension	Rear	20-109097	Air Suspension
			Front Right	44-104542	Air Suspension	Rear Left	40-116402	Air Suspension
						Rear Right	40-116419	Air Suspension
2006	Base	B6 (HD)	Front	24-120234				
2006	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
Mercedes-Benz CLS55 AMG								
2006	Base	B16 (PSS9)	Front and Rear	48-088763				
2006	Base	B16 (Ride Control)	Front and Rear	49-132380				
2006	Base	B4	Front	24-121781		Rear	24-105927	
2006	Base	B6 (HD)	Front	24-120234				
2006	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
Mercedes-Benz CLS550								
2011	Base	B4 (Air)	Front Left	44-104535	Air Suspension	Rear	20-109097	Air Suspension
			Front Right	44-104542	Air Suspension	Rear Left	40-116402	Air Suspension
						Rear Right	40-116419	Air Suspension
2010	Base	B16 (PSS9)	Front and Rear	48-088763				
2010	Base	B16 (Ride Control)	Front and Rear	49-132380				
2010	Base	B4	Front	24-121781		Rear	24-105927	
2010	Base	B4 (Air)	Front Left	44-104535	Air Suspension	Rear	20-109097	Air Suspension
			Front Right	44-104542	Air Suspension	Rear Left	40-116402	Air Suspension
						Rear Right	40-116419	Air Suspension
2010	Base	B6 (HD)	Front	24-120234				
2010	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
2009	Base	B16 (PSS9)	Front and Rear	48-088763				
2009	Base	B16 (Ride Control)	Front and Rear	49-132380				
2009	Base	B4	Front	24-121781		Rear	24-105927	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLS550 (continued)								
2009	Base	B4 (Air)	Front Left	44-104535	Air Suspension	Rear	20-109097	Air Suspension
			Front Right	44-104542	Air Suspension	Rear Left	40-116402	Air Suspension
						Rear Right	40-116419	Air Suspension
2009	Base	B6 (HD)	Front	24-120234				
2009	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
2008	Base	B16 (PSS9)	Front and Rear	48-088763				
2008	Base	B16 (Ride Control)	Front and Rear	49-132380				
2008	Base	B4	Front	24-121781		Rear	24-105927	
2008	Base	B4 (Air)	Front Left	44-104535	Air Suspension	Rear	20-109097	Air Suspension
			Front Right	44-104542	Air Suspension	Rear Left	40-116402	Air Suspension
						Rear Right	40-116419	Air Suspension
2008	Base	B6 (HD)	Front	24-120234				
2008	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
2007	Base	B16 (PSS9)	Front and Rear	48-088763				
2007	Base	B16 (Ride Control)	Front and Rear	49-132380				
2007	Base	B4	Front	24-121781		Rear	24-105927	
2007	Base	B4 (Air)	Front Left	44-104535	Air Suspension	Rear	20-109097	Air Suspension
			Front Right	44-104542	Air Suspension	Rear Left	40-116402	Air Suspension
						Rear Right	40-116419	Air Suspension
2007	Base	B6 (HD)	Front	24-120234				
2007	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
Mercedes-Benz CLS63 AMG								
2010	Base	B16 (PSS9)	Front and Rear	48-088763				
2010	Base	B16 (Ride Control)	Front and Rear	49-132380				
2010	Base	B4	Front	24-121781		Rear	24-105927	
2010	Base	B6 (HD)	Front	24-120234				
2010	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
2009	Base	B16 (PSS9)	Front and Rear	48-088763				
2009	Base	B16 (Ride Control)	Front and Rear	49-132380				
2009	Base	B4	Front	24-121781		Rear	24-105927	
2009	Base	B6 (HD)	Front	24-120234				
2009	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
2008	Base	B16 (PSS9)	Front and Rear	48-088763				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz CLS63 AMG (continued)								
2008	Base	B16 (Ride Control)	Front and Rear	49-132380				
2008	Base	B4	Front	24-121781		Rear	24-105927	
2008	Base	B6 (HD)	Front	24-120234				
2008	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
2007	Base	B16 (PSS9)	Front and Rear	48-088763				
2007	Base	B16 (Ride Control)	Front and Rear	49-132380				
2007	Base	B4	Front	24-121781		Rear	24-105927	
2007	Base	B6 (HD)	Front	24-120234				
2007	Base	B8 (SP)	Front	24-120241		Rear	24-120227	
Mercedes-Benz E280								
2009	Avantgarde	B4	Front	24-121798	Without Airmatic DC	Rear	24-105927	Without Airmatic DC
2009	Avantgarde	B6 (HD)				Rear	24-069083	Without Airmatic DC
2009	Avantgarde	B8 (SP)	Front	24-069076	Without Airmatic DC			
2008	Base	B4	Front	24-121774	Off-road Suspension; Without Airmatic DC	Rear	24-105927	Without Airmatic DC
			Front	24-121781	Sport Suspension; Without Airmatic DC			
			Front	24-105910	Standard Chassis; Without Airmatic DC			
2008	Base	B6 (HD)	Front	24-120234	Sport Suspension; Without Airmatic DC	Rear	24-069083	Sport Suspension; Without Airmatic DC
			Front	24-069052	Standard Chassis; Without Airmatic DC	Rear	24-069069	Standard Chassis; Without Airmatic DC
2008	Base	B8 (SP)	Front	24-120241	Sport Suspension; Without Airmatic DC	Rear	24-120227	Sport Suspension; Without Airmatic DC
2007	Base	B4	Front	24-121774	Off-road Suspension; Without Airmatic DC	Rear	24-105927	Without Airmatic DC
			Front	24-121781	Sport Suspension; Without Airmatic DC			
			Front	24-105910	Standard Chassis; Without Airmatic DC			
2007	Base	B6 (HD)	Front	24-120234	Sport Suspension; Without Airmatic DC	Rear	24-069083	Sport Suspension; Without Airmatic DC
			Front	24-069052	Standard Chassis; Without Airmatic DC	Rear	24-069069	Standard Chassis; Without Airmatic DC
2007	Base	B8 (SP)	Front	24-120241	Sport Suspension; Without Airmatic DC	Rear	24-120227	Sport Suspension; Without Airmatic DC
Mercedes-Benz E300								
1999		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1999	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E300 (continued)								
1999	Base	B4	Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
1999	Base	B6 (HD)	Front	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1999	Base	B8 (SP)	Front	24-021562	Setting: B8 (SP); To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability	Rear	24-021579	To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
1998		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1998	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1998	Base	B4	Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
1998	Base	B6 (HD)	Front	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1998	Base	B8 (SP)	Front	24-021562	Setting: B8 (SP); Without ADS; Without Ride Height Adjustability	Rear	24-021579	Without ADS; Without Ride Height Adjustability
1997		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1997	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1997	Base	B4	Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
1997	Base	B6 (HD)	Front	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1997	Base	B8 (SP)				Rear	24-021579	Without Ride Height Adjustability
1996		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E300 (continued)								
1996	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1996	Base	B4	Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
1996	Base	B6 (HD)	Front	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1996	Base	B8 (SP)				Rear	24-021579	Without Ride Height Adjustability
1995		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1995	Base	B1 (OEM Components)	Front	11-101406				
1995	Base	B4	Front	22-003614	Heavy Duty	Rear	24-013857	Heavy Duty
			Front	22-001917	Off-road Suspension	Rear	24-013895	Rough Terrain
			Front	22-040534	Sport Suspension	Rear	24-016124	Sport Suspension
			Front	22-001856	Standard Chassis	Rear	24-015189	Standard Chassis
1995	Base	B4 (Steering Damper)	Front	18-140651				
1995	Base	B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
1995	Base	B8 (SP)				Rear	24-014700	Sport Suspension
Mercedes-Benz E320								
2009	Bluetec	B16 (PSS9)	Front and Rear	48-088763				
2009	Bluetec	B16 (Ride Control)	Front and Rear	49-132380				
2009	Bluetec	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Suspension			
2009	Bluetec	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2009	Bluetec	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2008	Bluetec	B16 (PSS9)	Front and Rear	48-088763				
2008	Bluetec	B16 (Ride Control)	Front and Rear	49-132380				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2008	Bluetec	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Suspension			
2008	Bluetec	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2008	Bluetec	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2007	Bluetec	B16 (PSS9)	Front and Rear	48-088763				
2007	Bluetec	B16 (Ride Control)	Front and Rear	49-132380				
2007	Bluetec	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Suspension			
2007	Bluetec	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2007	Bluetec	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2006	CDI	B16 (PSS9)	Front and Rear	48-088763				
2006	CDI	B16 (Ride Control)	Front and Rear	49-132380				
2006	CDI	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Suspension			
2006	CDI	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2006	CDI	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2005	4Matic; Sedan; w/ 211.082 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	19-050027	
2005	4Matic; w/ Air Front Springs	B4 (Air)	Front Left	44-181666	With Airmatic DC			
			Front Right	44-181680	With Airmatic DC			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2005	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear Left	40-076614	With Airmatic DC
						Rear Right	40-076621	With Airmatic DC
2005	Base; Sedan; w/ 211.065 Body	B12 (Pro-Kit)	Front and Rear	46-181862	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 35-40mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2005	Base; Sedan; w/ 211.065 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	With Airmatic DC	Rear	20-101893	
			Front Right	44-102272	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear Left	40-076614	With Airmatic DC
2005	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B16 (PSS9)	Front and Rear	48-088763				
2005	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B16 (Ride Control)	Front and Rear	49-132380				
2005	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-105910	Standard Chassis			
2005	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
						Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2005	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2005	Base; Sedan; w/ 211.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-121774	Off-road Suspension			
2005	Base; Wagon; w/ 211.265 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	With Airmatic DC	Rear Right	20-070878	
			Front Right	44-102272	With Airmatic DC	Rear Left	20-070861	
						Rear Right	40-076621	With Airmatic DC
						Rear Left	40-076614	With Airmatic DC
2005	Base; Wagon; w/ 211.265 Body; w/ Air Rear Springs	B4 (Air)				Rear	40-076638	Sport Suspension; With Ride Height Control; Without Airmatic DC
2005	Base; Wagon; w/ 211.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-105910	Standard chassis including Avantgarde ; Without Ride Height Adjustability			
2005	Base; Wagon; w/ 211.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front	24-069076	Sport Suspension			
2005	Base; Wagon; w/ Air Rear Springs	B4				Rear	24-068734	Sport Suspension; With Ride Height Control; Without Airmatic DC
2005	Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190505	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2005	Base; Wagon; w/ Coil Rear Springs	B4				Rear	24-068741	Avantgarde; Standard Chassis; With Ride Height Control; Without Airmatic DC
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-121781	Sport Suspension; Without Ride Height Adjustability			
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-069052	Standard Chassis			
2005	CDI	B16 (PSS9)	Front and Rear	48-088763				
2005	CDI	B16 (Ride Control)	Front and Rear	49-132380				
2005	CDI	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Suspension			
2005	CDI	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2005	CDI	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2004	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
2004	Base	B4	Front	24-121781	Sport Suspension; Without Ride Height Adjustability			
2004	Base	B6 (HD)	Front	24-069052	Standard Chassis			
2004	Base; Sedan; w/ 211.065 Body	B12 (Pro-Kit)	Front and Rear	46-181862	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 35-40mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2004	Base; Sedan; w/ 211.065 Body	B16 (PSS9)	Front and Rear	48-088763				
2004	Base; Sedan; w/ 211.065 Body	B16 (Ride Control)	Front and Rear	49-132380				
2004	Base; Sedan; w/ 211.065 Body	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-105910	Standard Chassis			
2004	Base; Sedan; w/ 211.065 Body	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
						Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2004	Base; Sedan; w/ 211.065 Body	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2004	Base; Wagon; w/ 211.265 Body	B4	Front	24-105910	Standard chassis including Avantgarde ; Without Ride Height Adjustability			
2004	Base; Wagon; w/ 211.265 Body	B8 (SP)	Front	24-069076	Sport Suspension			
2004	Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190505	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			
2003	4Matic	B4	Front	24-060905	Standard Chassis; Without ADS			
2003	Base; Sedan; w/ 210.265 Body; w/ Coil Front Springs	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS			
2003	Base; Sedan; w/ 210.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
2003	Base; Sedan; w/ 210.265 Body; w/ Coil Rear Springs	B8 (SP)				Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
2003	Base; Sedan; w/ 211.065 Body	B12 (Pro-Kit)	Front and Rear	46-181862	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 35-40mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2003	Base; Sedan; w/ 211.065 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	From chassis number A 334971 / X 108180; With Airmatic DC	Rear	20-101893	From 6/03; From chassis number A 334971 / X 108180
			Front Right	44-102272	From chassis number A 334971 / X 108180; With Airmatic DC	Rear Left	40-076614	From chassis number A 334971 / X 108180; With Airmatic DC
			Front Right	44-100827	Up to chassis number A334970 and X108179	Rear Right	40-076621	From chassis number A 334971 / X 108180; With Airmatic DC
			Front Left	44-100834	Up to chassis number A334970 and X108179	Rear	19-050027	To 6/03; To chassis number A 334970 / X 108179
2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B16 (PSS9)	Front and Rear	48-088763				
2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B16 (Ride Control)	Front and Rear	49-132380				
2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Chassis			
2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2003	Base; Wagon; w/ 210.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-100540	Standard Chassis; Without ADS			
			Front	24-100571	With sport suspension including Avantgarde; Without ADS			
2003	Base; Wagon; w/ 211.065 Body; w/ Air Rear Springs	B4				Rear	24-068741	Avantgarde; Standard Chassis; With Ride Height Control; Without Airmatic DC
						Rear	24-068734	Sport Suspension; With Ride Height Control; Without Airmatic DC
2003	Base; Wagon; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190505	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			
2002	4Matic; Sedan; w/ 210.082 Body	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
2002	4Matic; Wagon; w/ 210.282 Body	B4	Front	24-060905	Standard Chassis; Without ADS			
2002	Base	B4	Front	24-100540	Standard Chassis; Without ADS; Without leveling system			
			Front	24-100571	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
2002	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
			Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability			
2002	Base; Sedan	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
2002	Base; Sedan; w/ 210.065 Body	B4				Rear	24-100564	Standard Chassis; Without ADS; Without Ride Height Adjustability
						Rear	24-100588	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
2002	Base; Sedan; w/ 210.065 Body	B6 (HD)				Rear	24-062039	Without ADS; Without Ride Height Adjustability
2002	Base; Sedan; w/ 210.065 Body	B8 (SP)	Front	24-021562	Setting: B6 (HD); Without ADS; Without Ride Height Adjustability			
2001	4Matic; Sedan; w/ 210.082 Body	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
2001	4Matic; Wagon; w/ 210.282 Body	B4	Front	24-060905	Standard Chassis; Without ADS			
2001	Base	B4	Front	24-100540	Standard Chassis; Without ADS; Without leveling system			
			Front	24-100571	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2001	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
			Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability			
2001	Base; Sedan	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
2001	Base; Sedan; w/ 210.065 Body	B4				Rear	24-100564	Standard Chassis; Without ADS; Without Ride Height Adjustability
						Rear	24-100588	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
2001	Base; Sedan; w/ 210.065 Body	B6 (HD)				Rear	24-062039	Without ADS; Without Ride Height Adjustability
2001	Base; Sedan; w/ 210.065 Body	B8 (SP)	Front	24-021562	Setting: B6 (HD); Without ADS; Without Ride Height Adjustability			
2000	4Matic; Sedan; w/ 210.082 Body	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
2000	4Matic; Wagon; w/ 210.282 Body	B4	Front	24-060905	Standard Chassis; Without ADS			
2000	Base	B4	Front	24-100540	Standard Chassis; Without ADS; Without leveling system			
			Front	24-100571	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
2000	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
			Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability			
2000	Base; Sedan	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
2000	Base; Sedan; w/ 210.065 Body	B4				Rear	24-100564	Standard Chassis; Without ADS; Without Ride Height Adjustability
						Rear	24-100588	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
2000	Base; Sedan; w/ 210.065 Body	B6 (HD)				Rear	24-062039	Without ADS; Without Ride Height Adjustability
2000	Base; Sedan; w/ 210.065 Body	B8 (SP)	Front	24-021562	Setting: B6 (HD); Without ADS; Without Ride Height Adjustability			
1999	4Matic; Sedan; w/ 210.082 Body	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
1999	4Matic; Wagon; w/ 210.282 Body	B4	Front	24-060905	Standard Chassis; Without ADS			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
1999	Base	B4	Front	24-100540	From 7/99; From Chassis # A394036; Standard Chassis; Without ADS; Without leveling system			
			Front	24-100571	From 7/99; From Chassis # A394036; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
			Front	24-108256	Standard Chassis; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability			
			Front	24-100540	To 6/99; To chassis number A394035; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
1999	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
			Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability			
1999	Base; Sedan	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1999	Base; Sedan	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
1999	Base; Sedan; w/ 210.065 Body	B4	Front	24-021548	Heavy Duty; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability	Rear	24-100564	From 7/99; From Chassis # A394036; Standard Chassis; Without ADS; Without Ride Height Adjustability
						Rear	24-100588	From 7/99; From Chassis # A394036; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
						Rear	24-021555	Heavy Duty; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
						Rear	24-108263	Standard Chassis; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
						Rear	24-100557	To 6/99; To chassis number A394035; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
1999	Base; Sedan; w/ 210.065 Body	B6 (HD)				Rear	24-062039	From 7/99; From Chassis # F054768; Without ADS; Without Ride Height Adjustability
1999	Base; Sedan; w/ 210.065 Body	B8 (SP)	Front	24-021562	From 7/99; From Chassis # A394036; Setting: B6 (HD); Without ADS; Without Ride Height Adjustability	Rear	24-021579	To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
			Front	24-021562	Setting: B8 (SP); To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
1998	4Matic; Sedan; w/ 210.082 Body	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
1998	4Matic; Wagon; w/ 210.282 Body	B4	Front	24-060905	Standard Chassis; Without ADS			
1998	Base	B4	Front	24-108256	Standard Chassis; Without ADS; Without Ride Height Adjustability			
			Front	24-100540	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
1998	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
			Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability			
1998	Base; Sedan	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1998	Base; Sedan; w/ 210.065 Body	B4	Front	24-021548	Heavy Duty; Without ADS; Without Ride Height Adjustability	Rear	24-021555	Heavy Duty; Without ADS; Without Ride Height Adjustability
						Rear	24-108263	Standard Chassis; Without ADS; Without Ride Height Adjustability
						Rear	24-100557	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
1998	Base; Sedan; w/ 210.065 Body	B8 (SP)	Front	24-021562	Setting: B8 (SP); Without ADS; Without Ride Height Adjustability	Rear	24-021579	Without ADS; Without Ride Height Adjustability
1997	Base	B12 (Pro-Kit)	Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability			
1997	Base	B4	Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
1997	Base	B8 (SP)	Front	24-021562	Setting: B8 (SP); Without ADS; Without Ride Height Adjustability	Rear	24-021579	Without Ride Height Adjustability
1997	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1997	Base; Sedan	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1996	Base	B12 (Pro-Kit)	Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
1996	Base	B4	Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
1996	Base	B8 (SP)	Front	24-021562	Setting: B8 (SP); Without ADS; Without Ride Height Adjustability	Rear	24-021579	Without Ride Height Adjustability
1996	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1996	Base; Sedan	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1995	Base	B1 (OEM Components)	Front	11-101406				
1995	Base	B4	Front	22-040534	Sport Suspension			
1995	Base	B4 (Steering Damper)	Front	18-140651				
1995	Base	B6 (HD)	Front	22-100436				
1995	Base	B8 (SP)	Front	22-003652	Sport Suspension			
1995	Base; Convertible	B4				Rear	24-016124	Sport Suspension
1995	Base; Convertible	B6 (HD)				Rear	24-100441	Standard Chassis
1995	Base; Convertible; w/ 124.066 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1995	Base; Coupe	B4				Rear	24-016124	Sport Suspension
1995	Base; Coupe	B6 (HD)				Rear	24-100441	Standard Chassis
1995	Base; Coupe; w/ 124.052 Body	B4	Front	22-003614	Heavy Duty	Rear	24-013857	Heavy Duty
			Front	22-001900	Standard Chassis	Rear	24-016681	Standard Chassis
1995	Base; Coupe; w/ 124.052 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1995	Base; Sedan	B4	Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
1995	Base; Sedan	B6 (HD)				Rear	24-100441	Standard Chassis
1995	Base; Sedan; w/ 124.032 Body	B4	Front	22-003614	Heavy Duty	Rear	24-013857	Heavy Duty
			Front	22-001856	Standard Chassis	Rear	24-013895	Rough Terrain
						Rear	24-015189	Standard Chassis
1995	Base; Sedan; w/ 124.032 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1995	Base; Wagon	B4	Front	22-001917	Off-road Suspension			
1995	Base; Wagon; w/ 124.092 Body	B4	Front	22-003614	Heavy Duty			
			Front	22-001856	Standard Chassis			
1994	Base	B1 (OEM Components)	Front	11-101406				
1994	Base	B4	Front	22-040534	Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
1994	Base	B4 (Steering Damper)	Front	18-140651				
1994	Base	B6 (HD)	Front	22-100436				
1994	Base	B8 (SP)	Front	22-003652	Sport Suspension			
1994	Base; Convertible	B4				Rear	24-016124	Sport Suspension
1994	Base; Convertible	B6 (HD)				Rear	24-100441	Standard Chassis
1994	Base; Convertible; w/ 124.052 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1994	Base; Coupe	B4				Rear	24-016124	Sport Suspension
1994	Base; Coupe	B6 (HD)				Rear	24-100441	Standard Chassis
1994	Base; Coupe; w/ 124.052 Body	B4	Front	22-003614	Heavy Duty	Rear	24-013857	Heavy Duty
			Front	22-001900	Standard Chassis	Rear	24-016681	Standard Chassis
1994	Base; Coupe; w/ 124.052 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1994	Base; Sedan	B4	Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
1994	Base; Sedan	B6 (HD)				Rear	24-100441	Standard Chassis
1994	Base; Sedan; w/ 124.032 Body	B4	Front	22-003614	Heavy Duty	Rear	24-013857	Heavy Duty
			Front	22-001856	Standard Chassis	Rear	24-013895	Rough Terrain
						Rear	24-015189	Standard Chassis
1994	Base; Sedan; w/ 124.032 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1994	Base; Wagon	B4	Front	22-001917	Off-road Suspension			
1994	Base; Wagon; w/ 124.092 Body	B4	Front	22-003614	Heavy Duty			
			Front	22-001856	Standard Chassis			
Mercedes-Benz E350								
2012	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC			
2012	4Matic; Wagon	B6 (HD)				Rear	24-191128	Without Airmatic DC
2012	Base; Convertible	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2012	Base; Convertible	B8 (SP)	Front	35-141846	Setting: B6 (HD)	Rear	24-141857	Setting: B6 (HD)
2012	Base; Coupe	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2012	Base; Coupe	B8 (SP)	Front	35-141846	Setting: B6 (HD)	Rear	24-141857	Setting: B6 (HD)
2012	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-182074	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1200kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Standard Chassis; Without Airmatic DC			
2012	Base; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC			
2011	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E350 (continued)								
2011	4Matic; Sedan; w/ 212.087 Body	B6 (HD)				Rear	24-166874	
2011	4Matic; Wagon	B6 (HD)				Rear	24-191128	Without Airmatic DC
2011	Base; Convertible	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2011	Base; Convertible	B8 (SP)	Front	35-141846	Setting: B6 (HD)			
2011	Base; Coupe	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2011	Base; Coupe	B8 (SP)	Front	35-141846	Setting: B6 (HD)			
2011	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-182074	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1200kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Standard Chassis; Without Airmatic DC			
2011	Base; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC			
2011	Base; Sedan; w/ 212.056 Body	B6 (HD)	Front	35-166863	Standard Chassis	Rear	24-166874	Standard Chassis
2011	Base; Sedan; w/ 212.056 Body	B8 (SP)	Front	35-166887	Includes Avantgarde	Rear	24-166898	Includes Avantgarde
2011	Bluetec; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC			
2010	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC			
2010	Base; Coupe	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2010	Base; Coupe	B8 (SP)	Front	35-141846	Setting: B6 (HD)			
2010	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-182074	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1200kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Standard Chassis; Without Airmatic DC			
2010	Base; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC			
2010	Base; Sedan; w/ 212.056 Body	B6 (HD)	Front	35-166863	Standard Chassis	Rear	24-166874	Standard Chassis
2010	Base; Sedan; w/ 212.056 Body	B8 (SP)	Front	35-166887	Includes Avantgarde	Rear	24-166898	Includes Avantgarde
2009	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
2009	Base	B16 (PSS9)	Front and Rear	48-088763				
2009	Base	B16 (Ride Control)	Front and Rear	49-132380				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E350 (continued)								
2009	Base	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Chassis			
2009	Base	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2009	Base	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2009	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181879	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2008	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
2008	Base	B16 (PSS9)	Front and Rear	48-088763				
2008	Base	B16 (Ride Control)	Front and Rear	49-132380				
2008	Base	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Chassis			
2008	Base	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2008	Base	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2008	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181879	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2007	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
2007	Base	B16 (PSS9)	Front and Rear	48-088763				
2007	Base	B16 (Ride Control)	Front and Rear	49-132380				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E350 (continued)								
2007	Base	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-105910	Standard Chassis			
2007	Base	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
			Front	24-069052	Standard Chassis	Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2007	Base	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2007	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181879	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2006	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
2006	Base	B16 (PSS9)	Front and Rear	48-088763				
2006	Base	B16 (Ride Control)	Front and Rear	49-132380				
2006	Base	B4	Front	24-121781	Sport Suspension			
2006	Base	B6 (HD)	Front	24-069052	Standard Chassis			
2006	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181879	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2006	Base; Sedan; w/ 211.056 Body	B4	Front	24-121798	Avantgarde	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-105910	Standard Chassis			
2006	Base; Sedan; w/ 211.056 Body	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069083	Avantgarde; Setting: B8 (SP)
						Rear	24-069083	Setting: B6 (HD); Sport Suspension
						Rear	24-069069	Standard Chassis
2006	Base; Sedan; w/ 211.056 Body	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2006	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-190499	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			
2006	Base; Wagon; w/ 211.256 Body	B4	Front	24-105910	Standard chassis including Avantgarde ; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E350 (continued)								
2006	Base; Wagon; w/ 211.256 Body	B8 (SP)	Front	24-069076	Sport Suspension			
2006	Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190505	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			
Mercedes-Benz E420								
1999	Avantgarde	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1998	Avantgarde	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1997	Avantgarde	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1997	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1997	Base	B4	Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
1997	Base	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1997	Base	B8 (SP)				Rear	24-021579	Without Ride Height Adjustability
1995	Base	B4				Rear	24-013857	Heavy Duty
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
						Rear	24-015189	Standard Chassis
1995	Base; Sedan	B6 (HD)				Rear	24-100441	Standard Chassis
1994	Base	B4				Rear	24-013857	Heavy Duty
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
						Rear	24-015189	Standard Chassis
1994	Base; Sedan	B6 (HD)				Rear	24-100441	Standard Chassis
Mercedes-Benz E430								
2002	4Matic	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
2002	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E430 (continued)								
2002	Base	B4	Front	24-100540	Standard Chassis; Without ADS; Without Ride Height Adjustability	Rear	24-100564	Standard Chassis; Without ADS; Without Ride Height Adjustability
			Front	24-100571	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100588	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
2002	Base	B6 (HD)				Rear	24-062039	Without ADS; Without Ride Height Adjustability
2002	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
			Front	24-021562	Setting: B6 (HD); Without ADS; Without Ride Height Adjustability			
2001	4Matic	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
2001	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
2001	Base	B4	Front	24-100540	Standard Chassis; Without ADS; Without Ride Height Adjustability	Rear	24-100564	Standard Chassis; Without ADS; Without Ride Height Adjustability
			Front	24-100571	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100588	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
2001	Base	B6 (HD)				Rear	24-062039	Without ADS; Without Ride Height Adjustability
2001	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
			Front	24-021562	Setting: B6 (HD); Without ADS; Without Ride Height Adjustability			
2000	4Matic	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
2000	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
2000	Base	B4	Front	24-100540	Standard Chassis; Without ADS; Without Ride Height Adjustability	Rear	24-100564	Standard Chassis; Without ADS; Without Ride Height Adjustability
			Front	24-100571	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100588	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
2000	Base	B6 (HD)				Rear	24-062039	Without ADS; Without Ride Height Adjustability
2000	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
			Front	24-021562	Setting: B6 (HD); Without ADS; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E430 (continued)								
1999	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
			Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; To Chassis # A394035; Without ADS; Without Ride Height Adjustability			
1999	Base	B4	Front	24-100540	From 7/99; From Chassis # A394036; Standard Chassis; Without ADS; Without Ride Height Adjustability	Rear	24-100564	From 7/99; From Chassis # A394036; Standard Chassis; Without ADS; Without Ride Height Adjustability
			Front	24-100571	From 7/99; From Chassis # A394036; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100588	From 7/99; From Chassis # A394036; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
			Front	24-021548	Heavy Duty; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability	Rear	24-021555	Heavy Duty; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
			Front	24-108256	Standard Chassis; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
			Front	24-100540	To 6/99; To chassis number A394035; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100557	To 6/99; To chassis number A394035; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
1999	Base	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
						Rear	24-062039	From 7/99; From Chassis # A394036; Without ADS; Without Ride Height Adjustability
1999	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
			Front	24-021562	From 7/99; From Chassis # A394036; Setting: B6 (HD); Without ADS; Without Ride Height Adjustability	Rear	24-021579	To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
			Front	24-021562	Setting: B8 (SP); To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability			
1998	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
			Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; To Chassis # A394035; Without ADS; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E430 (continued)								
1998	Base	B4	Front	24-021548	Heavy Duty; Without ADS; Without Ride Height Adjustability	Rear	24-021555	Heavy Duty; Without ADS; Without Ride Height Adjustability
			Front	24-108256	Standard Chassis; Without ADS; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without ADS; Without Ride Height Adjustability
			Front	24-100540	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
1998	Base	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1998	Base	B8 (SP)	Front	24-021562	Setting: B8 (SP); Without ADS; Without Ride Height Adjustability	Rear	24-021579	Without ADS; Without Ride Height Adjustability
Mercedes-Benz E500								
2005	4Matic	B4 (Air)				Rear Left	40-076614	With Airmatic DC
						Rear Right	40-076621	With Airmatic DC
2005	4Matic; Sedan; w/ 211.083 Body	B4 (Air)				Rear	19-050027	
2005	4Matic; Wagon; w/ 211.283 Body	B4 (Air)				Rear Left	20-070861	
						Rear Right	20-070878	
2005	4Matic; w/ Air Front Springs	B4 (Air)	Front Left	44-181666	With Airmatic DC			
			Front Right	44-181680	With Airmatic DC			
2005	Base	B4 (Air)	Front Left	44-102265	With Airmatic DC	Rear	20-101893	
			Front Right	44-102272	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear Left	40-076614	With Airmatic DC
2004	4Matic; Sedan; w/ 211.083 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	19-050027	
2004	4Matic; Wagon; w/ 211.283 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear Left	20-070861	
						Rear Right	20-070878	
2004	4Matic; w/ Air Front Springs	B4 (Air)	Front Left	44-181666	With Airmatic DC			
			Front Right	44-181680	With Airmatic DC			
2004	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear Left	40-076614	With Airmatic DC
						Rear Right	40-076621	With Airmatic DC
2004	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	With Airmatic DC	Rear	20-101893	
			Front Right	44-102272	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear Left	40-076614	With Airmatic DC
2003	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	From chassis number A 334971 / X 108180; With Airmatic DC	Rear	20-101893	From 6/03; From chassis number A 334971 / X 108180
			Front Right	44-102272	From chassis number A 334971 / X 108180; With Airmatic DC	Rear Left	40-076614	From chassis number A 334971 / X 108180; With Airmatic DC
			Front Right	44-100827	To 6/03; To chassis number A 334970 / X 108179	Rear Right	40-076621	From chassis number A 334971 / X 108180; With Airmatic DC
			Front Left	44-100834	To 6/03; To chassis number A 334970 / X 108179	Rear	19-050027	To 6/03; To chassis number A 334970 / X 108179



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E500 (continued)								
1994	Base	B4				Rear	24-013857	Heavy Duty
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
						Rear	24-015189	Standard Chassis
Mercedes-Benz E55 AMG								
2005	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear Left	40-076676	With Airmatic DC
						Rear Right	40-076683	With Airmatic DC
						Rear	20-070915	With Airmatic DC
2005	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-143657	With Airmatic DC			
			Front Right	44-143664	With Airmatic DC			
2004	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear Left	40-076676	With Airmatic DC
						Rear Right	40-076683	With Airmatic DC
						Rear	20-070915	With Airmatic DC
2004	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-143657	With Airmatic DC			
			Front Right	44-143664	With Airmatic DC			
2002	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
2001	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
2000	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
1999	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
Mercedes-Benz E550								
2012	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC			
2012	Base; Convertible	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2012	Base; Convertible	B8 (SP)	Front	35-141846	Setting: B6 (HD)	Rear	24-141857	Setting: B6 (HD)
2012	Base; Coupe	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2012	Base; Coupe	B8 (SP)	Front	35-141846	Setting: B6 (HD)	Rear	24-141857	Setting: B6 (HD)
2011	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC	Rear	24-166874	
2011	Base; Convertible	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2011	Base; Convertible	B8 (SP)	Front	35-141846	Setting: B6 (HD)	Rear	24-141857	Setting: B6 (HD)
2011	Base; Coupe	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz E550 (continued)								
2011	Base; Coupe	B8 (SP)	Front	35-141846	Setting: B6 (HD)	Rear	24-141857	Setting: B6 (HD)
2011	Base; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC			
2011	Base; Sedan; w/ 212.072 Body	B6 (HD)	Front	35-166863		Rear	24-166874	
2011	Base; Sedan; w/ 212.072 Body	B8 (SP)	Front	35-166887	Includes Avantgarde	Rear	24-166898	Includes Avantgarde
2010	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC	Rear	24-166874	
2010	Base; Coupe	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2010	Base; Coupe	B8 (SP)	Front	35-141846	Setting: B6 (HD)	Rear	24-141857	Setting: B6 (HD)
2010	Base; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC			
2010	Base; Sedan; w/ 212.072 Body	B6 (HD)	Front	35-166863		Rear	24-166874	
2010	Base; Sedan; w/ 212.072 Body	B8 (SP)	Front	35-166887	Includes Avantgarde	Rear	24-166898	Includes Avantgarde
2009	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
2008	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
2007	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
Mercedes-Benz E63 AMG								
2011	Base	B8 (SP)	Front	35-166887				
2010	Base	B8 (SP)	Front	35-166887				
Mercedes-Benz R320								
2009	Bluetec	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2009	Bluetec; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2009	Bluetec; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2009	Bluetec; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2009	Bluetec; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2008	CDI	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz R320 (continued)								
2008	CDI; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2008	CDI; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2008	CDI; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2008	CDI; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2007	CDI	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2007	CDI; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2007	CDI; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2007	CDI; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2007	CDI; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
Mercedes-Benz R350								
2012	4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2012	4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
						Rear	24-144896	Standard Chassis
2012	4Matic; w/ Coil Rear Springs	B4						
2012	Bluetec 4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2012	Bluetec 4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
						Rear	24-144896	Standard Chassis
2011	4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2011	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2011	4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
						Rear	24-144889	
2011	4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2011	4Matic; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2011	Bluetec 4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2011	Bluetec 4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
						Rear	24-144889	
2011	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2011	Bluetec 4Matic; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz R350 (continued)								
2010	4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2010	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2010	4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2010	4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2010	4Matic; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2010	Bluetec 4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2010	Bluetec 4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2010	Bluetec 4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2010	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2010	Bluetec 4Matic; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2009	4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2009	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2009	4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2009	4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2009	4Matic; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2009	Base	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2009	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2009	Base; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2009	Base; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2008	4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2008	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2008	4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz R350 (continued)								
2008	4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2008	4Matic; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2008	Base	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2008	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2008	Base; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2008	Base; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2007	4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2007	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2007	4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2007	4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2007	4Matic; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2006	4Matic	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2006	4Matic	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS	Rear	24-167659	With ADS
			Front	44-111533	With ADS	Rear	40-148359	With ADS
2006	4Matic; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
Mercedes-Benz R500								
2008	Base	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2008	Sport	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2007	Base	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2007	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2007	Base; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2007	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2007	Base; w/ Coil Rear Springs	B4				Rear	24-144896	Standard Chassis
2007	Sport	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz R500 (continued)								
2006	Base	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2006	Base	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS	Rear	24-167659	With ADS
			Front	44-111533	With ADS	Rear	40-148359	With ADS
2006	Base; w/ Coil Front Springs	B4 (Dampmatic)	Front	24-166607	Standard Chassis			
2006	Premium	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2006	Sport	B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
Mercedes-Benz R63 AMG								
2007	Base	B4 (Air)	Front	44-111533	With ADS	Rear	24-121934	With ADS
			Front	44-121167	With ADS	Rear	40-148359	With ADS
Mercedes-Benz S320								
1999	LWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1999	LWB	B4 (Steering Damper)	Front	18-140644				
1999	LWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1999	SWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1999	SWB	B4 (Steering Damper)	Front	18-140644				
1999	SWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1998	LWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1998	LWB	B4 (Steering Damper)	Front	18-140644				
1998	LWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1998	SWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1998	SWB	B4 (Steering Damper)	Front	18-140644				
1998	SWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1997	LWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1997	LWB	B4 (Steering Damper)	Front	18-140644				
1997	LWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1997	SWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1997	SWB	B4 (Steering Damper)	Front	18-140644				



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz S320 (continued)								
1997	SWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1996	LWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1996	LWB	B4 (Steering Damper)	Front	18-140644				
1996	LWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1996	SWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1996	SWB	B4 (Steering Damper)	Front	18-140644				
1996	SWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1995	LWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1995	LWB	B4 (Steering Damper)	Front	18-140644				
1995	LWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1995	SWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1995	SWB	B4 (Steering Damper)	Front	18-140644				
1995	SWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1994	LWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1994	LWB	B4 (Steering Damper)	Front	18-140644				
1994	LWB	B8 (SP)	Front	24-015370		Rear	24-015387	
1994	SWB	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1994	SWB	B4 (Steering Damper)	Front	18-140644				
1994	SWB	B8 (SP)	Front	24-015370		Rear	24-015387	
Mercedes-Benz S350								
1995	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1995	Base	B4 (Steering Damper)	Front	18-140644				
1995	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1994	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1994	Base	B4 (Steering Damper)	Front	18-140644				
1994	Base	B8 (SP)	Front	24-015370		Rear	24-015387	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz S420								
1999	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1999	Base	B4 (Steering Damper)	Front	18-140644				
1999	Base	B8 (SP)	Front	24-015370				
1998	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1998	Base	B4 (Steering Damper)	Front	18-140644				
1998	Base	B8 (SP)	Front	24-015370				
1997	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1997	Base	B4 (Steering Damper)	Front	18-140644				
1997	Base	B8 (SP)	Front	24-015370				
1996	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1996	Base	B4 (Steering Damper)	Front	18-140644				
1996	Base	B8 (SP)	Front	24-015370				
1995	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1995	Base	B4 (Steering Damper)	Front	18-140644				
1995	Base	B8 (SP)	Front	24-015370				
1994	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1994	Base	B4 (Steering Damper)	Front	18-140644				
1994	Base	B8 (SP)	Front	24-015370				
Mercedes-Benz S430								
2005	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC	Rear	44-042301	Non ABC
			Front Right	44-051525	Non ABC			
2005	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-042295	Non ABC	Rear	44-042301	Non ABC
2004	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC	Rear	44-042301	Non ABC
			Front Right	44-051525	Non ABC			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz S430 (continued)								
2004	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-042295	Non ABC	Rear	44-042301	Non ABC
2003	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC	Rear	44-042301	Non ABC
			Front Right	44-051525	Non ABC			
2003	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-042295	Non ABC	Rear	44-042301	Non ABC
2002	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-042295	Non ABC	Rear	44-042301	Non ABC
2001	Base	B4 (Air)	Front	44-042295	Non ABC	Rear	44-042301	Non ABC
2001	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
2000	Base	B4 (Air)	Front	44-042295	Non ABC	Rear	44-042301	Non ABC
2000	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
Mercedes-Benz S500								
2006	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC	Rear	44-042301	Non ABC
			Front Right	44-051525	Non ABC			
2006	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC			
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
2005	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC	Rear	44-042301	Non ABC
			Front Right	44-051525	Non ABC			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz S500 (continued)								
2005	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC			
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
						Rear	44-042301	Non ABC
2004	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC	Rear	44-042301	Non ABC
			Front Right	44-051525	Non ABC			
2004	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC			
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
						Rear	44-042301	Non ABC
2003	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC	Rear	44-042301	Non ABC
			Front Right	44-051525	Non ABC			
2003	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC			
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
						Rear	44-042301	Non ABC
2002	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC			
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
						Rear	44-042301	Non ABC
2001	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC			
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
						Rear	44-042301	Non ABC
2001	Guard; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
2000	Base	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-042301	Non ABC
2000	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz S500 (continued)								
2000	Guard; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
1999	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1999	Base	B4 (Steering Damper)	Front	18-140644				
1999	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1998	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1998	Base	B4 (Steering Damper)	Front	18-140644				
1998	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1997	4 Dr.; Base; Sedan; w/ 140.051 Body	B4 (Steering Damper)	Front	18-140644				
1997	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1997	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1996	4 Dr.; Base; Sedan; w/ 140.051 Body	B4 (Steering Damper)	Front	18-140644				
1996	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1996	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1995	4 Dr.; Base; Sedan; w/ 140.051 Body	B4 (Steering Damper)	Front	18-140644				
1995	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1995	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
1994	4 Dr.; Base; Sedan; w/ 140.051 Body	B4 (Steering Damper)	Front	18-140644				
1994	Base	B4	Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
			Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1994	Base	B8 (SP)	Front	24-015370		Rear	24-015387	
Mercedes-Benz S550								
2012	Base	B4 (Air)	Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model			
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz S550 (continued)								
2011	4Matic	B4 (Air)	Front Right	44-110475		Rear Left	44-109479	
			Front Left	44-110482		Rear Right	44-109486	
2011	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2010	4Matic	B4 (Air)	Front Right	44-110475		Rear Left	44-109479	
			Front Left	44-110482		Rear Right	44-109486	
2010	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2009	4Matic	B4 (Air)	Front Right	44-110475		Rear Left	44-109479	
			Front Left	44-110482		Rear Right	44-109486	
2009	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2008	4Matic	B4 (Air)	Front Right	44-110475		Rear Left	44-109479	
			Front Left	44-110482		Rear Right	44-109486	
2008	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz S550 (continued)								
2007	4Matic	B4 (Air)	Front Right	44-110475		Rear Left	44-109479	
			Front Left	44-110482		Rear Right	44-109486	
2007	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
Mercedes-Benz S600								
2012	Base	B4 (Air)	Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model			
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2011	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2010	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz S600 (continued)								
2009	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2008	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2007	Base	B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
Mercedes-Benz SL320								
1997	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1997	Base	B4	Front	22-002327		Rear	24-013161	
1997	Base	B4 (Steering Damper)	Front	18-140651				
1997	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1996	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1996	Base	B4	Front	22-002327		Rear	24-013161	
1996	Base	B4 (Steering Damper)	Front	18-140651				
1996	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1995	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1995	Base	B4	Front	22-002327		Rear	24-013161	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SL320 (continued)								
1995	Base	B4 (Steering Damper)	Front	18-140651				
1995	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1994	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1994	Base	B4	Front	22-002327		Rear	24-013161	
1994	Base	B4 (Steering Damper)	Front	18-140651				
1994	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
Mercedes-Benz SL500								
2002	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
2002	Base	B4	Front	22-002327		Rear	24-013161	
2002	Base	B4 (Steering Damper)	Front	18-140651				
2002	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
2001	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
2001	Base	B4	Front	22-002327		Rear	24-013161	
2001	Base	B4 (Steering Damper)	Front	18-140651				
2001	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
2000	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
2000	Base	B4	Front	22-002327		Rear	24-013161	
2000	Base	B4 (Steering Damper)	Front	18-140651				
2000	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1999	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1999	Base	B4	Front	22-002327		Rear	24-013161	
1999	Base	B4 (Steering Damper)	Front	18-140651				
1999	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1998	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1998	Base	B4	Front	22-002327		Rear	24-013161	
1998	Base	B4 (Steering Damper)	Front	18-140651				
1998	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SL500 (continued)								
1997	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1997	Base	B4	Front	22-002327		Rear	24-013161	
1997	Base	B4 (Steering Damper)	Front	18-140651				
1997	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1996	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1996	Base	B4	Front	22-002327		Rear	24-013161	
1996	Base	B4 (Steering Damper)	Front	18-140651				
1996	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1995	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1995	Base	B4	Front	22-002327		Rear	24-013161	
1995	Base	B4 (Steering Damper)	Front	18-140651				
1995	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1994	Base	B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1994	Base	B4	Front	22-002327		Rear	24-013161	
1994	Base	B4 (Steering Damper)	Front	18-140651				
1994	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
Mercedes-Benz SL600								
2002	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
2001	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
2000	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1999	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1998	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1997	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1996	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1995	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
1994	Base	B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
Mercedes-Benz SLK230								
2004	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK230 (continued)								
2004	Kompressor	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004	Kompressor	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004	Kompressor	B4	Front	24-100878		Rear	24-100885	
2004	Kompressor	B4 (Steering Damper)	Front	18-140651				
2004	Kompressor	B6 (HD)	Front	24-024648		Rear	24-024655	
2004	Kompressor	B8 (SP)	Front	24-025256		Rear	24-025263	
2003	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2003	Kompressor	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2003	Kompressor	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2003	Kompressor	B4	Front	24-100878		Rear	24-100885	
2003	Kompressor	B4 (Steering Damper)	Front	18-140651				
2003	Kompressor	B6 (HD)	Front	24-024648		Rear	24-024655	
2003	Kompressor	B8 (SP)	Front	24-025256		Rear	24-025263	
2002	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2002	Kompressor	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2002	Kompressor	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2002	Kompressor	B4	Front	24-100878		Rear	24-100885	
2002	Kompressor	B4 (Steering Damper)	Front	18-140651				
2002	Kompressor	B6 (HD)	Front	24-024648		Rear	24-024655	
2002	Kompressor	B8 (SP)	Front	24-025256		Rear	24-025263	
2001	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2001	Kompressor	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK230 (continued)								
2001	Kompressor	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2001	Kompressor	B4	Front	24-100878		Rear	24-100885	
2001	Kompressor	B4 (Steering Damper)	Front	18-140651				
2001	Kompressor	B6 (HD)	Front	24-024648		Rear	24-024655	
2001	Kompressor	B8 (SP)	Front	24-025256		Rear	24-025263	
2000	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2000	Kompressor	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2000	Kompressor	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2000	Kompressor	B4	Front	24-100878		Rear	24-100885	
2000	Kompressor	B4 (Steering Damper)	Front	18-140651				
2000	Kompressor	B6 (HD)	Front	24-024648		Rear	24-024655	
2000	Kompressor	B8 (SP)	Front	24-025256		Rear	24-025263	
1999	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
1999	Kompressor	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
1999	Kompressor	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
1999	Kompressor	B4	Front	24-100878		Rear	24-100885	
1999	Kompressor	B4 (Steering Damper)	Front	18-140651				
1999	Kompressor	B6 (HD)	Front	24-024648		Rear	24-024655	
1999	Kompressor	B8 (SP)	Front	24-025256		Rear	24-025263	
1998	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
1998	Kompressor	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
1998	Kompressor	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK230 (continued)								
1998	Kompressor	B4	Front	24-100878		Rear	24-100885	
1998	Kompressor	B4 (Steering Damper)	Front	18-140651				
1998	Kompressor							
1998	Kompressor	B6 (HD)	Front	24-024648		Rear	24-024655	
1998	Kompressor	B8 (SP)	Front	24-025256		Rear	24-025263	
1997	Kompressor	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
1997	Kompressor	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
1997	Kompressor	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
Mercedes-Benz SLK250								
2012	Base	B4				Rear	24-218245	Standard Chassis
Mercedes-Benz SLK280								
2008	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2008	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2008	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2008	Base	B4	Front	22-164858				
2008	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2008	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2007	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2007	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2007	Base	B4	Front	22-164858				
2007	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2007	Base	B8 (SP)	Front	35-113454		Rear	24-113465	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK280 (continued)								
2006	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2006	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2006	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2006	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2006	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
Mercedes-Benz SLK300								
2011	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2011	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2011	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2011	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2011	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2011	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2010	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2010	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2010	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2010	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2010	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2010	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2009	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2009	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK300 (continued)								
2009	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2009	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2009	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2009	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
Mercedes-Benz SLK32 AMG								
2004	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004	Base	B4	Front	24-100878		Rear	24-100885	
2004	Base	B4 (Steering Damper)	Front	18-140651				
2004	Base	B6 (HD)	Front	24-024648		Rear	24-024655	
2004	Base	B8 (SP)	Front	24-025256		Rear	24-025263	
2003	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2003	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2003	Base	B4	Front	24-100878		Rear	24-100885	
2003	Base	B4 (Steering Damper)	Front	18-140651				
2003	Base	B6 (HD)	Front	24-024648		Rear	24-024655	
2003	Base	B8 (SP)	Front	24-025256		Rear	24-025263	
2002	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2002	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2002	Base	B4	Front	24-100878		Rear	24-100885	
2002	Base	B4 (Steering Damper)	Front	18-140651				
2002	Base	B6 (HD)	Front	24-024648		Rear	24-024655	
2002	Base	B8 (SP)	Front	24-025256		Rear	24-025263	
Mercedes-Benz SLK320								
2004	Base	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK320 (continued)								
2004	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004	Base	B4	Front	24-100878		Rear	24-100885	
2004	Base	B4 (Steering Damper)	Front	18-140651				
2004	Base	B6 (HD)	Front	24-024648		Rear	24-024655	
2004	Base	B8 (SP)	Front	24-025256		Rear	24-025263	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2003	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2003	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2003	Base	B4	Front	24-100878		Rear	24-100885	
2003	Base	B4 (Steering Damper)	Front	18-140651				
2003	Base	B6 (HD)	Front	24-024648		Rear	24-024655	
2003	Base	B8 (SP)	Front	24-025256		Rear	24-025263	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2002	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2002	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2002	Base	B4	Front	24-100878		Rear	24-100885	
2002	Base	B4 (Steering Damper)	Front	18-140651				
2002	Base	B6 (HD)	Front	24-024648		Rear	24-024655	
2002	Base	B8 (SP)	Front	24-025256		Rear	24-025263	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2001	Base	B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK320 (continued)								
2001	Base	B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2001	Base	B4	Front	24-100878		Rear	24-100885	
2001	Base	B4 (Steering Damper)	Front	18-140651				
2001	Base	B6 (HD)	Front	24-024648		Rear	24-024655	
2001	Base	B8 (SP)	Front	24-025256		Rear	24-025263	
Mercedes-Benz SLK350								
2012	Base	B4				Rear	24-218245	Standard Chassis
2011	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2011	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2011	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2011	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2011	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2011	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2010	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2010	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2010	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2010	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2010	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2010	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2009	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2009	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2009	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2009	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2009	Base	B6 (HD)	Front	35-113430		Rear	24-113441	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK350 (continued)								
2009	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2008	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2008	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2008	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2008	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2008	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2008	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2007	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2007	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2007	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2007	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2007	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2006	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2006	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2006	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2006	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2006	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2005	Base	B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Mercedes-Benz SLK350 (continued)								
2005	Base	B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2005	Base	B4	Front	22-164858		Rear	24-188050	Standard Chassis
2005	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2005	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
Mercedes-Benz SLK55 AMG								
2010	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2010	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2009	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2009	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2008	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2008	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2007	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2007	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2006	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2006	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
2005	Base	B6 (HD)	Front	35-113430		Rear	24-113441	
2005	Base	B8 (SP)	Front	35-113454		Rear	24-113465	
Mercury Capri								
1986	5.0	B6 (HD)				Rear	AK2288	
1986	GS	B6 (HD)				Rear	AK2288	
1985	GS	B6 (HD)				Rear	AK2288	
1985	RS	B6 (HD)				Rear	AK2288	
1984	GS	B6 (HD)				Rear	AK2288	
1984	RS	B6 (HD)				Rear	AK2288	
1984	RS Turbo	B6 (HD)				Rear	AK2288	
1983	Black Magic	B6 (HD)				Rear	AK2288	
1983	Crimson Cat	B6 (HD)				Rear	AK2288	
1983	GS	B6 (HD)				Rear	AK2288	
1983	L	B6 (HD)				Rear	AK2288	
1983	RS	B6 (HD)				Rear	AK2288	
1982	Base	B6 (HD)				Rear	AK2288	
1982	Black Magic	B6 (HD)				Rear	AK2288	
1982	GS	B6 (HD)				Rear	AK2288	
1982	L	B6 (HD)				Rear	AK2288	
1982	RS	B6 (HD)				Rear	AK2288	
1981	Base	B6 (HD)				Rear	AK2288	
1981	GS	B6 (HD)				Rear	AK2288	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercury Capri (continued)								
1980	Base	B6 (HD)				Rear	AK2288	
1979	Base	B6 (HD)				Rear	AK2288	
Mercury Colony Park								
1991	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1991	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1990	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1990	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1989	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1989	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1988	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1988	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1987	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1987	LS	B6 (C)	Front	24-184731		Rear	24-184755	
Mercury Comet								
1977	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1976	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1975	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
Mercury Cougar								
1988	LS	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1988	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1987	LS	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1987	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1986	Base	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1986	LS	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1986	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1985	Base	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1985	LS	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1985	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1984	Base	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1984	LS	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1984	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system



Passenger Cars

Year	Application	Series	Front			Rear		
Mercury Cougar (continued)								
1983	Base	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1983	LS	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1982	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; GS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; GS; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; LS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Base	B6 (HD)				Rear	AK2288	
1982	GS	B6 (HD)				Rear	AK2288	
1982	LS	B6 (HD)				Rear	AK2288	
1982	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1981	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	Base	B6 (HD)				Rear	AK2288	
1981	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1980	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1979	XR-7	B6 (C)	Front	24-184731		Rear	24-184755	
1979	XR-7	B6 (HD)	Front	24-014953	Except electronic or self leveling suspension	Rear	24-014960	Exc. self leveling or air suspension
1978	XR-7	B6 (C)	Front	24-184731		Rear	24-184755	
1978	XR-7	B6 (HD)	Front	24-014953	Except electronic or self leveling suspension	Rear	24-014960	Exc. self leveling or air suspension
1977	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1977	Villager	B6 (C)	Front	24-184731		Rear	24-184755	
1977	XR-7	B6 (C)	Front	24-184731		Rear	24-184755	
1977	XR-7	B6 (HD)	Front	24-014953	Except electronic or self leveling suspension	Rear	24-014960	Exc. self leveling or air suspension
1976	XR-7	B6 (C)	Front	24-184731		Rear	24-184755	
1976	XR-7	B6 (HD)	Front	24-014953	Except electronic or self leveling suspension	Rear	24-014960	Exc. self leveling or air suspension
1975	XR-7	B6 (C)	Front	24-184731		Rear	24-184755	
1974	XR-7	B6 (C)	Front	24-184731		Rear	24-184755	
1974	XR-7	B6 (HD)	Front	24-014953	Except electronic or self leveling suspension	Rear	24-014960	Exc. self leveling or air suspension
Mercury Grand Marquis								
2002	GS	B6 (C)	Front	24-184731		Rear	24-184755	
2002	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
2002	LS	B6 (C)	Front	24-184731		Rear	24-184755	
2002	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok



Passenger Cars

Year	Application	Series	Front			Rear		
Mercury Grand Marquis (continued)								
2001	GS	B6 (C)	Front	24-184731		Rear	24-184755	
2001	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
2001	LS	B6 (C)	Front	24-184731		Rear	24-184755	
2001	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
2000	GS	B6 (C)	Front	24-184731		Rear	24-184755	
2000	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
2000	LS	B6 (C)	Front	24-184731		Rear	24-184755	
2000	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1999	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1999	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1999	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1999	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1998	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1998	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1998	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1998	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1997	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1997	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1997	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1997	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1996	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1996	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1996	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1996	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1995	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1995	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1995	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1995	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1994	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1994	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1994	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1994	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1993	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1993	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1993	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1993	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1992	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1992	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok



Passenger Cars

Year	Application	Series	Front			Rear		
Mercury Grand Marquis (continued)								
1992	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1992	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1991	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1991	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1991	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1991	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1990	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1990	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1990	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1990	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1989	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1989	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1989	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1989	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1988	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1988	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1988	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1988	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1987	4 Dr.; GS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1987	4 Dr.; LS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1987	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1987	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1986	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1986	4 Dr.; LS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1986	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1986	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1986	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1985	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1985	4 Dr.; LS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1985	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1985	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1985	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1984	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1984	4 Dr.; LS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1984	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1984	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1984	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1983	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercury Grand Marquis (continued)								
1983	4 Dr.; LS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1983	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1983	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1983	Colony Park	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1983	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1982	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1982	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1981	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1980	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1979	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1978	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1977	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1976	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1975	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
Mercury Marquis								
1986	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1986	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1986	4 Dr.; Brougham; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1986	4 Dr.; Brougham; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1986	Base	B6 (HD)	Front	24-014953	Air suspension ok			
1985	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1985	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1985	4 Dr.; Brougham; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1985	4 Dr.; Brougham; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1985	Base	B6 (HD)	Front	24-014953	Air suspension ok			
1984	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1984	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1984	4 Dr.; Brougham; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1984	4 Dr.; Brougham; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1984	Base	B6 (HD)	Front	24-014953	Air suspension ok			
1983	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercury Marquis (continued)								
1983	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1983	4 Dr.; Brougham; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1983	4 Dr.; Brougham; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1983	Base	B6 (HD)	Front	24-014953	Air suspension ok			
1982	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; Brougham; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1982	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1981	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Brougham; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1981	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1980	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Brougham; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1980	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1979	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Brougham; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1979	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1978	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1978	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1978	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1977	4 Dr.; Brougham; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1977	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1977	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1976	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1976	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1976	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1975	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1975	4 Dr.; Brougham; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1975	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok



Passenger Cars

Year	Application	Series	Front			Rear		
Mercury Marquis (continued)								
1975	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Colony Park	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
Mercury Milan								
2010	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2010	Hybrid	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2010	Premier	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2009	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2009	Premier	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2008	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2008	Premier	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2007	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2007	Premier	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2006	Base	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2006	Premier	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
Mercury Monarch								
1980	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1978	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1977	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1977	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1976	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1976	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Grand Ghia	B6 (C)	Front	24-184731		Rear	24-184755	
1975	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1975	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
Mercury Montego								
1976	4 Dr.; MX; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	



Passenger Cars

Year	Application	Series	Front			Rear		
Mercury Montego (continued)								
1976	MX Villager	B6 (C)	Front	24-184731		Rear	24-184755	
1975	4 Dr.; MX; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Villager	B6 (C)	Front	24-184731		Rear	24-184755	
Mercury Mystique								
2000	GS	B4	Front	22-045614		Rear	22-045621	
2000	LS	B4	Front	22-045614		Rear	22-045621	
1999	GS	B4	Front	22-045614		Rear	22-045621	
1999	LS	B4	Front	22-045614		Rear	22-045621	
1998	GS	B4	Front	22-045614		Rear	22-045621	
1998	LS	B4	Front	22-045614		Rear	22-045621	
1997	GS	B4	Front	22-045614		Rear	22-045621	
1997	LS	B4	Front	22-045614		Rear	22-045621	
1996	GS	B4	Front	22-045614		Rear	22-045621	
1996	LS	B4	Front	22-045614		Rear	22-045621	
1995	Base	B4	Front	22-045614		Rear	22-045621	
1995	GS	B4	Front	22-045614		Rear	22-045621	
1995	GS Spree	B4	Front	22-045614		Rear	22-045621	
1995	LS	B4	Front	22-045614		Rear	22-045621	
1995	LS Young America	B4	Front	22-045614		Rear	22-045621	
Mercury Zephyr								
1983	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1983	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1982	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1982	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1978	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1978	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
Merkur XR4Ti								
1989	Base	B6 (HD)	Front	35-040408		Rear	24-018067	
1989	Base	B8 (SP)	Front	35-040415		Rear	24-018074	
1988	Base	B6 (HD)	Front	35-040408		Rear	24-018067	
1988	Base	B8 (SP)	Front	35-040415		Rear	24-018074	



Passenger Cars

Year	Application	Series	Front			Rear		
Merkur XR4Ti (continued)								
1987	Base	B6 (HD)	Front	35-040408		Rear	24-018067	
1987	Base	B8 (SP)	Front	35-040415		Rear	24-018074	
1986	Base	B6 (HD)	Front	35-040408		Rear	24-018067	
1986	Base	B8 (SP)	Front	35-040415		Rear	24-018074	
1985	Base	B6 (HD)	Front	35-040408		Rear	24-018067	
1985	Base	B8 (SP)	Front	35-040415		Rear	24-018074	
Mini Cooper								
2013	S Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2012	Base	B4				Rear	19-215990	From 07/11; Standard Chassis
2012	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2012	Base; Convertible; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2012	Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2012	Base; Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Only With Two 33 50 6 778 572 (Rear Stone Chip Guards); Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2012	Base; Hatchback; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	Base; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			
2012	Base; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			
2012	Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2012	Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	Clubman	B4				Rear	19-215990	From 07/11; Standard Chassis
2012	Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2012	Convertible; John Cooper Works; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2012	Convertible; S	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2012	Convertible; S; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2012	Coupe	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	Coupe	B4				Rear	19-215990	From 07/11; Standard Chassis
2012	Coupe John Cooper Works	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	Coupe John Cooper Works	B4				Rear	19-215990	From 07/11; Standard Chassis
2012	Coupe S	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	Coupe S	B4				Rear	19-215990	From 07/11; Standard Chassis
2012	Hatchback; John Cooper Works; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Only With Two 33 50 6 778 572 (Rear Stone Chip Guards); Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2012	Hatchback; John Cooper Works; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2012	Hatchback; S; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Only With Two 33 50 6 778 572 (Rear Stone Chip Guards); Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2012	Hatchback; S; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	John Cooper Works	B4				Rear	19-215990	From 07/11; Standard Chassis
2012	John Cooper Works Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	John Cooper Works Clubman	B4				Rear	19-215990	From 07/11; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2012	John Cooper Works Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			
2012	John Cooper Works; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			
2012	John Cooper Works; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			
2012	S	B4				Rear	19-215990	From 07/11; Standard Chassis
2012	S Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2012	S Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2012	S Clubman	B4				Rear	19-215990	From 07/11; Standard Chassis
2012	S Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			
2012	S; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			
2012	S; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis			
			Front Right	22-171009	Standard Chassis			
2011	Base	B16 (PSS10)	Front and Rear	48-153720				
2011	Base	B4				Rear	19-215990	From 07/11; Standard Chassis
2011	Base	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2011	Base	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2011	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2011	Base; Convertible; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2011	Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2011	Base; Hatchback	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2011	Base; Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2011	Base; Hatchback; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2011	Base; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2011	Base; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2011	Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2011	Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2011	Clubman	B16 (PSS10)	Front and Rear	48-153720				
2011	Clubman	B4				Rear	19-215990	From 07/11; Standard Chassis
2011	Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2011	Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2011	Convertible; John Cooper Works; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2011	Convertible; S	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2011	Convertible; S; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2011	Hatchback; John Cooper Works	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2011	Hatchback; John Cooper Works; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2011	Hatchback; John Cooper Works; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2011	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2011	Hatchback; S	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2011	Hatchback; S; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2011	Hatchback; S; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2011	John Cooper Works	B16 (PSS10)	Front and Rear	48-153720				
2011	John Cooper Works	B4				Rear	19-215990	From 07/11; Standard Chassis
2011	John Cooper Works	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2011	John Cooper Works	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2011	John Cooper Works Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2011	John Cooper Works Clubman	B16 (PSS10)	Front and Rear	48-153720				
2011	John Cooper Works Clubman	B4				Rear	19-215990	From 07/11; Standard Chassis
2011	John Cooper Works Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2011	John Cooper Works Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2011	John Cooper Works; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2011	John Cooper Works; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2011	S	B16 (PSS10)	Front and Rear	48-153720				
2011	S	B4				Rear	19-215990	From 07/11; Standard Chassis
2011	S	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2011	S	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2011	S Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2011	S Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2011	S Clubman	B16 (PSS10)	Front and Rear	48-153720				



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2011	S Clubman	B4				Rear	19-215990	From 07/11; Standard Chassis
2011	S Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2011	S Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2011	S; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2011	S; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis; To 06/11
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis; To 06/11
2010	Base	B16 (PSS10)	Front and Rear	48-153720				
2010	Base	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2010	Base	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2010	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2010	Base; Convertible; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2010	Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2010	Base; Hatchback	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2010	Base; Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2010	Base; Hatchback; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2010	Base; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2010	Base; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2010	Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2010	Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2010	Clubman	B16 (PSS10)	Front and Rear	48-153720				
2010	Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2010	Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2010	Convertible; John Cooper Works; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2010	Convertible; S	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2010	Convertible; S; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2010	Hatchback; John Cooper Works	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2010	Hatchback; John Cooper Works; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2010	Hatchback; John Cooper Works; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2010	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2010	Hatchback; S	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2010	Hatchback; S; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2010	Hatchback; S; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2010	John Cooper Works	B16 (PSS10)	Front and Rear	48-153720				
2010	John Cooper Works	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2010	John Cooper Works	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2010	John Cooper Works Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2010	John Cooper Works Clubman	B16 (PSS10)	Front and Rear	48-153720				
2010	John Cooper Works Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2010	John Cooper Works Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2010	John Cooper Works; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2010	John Cooper Works; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2010	S	B16 (PSS10)	Front and Rear	48-153720				
2010	S	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2010	S	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2010	S Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2010	S Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2010	S Clubman	B16 (PSS10)	Front and Rear	48-153720				
2010	S Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2010	S Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2010	S; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2010	S; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	Base	B16 (PSS10)	Front and Rear	48-153720				
2009	Base	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2009	Base	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2009	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2009	Base; Convertible; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2009	Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2009	Base; Hatchback	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2009	Base; Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2009	Base; Hatchback; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2009	Base; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	Base; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2009	Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2009	Clubman	B16 (PSS10)	Front and Rear	48-153720				
2009	Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2009	Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	Convertible; John Cooper Works; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			
2009	Convertible; S	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2009	Convertible; S; w/ R57 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 800kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2009	Hatchback; John Cooper Works	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2009	Hatchback; John Cooper Works; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2009	Hatchback; John Cooper Works; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2009	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2009	Hatchback; S	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2009	Hatchback; S; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2009	Hatchback; S; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2009	John Cooper Works	B16 (PSS10)	Front and Rear	48-153720				
2009	John Cooper Works	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2009	John Cooper Works	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2009	John Cooper Works Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2009	John Cooper Works Clubman	B16 (PSS10)	Front and Rear	48-153720				
2009	John Cooper Works Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2009	John Cooper Works Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	John Cooper Works; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	John Cooper Works; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	S	B16 (PSS10)	Front and Rear	48-153720				
2009	S	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2009	S	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2009	S Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2009	S Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2009	S Clubman	B16 (PSS10)	Front and Rear	48-153720				
2009	S Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2009	S Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	S; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2009	S; w/ R57 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2008	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2008	Base; Convertible; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 760kg Axle Load			
2008	Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2008	Base; Hatchback	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2008	Base; Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2008	Base; Hatchback; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2008	Base; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2008	Base; w/ R56 Body	B16 (PSS10)	Front and Rear	48-153720				
2008	Base; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2008	Base; w/ R56 Body	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2008	Base; w/ R56 Body	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2008	Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2008	Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2008	Clubman	B16 (PSS10)	Front and Rear	48-153720				
2008	Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2008	Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2008	Convertible; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2008	Convertible; S; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm,up to 760kg Axle Load			
2008	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2008	Hatchback; S	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2008	Hatchback; S; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2008	Hatchback; S; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2008	S Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2008	S Clubman	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2008	S Clubman	B16 (PSS10)	Front and Rear	48-153720				
2008	S Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2008	S Clubman; w/ R55 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2008	S; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2008	S; w/ R56 Body	B16 (PSS10)	Front and Rear	48-153720				
2008	S; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2008	S; w/ R56 Body	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2008	S; w/ R56 Body	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2007	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2007	Base; Convertible; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 760kg Axle Load			
2007	Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2007	Base; Hatchback	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2007	Base; Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2007	Base; Hatchback; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2007	Base; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2007	Base; w/ R52 Body	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2007	Base; w/ R52 Body	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2007	Base; w/ R56 Body	B16 (PSS10)	Front and Rear	48-153720				
2007	Base; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2007	Base; w/ R56 Body	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2007	Base; w/ R56 Body	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2007	Convertible; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2007	Convertible; S; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 760kg Axle Load			
2007	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2007	Hatchback; S	B4				Rear Left	19-215976	Sport Suspension
						Rear Right	19-215983	Sport Suspension
2007	Hatchback; S; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load; Standard Chassis			
2007	Hatchback; S; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Recommended Front Lowering Range: 30-50mm, up to 905kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 855kg Axle Load			
2007	S; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2007	S; w/ R52 Body	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2007	S; w/ R52 Body	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2007	S; w/ R56 Body	B16 (PSS10)	Front and Rear	48-153720				
2007	S; w/ R56 Body	B4	Front Left	22-170996	Standard Chassis	Rear Left	19-171586	Standard Chassis
			Front Right	22-171009	Standard Chassis	Rear Right	19-000725	Standard Chassis
2007	S; w/ R56 Body	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2007	S; w/ R56 Body	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2006	Base	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2006	Base	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2006	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2006	Base; Convertible; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm,up to 760kg Axle Load			
2006	Base; w/ R50 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2006	Base; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2006	Convertible; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2006	Convertible; S; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm,up to 760kg Axle Load			
2006	S	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2006	S	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2006	S; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2006	S; w/ R53 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2005	Base	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2005	Base	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2005	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2005	Base; Convertible; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm,up to 760kg Axle Load			
2005	Base; w/ R50 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2005	Base; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2005	Convertible; S	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2005	Convertible; S; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Recommended Front Lowering Range: 30-50mm, up to 890kg Axle Load; Recommended Rear Lowering Range: 30-50mm, up to 760kg Axle Load			
2005	S	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2005	S	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2005	S; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2005	S; w/ R53 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2004	Base	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2004	Base	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2004	Base; w/ R50 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2004	S	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2004	S	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2004	S; w/ R53 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2003	Base	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2003	Base	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2003	Base; w/ R50 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2003	S	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2003	S	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2003	S; w/ R53 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2002	Base	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper (continued)								
2002	Base	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2002	Base; w/ R50 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2002	S	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2002	S	B8 (SP)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2002	S; w/ R53 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
Mini Cooper Countryman								
2013	Hot Chili	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2012	Base	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2012	Base	B6 (HD)	Front Left	35-195382				
			Front Right	35-195399				
2012	Hot Chili	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2012	S	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2012	S	B6 (HD)	Front Left	35-195382				
			Front Right	35-195399				
2012	S ALL4	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2012	S ALL4	B6 (HD)	Front Left	35-195382				
			Front Right	35-195399				
2011	Base	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2011	Base	B6 (HD)	Front Left	35-195382				
			Front Right	35-195399				
2011	Hot Chili	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2011	S	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2011	S	B6 (HD)	Front Left	35-195382				
			Front Right	35-195399				



Passenger Cars

Year	Application	Series	Front			Rear		
Mini Cooper Countryman (continued)								
2011	S ALL4	B4	Front Right	22-213716				
			Front Left	22-213709	Standard Chassis			
2011	S ALL4	B6 (HD)	Front Left	35-195382				
			Front Right	35-195399				
Mitsubishi 3000GT								
1999	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1998	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1997	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1996	Spyder VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1996	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1995	Spyder VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1995	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1994	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1993	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1992	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
1991	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)



Passenger Cars

Year	Application	Series	Front			Rear		
Mitsubishi Eclipse								
1994	Base	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1994	GS	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1994	GST	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1994	GSX	B4	Front	F4-VNE-4780-BK		Rear	19-063379	
1993	Base	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1993	GS	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1993	GST	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1993	GSX	B4	Front	F4-VNE-4780-BK		Rear	19-063379	
1992	Base	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1992	GS	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1992	GST	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1992	GSX	B4	Front	F4-VNE-4780-BK		Rear	19-063379	
1991	Base	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1991	GS	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1991	GST	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1991	GSX	B4	Front	F4-VNE-4780-BK				
1990	Base	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1990	GS	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1990	GST	B4	Front	F4-VNE-4780-BK		Rear	19-063362	
1990	GSX	B4	Front	F4-VNE-4780-BK		Rear	19-063379	
Mitsubishi Galant								
2003	DE	B4				Rear	19-063423	
2003	ES	B4				Rear	19-063423	
2003	GTZ	B4				Rear	19-063423	
2003	LS	B4				Rear	19-063423	
2002	DE	B4				Rear	19-063423	
2002	ES	B4				Rear	19-063423	
2002	GTZ	B4				Rear	19-063423	
2002	LS	B4				Rear	19-063423	



Passenger Cars

Year	Application	Series	Front			Rear		
Mitsubishi Galant (continued)								
2001	DE	B4				Rear	19-063423	
2001	ES	B4				Rear	19-063423	
2001	GTZ	B4				Rear	19-063423	
2001	LS	B4				Rear	19-063423	
2000	DE	B4				Rear	19-063423	
2000	ES	B4				Rear	19-063423	
2000	GTZ	B4				Rear	19-063423	
2000	LS	B4				Rear	19-063423	
1999	DE	B4				Rear	19-063423	
1999	ES	B4				Rear	19-063423	
1999	GTZ	B4				Rear	19-063423	
1999	LS	B4				Rear	19-063423	
1998	DE	B4	Front	19-062990		Rear	19-063393	
1998	ES	B4	Front	19-062990		Rear	19-063393	
1998	LS	B4	Front	19-062990		Rear	19-063393	
1997	DE	B4	Front	19-062990		Rear	19-063393	
1997	ES	B4	Front	19-062990		Rear	19-063393	
1997	LS	B4	Front	19-062990		Rear	19-063393	
1996	ES	B4	Front	19-062990		Rear	19-063393	
1996	LS	B4	Front	19-062990		Rear	19-063393	
1996	S	B4	Front	19-062990		Rear	19-063393	
1995	ES	B4	Front	19-062990		Rear	19-063393	
1995	LS	B4	Front	19-062990		Rear	19-063393	
1995	S	B4	Front	19-062990		Rear	19-063393	
1994	ES	B4	Front	19-062990		Rear	19-063393	
1994	GS	B4	Front	19-062990		Rear	19-063393	
1994	LS	B4	Front	19-062990		Rear	19-063393	
1994	S	B4	Front	19-062990		Rear	19-063393	
1993	ES	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1993	LS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1993	S	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992	Base	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992	GS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992	GSR	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992	LS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	



Passenger Cars

Year	Application	Series	Front			Rear		
Mitsubishi Galant (continued)								
1991	Base	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1991	GS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1991	GSR	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1991	LS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1990	Base	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1990	GS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1990	LS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1989	Base	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1989	GS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1989	LS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
Mitsubishi Lancer								
2006	Evolution	B6 (HD)	Front	35-118435		Rear	24-118446	
2006	Evolution MR	B6 (HD)	Front	35-118435		Rear	24-118446	
2006	Evolution RS	B6 (HD)	Front	35-118435		Rear	24-118446	
2006	Evolution SE	B6 (HD)	Front	35-118435		Rear	24-118446	
2005	Evolution	B16 (PSS9)	Front and Rear	48-086424	Evo Vii/Viii			
2005	Evolution	B6 (HD)	Front	35-118435		Rear	24-118446	
2005	Evolution MR	B16 (PSS9)	Front and Rear	48-086424	Evo Vii/Viii			
2005	Evolution MR	B6 (HD)	Front	35-118435		Rear	24-118446	
2005	Evolution RS	B16 (PSS9)	Front and Rear	48-086424	Evo Vii/Viii			
2005	Evolution RS	B6 (HD)	Front	35-118435		Rear	24-118446	
2004	Evolution	B16 (PSS9)	Front and Rear	48-086424	Evo Vii/Viii			
2004	Evolution	B6 (HD)	Front	35-118435		Rear	24-118446	
2003	Evolution	B16 (PSS9)	Front and Rear	48-086424	Evo Vii/Viii			
Mitsubishi Mirage								
2001	DE	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
2001	ES	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
2001	LS	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				



Passenger Cars

Year	Application	Series	Front			Rear		
Mitsubishi Mirage (continued)								
2000	DE	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
2000	LS	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
1999	DE	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
1999	LS	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
1998	DE	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
1998	LS	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
1997	DE	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
1997	LS	B4	Front Left	22-047779		Rear	19-063386	
			Front Right	22-047786				
Nissan 240SX								
1998	Base	B6 (HD)				Rear	24-019163	
1998	LE	B6 (HD)				Rear	24-019163	
1998	SE	B6 (HD)				Rear	24-019163	
1997	Base	B6 (HD)				Rear	24-019163	
1997	LE	B6 (HD)				Rear	24-019163	
1997	SE	B6 (HD)				Rear	24-019163	
1996	Base	B6 (HD)				Rear	24-019163	
1996	SE	B6 (HD)				Rear	24-019163	
1995	Base	B6 (HD)				Rear	24-019163	
1995	SE	B6 (HD)				Rear	24-019163	
Nissan 280ZX								
1982	2+2	B6 (HD)				Rear	24-000574	
1982	2+2 Turbo	B6 (HD)				Rear	24-000574	
1982	Base	B6 (HD)				Rear	24-000574	
1982	Turbo	B6 (HD)				Rear	24-000574	
1981	2+2 GL	B6 (HD)				Rear	24-000574	
1981	Base	B6 (HD)				Rear	24-000574	
1981	GL	B6 (HD)				Rear	24-000574	
1981	GL Turbo	B6 (HD)				Rear	24-000574	
1980	2+2 GL	B6 (HD)				Rear	24-000574	



Passenger Cars

Year	Application	Series	Front			Rear	
Nissan 280ZX (continued)							
1980	Base	B6 (HD)				Rear	24-000574
1980	GL	B6 (HD)				Rear	24-000574
1979	2+2	B6 (HD)				Rear	24-000574
1979	Base	B6 (HD)				Rear	24-000574
Nissan 300ZX							
1996	2+2	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1996	Base	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1996	Turbo	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1995	2+2	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1995	Base	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1995	Turbo	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1994	2+2	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1994	Base	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1994	Turbo	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1993	2+2	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1993	Base	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1993	Turbo	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1992	2+2	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1992	Base	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1992	Turbo	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		
1991	2+2	B6 (HD)	Front Left	24-014816	Z32 Chassis		
			Front Right	24-014823	Z32 Chassis		



Passenger Cars

Year	Application	Series	Front			Rear		
Nissan 300ZX (continued)								
1991	Base	B6 (HD)	Front Left	24-014816	Z32 Chassis			
			Front Right	24-014823	Z32 Chassis			
1991	Turbo	B6 (HD)	Front Left	24-014816	Z32 Chassis			
			Front Right	24-014823	Z32 Chassis			
1990	2+2	B6 (HD)	Front Left	24-014816	Z32 Chassis			
			Front Right	24-014823	Z32 Chassis			
1990	Base	B6 (HD)	Front Left	24-014816	Z32 Chassis			
			Front Right	24-014823	Z32 Chassis			
1990	Turbo	B6 (HD)	Front Left	24-014816	Z32 Chassis			
			Front Right	24-014823	Z32 Chassis			
1989	2+2	B6 (HD)	Front	34-002643		Rear	24-011167	
1989	Base	B6 (HD)	Front	34-002643		Rear	24-011167	
1989	Turbo	B6 (HD)	Front	34-002629				
1988	2+2	B6 (HD)	Front	34-002643		Rear	24-011167	
1988	Base	B6 (HD)	Front	34-002643		Rear	24-011167	
1988	Turbo	B6 (HD)	Front	34-002629				
1987	2+2	B6 (HD)	Front	34-002643		Rear	24-011167	
1987	Base	B6 (HD)	Front	34-002643		Rear	24-011167	
1987	Turbo	B6 (HD)	Front	34-002629				
1986	2+2	B6 (HD)	Front	34-002643		Rear	24-011167	
1986	Base	B6 (HD)	Front	34-002643		Rear	24-011167	
1986	Turbo	B6 (HD)	Front	34-002629				
1985	2+2	B6 (HD)	Front	34-002643		Rear	24-011167	
1985	Base	B6 (HD)	Front	34-002643		Rear	24-011167	
1985	Turbo	B6 (HD)	Front	34-002629				
1984	2+2	B6 (HD)	Front	34-002643		Rear	24-011167	
1984	Base	B6 (HD)	Front	34-002643		Rear	24-011167	
1984	Turbo	B6 (HD)	Front	34-002629				
Nissan 350Z								
2009	Enthusiast	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2009	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2009	Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2008	Base	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Nissan 350Z (continued)								
2008	Base	B16 (PSS10)	Front and Rear	48-146142				
2008	Enthusiast	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2008	Enthusiast	B16 (PSS10)	Front and Rear	48-146142				
2008	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2008	Grand Touring	B16 (PSS10)	Front and Rear	48-146142				
2008	Nismo	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2008	Nismo	B16 (PSS10)	Front and Rear	48-146142				
2008	Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2008	Touring	B16 (PSS10)	Front and Rear	48-146142				
2007	Base	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-101623				
2007	Base	B16 (PSS10)	Front and Rear	48-146142				
2007	Base	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2007	Enthusiast	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2007	Enthusiast	B16 (PSS10)	Front and Rear	48-146142				
2007	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2007	Grand Touring	B16 (PSS10)	Front and Rear	48-146142				
2007	Nismo	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2007	Nismo	B16 (PSS10)	Front and Rear	48-146142				
2007	Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2007	Touring	B16 (PSS10)	Front and Rear	48-146142				



Passenger Cars

Year	Application	Series	Front			Rear		
Nissan 350Z (continued)								
2006	Base	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-101623				
2006	Base	B16 (PSS10)	Front and Rear	48-146142				
2006	Base	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2006	Enthusiast	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2006	Enthusiast	B16 (PSS10)	Front and Rear	48-146142				
2006	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2006	Grand Touring	B16 (PSS10)	Front and Rear	48-146142				
2006	Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2006	Touring	B16 (PSS10)	Front and Rear	48-146142				
2006	Track	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2006	Track	B16 (PSS10)	Front and Rear	48-146142				
2005	35th Anniversary Edition	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2005	35th Anniversary Edition	B14 (PSS)	Front and Rear	47-101623				
2005	35th Anniversary Edition	B16 (PSS10)	Front and Rear	48-146142				
2005	35th Anniversary Edition	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2005	Base	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2005	Base	B14 (PSS)	Front and Rear	47-101623				
2005	Base	B16 (PSS10)	Front and Rear	48-146142				
2005	Base	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2005	Enthusiast	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Nissan 350Z (continued)								
2005	Enthusiast	B14 (PSS)	Front and Rear	47-101623				
2005	Enthusiast	B16 (PSS10)	Front and Rear	48-146142				
2005	Enthusiast	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2005	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2005	Grand Touring	B16 (PSS10)	Front and Rear	48-146142				
2005	Grand Touring	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2005	Performance	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2005	Performance	B14 (PSS)	Front and Rear	47-101623				
2005	Performance	B16 (PSS10)	Front and Rear	48-146142				
2005	Performance	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2005	Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2005	Touring	B14 (PSS)	Front and Rear	47-101623				
2005	Touring	B16 (PSS10)	Front and Rear	48-146142				
2005	Touring	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2005	Track	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2005	Track	B14 (PSS)	Front and Rear	47-101623				
2005	Track	B16 (PSS10)	Front and Rear	48-146142				
2005	Track	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2004	Base	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2004	Base	B14 (PSS)	Front and Rear	47-101623				
2004	Base	B16 (PSS10)	Front and Rear	48-146142				



Passenger Cars

Year	Application	Series	Front			Rear		
Nissan 350Z (continued)								
2004	Base	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2004	Enthusiast	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2004	Enthusiast	B14 (PSS)	Front and Rear	47-101623				
2004	Enthusiast	B16 (PSS10)	Front and Rear	48-146142				
2004	Enthusiast	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2004	Performance	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2004	Performance	B14 (PSS)	Front and Rear	47-101623				
2004	Performance	B16 (PSS10)	Front and Rear	48-146142				
2004	Performance	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2004	Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2004	Touring	B14 (PSS)	Front and Rear	47-101623				
2004	Touring	B16 (PSS10)	Front and Rear	48-146142				
2004	Touring	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2004	Track	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2004	Track	B14 (PSS)	Front and Rear	47-101623				
2004	Track	B16 (PSS10)	Front and Rear	48-146142				
2004	Track	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2003	Base	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2003	Base	B14 (PSS)	Front and Rear	47-101623				
2003	Base	B16 (PSS10)	Front and Rear	48-146142				
2003	Base	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Nissan 350Z (continued)								
2003	Enthusiast	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2003	Enthusiast	B14 (PSS)	Front and Rear	47-101623				
2003	Enthusiast	B16 (PSS10)	Front and Rear	48-146142				
2003	Enthusiast	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2003	Performance	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2003	Performance	B14 (PSS)	Front and Rear	47-101623				
2003	Performance	B16 (PSS10)	Front and Rear	48-146142				
2003	Performance	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2003	Touring	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2003	Touring	B14 (PSS)	Front and Rear	47-101623				
2003	Touring	B16 (PSS10)	Front and Rear	48-146142				
2003	Touring	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2003	Track	B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2003	Track	B14 (PSS)	Front and Rear	47-101623				
2003	Track	B16 (PSS10)	Front and Rear	48-146142				
2003	Track	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
Nissan 370Z								
2013	Base	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2013	Nismo	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2013	Touring	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Nissan 370Z (continued)								
2012	Base	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	Nismo	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	Touring	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2011	Base	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2011	Nismo	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2011	Touring	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2010	40th Anniversary Edition	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2010	Base	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2010	Nismo	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2010	Touring	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2009	Base	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2009	Nismo	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2009	Touring	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
Nissan GT-R								
2013	Black Edition	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
2013	Premium	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
2012	Black Edition	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
2012	Premium	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Nissan GT-R (continued)								
2011	Premium	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
2010	Base	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
2010	Premium	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
2009	Base	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
2009	Premium	B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
Nissan Maxima								
2003	GLE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2003	GXE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2003	SE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2002	GLE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2002	GXE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2002	SE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2001	GLE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2001	GXE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2001	SE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2001	SE 20th Anniversary Edition	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2000	GLE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2000	GXE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
2000	SE	B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			

734



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile 98 (continued)								
1978	Regency; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Luxury; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Regency; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Oldsmobile Custom Cruiser								
1977	Base	AK Series	Front	F4-BE3-E249-M0				
1976	Base	AK Series	Front	F4-BE3-E249-M0				
1976	Panel	AK Series	Front	F4-BE3-E249-M0				
1975	Base	AK Series	Front	F4-BE3-E249-M0				
1975	Panel	AK Series	Front	F4-BE3-E249-M0				
Oldsmobile Cutlass								
1997	Base	AK Series				Rear	F4-BE5-E250-M0	
1997	Base	B6 (HD)				Rear	24-009294	
1987	Salon	B6 (HD)	Front	24-009492				
1986	Salon	B6 (HD)	Front	24-009492				
1985	Salon	B6 (HD)	Front	24-009492				
1981	Brougham	AK Series	Front	F4-BE3-E249-M0				
1981	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	LS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	LS	B6 (HD)	Front	24-009492		Rear	24-009294	
1981	Supreme	B6 (HD)	Front	24-009492				
1980	Base	AK Series	Front	F4-BE3-E249-M0				
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	
1980	LS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	LS	B6 (HD)	Front	24-009492		Rear	24-009294	
1979	Vista Cruiser	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass (continued)								
1979	Vista Cruiser	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Vista Cruiser Brougham	AK Series				Rear	F4-BE5-E250-M0	
1979	Vista Cruiser Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Vista Cruiser	AK Series				Rear	F4-BE5-E250-M0	
1978	Vista Cruiser	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	442	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	442	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Colonnade	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Colonnade	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Colonnade S	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Colonnade S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	S	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Vista Cruiser	B6 (HD)	Front	24-009492				
1976	Colonnade S	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Colonnade S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	S	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Vista Cruiser	B6 (HD)	Front	24-009492				
1975	442	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	442	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	S	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	S	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass (continued)								
1973	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1973	S	B6 (HD)	Front	24-009492				
1972	Base	B6 (HD)	Front	24-131506				
1972	Cruiser	B6 (HD)	Front	24-131506				
1971	Base	B6 (HD)	Front	24-131506				
1970	Base	B6 (HD)	Front	24-131506				
1969	Base	B6 (HD)	Front	24-131506				
1968	Base	B6 (HD)	Front	24-131506				
1968	S	B6 (HD)	Front	24-131506				
1967	Base	B6 (HD)	Front	24-029728				
1967	Holiday	B6 (HD)	Front	24-029728				
1966	Base	B6 (HD)	Front	24-029728				
1966	Holiday	B6 (HD)	Front	24-029728				
1965	Base	B6 (HD)	Front	24-029728				
1965	Holiday	B6 (HD)	Front	24-029728				
1964	Base	B6 (HD)	Front	24-029728				
1964	Holiday	B6 (HD)	Front	24-029728				
Oldsmobile Cutlass Calais								
1984	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Hurst	AK Series	Front	F4-BE3-E249-M0				
1984	Hurst	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series	Front	F4-BE3-E249-M0				
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Hurst	AK Series	Front	F4-BE3-E249-M0				
1983	Hurst	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series	Front	F4-BE3-E249-M0				
1982	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series	Front	F4-BE3-E249-M0				
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0				



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass Calais (continued)								
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0			F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series	Front	F4-BE3-E249-M0			F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Oldsmobile Cutlass Ciera								
1994	Base	4600 Series	Front	35-132462		Rear	24-010191	
1994	S	4600 Series	Front	35-132462		Rear	24-010191	
1994	SL	4600 Series	Front	35-132462		Rear	24-010191	
1993	Base	4600 Series	Front	35-132462		Rear	24-010191	
1993	S	4600 Series	Front	35-132462		Rear	24-010191	
1993	SL	4600 Series	Front	35-132462		Rear	24-010191	
1992	Base	4600 Series	Front	35-132462		Rear	24-010191	
1992	S	4600 Series	Front	35-132462		Rear	24-010191	
1992	SL	4600 Series	Front	35-132462		Rear	24-010191	
1991	Base	4600 Series	Front	35-132462		Rear	24-010191	
1991	S	4600 Series	Front	35-132462		Rear	24-010191	
1991	SL	4600 Series	Front	35-132462		Rear	24-010191	
1990	Base	4600 Series	Front	35-132462		Rear	24-010191	
1990	GT	4600 Series	Front	35-132462		Rear	24-010191	
1990	SL	4600 Series	Front	35-132462		Rear	24-010191	
1989	Base	4600 Series	Front	35-132462		Rear	24-010191	
1989	GT	4600 Series	Front	35-132462		Rear	24-010191	
1989	SL	4600 Series	Front	35-132462		Rear	24-010191	
1988	Base	4600 Series	Front	35-132462		Rear	24-010191	
1988	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1988	International	4600 Series	Front	35-132462		Rear	24-010191	
1988	LS	4600 Series	Front	35-132462		Rear	24-010191	
1988	S	4600 Series	Front	35-132462		Rear	24-010191	
1988	SL	4600 Series	Front	35-132462		Rear	24-010191	
1987	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1987	GT	4600 Series	Front	35-132462		Rear	24-010191	
1987	LS	4600 Series	Front	35-132462		Rear	24-010191	
1987	S	4600 Series	Front	35-132462		Rear	24-010191	
1987	SL	4600 Series	Front	35-132462		Rear	24-010191	
1986	Brougham	4600 Series	Front	35-132462		Rear	24-010191	



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass Ciera (continued)								
1986	ES	4600 Series	Front	35-132462		Rear	24-010191	
1986	GT	4600 Series	Front	35-132462		Rear	24-010191	
1986	Holiday	4600 Series	Front	35-132462		Rear	24-010191	
1986	LS	4600 Series	Front	35-132462		Rear	24-010191	
1985	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1985	Cruiser LS	4600 Series	Front	35-132462		Rear	24-010191	
1985	ES	4600 Series	Front	35-132462		Rear	24-010191	
1985	GT	4600 Series	Front	35-132462		Rear	24-010191	
1985	Holiday	4600 Series	Front	35-132462		Rear	24-010191	
1985	LS	4600 Series	Front	35-132462		Rear	24-010191	
1984	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1984	Cruiser LS	4600 Series	Front	35-132462		Rear	24-010191	
1984	LS	4600 Series	Front	35-132462		Rear	24-010191	
1983	Base	4600 Series	Front	35-132462		Rear	24-010191	
1983	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1983	ES	4600 Series	Front	35-132462		Rear	24-010191	
1983	LS	4600 Series	Front	35-132462		Rear	24-010191	
1982	Base	4600 Series	Front	35-132462		Rear	24-010191	
1982	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1982	LS	4600 Series	Front	35-132462		Rear	24-010191	
Oldsmobile Cutlass Cruiser								
1994	Base	4600 Series	Front	35-132462		Rear	24-010191	
1994	S	4600 Series	Front	35-132462		Rear	24-010191	
1993	Base	4600 Series	Front	35-132462		Rear	24-010191	
1993	S	4600 Series	Front	35-132462		Rear	24-010191	
1992	S	4600 Series	Front	35-132462		Rear	24-010191	
1992	SL	4600 Series	Front	35-132462		Rear	24-010191	
1991	S	4600 Series	Front	35-132462		Rear	24-010191	
1991	SL	4600 Series	Front	35-132462		Rear	24-010191	
1990	Base	4600 Series	Front	35-132462		Rear	24-010191	
1990	SL	4600 Series	Front	35-132462		Rear	24-010191	
1989	Base	4600 Series	Front	35-132462		Rear	24-010191	
1989	SL	4600 Series	Front	35-132462		Rear	24-010191	
1988	Brougham LS	4600 Series	Front	35-132462		Rear	24-010191	
1988	LS	4600 Series	Front	35-132462		Rear	24-010191	
1988	SL	4600 Series	Front	35-132462		Rear	24-010191	
1987	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1987	LS	4600 Series	Front	35-132462		Rear	24-010191	



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass Cruiser (continued)								
1983	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series	Front	F4-BE3-E249-M0				
1982	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series	Front	F4-BE3-E249-M0				
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Brougham	AK Series	Front	F4-BE3-E249-M0				
1981	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0				
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Brougham	AK Series	Front	F4-BE3-E249-M0				
1980	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Oldsmobile Cutlass Salon								
1987	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	442	AK Series	Front	F4-BE3-E249-M0				
1986	442	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Base	AK Series	Front	F4-BE3-E249-M0				
1986	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	442	AK Series	Front	F4-BE3-E249-M0				
1985	442	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series	Front	F4-BE3-E249-M0				
1985	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	LS	AK Series	Front	F4-BE3-E249-M0				
1981	LS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0				
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass Salon (continued)								
1980	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	442	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	442	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Hurst	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Hurst	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	442	B6 (HD)	Front	24-009492				
1978	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Oldsmobile Cutlass Supreme								
1987	442	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	442	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass Supreme (continued)								
1987	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	LS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	LS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass Supreme (continued)								
1981	LS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	LS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series	Front	F4-BE3-E249-M0				
1977	Base	B6 (HD)	Front	24-009492				
1977	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Colonnade	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Colonnade	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series	Front	F4-BE3-E249-M0				
1976	Base	B6 (HD)	Front	24-009492				
1976	Colonnade	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Colonnade	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Cruiser	AK Series	Front	F4-BE3-E249-M0				
1975	Cruiser	B6 (HD)	Front	24-009492				



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Cutlass Supreme (continued)								
1975	Hurst	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Hurst	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Base	B6 (HD)	Front	24-009492				SetOption: Variable depending on application; Setting: B6 (HD)
1974	Cruiser	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1973	Base	B6 (HD)	Front	24-009492				SetOption: Variable depending on application; Setting: B6 (HD)
1972	Base	B6 (HD)	Front	24-131506				
1971	Base	B6 (HD)	Front	24-131506				
1970	Base	B6 (HD)	Front	24-131506				
1969	Base	B6 (HD)	Front	24-131506				
1968	Base	B6 (HD)	Front	24-131506				
Oldsmobile Cutlass Tiara								
1976	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Oldsmobile Delta 88								
1987	Royale	AK Series				Rear	F4-BE5-E250-M0	
1987	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Royale Brougham	AK Series				Rear	F4-BE5-E250-M0	
1987	Royale Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Royale	AK Series				Rear	F4-BE5-E250-M0	
1986	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Royale Brougham	AK Series				Rear	F4-BE5-E250-M0	
1986	Royale Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Royale	AK Series				Rear	F4-BE5-E250-M0	
1985	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Royale Brougham	AK Series				Rear	F4-BE5-E250-M0	
1985	Royale Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Royale Brougham LS	AK Series				Rear	F4-BE5-E250-M0	
1985	Royale Brougham LS	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Delta 88 (continued)								
1984	Royale	AK Series				Rear	F4-BE5-E250-M0	
1984	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Royale Brougham	AK Series				Rear	F4-BE5-E250-M0	
1984	Royale Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Royale Brougham LS	AK Series				Rear	F4-BE5-E250-M0	
1984	Royale Brougham LS	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series				Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Royale	AK Series				Rear	F4-BE5-E250-M0	
1983	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Royale Brougham	AK Series				Rear	F4-BE5-E250-M0	
1983	Royale Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series				Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Royale	AK Series				Rear	F4-BE5-E250-M0	
1982	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Royale Brougham	AK Series				Rear	F4-BE5-E250-M0	
1982	Royale Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series				Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Holiday	AK Series				Rear	F4-BE5-E250-M0	
1981	Holiday	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Royale	AK Series				Rear	F4-BE5-E250-M0	
1981	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Royale Brougham	AK Series				Rear	F4-BE5-E250-M0	
1981	Royale Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Delta 88 (continued)								
1980	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Holiday	AK Series				Rear	F4-BE5-E250-M0	
1980	Holiday	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Royale	AK Series				Rear	F4-BE5-E250-M0	
1980	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Royale Brougham	AK Series				Rear	F4-BE5-E250-M0	
1980	Royale Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series				Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Royale	AK Series				Rear	F4-BE5-E250-M0	
1979	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series				Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Royale	AK Series				Rear	F4-BE5-E250-M0	
1978	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series				Rear	F4-BE5-E250-M0	
1977	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Royale	AK Series				Rear	F4-BE5-E250-M0	
1977	Royale	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Oldsmobile F85								
1972	Base	AK Series				Rear	F4-BE5-E250-M0	
1972	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1971	Base	AK Series				Rear	F4-BE5-E250-M0	
1971	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1970	Base	AK Series				Rear	F4-BE5-E250-M0	
1970	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1969	Base	AK Series				Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile F85 (continued)								
1969	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1968	Base	AK Series				Rear	F4-BE5-E250-M0	
1968	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1967	Base	B6 (HD)	Front	24-029728				
1966	Base	B6 (HD)	Front	24-029728				
1966	Deluxe	B6 (HD)	Front	24-029728				
1966	Holiday	B6 (HD)	Front	24-029728				
1965	Base	B6 (HD)	Front	24-029728				
1964	Base	B6 (HD)	Front	24-029728				
1964	Deluxe	B6 (HD)	Front	24-029728				
Oldsmobile Intrigue								
2002	GL	B6 (C)	Front	35-153375		Rear	35-153382	
2002	GL	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	GLS	B6 (C)	Front	35-153375		Rear	35-153382	
2002	GLS	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	GX	B6 (C)	Front	35-153375		Rear	35-153382	
2002	GX	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	GL	B6 (C)	Front	35-153375		Rear	35-153382	
2001	GL	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	GLS	B6 (C)	Front	35-153375		Rear	35-153382	
2001	GLS	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	GX	B6 (C)	Front	35-153375		Rear	35-153382	
2001	GX	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	GL	B6 (C)	Front	35-153375		Rear	35-153382	
2000	GL	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	GLS	B6 (C)	Front	35-153375		Rear	35-153382	
2000	GLS	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	GX	B6 (C)	Front	35-153375		Rear	35-153382	
2000	GX	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	GL	B6 (C)	Front	35-153375		Rear	35-153382	
1999	GL	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	GLS	B6 (C)	Front	35-153375		Rear	35-153382	
1999	GLS	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	GX	B6 (C)	Front	35-153375		Rear	35-153382	
1999	GX	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	Base	B6 (C)	Front	35-153375		Rear	35-153382	



Passenger Cars

Year	Application	Series	Front			Rear		
Oldsmobile Intrigue (continued)								
1998	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	GL	B6 (C)	Front	35-153375		Rear	35-153382	
1998	GL	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	GLS	B6 (C)	Front	35-153375		Rear	35-153382	
1998	GLS	B6 (HD)	Front	35-153153		Rear	35-153160	
Oldsmobile Omega								
1984	Base	4600 Series	Front	35-132462		Rear	24-010191	
1984	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1984	ES	4600 Series	Front	35-132462		Rear	24-010191	
1983	Base	4600 Series	Front	35-132462		Rear	24-010191	
1983	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1983	ES	4600 Series	Front	35-132462		Rear	24-010191	
1983	ESC	4600 Series	Front	35-132462		Rear	24-010191	
1982	Base	4600 Series	Front	35-132462		Rear	24-010191	
1982	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1982	ES	4600 Series	Front	35-132462		Rear	24-010191	
1981	Base	4600 Series	Front	35-132462		Rear	24-010191	
1981	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1981	ES	4600 Series	Front	35-132462		Rear	24-010191	
1981	SX	4600 Series	Front	35-132462		Rear	24-010191	
1981	Sport	4600 Series	Front	35-132462		Rear	24-010191	
1980	Base	4600 Series	Front	35-132462		Rear	24-010191	
1980	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1980	SX	4600 Series	Front	35-132462		Rear	24-010191	
Oldsmobile Toronado								
1985	Brougham	B6 (HD)	Front	24-009409				
1985	Caliente	B6 (HD)	Front	24-009409				
1984	Brougham	B6 (HD)	Front	24-009409				
1983	Brougham	B6 (HD)	Front	24-009409				
1982	Brougham	B6 (HD)	Front	24-009409				
1981	Brougham	B6 (HD)	Front	24-009409				
1981	XSC	B6 (HD)	Front	24-009409				
1980	Brougham	B6 (HD)	Front	24-009409				
1980	XSC	B6 (HD)	Front	24-009409				
1979	Brougham	B6 (HD)	Front	24-009409				
1979	XSR	B6 (HD)	Front	24-009409				



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac 6000								
1988	Base	4600 Series	Front	35-132462		Rear	24-010191	
1988	LE	4600 Series	Front	35-132462		Rear	24-010191	
1988	SE	4600 Series	Front	35-132462		Rear	24-010191	
1988	STE	4600 Series	Front	35-132462				
1987	Base	4600 Series	Front	35-132462		Rear	24-010191	
1987	LE	4600 Series	Front	35-132462		Rear	24-010191	
1987	SE	4600 Series	Front	35-132462		Rear	24-010191	
1987	STE	4600 Series	Front	35-132462				
1986	Base	4600 Series	Front	35-132462		Rear	24-010191	
1986	LE	4600 Series	Front	35-132462		Rear	24-010191	
1986	SE	4600 Series	Front	35-132462		Rear	24-010191	
1986	STE	4600 Series	Front	35-132462				
1985	Base	4600 Series	Front	35-132462		Rear	24-010191	
1985	LE	4600 Series	Front	35-132462		Rear	24-010191	
1985	STE	4600 Series	Front	35-132462				
1984	Base	4600 Series	Front	35-132462		Rear	24-010191	
1984	LE	4600 Series	Front	35-132462		Rear	24-010191	
1984	STE	4600 Series	Front	35-132462				
1983	Base	4600 Series	Front	35-132462		Rear	24-010191	
1983	LE	4600 Series	Front	35-132462		Rear	24-010191	
1982	Base	4600 Series	Front	35-132462		Rear	24-010191	
1982	LE	4600 Series	Front	35-132462		Rear	24-010191	
Pontiac Bonneville								
1986	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	LE	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	LE	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Bonneville (continued)								
1985	LE	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	LE	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	LE	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	LE	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Pontiac Firebird								
2002	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
2002	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
2002	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
2001	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2001	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
2001	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2001	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
2001	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2001	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Firebird (continued)								
2000	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2000	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
2000	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2000	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
2000	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2000	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
1999	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1999	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1999	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1999	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
1999	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1999	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
1998	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1998	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1998	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1998	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
1998	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1998	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
1997	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1997	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
1997	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1997	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
1996	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1996	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1996	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1996	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
1996	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1996	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
1995	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Firebird (continued)								
1995	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1995	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1995	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
1995	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1995	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
1994	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1994	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1994	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1994	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
1994	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1994	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
1994	Trans Am GT	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1994	Trans Am GT	B6 (HD)				Rear	24-024075	
1993	Base	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1993	Base	B6 (HD)	Front	24-024068		Rear	24-024075	
1993	Formula	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1993	Formula	B6 (HD)	Front	24-024068		Rear	24-024075	
1993	Trans Am	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1993	Trans Am	B6 (HD)	Front	24-024068		Rear	24-024075	
1992	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1992	Base	B8 (SP)				Rear	24-010214	
1992	Formula	B6 (HD)	Front	35-125228		Rear	24-192934	
1992	Formula	B8 (SP)				Rear	24-010214	
1992	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1992	Trans Am	B8 (SP)				Rear	24-010214	
1992	Trans Am GTA	B6 (HD)	Front	35-125228		Rear	24-192934	
1992	Trans Am GTA	B8 (SP)				Rear	24-010214	
1991	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1991	Base	B8 (SP)				Rear	24-010214	
1991	Formula	B6 (HD)	Front	35-125228		Rear	24-192934	
1991	Formula	B8 (SP)				Rear	24-010214	
1991	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1991	Trans Am	B8 (SP)				Rear	24-010214	
1991	Trans Am GTA	B6 (HD)	Front	35-125228		Rear	24-192934	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Firebird (continued)								
1991	Trans Am GTA	B8 (SP)				Rear	24-010214	
1990	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1990	Base	B8 (SP)				Rear	24-010214	
1990	Formula	B6 (HD)	Front	35-125228		Rear	24-192934	
1990	Formula	B8 (SP)				Rear	24-010214	
1990	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1990	Trans Am	B8 (SP)				Rear	24-010214	
1990	Trans Am GTA	B6 (HD)	Front	35-125228		Rear	24-192934	
1990	Trans Am GTA	B8 (SP)				Rear	24-010214	
1989	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1989	Base	B8 (SP)				Rear	24-010214	
1989	Formula	B6 (HD)	Front	35-125228		Rear	24-192934	
1989	Formula	B8 (SP)				Rear	24-010214	
1989	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1989	Trans Am	B8 (SP)				Rear	24-010214	
1989	Trans Am GTA	B6 (HD)	Front	35-125228		Rear	24-192934	
1989	Trans Am GTA	B8 (SP)				Rear	24-010214	
1989	Trans Am GTA SE	B6 (HD)	Front	35-125228		Rear	24-192934	
1989	Trans Am GTA SE	B8 (SP)				Rear	24-010214	
1988	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1988	Base	B8 (SP)				Rear	24-010214	
1988	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1988	Trans Am	B8 (SP)				Rear	24-010214	
1987	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1987	Base	B8 (SP)				Rear	24-010214	
1987	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1987	Trans Am	B8 (SP)				Rear	24-010214	
1986	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1986	Base	B8 (SP)				Rear	24-010214	
1986	S/E	B6 (HD)	Front	35-125228		Rear	24-192934	
1986	S/E	B8 (SP)				Rear	24-010214	
1986	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1986	Trans Am	B8 (SP)				Rear	24-010214	
1985	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1985	Base	B8 (SP)				Rear	24-010214	
1985	S/E	B6 (HD)	Front	35-125228		Rear	24-192934	
1985	S/E	B8 (SP)				Rear	24-010214	
1985	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Firebird (continued)								
1985	Trans Am	B8 (SP)				Rear	24-010214	
1984	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1984	Base	B8 (SP)				Rear	24-010214	
1984	S/E	B6 (HD)	Front	35-125228		Rear	24-192934	
1984	S/E	B8 (SP)				Rear	24-010214	
1984	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1984	Trans Am	B8 (SP)				Rear	24-010214	
1983	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1983	Base	B8 (SP)				Rear	24-010214	
1983	S/E	B6 (HD)	Front	35-125228		Rear	24-192934	
1983	S/E	B8 (SP)				Rear	24-010214	
1983	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1983	Trans Am	B8 (SP)				Rear	24-010214	
1982	Base	B6 (HD)	Front	35-125228		Rear	24-192934	
1982	Base	B8 (SP)				Rear	24-010214	
1982	S/E	B6 (HD)	Front	35-125228		Rear	24-192934	
1982	S/E	B8 (SP)				Rear	24-010214	
1982	Trans Am	B6 (HD)	Front	35-125228		Rear	24-192934	
1982	Trans Am	B8 (SP)				Rear	24-010214	
1981	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1981	Formula	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1981	Trans Am	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1980	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1980	Formula	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1980	Trans Am	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1979	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1979	Formula	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1979	Trans Am	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1978	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1978	Formula	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1978	Trans Am	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1977	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Firebird (continued)								
1977	Formula	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1977	Trans Am	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-001564	
1976	Base	B6 (HD)	Front	24-029728				
1976	Base	Drag Series	Front	24-221467				
1976	Esprit	B6 (HD)	Front	24-029728				
1976	Esprit	Drag Series	Front	24-221467				
1976	Formula	B6 (HD)	Front	24-029728		Rear	24-001564	
1976	Formula	Drag Series	Front	24-221467				
1976	Trans Am	B6 (HD)	Front	24-029728		Rear	24-001564	
1976	Trans Am	Drag Series	Front	24-221467				
1975	Base	B6 (HD)	Front	24-029728				
1975	Base	Drag Series	Front	24-221467				
1975	Esprit	B6 (HD)	Front	24-029728				
1975	Esprit	Drag Series	Front	24-221467				
1975	Formula	B6 (HD)	Front	24-029728		Rear	24-001564	
1975	Formula	Drag Series	Front	24-221467				
1975	Trans Am	B6 (HD)	Front	24-029728		Rear	24-001564	
1975	Trans Am	Drag Series	Front	24-221467				
1974	Base	Drag Series	Front	24-221467				
1974	Esprit	Drag Series	Front	24-221467				
1974	Formula	B6 (HD)				Rear	24-001564	
1974	Formula	Drag Series	Front	24-221467				
1974	Trans Am	B6 (HD)				Rear	24-001564	
1974	Trans Am	Drag Series	Front	24-221467				
1973	Base	Drag Series	Front	24-221467				
1973	Esprit	Drag Series	Front	24-221467				
1973	Formula	B6 (HD)				Rear	24-001564	
1973	Formula	Drag Series	Front	24-221467				
1973	Trans Am	B6 (HD)				Rear	24-001564	
1973	Trans Am	Drag Series	Front	24-221467				
1972	Base	Drag Series	Front	24-221467				
1972	Esprit	Drag Series	Front	24-221467				
1972	Formula	B6 (HD)				Rear	24-001564	
1972	Formula	Drag Series	Front	24-221467				
1972	Trans Am	B6 (HD)				Rear	24-001564	
1972	Trans Am	Drag Series	Front	24-221467				
1971	Base	Drag Series	Front	24-221467				



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Firebird (continued)								
1971	Esprit	Drag Series	Front	24-221467				
1971	Formula	Drag Series	Front	24-221467				
1971	Trans Am	B6 (HD)				Rear	24-001564	
1971	Trans Am	Drag Series	Front	24-221467				
1970	Base	Drag Series	Front	24-221467				
1970	Esprit	Drag Series	Front	24-221467				
1970	Formula	Drag Series	Front	24-221467				
1970	Trans Am	B6 (HD)				Rear	24-001564	
1970	Trans Am	Drag Series	Front	24-221467				
1969	350	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969	350	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1969	350 HO	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969	350 HO	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1969	400	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969	400	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1969	Base	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969	Base	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1969	Sprint	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969	Sprint	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1969	Trans Am	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969	Trans Am	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1968	350	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1968	350	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Firebird (continued)								
1968	400	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1968	400	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1968	Base	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1968	Base	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1968	Sprint	B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1968	Sprint	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
Pontiac GTO								
1972	Base	AK Series				Rear	F4-BE5-E250-M0	
1972	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1971	Base	AK Series				Rear	F4-BE5-E250-M0	
1971	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1971	The Judge	AK Series				Rear	F4-BE5-E250-M0	
1971	The Judge	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1970	Base	AK Series				Rear	F4-BE5-E250-M0	
1970	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1970	The Judge	AK Series				Rear	F4-BE5-E250-M0	
1970	The Judge	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1969	Base	AK Series				Rear	F4-BE5-E250-M0	
1969	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1968	Base	AK Series				Rear	F4-BE5-E250-M0	
1968	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1967	Base	B6 (HD)	Front	24-029728				
1966	Base	B6 (HD)	Front	24-029728				
1965	Base	B6 (HD)	Front	24-029728				
1964	Base	B6 (HD)	Front	24-029728				



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Grand Am								
1980	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0				
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series	Front	F4-BE3-E249-M0				
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0				
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Pontiac Grand Prix								
2008	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2008	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2008	GXP	B6 (C)	Front	35-153375		Rear	35-153382	
2008	GXP	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2007	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2007	GT	B6 (C)	Front	35-153375		Rear	35-153382	
2007	GT	B6 (HD)				Rear	35-153160	
2007	GXP	B6 (C)	Front	35-153375		Rear	35-153382	
2007	GXP	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2006	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2006	GT	B6 (C)	Front	35-153375		Rear	35-153382	
2006	GT	B6 (HD)				Rear	35-153160	
2006	GXP	B6 (C)	Front	35-153375		Rear	35-153382	
2006	GXP	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	Base	B6 (C)	Front	35-153375		Rear	35-153382	
2005	Base	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	GT	B6 (C)	Front	35-153375		Rear	35-153382	
2005	GT	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	GTP	B6 (C)	Front	35-153375		Rear	35-153382	
2005	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
2005	GXP	B6 (C)	Front	35-153375		Rear	35-153382	
2005	GXP	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	GT1	B6 (C)	Front	35-153375		Rear	35-153382	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Grand Prix (continued)								
2004	GT1	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	GT2	B6 (C)	Front	35-153375		Rear	35-153382	
2004	GT2	B6 (HD)	Front	35-153153		Rear	35-153160	
2004	GTP	B6 (C)	Front	35-153375		Rear	35-153382	
2004	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	GT	B6 (C)	Front	35-153375		Rear	35-153382	
2003	GT	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	GTP	B6 (C)	Front	35-153375		Rear	35-153382	
2003	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
2003	SE	B6 (C)	Front	35-153375		Rear	35-153382	
2003	SE	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	GT	B6 (C)	Front	35-153375		Rear	35-153382	
2002	GT	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	GTP	B6 (C)	Front	35-153375		Rear	35-153382	
2002	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
2002	SE	B6 (C)	Front	35-153375		Rear	35-153382	
2002	SE	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	GT	B6 (C)	Front	35-153375		Rear	35-153382	
2001	GT	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	GTP	B6 (C)	Front	35-153375		Rear	35-153382	
2001	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
2001	SE	B6 (C)	Front	35-153375		Rear	35-153382	
2001	SE	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	GT	B6 (C)	Front	35-153375		Rear	35-153382	
2000	GT	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	GTP	B6 (C)	Front	35-153375		Rear	35-153382	
2000	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
2000	SE	B6 (C)	Front	35-153375		Rear	35-153382	
2000	SE	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	GT	B6 (C)	Front	35-153375		Rear	35-153382	
1999	GT	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	GTP	B6 (C)	Front	35-153375		Rear	35-153382	
1999	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
1999	SE	B6 (C)	Front	35-153375		Rear	35-153382	
1999	SE	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	GT	B6 (C)	Front	35-153375		Rear	35-153382	
1998	GT	B6 (HD)				Rear	35-153160	
1998	GTP	B6 (C)	Front	35-153375		Rear	35-153382	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Grand Prix (continued)								
1998	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
1998	SE	B6 (C)	Front	35-153375		Rear	35-153382	
1998	SE	B6 (HD)	Front	35-153153		Rear	35-153160	
1997	GT	B6 (C)	Front	35-153375		Rear	35-153382	
1997	GT	B6 (HD)				Rear	35-153160	
1997	GTP	B6 (C)	Front	35-153375		Rear	35-153382	
1997	GTP	B6 (HD)	Front	35-153153		Rear	35-153160	
1997	SE	B6 (C)	Front	35-153375		Rear	35-153382	
1997	SE	B6 (HD)				Rear	35-153160	
1987	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1987	LE	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987	LE	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	LE	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986	LE	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	LE	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1985	LE	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Grand Prix (continued)								
1984	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	LE	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984	LE	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	LJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983	LJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1982	LJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1982	LJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Brougham	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	LJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	LJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	LJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	LJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	SJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Grand Prix (continued)								
1980	SJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	LJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	LJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	SJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	SJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	LJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	LJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	SJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	SJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	LJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	LJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	SJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	SJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	LJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	LJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	SJ	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	SJ	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Pontiac LeMans								
1981	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac LeMans (continued)								
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1981	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1980	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1979	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1978	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	2 Dr.; Base; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1977	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	4 Dr.; Base; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1977	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Base	AK Series	Front	F4-BE3-E249-M0				
1977	Base	B6 (HD)	Front	24-009492				
1977	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1977	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	2 Dr.; Base; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1976	2 Dr.; Base; Coupe	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	4 Dr.; Base; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1976	4 Dr.; Base; Sedan	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1976	Base	AK Series	Front	F4-BE3-E249-M0				
1976	Base	B6 (HD)	Front	24-009492				
1976	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac LeMans (continued)								
1976	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1975	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Sport	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Luxury	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Safari Luxury	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1974	Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1973	Base	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1973	Luxury	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1973	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1973	Sport	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1972	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1972	Luxury	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1972	Sport	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1971	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1971	Sport	AK Series				Rear	F4-BE5-E250-M0	
1971	Sport	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1971	T37	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1970	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1970	Sport	AK Series				Rear	F4-BE5-E250-M0	
1970	Sport	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1969	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1969	Safari	B6 (HD)				Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac LeMans (continued)								
1968	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1967	Base	B6 (HD)	Front	24-029728				
1966	Base	B6 (HD)	Front	24-029728				
1965	Base	B6 (HD)	Front	24-029728				
1964	Base	B6 (HD)	Front	24-029728				
Pontiac Parisienne								
1986	Base	AK Series				Rear	F4-BE5-E250-M0	
1986	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1986	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1986	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series				Rear	F4-BE5-E250-M0	
1985	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1985	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1985	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Base	AK Series				Rear	F4-BE5-E250-M0	
1984	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1984	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1984	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series				Rear	F4-BE5-E250-M0	
1983	Base	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
1983	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1983	Brougham	B6 (HD)	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	SetOption: Variable depending on application; Setting: B6 (HD)
Pontiac Phoenix								
1984	Base	4600 Series	Front	35-132462		Rear	24-010191	
1984	LE	4600 Series	Front	35-132462		Rear	24-010191	
1984	SE	4600 Series	Front	35-132462		Rear	24-010191	
1983	Base	4600 Series	Front	35-132462		Rear	24-010191	
1983	LJ	4600 Series	Front	35-132462		Rear	24-010191	
1983	SJ	4600 Series	Front	35-132462		Rear	24-010191	
1982	Base	4600 Series	Front	35-132462		Rear	24-010191	



Passenger Cars

Year	Application	Series	Front			Rear		
Pontiac Phoenix (continued)								
1982	LJ	4600 Series	Front	35-132462		Rear	24-010191	
1982	SJ	4600 Series	Front	35-132462		Rear	24-010191	
1981	Base	4600 Series	Front	35-132462		Rear	24-010191	
1981	LJ	4600 Series	Front	35-132462		Rear	24-010191	
1980	Base	4600 Series	Front	35-132462		Rear	24-010191	
1980	LJ	4600 Series	Front	35-132462		Rear	24-010191	
Pontiac Tempest								
1967	Base	B6 (HD)	Front	24-029728				
1967	Custom	B6 (HD)	Front	24-029728				
1966	Base	B6 (HD)	Front	24-029728				
1966	Custom	B6 (HD)	Front	24-029728				
1965	Base	B6 (HD)	Front	24-029728				
1965	Custom	B6 (HD)	Front	24-029728				
1964	Base	B6 (HD)	Front	24-029728				
1964	Custom	B6 (HD)	Front	24-029728				
Porsche 356B								
1963	Base	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1962	Base	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1962	Super	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1962	Super 90	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1961	Base	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1961	Super	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1961	Super 90	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1960	Base	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1960	Super	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1960	Super 90	B6 (HD)	Front	B46-0164		Rear	B46-0174	
Porsche 356C								
1965	Base	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1964	Base	B6 (HD)	Front	B46-0164		Rear	B46-0174	
Porsche 356SC								
1965	Base	B6 (HD)	Front	B46-0164		Rear	B46-0174	
1964	Base	B6 (HD)	Front	B46-0164		Rear	B46-0174	



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911								
2012	Carrera 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2012	Carrera 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012	Carrera 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012	Carrera 4 GTS	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2012	Carrera 4 GTS	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012	Carrera 4 GTS	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012	Carrera 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2012	Carrera 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2012	Carrera 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012	Carrera GTS	B16 (PSS9)	Front and Rear	48-115575				
2012	Carrera S; Coupe; w/ 991 Body	B4				Rear	24-219952	Excludes PASM Electronic Suspension Package; Standard Chassis
2012	Carrera S; Coupe; w/ 991 Body	B4 (DampTronic)				Rear	26-219998	Sport Suspension; With PASM
						Rear	26-219974	Standard Chassis; With PASM
2012	Carrera; Coupe; w/ 991 Body	B4				Rear	24-219952	Excludes PASM Electronic Suspension Package; Standard Chassis
2012	Carrera; Coupe; w/ 991 Body	B4 (DampTronic)				Rear	26-219998	Sport Suspension; With PASM
						Rear	26-219974	Standard Chassis; With PASM
2012	Targa 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2012	Targa 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012	Targa 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012	Targa 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2012	Targa 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2012	Targa 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012	Turbo	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012	Turbo	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012	Turbo S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012	Turbo S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2011	2 Dr.; Carrera 4S; Convertible	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2011	Carrera	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2011	Carrera	B16 (PSS9)	Front and Rear	48-115575				
2011	Carrera	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2011	Carrera	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2011	Carrera	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2011	Carrera	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2011	Carrera	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2011	Carrera	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2011	Carrera 4	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2011	Carrera 4	B16 (PSS10)	Front and Rear	48-135887				



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2011	Carrera 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2011	Carrera 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2011	Carrera 4	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2011	Carrera 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2011	Carrera 4	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2011	Carrera 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2011	Carrera 4S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2011	Carrera 4S	B16 (PSS10)	Front and Rear	48-135887				
2011	Carrera 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2011	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2011	Carrera 4S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2011	Carrera 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2011	Carrera 4S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2011	Carrera 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2011	Carrera GTS	B16 (PSS9)	Front and Rear	48-115575				
2011	Carrera S	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2011	Carrera S	B16 (PSS9)	Front and Rear	48-115575				
2011	Carrera S	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2011	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2011	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2011	Carrera S	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2011	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2011	Carrera S	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2011	GT2	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011	GT2 RS	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011	GT2 RS	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011	GT2 RS	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011	GT3	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011	GT3	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011	GT3	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011	GT3 RS	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2011	GT3 RS	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011	GT3 RS	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011	GT3 RS 4.0	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011	GT3 RS 4.0	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011	GT3 RS 4.0	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011	Targa 4	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2011	Targa 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2011	Targa 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2011	Targa 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2011	Targa 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2011	Targa 4S	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2011	Targa 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2011	Targa 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2011	Targa 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2011	Targa 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2011	Turbo	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic			
2011	Turbo	B16 (PSS10)	Front and Rear	48-136013				
2011	Turbo	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2011	Turbo	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2011	Turbo	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2011	Turbo	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2011	Turbo S	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic			
2011	Turbo S	B16 (PSS10)	Front and Rear	48-136013				
2011	Turbo S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2011	Turbo S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2011	Turbo S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2011	Turbo S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2010	2 Dr.; Carrera 4S; Convertible	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2010	Carrera	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2010	Carrera	B16 (PSS9)	Front and Rear	48-115575				
2010	Carrera	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2010	Carrera	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2010	Carrera	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2010	Carrera	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2010	Carrera	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2010	Carrera	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2010	Carrera 4	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2010	Carrera 4	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			
2010	Carrera 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2010	Carrera 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2010	Carrera 4	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2010	Carrera 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2010	Carrera 4	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2010	Carrera 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2010	Carrera 4S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2010	Carrera 4S	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			
2010	Carrera 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2010	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2010	Carrera 4S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2010	Carrera 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2010	Carrera 4S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2010	Carrera 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2010	Carrera S	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2010	Carrera S	B16 (PSS9)	Front and Rear	48-115575				
2010	Carrera S	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2010	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2010	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2010	Carrera S	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2010	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2010	Carrera S	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2010	GT2	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2010	GT3	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2010	GT3	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2010	GT3	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2010	GT3	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2010	Targa 4	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2010	Targa 4	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
2010	Targa 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2010	Targa 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2010	Targa 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2010	Targa 4	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2010	Targa 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2010	Targa 4S	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2010	Targa 4S	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
2010	Targa 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2010	Targa 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2010	Targa 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2010	Targa 4S	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2010	Targa 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2010	Turbo	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic			
2010	Turbo	B16 (PSS10)	Front and Rear	48-136013				
2010	Turbo	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2010	Turbo	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2010	Turbo	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2010	Turbo	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2009	2 Dr.; Carrera 4S; Convertible	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2009	Carrera	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2009	Carrera	B16 (PSS9)	Front and Rear	48-115575				
2009	Carrera	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2009	Carrera	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2009	Carrera	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2009	Carrera	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2009	Carrera	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2009	Carrera	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2009	Carrera 4	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2009	Carrera 4	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			
2009	Carrera 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2009	Carrera 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2009	Carrera 4	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2009	Carrera 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2009	Carrera 4	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2009	Carrera 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2009	Carrera 4S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2009	Carrera 4S	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			
2009	Carrera 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2009	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2009	Carrera 4S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2009	Carrera 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2009	Carrera 4S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2009	Carrera 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2009	Carrera S	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2009	Carrera S	B16 (PSS9)	Front and Rear	48-115575				
2009	Carrera S	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2009	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2009	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2009	Carrera S	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2009	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2009	Carrera S	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2009	GT2	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2009	GT2	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2009	GT2	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2009	Targa 4	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2009	Targa 4	B16 (PSS10)	Front and Rear	48-136013	Club Sport			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2009	Targa 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2009	Targa 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2009	Targa 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2009	Targa 4	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2009	Targa 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2009	Targa 4S	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2009	Targa 4S	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
2009	Targa 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2009	Targa 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2009	Targa 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2009	Targa 4S	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2009	Targa 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2009	Turbo	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2009	Turbo	B16 (PSS10)	Front and Rear	48-136013				
2009	Turbo	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2009	Turbo	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2009	Turbo	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2009	Turbo	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2008	2 Dr.; Carrera 4S; Convertible	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2008	Carrera	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2008	Carrera	B16 (PSS9)	Front and Rear	48-115575				
2008	Carrera	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2008	Carrera	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2008	Carrera	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2008	Carrera	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2008	Carrera	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2008	Carrera	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2008	Carrera 4	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2008	Carrera 4	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			
2008	Carrera 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2008	Carrera 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2008	Carrera 4	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2008	Carrera 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2008	Carrera 4	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2008	Carrera 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2008	Carrera 4S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2008	Carrera 4S	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			
2008	Carrera 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2008	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2008	Carrera 4S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2008	Carrera 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2008	Carrera 4S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2008	Carrera 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2008	Carrera S	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2008	Carrera S	B16 (PSS9)	Front and Rear	48-115575				
2008	Carrera S	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2008	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2008	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2008	Carrera S	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2008	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2008	Carrera S	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2008	GT2	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2008	GT2	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2008	GT2	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2008	GT3	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic			
2008	GT3	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2008	GT3	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2008	GT3	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2008	GT3 RS	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic			
2008	GT3 RS	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2008	GT3 RS	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2008	GT3 RS	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2008	Targa 4	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2008	Targa 4	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
2008	Targa 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2008	Targa 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2008	Targa 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2008	Targa 4	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2008	Targa 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2008	Targa 4S	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2008	Targa 4S	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
2008	Targa 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2008	Targa 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2008	Targa 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2008	Targa 4S	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2008	Targa 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2008	Turbo	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic			
2008	Turbo	B16 (PSS10)	Front and Rear	48-136013				
2008	Turbo	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2008	Turbo	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2008	Turbo	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2008	Turbo	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2007	2 Dr.; Carrera 4S; Convertible	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2007	Carrera	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2007	Carrera	B16 (PSS9)	Front and Rear	48-115575				
2007	Carrera	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2007	Carrera	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2007	Carrera	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2007	Carrera	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2007	Carrera	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2007	Carrera	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2007	Carrera 4	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2007	Carrera 4	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2007	Carrera 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2007	Carrera 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2007	Carrera 4	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2007	Carrera 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2007	Carrera 4	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2007	Carrera 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2007	Carrera 4S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2007	Carrera 4S	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			
2007	Carrera 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2007	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2007	Carrera 4S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2007	Carrera 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2007	Carrera 4S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2007	Carrera 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2007	Carrera S	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2007	Carrera S	B16 (PSS9)	Front and Rear	48-115575				
2007	Carrera S	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2007	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2007	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2007	Carrera S	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2007	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2007	Carrera S	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2007	GT3	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic			
2007	GT3	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2007	GT3	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2007	GT3	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2007	GT3 RS	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic			
2007	GT3 RS	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2007	GT3 RS	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2007	GT3 RS	Motorsports (Reservoir)	Front	33-124254	Race Setting			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2007	Targa 4	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2007	Targa 4	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
2007	Targa 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2007	Targa 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2007	Targa 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2007	Targa 4	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2007	Targa 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2007	Targa 4S	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2007	Targa 4S	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
2007	Targa 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2007	Targa 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2007	Targa 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2007	Targa 4S	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2007	Targa 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2007	Turbo	B16 (DampTronic)	Front and Rear	49-135985	(PASM) Damptronic			
2007	Turbo	B16 (PSS10)	Front and Rear	48-136013				
2007	Turbo	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2007	Turbo	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2007	Turbo	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2007	Turbo	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2006	2 Dr.; Carrera 4S; Convertible	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2006	Carrera	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2006	Carrera	B16 (PSS9)	Front and Rear	48-115575				
2006	Carrera	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2006	Carrera	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2006	Carrera	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2006	Carrera	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2006	Carrera	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2006	Carrera	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2006	Carrera 4	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2006	Carrera 4	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2006	Carrera 4	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2006	Carrera 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2006	Carrera 4	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2006	Carrera 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2006	Carrera 4	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2006	Carrera 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2006	Carrera 4S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic			
			Front and Rear	49-135985	(PASM) Damptronic; Club Sport			
2006	Carrera 4S	B16 (PSS10)	Front and Rear	48-135887				
			Front and Rear	48-136013	Club Sport			
2006	Carrera 4S	B4	Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
2006	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2006	Carrera 4S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2006	Carrera 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2006	Carrera 4S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2006	Carrera 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension			
2006	Carrera S	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2006	Carrera S	B16 (PSS9)	Front and Rear	48-115575				
2006	Carrera S	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
2006	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2006	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2006	Carrera S	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2006	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2006	Carrera S	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2005	Carrera	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2005	Carrera 4S	B16 (PSS10)	Front and Rear	48-186339				
2005	Carrera 4S	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2005	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2005	Carrera 4S	B6 (HD)	Front	22-052568		Rear	24-029933	
2005	Carrera 4S	B8 (SP)	Front	22-052728		Rear	24-029940	
2005	Carrera 4S; Coupe	B12 (Pro-Kit)	Front and Rear	46-193629	Front Lowered Height: 30mm; Must reuse O.E. spring seat; Rear Lowered Height: 30mm			
2005	Carrera S	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2005	Carrera S	B16 (PSS9)	Front and Rear	48-115575				
2005	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2005	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2005	Carrera S	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2005	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2005	Carrera S	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2005	Carrera S; w/ 996 Body	B4				Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
						Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
						Rear	24-113359	Sport Suspension
2005	Carrera S; w/ 997 Body	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis			
2005	Carrera; w/ 996 Body	B16 (PSS10)	Front and Rear	48-186322				
2005	Carrera; w/ 996 Body	B4	Front	22-113337	Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front	22-147448	Standard Chassis			
						Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
						Rear	24-113359	Sport Suspension
2005	Carrera; w/ 996 Body	B6 (HD)	Front	22-046123		Rear	24-029933	
2005	Carrera; w/ 996 Body	B8 (SP)	Front	22-046130		Rear	24-029940	
2005	Carrera; w/ 997 Body	B16 (DampTronic)	Front and Rear	49-115604	Damptronic (PASM)			
2005	Carrera; w/ 997 Body	B16 (PSS9)	Front and Rear	48-115575				
2005	Carrera; w/ 997 Body	B4	Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis			
2005	Carrera; w/ 997 Body	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2005	Carrera; w/ 997 Body	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2005	Carrera; w/ 997 Body	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2005	Carrera; w/ 997 Body	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2005	GT2	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2005	GT2	Motorsports (Reservoir)				Rear	27-124260	Race Setting
2005	GT3	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2005	GT3	Motorsports (Reservoir)	Front	33-616957	VLN Setting	Rear	27-124260	Race Setting
2005	Turbo	B16 (PSS10)	Front and Rear	48-186346				
			Front and Rear	48-135368	Front Lowered Height: 25-35mm, up to 825kg Axle Load; Rear Lowered Height: 15-20mm, up to 1250kg Axle Load			
2005	Turbo	B6 (HD)	Front	22-052568		Rear	24-068116	
2005	Turbo	B8 (SP)	Front	22-052728		Rear	24-068598	



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2005	Turbo S	B16 (PSS10)	Front and Rear	48-186346				
			Front and Rear	48-135368	Front Lowered Height: 25-35mm, up to 825kg Axle Load; Rear Lowered Height: 15-20mm, up to 1250kg Axle Load			
2005	Turbo S	B6 (HD)	Front	22-052568		Rear	24-068116	
2005	Turbo S	B8 (SP)	Front	22-052728		Rear	24-068598	
2004	40th Anniversary Edition	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
						Rear	24-147644	Standard Chassis
2004	AWD; Carrera 4	B6 (HD)	Front	22-052568				
2004	AWD; Carrera 4	B8 (SP)	Front	22-052728				
2004	Carrera	B16 (PSS10)	Front and Rear	48-186322	996; From 10/97 To 04			
2004	Carrera	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
			Front	22-147448	Standard Chassis	Rear	24-147644	Standard Chassis
2004	Carrera	B6 (HD)	Front	22-046123		Rear	24-029933	
2004	Carrera	B8 (SP)	Front	22-046130		Rear	24-029940	
2004	Carrera 4	B16 (PSS10)	Front and Rear	48-186339				
2004	Carrera 4	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2004	Carrera 4	B6 (HD)				Rear	24-029933	
2004	Carrera 4	B8 (SP)				Rear	24-029940	
2004	Carrera 4S	B16 (PSS10)	Front and Rear	48-186339				
2004	Carrera 4S	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2004	Carrera 4S	B6 (HD)	Front	22-052568		Rear	24-029933	
2004	Carrera 4S	B8 (SP)	Front	22-052728		Rear	24-029940	
2004	Carrera 4S; Coupe	B12 (Pro-Kit)	Front and Rear	46-193629	Front Lowered Height: 30mm; Must reuse O.E. spring seat; Rear Lowered Height: 30mm			
2004	GT2	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2004	GT2	Motorsports (Reservoir)				Rear	27-124260	Race Setting
2004	GT3	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2004	GT3	Motorsports (Reservoir)	Front	33-616957	VLN Setting	Rear	27-124260	Race Setting
2004	Targa	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
2004	Turbo	B16 (PSS10)	Front and Rear	48-186346				
			Front and Rear	48-135368	Front Lowered Height: 25-35mm, up to 825kg Axle Load; Rear Lowered Height: 15-20mm, up to 1250kg Axle Load			
2004	Turbo	B6 (HD)	Front	22-052568		Rear	24-068116	
2004	Turbo	B8 (SP)	Front	22-052728		Rear	24-068598	



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2003	AWD; Carrera 4	B6 (HD)	Front	22-052568				
2003	AWD; Carrera 4	B8 (SP)	Front	22-052728				
2003	Carrera	B16 (PSS10)	Front and Rear	48-186322	996; From 10/97 To 04			
2003	Carrera	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
			Front	22-147448	Standard Chassis	Rear	24-147644	Standard Chassis
2003	Carrera	B6 (HD)	Front	22-046123		Rear	24-029933	
2003	Carrera	B8 (SP)	Front	22-046130		Rear	24-029940	
2003	Carrera 4	B16 (PSS10)	Front and Rear	48-186339				
2003	Carrera 4	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2003	Carrera 4	B6 (HD)				Rear	24-029933	
2003	Carrera 4	B8 (SP)				Rear	24-029940	
2003	Carrera 4S	B16 (PSS10)	Front and Rear	48-186339				
2003	Carrera 4S	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2003	Carrera 4S	B6 (HD)	Front	22-052568		Rear	24-029933	
2003	Carrera 4S	B8 (SP)	Front	22-052728		Rear	24-029940	
2003	Carrera 4S; Coupe	B12 (Pro-Kit)	Front and Rear	46-193629	Front Lowered Height: 30mm; Must reuse O.E. spring seat; Rear Lowered Height: 30mm			
2003	GT2	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2003	GT2	Motorsports (Reservoir)				Rear	27-124260	Race Setting
2003	Targa	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
2003	Turbo	B16 (PSS10)	Front and Rear	48-186346				
			Front and Rear	48-135368	Front Lowered Height: 25-35mm, up to 825kg Axle Load; Rear Lowered Height: 15-20mm, up to 1250kg Axle Load			
2003	Turbo	B6 (HD)	Front	22-052568		Rear	24-068116	
2003	Turbo	B8 (SP)	Front	22-052728		Rear	24-068598	
2002	AWD; Carrera; Coupe	B12 (Pro-Kit)	Front and Rear	46-193629	Front Lowered Height: 30mm; Must reuse O.E. spring seat; Rear Lowered Height: 30mm			
2002	Carrera	B16 (PSS10)	Front and Rear	48-186322	996; From 10/97 To 04			
2002	Carrera	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
			Front	22-147448	Standard Chassis	Rear	24-147644	Standard Chassis
2002	Carrera	B6 (HD)	Front	22-046123		Rear	24-029933	
2002	Carrera	B8 (SP)	Front	22-046130		Rear	24-029940	
2002	Carrera 4	B16 (PSS10)	Front and Rear	48-186339				
2002	Carrera 4	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2002	Carrera 4	B6 (HD)	Front	22-052568		Rear	24-029933	
2002	Carrera 4	B8 (SP)	Front	22-052728		Rear	24-029940	
2002	Carrera 4S	B16 (PSS10)	Front and Rear	48-186339				
2002	Carrera 4S	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2002	Carrera 4S	B6 (HD)	Front	22-052568		Rear	24-029933	
2002	Carrera 4S	B8 (SP)	Front	22-052728		Rear	24-029940	
2002	Carrera 4S; w/ 996 Body	B12 (Pro-Kit)	Front and Rear	46-193629	Front Lowered Height: 30mm; Must reuse O.E. spring seat; Rear Lowered Height: 30mm			
2002	GT2	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2002	GT2	Motorsports (Reservoir)				Rear	27-124260	Race Setting
2002	Targa	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
2002	Turbo	B16 (PSS10)	Front and Rear	48-186346				
			Front and Rear	48-135368	Front Lowered Height: 25-35mm, up to 825kg Axle Load; Rear Lowered Height: 15-20mm, up to 1250kg Axle Load			
2002	Turbo	B6 (HD)	Front	22-052568		Rear	24-068116	
2002	Turbo	B8 (SP)	Front	22-052728		Rear	24-068598	
2001	Carrera	B16 (PSS10)	Front and Rear	48-186322				
2001	Carrera	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
			Front	22-147448	Standard Chassis	Rear	24-147644	Standard Chassis
2001	Carrera	B6 (HD)	Front	22-046123		Rear	24-029933	
2001	Carrera	B8 (SP)	Front	22-046130		Rear	24-029940	
2001	Carrera 4	B16 (PSS10)	Front and Rear	48-186339				
2001	Carrera 4	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2001	Carrera 4	B6 (HD)	Front	22-052568		Rear	24-029933	
2001	Carrera 4	B8 (SP)	Front	22-052728		Rear	24-029940	
2001	Carrera 4; Coupe	B12 (Pro-Kit)	Front and Rear	46-193629	Front Lowered Height: 30mm; Must reuse O.E. spring seat; Rear Lowered Height: 30mm			
2001	GT3	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2001	GT3	Motorsports (Reservoir)	Front	33-616957	VLN Setting	Rear	27-124260	Race Setting
2001	Turbo	B16 (PSS10)	Front and Rear	48-186346				
			Front and Rear	48-135368	Front Lowered Height: 25-35mm, up to 825kg Axle Load; Rear Lowered Height: 15-20mm, up to 1250kg Axle Load			
2001	Turbo	B6 (HD)	Front	22-052568		Rear	24-068116	
2001	Turbo	B8 (SP)	Front	22-052728		Rear	24-068598	



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
2000	Carrera	B16 (PSS10)	Front and Rear	48-186322				
2000	Carrera	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
			Front	22-147448	Standard Chassis	Rear	24-147644	Standard Chassis
2000	Carrera	B6 (HD)	Front	22-046123		Rear	24-029933	
2000	Carrera	B8 (SP)	Front	22-046130		Rear	24-029940	
2000	Carrera 4	B16 (PSS10)	Front and Rear	48-186339				
2000	Carrera 4	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2000	Carrera 4	B6 (HD)	Front		22-052568	Rear	24-029933	
2000	Carrera 4	B8 (SP)	Front	22-052728		Rear	24-029940	
2000	Carrera 4; Coupe	B12 (Pro-Kit)	Front and Rear	46-193629	Front Lowered Height: 30mm; Must reuse O.E. spring seat; Rear Lowered Height: 30mm			
1999	Carrera	B16 (PSS10)	Front and Rear	48-186322				
1999	Carrera	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
			Front	22-147448	Standard Chassis	Rear	24-147644	Standard Chassis
1999	Carrera	B6 (HD)	Front	22-046123		Rear	24-029933	
1999	Carrera	B8 (SP)	Front	22-046130		Rear	24-029940	
1999	Carrera 4	B16 (PSS10)	Front and Rear	48-186339				
1999	Carrera 4	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
			Front		22-052568	Rear	24-029933	
1999	Carrera 4	B6 (HD)	Front	22-052728		Rear	24-029940	
1999	Carrera 4; Coupe	B12 (Pro-Kit)	Front and Rear	46-193629	Front Lowered Height: 30mm; Must reuse O.E. spring seat; Rear Lowered Height: 30mm			
1998	Carrera	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1998	Carrera	B16 (PSS10)	Front and Rear	48-132688				
1998	Carrera	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1998	Carrera	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1998	Carrera 4	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1998	Carrera 4	B16 (PSS10)	Front and Rear	48-132688				



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1998	Carrera 4	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1998	Carrera 4	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1998	Carrera 4S	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1998	Carrera 4S	B16 (PSS10)	Front and Rear	48-132688				
1998	Carrera 4S	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1998	Carrera 4S	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1998	Carrera S	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1998	Carrera S	B16 (PSS10)	Front and Rear	48-132688				
1998	Carrera S	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1998	Carrera S	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1998	Targa	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1998	Targa	B16 (PSS10)	Front and Rear	48-132688				
1998	Targa	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1998	Targa	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1998	Turbo	B6 (HD)	Front Left	35-046929	Standard Chassis	Rear	24-061308	
			Front Right	35-046936	Standard Chassis			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1998	Turbo	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1997	Carrera	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997	Carrera	B16 (PSS10)	Front and Rear	48-132688				
1997	Carrera	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1997	Carrera	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1997	Carrera 4	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997	Carrera 4	B16 (PSS10)	Front and Rear	48-132688				
1997	Carrera 4	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1997	Carrera 4	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1997	Carrera 4S	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997	Carrera 4S	B16 (PSS10)	Front and Rear	48-132688				
1997	Carrera 4S	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1997	Carrera 4S	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1997	Targa	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997	Targa	B16 (PSS10)	Front and Rear	48-132688				



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1997	Targa	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1997	Targa	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1997	Turbo	B16 (PSS10)	Front and Rear	48-132688				
1997	Turbo	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1997	Turbo	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1996	Carrera	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1996	Carrera	B16 (PSS10)	Front and Rear	48-132688				
1996	Carrera	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1996	Carrera	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1996	Carrera 4	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1996	Carrera 4	B16 (PSS10)	Front and Rear	48-132688				
1996	Carrera 4	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1996	Carrera 4	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1996	Carrera 4S	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1996	Carrera 4S	B16 (PSS10)	Front and Rear	48-132688				



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1996	Carrera 4S	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1996	Carrera 4S	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1996	Targa	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1996	Targa	B16 (PSS10)	Front and Rear	48-132688				
1996	Targa	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1996	Targa	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1996	Turbo	B16 (PSS10)	Front and Rear	48-132688				
1996	Turbo	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1996	Turbo	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1995	Carrera	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1995	Carrera	B16 (PSS10)	Front and Rear	48-132688				
1995	Carrera	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1995	Carrera	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1995	Carrera 4	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1995	Carrera 4	B16 (PSS10)	Front and Rear	48-132688				



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1995	Carrera 4	B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1995	Carrera 4	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1994	Carrera 2	B16 (PSS10)	Front and Rear	48-132633				
1994	Carrera 2	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1994	Carrera 2; w/ 993 Body	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	Carrera 2; w/ 993 Body	B6 (HD)	Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1994	Carrera 2; w/ 993 Body	B8 (SP)				Rear	24-195294	Sport Suspension
1994	Carrera 4	B16 (PSS10)	Front and Rear	48-132633				
1994	Carrera 4	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1994	Carrera 4; w/ 993 Body	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	Carrera 4; w/ 993 Body	B6 (HD)	Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1994	Carrera 4; w/ 993 Body	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1994	RS America	B16 (PSS10)	Front and Rear	48-137539	Front Lowered Height: 20-40mm; Rear Lowered Height: 20-40mm; Walter Rohrl Setting			
1994	RS America	B6 (HD)				Rear	F4-B46-1487-H0	
1994	RS America; w/ 993 Body	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	Speedster; w/ 993 Body	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	Targa	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	Targa	B6 (HD)	Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1994	Targa	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1994	Turbo 3.6	B16 (PSS10)	Front and Rear	48-132633				
1994	Turbo 3.6	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1994	Turbo Look	B16 (PSS10)	Front and Rear	48-132633				
1994	Turbo Look	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1993	Carrera 2	B16 (PSS10)	Front and Rear	48-132633				
1993	Carrera 2	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1993	Carrera 4	B16 (PSS10)	Front and Rear	48-132633				
1993	Carrera 4	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1993	Carrera 4 Turbo Look	B16 (PSS10)	Front and Rear	48-132633				
1993	Carrera 4 Turbo Look	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1993	RS America	B16 (PSS10)	Front and Rear	48-137539	Front Lowered Height: 20-40mm; Rear Lowered Height: 20-40mm; Walter Rohrl Setting			
1993	RS America	B6 (HD)				Rear	F4-B46-1487-H0	
1993	Turbo 3.6	B16 (PSS10)	Front and Rear	48-132633				
1993	Turbo 3.6	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1993	Turbo Look	B16 (PSS10)	Front and Rear	48-132633				
1993	Turbo Look	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1992	Carrera 2	B16 (PSS10)	Front and Rear	48-132633				
1992	Carrera 2	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1992	Carrera 4	B16 (PSS10)	Front and Rear	48-132633				
1992	Carrera 4	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1992	RS America	B16 (PSS10)	Front and Rear	48-137539	Front Lowered Height: 20-40mm; Rear Lowered Height: 20-40mm; Walter Rohrl Setting			
1992	RS America	B6 (HD)				Rear	F4-B46-1487-H0	



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1992	Turbo	B16 (PSS10)	Front and Rear	48-132633				
1992	Turbo	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1992	Turbo Look	B16 (PSS10)	Front and Rear	48-132633				
1992	Turbo Look	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1991	Carrera 2	B16 (PSS10)	Front and Rear	48-132633				
1991	Carrera 2	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1991	Carrera 4	B16 (PSS10)	Front and Rear	48-132633				
1991	Carrera 4	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1991	Turbo	B16 (PSS10)	Front and Rear	48-132633				
1991	Turbo	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1990	Carrera 2	B6 (HD)	Front Left	35-052777		Rear	24-017350	
			Front Right	35-052784				
1990	Carrera 2; Convertible	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_50777; To Chassis # 96MS4_60466			
1990	Carrera 2; Coupe	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_01467; To Chassis # 96MS4_10518			
1990	Carrera 2; Targa	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_30299; To Chassis # 96MS4_40240			
1990	Carrera 4	B6 (HD)	Front Left	35-052777		Rear	24-017350	
			Front Right	35-052784				
1990	Carrera 4; Convertible	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_50777; To Chassis # 96MS4_60466			
1990	Carrera 4; Coupe	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_01467; To Chassis # 96MS4_10518			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1990	Carrera 4; Targa	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_30299; To Chassis # 96MS4_40240			
1989	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009751	Sport Street
			Front	34-050019	For vehicles equipped with OE Bilsteins (green); From 4/85			
			Front	34-001141	For vehicles equipped with OE Boge (black); From 4/85			
1989	Carrera	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-050491	For vehicles equipped with OE Bilsteins (green); From 4/85; Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); From 4/85; Sport Street			
1989	Carrera 4	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_01467; To Chassis # 96MS4_10518			
1989	Carrera 4	B6 (HD)	Front Left	35-052777		Rear	24-017350	
			Front Right	35-052784				
1989	Carrera; Coupe	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1989	Coupe; Turbo Carrera	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1989	Speedster	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009751	Sport Street
			Front	34-050019	For vehicles equipped with OE Bilsteins (green)			
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1989	Speedster	B8 (SP)	Front	34-050491	For vehicles equipped with OE Bilsteins (green); Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); Sport Street			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1989	Speedster	Rallye				Rear	F4-B46-0180-H0	
1989	Speedster; w/ 911 Body	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1989	Targa; Turbo Carrera	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1989	Turbo Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front	34-050019		Rear	24-009751	Sport Street
			Front Right	35-001287				
1989	Turbo Carrera	B8 (SP)	Front	34-050491	Group 1 Racing			
			Front	34-050507	Sport Street			
1989	Turbo Carrera	Motorsports	Front Right	35-587736		Rear	24-595452	
			Front Left	35-587743				
1988	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-050019	For vehicles equipped with OE Bilsteins (green); From 4/85			
			Front	34-001141	For vehicles equipped with OE Boge (black); From 4/85			
1988	Carrera	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-050491	For vehicles equipped with OE Bilsteins (green); From 4/85; Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); From 4/85; Sport Street			
1988	Carrera; Coupe	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1988	Coupe; Turbo Carrera	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1988	Targa; Turbo Carrera	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1988	Turbo Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front	34-050019		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front Right	35-001287				
						Rear	24-009751	Sport Street
1988	Turbo Carrera	B8 (SP)	Front	34-050491	Group 1 Racing			
			Front	34-050507	Sport Street			
1988	Turbo Carrera	Motorsports	Front Right	35-587736		Rear	24-595452	
			Front Left	35-587743				
1987	Base	B6 (HD)				Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1987	Base	Motorsports	Front Right	35-587736		Rear	24-595452	
			Front Left	35-587743				
1987	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-050019	For vehicles equipped with OE Bilsteins (green); From 4/85			
			Front	34-001141	For vehicles equipped with OE Boge (black); From 4/85			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1987	Carrera	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-050491	For vehicles equipped with OE Bilsteins (green); From 4/85; Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); From 4/85; Sport Street			
1987	Carrera; Coupe	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1987	Coupe; Turbo Carrera	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1987	Targa; Turbo Carrera	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1987	Turbo Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front	34-050019		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front Right	35-001287				
						Rear	24-009751	Sport Street
1987	Turbo Carrera	B8 (SP)	Front	34-050491	Group 1 Racing			
			Front	34-050507	Sport Street			
1987	Turbo Carrera	Motorsports	Front Right	35-587736		Rear	24-595452	
			Front Left	35-587743				
1986	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-050019	For vehicles equipped with OE Bilsteins (green); From 4/85			
			Front	34-001141	For vehicles equipped with OE Boge (black); From 4/85	Rear	24-009751	Sport Street
1986	Carrera	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-050491	For vehicles equipped with OE Bilsteins (green); From 4/85; Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); From 4/85; Sport Street			
1986	Turbo Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front	34-050019		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front Right	35-001287				
						Rear	24-009751	Sport Street
1986	Turbo Carrera	B8 (SP)	Front	34-050491	Group 1 Racing			
			Front	34-050507	Sport Street			
1986	Turbo Carrera	Motorsports	Front Right	35-587736		Rear	24-595452	
			Front Left	35-587743				
1985	Base	B6 (HD)				Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1985	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-050019	For vehicles equipped with OE Bilsteins (green); From 4/85	Rear	24-009751	Sport Street
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001141	For vehicles equipped with OE Boge (black); From 4/85			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally; To 3/85			
1985	Carrera	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-050491	For vehicles equipped with OE Bilsteins (green); From 4/85; Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); From 4/85; Sport Street			
			Front	34-001134	For vehicles equipped with OE Boge (black); To 3/85			
1984	Base	B6 (HD)				Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1984	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009751	Sport Street
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1984	Carrera	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1983	2 Dr.; Convertible; SC	B6 (HD)	Front Right	35-001287				
			Front	34-050019	For vehicles equipped with OE Bilsteins (green)			
1983	2 Dr.; Convertible; SC	B8 (SP)	Front	34-050491	For vehicles equipped with OE Bilsteins (green); Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); Sport Street			
1983	Base	B6 (HD)				Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1983	Convertible; SC	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1983	SC	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009751	Sport Street



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1983	SC	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1982	Base	B6 (HD)				Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1982	SC	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1982	SC	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1981	Base	B6 (HD)				Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1981	SC	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1981	SC	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1980	SC	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1980	SC	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1979	SC	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1979	SC	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1978	SC	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1978	SC	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1977	S	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009751	Sport Street
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1977	S	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1977	Turbo Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front	34-050019		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front Right	35-001287				
			Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
						Rear	24-009751	Sport Street
1977	Turbo Carrera	B8 (SP)	Front	34-050491	Group 1 Racing			
			Front	34-050507	Sport Street			
1976	S	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009751	Sport Street
1976	S	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1976	Turbo Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front	34-050019		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front Right	35-001287				
			Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
						Rear	24-009751	Sport Street
1976	Turbo Carrera	B8 (SP)	Front	34-050491	Group 1 Racing			
			Front	34-050507	Sport Street			
1975	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009751	Sport Street



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1975	Carrera	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1975	S	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009751	Sport Street
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1975	S	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1974	Base	B6 (HD)				Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1974	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009751	Sport Street
1974	Carrera	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1974	S	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009751	Sport Street
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1974	S	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1973	E	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1973	E	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1973	S	B6 (HD)	Front Left	35-001270		Rear	24-001694	
			Front Right	35-001287		Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009751	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1973	S	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1973	T	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1973	T	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1972	E	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1972	E	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1972	S	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1972	S	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1972	T	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
						Rear	24-009751	Sport Street
1972	T	B8 (SP)	Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
1971	E	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1971	E	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 911 (continued)								
1971	S	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1971	S	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1971	T	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1971	T	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1970	E	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1970	E	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1970	S	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1970	S	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1970	T	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1970	T	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1969	E	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1969	E	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1969	S	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1969	S	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1969	T	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1969	T	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1968	Base	B6 (HD)	Front	P36-0111		Rear	24-001670	
1968	L	B6 (HD)	Front	P36-0111		Rear	24-001670	
1968	S	B6 (HD)	Front	P36-0111				
1967	Base	B6 (HD)	Front	P36-0111		Rear	24-001670	
1967	S	B6 (HD)	Front	P36-0111		Rear	24-001670	
1966	Base	B6 (HD)	Front	P36-0111		Rear	24-001670	
1965	Base	B6 (HD)	Front	P36-0111		Rear	24-001670	
Porsche 912								
1969	Base	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1968	Base	B6 (HD)	Front	P36-0111		Rear	24-001670	
1967	Base	B6 (HD)	Front	P36-0111		Rear	24-001670	
1966	Base	B6 (HD)	Front	P36-0111		Rear	24-001670	
1965	Base	B6 (HD)	Front	P36-0111		Rear	24-001670	



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 914								
1976	Base	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1976	Base	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1975	Base	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1975	Base	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1974	Base	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1974	Base	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1973	Base	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1973	Base	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1972	Base	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1972	Base	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1971	4	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1971	4	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1971	6	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1971	6	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1970	4	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1970	4	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1970	6	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1970	6	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
Porsche 924								
1988	S	B6 (HD)	Front	34-001042		Rear	24-020527	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1987	S	B6 (HD)	Front	34-001042		Rear	24-020527	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1982	Base	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 924 (continued)								
1982	Turbo	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1981	Base	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1981	Turbo	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1980	Base	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1980	Turbo	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1979	Base	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1978	Base	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1977	Base	B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
Porsche 928								
1995	GTS	B6 (HD)	Front	24-009669		Rear	24-009744	
1994	GTS	B6 (HD)	Front	24-009669		Rear	24-009744	
1993	GTS	B6 (HD)	Front	24-009669		Rear	24-009744	
1991	Base	B6 (HD)	Front	24-009669		Rear	24-009744	
1991	GT	B6 (HD)	Front	24-009669		Rear	24-009744	
1990	Base	B6 (HD)	Front	24-009669		Rear	24-009744	
1990	GT	B6 (HD)	Front	24-009669		Rear	24-009744	
1989	S4	B6 (HD)	Front	24-009669		Rear	24-009744	
1988	S4	B6 (HD)	Front	24-009669		Rear	24-009744	
1987	S4	B6 (HD)	Front	24-009669		Rear	24-009744	
1986	S	B6 (HD)	Front	24-009669		Rear	24-009744	



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 928 (continued)								
1985	S	B6 (HD)	Front	24-009669		Rear	24-009744	
1984	S	B6 (HD)				Rear	24-009744	
1983	S	B6 (HD)				Rear	24-009744	
1982	Base	B6 (HD)				Rear	24-009744	
1981	Base	B6 (HD)				Rear	24-009744	
1980	Base	B6 (HD)				Rear	24-009744	
1979	Base	B6 (HD)				Rear	24-009744	
1978	Base	B6 (HD)				Rear	24-009744	
Porsche 944								
1991	S2	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1991	S2	Motorsports				Rear	24-176422	Cup Model Only
1990	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1990	S2	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1990	S2	Motorsports				Rear	24-176422	Cup Model Only
1989	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
			Front	34-001042	For vehicles equipped with OE Boge (black)			
1989	S2	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1989	S2	Motorsports				Rear	24-176422	Cup Model Only
1989	Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1988	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
			Front	34-001042	For vehicles equipped with OE Boge (black)			
1988	S	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1988	Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1987	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
			Front	34-001042	For vehicles equipped with OE Boge (black)			
1987	S	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1987	Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche 944 (continued)								
1986	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
			Front	34-001042	For vehicles equipped with OE Boge (black)			
1986	Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1985	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
			Front	34-001042	For vehicles equipped with OE Boge (black)			
1984	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	From 9/84
			Front	34-001042	For vehicles equipped with OE Boge (black)	Rear	24-001618	To 8/84
1983	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-001618	
			Front	34-001042	For vehicles equipped with OE Boge (black)			
Porsche 968								
1995	Base	B6 (HD)	Front	34-001042	For bolted struts only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1994	Base	B6 (HD)	Front	34-001042	For bolted struts only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1993	Base	B6 (HD)	Front	34-001042	For bolted struts only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1992	Base	B6 (HD)	Front	34-001042	For bolted struts only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
Porsche Boxster								
2012	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2012	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2012	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2012	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2012	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2012	S Black Edition	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2012	S Black Edition	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012	S Black Edition	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2012	Spyder	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2012	Spyder	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012	Spyder	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2011	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2011	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2011	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2011	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2011	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2011	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2011	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2011	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2011	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2011	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2011	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2011	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2011	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2011	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2011	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2011	Spyder	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2011	Spyder	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2011	Spyder	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2011	Spyder	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011	Spyder	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2011	Spyder	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2011	Spyder	B6 (HD)	Front	35-122180		Rear	35-122197	
2011	Spyder	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2011	Spyder	B8 (SP)	Front	35-122203		Rear	35-122210	
2010	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2010	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2010	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2010	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2010	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2010	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2010	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2010	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2010	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2010	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2010	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2010	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2010	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2010	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2010	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2010	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2010	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2010	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2009	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2009	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2009	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2009	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2009	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2009	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2009	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2009	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2009	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2009	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2009	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2009	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2009	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2009	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2009	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2009	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2009	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2009	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2008	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2008	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2008	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2008	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2008	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2008	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	Limited Edition	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	Limited Edition	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2008	Limited Edition	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	Limited Edition	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2008	Limited Edition	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2008	Limited Edition	B6 (HD)	Front	35-122180		Rear	35-122197	
2008	Limited Edition	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2008	Limited Edition	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	RS 60 Spyder	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	RS 60 Spyder	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2008	RS 60 Spyder	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	RS 60 Spyder	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2008	RS 60 Spyder	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2008	RS 60 Spyder	B6 (HD)	Front	35-122180		Rear	35-122197	
2008	RS 60 Spyder	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2008	RS 60 Spyder	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2008	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2008	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2008	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2008	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2008	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2008	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	S Limited Edition	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	S Limited Edition	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2008	S Limited Edition	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	S Limited Edition	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2008	S Limited Edition	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2008	S Limited Edition	B6 (HD)	Front	35-122180		Rear	35-122197	
2008	S Limited Edition	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2008	S Limited Edition	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	S Porsche Design 2	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	S Porsche Design 2	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	S Porsche Design 2	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2007	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2007	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2007	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2007	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2007	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2007	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2007	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2007	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2007	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2007	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2007	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2007	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2007	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2007	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2007	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2007	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2007	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2007	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2006	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2006	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2006	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2006	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2006	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2006	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2006	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2006	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2006	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2006	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2006	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2006	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2006	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2006	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2006	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2006	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2006	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2006	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2005	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2005	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2005	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2005	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2005	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2005	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2005	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2005	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2005	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2005	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2005	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2005	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2005	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2005	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2005	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2005	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2005	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2004	Base	B4	Front	22-113313		Rear	22-113320	
2004	Base	B6 (HD)	Front	22-046215		Rear	22-046222	
2004	Base	B8 (SP)	Front	22-046239		Rear	22-046246	
2004	Base; w/ 986 Body	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2004	Base; w/ 986 Body	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2004	Base; w/ 987 Body	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2004	S	B4	Front	22-113313		Rear	22-113320	
2004	S	B6 (HD)	Front	22-046215		Rear	22-046222	
2004	S	B8 (SP)	Front	22-046239		Rear	22-046246	
2004	S Special Edition	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2004	S Special Edition	B4	Front	22-113313		Rear	22-113320	
2004	S Special Edition	B6 (HD)	Front	22-046215		Rear	22-046222	
2004	S Special Edition	B8 (SP)	Front	22-046239		Rear	22-046246	
2004	S; w/ 986 Body	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2004	S; w/ 987 Body	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2003	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2003	Base	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2003	Base	B4	Front	22-113313		Rear	22-113320	
2003	Roadster	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2003	Roadster	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2003	Roadster	B4	Front	22-113313		Rear	22-113320	
2003	Roadster	B6 (HD)	Front	22-046215		Rear	22-046222	
2003	Roadster	B8 (SP)	Front	22-046239		Rear	22-046246	
2003	Roadster S	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2003	Roadster S	B4	Front	22-113313		Rear	22-113320	
2003	Roadster S	B6 (HD)	Front	22-046215		Rear	22-046222	
2003	Roadster S	B8 (SP)	Front	22-046239		Rear	22-046246	
2003	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2003	S	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2003	S	B4	Front	22-113313		Rear	22-113320	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2002	Base	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2002	Base	B4	Front	22-113313		Rear	22-113320	
2002	Roadster	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2002	Roadster	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2002	Roadster	B4	Front	22-113313		Rear	22-113320	
2002	Roadster	B6 (HD)	Front	22-046215		Rear	22-046222	
2002	Roadster	B8 (SP)	Front	22-046239		Rear	22-046246	
2002	Roadster S	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2002	Roadster S	B4	Front	22-113313		Rear	22-113320	
2002	Roadster S	B6 (HD)	Front	22-046215		Rear	22-046222	
2002	Roadster S	B8 (SP)	Front	22-046239		Rear	22-046246	
2002	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2002	S	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2002	S	B4	Front	22-113313		Rear	22-113320	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2001	Base	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2001	Base	B4	Front	22-113313		Rear	22-113320	
2001	Roadster	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2001	Roadster	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2001	Roadster	B4	Front	22-113313		Rear	22-113320	
2001	Roadster	B6 (HD)	Front	22-046215		Rear	22-046222	
2001	Roadster	B8 (SP)	Front	22-046239		Rear	22-046246	
2001	Roadster S	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2001	Roadster S	B4	Front	22-113313		Rear	22-113320	
2001	Roadster S	B6 (HD)	Front	22-046215		Rear	22-046222	
2001	Roadster S	B8 (SP)	Front	22-046239		Rear	22-046246	
2001	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2001	S	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2001	S	B4	Front	22-113313		Rear	22-113320	
2000	2.7L H6 2687cc; Roadster	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2000	Roadster	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2000	Roadster	B4	Front	22-113313		Rear	22-113320	
2000	Roadster	B6 (HD)	Front	22-046215		Rear	22-046222	
2000	Roadster	B8 (SP)	Front	22-046239		Rear	22-046246	
2000	Roadster S	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2000	Roadster S	B4	Front	22-113313		Rear	22-113320	
2000	Roadster S	B6 (HD)	Front	22-046215		Rear	22-046222	
2000	Roadster S	B8 (SP)	Front	22-046239		Rear	22-046246	
1999	Base	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
1999	Base	B4	Front	22-113313		Rear	22-113320	
1999	Base	B6 (HD)	Front	22-046215		Rear	22-046222	
1999	Base	B8 (SP)	Front	22-046239		Rear	22-046246	
1999	Base; w/ 986 Body	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
1998	Base	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
1998	Base	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
1998	Base	B4	Front	22-113313		Rear	22-113320	
1998	Base	B6 (HD)	Front	22-046215		Rear	22-046222	
1998	Base	B8 (SP)	Front	22-046239		Rear	22-046246	
1997	Base	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
1997	Base	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
1997	Base	B4	Front	22-113313		Rear	22-113320	
1997	Base	B6 (HD)	Front	22-046215		Rear	22-046222	
1997	Base	B8 (SP)	Front	22-046239		Rear	22-046246	
Porsche Cayman								
2012	Base	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Cayman (continued)								
2012	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2012	R	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2012	R	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012	R	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2012	S	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2012	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011	Base	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2011	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2011	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2011	S	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2011	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2011	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Cayman (continued)								
2010	Base	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2010	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2010	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2010	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2010	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2010	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2010	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2010	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2010	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2010	S	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2010	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2010	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2010	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2010	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2010	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2010	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2010	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2010	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2009	Base	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2009	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2009	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2009	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2009	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Cayman (continued)								
2009	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2009	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2009	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2009	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2009	S	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2009	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2009	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2009	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2009	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2009	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2009	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2009	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2009	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	Base	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2008	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2008	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2008	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2008	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2008	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2008	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	S	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Cayman (continued)								
2008	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2008	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2008	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2008	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2008	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2008	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2008	S Porsche Design	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2008	S Porsche Design	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2008	S Porsche Design	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2007	Base	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2007	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2007	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2007	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2007	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2007	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2007	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2007	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2007	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2007	S	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2007	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			



Passenger Cars

Year	Application	Series	Front			Rear		
Porsche Cayman (continued)								
2007	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2007	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2007	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2007	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2007	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2007	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2007	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2006	S	B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2006	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic			
2006	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2006	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2006	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2006	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2006	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2006	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2006	S	B8 (SP)	Front	35-122203		Rear	35-122210	
Rolls Royce Camargue								
1987	Base	B6 (HD)	Front	24-014298				
1986	Base	B6 (HD)	Front	24-014298				
1985	Base	B6 (HD)	Front	24-014298				
1984	Base	B6 (HD)	Front	24-014298				
1983	Base	B6 (HD)	Front	24-014298				
1982	Base	B6 (HD)	Front	24-014298				
1981	Base	B6 (HD)	Front	24-014298				
1980	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1979	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1978	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1977	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1976	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1975	Base	B6 (HD)	Front	24-014298		Rear	24-014304	



Passenger Cars

Year	Application	Series	Front			Rear		
Rolls Royce Corniche								
2002	Base	B6 (HD)	Front	24-014298				
2001	Base	B6 (HD)	Front	24-014298				
2000	Base	B6 (HD)	Front	24-014298				
1985	Base	B6 (HD)	Front	24-014298				
1984	Base	B6 (HD)	Front	24-014298				
1983	Base	B6 (HD)	Front	24-014298				
1982	Base	B6 (HD)	Front	24-014298				
1981	Base	B6 (HD)	Front	24-014298				
1980	Base	B6 (HD)	Front	24-014298				
1979	Base	B6 (HD)	Front	24-014298		Rear	24-014304	up to chassis number 49999
1978	Base	B6 (HD)	Front	24-014298		Rear	24-014304	up to chassis number 49999
1977	Base	B6 (HD)	Front	24-014298		Rear	24-014304	up to chassis number 49999
1976	Base	B6 (HD)	Front	24-014298		Rear	24-014304	up to chassis number 49999
1975	Base	B6 (HD)	Front	24-014298		Rear	24-014304	up to chassis number 49999
1974	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1973	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1972	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1971	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
Rolls Royce Corniche II								
1992	Base	B6 (HD)	Front	24-014298				
1991	Base	B6 (HD)	Front	24-014298				
1990	Base	B6 (HD)	Front	24-014298				
1989	Base	B6 (HD)	Front	24-014298				
1988	Base	B6 (HD)	Front	24-014298				
1987	Base	B6 (HD)	Front	24-014298				
1986	Base	B6 (HD)	Front	24-014298				
Rolls Royce Corniche IV								
1995	Base	B6 (HD)	Front	24-014298				
1994	Base	B6 (HD)	Front	24-014298				
1993	Base	B6 (HD)	Front	24-014298				
Rolls Royce Corniche S								
1995	Base	B6 (HD)	Front	24-014298				
Rolls Royce Silver Shadow								
1970	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1969	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1968	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
1967	Base	B6 (HD)	Front	24-014298		Rear	24-014304	



Passenger Cars

Year	Application	Series	Front			Rear		
Rolls Royce Silver Shadow (continued)								
1966	Base	B6 (HD)	Front	24-014298		Rear	24-014304	
Rolls Royce Silver Shadow II								
1980	Base	B6 (HD)	Front	24-014298				
Rolls Royce Silver Spirit								
1990	Base	B6 (HD)	Front	24-014298				
1989	Base	B6 (HD)	Front	24-014298				
1988	Base	B6 (HD)	Front	24-014298				
1987	Base	B6 (HD)	Front	24-014298				
1986	Base	B6 (HD)	Front	24-014298				
1985	Base	B6 (HD)	Front	24-014298				
1984	Base	B6 (HD)	Front	24-014298				
1983	Base	B6 (HD)	Front	24-014298				
1982	Base	B6 (HD)	Front	24-014298				
1981	Base	B6 (HD)	Front	24-014298				
Rolls Royce Silver Spur								
1990	Base	B6 (HD)	Front	24-014298				
1989	Base	B6 (HD)	Front	24-014298				
1988	Base	B6 (HD)	Front	24-014298				
1987	Base	B6 (HD)	Front	24-014298				
1986	Base	B6 (HD)	Front	24-014298				
1985	Base	B6 (HD)	Front	24-014298				
1984	Base	B6 (HD)	Front	24-014298				
1983	Base	B6 (HD)	Front	24-014298				
1982	Base	B6 (HD)	Front	24-014298				
1981	Base	B6 (HD)	Front	24-014298				
Saab 9-3								
2010	2.0T	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2010	Aero	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2009	2.0T	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2009	Aero	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2008	2.0T	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-3 (continued)								
2008	Aero	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2007	2.0T	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2007	Aero	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2006	2.0T	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2006	Aero	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2005	Aero	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2005	Arc	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2005	Linear	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2004	Aero	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2004	Arc	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2004	Linear	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2003	Arc	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2003	Linear	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2003	SE	B6 (HD)	Front Left	35-102502		Rear	24-027571	
			Front	34-031049				
2003	SE	B8 (SP)	Front	34-031056		Rear	24-027588	
2003	Vector	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2002	SE	B6 (HD)	Front	34-031049		Rear	24-027571	
2002	SE	B8 (SP)	Front	34-031056		Rear	24-027588	
2002	Viggen	B6 (HD)	Front	34-031049		Rear	24-027571	
2002	Viggen	B8 (SP)	Front	34-031056		Rear	24-027588	
2001	Base	B6 (HD)	Front	34-031049		Rear	24-027571	
2001	Base	B8 (SP)	Front	34-031056		Rear	24-027588	
2001	SE	B6 (HD)	Front	34-031049		Rear	24-027571	



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-3 (continued)								
2001	SE	B8 (SP)	Front	34-031056		Rear	24-027588	
2001	Viggen	B6 (HD)	Front	34-031049		Rear	24-027571	
2001	Viggen	B8 (SP)	Front	34-031056		Rear	24-027588	
2000	Base	B6 (HD)	Front	34-031049		Rear	24-027571	
2000	Base	B8 (SP)	Front	34-031056		Rear	24-027588	
2000	SE	B6 (HD)	Front	34-031049		Rear	24-027571	
2000	SE	B8 (SP)	Front	34-031056		Rear	24-027588	
2000	Viggen	B6 (HD)	Front	34-031049		Rear	24-027571	
2000	Viggen	B8 (SP)	Front	34-031056		Rear	24-027588	
1999	Base	B6 (HD)	Front	34-031049		Rear	24-027571	
1999	Base	B8 (SP)	Front	34-031056		Rear	24-027588	
1999	SE	B6 (HD)	Front	34-031049		Rear	24-027571	
1999	SE	B8 (SP)	Front	34-031056		Rear	24-027588	
1999	Viggen	B6 (HD)	Front	34-031049		Rear	24-027571	
1999	Viggen	B8 (SP)	Front	34-031056		Rear	24-027588	
Saab 9-5								
2009	2.3t	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2009	2.3t	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2009	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2009	2.3t; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2009	Aero	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2009	Aero	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2009	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2009	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2009	Griffin; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2009	Griffin; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2008	2.3t	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2008	2.3t	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2008	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2008	2.3t; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2008	Aero	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2008	Aero	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2008	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2008	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2007	2.3t	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2007	2.3t	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2007	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2007	2.3t; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2006	2.3t	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2006	2.3t	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2006	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2006	2.3t; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2006	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2006	Arc; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2005	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2005	Aero	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2005	Aero	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2005	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2005	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2005	Arc	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2005	Arc	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2005	Arc; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2005	Arc; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2005	Linear	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2005	Linear	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2005	Linear; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2005	Linear; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2004	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2004	Aero	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2004	Aero	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2004	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2004	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2004	Arc	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2004	Arc	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2004	Arc; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2004	Arc; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2004	Linear	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2004	Linear	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2004	Linear; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2003	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2003	Aero	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2003	Aero	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2003	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2003	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2003	Arc	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2003	Arc	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2003	Arc; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2003	Arc; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2003	Linear	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2003	Linear	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2003	Linear; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2003	Linear; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2002	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
			Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			
2002	2.3t; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
			Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
2002	Aero	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2002	Aero	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2002	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
			Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2002	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
			Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
2002	Arc	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2002	Arc	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2002	Arc; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
			Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			
2002	Arc; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
			Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
2002	Linear	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2002	Linear	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2002	Linear; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
			Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			
2002	Linear; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
			Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2002	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
			Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			
2001	2.3t	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
			Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan			
2001	2.3t	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
			Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan			
2001	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
			Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			
2001	2.3t; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
			Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
2001	Aero	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
			Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan			
2001	Aero	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
			Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan			



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2001	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
			Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			
2001	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
			Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
2001	SE	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
			Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan			
2001	SE	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
			Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan			
2001	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
			Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			
2001	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
			Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
2000	2.3t	B6 (HD)	Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027083	
2000	2.3t	B8 (SP)	Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027090	
2000	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2000	2.3t; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2000	Aero	B6 (HD)	Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027083	
2000	Aero	B8 (SP)	Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027090	
2000	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2000	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2000	Gary Fisher	B6 (HD)	Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027083	
2000	Gary Fisher	B8 (SP)	Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027090	
2000	Gary Fisher; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2000	SE	B6 (HD)	Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027083	
2000	SE	B8 (SP)	Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027090	
2000	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2000	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
1999	Base	B6 (HD)	Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027083	
1999	Base	B8 (SP)	Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027090	
1999	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
1999	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
1999	SE	B6 (HD)	Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027083	



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9-5 (continued)								
1999	SE	B8 (SP)	Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan	Rear	24-027090	
1999	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
Saab 900								
1998	2 Dr.; Convertible; S	B4	Front	21-031274				
1998	2 Dr.; Convertible; SE Turbo	B4	Front	21-031274				
1998	2 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1998	4 Dr.; Hatchback; S	B4	Front	21-031267				
1998	4 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1998	S	B4				Rear	19-061276	
1998	S	B6 (HD)	Front	34-030936		Rear	24-025386	
1998	S Turbo	B4	Front	21-031267		Rear	19-061276	
1998	S Turbo	B6 (HD)	Front	34-030936		Rear	24-025386	
1998	SE Turbo	B4				Rear	19-061276	
1998	SE Turbo	B6 (HD)	Front	34-030936		Rear	24-025386	
1997	2 Dr.; Convertible; S	B4	Front	21-031274				
1997	2 Dr.; Convertible; SE	B4	Front	21-031274				
1997	2 Dr.; Convertible; SE Turbo	B4	Front	21-031274				
1997	2 Dr.; Hatchback; S	B4	Front	21-031267				
1997	2 Dr.; Hatchback; SE	B4	Front	21-031267				
1997	2 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1997	4 Dr.; Hatchback; S	B4	Front	21-031267				
1997	4 Dr.; Hatchback; SE	B4	Front	21-031267				
1997	4 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1997	S	B4				Rear	19-061276	
1997	S	B6 (HD)	Front	34-030936		Rear	24-025386	
1997	SE	B4				Rear	19-061276	
1997	SE	B6 (HD)	Front	34-030936		Rear	24-025386	
1997	SE Turbo	B4				Rear	19-061276	
1997	SE Turbo	B6 (HD)	Front	34-030936		Rear	24-025386	
1996	2 Dr.; Convertible; S	B4	Front	21-031274				
1996	2 Dr.; Convertible; SE	B4	Front	21-031274				
1996	2 Dr.; Convertible; SE Turbo	B4	Front	21-031274				



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 900 (continued)								
1996	2 Dr.; Hatchback; S	B4	Front	21-031267				
1996	2 Dr.; Hatchback; SE	B4	Front	21-031267				
1996	2 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1996	4 Dr.; Hatchback; S	B4	Front	21-031267				
1996	4 Dr.; Hatchback; SE	B4	Front	21-031267				
1996	4 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1996	S	B4				Rear	19-061276	
1996	S	B6 (HD)	Front	34-030936		Rear	24-025386	
1996	SE	B4				Rear	19-061276	
1996	SE	B6 (HD)	Front	34-030936		Rear	24-025386	
1996	SE Turbo	B4				Rear	19-061276	
1996	SE Turbo	B6 (HD)	Front	34-030936		Rear	24-025386	
1995	2 Dr.; Convertible; S	B4	Front	21-031274				
1995	2 Dr.; Convertible; SE Turbo	B4	Front	21-031274				
1995	2 Dr.; Hatchback; S	B4	Front	21-031267				
1995	2 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1995	4 Dr.; Hatchback; S	B4	Front	21-031267				
1995	S	B4				Rear	19-061276	
1995	S	B6 (HD)	Front	34-030936		Rear	24-025386	
1995	SE	B4	Front	21-031267		Rear	19-061276	
1995	SE	B6 (HD)	Front	34-030936		Rear	24-025386	
1995	SE Turbo	B4				Rear	19-061276	
1995	SE Turbo	B6 (HD)	Front	34-030936		Rear	24-025386	
1994	2 Dr.; Convertible; S	B4	Front	21-031274				
1994	2 Dr.; Convertible; SE	B4	Front	21-031274				
1994	2 Dr.; Hatchback; S	B4	Front	21-031267				
1994	4 Dr.; Hatchback; S	B4	Front	21-031267				
1994	4 Dr.; Hatchback; SE	B4	Front	21-031267				
1994	S	B4				Rear	19-061276	
1994	S	B6 (HD)	Front	34-030936		Rear	24-025386	
1994	SE	B4				Rear	19-061276	
1994	SE	B6 (HD)	Front	34-030936		Rear	24-025386	
1994	SE Turbo	B4	Front	21-031267		Rear	19-061276	
1994	SE Turbo	B6 (HD)	Front	34-030936		Rear	24-025386	
1994	Turbo	B4	Front	19-019536		Rear	19-019543	
1994	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 900 (continued)								
1994	Turbo Commemorative Edition	B4	Front	19-019536		Rear	19-019543	
1994	Turbo Commemorative Edition	B6 (HD)	Front	24-181501		Rear	24-003971	
1993	S	B4	Front	19-019536		Rear	19-019543	
1993	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1993	Turbo	B4	Front	19-019536		Rear	19-019543	
1993	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1993	Turbo Commemorative Edition	B4	Front	19-019536		Rear	19-019543	
1993	Turbo Commemorative Edition	B6 (HD)	Front	24-181501		Rear	24-003971	
1992	Base	B4	Front	19-019536		Rear	19-019543	
1992	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1992	S	B4	Front	19-019536		Rear	19-019543	
1992	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1992	Turbo	B4	Front	19-019536		Rear	19-019543	
1992	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1991	Base	B4	Front	19-019536		Rear	19-019543	
1991	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1991	S	B4	Front	19-019536		Rear	19-019543	
1991	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1991	S Turbo	B4	Front	19-019536		Rear	19-019543	
1991	S Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1991	SE Turbo	B4	Front	19-019536		Rear	19-019543	
1991	SE Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1991	SPG	B4	Front	19-019536		Rear	19-019543	
1991	SPG	B6 (HD)	Front	24-181501		Rear	24-003971	
1990	Base	B4	Front	19-019536		Rear	19-019543	
1990	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1990	S	B4	Front	19-019536		Rear	19-019543	
1990	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1990	SPG	B4	Front	19-019536		Rear	19-019543	
1990	SPG	B6 (HD)	Front	24-181501		Rear	24-003971	
1990	Turbo	B4	Front	19-019536		Rear	19-019543	
1990	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1989	Base	B4	Front	19-019536		Rear	19-019543	
1989	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1989	S	B4	Front	19-019536		Rear	19-019543	
1989	S	B6 (HD)	Front	24-181501		Rear	24-003971	



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 900 (continued)								
1989	SPG	B4	Front	19-019536		Rear	19-019543	
1989	SPG	B6 (HD)	Front	24-181501		Rear	24-003971	
1989	Turbo	B4	Front	19-019536		Rear	19-019543	
1989	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1988	Base	B4	Front	19-019536		Rear	19-019543	
1988	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1988	S	B4	Front	19-019536		Rear	19-019543	
1988	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1988	SPG	B4	Front	19-019536		Rear	19-019543	
1988	SPG	B6 (HD)	Front	24-181501		Rear	24-003971	
1988	Turbo	B4	Front	19-019536		Rear	19-019543	
1988	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1987	Base	B4	Front	19-019536		Rear	19-019543	
1987	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1987	S	B4	Front	19-019536		Rear	19-019543	
1987	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1987	SPG	B4	Front	19-019536		Rear	19-019543	
1987	SPG	B6 (HD)	Front	24-181501		Rear	24-003971	
1987	Turbo	B4	Front	19-019536		Rear	19-019543	
1987	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1986	Base	B4	Front	19-019536		Rear	19-019543	
1986	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1986	S	B4	Front	19-019536		Rear	19-019543	
1986	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1986	SPG	B4	Front	19-019536		Rear	19-019543	
1986	SPG	B6 (HD)	Front	24-181501		Rear	24-003971	
1986	Turbo	B4	Front	19-019536		Rear	19-019543	
1986	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1985	Base	B4	Front	19-019536		Rear	19-019543	
1985	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1985	S	B4	Front	19-019536		Rear	19-019543	
1985	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1985	Turbo	B4	Front	19-019536		Rear	19-019543	
1985	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1984	Base	B4	Front	19-019536		Rear	19-019543	
1984	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1984	S	B4	Front	19-019536		Rear	19-019543	
1984	S	B6 (HD)	Front	24-181501		Rear	24-003971	



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 900 (continued)								
1984	Turbo	B4	Front	19-019536		Rear	19-019543	
1984	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1983	Base	B4	Front	19-019536		Rear	19-019543	
1983	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1983	S	B4	Front	19-019536		Rear	19-019543	
1983	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1983	Turbo	B4	Front	19-019536		Rear	19-019543	
1983	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1982	Base	B4	Front	19-019536		Rear	19-019543	
1982	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1982	S	B4	Front	19-019536		Rear	19-019543	
1982	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1982	Turbo	B4	Front	19-019536		Rear	19-019543	
1982	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1981	Base	B4	Front	19-019536		Rear	19-019543	
1981	Base	B6 (HD)	Front	24-181501		Rear	24-003971	
1981	S	B4	Front	19-019536		Rear	19-019543	
1981	S	B6 (HD)	Front	24-181501		Rear	24-003971	
1981	Turbo	B4	Front	19-019536		Rear	19-019543	
1981	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1980	EMS	B4	Front	19-019536		Rear	19-019543	
1980	EMS	B6 (HD)	Front	24-181501		Rear	24-003971	
1980	GLE	B4	Front	19-019536		Rear	19-019543	
1980	GLE	B6 (HD)	Front	24-181501		Rear	24-003971	
1980	GLI	B4	Front	19-019536		Rear	19-019543	
1980	GLI	B6 (HD)	Front	24-181501		Rear	24-003971	
1980	Turbo	B4	Front	19-019536		Rear	19-019543	
1980	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1979	EMS	B4	Front	19-019536		Rear	19-019543	
1979	EMS	B6 (HD)	Front	24-181501		Rear	24-003971	
1979	GL	B4	Front	19-019536		Rear	19-019543	
1979	GL	B6 (HD)	Front	24-181501		Rear	24-003971	
1979	GLE	B4	Front	19-019536		Rear	19-019543	
1979	GLE	B6 (HD)	Front	24-181501		Rear	24-003971	
1979	Turbo	B4	Front	19-019536		Rear	19-019543	
1979	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
Saab 9000								
1998	CSE Turbo	B4	Front	19-019536				



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9000 (continued)								
1997	Aero	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1997	Aero	B6 (HD)	Front	22-040343		Rear	24-017855	
1997	CS	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1997	CS	B6 (HD)	Front	22-040343		Rear	24-017855	
1997	CSE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1997	CSE	B6 (HD)	Front	22-040343		Rear	24-017855	
1997	CSE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1997	CSE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1996	Aero	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1996	Aero	B6 (HD)	Front	22-040343		Rear	24-017855	
1996	CS	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1996	CS	B6 (HD)	Front	22-040343		Rear	24-017855	
1996	CSE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1996	CSE	B6 (HD)	Front	22-040343		Rear	24-017855	
1996	CSE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1996	CSE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1995	Aero	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1995	Aero	B6 (HD)	Front	22-040343		Rear	24-017855	
1995	CDE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1995	CDE	B6 (HD)	Front	22-040343		Rear	24-017855	
1995	CS	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1995	CS	B6 (HD)	Front	22-040343		Rear	24-017855	
1995	CSE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1995	CSE	B6 (HD)	Front	22-040343		Rear	24-017855	
1995	CSE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9000 (continued)								
1995	CSE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	Aero	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	Aero	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CDE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CDE	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CDE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CDE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CS	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CS	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CS Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CS Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CSE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CSE	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CSE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CSE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1993	Aero	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	Aero	B6 (HD)	Front	22-040343		Rear	24-017855	
1993	CD	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	CD	B6 (HD)	Front	22-040343		Rear	24-017855	
1993	CD Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	CD Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1993	CDE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	CDE	B6 (HD)	Front	22-040343		Rear	24-017855	
1993	CDE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	CDE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9000 (continued)								
1993	CS	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	CS	B6 (HD)	Front	22-040343		Rear	24-017855	
1993	CS Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	CS Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1993	CSE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	CSE	B6 (HD)	Front	22-040343		Rear	24-017855	
1993	CSE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1993	CSE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1992	Base	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1992	Base	B6 (HD)	Front	22-040343		Rear	24-017855	
1992	CD	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1992	CD	B6 (HD)	Front	22-040343		Rear	24-017855	
1992	CD Griffin Edition	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1992	CD Griffin Edition	B6 (HD)	Front	22-040343		Rear	24-017855	
1992	CD Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1992	CD Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1992	S	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1992	S	B6 (HD)	Front	22-040343		Rear	24-017855	
1992	Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1992	Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1991	Base	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991	Base	B6 (HD)	Front	22-040343		Rear	24-017855	
1991	CD	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991	CD	B6 (HD)	Front	22-040343		Rear	24-017855	
1991	CD Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 9000 (continued)								
1991	CD Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1991	S	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991	S	B6 (HD)	Front	22-040343		Rear	24-017855	
1991	Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991	Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1990	CD	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1990	CD	B6 (HD)	Front	22-040343		Rear	24-017855	
1990	S	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1990	S	B6 (HD)	Front	22-040343		Rear	24-017855	
1990	Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1990	Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1989	Base	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1989	Base	B6 (HD)	Front	22-040343		Rear	24-017855	
1989	CD	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1989	CD	B6 (HD)	Front	22-040343		Rear	24-017855	
1989	S	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1989	S	B6 (HD)	Front	22-040343		Rear	24-017855	
1988	S	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1988	S	B6 (HD)	Front	22-040343		Rear	24-017855	
1988	Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1988	Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1987	S	B4	Front	19-019536				
1987	Turbo	B4	Front	19-019536				
1986	Turbo	B4	Front	19-019536				
Saab 95								
1973	Base	B4	Front	19-019505				
1972	Base	B4	Front	19-019505				
1971	Base	B4	Front	19-019505				



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 95 (continued)								
1970	Base	B4	Front	19-019505				
1969	Base	B4	Front	19-019505				
1968	Base	B4	Front	19-019505				
1967	Base	B4	Front	19-019505				
1966	Base	B4	Front	19-019505				
1966	Special	B4	Front	19-019505				
1965	Base	B4	Front	19-019505				
Saab 96								
1973	Base	B4	Front	19-019505				
1972	Base	B4	Front	19-019505				
1971	Base	B4	Front	19-019505				
1970	Base	B4	Front	19-019505				
1969	Base	B4	Front	19-019505				
1968	Base	B4	Front	19-019505				
1967	Base	B4	Front	19-019505				
1966	Base	B4	Front	19-019505				
1966	Special	B4	Front	19-019505				
1965	Base	B4	Front	19-019505				
Saab 99								
1980	GL	B4	Front	19-019505		Rear	19-019543	
1979	GL	B4	Front	19-019505		Rear	19-019543	
1978	EMS	B4	Front	19-019505				
1978	GL	B4	Front	19-019505				
1978	GLE	B4	Front	19-019505				
1978	L	B4	Front	19-019505				
1978	Turbo	B4	Front	19-019505				
1977	EMS	B4	Front	19-019505				
1977	GL	B4	Front	19-019505				
1977	GLE	B4	Front	19-019505				
1976	EMS	B4	Front	19-019505				
1976	GL	B4	Front	19-019505				
1976	GLE	B4	Front	19-019505				
1976	L	B4	Front	19-019505				
1975	EMS	B4	Front	19-019505				
1975	L	B4	Front	19-019505				
1974	Base	B4	Front	19-019505				
1974	EMS	B4	Front	19-019505				



Passenger Cars

Year	Application	Series	Front			Rear		
Saab 99 (continued)								
1974	LE	B4	Front	19-019505				
1973	Base	B4	Front	19-019505				
1973	EMS	B4	Front	19-019505				
1972	Base	B4	Front	19-019505				
1972	EMS	B4	Front	19-019505				
Saturn Astra								
2009	XE	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2009	XE	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2009	XR	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2009	XR	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	XE	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	XE	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	XR	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	XR	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
Seat Cordoba								
2009	Blitz	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Blitz	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Blitz	B4	Front	22-105813		Rear	19-109572	
2009	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Cordoba (continued)								
2009	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Reference	B4	Front	22-105813		Rear	19-109572	
2009	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Sport	B4	Front	22-105813		Rear	19-109572	
2009	Stylance	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Stylance	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Stylance	B4	Front	22-105813		Rear	19-109572	
2008	Blitz	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Blitz	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Blitz	B4	Front	22-105813		Rear	19-109572	
2008	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Reference	B4	Front	22-105813		Rear	19-109572	
2008	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Sport	B4	Front	22-105813		Rear	19-109572	
2008	Stylance	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Stylance	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Stylance	B4	Front	22-105813		Rear	19-109572	
2007	Blitz	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Cordoba (continued)								
2007	Blitz	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Blitz	B4	Front	22-105813		Rear	19-109572	
2007	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Reference	B4	Front	22-105813		Rear	19-109572	
2007	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Sport	B4	Front	22-105813		Rear	19-109572	
2007	Stylance	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Stylance	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Stylance	B4	Front	22-105813		Rear	19-109572	
2006	Blitz	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Blitz	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Blitz	B4	Front	22-105813		Rear	19-109572	
2006	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Reference	B4	Front	22-105813		Rear	19-109572	
2006	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Sport	B4	Front	22-105813		Rear	19-109572	
2006	Stylance	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Cordoba (continued)								
2006	Stylance	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Stylance	B4	Front	22-105813		Rear	19-109572	
2005	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Reference	B4	Front	22-105813		Rear	19-109572	
2005	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Sport	B4	Front	22-105813		Rear	19-109572	
2005	Stylance	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Stylance	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Stylance	B4	Front	22-105813		Rear	19-109572	
2004	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Sport	B4	Front	22-105813		Rear	19-109572	
2004	Stella	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Stella	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Stella	B4	Front	22-105813		Rear	19-109572	
2003	Signo	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2003	Signo	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2003	Signo	B4	Front	22-105813		Rear	19-109572	
2003	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Cordoba (continued)								
2003	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2003	Sport	B4	Front	22-105813		Rear	19-109572	
2003	Stella	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2003	Stella	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2003	Stella	B4	Front	22-105813		Rear	19-109572	
Seat Ibiza								
2009	Blitz	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Blitz	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Blitz	B4	Front	22-105813		Rear	19-109572	
2009	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Reference	B4	Front	22-105813		Rear	19-109572	
2009	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009	Sport	B4	Front	22-105813		Rear	19-109572	
2008	Blitz	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Blitz	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Blitz	B4	Front	22-105813		Rear	19-109572	
2008	Cupra	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Cupra	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Cupra	B4	Front	22-105813		Rear	19-109572	



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Ibiza (continued)								
2008	FR	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	FR	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	FR	B4	Front	22-105813		Rear	19-109572	
2008	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Reference	B4	Front	22-105813		Rear	19-109572	
2008	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2008	Sport	B4	Front	22-105813		Rear	19-109572	
2007	Blitz	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Blitz	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Blitz	B4	Front	22-105813		Rear	19-109572	
2007	FR	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	FR	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	FR	B4	Front	22-105813		Rear	19-109572	
2007	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Reference	B4	Front	22-105813		Rear	19-109572	
2007	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2007	Sport	B4	Front	22-105813		Rear	19-109572	



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Ibiza (continued)								
2006	Blitz	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Blitz	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Blitz	B4	Front	22-105813		Rear	19-109572	
2006	Cupra	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Cupra	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Cupra	B4	Front	22-105813		Rear	19-109572	
2006	FR	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	FR	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	FR	B4	Front	22-105813		Rear	19-109572	
2006	Fresc	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Fresc	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Fresc	B4	Front	22-105813		Rear	19-109572	
2006	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Reference	B4	Front	22-105813		Rear	19-109572	
2006	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Sport	B4	Front	22-105813		Rear	19-109572	
2006	Stylance	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Stylance	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	Stylance	B4	Front	22-105813		Rear	19-109572	



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Ibiza (continued)								
2006	XSS	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	XSS	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2006	XSS	B4	Front	22-105813		Rear	19-109572	
2005	Cupra	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Cupra	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Cupra	B4	Front	22-105813		Rear	19-109572	
2005	FR	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	FR	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	FR	B4	Front	22-105813		Rear	19-109572	
2005	Reference	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Reference	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Reference	B4	Front	22-105813		Rear	19-109572	
2005	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Sport	B4	Front	22-105813		Rear	19-109572	
2005	Stylance	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Stylance	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2005	Stylance	B4	Front	22-105813		Rear	19-109572	
2004	Signo	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Signo	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Signo	B4	Front	22-105813		Rear	19-109572	



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Ibiza (continued)								
2004	Sport	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Sport	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Sport	B4	Front	22-105813		Rear	19-109572	
2004	Stella	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Stella	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2004	Stella	B4	Front	22-105813		Rear	19-109572	
Seat Leon								
2009	2.0T FSI	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0T FSI	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009	2.0T FSI	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0T FSI	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009	2.0T FSI	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009	2.0T FSI	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2009	2.0T FSI	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2009	2.0T FSI	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2009	2.0T FSI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Cupra	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2009	Cupra	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009	Cupra	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Cupra	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009	Cupra	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009	Cupra	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Cupra	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2009	Cupra	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2009	Cupra	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Cupra Copa Edition	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2009	Cupra Copa Edition	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009	Cupra Copa Edition	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Cupra Copa Edition	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009	Cupra Copa Edition	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009	Cupra Copa Edition	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Cupra Copa Edition	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2009	Cupra Copa Edition	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2009	Cupra Copa Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2009	Stylance	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2009	Stylance	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009	Stylance	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Stylance	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009	Stylance	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009	Stylance	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Stylance	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2009	Stylance	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2009	Stylance	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2008	2.0T FSI	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0T FSI	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2008	2.0T FSI	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0T FSI	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2008	2.0T FSI	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2008	2.0T FSI	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	2.0T FSI	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2008	2.0T FSI	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2008	2.0T FSI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	Cupra	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2008	Cupra	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2008	Cupra	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	Cupra	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2008	Cupra	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2008	Cupra	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	Cupra	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-127936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2008	Cupra	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2008	Cupra	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	Reference	B12 (Pro-Kit)	Front and Rear	46-000217	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182364	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2008	Reference	B12 (Sportline)	Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2008	Reference	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	Reference	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2008	Reference	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2008	Reference	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	Reference	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2008	Reference	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2008	Reference	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	Stylance	B12 (Pro-Kit)	Front and Rear	46-000217	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182364	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2008	Stylance	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2008	Stylance	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	Stylance	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2008	Stylance	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2008	Stylance	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	Stylance	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2008	Stylance	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2008	Stylance	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0L L4 1984cc 121 CID; Reference	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2007	2.0L L4 1984cc 121 CID; Reference	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2007	2.0L L4 1984cc 121 CID; Stylance	B12 (Pro-Kit)	Front and Rear	46-000217	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182364	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0T FSI	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0T FSI	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2007	2.0T FSI	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0T FSI	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	2.0T FSI	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	2.0T FSI	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	2.0T FSI	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2007	2.0T FSI	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2007	2.0T FSI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Reference	B12 (Pro-Kit)	Front and Rear	46-000217	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182364	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2007	Reference	B12 (Sportline)	Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2007	Reference	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Reference	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Reference	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Reference	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	Reference	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2007	Reference	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2007	Reference	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2007	Sport	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2007	Sport	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Sport	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Sport	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Sport	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	Sport	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2007	Sport	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2007	Sport	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Sport Up	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2007	Sport Up	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2007	Sport Up	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Sport Up	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Sport Up	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Sport Up	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	Sport Up	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2007	Sport Up	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2007	Sport Up	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Sport Up WTCC	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2007	Sport Up WTCC	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2007	Sport Up WTCC	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Sport Up WTCC	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Sport Up WTCC	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Sport Up WTCC	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	Sport Up WTCC	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2007	Sport Up WTCC	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2007	Sport Up WTCC	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Stylance	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2007	Stylance	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2007	Stylance	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	Stylance	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Stylance	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2007	Stylance	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	Stylance	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2007	Stylance	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2007	Stylance	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006	Cupra R	B12 (Pro-Kit)	Front and Rear	46-187994	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2006	Cupra R	B12 (Sportline)	Front and Rear	46-180278	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10mm, up to 1000kg Axle Load			
2006	Cupra R	B4				Rear	19-140032	Off-road Suspension
2006	Cupra R	B6 (HD)	Front	35-046370		Rear	24-026239	
2006	Cupra R	B8 (SP)	Front	35-046387		Rear	24-026246	
2006	FR	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2006	FR	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2006	FR	B4				Rear	19-140032	Off-road Suspension
2006	FR	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	FR	B8 (SP)	Front	35-044086		Rear	24-026246	



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2006	FR Last Edition	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2006	FR Last Edition	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2006	FR Last Edition	B4				Rear	19-140032	Off-road Suspension
2006	FR Last Edition	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	FR Last Edition	B8 (SP)	Front	35-044086		Rear	24-026246	
2006	Stylance	B12 (Pro-Kit)	Front and Rear	46-000217	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182364	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			
2006	Stylance	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2006	Stylance	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006	Stylance	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006	Stylance	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2006	Stylance	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2006	Stylance	B6 (HD)	Front	35-108177	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-113751	With 50mm Outside Strut Diameter			
2006	Stylance	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2006	Stylance	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2005	Cupra R	B12 (Pro-Kit)	Front and Rear	46-187994	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2005	Cupra R	B12 (Sportline)	Front and Rear	46-180278	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10mm, up to 1000kg Axle Load			
2005	Cupra R	B4				Rear	19-140032	Off-road Suspension
2005	Cupra R	B6 (HD)	Front	35-046370		Rear	24-026239	
2005	Cupra R	B8 (SP)	Front	35-046387		Rear	24-026246	
2005	FR	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2005	FR	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2005	FR	B4				Rear	19-140032	Off-road Suspension
2005	FR	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	FR	B8 (SP)	Front	35-044086		Rear	24-026246	
2005	Stylance	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2005	Stylance	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2005	Stylance	B4				Rear	19-140032	Off-road Suspension
2005	Stylance	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	Stylance	B8 (SP)	Front	35-044086		Rear	24-026246	



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2004	Cupra R	B12 (Pro-Kit)	Front and Rear	46-187994	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2004	Cupra R	B12 (Sportline)	Front and Rear	46-180278	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10mm, up to 1000kg Axle Load			
2004	Cupra R	B4				Rear	19-140032	Off-road Suspension
2004	Cupra R	B6 (HD)	Front	35-046370		Rear	24-026239	
2004	Cupra R	B8 (SP)	Front	35-046387		Rear	24-026246	
2004	Signo	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2004	Signo	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Signo	B4				Rear	19-140032	Off-road Suspension
2004	Signo	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	Signo	B8 (SP)	Front	35-044086		Rear	24-026246	
2004	Sport	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2004	Sport	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Sport	B4				Rear	19-140032	Off-road Suspension
2004	Sport	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	Sport	B8 (SP)	Front	35-044086		Rear	24-026246	
2004	Stella	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2004	Stella	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Stella	B4				Rear	19-140032	Off-road Suspension
2004	Stella	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	Stella	B8 (SP)	Front	35-044086		Rear	24-026246	
2003	Cupra R	B12 (Pro-Kit)	Front and Rear	46-187994	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2003	Cupra R	B12 (Sportline)	Front and Rear	46-180278	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10mm, up to 1000kg Axle Load			
2003	Cupra R	B4				Rear	19-140032	Off-road Suspension
2003	Cupra R	B6 (HD)	Front	35-046370		Rear	24-026239	
2003	Cupra R	B8 (SP)	Front	35-046387		Rear	24-026246	
2003	Signo	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2003	Signo	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2003	Signo	B4				Rear	19-140032	Off-road Suspension
2003	Signo	B6 (HD)	Front	35-044079		Rear	24-026239	
2003	Signo	B8 (SP)	Front	35-044086		Rear	24-026246	
2003	Sport	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2003	Sport	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2003	Sport	B4				Rear	19-140032	Off-road Suspension
2003	Sport	B6 (HD)	Front	35-044079		Rear	24-026239	
2003	Sport	B8 (SP)	Front	35-044086		Rear	24-026246	
2003	Stella	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2003	Stella	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2003	Stella	B4				Rear	19-140032	Off-road Suspension
2003	Stella	B6 (HD)	Front	35-044079		Rear	24-026239	
2003	Stella	B8 (SP)	Front	35-044086		Rear	24-026246	
2002	Sport	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2002	Sport	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2002	Sport	B4				Rear	19-140032	Off-road Suspension
2002	Sport	B6 (HD)	Front	35-044079		Rear	24-026239	



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Leon (continued)								
2002	Sport	B8 (SP)	Front	35-044086		Rear	24-026246	
2001	Sport	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2001	Sport	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2001	Sport	B4				Rear	19-140032	Off-road Suspension
2001	Sport	B6 (HD)	Front	35-044079		Rear	24-026239	
2001	Sport	B8 (SP)	Front	35-044086		Rear	24-026246	
Seat Toledo								
2006	Reference	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006	Reference	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006	Reference	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006	Reference	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2006	Reference; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-194763	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194770	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 55mm Outside Strut Diameter			
2006	Reference; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-194749	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194756	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 55mm Outside Strut Diameter			
2006	Stylance	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Toledo (continued)								
2006	Stylance	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006	Stylance	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006	Stylance	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2006	Stylance	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2006	Stylance	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2006	Stylance; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-194763	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194770	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 55mm Outside Strut Diameter			
2005		B6 (HD)	Front	35-044079		Rear	24-026239	
2005		B8 (SP)	Front	35-044086		Rear	24-026246	
2005	Stylance	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2005	Stylance	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2005	Stylance	B4				Rear	19-140032	Off-road Suspension
2004		B6 (HD)	Front	35-044079		Rear	24-026239	
2004		B8 (SP)	Front	35-044086		Rear	24-026246	
2004	Signo	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2004	Signo	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Signo	B4				Rear	19-140032	Off-road Suspension
2004	Sport	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Toledo (continued)								
2004	Sport	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Sport	B4				Rear	19-140032	Off-road Suspension
2004	Stella	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2004	Stella	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004	Stella	B4				Rear	19-140032	Off-road Suspension
2003		B6 (HD)	Front	35-044079		Rear	24-026239	
2003		B8 (SP)	Front	35-044086		Rear	24-026246	
2003	Signo	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2003	Signo	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2003	Signo	B4				Rear	19-140032	Off-road Suspension
2003	Sport	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2003	Sport	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2003	Sport	B4				Rear	19-140032	Off-road Suspension
2003	Stella	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2003	Stella	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2003	Stella	B4				Rear	19-140032	Off-road Suspension
2002		B6 (HD)	Front	35-044079		Rear	24-026239	
2002		B8 (SP)	Front	35-044086		Rear	24-026246	
2002	Signo	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2002	Signo	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Seat Toledo (continued)								
2002	Signo	B4				Rear	19-140032	Off-road Suspension
2002	Sport	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2002	Sport	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2002	Sport	B4				Rear	19-140032	Off-road Suspension
2001		B6 (HD)	Front	35-044079		Rear	24-026239	
2001		B8 (SP)	Front	35-044086		Rear	24-026246	
2001	Signo	B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2001	Signo	B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2001	Signo	B4				Rear	19-140032	Off-road Suspension
Smart Crossblade								
2004	Crossblade	B14 (PSS)	Front and Rear	47-107632	Front Lowered Height: 10-30mm, up to 465kg Axle Load; Rear Lowered Height: 10-30mm, up to 610kg Axle Load; Spacers required for several wheel/tire combinations			
Smart Fortwo								
2013	Brabus	B4	Front	22-145697				
2013	MHD	B4	Front	22-145697				
2013	Passion	B4	Front	22-145697				
2013	Passion Cabrio	B4	Front	22-145697				
2013	Pure	B4	Front	22-145697				
2013	Sharpred	B4	Front	22-145697				
2012	MHD	B4	Front	22-145697				
2012	Passion	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2012	Passion	B4	Front	22-145697				
2012	Passion Cabrio	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2012	Passion Cabrio	B4	Front	22-145697				
2012	Pearlgrey	B4	Front	22-145697				
2012	Pure	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Smart Fortwo (continued)								
2012	Pure	B4	Front	22-145697				
2011	Brabus	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2011	Brabus	B4	Front	22-145697				
2011	Brabus Cabrio	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2011	Brabus Cabrio	B4	Front	22-145697				
2011	Passion	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2011	Passion	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2011	Passion Cabrio	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2011	Passion Cabrio	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2011	Pure	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2011	Pure	B4	Front	22-145697				
2010	Brabus	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2010	Brabus	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2010	MHD	B4	Front	22-145697				
2010	Passion	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2010	Passion	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2010	Passion Cabrio	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2010	Passion Cabrio	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2010	Pure	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Smart Fortwo (continued)								
2010	Pure	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2009	Brabus	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2009	Brabus	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2009	Passion	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2009	Passion	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2009	Passion Cabrio	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2009	Passion Cabrio	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2009	Pulse	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2009	Pulse	B4	Front	22-145697				
2009	Pure	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2009	Pure	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2008	Passion	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2008	Passion	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2008	Passion Cabrio	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2008	Passion Cabrio	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
2008	Pulse	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2008	Pulse	B4	Front	22-145697				



Passenger Cars

Year	Application	Series	Front			Rear		
Smart Fortwo (continued)								
2008	Pure	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2008	Pure	B4	Front	22-145697		Rear	19-067971	
			Front	22-052261	Original spring seat must be reused			
Smart Roadster								
2004	Roadster	B14 (PSS)	Front and Rear	47-107632	Front Lowered Height: 10-30mm, up to 465kg Axle Load; Rear Lowered Height: 10-30mm, up to 610kg Axle Load; Spacers required for several wheel/tire combinations			
2004	Roadster Coupe	B14 (PSS)	Front and Rear	47-107632	Front Lowered Height: 10-30mm, up to 465kg Axle Load; Rear Lowered Height: 10-30mm, up to 610kg Axle Load; Spacers required for several wheel/tire combinations			
Subaru Impreza								
2012	WRX	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2012	WRX Limited	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2012	WRX STI	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2012	WRX STI Limited	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011	2.5i	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011	2.5i Premium	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011	WRX	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011	WRX Limited	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011	WRX Premium	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011	WRX STI	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011	WRX STI Limited	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Subaru Impreza (continued)						
2010	2.5 GT	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010	2.5i	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010	2.5i Premium	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010	WRX	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010	WRX Limited	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010	WRX Premium	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010	WRX STI	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010	WRX STI Special Edition	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2009	2.5 GT	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2009	2.5i	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2009	WRX	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2009	WRX Premium	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2009	WRX STI	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2008	2.5i	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2008	WRX	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2008	WRX STI	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2007	2.5i	B16 (PSS9)	Front and Rear	48-101288		



Passenger Cars

Year	Application	Series	Front			Rear
Subaru Impreza (continued)						
2007	Outback Sport	B16 (PSS9)	Front and Rear	48-101288		
2007	WRX	B16 (PSS9)	Front and Rear	48-101288	Requires 01-03 rear upper mounts; Requires 15mm rear wheel spacers	
2007	WRX Limited	B16 (PSS9)	Front and Rear	48-101288		
2007	WRX STI	B16 (PSS9)	Front and Rear	48-123525		
2007	WRX TR	B16 (PSS9)	Front and Rear	48-101288		
2006	2.5i	B16 (PSS9)	Front and Rear	48-101288		
2006	Outback Sport	B16 (PSS9)	Front and Rear	48-101288		
2006	WRX	B16 (PSS9)	Front and Rear	48-101288	Requires 01-03 rear upper mounts; Requires 15mm rear wheel spacers	
2006	WRX Limited	B16 (PSS9)	Front and Rear	48-101288		
2006	WRX STI	B16 (PSS9)	Front and Rear	48-123525		
2006	WRX TR	B16 (PSS9)	Front and Rear	48-101288		
2005	Outback Sport	B16 (PSS9)	Front and Rear	48-101288		
2005	RS	B16 (PSS9)	Front and Rear	48-101288		
2005	WRX	B16 (PSS9)	Front and Rear	48-101288	Requires 01-03 rear upper mounts; Requires 15mm rear wheel spacers	
2005	WRX STI	B16 (PSS9)	Front and Rear	48-123525		
2004	Outback	B16 (PSS9)	Front and Rear	48-101288		
2004	RS	B16 (PSS9)	Front and Rear	48-101288		
2004	TS	B16 (PSS9)	Front and Rear	48-101288		
2004	WRX	B16 (PSS9)	Front and Rear	48-101288	Requires 01-03 rear upper mounts; Requires 15mm rear wheel spacers	
2004	WRX STI	B16 (PSS9)	Front and Rear	48-101288	Requires 01-03 rear upper mounts; Requires 15mm rear wheel spacers	
2003	Outback	B16 (PSS9)	Front and Rear	48-101288		
2003	RS	B16 (PSS9)	Front and Rear	48-101288		
2003	TS	B16 (PSS9)	Front and Rear	48-101288		
2003	WRX	B16 (PSS9)	Front and Rear	48-101288	Requires 15mm rear wheel spacers	
2002	Outback	B16 (PSS9)	Front and Rear	48-101288		



Passenger Cars

Year	Application	Series	Front			Rear		
Subaru Impreza (continued)								
2002	RS	B16 (PSS9)	Front and Rear	48-101288				
2002	TS	B16 (PSS9)	Front and Rear	48-101288				
2002	WRX	B16 (PSS9)	Front and Rear	48-101288	Requires 15mm rear wheel spacers			
2001	L	B16 (PSS9)	Front and Rear	48-101288				
2001	Outback	B16 (PSS9)	Front and Rear	48-101288				
2001	RS	B16 (PSS9)	Front and Rear	48-086035				
2000	RS	B16 (PSS9)	Front and Rear	48-086035				
1999	RS	B16 (PSS9)	Front and Rear	48-086035				
1998	RS	B16 (PSS9)	Front and Rear	48-086035				
Subaru Legacy								
2009	2.5i	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2009	2.5i Limited	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2009	3.0 R	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2009	3.0 R Limited	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2009	GT Limited	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2009	GT spec.B	B6 (HD)	Front Left	35-118305		Rear	24-118323	
			Front Right	35-118312				
2008	2.5i	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2008	2.5i Limited	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2008	2.5i Special Edition	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2008	3.0 R Limited	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2008	GT Limited	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2008	GT spec.B	B6 (HD)	Front Left	35-118305		Rear	24-118323	
			Front Right	35-118312				



Passenger Cars

Year	Application	Series	Front			Rear		
Subaru Legacy (continued)								
2007	GT spec.B	B6 (HD)	Front Left	35-118305		Rear	24-118323	
			Front Right	35-118312				
2006	2.5i	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2006	GT	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2006	GT spec.B	B6 (HD)	Front Right	35-118312		Rear	24-118323	
			Front Left	35-118305	Exc. outback and air suspension			
2005	GT	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2005	GT Limited	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2005	Limited	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2005	i	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2004	GT	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2004	L	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2004	L 35th Anniversary	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2003	GT	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2003	L	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2003	L SE	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			



Passenger Cars

Year	Application	Series	Front			Rear		
Subaru Legacy (continued)								
2002	GT	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2002	GT Limited	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2002	L	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2001	GT	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2001	GT Limited	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2001	L	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2000	Brighton	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2000	GT	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2000	GT Limited	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
2000	L	B6 (HD)	Front Left	35-101680	no air suspension; no outback	Rear	24-101707	
			Front Right	35-101697	no air suspension; no outback			
1999	GT	B4	Front Left	22-048028				
			Front Right	22-048035				
1999	L	B4	Front Left	22-048028				
			Front Right	22-048035				
1999	L 30th Anniversary	B4	Front Left	22-048028				
			Front Right	22-048035				
1999	Limited 30th Anniversary	B4	Front Left	22-048028				
			Front Right	22-048035				
1999	SUS 30th Anniversary	B4	Front Left	22-048028				
			Front Right	22-048035				
1998	Brighton	B4	Front Left	22-048028				
			Front Right	22-048035				
1998	GT	B4	Front Left	22-048028				
			Front Right	22-048035				
1998	GT Limited	B4	Front Left	22-048028				
			Front Right	22-048035				
1998	L	B4	Front Left	22-048028				
			Front Right	22-048035				



Passenger Cars

Year	Application	Series	Front			Rear
Subaru Legacy (continued)						
1998	Postal	B4	Front Left	22-048028		
			Front Right	22-048035		
1997	Brighton	B4	Front Left	22-048028		
			Front Right	22-048035		
1997	GT	B4	Front Left	22-048028		
			Front Right	22-048035		
1997	L	B4	Front Left	22-048028		
			Front Right	22-048035		
1997	LSi	B4	Front Left	22-048028		
			Front Right	22-048035		
1997	Outback Limited	B4	Front Left	22-048028		
1997	Postal	B4	Front Left	22-048028		
			Front Right	22-048035		
1996	Brighton	B4	Front Left	22-048028		
			Front Right	22-048035		
1996	GT	B4	Front Left	22-048028		
			Front Right	22-048035		
1996	L	B4	Front Left	22-048028		
			Front Right	22-048035		
1996	LS	B4	Front Left	22-048028		
			Front Right	22-048035		
1996	LSi	B4	Front Left	22-048028		
			Front Right	22-048035		
1996	Postal	B4	Front Left	22-048028		
			Front Right	22-048035		
1995	Base	B4	Front Left	22-048028		
			Front Right	22-048035		
1995	Brighton	B4	Front Left	22-048028		
			Front Right	22-048035		
1995	L	B4	Front Left	22-048028		
			Front Right	22-048035		
1995	LS	B4	Front Left	22-048028		
			Front Right	22-048035		
1995	LSi	B4	Front Left	22-048028		
			Front Right	22-048035		
1995	Postal	B4	Front Left	22-048028		
			Front Right	22-048035		

894



Passenger Cars

Year	Application	Series	Front			Rear		
Suzuki Aerio (continued)								
2002	GS	B4	Front Left	22-212986	Standard Chassis	Rear Left	22-213686	Standard Chassis
			Front Right	22-212993	Standard Chassis	Rear Right	22-213693	Standard Chassis
2002	S	B4	Front Left	22-212986	Standard Chassis	Rear Left	22-213686	Standard Chassis
			Front Right	22-212993	Standard Chassis	Rear Right	22-213693	Standard Chassis
2002	SX	B4	Front Left	22-212986	Standard Chassis			
			Front Right	22-212993	Standard Chassis			
Suzuki Swift								
2010	Base	B6 (HD)	Front Right	22-222138		Rear	24-222143	
			Front Left	22-222121				
2009	Base	B6 (HD)	Front Right	22-222138		Rear	24-222143	
			Front Left	22-222121				
2008	Base	B6 (HD)	Front Right	22-222138		Rear	24-222143	
			Front Left	22-222121				
2007	Base	B6 (HD)	Front Right	22-222138		Rear	24-222143	
			Front Left	22-222121				
Toyota Camry								
1996	DX	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1996	LE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1996	SE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1996	XLE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1995	DX	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1995	LE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1995	SE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1995	XLE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1994	DX	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96			
			Front Left	22-048325	From 9/94 To 7/96			



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota Camry (continued)								
1994	LE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96			
			Front Left	22-048325	From 9/94 To 7/96			
1994	SE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96			
			Front Left	22-048325	From 9/94 To 7/96			
1994	XLE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96			
			Front Left	22-048325	From 9/94 To 7/96			
1993	DX	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
1993	LE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
1993	SE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
1993	XLE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
1992	DLX	B4	Front Right	F4-VNE-E029-BA		Rear Right	22-049599	From 92 To 7/96
1992	LE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
1992	SE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
1992	XLE	B4	Front Right	F4-VNE-E029-BA		Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
1991	4 Dr.; DLX; Sedan	B4				Rear	F4-PNE-3111-BH	Strut housings must be servicable type



Passenger Cars

Year	Application	Series	Front	Rear		
Toyota Camry (continued)						
1991	4 Dr.; LE; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1991	Base	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1990	4 Dr.; DLX; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1990	4 Dr.; LE; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1990	Base	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1989	4 Dr.; Base; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1989	4 Dr.; DLX; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1989	4 Dr.; LE; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1988	4 Dr.; DLX; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1988	4 Dr.; LE; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1988	Base	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1987	4 Dr.; DLX; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1987	4 Dr.; LE; Sedan	B4		Rear	F4-PNE-3111-BH	Strut housings must be servicable type
Toyota Celica						
1993	GT	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93
1993	GTS	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93
1993	ST	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93
1992	GT	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93
1992	GTS	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93
1992	ST	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93
1991	GT	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93
1991	GTS	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93
1991	ST	B4		Rear Left	22-049506	From 10/89 To 93
				Rear Right	22-049513	From 10/89 To 93



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota Celica (continued)								
1990	GT	B4				Rear Left	22-049506	From 10/89 To 93
						Rear Right	22-049513	From 10/89 To 93
1990	GTS	B4				Rear Left	22-049506	From 10/89 To 93
						Rear Right	22-049513	From 10/89 To 93
1990	ST	B4				Rear Left	22-049506	From 10/89 To 93
						Rear Right	22-049513	From 10/89 To 93
1989	GT	B4				Rear Left	22-049506	From 10/89 To 93
						Rear Right	22-049513	From 10/89 To 93
1989	GTS	B4				Rear Left	22-049506	From 10/89 To 93
						Rear Right	22-049513	From 10/89 To 93
1989	ST	B4				Rear Left	22-049506	From 10/89 To 93
						Rear Right	22-049513	From 10/89 To 93
Toyota Corolla								
2008	CE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2008	CE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2008	LE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2008	LE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2008	S	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2008	S	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2007	CE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2007	CE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2007	LE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota Corolla (continued)								
2007	LE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2007	S	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2007	S	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2006	CE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2006	CE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2006	LE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2006	LE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2006	S	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2006	S	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2006	XRS	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2006	XRS	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2005	CE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2005	CE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2005	LE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2005	LE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2005	S	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota Corolla (continued)								
2005	S	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2005	XRS	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2005	XRS	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2004	CE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2004	CE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2004	LE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2004	LE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2004	S	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2004	S	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2003	CE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2003	CE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2003	LE	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2003	LE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2003	S	B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2003	S	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2002	CE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota Corolla (continued)								
2002	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
2002	S	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
2001	CE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
2001	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
2001	S	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
2000	CE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
2000	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
2000	VE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1999	CE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1999	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1999	VE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1998	CE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1998	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1998	VE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1997	Base	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1997	DX	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1997	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1996	Base	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1996	DX	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota Corolla (continued)								
1995	Base	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1995	DX	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1995	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1994	Base	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1994	DX	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1994	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1993	Base	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1993	DX	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1993	LE	B4	Front Left	22-048189		Rear Left	22-049469	
			Front Right	22-048196		Rear Right	22-049476	
1992	Base	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1992	DLX	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1992	LE	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1991	Base	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1991	DLX	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1991	GTS	B4	Front	21-031373		Rear Left	22-049384	Must have servicable strut housing
						Rear Right	22-049391	Must have servicable strut housing
1991	LE	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1991	SR5	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1990	Base	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota Corolla (continued)								
1990	DLX	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1990	GTS	B4	Front	21-031373		Rear Left	22-049384	Must have servicable strut housing
						Rear Right	22-049391	Must have servicable strut housing
1990	LE	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1990	SR5	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1989	DLX	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1989	GTS	B4	Front	21-031373		Rear Left	22-049384	Must have servicable strut housing
						Rear Right	22-049391	Must have servicable strut housing
1989	LE	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1989	SR5	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1988	DLX	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1988	FX	B4				Rear Left	22-049384	
						Rear Right	22-049391	
1988	FX16	B4				Rear Left	22-049384	
						Rear Right	22-049391	
1988	FX16 GTS	B4				Rear Left	22-049384	Must have servicable strut housing
						Rear Right	22-049391	Must have servicable strut housing
1988	GTS	B4	Front	21-031373		Rear Left	22-049384	Must have servicable strut housing
						Rear Right	22-049391	Must have servicable strut housing
1988	LE	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1988	SR5	B4	Front	21-031359		Rear Left	22-049384	
						Rear Right	22-049391	
1987	Sport GTS	B6 (HD)	Front	34-000984		Rear	24-003193	
						Rear	24-001540	Rennen Model/Firmer Setting
1987	Sport SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
						Rear	24-001540	Rennen Model/Firmer Setting



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota Corolla (continued)								
1986	Sport GTS	B6 (HD)	Front	34-000984		Rear	24-003193	
						Rear	24-001540	Rennen Model/Firmer Setting
1986	Sport SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
						Rear	24-001540	Rennen Model/Firmer Setting
1985	DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1985	Sport DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1985	Sport GTS	B6 (HD)	Front	34-000984		Rear	24-003193	
						Rear	24-001540	Rennen Model/Firmer Setting
1985	Sport SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
						Rear	24-001540	Rennen Model/Firmer Setting
1984	DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1984	Sport DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1984	Sport SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
1983	Base	B6 (HD)	Front	34-000984		Rear	24-003193	
1983	DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1983	SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
1982	Base	B6 (HD)	Front	34-000984		Rear	24-003193	
1982	DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1982	SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
1981	Base	B6 (HD)	Front	34-000984		Rear	24-003193	
1981	DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1981	SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
1980	Base	B6 (HD)	Front	34-000984		Rear	24-003193	
1980	DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1980	SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
1979	Custom	B6 (HD)	Front	34-000984		Rear	24-003193	
1979	DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1979	SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
Toyota MR2								
1995	Base	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
1995	Turbo	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
1994	Base	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
1994	Turbo	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	



Passenger Cars

Year	Application	Series	Front			Rear		
Toyota MR2 (continued)								
1993	Base	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
1993	Turbo	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
1992	Base	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
1992	Turbo	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
1991	Base	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
1991	Turbo	B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
Toyota Supra								
1998	Base	B6 (HD)	Front	AK1242		Rear	AK1243	
1998	Twin Turbo	B6 (HD)	Front	AK1242		Rear	AK1243	
1997	Base	B6 (HD)	Front	AK1242		Rear	AK1243	
1997	Twin Turbo	B6 (HD)	Front	AK1242		Rear	AK1243	
1996	Base	B6 (HD)	Front	AK1242		Rear	AK1243	
1996	Twin Turbo	B6 (HD)	Front	AK1242		Rear	AK1243	
1995	Base	B6 (HD)	Front	AK1242		Rear	AK1243	
1995	Twin Turbo	B6 (HD)	Front	AK1242		Rear	AK1243	
1994	Base	B6 (HD)	Front	AK1242		Rear	AK1243	
1994	Twin Turbo	B6 (HD)	Front	AK1242		Rear	AK1243	
1993	Base	B6 (HD)	Front	AK1242		Rear	AK1243	
1993	Twin Turbo	B6 (HD)	Front	AK1242		Rear	AK1243	
1992	Base	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1992	Turbo	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1991	Base	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1991	Turbo	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1990	Base	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1990	Turbo	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1989	Base	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1989	Turbo	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1988	Base	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1988	Turbo	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1987	Base	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1987	Turbo	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
1986	Base	B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Beetle						
2012	Base	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Base	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	
2012	Comfortline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Comfortline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Comfortline	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	
2012	Highline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Beetle (continued)						
2012	Highline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Highline	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	
2012	Premiere	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Premiere	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Premiere	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	
2012	Sportline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Sportline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2012	Sportline	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2012	Turbo	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	Turbo	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	Turbo	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-222198	With Multilink Rear Axle
2010	2.5L L5 2480cc 151 CID; Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2010	2.5L L5 2480cc 151 CID; Comfortline; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2010	Base	B14 (PSS)	Front and Rear	47-124851				
2010	Base	B16 (PSS9)	Front and Rear	48-080651				
2010	Base	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2010	Base	B6 (HD)	Front	35-044079		Rear	24-026239	
2010	Base	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2010	Comfortline	B4				Rear	19-140032	Off-road Suspension
2009	2.0L L4 1984cc 121 CID; Cabrio; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009	2.5L L5 2480cc 151 CID; Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2009	2.5L L5 2480cc 151 CID; Comfortline; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009	2.5L L5 2480cc 151 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009	2.5L L5 2480cc 151 CID; Hatchback; Sport GLX	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009	2.5L L5 2480cc 151 CID; Hatchback; Trendline	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009	Base	B14 (PSS)	Front and Rear	47-124851				
2009	Base	B16 (PSS9)	Front and Rear	48-080651				
2009	Base	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2009	Base	B6 (HD)	Front	35-044079		Rear	24-026239	
2009	Base	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2009	Cabrio	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2009	Cabrio	B4				Rear	19-140032	Off-road Suspension
2009	Comfortline	B4				Rear	19-140032	Off-road Suspension
2009	GLS	B4				Rear	19-140032	Off-road Suspension
2009	Sport	B4				Rear	19-140032	Off-road Suspension
2009	Sport GLX	B4				Rear	19-140032	Off-road Suspension
2009	Trendline	B4				Rear	19-140032	Off-road Suspension
2008	10 Anos	B4				Rear	19-140032	Off-road Suspension
2008	10 Anos; 2.0L L4 1984cc 121 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	10 Anos; 2.5L L5 2480cc 151 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Hatchback; Hot Wheels	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2008	2.5; 2.5L L5 2480cc 151 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5L L5 2480cc 151 CID; Hatchback; Hot Wheels	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5L L5 2480cc 151 CID; Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5L L5 2480cc 151 CID; Hatchback; SE	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5L L5 2480cc 151 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5L L5 2480cc 151 CID; Hatchback; Sport GLX	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	Cabrio	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2008	Cabrio	B4				Rear	19-140032	Off-road Suspension
2008	GLS	B4				Rear	19-140032	Off-road Suspension
2008	Hot Wheels	B4				Rear	19-140032	Off-road Suspension
2008	S	B14 (PSS)	Front and Rear	47-124851				
2008	S	B16 (PSS9)	Front and Rear	48-080651				
2008	S	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2008	S	B6 (HD)	Front	35-044079		Rear	24-026239	
2008	S	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2008	SE	B14 (PSS)	Front and Rear	47-124851				
2008	SE	B16 (PSS9)	Front and Rear	48-080651				
2008	SE	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2008	SE	B6 (HD)	Front	35-044079		Rear	24-026239	
2008	SE	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2008	Sport	B4				Rear	19-140032	Off-road Suspension
2008	Sport GLX	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2007	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2007	2.0L L4 1984cc 121 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2007	2.0L L4 1984cc 121 CID; Hatchback; Sport GLX	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2007	2.5	B14 (PSS)	Front and Rear	47-124851				
2007	2.5	B16 (PSS9)	Front and Rear	48-080651				
2007	2.5	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2007	2.5	B6 (HD)	Front	35-044079		Rear	24-026239	
2007	2.5	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2007	2.5; 2.5L L5 2480cc 151 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2007	Cabrio	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2007	Cabrio	B4				Rear	19-140032	Off-road Suspension
2007	GLS	B4				Rear	19-140032	Off-road Suspension
2007	Sport	B4				Rear	19-140032	Off-road Suspension
2007	Sport GLX	B4				Rear	19-140032	Off-road Suspension
2006	1.9L L4 1896cc 116 CID; Hatchback; TDI	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2006	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Hatchback; Sport GLX	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2006	2.5	B14 (PSS)	Front and Rear	47-124851				
2006	2.5	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2006	2.5	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2006	2.5	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	2.5	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2006	2.5; 2.5L L5 2480cc 151 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2006	Cabrio	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2006	Cabrio	B4				Rear	19-140032	Off-road Suspension
2006	GLS	B4				Rear	19-140032	Off-road Suspension
2006	Sport	B4				Rear	19-140032	Off-road Suspension
2006	Sport GLX	B4				Rear	19-140032	Off-road Suspension
2006	TDI	B14 (PSS)	Front and Rear	47-124851				
2006	TDI	B16 (PSS9)	Front and Rear	48-080651				
2006	TDI	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2006	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	1.8L L4 1781cc; GLS Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2005	1.8L L4 1781cc; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2005	1.8L L4 1781cc; GLX Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2005	1.8L L4 1781cc; Hatchback; Turbo S	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2005	1.9L L4 1896cc 116 CID; GLS TDI; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2005	2.0L L4 1984cc 121 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2005	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2005	Cabrio	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2005	Cabrio	B4				Rear	19-140032	Off-road Suspension
2005	Convertible; GL	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2005	Convertible; GLS	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2005	GL	B14 (PSS)	Front and Rear	47-124851				
2005	GL	B16 (PSS9)	Front and Rear	48-080651				
2005	GL	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2005	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	GLS	B14 (PSS)	Front and Rear	47-124851				
2005	GLS	B16 (PSS9)	Front and Rear	48-080651				
2005	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2005	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2005	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	GLS Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2005	GLS TDI	B14 (PSS)	Front and Rear	47-124851				
2005	GLS TDI	B16 (PSS9)	Front and Rear	48-080651				
2005	GLS TDI	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2005	GLS TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	GLS TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	GLX Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2005	Turbo S	B4				Rear	19-140032	Off-road Suspension
2004	1.8L L4 1781cc; GLS Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2004	1.8L L4 1781cc; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2004	1.8L L4 1781cc; GLX Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2004	1.8L L4 1781cc; Hatchback; Turbo S	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2004	1.9L L4 1896cc 116 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2004	1.9L L4 1896cc 116 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2004	2.0L L4 1984cc 121 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2004	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2004	Cabrio	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2004	Cabrio	B4				Rear	19-140032	Off-road Suspension
2004	Convertible; GL	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2004	Convertible; GLS	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2004	GL	B14 (PSS)	Front and Rear	47-124851				
2004	GL	B16 (PSS9)	Front and Rear	48-080651				
2004	GL	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2004	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GLS	B14 (PSS)	Front and Rear	47-124851				
2004	GLS	B16 (PSS9)	Front and Rear	48-080651				
2004	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2004	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GLS Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2004	GLX	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2004	GLX	B14 (PSS)	Front and Rear	47-124851				
2004	GLX	B16 (PSS9)	Front and Rear	48-080651				
2004	GLX	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2004	GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GLX Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2004	Turbo S	B14 (PSS)	Front and Rear	47-124851	Will require wheel spacers			
2004	Turbo S	B16 (PSS9)	Front and Rear	48-080651	Will require wheel spacers			
2004	Turbo S	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2004	Turbo S	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	Turbo S	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	1.8L L4 1781cc; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	1.8L L4 1781cc; GLS Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	1.8L L4 1781cc; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	1.8L L4 1781cc; GLX Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2003	1.8L L4 1781cc; GLX; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	1.8L L4 1781cc; Hatchback; Turbo S	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	1.9L L4 1896cc 116 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	1.9L L4 1896cc 116 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	2.0L L4 1984cc 121 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	2.0L L4 1984cc 121 CID; GLS Edicion especial; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	2.0L L4 1984cc 121 CID; GLS Sport; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	Cabrio	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2003	Cabrio	B4				Rear	19-140032	Off-road Suspension
2003	Cabrio	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	Convertible; GL	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2003	Convertible; GLS	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2003	Convertible; GLX	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2003	GL	B14 (PSS)	Front and Rear	47-124851				
2003	GL	B16 (PSS9)	Front and Rear	48-080651				
2003	GL	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2003	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GLS	B14 (PSS)	Front and Rear	47-124851				
2003	GLS	B16 (PSS9)	Front and Rear	48-080651				
2003	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2003	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GLS Edicion especial	B4				Rear	19-140032	Off-road Suspension
2003	GLS Edicion especial	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	GLS Sport	B4				Rear	19-140032	Off-road Suspension
2003	GLS Sport	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	GLS Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2003	GLS Sport Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	GLX	B14 (PSS)	Front and Rear	47-124851				
2003	GLX	B16 (PSS9)	Front and Rear	48-080651				
2003	GLX	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2003	GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GLX Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2003	GLX Sport Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	Turbo S	B14 (PSS)	Front and Rear	47-124851	Will require wheel spacers			
2003	Turbo S	B16 (PSS9)	Front and Rear	48-080651	Will require wheel spacers			
2003	Turbo S	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2003	Turbo S	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2003	Turbo S	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	1.8L L4 1781cc; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2002	1.8L L4 1781cc; GLS Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2002	1.8L L4 1781cc; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2002	1.8L L4 1781cc; GLX Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Beetle (continued)						
2002	1.8L L4 1781cc; GLX; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	1.8L L4 1781cc; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	1.8L L4 1781cc; Hatchback; Turbo S	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	1.9L L4 1896cc 116 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	1.9L L4 1896cc 116 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	1.9L L4 1896cc 116 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	2.0L L4 1984cc 121 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2002	GL	B14 (PSS)	Front and Rear	47-124851		
2002	GL	B16 (PSS9)	Front and Rear	48-080651		



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2002	GL	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2002	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GLS	B14 (PSS)	Front and Rear	47-124851				
2002	GLS	B16 (PSS9)	Front and Rear	48-080651				
2002	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2002	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GLS Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2002	GLS Sport Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2002	GLX	B14 (PSS)	Front and Rear	47-124851				
2002	GLX	B16 (PSS9)	Front and Rear	48-080651				
2002	GLX	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2002	GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GLX Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2002	GLX Sport Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2002	Sport	B14 (PSS)	Front and Rear	47-124851				
2002	Sport	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2002	Sport	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	Sport	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2002	Sport	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	Turbo S	B14 (PSS)	Front and Rear	47-124851	Will require wheel spacers			
2002	Turbo S	B16 (PSS9)	Front and Rear	48-080651	Will require wheel spacers			
2002	Turbo S	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	Turbo S	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2002	Turbo S	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	1.8L L4 1781cc; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2001	1.8L L4 1781cc; GLS Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2001	1.8L L4 1781cc; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2001	1.8L L4 1781cc; GLX Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Beetle (continued)						
2001	1.8L L4 1781cc; GLX Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	1.8L L4 1781cc; GLX; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	1.8L L4 1781cc; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	1.9L L4 1896cc 116 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	1.9L L4 1896cc 116 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	1.9L L4 1896cc 116 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	2.0L L4 1984cc 121 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2001	GL	B14 (PSS)	Front and Rear	47-124851		
2001	GL	B16 (PSS9)	Front and Rear	48-080651		



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2001	GL	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2001	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2001	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	GLS	B14 (PSS)	Front and Rear	47-124851				
2001	GLS	B16 (PSS9)	Front and Rear	48-080651				
2001	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2001	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2001	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	GLS Turbo	B4				Rear	19-140032	Off-road Suspension
2001	GLS Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2001	GLX	B14 (PSS)	Front and Rear	47-124851				
2001	GLX	B16 (PSS9)	Front and Rear	48-080651				
2001	GLX	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2001	GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2001	GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	GLX Sport Turbo	B4				Rear	19-140032	Off-road Suspension
2001	GLX Sport Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2001	GLX Turbo	B4				Rear	19-140032	Off-road Suspension
2001	GLX Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2001	Sport	B14 (PSS)	Front and Rear	47-124851				
2001	Sport	B16 (PSS9)	Front and Rear	48-080651				
2001	Sport	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2001	Sport	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2001	Sport	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	1.8L L4 1781cc; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2000	1.8L L4 1781cc; GLS Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2000	1.8L L4 1781cc; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2000	1.8L L4 1781cc; GLX Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2000	1.8L L4 1781cc; GLX; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2000	1.9L L4 1896cc 116 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2000	1.9L L4 1896cc 116 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2000	GL	B14 (PSS)	Front and Rear	47-124851				
2000	GL	B16 (PSS9)	Front and Rear	48-080651				
2000	GL	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2000	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2000	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GLS	B14 (PSS)	Front and Rear	47-124851				
2000	GLS	B16 (PSS9)	Front and Rear	48-080651				
2000	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2000	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2000	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GLS Turbo	B4				Rear	19-140032	Off-road Suspension
2000	GLS Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2000	GLX	B14 (PSS)	Front and Rear	47-124851				
2000	GLX	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2000	GLX	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2000	GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2000	GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GLX Turbo	B4				Rear	19-140032	Off-road Suspension
2000	GLX Turbo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1999	1.8L L4 1781cc; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	1.8L L4 1781cc; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	1.9L L4 1896cc 116 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	1.9L L4 1896cc 116 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	2.0L L4 1984cc 121 CID; Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	2.0L L4 1984cc 121 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	2.0L L4 1984cc 121 CID; Hatchback; Lujó	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
1999	Base	B4				Rear	19-140032	Off-road Suspension
1999	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1999	GL	B14 (PSS)	Front and Rear	47-124851				
1999	GL	B16 (PSS9)	Front and Rear	48-080651				
1999	GL	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
1999	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1999	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	GLS	B14 (PSS)	Front and Rear	47-124851				
1999	GLS	B16 (PSS9)	Front and Rear	48-080651				
1999	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
1999	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1999	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	Lujo	B4				Rear	19-140032	Off-road Suspension
1999	Lujo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1998	1.9L L4 1896cc 116 CID; Hatchback; TDI	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1998	2.0L L4 1984cc 121 CID; Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1998	Base	B14 (PSS)	Front and Rear	47-124851				
1998	Base	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
1998	Base	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
1998	Base	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1998	Base	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1998	TDI	B14 (PSS)	Front and Rear	47-124851				
1998	TDI	B16 (PSS9)	Front and Rear	48-080651				
1998	TDI	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
1998	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1998	TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1979	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1979	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1978	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1978	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1977	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1977	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1976	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1976	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1975	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1975	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
1974	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1974	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1973	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1973	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1972	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
1972	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1971	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
1971	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1970	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
1970	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1969	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
1969	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1968	Base	B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
1968	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1967	Base	4600 Series				Rear	24-181488	Swing Axle
1967	Base	B6 (HD)	Front	24-006200	Ball joint front			
1966	Base	4600 Series				Rear	24-181488	Swing Axle
1966	Base	B6 (HD)	Front	24-006200	Ball joint front			
1965	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1965	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles); To 7/65			
1964	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1964	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1963	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1963	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1963	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1963	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1962	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1962	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1962	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
1962	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1961	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1961	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1961	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1961	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1960	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1960	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1960	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1960	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1959	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1959	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1959	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1959	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1958	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1958	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1958	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1958	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1957	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1957	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1957	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1957	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1956	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1956	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1956	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1956	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1955	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
1955	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1955	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1955	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1954	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1954	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1954	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1954	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1953	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1953	Base	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1953	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1953	Deluxe	B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
1952	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1952	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1951	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1951	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1950	Base	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1950	Deluxe	4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
Volkswagen CC								
2012	Executive	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2012	Executive	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Executive	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2012	Lux	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2012	Lux	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2012	Lux	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Lux	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2012	Lux Limited	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux Limited	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux Limited	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2012	Lux Limited	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Lux Limited	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2012	Lux Plus	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux Plus	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux Plus	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2012	Lux Plus	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Lux Plus	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2012	Sport	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2012	Sport	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Sport	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2012	Sport	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Sport	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Highline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2011	Highline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Highline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Highline V6	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline V6	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2011	Highline V6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Highline V6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Luxury	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2011	Luxury	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Luxury	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2011	Luxury	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Luxury	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Sport	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sport	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sport	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2011	Sport	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Sport	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Sportline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sportline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sportline	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2011	Sportline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Sportline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2011	VR6 4Motion	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	VR6 4Motion	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2011	VR6 4Motion	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	VR6 4Motion	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Luxury	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Luxury	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Luxury	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2010	Luxury	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Luxury	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Sport	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sport	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sport	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2010	Sport	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Sport	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2010	VR6	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	VR6	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	VR6	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2010	VR6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	VR6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	VR6 4Motion	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	VR6 4Motion	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2010	VR6 4Motion	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	VR6 4Motion	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	VR6 Sport	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	VR6 Sport	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	VR6 Sport	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2010	VR6 Sport	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	VR6 Sport	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2009	Luxury	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Luxury	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Luxury	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2009	Luxury	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Luxury	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	Sport	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Sport	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Sport	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2009	Sport	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Sport	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	VR6	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	VR6	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	VR6	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2009	VR6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	VR6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	VR6 4Motion	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	VR6 4Motion	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2009	VR6 4Motion	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	VR6 4Motion	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	VR6 Sport	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	VR6 Sport	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	VR6 Sport	B4	Front	19-151083	Sport Suspension	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
2009	VR6 Sport	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	VR6 Sport	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
Volkswagen Cabrio								
2002	Final Edition	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2002	Final Edition	B4	Front	22-045010	Plus Axle			
2002	GL	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabrio (continued)								
2002	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2002	GL	B16 (PSS9)	Front and Rear	48-080569				
2002	GL	B4	Front	22-045010	Plus Axle	Rear	19-019741	
2002	GL	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
2002	GL	B8 (SP)	Front	35-043928				
2002	GLS	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2002	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2002	GLS	B16 (PSS9)	Front and Rear	48-080569				
2002	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
2002	GLS	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
2002	GLS	B8 (SP)	Front	35-043928				
2002	GLX	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2002	GLX	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2002	GLX	B16 (PSS9)	Front and Rear	48-080569				
2002	GLX	B4	Front	22-045010	Plus Axle	Rear	19-019741	
2002	GLX	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
2002	GLX	B8 (SP)	Front	35-043928				
2001	GL	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2001	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2001	GL	B16 (PSS9)	Front and Rear	48-080569				
2001	GL	B4	Front	22-045010	Plus Axle	Rear	19-019741	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabrio (continued)								
2001	GL	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
2001	GL	B8 (SP)	Front	35-043928				
2001	GLS	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2001	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2001	GLS	B16 (PSS9)	Front and Rear	48-080569				
2001	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
2001	GLS	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
2001	GLS	B8 (SP)	Front	35-043928				
2001	GLX	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2001	GLX	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2001	GLX	B16 (PSS9)	Front and Rear	48-080569				
2001	GLX	B4	Front	22-045010	Plus Axle	Rear	19-019741	
2001	GLX	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
2001	GLX	B8 (SP)	Front	35-043928				
2000	GL	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2000	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2000	GL	B16 (PSS9)	Front and Rear	48-080569				
2000	GL	B4	Front	22-045010	Plus Axle	Rear	19-019741	
2000	GL	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
2000	GL	B8 (SP)	Front	35-043928				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabrio (continued)								
2000	GLS	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2000	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2000	GLS	B16 (PSS9)	Front and Rear	48-080569				
2000	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
2000	GLS	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
2000	GLS	B8 (SP)	Front	35-043928				
1999	Base	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1999	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1999	Base	B16 (PSS9)	Front and Rear	48-080569				
1999	Base	B4	Front	22-045010	Plus Axle	Rear	19-019741	
1999	Base	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
1999	Base	B8 (SP)	Front	35-043928				
1999	GL	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1999	GL	B4	Front	22-045010	Plus Axle			
1999	GLS	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1999	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1999	GLS	B16 (PSS9)	Front and Rear	48-080569				
1999	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
1999	GLS	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabrio (continued)								
1999	GLS	B8 (SP)	Front	35-043928				
1998	Base	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1998	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	Base	B16 (PSS9)	Front and Rear	48-080569				
1998	Base	B4	Front	22-045010	Plus Axle	Rear	19-019741	
1998	Base	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
1998	Base	B8 (SP)	Front	35-043928				
1998	GL	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1998	GL	B4	Front	22-045010	Plus Axle			
1998	GLS	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1998	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	GLS	B16 (PSS9)	Front and Rear	48-080569				
1998	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
1998	GLS	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
1998	GLS	B8 (SP)	Front	35-043928				
1997	Base	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1997	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	Base	B16 (PSS9)	Front and Rear	48-080569				
1997	Base	B4	Front	22-045010	Plus Axle	Rear	19-019741	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabrio (continued)								
1997	Base	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
1997	Base	B8 (SP)	Front	35-043928				
1997	High Line	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1997	High Line	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	High Line	B16 (PSS9)	Front and Rear	48-080569				
1997	High Line	B4	Front	22-045010	Plus Axle	Rear	19-019741	
1997	High Line	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
1997	High Line	B8 (SP)	Front	35-043928				
1996	Base	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1996	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	Base	B16 (PSS9)	Front and Rear	48-080569				
1996	Base	B4	Front	22-045010	Plus Axle	Rear	19-019741	
1996	Base	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
1996	Base	B8 (SP)	Front	35-043928				
1996	Equipado	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1996	Equipado	B4	Front	22-045010	Plus Axle			
1995	Base	B12 (Pro-Kit)	Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	Base	B16 (PSS9)	Front and Rear	48-080569				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabrio (continued)								
1995	Base	B4	Front	22-045010	Plus Axle	Rear	19-019741	
1995	Base	B6 (HD)	Front	35-043911		Rear	24-015240	
						Rear	24-015295	Setting: B8 (SP)
1995	Base	B8 (SP)	Front	35-043928				
Volkswagen Cabriolet								
1993	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1993	Base	B4	Front	21-030338		Rear	19-019550	
1993	Base	B6 (HD)	Front	34-001370				
1993	Base	B8 (SP)	Front	34-184530				
1993	Classic	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1993	Classic	B4	Front	21-030338		Rear	19-019550	
1993	Classic	B6 (HD)	Front	34-001370				
1993	Classic	B8 (SP)	Front	34-184530				
1992	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1992	Base	B4	Front	21-030338		Rear	19-019550	
1992	Base	B6 (HD)	Front	34-001370				
1992	Base	B8 (SP)	Front	34-184530				
1992	Carat	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1992	Carat	B4	Front	21-030338		Rear	19-019550	
1992	Carat	B6 (HD)	Front	34-001370				
1992	Carat	B8 (SP)	Front	34-184530				
1992	Classic	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1992	Classic	B4	Front	21-030338		Rear	19-019550	
1992	Classic	B6 (HD)	Front	34-001370				
1992	Classic	B8 (SP)	Front	34-184530				
1992	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1992	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1992	Wolfsburg Edition	B6 (HD)	Front	34-001370				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabriolet (continued)								
1992	Wolfsburg Edition	B8 (SP)	Front	34-184530				
1991	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1991	Base	B4	Front	21-030338		Rear	19-019550	
1991	Base	B6 (HD)	Front	34-001370				
1991	Base	B8 (SP)	Front	34-184530				
1991	Carat	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1991	Carat	B4	Front	21-030338		Rear	19-019550	
1991	Carat	B6 (HD)	Front	34-001370				
1991	Carat	B8 (SP)	Front	34-184530				
1991	Etienne Aigner	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1991	Etienne Aigner	B4	Front	21-030338		Rear	19-019550	
1991	Etienne Aigner	B6 (HD)	Front	34-001370				
1991	Etienne Aigner	B8 (SP)	Front	34-184530				
1990	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1990	Base	B4	Front	21-030338		Rear	19-019550	
1990	Base	B6 (HD)	Front	34-001370				
1990	Base	B8 (SP)	Front	34-184530				
1990	Bestseller	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1990	Bestseller	B4	Front	21-030338		Rear	19-019550	
1990	Bestseller	B6 (HD)	Front	34-001370				
1990	Bestseller	B8 (SP)	Front	34-184530				
1990	Boutique	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1990	Boutique	B4	Front	21-030338		Rear	19-019550	
1990	Boutique	B6 (HD)	Front	34-001370				
1990	Boutique	B8 (SP)	Front	34-184530				
1989	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabriolet (continued)								
1989	Base	B4	Front	21-030338		Rear	19-019550	
1989	Base	B6 (HD)	Front	34-001370				
1989	Base	B8 (SP)	Front	34-184530				
1989	Bestseller	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1989	Bestseller	B4	Front	21-030338		Rear	19-019550	
1989	Bestseller	B6 (HD)	Front	34-001370				
1989	Bestseller	B8 (SP)	Front	34-184530				
1989	Boutique	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1989	Boutique	B4	Front	21-030338		Rear	19-019550	
1989	Boutique	B6 (HD)	Front	34-001370				
1989	Boutique	B8 (SP)	Front	34-184530				
1989	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1989	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1989	Wolfsburg Edition	B6 (HD)	Front	34-001370				
1989	Wolfsburg Edition	B8 (SP)	Front	34-184530				
1988	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1988	Base	B4	Front	21-030338		Rear	19-019550	
1988	Base	B6 (HD)	Front	34-001370				
1988	Base	B8 (SP)	Front	34-184530				
1988	Bestseller	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1988	Bestseller	B4	Front	21-030338		Rear	19-019550	
1988	Bestseller	B6 (HD)	Front	34-001370				
1988	Bestseller	B8 (SP)	Front	34-184530				
1988	Boutique	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1988	Boutique	B4	Front	21-030338		Rear	19-019550	
1988	Boutique	B6 (HD)	Front	34-001370				
1988	Boutique	B8 (SP)	Front	34-184530				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Cabriolet (continued)								
1987	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1987	Base	B4	Front	21-030338		Rear	19-019550	
1987	Base	B6 (HD)	Front	34-001370				
1987	Base	B8 (SP)	Front	34-184530				
1987	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1987	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1987	Wolfsburg Edition	B6 (HD)	Front	34-001370				
1987	Wolfsburg Edition	B8 (SP)	Front	34-184530				
1986	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1986	Base	B4	Front	21-030338		Rear	19-019550	
1986	Base	B6 (HD)	Front	34-001370				
1986	Base	B8 (SP)	Front	34-184530				
1985	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1985	Base	B4	Front	21-030338		Rear	19-019550	
1985	Base	B6 (HD)	Front	34-001370				
1985	Base	B8 (SP)	Front	34-184530				
Volkswagen Corrado								
1995	Base	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1994	SLC	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1994	SLC	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	SLC	B16 (PSS9)	Front and Rear	48-080569	Requires 15mm wheel spacers			
1994	SLC	B4	Front	22-045027				
1994	SLC	B6 (HD)	Front	35-043911		Rear	24-015295	Setting: B6 (HD)



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Corrado (continued)								
1994	SLC	B8 (SP)	Front	35-043928		Rear	24-015530	
1994	V6	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1993	SLC	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1993	SLC	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1993	SLC	B16 (PSS9)	Front and Rear	48-080569	Requires 15mm wheel spacers			
1993	SLC	B4	Front	22-045027				
1993	SLC	B6 (HD)	Front	35-043911		Rear	24-015295	Setting: B6 (HD)
1993	SLC	B8 (SP)	Front	35-043928		Rear	24-015530	
1993	V6	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1992	G60	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1992	G60	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1992	G60	B16 (PSS9)	Front and Rear	48-080569	Requires 15mm wheel spacers			
1992	G60	B4	Front	22-041234		Rear	19-019963	
1992	G60	B6 (HD)	Front	35-002147		Rear	24-014175	
1992	G60	B8 (SP)	Front	35-003878		Rear	24-015530	
1992	SLC	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1992	SLC	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1992	SLC	B16 (PSS9)	Front and Rear	48-080569	Requires 15mm wheel spacers			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Corrado (continued)								
1992	SLC	B4	Front	22-045027				
1992	SLC	B6 (HD)	Front	35-043911		Rear	24-015295	Setting: B6 (HD)
1992	SLC	B8 (SP)	Front	35-043928		Rear	24-015530	
1991	G60	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1991	G60	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1991	G60	B16 (PSS9)	Front and Rear	48-080569	Requires 15mm wheel spacers			
1991	G60	B4	Front	22-041234		Rear	19-019963	
1991	G60	B6 (HD)	Front	35-002147		Rear	24-014175	
1991	G60	B8 (SP)	Front	35-003878		Rear	24-015530	
1990	G60	B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1990	G60	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1990	G60	B16 (PSS9)	Front and Rear	48-080569	Requires 15mm wheel spacers			
1990	G60	B4	Front	22-041234		Rear	19-019963	
1990	G60	B6 (HD)	Front	35-002147		Rear	24-014175	
1990	G60	B8 (SP)	Front	35-003878		Rear	24-015530	
Volkswagen Dasher								
1981	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1980	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1979	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1978	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1977	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1976	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1975	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1974	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Derby								
2009	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2009	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
2009	MI	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2009	MI	B8 (SP)	Front	22-041364		Rear	24-021197	
2008	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2008	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
2008	MI	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2008	MI	B8 (SP)	Front	22-041364		Rear	24-021197	
2007	Austero	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2007	Austero	B8 (SP)	Front	22-041364		Rear	24-021197	
2007	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2007	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
2007	MI	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2007	MI	B8 (SP)	Front	22-041364		Rear	24-021197	
2006	Austero	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2006	Austero	B8 (SP)	Front	22-041364		Rear	24-021197	
2006	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2006	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
2006	MI	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2006	MI	B8 (SP)	Front	22-041364		Rear	24-021197	
2005	Austero	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2005	Austero	B8 (SP)	Front	22-041364		Rear	24-021197	
2005	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Derby (continued)								
2005	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
2005	MI	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2005	MI	B8 (SP)	Front	22-041364		Rear	24-021197	
2004	Austero	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2004	Austero	B8 (SP)	Front	22-041364		Rear	24-021197	
2004	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2004	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
2004	MI	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2004	MI	B8 (SP)	Front	22-041364		Rear	24-021197	
2003	MI	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2003	MI	B8 (SP)	Front	22-041364		Rear	24-021197	
2003	Sportline	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2003	Sportline	B8 (SP)	Front	22-041364		Rear	24-021197	
2003	Trendline	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2003	Trendline	B8 (SP)	Front	22-041364		Rear	24-021197	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2002	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
2002	Sportline	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2002	Sportline	B8 (SP)	Front	22-041364		Rear	24-021197	
2002	Trendline	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2002	Trendline	B8 (SP)	Front	22-041364		Rear	24-021197	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2001	Base	B8 (SP)	Front	22-041364		Rear	24-021197	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Derby (continued)								
2000	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2000	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
1999	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1999	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
1998	Base	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1998	Base	B8 (SP)	Front	22-041364		Rear	24-021197	
1997	Atlanta	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1997	Atlanta	B8 (SP)	Front	22-041364		Rear	24-021197	
1997	Cerr Central	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1997	Cerr Central	B8 (SP)	Front	22-041364		Rear	24-021197	
1996	Atlanta	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1996	Atlanta	B8 (SP)	Front	22-041364		Rear	24-021197	
1996	Basico	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1996	Basico	B8 (SP)	Front	22-041364		Rear	24-021197	
1996	Equipado	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1996	Equipado	B8 (SP)	Front	22-041364		Rear	24-021197	
1995	Basico	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1995	Basico	B8 (SP)	Front	22-041364		Rear	24-021197	
1995	Equipado	B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
1995	Equipado	B8 (SP)	Front	22-041364		Rear	24-021197	
Volkswagen Eos								
2012	Executive	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Executive	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2012	Executive	B6 (HD)				Rear	24-137867	
2012	Executive	B8 (SP)				Rear	24-137874	
2012	Executive; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2012	Komfort	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Komfort	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Komfort	B6 (HD)				Rear	24-137867	
2012	Komfort	B8 (SP)				Rear	24-137874	
2012	Komfort; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2012	Lux	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Lux	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Lux	B6 (HD)				Rear	24-137867	
2012	Lux	B8 (SP)				Rear	24-137874	
2012	Lux; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011	Comfortline	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011	Comfortline	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011	Comfortline	B6 (HD)				Rear	24-137867	
2011	Comfortline	B8 (SP)				Rear	24-137874	
2011	Comfortline; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011	Comfortline; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011	Highline	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2011	Highline	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011	Highline	B6 (HD)				Rear	24-137867	
2011	Highline	B8 (SP)				Rear	24-137874	
2011	Highline; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011	Highline; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011	Komfort	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011	Komfort	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011	Komfort	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2011	Komfort	B6 (HD)				Rear	24-137867	
2011	Komfort	B8 (SP)				Rear	24-137874	
2011	Komfort; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011	Komfort; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011	Lux	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011	Lux	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011	Lux	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2011	Lux	B6 (HD)				Rear	24-137867	
2011	Lux	B8 (SP)				Rear	24-137874	
2011	Lux; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2010	Comfortline	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2010	Comfortline	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2010	Comfortline	B6 (HD)				Rear	24-137867	
2010	Comfortline	B8 (SP)				Rear	24-137874	
2010	Comfortline; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2010	Comfortline; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2010	Highline	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2010	Highline	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2010	Highline	B6 (HD)				Rear	24-137867	
2010	Highline	B8 (SP)				Rear	24-137874	
2010	Highline; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2010	Komfort	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2010	Komfort	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2010	Komfort	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2010	Komfort	B6 (HD)				Rear	24-137867	
2010	Komfort	B8 (SP)				Rear	24-137874	
2010	Komfort; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2010	Komfort; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2010	Lux	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2010	Lux	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2010	Lux	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2010	Lux	B6 (HD)				Rear	24-137867	
2010	Lux	B8 (SP)				Rear	24-137874	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2010	Lux; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2009	Comfortline	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2009	Comfortline	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2009	Comfortline	B6 (HD)				Rear	24-137867	
2009	Comfortline	B8 (SP)				Rear	24-137874	
2009	Comfortline; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2009	Comfortline; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2009	Komfort	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2009	Komfort	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2009	Komfort	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2009	Komfort	B6 (HD)				Rear	24-137867	
2009	Komfort	B8 (SP)				Rear	24-137874	
2009	Komfort; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2009	Komfort; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2009	Lux	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2009	Lux	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2009	Lux	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2009	Lux	B6 (HD)				Rear	24-137867	
2009	Lux	B8 (SP)				Rear	24-137874	
2009	Lux; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2009	Trendline	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2009	Trendline	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2009	Trendline	B6 (HD)				Rear	24-137867	
2009	Trendline	B8 (SP)				Rear	24-137874	
2009	Trendline; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2008	2.0T	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	2.0T	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	2.0T	B6 (HD)				Rear	24-137867	
2008	2.0T	B8 (SP)				Rear	24-137874	
2008	2.0T; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2008	Komfort	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	Komfort	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	Komfort	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2008	Komfort	B6 (HD)				Rear	24-137867	
2008	Komfort	B8 (SP)				Rear	24-137874	
2008	Komfort; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2008	Komfort; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2008	Lux	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	Lux	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	Lux	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2008	Lux	B6 (HD)				Rear	24-137867	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2008	Lux	B8 (SP)				Rear	24-137874	
2008	Lux; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2008	Turbo	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	Turbo	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	Turbo	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2008	Turbo	B6 (HD)				Rear	24-137867	
2008	Turbo	B8 (SP)				Rear	24-137874	
2008	Turbo; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2008	Turbo; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2008	VR6	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	VR6	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2008	VR6	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2008	VR6	B6 (HD)				Rear	24-137867	
2008	VR6	B8 (SP)				Rear	24-137874	
2008	VR6; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2007	2.0T	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2007	2.0T	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2007	2.0T	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2007	2.0T	B6 (HD)				Rear	24-137867	
2007	2.0T	B8 (SP)				Rear	24-137874	
2007	2.0T; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2007	2.0T; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2007	3.2	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2007	3.2	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2007	3.2	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2007	3.2	B6 (HD)				Rear	24-137867	
2007	3.2	B8 (SP)				Rear	24-137874	
2007	3.2; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2007	Base	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2007	Base	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2007	Base	B6 (HD)				Rear	24-137867	
2007	Base	B8 (SP)				Rear	24-137874	
2007	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
Volkswagen Fastback								
1973	Base	B6 (HD)	Front	24-632188		Rear	24-006347	
1972	Base	B6 (HD)	Front	24-632188		Rear	24-006347	
1971	Base	B6 (HD)	Front	24-632188		Rear	24-006347	
1970	Base	B6 (HD)	Front	24-632188		Rear	24-006347	
1969	Base	B6 (HD)	Front	24-632188		Rear	24-006347	
1968	Base	B6 (HD)	Front	24-632188		Rear	24-006347	
1967	Base	B6 (HD)	Front	24-632188				
1966	Base	B6 (HD)	Front	24-632188				
Volkswagen Fox								
1993	Base	B6 (HD)	Front	34-030059				
1993	GL	B6 (HD)	Front	34-030059				
1992	Base	B6 (HD)	Front	34-030059				
1992	GL	B6 (HD)	Front	34-030059				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Fox (continued)								
1991	Base	B6 (HD)	Front	34-030059				
1991	GL	B6 (HD)	Front	34-030059				
1990	Base	B6 (HD)	Front	34-030059				
1990	GL	B6 (HD)	Front	34-030059				
1990	GL Sport	B6 (HD)	Front	34-030059				
1989	Base	B6 (HD)	Front	34-030059				
1989	GL	B6 (HD)	Front	34-030059				
1989	GL Sport	B6 (HD)	Front	34-030059				
1988	Base	B6 (HD)	Front	34-030059				
1988	GL	B6 (HD)	Front	34-030059				
1987	Base	B6 (HD)	Front	34-030059				
1987	GL	B6 (HD)	Front	34-030059				
Volkswagen GTI								
2012	Base	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2012	Base	Bilstein Clubsport	Front and Rear	48-215909	Disconnect DCC; Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2012	Base; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012	Base; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012	Base; Hatchback	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	Base; Hatchback	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Base	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	Base	Bilstein Clubsport	Front and Rear	48-215909	Disconnect DCC; Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2011	Base; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2011	Base; Hatchback	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Base; Hatchback	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Base	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	Base	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2010	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2010	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2010	Base	Bilstein Clubsport	Front and Rear	48-215909	Disconnect DCC; Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2010	Base; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2010	Base; Hatchback	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Base; Hatchback	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2009	Base	B12 (Sportline)	Front and Rear	46-183767	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2009	Base	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Base	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	Base	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-140012	Standard Chassis; With 55mm Outside Strut Diameter			
2009	Base	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2009	Base	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2009	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2008	Base	B12 (Sportline)	Front and Rear	46-183767	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2008	Base	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Base	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	Base	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-140012	Standard Chassis; With 55mm Outside Strut Diameter			
2008	Base	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2008	Base	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2008	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2007	Base	B12 (Sportline)	Front and Rear	46-183767	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2007	Base	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Base	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2007	Base	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-140012	Standard Chassis; With 55mm Outside Strut Diameter			
2007	Base	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2007	Base	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2007	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2007	Fahrenheit	B12 (Sportline)	Front and Rear	46-183767	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2007	Fahrenheit	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Fahrenheit	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-140012	Standard Chassis; With 55mm Outside Strut Diameter			
2007	Fahrenheit	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
2007	Fahrenheit	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
2007	Fahrenheit	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Base	B12 (Sportline)	Front and Rear	46-183767	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2006	Base	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2006	Base	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	Base	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-140012	Standard Chassis; With 55mm Outside Strut Diameter			
2006	Base	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2006	Base	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2006	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
Volkswagen Golf								
2012	Base	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2012	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2012	Base; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2012	Base; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2012	Base; Hatchback	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2012	Base; Hatchback	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2012	Comfortline TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Comfortline; Hatchback	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Hatchback; Highline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Hatchback; TDI	B12 (Pro-Kit)	Front and Rear	46-184481	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184498	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187956	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
2012	Hatchback; TDI	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2012	Hatchback; TDI	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2012	Hatchback; TDI	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2012	Hatchback; TDI	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2012	Hatchback; Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Highline TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	R	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1140kg Axle Load; Rear Lowered Height: 10-30mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	R	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1140kg Axle Load; Rear Lowered Height: 10-30mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	R	Bilstein Clubsport	Front and Rear	48-215909	Disconnect DCC; Front Lowered Height: 20-30mm, up to 1140kg Axle Load; Rear Lowered Height: 10-30mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Sportline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	TDI	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
2012	TDI	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2012	TDI	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	TDI	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2012	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2011	Base	B6 (HD)	Front	35-158714	With 55mm Outside Strut Diameter	Rear	33-158723	
2011	Base	B8 (SP)	Front	35-158745	With 55mm Outside Strut Diameter	Rear	24-158756	
2011	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2011	Base; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2011	Base; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2011	Base; Hatchback	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Base; Hatchback	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Comfortline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2011	Comfortline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Comfortline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Comfortline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2011	Comfortline; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2011	Comfortline; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2011	Comfortline; Hatchback	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Comfortline; Hatchback	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Comfortline; Hatchback	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; Highline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; Highline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; Highline	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Hatchback; Highline	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Hatchback; Highline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; Sportline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; Sportline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; Sportline	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Hatchback; Sportline	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2011	Hatchback; TDI	B12 (Pro-Kit)	Front and Rear	46-184481	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184498	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187956	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; TDI	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2011	Hatchback; TDI Comfortline	B12 (Pro-Kit)	Front and Rear	46-184481	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184498	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187956	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; TDI Comfortline	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; TDI Comfortline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI Comfortline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI Comfortline	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI Comfortline	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI Comfortline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2011	Hatchback; TDI Highline	B12 (Pro-Kit)	Front and Rear	46-184481	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184498	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187956	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; TDI Highline	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; TDI Highline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI Highline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI Highline	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI Highline	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2011	Hatchback; TDI Highline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; Trendline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2011	Hatchback; Trendline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2011	Hatchback; Trendline	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Hatchback; Trendline	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Hatchback; Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2011	Sportline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2011	Sportline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sportline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sportline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2011	Sportline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2011	TDI	B6 (HD)	Front	35-158714	With 55mm Outside Strut Diameter	Rear	33-158723	
2011	TDI	B8 (SP)	Front	35-158745	With 55mm Outside Strut Diameter	Rear	24-158756	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2011	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI Comfortline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2011	TDI Comfortline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI Comfortline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI Comfortline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2011	TDI Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Front Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI Highline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2011	TDI Highline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2011	TDI Highline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI Highline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2011	TDI Highline; Wagon	B12 (Pro-Kit)	Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Front Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter			
2011	Trendline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2011	Trendline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011	Trendline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2011	Trendline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2010	Base	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2010	Base	B6 (HD)	Front	35-158714	With 55mm Outside Strut Diameter	Rear	33-158723	
2010	Base	B8 (SP)	Front	35-158745	With 55mm Outside Strut Diameter	Rear	24-158756	
2010	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Base; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2010	Base; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2010	Base; Hatchback	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2010	Base; Hatchback	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Comfortline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2010	Comfortline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Comfortline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Comfortline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2010	Comfortline; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2010	Comfortline; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2010	Comfortline; Hatchback	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Comfortline; Hatchback	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Comfortline; Hatchback	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Hatchback; Highline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2010	Hatchback; Highline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2010	Hatchback; Highline	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2010	Hatchback; Highline	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2010	Hatchback; Highline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2010	Hatchback; TDI	B12 (Pro-Kit)	Front and Rear	46-184481	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184498	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187956	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
2010	Hatchback; TDI	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2010	Hatchback; TDI	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter	
2010	Hatchback; TDI	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	
2010	Hatchback; TDI	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2010	Hatchback; Trendline	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2010	Hatchback; Trendline	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2010	Hatchback; Trendline	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Hatchback; Trendline	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010	Hatchback; Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2010	TDI	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2010	TDI	B6 (HD)	Front	35-158714	With 55mm Outside Strut Diameter	Rear	33-158723	
2010	TDI	B8 (SP)	Front	35-158745	With 55mm Outside Strut Diameter	Rear	24-158756	
2010	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Trendline	B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2010	Trendline	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2010	Trendline	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010	Trendline	B4	Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter			
2006	Europa	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2006	Europa	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2006	Europa	B4				Rear	19-140032	Off-road Suspension
2006	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2006	GL	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2006	GL	B14 (PSS)	Front and Rear	47-124851				
2006	GL	B16 (PSS9)	Front and Rear	48-080651				
2006	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2006	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2006	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2006	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2006	GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2006	GLS	B14 (PSS)	Front and Rear	47-124851				
2006	GLS	B16 (PSS9)	Front and Rear	48-080651				
2006	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2006	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2006	GLS TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2006	GLS TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2006	GLS TDI	B14 (PSS)	Front and Rear	47-124851				
2006	GLS TDI	B16 (PSS9)	Front and Rear	48-080651				
2006	GLS TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2006	GLS TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	GLS TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2006	GLS TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2006	GLS TDI; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2006	GLS TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2006	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2006	GTI 1.8T	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2006	GTI 1.8T	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2006	GTI 1.8T	B14 (PSS)	Front and Rear	47-124851				
2006	GTI 1.8T	B16 (PSS9)	Front and Rear	48-080651				
2006	GTI 1.8T	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2006	GTI 1.8T	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	GTI 1.8T	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2006	GTI 1.8T; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	1.8L L4 1781cc; GTI	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2005	Comfortline	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2005	Comfortline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	Comfortline	B4				Rear	19-140032	Off-road Suspension
2005	Europa	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2005	Europa	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	Europa	B4				Rear	19-140032	Off-road Suspension
2005	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2005	GL	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	GL	B14 (PSS)	Front and Rear	47-124851				
2005	GL	B16 (PSS9)	Front and Rear	48-080651				
2005	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2005	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2005	GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	GLS	B14 (PSS)	Front and Rear	47-124851				
2005	GLS	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2005	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2005	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	GTI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	GTI	B4				Rear	19-140032	Off-road Suspension
2005	GTI 1.8T	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2005	GTI 1.8T	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	GTI 1.8T	B14 (PSS)	Front and Rear	47-124851				
2005	GTI 1.8T	B16 (PSS9)	Front and Rear	48-080651				
2005	GTI 1.8T	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2005	GTI 1.8T	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	GTI 1.8T	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	GTI 1.8T; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2005	GTI VR6	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	GTI VR6	B14 (PSS)	Front and Rear	47-124851				
2005	GTI VR6	B16 (PSS9)	Front and Rear	48-080651				
2005	GTI VR6	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2005	GTI VR6	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	GTI VR6	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	GTI VR6; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2005	TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	TDI	B14 (PSS)	Front and Rear	47-124851				
2005	TDI	B16 (PSS9)	Front and Rear	48-080651				
2005	TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2005	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2005	TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2005	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	TDI; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2005	TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2005	Trendline	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2005	Trendline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2005	Trendline	B4				Rear	19-140032	Off-road Suspension
2004	1.8L L4 1781cc; GTI	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	Comfortline	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	Comfortline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	Comfortline	B4				Rear	19-140032	Off-road Suspension
2004	Europa	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	Europa	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	Europa	B4				Rear	19-140032	Off-road Suspension
2004	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	GL	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	GL	B14 (PSS)	Front and Rear	47-124851				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2004	GL	B16 (PSS9)	Front and Rear	48-080651				
2004	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2004	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GL TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2004	GL TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	GL TDI	B14 (PSS)	Front and Rear	47-124851				
2004	GL TDI	B16 (PSS9)	Front and Rear	48-080651				
2004	GL TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2004	GL TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GL TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GL TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GL TDI; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2004	GL TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2004	GLS	B14 (PSS)	Front and Rear	47-124851				
2004	GLS	B16 (PSS9)	Front and Rear	48-080651				
2004	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2004	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GLS TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2004	GLS TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	GLS TDI	B14 (PSS)	Front and Rear	47-124851				
2004	GLS TDI	B16 (PSS9)	Front and Rear	48-080651				
2004	GLS TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2004	GLS TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GLS TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GLS TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GLS TDI; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2004	GLS TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GTI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	GTI	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2004	GTI 1.8T	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	GTI 1.8T	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	GTI 1.8T	B14 (PSS)	Front and Rear	47-124851				
2004	GTI 1.8T	B16 (PSS9)	Front and Rear	48-080651				
2004	GTI 1.8T	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2004	GTI 1.8T	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GTI 1.8T	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GTI 1.8T; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2004	GTI VR6	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	GTI VR6	B14 (PSS)	Front and Rear	47-124851				
2004	GTI VR6	B16 (PSS9)	Front and Rear	48-080651				
2004	GTI VR6	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2004	GTI VR6	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GTI VR6	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GTI VR6; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	R32	B12 (Pro-Kit)	Front and Rear	BTS-7509				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2004	R32	B14 (PSS)	Front and Rear	47-080416				
2004	R32	B16 (PSS9)	Front and Rear	48-080422				
2004	R32	B6 (HD)	Front	35-046370		Rear	24-060349	
2004	R32	B8 (SP)	Front	35-046387		Rear	24-060356	
2004	Trendline	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	Trendline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2004	Trendline	B4				Rear	19-140032	Off-road Suspension
2003	1.9L L4 1896cc 116 CID; GL; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2003	1.9L L4 1896cc 116 CID; GL; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	1.9L L4 1896cc 116 CID; GLS; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2003	1.9L L4 1896cc 116 CID; GLS; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	2.0L L4 1984cc 121 CID; GL	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	2.0L L4 1984cc 121 CID; GLS	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	Comfortline	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	Comfortline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2003	Comfortline	B4				Rear	19-140032	Off-road Suspension
2003	Europa	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	Europa	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	Europa	B4				Rear	19-140032	Off-road Suspension
2003	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2003	GL	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	GL	B14 (PSS)	Front and Rear	47-124851				
2003	GL	B16 (PSS9)	Front and Rear	48-080651				
2003	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2003	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2003	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2003	GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	GLS	B14 (PSS)	Front and Rear	47-124851				
2003	GLS	B16 (PSS9)	Front and Rear	48-080651				
2003	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2003	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2003	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	GTI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	GTI	B4				Rear	19-140032	Off-road Suspension
2003	GTI 1.8T	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	GTI 1.8T	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	GTI 1.8T	B14 (PSS)	Front and Rear	47-124851				
2003	GTI 1.8T	B16 (PSS9)	Front and Rear	48-080651				
2003	GTI 1.8T	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2003	GTI 1.8T	B6 (HD)	Front	35-044079		Rear	24-026239	
2003	GTI 1.8T	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GTI 1.8T; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	GTI 20th Anniversary	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	GTI 20th Anniversary	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	GTI 20th Anniversary	B14 (PSS)	Front and Rear	47-124851				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2003	GTI 20th Anniversary	B16 (PSS9)	Front and Rear	48-080651				
2003	GTI 20th Anniversary	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2003	GTI 20th Anniversary	B6 (HD)	Front	35-044079		Rear	24-026239	
2003	GTI 20th Anniversary	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GTI 20th Anniversary; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	GTI Turbo	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	GTI Turbo	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	GTI Turbo	B4				Rear	19-140032	Off-road Suspension
2003	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2003	GTI VR6	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	GTI VR6	B14 (PSS)	Front and Rear	47-124851				
2003	GTI VR6	B16 (PSS9)	Front and Rear	48-080651				
2003	GTI VR6	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2003	GTI VR6	B6 (HD)	Front	35-044079		Rear	24-026239	
2003	GTI VR6	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GTI VR6; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	Trendline	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2003	Trendline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2003	Trendline	B4				Rear	19-140032	Off-road Suspension
2002	1.9L L4 1896cc 116 CID; GL; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2002	1.9L L4 1896cc 116 CID; GL; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	1.9L L4 1896cc 116 CID; GLS; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2002	1.9L L4 1896cc 116 CID; GLS; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	2.0L L4 1984cc 121 CID; GL	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	2.0L L4 1984cc 121 CID; GLS	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	Base	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	Base	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	Base	B4				Rear	19-140032	Off-road Suspension
2002	Confort	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2002	Confort	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	Confort	B4				Rear	19-140032	Off-road Suspension
2002	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2002	GL	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	GL	B14 (PSS)	Front and Rear	47-124851				
2002	GL	B16 (PSS9)	Front and Rear	48-080651				
2002	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2002	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2002	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2002	GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	GLS	B14 (PSS)	Front and Rear	47-124851				
2002	GLS	B16 (PSS9)	Front and Rear	48-080651				
2002	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2002	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2002	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2002	GTI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	GTI	B4				Rear	19-140032	Off-road Suspension
2002	GTI 1.8T	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	GTI 1.8T	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	GTI 1.8T	B14 (PSS)	Front and Rear	47-124851				
2002	GTI 1.8T	B16 (PSS9)	Front and Rear	48-080651				
2002	GTI 1.8T	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2002	GTI 1.8T	B6 (HD)	Front	35-044079		Rear	24-026239	
2002	GTI 1.8T	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GTI 1.8T; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	GTI 337	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	GTI 337	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	GTI 337	B14 (PSS)	Front and Rear	47-124851				
2002	GTI 337	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2002	GTI 337	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2002	GTI 337	B6 (HD)	Front	35-044079		Rear	24-026239	
2002	GTI 337	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GTI 337; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	GTI Turbo	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	GTI Turbo	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	GTI Turbo	B4				Rear	19-140032	Off-road Suspension
2002	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2002	GTI VR6	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	GTI VR6	B14 (PSS)	Front and Rear	47-124851				
2002	GTI VR6	B16 (PSS9)	Front and Rear	48-080651				
2002	GTI VR6	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2002	GTI VR6	B6 (HD)	Front	35-044079		Rear	24-026239	
2002	GTI VR6	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GTI VR6; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	Lujo	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2002	Lujo	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	Lujo	B4				Rear	19-140032	Off-road Suspension
2002	Verano	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	Verano	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2002	Verano	B4				Rear	19-140032	Off-road Suspension
2001	1.8L L4 1781cc; GLS	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	1.8L L4 1781cc; GTI GLS	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	1.9L L4 1896cc 116 CID; GL; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2001	1.9L L4 1896cc 116 CID; GL; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	1.9L L4 1896cc 116 CID; GLS; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2001	1.9L L4 1896cc 116 CID; GLS; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	2.0L L4 1984cc 121 CID; GL	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	2.0L L4 1984cc 121 CID; GLS	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2001	Base	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	Base	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	Base	B4				Rear	19-140032	Off-road Suspension
2001	Confort	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	Confort	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	Confort	B4				Rear	19-140032	Off-road Suspension
2001	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2001	GL	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	GL	B14 (PSS)	Front and Rear	47-124851				
2001	GL	B16 (PSS9)	Front and Rear	48-080651				
2001	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2001	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2001	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2001	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2001	GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	GLS	B14 (PSS)	Front and Rear	47-124851				
2001	GLS	B16 (PSS9)	Front and Rear	48-080651				
2001	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2001	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2001	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2001	GTI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	GTI	B4				Rear	19-140032	Off-road Suspension
2001	GTI GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2001	GTI GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	GTI GLS	B14 (PSS)	Front and Rear	47-124851				
2001	GTI GLS	B16 (PSS9)	Front and Rear	48-080651				
2001	GTI GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2001	GTI GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2001	GTI GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	GTI GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2001	GTI GLX	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2001	GTI GLX	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	GTI GLX	B14 (PSS)	Front and Rear	47-124851				
2001	GTI GLX	B16 (PSS9)	Front and Rear	48-080651				
2001	GTI GLX	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2001	GTI GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
2001	GTI GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	GTI GLX; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2001	GTI Turbo	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	GTI Turbo	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	GTI Turbo	B4				Rear	19-140032	Off-road Suspension
2001	Lujo	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	Lujo	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	Lujo	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2001	Verano	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001	Verano	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2001	Verano	B4				Rear	19-140032	Off-road Suspension
2000	1.8L L4 1781cc; GLS	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	1.8L L4 1781cc; GTI GLS	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	1.9L L4 1896cc 116 CID; GL; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2000	1.9L L4 1896cc 116 CID; GL; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	1.9L L4 1896cc 116 CID; GLS; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2000	1.9L L4 1896cc 116 CID; GLS; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GL	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GLS	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	Base	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	Base	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2000	Base	B4				Rear	19-140032	Off-road Suspension
2000	Confort	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	Confort	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2000	Confort	B4				Rear	19-140032	Off-road Suspension
2000	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2000	GL	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2000	GL	B14 (PSS)	Front and Rear	47-124851				
2000	GL	B16 (PSS9)	Front and Rear	48-080651				
2000	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2000	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2000	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2000	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2000	GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2000	GLS	B14 (PSS)	Front and Rear	47-124851				
2000	GLS	B16 (PSS9)	Front and Rear	48-080651				
2000	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2000	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2000	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2000	GTI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2000	GTI	B4				Rear	19-140032	Off-road Suspension
2000	GTI GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2000	GTI GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2000	GTI GLS	B14 (PSS)	Front and Rear	47-124851				
2000	GTI GLS	B16 (PSS9)	Front and Rear	48-080651				
2000	GTI GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2000	GTI GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2000	GTI GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GTI GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2000	GTI GLX	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2000	GTI GLX	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2000	GTI GLX	B14 (PSS)	Front and Rear	47-124851				
2000	GTI GLX	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2000	GTI GLX	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2000	GTI GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
2000	GTI GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GTI GLX; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2000	Lujo	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	Lujo	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2000	Lujo	B4				Rear	19-140032	Off-road Suspension
2000	Verano	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2000	Verano	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2000	Verano	B4				Rear	19-140032	Off-road Suspension
1999	1.9L L4 1896cc 116 CID; GL; w/ A4 Body; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
1999	2.0L L4 1984cc 121 CID; GL; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	2.8L V6 2792cc; GTI	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
1999	GL	B4	Front	22-045744	Standard Suspension			
1999	GL; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	GL; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1999	GL; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1999	GL; w/ A3 Body	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1999	GL; w/ A3 Body	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1999	GL; w/ A3 Body	B8 (SP)	Front	35-043928	Plus Axle			
1999	GL; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
1999	GL; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
1999	GL; w/ A4 Body	B14 (PSS)	Front and Rear	47-124851				
1999	GL; w/ A4 Body	B16 (PSS9)	Front and Rear	48-080651				
1999	GL; w/ A4 Body	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
						Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
1999	GL; w/ A4 Body	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GL; w/ A4 Body	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
1999	GLS	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
1999	GLS	B14 (PSS)	Front and Rear	47-124851				
1999	GLS	B16 (PSS9)	Front and Rear	48-080651				
1999	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1999	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
1999	GTI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	GTI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
1999	GTI	B14 (PSS)	Front and Rear	47-124851				
1999	GTI	B16 (PSS9)	Front and Rear	48-080651				
1999	GTI	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
1999	GTI	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GTI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	GTI VR6	B4				Rear	19-140032	Off-road Suspension
1999	GTI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
1999	MI	B4				Rear	19-140032	Off-road Suspension
1999	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
			Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
1999	TDI	B14 (PSS)	Front and Rear	47-124851				
1999	TDI	B16 (PSS9)	Front and Rear	48-080651				
1999	TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
1999	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1999	TDI; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
1999	TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
1999	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1999	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080569				
1999	Wolfsburg Edition	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045744	Standard Suspension			
1999	Wolfsburg Edition	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1999	Wolfsburg Edition	B8 (SP)	Front	35-043928	Plus Axle			
1999	Wolfsburg Edition; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	Wolfsburg Edition; w/ A3 Body	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1998	Atlanta	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	Atlanta	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1998	CL	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	CL	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1998	GL	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	GL	B16 (PSS9)	Front and Rear	48-080569				
1998	GL	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1998	GL	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1998	GL	B8 (SP)	Front	35-043928	Plus Axle			
1998	GTI	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1998	GTI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	GTI	B16 (PSS9)	Front and Rear	48-080569				
1998	GTI	B4	Front	22-045010	Plus Axle	Rear	19-019963	
						Rear	19-124681	Off-road Suspension
1998	GTI	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1998	GTI	B8 (SP)	Front	35-043928	Plus Axle			
1998	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7510				
1998	GTI VR6	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	GTI VR6	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	GTI VR6	B16 (PSS9)	Front and Rear	48-080569				
1998	GTI VR6	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1998	GTI VR6	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1998	GTI VR6	B8 (SP)	Front	35-043928	Plus Axle			
1998	K2	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	K2	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	K2	B16 (PSS9)	Front and Rear	48-080569				
1998	K2	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1998	K2	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1998	K2	B8 (SP)	Front	35-043928	Plus Axle			
1998	MI	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	MI	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1998	TDI	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	TDI	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1997	Atlanta	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	Atlanta	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1997	CL	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	CL	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1997	City	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	City	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1997	GL	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	GL	B16 (PSS9)	Front and Rear	48-080569				
1997	GL	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1997	GL	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1997	GL	B8 (SP)	Front	35-043928	Plus Axle			
1997	GTI	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	GTI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	GTI	B16 (PSS9)	Front and Rear	48-080569				
1997	GTI	B4	Front	22-045010	Plus Axle	Rear	19-019963	
						Rear	19-124681	Off-road Suspension
1997	GTI	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1997	GTI	B8 (SP)	Front	35-043928	Plus Axle			
1997	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7510				
1997	GTI VR6	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	GTI VR6	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	GTI VR6	B16 (PSS9)	Front and Rear	48-080569				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1997	GTI VR6	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1997	GTI VR6	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1997	GTI VR6	B8 (SP)	Front	35-043928	Plus Axle			
1997	Jazz	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	Jazz	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	Jazz	B16 (PSS9)	Front and Rear	48-080569				
1997	Jazz	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1997	Jazz	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1997	Jazz	B8 (SP)	Front	35-043928	Plus Axle			
1997	K2	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	K2	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	K2	B16 (PSS9)	Front and Rear	48-080569				
1997	K2	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1997	K2	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1997	K2	B8 (SP)	Front	35-043928	Plus Axle			
1997	TDI	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	TDI	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1997	Trek	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	Trek	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	Trek	B16 (PSS9)	Front and Rear	48-080569				
1997	Trek	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1997	Trek	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1997	Trek	B8 (SP)	Front	35-043928	Plus Axle			
1996	Atlanta	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	Atlanta	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1996	CL	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	CL	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1996	City	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	City	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1996	GL	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	GL	B16 (PSS9)	Front and Rear	48-080569				
1996	GL	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1996	GL	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1996	GL	B8 (SP)	Front	35-043928	Plus Axle			
1996	GTI	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	GTI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	GTI	B16 (PSS9)	Front and Rear	48-080569				
1996	GTI	B4	Front	22-045010	Plus Axle	Rear	19-019963	
						Rear	19-124681	Off-road Suspension
1996	GTI	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1996	GTI	B8 (SP)	Front	35-043928	Plus Axle			
1996	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7510				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1996	GTI VR6	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	GTI VR6	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	GTI VR6	B16 (PSS9)	Front and Rear	48-080569				
1996	GTI VR6	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1996	GTI VR6	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1996	GTI VR6	B8 (SP)	Front	35-043928	Plus Axle			
1996	Manhattan	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	Manhattan	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1996	Sport	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	Sport	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1996	TDI	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	TDI	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1995	1.8L L4 1781cc 109 CID; GL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	1.8L L4 1788cc 109 CID; Base	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	1.8L L4 1788cc 109 CID; CL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Base	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	Base	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Base	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1995	CL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	CL	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	CL	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1995	Celebration Edition	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	Celebration Edition	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Celebration Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	Celebration Edition	B16 (PSS9)	Front and Rear	48-080569				
1995	Celebration Edition	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1995	Celebration Edition	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1995	Celebration Edition	B8 (SP)	Front	35-043928	Plus Axle			
1995	City	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	City	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	City	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1995	City	B16 (PSS9)	Front and Rear	48-080569				
1995	City	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1995	City	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1995	City	B8 (SP)	Front	35-043928	Plus Axle			
1995	GL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	GL	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	GL	B16 (PSS9)	Front and Rear	48-080569				
1995	GL	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1995	GL	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1995	GL	B8 (SP)	Front	35-043928	Plus Axle			
1995	GTI	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	GTI	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	GTI	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1995	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7510				
			Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	GTI VR6	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	GTI VR6	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	GTI VR6	B16 (PSS9)	Front and Rear	48-080569				
1995	GTI VR6	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1995	GTI VR6	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1995	GTI VR6	B8 (SP)	Front	F4-VN3-4172-H0				
			Front	35-043928	Plus Axle			
1995	Manhattan	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	Manhattan	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Manhattan	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1995	Sport	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1995	Sport	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Sport	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	Sport	B16 (PSS9)	Front and Rear	48-080569				
1995	Sport	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1995	Sport	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1995	Sport	B8 (SP)	Front	35-043928	Plus Axle			
1994	1.8L L4 1788cc 109 CID; CL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	CL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1994	CL	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	CL	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1994	GL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1994	GL	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	GL	B16 (PSS9)	Front and Rear	48-080569				
1994	GL	B4	Front	22-041142	Base Axle; To 8/94	Rear	19-019741	
			Front	22-045027	Off-road Suspension	Rear	19-124681	Off-road Suspension
			Front	22-045010	Plus Axle			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1994	GL	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1994	GL	B8 (SP)	Front	35-043928	Plus Axle			
1994	GTI	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1994	GTI	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	GTI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	GTI	B16 (PSS9)	Front and Rear	48-080569				
1994	GTI	B4	Front	22-045010	Plus Axle	Rear	19-019963	
						Rear	19-124681	Off-road Suspension
1994	GTI	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1994	GTI	B8 (SP)	Front	35-043928	Plus Axle			
1994	Limited Edition	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1994	Limited Edition	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	Limited Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	Limited Edition	B16 (PSS9)	Front and Rear	48-080569				
1994	Limited Edition	B4	Front	22-041142	Base Axle; To 8/94	Rear	19-019741	
			Front	22-045027	Off-road Suspension	Rear	19-124681	Off-road Suspension
			Front	22-045010	Plus Axle			
1994	Limited Edition	B6 (HD)	Front	35-181590	Base Axle	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1994	Limited Edition	B8 (SP)	Front	35-043928	Plus Axle			
1993	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1993	Base	B4				Rear	19-124681	Off-road Suspension
1993	Base; w/ A2 Body	B8 (SP)				Rear	24-015042	
1993	CL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1993	CL	B4				Rear	19-124681	Off-road Suspension
1993	CL; w/ A2 Body	B8 (SP)				Rear	24-015042	
1993	GL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1993	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	Base Axle; For bolted struts only	Rear	19-124681	Off-road Suspension
1993	GL	B6 (HD)	Front	34-001028				
			Front	35-002147				
1993	GL	B8 (SP)	Front	35-003663				
1993	GL; w/ A2 Body	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1993	GL; w/ A2 Body	B8 (SP)				Rear	24-015042	
1993	GL; w/ A2 Body	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1993	GL; w/ A3 Body	B12 (Pro-Kit)	Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1993	GL; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1993	GL; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1993	GL; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				
1993	GL; w/ A3 Body	B4	Front	22-045027	Off-road Suspension			
			Front	22-045010	Plus Axle			
1993	GL; w/ A3 Body	B6 (HD)	Front	35-181590	Base Axle; For bolted struts only	Rear	24-006569	Base Axle
			Front	35-043911	Plus Axle	Rear	24-015240	Plus Axle
						Rear	24-015295	Plus Axle; Setting: B8 (SP)
1993	GL; w/ A3 Body	B8 (SP)	Front	35-043928	Plus Axle			
1993	GTI	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1993	GTI	B4				Rear	19-124681	Off-road Suspension
1993	GTI; w/ A2 Body	B8 (SP)				Rear	24-015042	
1992	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1992	Base	B4				Rear	19-124681	Off-road Suspension
1992	Base	B8 (SP)				Rear	24-015042	
1992	GL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1992	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1992	GL	B16 (PSS9)	Front and Rear	48-080569				
1992	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1992	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1992	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1992	GL	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1992	GTI 16-Valve	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1992	GTI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1992	GTI 16-Valve	B4	Front	21-030468		Rear	19-019963	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1992	GTI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1992	GTI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1992	GTI 16-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1992	GTI 8-Valve	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1992	GTI 8-Valve	B16 (PSS9)	Front and Rear	48-080569				
1992	GTI 8-Valve	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1992	GTI 8-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1992	GTI 8-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1992	GTI 8-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1991	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1991	Base	B4				Rear	19-124681	Off-road Suspension
1991	Base	B8 (SP)				Rear	24-015042	
1991	GL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1991	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1991	GL	B16 (PSS9)	Front and Rear	48-080569				
1991	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1991	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1991	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1991	GL	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1991	GTI 16-Valve	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1991	GTI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1991	GTI 16-Valve	B4	Front	21-030468		Rear	19-019963	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1991	GTI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1991	GTI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1991	GTI 16-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1991	GTI 8-Valve	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1991	GTI 8-Valve	B16 (PSS9)	Front and Rear	48-080569				
1991	GTI 8-Valve	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1991	GTI 8-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1991	GTI 8-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1991	GTI 8-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1990	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1990	Base	B4				Rear	19-124681	Off-road Suspension
1990	Base	B8 (SP)				Rear	24-015042	
1990	GL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1990	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1990	GL	B16 (PSS9)	Front and Rear	48-080569				
1990	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1990	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1990	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1990	GL	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1990	GTI 16-Valve	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1990	GTI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1990	GTI 16-Valve	B4	Front	21-030468		Rear	19-019963	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1990	GTI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1990	GTI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1990	GTI 16-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1990	GTI 8-Valve	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1990	GTI 8-Valve	B16 (PSS9)	Front and Rear	48-080569				
1990	GTI 8-Valve	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1990	GTI 8-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1990	GTI 8-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1990	GTI 8-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1989	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1989	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1989	Base	B16 (PSS9)	Front and Rear	48-080569				
1989	Base	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1989	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1989	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1989	Base	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1989	GL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1989	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1989	GL	B16 (PSS9)	Front and Rear	48-080569				
1989	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1989	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1989	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1989	GL	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1989	GTI 16-Valve	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1989	GTI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1989	GTI 16-Valve	B4	Front	21-030468		Rear	19-019963	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1989	GTI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1989	GTI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1989	GTI 16-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1988	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1988	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1988	Base	B16 (PSS9)	Front and Rear	48-080569				
1988	Base	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1988	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1988	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1988	Base	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1988	GL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1988	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1988	GL	B16 (PSS9)	Front and Rear	48-080569				
1988	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1988	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1988	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1988	GL	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1988	GT	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1988	GT	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1988	GT	B16 (PSS9)	Front and Rear	48-080569				
1988	GT	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1988	GT	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1988	GT	B8 (SP)	Front	35-003663		Rear	24-015042	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1988	GT	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1988	GTI 16-Valve	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1988	GTI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1988	GTI 16-Valve	B4	Front	21-030468		Rear	19-019963	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1988	GTI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1988	GTI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1988	GTI 16-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1987	GL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1987	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1987	GL	B16 (PSS9)	Front and Rear	48-080569				
1987	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1987	GL	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1987	GT	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1987	GT	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1987	GT	B16 (PSS9)	Front and Rear	48-080569				
1987	GT	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	GT	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	GT	B8 (SP)	Front	35-003663		Rear	24-015042	
1987	GT	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1987	GTI	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1987	GTI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1987	GTI	B16 (PSS9)	Front and Rear	48-080569				
1987	GTI	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	GTI	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	GTI	B8 (SP)	Front	35-003663		Rear	24-015042	
1987	GTI	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1987	GTI 16-Valve	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1987	GTI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1987	GTI 16-Valve	B4	Front	21-030468		Rear	19-019963	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	GTI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	GTI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1987	GTI 16-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1986	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1986	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1986	Base	B16 (PSS9)	Front and Rear	48-080569				
1986	Base	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1986	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1986	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1986	Base	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1986	GTI	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1986	GTI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1986	GTI	B16 (PSS9)	Front and Rear	48-080569				
1986	GTI	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1986	GTI	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1986	GTI	B8 (SP)	Front	35-003663		Rear	24-015042	
1986	GTI	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1985	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1985	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1985	Base	B16 (PSS9)	Front and Rear	48-080569				
1985	Base	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1985	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1985	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1985	Base	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1985	GTI	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1985	GTI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1985	GTI	B16 (PSS9)	Front and Rear	48-080569				
1985	GTI	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1985	GTI	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1985	GTI	B8 (SP)	Front	35-003663		Rear	24-015042	
1985	GTI	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
Volkswagen Golf City								
2010	Base	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Golf City (continued)								
2009	Base	B4				Rear	19-140032	Off-road Suspension
2008	Base	B4				Rear	19-140032	Off-road Suspension
2007	Base	B4				Rear	19-140032	Off-road Suspension
Volkswagen Jetta								
2012	Comfortline TDI; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	GLI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2012	GLI	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	GLI	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	GLI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	GLI; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2012	GLI; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	GLI; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	GLI; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	GLI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2012	Highline TDI; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	S	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2012	S	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	S	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	S; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	S; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2012	S; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	S; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	S; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	S; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2012	S; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	S; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	S; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	SE	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2012	SE	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	SE	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	SE; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	SE; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2012	SE; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	SE; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	SE; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	SE; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2012	SE; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	SE; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	SE; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	SEL	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2012	SEL	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	SEL	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	SEL	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	SEL; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2012	SEL; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	SEL; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	SEL; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	SEL; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2012	Sedan; TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	Sedan; TDI Premium; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2012	Sedan; TDI Premium; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Sedan; TDI Premium; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	Sedan; TDI Premium; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	Sedan; TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2012	Sedan; TDI; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Sedan; TDI; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	Sedan; TDI; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	Sedan; Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	Sedan; Trendline; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2012	Sedan; Trendline; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Sedan; Trendline; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	Sedan; Trendline; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2012	TDI	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	TDI	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	TDI Premium	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2012	TDI Premium	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	TDI Premium	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	TDI Premium	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	TDI Premium; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2012	TDI; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter			
2012	TDI; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2012	TDI; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	TDI; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	Trendline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2012	Trendline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	Trendline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	Trendline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2012	Trendline; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	Trendline; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012	Trendline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2011	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	Base	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	Base	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Base; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	Base; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Base; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	Base; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2011	Base; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Comfortline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	Comfortline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	Comfortline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	Comfortline; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Comfortline; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2011	Comfortline; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Comfortline; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	Comfortline; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	Comfortline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	Comfortline; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Comfortline; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Comfortline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	Highline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	Highline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	Highline; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2011	Highline; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Highline; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	Highline; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	Highline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	Highline; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Highline; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Highline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	S	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2011	S	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	S	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	S	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	S; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	S; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2011	S; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	S; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	S; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	S; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	S; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	S; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	S; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	SE	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2011	SE	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	SE	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	SE	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	SE; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	SE; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2011	SE; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	SE; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	SE; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	SE; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	SE; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	SE; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	SE; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	SEL	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2011	SEL	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	SEL	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	SEL	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	SEL; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	SEL; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2011	SEL; Sedan; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	SEL; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	SEL; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	SEL; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	SEL; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	SEL; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	SEL; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sedan; Sportline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sedan; Sportline; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2011	Sedan; Sportline; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Sedan; Sportline; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	Sedan; Sportline; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2011	Sedan; TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sedan; TDI Comfortline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sedan; TDI Comfortline; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	Sedan; TDI Comfortline; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Sedan; TDI Comfortline; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	Sedan; TDI Comfortline; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2011	Sedan; TDI Highline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sedan; TDI Highline; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2011	Sedan; TDI Highline; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Sedan; TDI Highline; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	Sedan; TDI Highline; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2011	Sedan; TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2011	Sedan; TDI; w/ A5 Body	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2011	Sedan; TDI; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	Sedan; TDI; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	Sportline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	Sportline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	Sportline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	Sportline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	Sportline; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Sportline; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Sportline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2011	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	TDI	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	TDI	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	TDI Comfortline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	TDI Comfortline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	TDI Comfortline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	TDI Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI Comfortline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	TDI Comfortline; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	TDI Comfortline; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	TDI Comfortline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI Highline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	TDI Highline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	TDI Highline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	TDI Highline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	TDI Highline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	TDI Highline; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	TDI Highline; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	TDI Highline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter			
2011	TDI; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	TDI; Wagon	B6 (HD)	Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	TDI; Wagon	B8 (SP)	Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Trendline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	47-128347	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	Trendline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
2011	Trendline	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Except Electronic Adjustable Suspension; Sport Suspension
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2011	Trendline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	Trendline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2010	Comfortline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Comfortline	B6 (HD)				Rear	24-172936	
2010	Comfortline	B8 (SP)				Rear	24-178006	
2010	Comfortline; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	Comfortline; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2010	Comfortline; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Comfortline; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Comfortline; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	Comfortline; Wagon	B4				Rear	19-139333	Standard Chassis
2010	Comfortline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Comfortline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Comfortline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010	Comfortline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Highline	B6 (HD)				Rear	24-172936	
2010	Highline	B8 (SP)				Rear	24-178006	
2010	Highline; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2010	Highline; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Highline; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Highline; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	Highline; Wagon	B4				Rear	19-139333	Standard Chassis
2010	Highline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Highline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Highline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	Highline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	S	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2010	S	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	S	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010	S	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010	S	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	S; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	S; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2010	S; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	S; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	S; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	S; Wagon	B4				Rear	19-139333	Standard Chassis
2010	S; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	S; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	S; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	S; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	SE	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2010	SE	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	SE	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010	SE	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	SE	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	SE; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	SE; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010	SE; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	SE; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	SE; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	SE; Wagon	B4				Rear	19-139333	Standard Chassis
2010	SE; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	SE; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	SE; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	SE; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	SEL	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2010	SEL	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	SEL	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010	SEL	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	SEL	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	SEL; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	SEL; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2010	SEL; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	SEL; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	SEL; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	SEL; Wagon	B4				Rear	19-139333	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010	SEL; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	SEL; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	SEL; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	SEL; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sedan; TDI	B12 (Pro-Kit)	Front and Rear	46-184313	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sedan; TDI	B12 (Sportline)	Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sedan; TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sedan; TDI Cup Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2010	Sedan; TDI Cup Edition; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Sedan; TDI Cup Edition; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Sedan; TDI Cup Edition; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	Sedan; TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2010	Sedan; TDI; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Sedan; TDI; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Sedan; TDI; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	Sedan; Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sedan; Trendline; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010	Sedan; Trendline; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Sedan; Trendline; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Sedan; Trendline; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	Sedan; Wolfsburg Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2010	Sedan; Wolfsburg Edition; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Sedan; Wolfsburg Edition; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Sedan; Wolfsburg Edition; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	TDI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2010	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	TDI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010	TDI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	TDI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	TDI Cup Edition	B12 (Pro-Kit)	Front and Rear	46-184313	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI Cup Edition	B12 (Sportline)	Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI Cup Edition	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	TDI Cup Edition	B6 (HD)				Rear	24-172936	
2010	TDI Cup Edition	B8 (SP)				Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010	TDI Cup Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI Cup Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI; Wagon	B12 (Pro-Kit)	Front and Rear	46-184214	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI; Wagon	B4				Rear	19-139333	Standard Chassis
2010	TDI; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	TDI; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	TDI; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Trendline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Trendline	B6 (HD)				Rear	24-172936	
2010	Trendline	B8 (SP)				Rear	24-178006	
2010	Trendline; Wagon	B4				Rear	19-139333	Standard Chassis
2010	Trendline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Trendline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010	Trendline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010	Trendline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2010	Wolfsburg Edition	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010	Wolfsburg Edition	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010	Wolfsburg Edition	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Wolfsburg Edition	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Wolfsburg Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	Wolfsburg Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0L L4 1968cc 120 CID; Sedan; TDI	B12 (Pro-Kit)	Front and Rear	46-184313	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0L L4 1984cc 121 CID; SEL; Sedan	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0L L4 1984cc 121 CID; SEL; Sedan	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2009	Comfortline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Comfortline	B6 (HD)				Rear	24-172936	
2009	Comfortline	B8 (SP)				Rear	24-178006	
2009	Comfortline; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Comfortline; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	Comfortline; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Comfortline; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	Comfortline; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	Comfortline; Wagon	B4				Rear	19-139333	Standard Chassis
2009	Comfortline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Comfortline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	Comfortline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	Comfortline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Europa	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	Europa	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	Europa	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Europa	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Europa	B6 (HD)				Rear	24-172936	
2009	Europa	B8 (SP)				Rear	24-178006	
2009	Europa; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	GLI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	GLI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2009	GLI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	GLI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	GLI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2009	GLI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	GLI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	GLI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	GLI; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	GLI; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	GLI; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	GLI; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	GLI; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	GLI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Highline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Highline	B6 (HD)				Rear	24-172936	
2009	Highline	B8 (SP)				Rear	24-178006	
2009	Highline; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Highline; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	Highline; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Highline; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	Highline; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	Highline; Wagon	B4				Rear	19-139333	Standard Chassis
2009	Highline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Highline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	Highline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	Highline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	S	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	S	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	S	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2009	S	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	S	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	S; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	S; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	S; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	S; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	S; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	S; Wagon	B4				Rear	19-139333	Standard Chassis
2009	S; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	S; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	S; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	S; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	SE	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2009	SE	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	SE	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2009	SE	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	SE	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	SE; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	SE; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	SE; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	SE; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	SE; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	SE; Wagon	B4				Rear	19-139333	Standard Chassis
2009	SE; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	SE; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	SE; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	SE; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	SEL	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2009	SEL	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	SEL	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2009	SEL	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	SEL	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	SEL; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	SEL; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	SEL; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	SEL; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	SEL; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	SEL; Wagon	B4				Rear	19-139333	Standard Chassis
2009	SEL; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	SEL; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	SEL; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	SEL; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Sedan; TDI	B12 (Sportline)	Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2009	Sedan; TDI	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	Sedan; TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Sedan; TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	Sedan; TDI; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Sedan; TDI; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	Sedan; TDI; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	Sedan; Trendline	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	Sedan; Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Sedan; Trendline; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	Sedan; Trendline; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Sedan; Trendline; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	Sedan; Trendline; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	Sedan; Turbo	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	Sedan; Wolfsburg Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2009	Sedan; Wolfsburg Edition; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Sedan; Wolfsburg Edition; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	Sedan; Wolfsburg Edition; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	TDI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2009	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	TDI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2009	TDI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	TDI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	TDI; Wagon	B12 (Pro-Kit)	Front and Rear	46-184214	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	TDI; Wagon	B4				Rear	19-139333	Standard Chassis
2009	TDI; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	TDI; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	TDI; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Trendline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Trendline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Trendline	B6 (HD)				Rear	24-172936	
2009	Trendline	B8 (SP)				Rear	24-178006	
2009	Trendline; Wagon	B4				Rear	19-139333	Standard Chassis
2009	Trendline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Trendline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2009	Trendline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2009	Trendline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Turbo	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	Turbo	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2009	Turbo	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Turbo	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Turbo	B6 (HD)				Rear	24-172936	
2009	Turbo	B8 (SP)				Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009	Turbo	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2009	Wolfsburg Edition	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	Wolfsburg Edition	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2009	Wolfsburg Edition	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Wolfsburg Edition	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	Wolfsburg Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009	Wolfsburg Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0T	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0T	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008	2.0T	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	2.0T	B6 (HD)				Rear	24-172936	
2008	2.0T	B8 (SP)				Rear	24-178006	
2008	2.0T	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0T; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	2.0T; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	2.0T; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	2.0T; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2008	2.0T; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.5	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	2.5	B6 (HD)				Rear	24-172936	
2008	2.5	B8 (SP)				Rear	24-178006	
2008	2.5; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.5; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	2.5; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	2.5; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	2.5; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2008	2.5; Wagon	B4				Rear	19-139333	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008	2.5; Wagon; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	2.5; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	2.5; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2008	2.5; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Europa	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2008	Europa	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2008	Europa	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Europa	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Europa	B6 (HD)				Rear	24-172936	
2008	Europa	B8 (SP)				Rear	24-178006	
2008	Europa; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	GLI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2008	GLI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load			
2008	GLI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008	GLI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	GLI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2008	GLI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	GLI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	GLI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	GLI; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	GLI; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	GLI; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	GLI; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	GLI; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2008	GLI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	S	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2008	S	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	S	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2008	S	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	S	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	S	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008	S; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	S; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	S; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	S; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2008	S; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	SE	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2008	SE	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	SE	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2008	SE	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	SE	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	SE	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	SE; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	SE; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	SE; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	SE; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2008	SE; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008	SEL	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2008	SEL	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	SEL	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2008	SEL	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	SEL	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	SEL	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	SEL; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	SEL; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	SEL; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	SEL; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2008	SEL; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Sedan; TDI	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	Sedan; Trendline	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	Sedan; Wolfsburg Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2008	Sedan; Wolfsburg Edition; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	Sedan; Wolfsburg Edition; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	Sedan; Wolfsburg Edition; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008	TDI	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2008	TDI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2008	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	TDI	B6 (HD)				Rear	24-172936	
2008	TDI	B8 (SP)				Rear	24-178006	
2008	Trendline	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2008	Trendline	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2008	Trendline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Trendline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	Trendline	B6 (HD)				Rear	24-172936	
2008	Trendline	B8 (SP)				Rear	24-178006	
2008	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184290				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2008	Wolfsburg Edition	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	Wolfsburg Edition	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2008	Wolfsburg Edition	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2008	Wolfsburg Edition	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	Wolfsburg Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	Wolfsburg Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0T	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0T	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0T	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2007	2.0T	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2007	2.0T	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2007	2.0T	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2007	2.0T	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.0T; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2007	2.0T; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	2.0T; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2007	2.0T; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2007	2.0T; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.5	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2007	2.5	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2007	2.5	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2007	2.5	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2007	2.5	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2007	2.5	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.5; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2007	2.5; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	2.5; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2007	2.5; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2007	2.5; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Europa	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2007	Europa	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2007	Europa	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Europa	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Europa	B6 (HD)				Rear	24-172936	
2007	Europa	B8 (SP)				Rear	24-178006	
2007	Europa; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2007	GLI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2007	GLI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2007	GLI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	GLI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2007	GLI	B4	Front	22-131614	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2007	GLI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2007	GLI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2007	GLI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007	GLI; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2007	GLI; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2007	GLI; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	GLI; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2007	GLI; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2007	GLI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Sedan; TDI	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2007	Sedan; Trendline	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2007	Sedan; Wolfsburg Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2007	Sedan; Wolfsburg Edition; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2007	Sedan; Wolfsburg Edition; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2007	Sedan; Wolfsburg Edition; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2007	TDI	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2007	TDI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2007	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	TDI	B6 (HD)				Rear	24-172936	
2007	TDI	B8 (SP)				Rear	24-178006	
2007	Trendline	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2007	Trendline	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2007	Trendline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Trendline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007	Trendline	B6 (HD)				Rear	24-172936	
2007	Trendline	B8 (SP)				Rear	24-178006	
2007	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2007	Wolfsburg Edition	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2007	Wolfsburg Edition	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2007	Wolfsburg Edition	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2007	Wolfsburg Edition	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2007	Wolfsburg Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2007	Wolfsburg Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.0T	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.0T	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.0T	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	2.0T	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2006	2.0T	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2006	2.0T	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2006	2.0T	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.0T; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	2.0T; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2006	2.0T; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2006	2.0T; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2006	2.0T; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.5	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2006	2.5	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	2.5	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2006	2.5	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2006	2.5	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2006	2.5	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.5; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	2.5; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2006	2.5; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2006	2.5; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2006	2.5; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	475 Aniversario	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	475 Aniversario	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	475 Aniversario	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	475 Aniversario	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	475 Aniversario	B6 (HD)				Rear	24-172936	
2006	475 Aniversario	B8 (SP)				Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2006	475 Aniversario; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Europa	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Europa	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	Europa	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Europa	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Europa	B6 (HD)				Rear	24-172936	
2006	Europa	B8 (SP)				Rear	24-178006	
2006	Europa; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	GLI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	GLI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	GLI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	GLI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2006	GLI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2006	GLI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2006	GLI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2006	GLI; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	GLI; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2006	GLI; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2006	GLI; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2006	GLI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Sedan; Soccer 1	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Sedan; Soccer 2	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Sedan; TDI	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Sedan; TDI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	Sedan; TDI	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Sedan; TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006	Sedan; TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Sedan; TDI; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2006	Sedan; TDI; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2006	Sedan; TDI; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2006	Sedan; TDI; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184313	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2006	Sedan; Trendline	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Sedan; Value Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Sedan; Value Edition; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2006	Sedan; Value Edition; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2006	Sedan; Value Edition; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2006	Sedan; Winter 1	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Sedan; Winter 2	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2006	Soccer 1	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Soccer 1	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	Soccer 1	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Soccer 1	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Soccer 1	B6 (HD)				Rear	24-172936	
2006	Soccer 1	B8 (SP)				Rear	24-178006	
2006	Soccer 2	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Soccer 2	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	Soccer 2	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2006	Soccer 2	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Soccer 2	B6 (HD)				Rear	24-172936	
2006	Soccer 2	B8 (SP)				Rear	24-178006	
2006	TDI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2006	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	TDI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2006	TDI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2006	TDI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2006	TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Trendline	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Trendline	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	Trendline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Trendline	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Trendline	B6 (HD)				Rear	24-172936	
2006	Trendline	B8 (SP)				Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2006	Value Edition	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2006	Value Edition	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	Value Edition	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2006	Value Edition	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2006	Value Edition	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2006	Value Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006	Value Edition; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Winter 1	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Winter 1	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	Winter 1	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Winter 1	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Winter 1	B6 (HD)				Rear	24-172936	
2006	Winter 1	B8 (SP)				Rear	24-178006	
2006	Winter 2	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2006	Winter 2	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2006	Winter 2	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Winter 2	B6 (HD)				Rear	24-172936	
2006	Winter 2	B8 (SP)				Rear	24-178006	
2005	1.8L L4 1781cc; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005	1.8L L4 1781cc; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	1.8L L4 1781cc; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2005	1.8L L4 1781cc; GLI; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005	1.8L L4 1781cc; GLI; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005	1.8L L4 1781cc; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2005	1.8L L4 1781cc; Sedan; Sportline	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005	1.8L L4 1781cc; Sedan; Sportline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	1.9L L4 1896cc 116 CID; GL TDI; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	1.9L L4 1896cc 116 CID; GLS TDI; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2005	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	2.0L L4 1984cc 121 CID; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2005	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	2.0L L4 1984cc 121 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Limited Edition; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Limited Edition; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Sedan; Special Edition	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Sedan; Special Edition	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	2.0L L4 1984cc 121 CID; Sedan; Summer Edition	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Sedan; Summer Edition	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	2.5	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
2005	2.5	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2005	2.5	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2005	2.5	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2005	2.5	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2005	2.5	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2005	2.5; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	2.5; Sedan; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2005	2.5; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2005	2.5; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2005	2.5; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	4 Dr.; GL TDI; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	4 Dr.; GL TDI; Sedan	B6 (HD)				Rear	24-026239	
2005	4 Dr.; GL TDI; Sedan	B8 (SP)				Rear	24-026246	
2005	4 Dr.; GL; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2005	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-026239	
2005	4 Dr.; GL; Sedan	B8 (SP)				Rear	24-026246	
2005	4 Dr.; GLI; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2005	4 Dr.; GLI; Sedan	B6 (HD)				Rear	24-026239	
2005	4 Dr.; GLI; Sedan	B8 (SP)				Rear	24-026246	
2005	4 Dr.; GLS TDI; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2005	4 Dr.; GLS TDI; Sedan	B6 (HD)				Rear	24-026239	
2005	4 Dr.; GLS TDI; Sedan	B8 (SP)				Rear	24-026246	
2005	4 Dr.; GLS; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2005	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-026239	
2005	4 Dr.; GLS; Sedan	B8 (SP)				Rear	24-026246	
2005	Comfortline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	Comfortline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	Comfortline	B4				Rear	19-140032	Off-road Suspension
2005	Comfortline; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	Europa	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	Europa	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	Europa	B4				Rear	19-140032	Off-road Suspension
2005	Europa; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2005	GL	B14 (PSS)	Front and Rear	47-124851				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	GL	B16 (PSS9)	Front and Rear	48-080651				
2005	GL	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2005	GL	B6 (HD)	Front	35-044079				
2005	GL	B8 (SP)	Front	22-042842				
			Front	35-044086				
2005	GL TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2005	GL TDI	B14 (PSS)	Front and Rear	47-124851				
2005	GL TDI	B16 (PSS9)	Front and Rear	48-080651				
2005	GL TDI	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2005	GL TDI	B6 (HD)	Front	35-044079				
2005	GL TDI	B8 (SP)	Front	22-042842				
			Front	35-044086				
2005	GL TDI; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	GL TDI; Sedan; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005	GL TDI; Wagon	B4				Rear	19-068633	Standard Chassis
2005	GL TDI; Wagon	B6 (HD)				Rear	24-064095	
2005	GL TDI; Wagon	B8 (SP)				Rear	24-064101	
2005	GL TDI; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2005	GL TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	GL; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	GL; Wagon	B4				Rear	19-068633	Standard Chassis
2005	GL; Wagon	B6 (HD)				Rear	24-064095	
2005	GL; Wagon	B8 (SP)				Rear	24-064101	
2005	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	GLI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2005	GLI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	GLI	B14 (PSS)	Front and Rear	47-124851				
2005	GLI	B16 (PSS9)	Front and Rear	48-080651				
2005	GLI	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2005	GLI	B6 (HD)	Front	35-044079				
2005	GLI	B8 (SP)	Front	22-042842				
			Front	35-044086				
2005	GLI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2005	GLS	B14 (PSS)	Front and Rear	47-124851				
2005	GLS	B16 (PSS9)	Front and Rear	48-080651				
2005	GLS	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2005	GLS	B6 (HD)	Front	35-044079				
2005	GLS	B8 (SP)	Front	22-042842				
			Front	35-044086				
2005	GLS TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2005	GLS TDI	B14 (PSS)	Front and Rear	47-124851				
2005	GLS TDI	B16 (PSS9)	Front and Rear	48-080651				
2005	GLS TDI	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2005	GLS TDI	B6 (HD)	Front	35-044079				
2005	GLS TDI	B8 (SP)	Front	22-042842				
			Front	35-044086				
2005	GLS TDI; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	GLS TDI; Sedan; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005	GLS TDI; Wagon	B4				Rear	19-068633	Standard Chassis
2005	GLS TDI; Wagon	B6 (HD)				Rear	24-064095	
2005	GLS TDI; Wagon	B8 (SP)				Rear	24-064101	
2005	GLS TDI; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	GLS TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	GLS; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	GLS; Wagon	B4				Rear	19-068633	Standard Chassis
2005	GLS; Wagon	B6 (HD)				Rear	24-064095	
2005	GLS; Wagon	B8 (SP)				Rear	24-064101	
2005	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	Limited Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	Limited Edition	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	Limited Edition	B4				Rear	19-140032	Off-road Suspension
2005	Limited Edition; Sedan	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	Sedan; Special Edition	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	Sedan; Sportline	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	Sedan; Summer Edition	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	Sedan; TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	Sedan; TDI; w/ A5 Body	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2005	Sedan; TDI; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2005	Sedan; TDI; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2005	Sedan; Trendline	B14 (PSS)	Front and Rear	47-128347	With 50mm Outside Strut Diameter			
2005	Special Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	Special Edition	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	Special Edition	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	Sportline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	Sportline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	Sportline	B4				Rear	19-140032	Off-road Suspension
2005	Summer Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	Summer Edition	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	Summer Edition	B4				Rear	19-140032	Off-road Suspension
2005	TDI	B12 (Pro-Kit)	Front and Rear	F4-SE5-C359-H1				
			Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2005	TDI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2005	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2005	TDI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2005	TDI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2005	TDI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2005	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	Trendline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005	Trendline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2005	Trendline	B4				Rear	19-140032	Off-road Suspension
2004	1.8L L4 1781cc; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2004	1.8L L4 1781cc; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	1.8L L4 1781cc; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2004	1.8L L4 1781cc; GLI 50 Aniversario; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2004	1.8L L4 1781cc; GLI 50 Aniversario; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	1.8L L4 1781cc; GLI; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2004	1.8L L4 1781cc; GLI; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2004	1.8L L4 1781cc; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2004	1.8L L4 1781cc; Sedan; Sportline	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2004	1.8L L4 1781cc; Sedan; Sportline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2004	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004	2.0L L4 1984cc 121 CID; Europa 50 Aniversario; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2004	2.0L L4 1984cc 121 CID; Europa 50 Aniversario; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2004	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2004	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004	2.0L L4 1984cc 121 CID; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2004	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2004	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2004	2.0L L4 1984cc 121 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2004	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2004	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	2.8L V6 2792cc; GLS; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2004	4 Dr.; GL; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2004	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-026239	
2004	4 Dr.; GL; Sedan	B8 (SP)				Rear	24-026246	
2004	4 Dr.; GLS; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2004	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-026239	
2004	4 Dr.; GLS; Sedan	B8 (SP)				Rear	24-026246	
2004	4 Dr.; Sedan; TDI	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2004	4 Dr.; Sedan; TDI	B6 (HD)				Rear	24-026239	
2004	4 Dr.; Sedan; TDI	B8 (SP)				Rear	24-026246	
2004	Comfortline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	Comfortline	B4				Rear	19-140032	Off-road Suspension
2004	Europa	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	Europa	B4				Rear	19-140032	Off-road Suspension
2004	Europa 50 Aniversario	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	Europa 50 Aniversario	B4				Rear	19-140032	Off-road Suspension
2004	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2004	GL	B14 (PSS)	Front and Rear	47-124851				
2004	GL	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2004	GL	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2004	GL	B6 (HD)	Front	35-044079				
2004	GL	B8 (SP)	Front	22-042842				
			Front	35-044086				
2004	GL; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	GL; Wagon	B4				Rear	19-068633	Standard Chassis
2004	GL; Wagon	B6 (HD)				Rear	24-064095	
2004	GL; Wagon	B8 (SP)				Rear	24-064101	
2004	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GLI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2004	GLI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	GLI	B14 (PSS)	Front and Rear	47-124851				
2004	GLI	B16 (PSS9)	Front and Rear	48-080651				
2004	GLI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2004	GLI	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GLI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2004	GLI 50 Aniversario	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	GLI 50 Aniversario	B4				Rear	19-140032	Off-road Suspension
2004	GLI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2004	GLS	B14 (PSS)	Front and Rear	47-124851				
2004	GLS	B16 (PSS9)	Front and Rear	48-080651				
2004	GLS	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2004	GLS	B6 (HD)	Front	35-044079				
2004	GLS	B8 (SP)	Front	22-042842				
			Front	35-044086				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2004	GLS; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	GLS; Wagon	B4				Rear	19-068633	Standard Chassis
2004	GLS; Wagon	B6 (HD)				Rear	24-064095	
2004	GLS; Wagon	B8 (SP)				Rear	24-064101	
2004	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	Sedan; TDI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2004	Sportline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	Sportline	B4				Rear	19-140032	Off-road Suspension
2004	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2004	TDI	B14 (PSS)	Front and Rear	47-124851				
2004	TDI	B16 (PSS9)	Front and Rear	48-080651				
2004	TDI	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2004	TDI	B6 (HD)	Front	35-044079				
2004	TDI	B8 (SP)	Front	22-042842				
			Front	35-044086				
2004	TDI; Wagon	B4				Rear	19-068633	Standard Chassis
2004	TDI; Wagon	B6 (HD)				Rear	24-064095	
2004	TDI; Wagon	B8 (SP)				Rear	24-064101	
2004	TDI; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2004	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	Trendline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	Trendline	B4				Rear	19-140032	Off-road Suspension
2003	1.8L L4 1781cc; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2003	1.8L L4 1781cc; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	1.8L L4 1781cc; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2003	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	1.8L L4 1781cc; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2003	1.8L L4 1781cc; Sedan; Sportline	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	1.8L L4 1781cc; Sedan; Sportline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	1.8L L4 1781cc; Sedan; Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	1.8L L4 1781cc; Sedan; Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Confortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Confortline; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Edicion Limitada; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Edicion Limitada; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2003	2.0L L4 1984cc 121 CID; Europa Wolfsburg; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Europa Wolfsburg; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2003	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Highline; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Highline; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Jazz; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Jazz; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2003	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Sedan; Trendline Wolfsburg	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Sedan; Trendline Wolfsburg	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Variant Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Variant Trendline; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2003	2.8L V6 2792cc; GLS; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2003	4 Dr.; GL; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2003	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-026239	
2003	4 Dr.; GL; Sedan	B8 (SP)				Rear	24-026246	
2003	4 Dr.; GLS; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2003	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-026239	
2003	4 Dr.; GLS; Sedan	B8 (SP)				Rear	24-026246	
2003	4 Dr.; Sedan; TDI	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2003	4 Dr.; Sedan; TDI	B6 (HD)				Rear	24-026239	
2003	4 Dr.; Sedan; TDI	B8 (SP)				Rear	24-026246	
2003	4 Dr.; Sedan; Wolfsburg Edition	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2003	4 Dr.; Sedan; Wolfsburg Edition	B6 (HD)				Rear	24-026239	
2003	4 Dr.; Sedan; Wolfsburg Edition	B8 (SP)				Rear	24-026246	
2003	Confortline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2003	Confortline	B4				Rear	19-140032	Off-road Suspension
2003	Edicion Limitada	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Edicion Limitada	B4				Rear	19-140032	Off-road Suspension
2003	Europa	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Europa	B4				Rear	19-140032	Off-road Suspension
2003	Europa Wolfsburg	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Europa Wolfsburg	B4				Rear	19-140032	Off-road Suspension
2003	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2003	GL	B14 (PSS)	Front and Rear	47-124851				
2003	GL	B16 (PSS9)	Front and Rear	48-080651				
2003	GL	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2003	GL	B6 (HD)	Front	35-044079				
2003	GL	B8 (SP)	Front	22-042842				
			Front	35-044086				
2003	GL; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	GL; Wagon	B4				Rear	19-068633	Standard Chassis
2003	GL; Wagon	B6 (HD)				Rear	24-064095	
2003	GL; Wagon	B8 (SP)				Rear	24-064101	
2003	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	GLI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2003	GLI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	GLI	B14 (PSS)	Front and Rear	47-124851				
2003	GLI	B16 (PSS9)	Front and Rear	48-080651				
2003	GLI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2003	GLI	B6 (HD)	Front	35-044079		Rear	24-026239	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2003	GLI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GLI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2003	GLS	B14 (PSS)	Front and Rear	47-124851				
2003	GLS	B16 (PSS9)	Front and Rear	48-080651				
2003	GLS	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2003	GLS	B6 (HD)	Front	35-044079				
2003	GLS	B8 (SP)	Front	22-042842				
			Front	35-044086				
2003	GLS; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	GLS; Wagon	B4				Rear	19-068633	Standard Chassis
2003	GLS; Wagon	B6 (HD)				Rear	24-064095	
2003	GLS; Wagon	B8 (SP)				Rear	24-064101	
2003	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2003	GLX	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	GLX	B14 (PSS)	Front and Rear	47-124851				
2003	GLX	B16 (PSS9)	Front and Rear	48-080651				
2003	GLX	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2003	GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
2003	GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2003	GLX; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	Highline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Highline	B4				Rear	19-140032	Off-road Suspension
2003	Jazz	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2003	Jazz	B4				Rear	19-140032	Off-road Suspension
2003	Sedan; TDI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2003	Sedan; Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Sportline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Sportline	B4				Rear	19-140032	Off-road Suspension
2003	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2003	TDI	B14 (PSS)	Front and Rear	47-124851				
2003	TDI	B16 (PSS9)	Front and Rear	48-080651				
2003	TDI	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2003	TDI	B6 (HD)	Front	35-044079				
2003	TDI	B8 (SP)	Front	22-042842				
			Front	35-044086				
2003	TDI; Wagon	B4				Rear	19-068633	Standard Chassis
2003	TDI; Wagon	B6 (HD)				Rear	24-064095	
2003	TDI; Wagon	B8 (SP)				Rear	24-064101	
2003	TDI; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2003	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2003	Trendline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Trendline	B4				Rear	19-140032	Off-road Suspension
2003	Trendline Wolfsburg	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Trendline Wolfsburg	B4				Rear	19-140032	Off-road Suspension
2003	Variant Comfortline	B4				Rear	19-140032	Off-road Suspension
2003	Variant Comfortline; Wagon	B4				Rear	19-068633	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2003	Variant Comfortline; Wagon	B6 (HD)				Rear	24-064095	
2003	Variant Comfortline; Wagon	B8 (SP)				Rear	24-064101	
2003	Variant Trendline	B4				Rear	19-140032	Off-road Suspension
2003	Variant Trendline; Wagon	B4				Rear	19-068633	Standard Chassis
2003	Variant Trendline; Wagon	B6 (HD)				Rear	24-064095	
2003	Variant Trendline; Wagon	B8 (SP)				Rear	24-064101	
2003	Wagon; Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2003	Wagon; Wolfsburg Edition	B4						
2003	Wagon; Wolfsburg Edition	B6 (HD)				Rear	24-064095	
2003	Wagon; Wolfsburg Edition	B8 (SP)				Rear	24-064101	
2003	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2003	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124851				
2003	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080651				
2003	Wolfsburg Edition	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2003	Wolfsburg Edition	B6 (HD)	Front	35-044079				
2003	Wolfsburg Edition	B8 (SP)	Front	22-042842				
			Front	35-044086				
2003	Wolfsburg Edition; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)				Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load
2002	1.8L L4 1781cc; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2002	1.8L L4 1781cc; Sedan; Sportline	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2002	1.8L L4 1781cc; Sedan; Sportline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2002	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2002	2.0L L4 1984cc 121 CID; Confortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2002	2.0L L4 1984cc 121 CID; Confortline; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2002	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2002	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GL Confort; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GL Confort; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2002	2.0L L4 1984cc 121 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2002	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2002	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	2.0L L4 1984cc 121 CID; Variant Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2002	2.0L L4 1984cc 121 CID; Variant Trendline; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2002	2.8L V6 2792cc; GLS; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2002	4 Dr.; GL; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-026239	
2002	4 Dr.; GL; Sedan	B8 (SP)				Rear	24-026246	
2002	4 Dr.; GLS; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-026239	
2002	4 Dr.; GLS; Sedan	B8 (SP)				Rear	24-026246	
2002	4 Dr.; GLX; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-026239	
2002	4 Dr.; GLX; Sedan	B8 (SP)				Rear	24-026246	
2002	4 Dr.; Sedan; TDI	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2002	4 Dr.; Sedan; TDI	B6 (HD)				Rear	24-026239	
2002	4 Dr.; Sedan; TDI	B8 (SP)				Rear	24-026246	
2002	Comfortline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	Comfortline	B4				Rear	19-140032	Off-road Suspension
2002	Europa	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	Europa	B4				Rear	19-140032	Off-road Suspension
2002	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2002	GL	B14 (PSS)	Front and Rear	47-124851				
2002	GL	B16 (PSS9)	Front and Rear	48-080651				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2002	GL	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2002	GL	B6 (HD)	Front	35-044079				
2002	GL	B8 (SP)	Front	22-042842				
			Front	35-044086				
2002	GL Confort	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	GL Confort	B4				Rear	19-140032	Off-road Suspension
2002	GL; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	GL; Wagon	B4				Rear	19-068633	Standard Chassis
2002	GL; Wagon	B6 (HD)				Rear	24-064095	
2002	GL; Wagon	B8 (SP)				Rear	24-064101	
2002	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	GLI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2002	GLI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	GLI	B14 (PSS)	Front and Rear	47-124851				
2002	GLI	B16 (PSS9)	Front and Rear	48-080651				
2002	GLI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2002	GLI	B6 (HD)	Front	35-044079		Rear	24-026239	
2002	GLI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2002	GLI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2002	GLS	B14 (PSS)	Front and Rear	47-124851				
2002	GLS	B16 (PSS9)	Front and Rear	48-080651				
2002	GLS	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2002	GLS	B6 (HD)	Front	35-044079				
2002	GLS	B8 (SP)	Front	22-042842				
			Front	35-044086				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2002	GLS; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	GLS; Wagon	B4				Rear	19-068633	Standard Chassis
2002	GLS; Wagon	B6 (HD)				Rear	24-064095	
2002	GLS; Wagon	B8 (SP)				Rear	24-064101	
2002	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2002	GLX	B14 (PSS)	Front and Rear	47-124851				
2002	GLX	B16 (PSS9)	Front and Rear	48-080651				
2002	GLX	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2002	GLX	B6 (HD)	Front	35-044079				
2002	GLX	B8 (SP)	Front	22-042842				
			Front	35-044086				
2002	GLX VR6	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	GLX VR6	B4				Rear	19-140032	Off-road Suspension
2002	GLX; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	GLX; Wagon	B4				Rear	19-068633	Standard Chassis
2002	GLX; Wagon	B6 (HD)				Rear	24-064095	
2002	GLX; Wagon	B8 (SP)				Rear	24-064101	
2002	GLX; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2002	GLX; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	Highline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	Highline	B4				Rear	19-140032	Off-road Suspension
2002	Sedan; TDI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2002	Sportline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	Sportline	B4				Rear	19-140032	Off-road Suspension
2002	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2002	TDI	B14 (PSS)	Front and Rear	47-124851				
2002	TDI	B16 (PSS9)	Front and Rear	48-080651				
2002	TDI	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2002	TDI	B6 (HD)	Front	35-044079				
2002	TDI	B8 (SP)	Front	22-042842				
			Front	35-044086				
2002	TDI; Wagon	B4				Rear	19-068633	Standard Chassis
2002	TDI; Wagon	B6 (HD)				Rear	24-064095	
2002	TDI; Wagon	B8 (SP)				Rear	24-064101	
2002	TDI; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2002	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2002	Trendline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	Trendline	B4				Rear	19-140032	Off-road Suspension
2002	Variant Comfortline	B4				Rear	19-140032	Off-road Suspension
2002	Variant Comfortline; Wagon	B4				Rear	19-068633	Standard Chassis
2002	Variant Comfortline; Wagon	B6 (HD)				Rear	24-064095	
2002	Variant Comfortline; Wagon	B8 (SP)				Rear	24-064101	
2002	Variant Trendline	B4				Rear	19-140032	Off-road Suspension
2002	Variant Trendline; Wagon	B4				Rear	19-068633	Standard Chassis
2002	Variant Trendline; Wagon	B6 (HD)				Rear	24-064095	
2002	Variant Trendline; Wagon	B8 (SP)				Rear	24-064101	
2001	1.8L L4 1781cc; GLS Turbo; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2001	1.8L L4 1781cc; GLS Turbo; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2001	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2001	1.8L L4 1781cc; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2001	1.8L L4 1781cc; Sedan; Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2001	1.8L L4 1781cc; Sedan; Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GL Confort; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GL Confort; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GL Variant; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GLS Variant; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GLS Wolfsburg; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GLS Wolfsburg; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2001	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2001	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	2.0L L4 1984cc 121 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2001	2.8L V6 2792cc; GLS; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load			
2001	4 Dr.; GLS; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2001	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-026239	
2001	4 Dr.; GLS; Sedan	B8 (SP)				Rear	24-026246	
2001	4 Dr.; GLX; Sedan	B4				Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
2001	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-026239	
2001	4 Dr.; GLX; Sedan	B8 (SP)				Rear	24-026246	
2001	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2001	GL	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	GL	B14 (PSS)	Front and Rear	47-124851				
2001	GL	B16 (PSS9)	Front and Rear	48-080651				
2001	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2001	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2001	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	GL Confort	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	GL Confort	B4				Rear	19-140032	Off-road Suspension
2001	GL Variant	B4				Rear	19-140032	Off-road Suspension
2001	GL Variant; Wagon	B4				Rear	19-068633	Standard Chassis
2001	GL Variant; Wagon	B6 (HD)				Rear	24-064095	
2001	GL Variant; Wagon	B8 (SP)				Rear	24-064101	
2001	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2001	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2001	GLS	B14 (PSS)	Front and Rear	47-124851				
2001	GLS	B16 (PSS9)	Front and Rear	48-080651				
2001	GLS	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2001	GLS	B6 (HD)	Front	35-044079				
2001	GLS	B8 (SP)	Front	22-042842				
			Front	35-044086				
2001	GLS Turbo	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	GLS Turbo	B4				Rear	19-140032	Off-road Suspension
2001	GLS Variant	B4				Rear	19-140032	Off-road Suspension
2001	GLS Variant; Wagon	B4				Rear	19-068633	Standard Chassis
2001	GLS Variant; Wagon	B6 (HD)				Rear	24-064095	
2001	GLS Variant; Wagon	B8 (SP)				Rear	24-064101	
2001	GLS Wolfsburg	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	GLS Wolfsburg	B4				Rear	19-140032	Off-road Suspension
2001	GLS; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	GLS; Wagon	B4				Rear	19-068633	Standard Chassis
2001	GLS; Wagon	B6 (HD)				Rear	24-064095	
2001	GLS; Wagon	B8 (SP)				Rear	24-064101	
2001	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2001	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2001	GLX	B14 (PSS)	Front and Rear	47-124851				
2001	GLX	B16 (PSS9)	Front and Rear	48-080651				
2001	GLX	B4	Front	22-045751	Sport Suspension			
			Front	22-045744	Standard Suspension			
2001	GLX	B6 (HD)	Front	35-044079				
2001	GLX	B8 (SP)	Front	22-042842				
			Front	35-044086				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2001	GLX VR6	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	GLX VR6	B4				Rear	19-140032	Off-road Suspension
2001	GLX; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	GLX; Wagon	B4				Rear	19-068633	Standard Chassis
2001	GLX; Wagon	B6 (HD)				Rear	24-064095	
2001	GLX; Wagon	B8 (SP)				Rear	24-064101	
2001	GLX; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2001	GLX; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2001	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
			Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2001	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2001	TDI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	TDI	B14 (PSS)	Front and Rear	47-124851				
2001	TDI	B16 (PSS9)	Front and Rear	48-080651				
2001	TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2001	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2001	TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2001	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2001	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2001	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124851	Will require wheel spacers			
2001	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080651	Will require wheel spacers			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2001	Wolfsburg Edition	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2001	Wolfsburg Edition	B6 (HD)	Front	35-044079		Rear	24-026239	
2001	Wolfsburg Edition	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2001	Wolfsburg Edition; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2000	1.8L L4 1781cc; GLS Turbo; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2000	1.8L L4 1781cc; GLS Turbo; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2000	1.8L L4 1781cc; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GL Confort; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GL Confort; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2000	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2000	GL	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	GL	B14 (PSS)	Front and Rear	47-124851				
2000	GL	B16 (PSS9)	Front and Rear	48-080651				
2000	GL	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2000	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2000	GL	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GL Confort	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	GL Confort	B4				Rear	19-140032	Off-road Suspension
2000	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2000	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2000	GLS	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	GLS	B14 (PSS)	Front and Rear	47-124851				
2000	GLS	B16 (PSS9)	Front and Rear	48-080651				
2000	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2000	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
2000	GLS	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GLS Turbo	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	GLS Turbo	B4				Rear	19-140032	Off-road Suspension
2000	GLS VR6	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	GLS VR6	B4				Rear	19-140032	Off-road Suspension
2000	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2000	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7509				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2000	GLX	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	GLX	B14 (PSS)	Front and Rear	47-124851				
2000	GLX	B16 (PSS9)	Front and Rear	48-080651				
2000	GLX	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2000	GLX	B6 (HD)	Front	35-044079		Rear	24-026239	
2000	GLX	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	GLX VR6	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	GLX VR6	B4				Rear	19-140032	Off-road Suspension
2000	GLX; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2000	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
			Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2000	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
2000	TDI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000	TDI	B14 (PSS)	Front and Rear	47-124851				
2000	TDI	B16 (PSS9)	Front and Rear	48-080651				
2000	TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
2000	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2000	TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
2000	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
1999	1.9L L4 1896cc 116 CID; TDI; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1999	2.0L L4 1984cc 121 CID; GL; Sedan; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
1999	2.0L L4 1984cc 121 CID; GL; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
1999	2.0L L4 1984cc 121 CID; GLS; Sedan; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
1999	2.0L L4 1984cc 121 CID; GLS; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	2.0L L4 1984cc 121 CID; GLS; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
1999	Base	B4				Rear	19-140032	Off-road Suspension
1999	CL	B4				Rear	19-140032	Off-road Suspension
1999	GL; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	GL; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1999	GL; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				
1999	GL; w/ A3 Body	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1999	GL; w/ A3 Body	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1999	GL; w/ A3 Body	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1999	GL; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	GL; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
1999	GL; w/ A4 Body	B14 (PSS)	Front and Rear	47-124851				
1999	GL; w/ A4 Body	B16 (PSS9)	Front and Rear	48-080651				
1999	GL; w/ A4 Body	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1999	GL; w/ A4 Body	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GL; w/ A4 Body	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	GLS Confort	B4				Rear	19-140032	Off-road Suspension
1999	GLS VR6	B4				Rear	19-140032	Off-road Suspension
1999	GLS; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	GLS; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1999	GLS; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				
1999	GLS; w/ A3 Body	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1999	GLS; w/ A3 Body	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1999	GLS; w/ A3 Body	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1999	GLS; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	GLS; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
1999	GLS; w/ A4 Body	B14 (PSS)	Front and Rear	47-124851				
1999	GLS; w/ A4 Body	B16 (PSS9)	Front and Rear	48-080651				
1999	GLS; w/ A4 Body	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
1999	GLS; w/ A4 Body	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GLS; w/ A4 Body	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	GLX VR6	B4				Rear	19-140032	Off-road Suspension
1999	GLX; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	GLX; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1999	GLX; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				
1999	GLX; w/ A3 Body	B4	Front	22-045010	Plus Axle			
1999	GLX; w/ A3 Body	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1999	GLX; w/ A3 Body	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1999	GLX; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	GLX; w/ A4 Body	B14 (PSS)	Front and Rear	47-124851				
1999	GLX; w/ A4 Body	B16 (PSS9)	Front and Rear	48-080651				
1999	GLX; w/ A4 Body	B4	Front	22-045751	Sport Suspension	Rear	19-140032	Off-road Suspension
			Front	22-045744	Standard Suspension	Rear	19-029177	Sport Suspension
						Rear	19-029429	Standard Suspension
1999	GLX; w/ A4 Body	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GLX; w/ A4 Body	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
1999	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	TDI	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
1999	TDI	B14 (PSS)	Front and Rear	47-124851				
1999	TDI	B16 (PSS9)	Front and Rear	48-080651				
1999	TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
			Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
1999	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	TDI	B8 (SP)	Front	22-042842		Rear	24-026246	
			Front	35-044086				
1999	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
1999	VR6 Carat	B4				Rear	19-140032	Off-road Suspension
1999	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1999	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080569				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1999	Wolfsburg Edition	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1999	Wolfsburg Edition	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1999	Wolfsburg Edition	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1999	Wolfsburg Edition; w/ A3 Body	B4	Front	22-045010	Plus Axle			
1998	2.0L L4 1984cc 121 CID; GLX	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	CL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	CL	B4	Front	22-045010	Plus Axle			
1998	Europa	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	Europa	B4	Front	22-045010	Plus Axle			
1998	GL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	GL	B16 (PSS9)	Front and Rear	48-080569				
1998	GL	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1998	GL	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1998	GL	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1998	GLS	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	GLS	B16 (PSS9)	Front and Rear	48-080569				
1998	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1998	GLS	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1998	GLS	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1998	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7510				
1998	GLX	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	GLX	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	GLX	B16 (PSS9)	Front and Rear	48-080569				
1998	GLX	B4	Front	22-045010	Plus Axle			
1998	GLX	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1998	GLX	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1998	GT	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1998	GT	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	GT	B16 (PSS9)	Front and Rear	48-080569				
1998	GT	B4	Front	22-045010	Plus Axle			
1998	GT	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1998	GT	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1998	K2	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	K2	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	K2	B16 (PSS9)	Front and Rear	48-080569				
1998	K2	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1998	K2	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1998	K2	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1998	TDI	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	TDI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	TDI	B16 (PSS9)	Front and Rear	48-080569				
1998	TDI	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1998	TDI	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1998	TDI	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1998	VR6	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	VR6	B4	Front	22-045010	Plus Axle			
1998	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080569				
1998	Wolfsburg Edition	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1998	Wolfsburg Edition	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1998	Wolfsburg Edition	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1997	2.0L L4 1984cc 121 CID; GLX	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	CL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	CL	B4	Front	22-045010	Plus Axle			
1997	Europa	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1997	Europa	B4	Front	22-045010	Plus Axle			
1997	GL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	GL	B16 (PSS9)	Front and Rear	48-080569				
1997	GL	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1997	GL	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1997	GL	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1997	GLS	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	GLS	B16 (PSS9)	Front and Rear	48-080569				
1997	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1997	GLS	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1997	GLS	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1997	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7510				
1997	GLX	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1997	GLX	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	GLX	B16 (PSS9)	Front and Rear	48-080569				
1997	GLX	B4	Front	22-045010	Plus Axle			
1997	GLX	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1997	GLX	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1997	GT	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	GT	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	GT	B16 (PSS9)	Front and Rear	48-080569				
1997	GT	B4	Front	22-045010	Plus Axle			
1997	GT	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1997	GT	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1997	Jazz	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	Jazz	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	Jazz	B16 (PSS9)	Front and Rear	48-080569				
1997	Jazz	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1997	Jazz	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1997	Jazz	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1997	TDI	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	TDI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	TDI	B16 (PSS9)	Front and Rear	48-080569				
1997	TDI	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1997	TDI	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1997	TDI	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1997	VR6	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1997	VR6	B4	Front	22-045010	Plus Axle			
1996	2.0L L4 1984cc 121 CID; GLX	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	Atlanta	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	Atlanta	B4	Front	22-045010	Plus Axle			
1996	Europa	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	Europa	B4	Front	22-045010	Plus Axle			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1996	GL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	GL	B16 (PSS9)	Front and Rear	48-080569				
1996	GL	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1996	GL	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1996	GL	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1996	GLS	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	GLS	B16 (PSS9)	Front and Rear	48-080569				
1996	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1996	GLS	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1996	GLS	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1996	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7510				
1996	GLX	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	GLX	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1996	GLX	B16 (PSS9)	Front and Rear	48-080569				
1996	GLX	B4	Front	22-045010	Plus Axle			
1996	GLX	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1996	GLX	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1996	TDI	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	TDI	B4	Front	22-045010	Plus Axle			
1996	Trek	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	Trek	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	Trek	B16 (PSS9)	Front and Rear	48-080569				
1996	Trek	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1996	Trek	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1996	Trek	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1996	VR6	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	VR6	B4	Front	22-045010	Plus Axle			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1996	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1996	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080569				
1996	Wolfsburg Edition	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1996	Wolfsburg Edition	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1996	Wolfsburg Edition	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1995	1.8L L4 1788cc 109 CID; Base	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Base	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	Base	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Base	B4	Front	22-045010	Plus Axle			
1995	CL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1995	CL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	CL	B4	Front	22-045010	Plus Axle			
1995	Carat	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	Carat	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Carat	B4	Front	22-045010	Plus Axle			
1995	Celebration Edition	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	Celebration Edition	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Celebration Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	Celebration Edition	B16 (PSS9)	Front and Rear	48-080569				
1995	Celebration Edition	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1995	Celebration Edition	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1995	Celebration Edition	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1995	City	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	City	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	City	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	City	B16 (PSS9)	Front and Rear	48-080569				
1995	City	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1995	City	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1995	City	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1995	GL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	GL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	GL	B16 (PSS9)	Front and Rear	48-080569				
1995	GL	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1995	GL	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1995	GL	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1995	GLS	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	GLS	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	GLS	B16 (PSS9)	Front and Rear	48-080569				
1995	GLS	B4	Front	22-045010	Plus Axle	Rear	19-019741	
			Front	22-045027	Sport Suspension			
1995	GLS	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1995	GLS	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1995	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7510				
			Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	GLX	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	GLX	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	GLX	B16 (PSS9)	Front and Rear	48-080569				
1995	GLX	B4	Front	22-045010	Plus Axle			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1995	GLX	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1995	GLX	B8 (SP)	Front	F4-VN3-4172-H0				
			Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1995	VR6	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	VR6	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	VR6	B4	Front	22-045010	Plus Axle			
1994	1.8L L4 1788cc 109 CID; Base	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	Base	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1994	Base	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	Base	B4	Front	22-045010	Plus Axle			
1994	CL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1994	CL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	CL	B4	Front	22-045010	Plus Axle			
1994	GL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1994	GL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	GL	B16 (PSS9)	Front and Rear	48-080569				
1994	GL	B4	Front	22-045027	From 9/94; Sport Suspension	Rear	19-019741	From 9/94
			Front	22-045010	Plus Axle			
1994	GL	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1994	GL	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1994	GLS	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1994	GLS	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	GLS	B16 (PSS9)	Front and Rear	48-080569				
1994	GLS	B4	Front	22-045027	From 9/94; Sport Suspension	Rear	19-019741	From 9/94
			Front	22-045010	Plus Axle			
1994	GLS	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1994	GLS	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1994	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7510				
			Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1994	GLX	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	GLX	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	GLX	B16 (PSS9)	Front and Rear	48-080569				
1994	GLX	B4	Front	22-045010	Plus Axle			
1994	GLX	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1994	GLX	B8 (SP)	Front	F4-VN3-4172-H0				
			Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1994	Limited Edition	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1994	Limited Edition	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	Limited Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	Limited Edition	B16 (PSS9)	Front and Rear	48-080569				
1994	Limited Edition	B4	Front	22-045027	From 9/94; Sport Suspension	Rear	19-019741	From 9/94
			Front	22-045010	Plus Axle			
1994	Limited Edition	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1994	Limited Edition	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1993	1.8L L4 1788cc 109 CID; Base	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1993	Base	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1993	Base	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1993	Base	B4	Front	22-045010	Plus Axle			
1993	GL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1993	GL	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1993	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1993	GL	B16 (PSS9)	Front and Rear	48-080569				
1993	GL	B4	Front	22-045010	Plus Axle			
1993	GL	B6 (HD)	Front	35-043959	Base Axle	Rear	24-015240	
			Front	35-043911	Plus Axle	Rear	24-015295	Setting: B8 (SP)
1993	GL	B8 (SP)	Front	35-043966	Base Axle			
			Front	35-043928	Plus Axle			
1993	GLS	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1993	GLS	B12 (Sportline)	Front and Rear	46-190048	Base Axle; Front Lowered Height: 45-50mm, up to 860kg Axle load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1993	GLS	B4	Front	22-045010	Plus Axle			
1992	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1992	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1992	Base	B4				Rear	19-124681	Off-road Suspension
1992	Base	B8 (SP)				Rear	24-015042	
1992	Carat	B16 (PSS9)	Front and Rear	48-080569				
1992	Carat	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1992	Carat	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1992	Carat	B8 (SP)	Front	35-003663		Rear	24-015042	
1992	GL	B16 (PSS9)	Front and Rear	48-080569				
1992	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1992	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1992	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1992	GLI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1992	GLI 16-Valve	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1992	GLI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1992	GLI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1992	GTX 16-V	B4				Rear	19-124681	Off-road Suspension
1992	GTX 16-V	B8 (SP)				Rear	24-015042	
1991	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1991	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1991	Base	B4				Rear	19-124681	Off-road Suspension
1991	Base	B8 (SP)				Rear	24-015042	
1991	Carat	B16 (PSS9)	Front and Rear	48-080569				
1991	Carat	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1991	Carat	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1991	Carat	B8 (SP)	Front	35-003663		Rear	24-015042	
1991	GL	B16 (PSS9)	Front and Rear	48-080569				
1991	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1991	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1991	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1991	GLI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1991	GLI 16-Valve	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1991	GLI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1991	GLI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1991	GTX 16-V	B4				Rear	19-124681	Off-road Suspension
1991	GTX 16-V	B8 (SP)				Rear	24-015042	
1990	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1990	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1990	Base	B4				Rear	19-124681	Off-road Suspension
1990	Base	B8 (SP)				Rear	24-015042	
1990	Carat	B16 (PSS9)	Front and Rear	48-080569				
1990	Carat	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1990	Carat	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1990	Carat	B8 (SP)	Front	35-003663		Rear	24-015042	
1990	GL	B16 (PSS9)	Front and Rear	48-080569				
1990	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1990	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1990	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1990	GLI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1990	GLI 16-Valve	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1990	GLI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1990	GLI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1990	GTX 16-V	B4				Rear	19-124681	Off-road Suspension
1990	GTX 16-V	B8 (SP)				Rear	24-015042	
1989	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1989	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1989	Base	B16 (PSS9)	Front and Rear	48-080569				
1989	Base	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1989	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1989	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1989	Carat	B16 (PSS9)	Front and Rear	48-080569				
1989	Carat	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1989	Carat	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1989	Carat	B8 (SP)	Front	35-003663		Rear	24-015042	
1989	GL	B16 (PSS9)	Front and Rear	48-080569				
1989	GL	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1989	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1989	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1989	GLI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1989	GLI 16-Valve	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1989	GLI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1989	GLI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1988	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1988	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1988	Base	B16 (PSS9)	Front and Rear	48-080569				
1988	Base	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1988	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1988	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1988	Carat	B16 (PSS9)	Front and Rear	48-080569				
1988	Carat	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1988	Carat	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1988	Carat	B8 (SP)	Front	35-003663		Rear	24-015042	
1988	GL	B16 (PSS9)	Front and Rear	48-080569				
1988	GL	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1988	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1988	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1988	GLI	B4				Rear	19-124681	Off-road Suspension
1988	GLI	B8 (SP)				Rear	24-015042	
1988	GLI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1988	GLI 16-Valve	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1988	GLI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1988	GLI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	
1987	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1987	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1987	Base	B16 (PSS9)	Front and Rear	48-080569				
1987	Base	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1987	GL	B16 (PSS9)	Front and Rear	48-080569				
1987	GL	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1987	GLI	B16 (PSS9)	Front and Rear	48-080569				
1987	GLI	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	GLI	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	GLI	B8 (SP)	Front	35-003663		Rear	24-015042	
1987	GLI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1987	GLI 16-Valve	B4	Front	21-030468				
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	GLI 16-Valve	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	GLI 16-Valve	B8 (SP)	Front	35-003663		Rear	24-015042	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1987	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080569				
1987	Wolfsburg Edition	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1987	Wolfsburg Edition	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1987	Wolfsburg Edition	B8 (SP)	Front	35-003663		Rear	24-015042	
1986	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1986	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1986	Base	B16 (PSS9)	Front and Rear	48-080569				
1986	Base	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1986	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1986	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1986	GL	B16 (PSS9)	Front and Rear	48-080569				
1986	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1986	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1986	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1986	GLI	B16 (PSS9)	Front and Rear	48-080569				
1986	GLI	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1986	GLI	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1986	GLI	B8 (SP)	Front	35-003663		Rear	24-015042	
1985	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1985	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1985	Base	B16 (PSS9)	Front and Rear	48-080569				
1985	Base	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1985	Base	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1985	Base	B8 (SP)	Front	35-003663		Rear	24-015042	
1985	GL	B16 (PSS9)	Front and Rear	48-080569				
1985	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1985	GL	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1985	GL	B8 (SP)	Front	35-003663		Rear	24-015042	
1985	GLI	B16 (PSS9)	Front and Rear	48-080569				
1985	GLI	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1985	GLI	B6 (HD)	Front	35-002147		Rear	24-006569	
			Front	34-001028				
			Front	35-181590	For bolted struts only			
1985	GLI	B8 (SP)	Front	35-003663		Rear	24-015042	
1984	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984	Base	B4	Front	21-030338		Rear	19-019550	
1984	Base	B6 (HD)	Front	34-001370		Rear	24-184625	
1984	Base	B8 (SP)	Front	34-184530				
1984	Base	Motorsports				Rear	24-006576	
1984	GL	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984	GL	B4	Front	21-030338		Rear	19-019550	
1984	GL	B6 (HD)	Front	34-001370		Rear	24-184625	
1984	GL	B8 (SP)	Front	34-184530				
1984	GL	Motorsports				Rear	24-006576	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1984	GLI	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984	GLI	B4	Front	21-030338		Rear	19-019550	
1984	GLI	B6 (HD)	Front	34-001370		Rear	24-184625	
1984	GLI	B8 (SP)	Front	34-184530				
1984	GLI	Motorsports				Rear	24-006576	
1983	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	Base	B4	Front	21-030338		Rear	19-019550	
1983	Base	B6 (HD)	Front	34-001370		Rear	24-184625	
1983	Base	B8 (SP)	Front	34-184530				
1983	Base	Motorsports				Rear	24-006576	
1983	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1983	Wolfsburg Edition	B6 (HD)	Front	34-001370		Rear	24-184625	
1983	Wolfsburg Edition	B8 (SP)	Front	34-184530				
1983	Wolfsburg Edition	Motorsports				Rear	24-006576	
1982	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1982	Base	B4	Front	21-030338		Rear	19-019550	
1982	Base	B6 (HD)	Front	34-001370		Rear	24-184625	
1982	Base	B8 (SP)	Front	34-184530				
1982	Base	Motorsports				Rear	24-006576	
1981	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	Base	B4	Front	21-030338		Rear	19-019550	
1981	Base	B6 (HD)	Front	34-001370		Rear	24-184625	
1981	Base	B8 (SP)	Front	34-184530				
1981	Base	Motorsports				Rear	24-006576	
1981	Special Edition	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	Special Edition	B4	Front	21-030338		Rear	19-019550	
1981	Special Edition	B6 (HD)	Front	34-001370		Rear	24-184625	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1981	Special Edition	B8 (SP)	Front	34-184530				
1981	Special Edition	Motorsports				Rear	24-006576	
1980	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1980	Base	B4	Front	21-030338		Rear	19-019550	
1980	Base	B6 (HD)	Front	34-001370		Rear	24-184625	
1980	Base	B8 (SP)	Front	34-184530				
1980	Base	Motorsports				Rear	24-006576	
Volkswagen Jetta City								
2009	Base	B4				Rear	19-140032	Off-road Suspension
2009	Base; Wagon	B4				Rear	19-068633	Standard Chassis
2009	Base; Wagon	B6 (HD)				Rear	24-064095	
2009	Base; Wagon	B8 (SP)				Rear	24-064101	
2008	Base	B4				Rear	19-140032	Off-road Suspension
2008	Base; Wagon	B4				Rear	19-068633	Standard Chassis
2008	Base; Wagon	B6 (HD)				Rear	24-064095	
2008	Base; Wagon	B8 (SP)				Rear	24-064101	
2007	Base	B4				Rear	19-140032	Off-road Suspension
2007	Base; Wagon	B4				Rear	19-068633	Standard Chassis
2007	Base; Wagon	B6 (HD)				Rear	24-064095	
2007	Base; Wagon	B8 (SP)				Rear	24-064101	
Volkswagen Karmann Ghia								
1974	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77	Rear	24-006347	
1974	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1973	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77	Rear	24-006347	
1973	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1972	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77	Rear	24-006347	
1972	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1971	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77	Rear	24-006347	
1971	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1970	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77	Rear	24-006347	
1970	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1969	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77	Rear	24-006347	
1969	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1968	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77	Rear	24-006347	
1968	Base	B8 (SP)				Rear	24-000345	CV Axle rear IRS
1967	Base	4600 Series				Rear	24-181488	From 53 To 8/67; Swing Axle



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Karmann Ghia (continued)								
1967	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77			
1966	Base	4600 Series				Rear	24-181488	From 53 To 8/67; Swing Axle
1966	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77			
1965	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1965	Base	B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77			
1964	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1963	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1962	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1961	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1960	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1959	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1958	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1957	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
1956	Base	4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
Volkswagen Lupo								
2009	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2009	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2009	Comfortline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2009	Trendline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2009	Trendline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2009	Trendline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2008	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2008	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2008	Comfortline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2008	Trendline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Lupo (continued)								
2008	Trendline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2008	Trendline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2007	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007	Comfortline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2007	Trendline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007	Trendline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007	Trendline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2006	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2006	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2006	Comfortline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2006	Trendline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2006	Trendline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2006	Trendline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2005	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2005	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2005	Comfortline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
2005	Trendline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Lupo (continued)								
2005	Trendline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2005	Trendline	B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
Volkswagen Passat								
2010	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2010	2.0L L4 1984cc 121 CID; Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2010	2.0L L4 1984cc 121 CID; Highline; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2010	2.0L L4 1984cc 121 CID; Highline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2010	2.0L L4 1984cc 121 CID; Komfort; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2010	2.0L L4 1984cc 121 CID; Komfort; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2010	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2010	2.0L L4 1984cc 121 CID; Trendline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2010	AWD; Highline V6; Wagon	B12 (Pro-Kit)	Front and Rear	46-184443	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; With 55mm Outside Strut Diameter	
2010	Comfortline	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2010	Comfortline	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Comfortline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2010	Comfortline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Comfortline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Highline	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2010	Highline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Highline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Highline V6	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline V6	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline V6	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2010	Highline V6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Highline V6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Komfort	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Komfort	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Komfort	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2010	Komfort	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Komfort	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Trendline	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Trendline	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Trendline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2010	Trendline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Trendline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	2.0L L4 1984cc 121 CID; 2.0T; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0L L4 1984cc 121 CID; Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2009	2.0L L4 1984cc 121 CID; Highline; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2009	2.0L L4 1984cc 121 CID; Highline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2009	2.0L L4 1984cc 121 CID; Komfort; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2009	2.0L L4 1984cc 121 CID; Komfort; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2009	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0L L4 1984cc 121 CID; Trendline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0T	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0T	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	2.0T	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	2.0T	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	2.0T	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	3.6	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	3.6	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	3.6	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	3.6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	3.6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2009	Comfortline	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Comfortline	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Comfortline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	Comfortline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Comfortline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	Highline	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Highline	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Highline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	Highline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Highline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	Komfort	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Komfort	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Komfort	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	Komfort	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Komfort	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	Trendline	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Trendline	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2009	Trendline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	Trendline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Trendline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	2.0L L4 1984cc 121 CID; 2.0T; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0L L4 1984cc 121 CID; 2.0T; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0L L4 1984cc 121 CID; Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0L L4 1984cc 121 CID; Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2008	2.0L L4 1984cc 121 CID; Komfort; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008	2.0L L4 1984cc 121 CID; Komfort; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008	2.0L L4 1984cc 121 CID; Lux; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008	2.0L L4 1984cc 121 CID; Lux; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2008	2.0L L4 1984cc 121 CID; Sedan; Turbo	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0L L4 1984cc 121 CID; Turbo; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0T	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0T	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.0T	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2008	2.0T	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	2.0T	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	3.6	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	3.6	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	3.6	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2008	3.6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	3.6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2008	3.6; AWD; Wagon	B12 (Pro-Kit)	Front and Rear	46-184443	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; With 55mm Outside Strut Diameter			
2008	AWD; VR6; Wagon	B12 (Pro-Kit)	Front and Rear	46-184443	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; With 55mm Outside Strut Diameter			
2008	Base	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	Base	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	Base	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2008	Base	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	Base	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	Komfort	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	Komfort	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	Komfort	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2008	Komfort	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	Komfort	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	Lux	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	Lux	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	Lux	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2008	Lux	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	Lux	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	Turbo	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	Turbo	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	Turbo	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2008	Turbo	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	Turbo	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	VR6	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	VR6	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2008	VR6	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2008	VR6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	VR6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2007	2.0L L4 1984cc 121 CID; 2.0T; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2007	2.0L L4 1984cc 121 CID; 2.0T; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2007	2.0L L4 1984cc 121 CID; Sedan; Value Edition	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2007	2.0L L4 1984cc 121 CID; Sedan; Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2007	2.0L L4 1984cc 121 CID; Value Edition; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2007	2.0T	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter	
2007	2.0T	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2007	2.0T	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2007	2.0T	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2007	2.0T	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2007	3.6	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2007	3.6	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2007	3.6	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2007	3.6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2007	3.6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2007	3.6; AWD; Wagon	B12 (Pro-Kit)	Front and Rear	46-184443	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; With 55mm Outside Strut Diameter			
2007	Value Edition	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2007	Value Edition	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2007	Value Edition	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2007	Value Edition	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2007	Value Edition	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2007	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2007	Wolfsburg Edition	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2007	Wolfsburg Edition	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2007	Wolfsburg Edition	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2007	Wolfsburg Edition	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2006	2.0L L4 1984cc 121 CID; 2.0T; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.0L L4 1984cc 121 CID; Sedan; Value Edition	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.0T	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.0T	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.0T	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2006	2.0T	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2006	2.0T	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2006	3.6	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2006	3.6	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2006	3.6	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2006	3.6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2006	3.6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2006	Value Edition	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2006	Value Edition	B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2006	Value Edition	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2006	Value Edition	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2006	Value Edition	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2005	1.8L L4 1781cc; 1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2005	1.8L L4 1781cc; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2005	1.8L L4 1781cc; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2005	1.8L L4 1781cc; GLS 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183972	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Off-road Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2005	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2005	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2005	1.8T	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005	1.8T	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2005	1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2005	1.8T; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005	2.0L L4 1967cc 120 CID; GL TDI; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2005	2.0L L4 1967cc 120 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2005	2.0L L4 1967cc 120 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2005	2.8L V6 2771cc; GLS 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load			
2005	2.8L V6 2771cc; GLX 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2005	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-065429	
2005	4 Dr.; GL; Wagon	B6 (HD)				Rear	24-065443	
2005	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-065429	
2005	4 Dr.; GLS; Wagon	B6 (HD)				Rear	24-065443	
2005	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-065429	
2005	4 Dr.; GLX; Wagon	B6 (HD)				Rear	24-065443	
2005	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005	GL	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005	GL	B16 (PSS9)	Front and Rear	48-088749				
2005	GL	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2005	GL	B6 (HD)	Front	24-065122				
2005	GL TDI	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005	GL TDI	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2005	GL TDI	B6 (HD)	Front	24-065122		Rear	24-065429	
2005	GL TDI; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005	GL; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005	GL; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2005	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005	GLS	B16 (PSS9)	Front and Rear	48-088749				
2005	GLS	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2005	GLS	B6 (HD)	Front	24-065122				
2005	GLS 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2005	GLS 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2005	GLS 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2005	GLS 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2005	GLS 4 Motion	B8 (SP)				Rear	24-065115	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2005	GLS 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2005	GLS 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2005	GLS; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005	GLS; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2005	GLX	B16 (PSS9)	Front and Rear	48-088749				
2005	GLX	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2005	GLX	B6 (HD)	Front	24-065122				
2005	GLX 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2005	GLX 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2005	GLX 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2005	GLX 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2005	GLX 4 Motion	B8 (SP)				Rear	24-065115	
2005	GLX 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2005	GLX 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2005	GLX; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005	GLX; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2005	Sedan; V6	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005	Sedan; V6 4Motion	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2005	V6	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005	V6	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2005	V6 4Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	1.8L L4 1781cc; 1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B- YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2004	1.8L L4 1781cc; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2004	1.8L L4 1781cc; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2004	1.8L L4 1781cc; GLS 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183972	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Off-road Suspension			
2004	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2004	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2004	1.8T	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2004	1.8T	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2004	1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2004	1.8T; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2004	2.0L L4 1967cc 120 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2004	2.0L L4 1967cc 120 CID; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2004	2.0L L4 1967cc 120 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2004	2.0L L4 1967cc 120 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2004	2.8L V6 2771cc; GLX 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load			
2004	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-065429	
2004	4 Dr.; GL; Wagon	B6 (HD)				Rear	24-065443	
2004	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-065429	
2004	4 Dr.; GLS; Wagon	B6 (HD)				Rear	24-065443	
2004	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-065429	
2004	4 Dr.; GLX; Wagon	B6 (HD)				Rear	24-065443	
2004	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2004	GL	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2004	GL	B16 (PSS9)	Front and Rear	48-088749				
2004	GL	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2004	GL	B6 (HD)	Front	24-065122				
2004	GL; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2004	GL; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2004	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2004	GLS	B16 (PSS9)	Front and Rear	48-088749				
2004	GLS	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2004	GLS	B6 (HD)	Front	24-065122				
2004	GLS 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	GLS 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2004	GLS 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2004	GLS 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2004	GLS 4 Motion	B8 (SP)				Rear	24-065115	
2004	GLS 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2004	GLS 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2004	GLS; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2004	GLS; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2004	GLX	B16 (PSS9)	Front and Rear	48-088749				
2004	GLX	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2004	GLX	B6 (HD)	Front	24-065122				
2004	GLX 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	GLX 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2004	GLX 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2004	GLX 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2004	GLX 4 Motion	B8 (SP)				Rear	24-065115	
2004	GLX 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2004	GLX 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2004	GLX; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2004	GLX; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2004	Sedan; V6	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2004	Sedan; V6 4Motion	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2004	Sedan; W8	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2004	V6	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2004	V6	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2004	V6 4Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	W8	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004	W8	B16 (PSS9)	Front and Rear	48-088688				
2004	W8; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2003	1.8L L4 1781cc; 1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2003	1.8L L4 1781cc; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2003	1.8L L4 1781cc; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2003	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2003	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2003	1.8L L4 1781cc; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2003	1.8L L4 1781cc; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2003	1.8T	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2003	1.8T	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2003	1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2003	1.8T; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2003	2.8L V6 2771cc; GLX 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load			
2003	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-065429	
2003	4 Dr.; GL; Wagon	B6 (HD)				Rear	24-065443	
2003	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-065429	
2003	4 Dr.; GLS; Wagon	B6 (HD)				Rear	24-065443	
2003	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-065429	
2003	4 Dr.; GLX; Wagon	B6 (HD)				Rear	24-065443	
2003	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2003	GL	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2003	GL	B16 (PSS9)	Front and Rear	48-088749				
2003	GL	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2003	GL	B6 (HD)	Front	24-065122				
2003	GL; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2003	GL; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2003	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2003	GLS	B16 (PSS9)	Front and Rear	48-088749				
2003	GLS	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2003	GLS	B6 (HD)	Front	24-065122				
2003	GLS; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2003	GLS; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2003	GLX	B16 (PSS9)	Front and Rear	48-088749				
2003	GLX	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2003	GLX	B6 (HD)	Front	24-065122				
2003	GLX 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003	GLX 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2003	GLX 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2003	GLX 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2003	GLX 4 Motion	B8 (SP)				Rear	24-065115	
2003	GLX 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2003	GLX 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2003	GLX; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2003	GLX; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2003	Sedan; V6	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2003	Sedan; V6 4Motion	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2003	Sedan; W8	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2003	V6	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2003	V6	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2003	V6 4Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003	W8	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003	W8	B16 (PSS9)	Front and Rear	48-088688				
2003	W8; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2002	1.8L L4 1781cc; 1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2002	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2002	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2002	1.8L L4 1781cc; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2002	1.8L L4 1781cc; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2002	1.8T	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2002	1.8T	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2002	1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2002	1.8T; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2002	2.8L V6 2771cc; GLS 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load			
2002	2.8L V6 2771cc; GLX 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load			
2002	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-065429	
2002	4 Dr.; GLS; Wagon	B6 (HD)				Rear	24-065443	
2002	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-065429	
2002	4 Dr.; GLX; Wagon	B6 (HD)				Rear	24-065443	
2002	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2002	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2002	GLS	B16 (PSS9)	Front and Rear	48-088749				
2002	GLS	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2002	GLS	B6 (HD)	Front	24-065122				
2002	GLS 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	GLS 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2002	GLS 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2002	GLS 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2002	GLS 4 Motion	B8 (SP)				Rear	24-065115	
2002	GLS 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2002	GLS 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2002	GLS; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2002	GLS; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2002	GLX	B16 (PSS9)	Front and Rear	48-088749				
2002	GLX	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2002	GLX	B6 (HD)	Front	24-065122				
2002	GLX 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	GLX 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2002	GLX 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2002	GLX 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2002	GLX 4 Motion	B8 (SP)				Rear	24-065115	
2002	GLX 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2002	GLX 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2002	GLX; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2002	GLX; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	Without Off-road Suspension
2002	Sedan; V6	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2002	Sedan; V6 4Motion	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2002	Sedan; W8	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2002	V6	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2002	V6	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2002	V6 4Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	W8	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2002	W8	B16 (PSS9)	Front and Rear	48-088688				



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2002	W8; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	
2001	1.8L L4 1781cc; 1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
2001	1.8L L4 1781cc; FWD; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221	
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221	
2001	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
			Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221	
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221	
2001	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension	
			Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension	
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2001	1.8L L4 1781cc; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2001	1.8L L4 1781cc; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
			Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2001	1.8T	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
2001	1.8T	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2001	1.8T	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-140049	Sport Suspension
2001	1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2001	1.8T; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2001	2.8L V6 2771cc; GLS 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2001	2.8L V6 2771cc; GLX 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load			
2001	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-065429	
2001	4 Dr.; GLS; Wagon	B6 (HD)				Rear	24-065443	
2001	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-065429	
2001	4 Dr.; GLX; Wagon	B6 (HD)				Rear	24-065443	
2001	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2001	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2001	GLS	B16 (PSS9)	Front and Rear	48-088749				
2001	GLS	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-140049	Sport Suspension
			Front	19-119939	Sport Suspension	Rear	19-029443	Standard Suspension
2001	GLS	B6 (HD)	Front	24-065122				
2001	GLS 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2001	GLS 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2001	GLS 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2001	GLS 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2001	GLS 4 Motion	B8 (SP)				Rear	24-065115	
2001	GLS 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2001	GLS 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2001	GLS; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2001	GLS; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	From Chassis # 3B-YE121 222; Without Off-road Suspension
2001	GLX	B16 (PSS9)	Front and Rear	48-088749				
2001	GLX	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-140049	Sport Suspension
			Front	19-119939	Sport Suspension	Rear	19-029443	Standard Suspension
2001	GLX	B6 (HD)	Front	24-065122				
2001	GLX 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2001	GLX 4 Motion	B16 (PSS9)	Front and Rear	48-088688				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2001	GLX 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2001	GLX 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2001	GLX 4 Motion	B8 (SP)				Rear	24-065115	
2001	GLX 4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2001	GLX 4 Motion; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2001	GLX; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2001	GLX; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension	Rear	24-065450	From Chassis # 3B-YE121 222; Without Off-road Suspension
2001	Sedan; V6	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2001	V6	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2001	V6	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-140049	Sport Suspension
2000	1.8L L4 1781cc; 1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2000	1.8L L4 1781cc; FWD; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
2000	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			



Passenger Cars

Year	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2000	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension	
			Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension	
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
2000	1.8L L4 1781cc; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
2000	1.8L L4 1781cc; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension	
			Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension	
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
2000	1.8T	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221	
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2000	1.8T	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2000	1.8T	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-140049	Sport Suspension
2000	1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2000	1.8T; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2000	4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2000	4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2000	4 Motion	B4	Front	19-045771	Sport Suspension			
			Front	22-031167	Standard Suspension			
2000	4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2000	4 Motion	B8 (SP)				Rear	24-065115	
2000	4 Motion; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
2000	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2000	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2000	GLS	B16 (PSS9)	Front and Rear	48-088749				
2000	GLS	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-029443	Standard Suspension
			Front	19-045771	Sport Suspension			
			Front	22-031167	Standard Suspension			
2000	GLS	B6 (HD)	Front	24-020794		Rear	24-025324	
2000	GLS	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
2000	GLS; Sedan	B4				Rear	19-140049	Sport Suspension
2000	GLS; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2000	GLS; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2000	GLX	B16 (PSS9)	Front and Rear	48-088749				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2000	GLX	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-029443	Standard Suspension
			Front	19-045771	Sport Suspension			
			Front	22-031167	Standard Suspension			
2000	GLX	B6 (HD)	Front	24-020794		Rear	24-025324	
2000	GLX	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
2000	GLX; Sedan	B4				Rear	19-140049	Sport Suspension
2000	GLX; Sedan	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2000	GLX; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Sport Suspension			
2000	Sedan; V6	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension	Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2000	V6	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2000	V6	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-140049	Sport Suspension
1999	1.8L L4 1781cc; AWD; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-183972	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Off-road Suspension			
1999	1.8L L4 1781cc; FWD; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
1999	1.8L L4 1781cc; FWD; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
1999	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
1999	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
1999	1.8T	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
1999	1.8T	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
1999	1.8T	B4				Rear	19-140049	Sport Suspension
1999	2.8L V6 2771cc; AWD; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Off-road Suspension			
1999	AWD; GLX; Wagon	B8 (SP)	Front	24-065139	From Chassis # 3B-YE121 222; Without Off-road Suspension			
1999	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
1999	FWD; GLX; Sedan	B4				Rear	19-140049	Sport Suspension
1999	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
1999	GLS	B16 (PSS9)	Front and Rear	48-088749				
1999	GLS	B4	Front	19-045771	Sport Suspension	Rear	19-029443	Standard Suspension
			Front	22-031167	Standard Suspension			
1999	GLS	B6 (HD)	Front	24-020794		Rear	24-025324	
1999	GLS	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
1999	GLS; Sedan	B4				Rear	19-140049	Sport Suspension
1999	GLX	B16 (PSS9)	Front and Rear	48-088749				
1999	GLX	B4	Front	19-045771	Sport Suspension	Rear	19-029443	Standard Suspension
			Front	22-031167	Standard Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
1999	GLX	B6 (HD)	Front	24-020794		Rear	24-025324	
1999	GLX	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
1999	V6	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
1999	V6	B4				Rear	19-140049	Sport Suspension
1998	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
1998	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
1998	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
1998	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
1998	GLS	B16 (PSS9)	Front and Rear	48-088749				
1998	GLS	B4	Front	19-045771	Sport Suspension	Rear	19-029443	Standard Suspension
			Front	22-031167	Standard Suspension			
1998	GLS	B6 (HD)	Front	24-020794		Rear	24-025324	
1998	GLS	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
1998	GLS; Sedan	B4				Rear	19-140049	Sport Suspension
1998	GLX	B16 (PSS9)	Front and Rear	48-088749				
1998	GLX	B4	Front	19-045771	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	22-031167	Standard Suspension	Rear	19-029443	Standard Suspension
1998	GLX	B6 (HD)	Front	24-020794		Rear	24-025324	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
1998	GLX	B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	
1997	GLX	B4	Front	22-045768		Rear	19-019949	
1997	GLX	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1997	GLX	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1997	GLX VR6	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1997	TDI	B4	Front	22-045768		Rear	19-019949	
1997	TDI	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1997	TDI	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1996	GLS	B4	Front	22-045768		Rear	19-019949	
1996	GLS	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1996	GLS	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1996	GLX	B4	Front	22-045768		Rear	19-019949	
1996	GLX	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1996	GLX	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1996	GLX VR6	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1996	TDI	B4	Front	22-045768		Rear	19-019949	
1996	TDI	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1996	TDI	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1995	GLS	B4	Front	22-045768		Rear	19-019949	
1995	GLS	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1995	GLS	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1995	GLX	B4	Front	22-045768		Rear	19-019949	
1995	GLX	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1995	GLX	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1995	GLX VR6	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1994	Base	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1994	GLX	B4	Front	22-041234		Rear	19-019949	
1994	GLX	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
1994	GLX	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1993	1.8L L4 1788cc 109 CID; Base	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1993	Base	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1993	GL	B4	Front	22-041234		Rear	19-019949	
			Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1993	GL	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1993	GL	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1993	GLS	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1993	GLX	B4	Front	22-041234		Rear	19-019949	
1993	GLX	B6 (HD)	Front	22-004062	Base Axle	Rear	24-015974	
			Front	22-040589	Plus Axle			
1993	GLX	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1993	Syncro	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435	Rear	19-216973	Standard Chassis; To Chassis # 31-P-026 435
1992	Base	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1992	Base	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1992	CL	B4	Front	22-041234		Rear	19-019949	
			Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1992	CL	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1992	GL	B4	Front	22-041234		Rear	19-019949	
			Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1992	GL	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1992	Syncro	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435	Rear	19-216973	Standard Chassis; To Chassis # 31-P-026 435
1991	Base	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1991	Base	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1991	GL	B4	Front	22-041234		Rear	19-019949	
			Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1991	GL	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
1991	Syncro	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435	Rear	19-216973	Standard Chassis; To Chassis # 31-P-026 435
1990	Base	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1990	Base	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1990	GL	B4	Front	22-041234		Rear	19-019949	
			Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1990	GL	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
Volkswagen Passat CC								
2010	Highline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2010	Highline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Highline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Highline V6	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010	Highline V6	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2010	Highline V6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Highline V6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010	Sportline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat CC (continued)								
2010	Sportline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sportline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2010	Sportline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010	Sportline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	Highline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Highline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Highline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	Highline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Highline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	Highline V6	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Highline V6	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	Highline V6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Highline V6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009	Sportline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2009	Sportline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Passat CC (continued)								
2009	Sportline	B4	Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
			Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
2009	Sportline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2009	Sportline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
Volkswagen Polo								
2007	Base	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2007	Base	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2007	Base	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007	Base	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007	Base	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
2007	Comfortline	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2007	Comfortline	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2007	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007	Comfortline	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
2006	Base	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2006	Base	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Polo (continued)								
2006	Base	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2006	Base	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
2006	Comfortline	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2006	Comfortline	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2006	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2006	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2006	Comfortline	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
2005	Base	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2005	Base	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2005	Base	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2005	Base	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2005	Base	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
2005	Comfortline	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2005	Comfortline	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2005	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2005	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2005	Comfortline	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Polo (continued)								
2004	Base	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2004	Base	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2004	Base	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2004	Base	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2004	Base	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
2004	Comfortline	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2004	Comfortline	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2004	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2004	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2004	Comfortline	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
2003	Base	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2003	Base	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2003	Base	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2003	Base	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2003	Base	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
2003	Comfortline	B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2003	Comfortline	B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Polo (continued)								
2003	Comfortline	B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2003	Comfortline	B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2003	Comfortline	B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
Volkswagen Quantum								
1988	GL	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1988	GL	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1987	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1987	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1987	GL	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1987	GL	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1986	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1986	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1986	GL	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1986	GL	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1985	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1985	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1985	GL	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1985	GL	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1984	GL	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1984	GL	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1984	Wolfsburg Edition	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1984	Wolfsburg Edition	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1983	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
						Rear	19-019932	To 3/83
1983	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Quantum (continued)								
1983	GL	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
						Rear	19-019932	To 3/83
1983	GL	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1982	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019932	To 3/83
1982	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1982	GL	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019932	To 3/83
1982	GL	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
Volkswagen R32								
2008	Base	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	Base	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2008	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2008	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
Volkswagen Rabbit								
2009	Comfortline	B12 (Pro-Kit)	Front and Rear	46-194862	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184153	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
2009	Comfortline	B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
2009	Comfortline	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Comfortline	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Comfortline	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Comfortline	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
2009	Comfortline	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
2009	Comfortline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	S	B12 (Pro-Kit)	Front and Rear	46-194862	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184153	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
2009	S	B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009	S	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	S	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
2009	S	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2009	S	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2009	S	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			
2009	S	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Trendline	B12 (Pro-Kit)	Front and Rear	46-194862	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184153	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
2009	Trendline	B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009	Trendline	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009	Trendline	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
2009	Trendline	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2009	Trendline	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
2009	Trendline	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
2009	Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.5	B12 (Pro-Kit)	Front and Rear	46-194862	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184153	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
2008	2.5	B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2008	2.5	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	2.5	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2008	2.5	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2008	2.5	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
2008	2.5	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
2008	2.5	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	S	B12 (Pro-Kit)	Front and Rear	46-194862	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184153	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
2008	S	B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2008	S	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008	S	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2008	S	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2008	S	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2008	S	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
2008	S	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.5	B12 (Pro-Kit)	Front and Rear	46-194862	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184153	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
2007	2.5	B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2007	2.5	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	2.5	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2007	2.5	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2007	2.5	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2007	2.5	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
2007	2.5	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.5	B12 (Pro-Kit)	Front and Rear	46-194862	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184153	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
2006	2.5	B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2006	2.5	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	2.5	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2006	2.5	B4	Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-127439	Sport Suspension
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-131614	With 55mm Outside Strut Diameter			
2006	2.5	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-108177	With 55mm Outside Strut Diameter			
2006	2.5	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
			Front	35-108191	With 55mm Outside Strut Diameter			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
2006	2.5	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
1984	GL	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984	GL	B4	Front	21-030338		Rear	19-019550	
1984	GL	B6 (HD)	Front	34-001370				
1984	GL	B8 (SP)	Front	34-184530				
1984	GTI	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984	GTI	B4	Front	21-030338		Rear	19-019550	
1984	GTI	B6 (HD)	Front	34-001370				
1984	GTI	B8 (SP)	Front	34-184530				
1984	L	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984	L	B4	Front	21-030338		Rear	19-019550	
1984	L	B6 (HD)	Front	34-001370				
1984	L	B8 (SP)	Front	34-184530				
1984	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1984	Wolfsburg Edition	B6 (HD)	Front	34-001370				
1984	Wolfsburg Edition	B8 (SP)	Front	34-184530				
1983	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	GL	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	GL	B4	Front	21-030338		Rear	19-019550	
1983	GL	B6 (HD)	Front	34-001370				
1983	GL	B8 (SP)	Front	34-184530				
1983	GTI	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	GTI	B4	Front	21-030338		Rear	19-019550	
1983	GTI	B6 (HD)	Front	34-001370				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
1983	GTI	B8 (SP)	Front	34-184530				
1983	L	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	L	B4	Front	21-030338		Rear	19-019550	
1983	L	B6 (HD)	Front	34-001370				
1983	L	B8 (SP)	Front	34-184530				
1983	LS	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	LS	B4	Front	21-030338		Rear	19-019550	
1983	LS	B6 (HD)	Front	34-001370				
1983	LS	B8 (SP)	Front	34-184530				
1983	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1983	Wolfsburg Edition	B6 (HD)	Front	34-001370				
1983	Wolfsburg Edition	B8 (SP)	Front	34-184530				
1982	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1982	Base	B4	Front	21-030338		Rear	19-019550	
1982	Base	B6 (HD)	Front	34-001370				
1982	Base	B8 (SP)	Front	34-184530				
1982	L	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1982	L	B4	Front	21-030338		Rear	19-019550	
1982	L	B6 (HD)	Front	34-001370				
1982	L	B8 (SP)	Front	34-184530				
1982	LS	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1982	LS	B4	Front	21-030338		Rear	19-019550	
1982	LS	B6 (HD)	Front	34-001370				
1982	LS	B8 (SP)	Front	34-184530				
1982	Limited Edition	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
1982	Limited Edition	B4	Front	21-030338		Rear	19-019550	
1982	Limited Edition	B6 (HD)	Front	34-001370				
1982	Limited Edition	B8 (SP)	Front	34-184530				
1982	S	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1982	S	B4	Front	21-030338		Rear	19-019550	
1982	S	B6 (HD)	Front	34-001370				
1982	S	B8 (SP)	Front	34-184530				
1981	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	Base	B4	Front	21-030338		Rear	19-019550	
1981	Base	B6 (HD)	Front	34-001370				
1981	Base	B8 (SP)	Front	34-184530				
1981	L	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	L	B4	Front	21-030338		Rear	19-019550	
1981	L	B6 (HD)	Front	34-001370				
1981	L	B8 (SP)	Front	34-184530				
1981	L Custom	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	L Custom	B4	Front	21-030338		Rear	19-019550	
1981	L Custom	B6 (HD)	Front	34-001370				
1981	L Custom	B8 (SP)	Front	34-184530				
1981	LS	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	LS	B4	Front	21-030338		Rear	19-019550	
1981	LS	B6 (HD)	Front	34-001370				
1981	LS	B8 (SP)	Front	34-184530				
1981	Ls Deluxe	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	Ls Deluxe	B4	Front	21-030338		Rear	19-019550	
1981	Ls Deluxe	B6 (HD)	Front	34-001370				
1981	Ls Deluxe	B8 (SP)	Front	34-184530				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
1981	S	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	S	B4	Front	21-030338		Rear	19-019550	
1981	S	B6 (HD)	Front	34-001370				
1981	S	B8 (SP)	Front	34-184530				
1980	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1980	Base	B4	Front	21-030338		Rear	19-019550	
1980	Base	B6 (HD)	Front	34-001370				
1980	Base	B8 (SP)	Front	34-184530				
1980	Custom	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1980	Custom	B4	Front	21-030338		Rear	19-019550	
1980	Custom	B6 (HD)	Front	34-001370				
1980	Custom	B8 (SP)	Front	34-184530				
1980	Deluxe	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1980	Deluxe	B4	Front	21-030338		Rear	19-019550	
1980	Deluxe	B6 (HD)	Front	34-001370				
1980	Deluxe	B8 (SP)	Front	34-184530				
1979	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1979	Base	B4	Front	21-030338		Rear	19-019550	
1979	Base	B6 (HD)	Front	34-001370				
1979	Base	B8 (SP)	Front	34-184530				
1979	Custom	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1979	Custom	B4	Front	21-030338		Rear	19-019550	
1979	Custom	B6 (HD)	Front	34-001370				
1979	Custom	B8 (SP)	Front	34-184530				
1979	Deluxe	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1979	Deluxe	B4	Front	21-030338		Rear	19-019550	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
1979	Deluxe	B6 (HD)	Front	34-001370				
1979	Deluxe	B8 (SP)	Front	34-184530				
1978	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1978	Base	B4	Front	21-030338		Rear	19-019550	
1978	Base	B6 (HD)	Front	34-001370				
1978	Base	B8 (SP)	Front	34-184530				
1978	Custom	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1978	Custom	B4	Front	21-030338		Rear	19-019550	
1978	Custom	B6 (HD)	Front	34-001370				
1978	Custom	B8 (SP)	Front	34-184530				
1978	Deluxe	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1978	Deluxe	B4	Front	21-030338		Rear	19-019550	
1978	Deluxe	B6 (HD)	Front	34-001370				
1978	Deluxe	B8 (SP)	Front	34-184530				
1977	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1977	Base	B4	Front	21-030338		Rear	19-019550	
1977	Base	B6 (HD)	Front	34-001370				
1977	Base	B8 (SP)	Front	34-184530				
1977	Custom	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1977	Custom	B4	Front	21-030338		Rear	19-019550	
1977	Custom	B6 (HD)	Front	34-001370				
1977	Custom	B8 (SP)	Front	34-184530				
1977	Deluxe	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1977	Deluxe	B4	Front	21-030338		Rear	19-019550	
1977	Deluxe	B6 (HD)	Front	34-001370				
1977	Deluxe	B8 (SP)	Front	34-184530				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
1976	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1976	Base	B4	Front	21-030338		Rear	19-019550	
1976	Base	B6 (HD)	Front	34-001370				
1976	Base	B8 (SP)	Front	34-184530				
1976	Custom	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1976	Custom	B4	Front	21-030338		Rear	19-019550	
1976	Custom	B6 (HD)	Front	34-001370				
1976	Custom	B8 (SP)	Front	34-184530				
1976	Deluxe	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1976	Deluxe	B4	Front	21-030338		Rear	19-019550	
1976	Deluxe	B6 (HD)	Front	34-001370				
1976	Deluxe	B8 (SP)	Front	34-184530				
1975	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1975	Base	B4	Front	21-030338		Rear	19-019550	
1975	Base	B6 (HD)	Front	34-001370				
1975	Base	B8 (SP)	Front	34-184530				
1975	Custom	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1975	Custom	B4	Front	21-030338		Rear	19-019550	
1975	Custom	B6 (HD)	Front	34-001370				
1975	Custom	B8 (SP)	Front	34-184530				
1975	Deluxe	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1975	Deluxe	B4	Front	21-030338		Rear	19-019550	
1975	Deluxe	B6 (HD)	Front	34-001370				
1975	Deluxe	B8 (SP)	Front	34-184530				
Volkswagen Rabbit Convertible								
1984	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Rabbit Convertible (continued)								
1984	Base	B4	Front	21-030338		Rear	19-019550	
1984	Base	B6 (HD)	Front	34-001370				
1984	Base	B8 (SP)	Front	34-184530				
1984	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1984	Wolfsburg Edition	B6 (HD)	Front	34-001370				
1984	Wolfsburg Edition	B8 (SP)	Front	34-184530				
1983	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	Base	B4	Front	21-030338		Rear	19-019550	
1983	Base	B6 (HD)	Front	34-001370				
1983	Base	B8 (SP)	Front	34-184530				
1983	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1983	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1983	Wolfsburg Edition	B6 (HD)	Front	34-001370				
1983	Wolfsburg Edition	B8 (SP)	Front	34-184530				
1982	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1982	Base	B4	Front	21-030338		Rear	19-019550	
1982	Base	B6 (HD)	Front	34-001370				
1982	Base	B8 (SP)	Front	34-184530				
1981	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1981	Base	B4	Front	21-030338		Rear	19-019550	
1981	Base	B6 (HD)	Front	34-001370				
1981	Base	B8 (SP)	Front	34-184530				
1980	Base	B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1980	Base	B4	Front	21-030338		Rear	19-019550	
1980	Base	B6 (HD)	Front	34-001370				
1980	Base	B8 (SP)	Front	34-184530				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Scirocco								
1989	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1988	16-Valve	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1988	16-Valve	B4	Front	21-030338		Rear	19-019550	
1988	16-Valve	B6 (HD)	Front	34-001370				
1988	16-Valve	B8 (SP)	Front	34-184530				
1988	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1987	16-Valve	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1987	16-Valve	B4	Front	21-030338		Rear	19-019550	
1987	16-Valve	B6 (HD)	Front	34-001370				
1987	16-Valve	B8 (SP)	Front	34-184530				
1987	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1987	Base	B4	Front	21-030338		Rear	19-019550	
1987	Base	B6 (HD)	Front	34-001370				
1987	Base	B8 (SP)	Front	34-184530				
1986	16-Valve	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1986	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1986	Base	B4	Front	21-030338		Rear	19-019550	
1986	Base	B6 (HD)	Front	34-001370				
1986	Base	B8 (SP)	Front	34-184530				
1985	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1985	Base	B4	Front	21-030338		Rear	19-019550	
1985	Base	B6 (HD)	Front	34-001370				
1985	Base	B8 (SP)	Front	34-184530				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Scirocco (continued)								
1984	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1984	Base	B4	Front	21-030338		Rear	19-019550	
1984	Base	B6 (HD)	Front	34-001370				
1984	Base	B8 (SP)	Front	34-184530				
1983	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1983	Base	B4	Front	21-030338		Rear	19-019550	
1983	Base	B6 (HD)	Front	34-001370				
1983	Base	B8 (SP)	Front	34-184530				
1983	GL	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1983	GL	B4	Front	21-030338		Rear	19-019550	
1983	GL	B6 (HD)	Front	34-001370				
1983	GL	B8 (SP)	Front	34-184530				
1982	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1982	Base	B4	Front	21-030338		Rear	19-019550	
1982	Base	B6 (HD)	Front	34-001370				
1982	Base	B8 (SP)	Front	34-184530				
1982	GL	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1982	GL	B4	Front	21-030338		Rear	19-019550	
1982	GL	B6 (HD)	Front	34-001370				
1982	GL	B8 (SP)	Front	34-184530				
1981	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1981	Base	B4	Front	21-030338		Rear	19-019550	
1981	Base	B6 (HD)	Front	34-001370				
1981	Base	B8 (SP)	Front	34-184530				
1981	S	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1981	S	B4	Front	21-030338		Rear	19-019550	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Scirocco (continued)								
1981	S	B6 (HD)	Front	34-001370				
1981	S	B8 (SP)	Front	34-184530				
1980	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1980	Base	B4	Front	21-030338		Rear	19-019550	
1980	Base	B6 (HD)	Front	34-001370				
1980	Base	B8 (SP)	Front	34-184530				
1980	S	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1980	S	B4	Front	21-030338		Rear	19-019550	
1980	S	B6 (HD)	Front	34-001370				
1980	S	B8 (SP)	Front	34-184530				
1979	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1979	Base	B4	Front	21-030338		Rear	19-019550	
1979	Base	B6 (HD)	Front	34-001370				
1979	Base	B8 (SP)	Front	34-184530				
1978	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1978	Base	B4	Front	21-030338		Rear	19-019550	
1978	Base	B6 (HD)	Front	34-001370				
1978	Base	B8 (SP)	Front	34-184530				
1977	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1977	Base	B4	Front	21-030338		Rear	19-019550	
1977	Base	B6 (HD)	Front	34-001370				
1977	Base	B8 (SP)	Front	34-184530				
1976	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1976	Base	B4	Front	21-030338		Rear	19-019550	
1976	Base	B6 (HD)	Front	34-001370				
1976	Base	B8 (SP)	Front	34-184530				



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Scirocco (continued)								
1975	Base	B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1975	Base	B4	Front	21-030338		Rear	19-019550	
1975	Base	B6 (HD)	Front	34-001370				
1975	Base	B8 (SP)	Front	34-184530				
Volkswagen Squareback								
1973	Base	4600 Series	Front	24-000321		Rear	24-181488	
1973	Base	B6 (HD)	Front	24-632188				
1972	Base	4600 Series	Front	24-000321		Rear	24-181488	
1972	Base	B6 (HD)	Front	24-632188				
1971	Base	4600 Series	Front	24-000321		Rear	24-181488	
1971	Base	B6 (HD)	Front	24-632188				
1970	Base	4600 Series	Front	24-000321		Rear	24-181488	
1970	Base	B6 (HD)	Front	24-632188				
1969	Base	4600 Series	Front	24-000321		Rear	24-181488	
1969	Base	B6 (HD)	Front	24-632188				
1968	Base	4600 Series	Front	24-000321		Rear	24-181488	
1968	Base	B6 (HD)	Front	24-632188				
1967	Base	4600 Series	Front	24-000321	Swing Axle	Rear	24-181488	
1967	Base	B6 (HD)	Front	24-632188				
1966	Base	4600 Series	Front	24-000321	Swing Axle	Rear	24-181488	
1966	Base	B6 (HD)	Front	24-632188				
Volkswagen Super Beetle								
1980	Base	B6 (HD)	Front	34-001042	From 9/73			
1980	Base	B8 (SP)				Rear	24-000345	
1979	Base	B6 (HD)	Front	34-001042	From 9/73			
1979	Base	B8 (SP)				Rear	24-000345	
1978	Base	B6 (HD)	Front	34-001042	From 9/73			
1978	Base	B8 (SP)				Rear	24-000345	
1977	Base	B6 (HD)	Front	34-001042	From 9/73			
1977	Base	B8 (SP)				Rear	24-000345	
1976	Base	B6 (HD)	Front	34-001042	From 9/73			
1976	Base	B8 (SP)				Rear	24-000345	
1975	Base	B6 (HD)	Front	34-001042	From 9/73			
1975	Base	B8 (SP)				Rear	24-000345	
1974	Base	B6 (HD)	Front	34-001042	From 9/73			
1974	Base	B8 (SP)				Rear	24-000345	



Passenger Cars

Year	Application	Series	Front			Rear		
Volkswagen Super Beetle (continued)								
1973	Base	B6 (HD)	Front	34-001042	From 9/73	Rear	24-006347	To 8/73
1973	Base	B8 (SP)				Rear	24-000345	
1972	Base	B6 (HD)				Rear	24-006347	To 8/73
1972	Base	B8 (SP)				Rear	24-000345	
1971	Base	B6 (HD)				Rear	24-006347	To 8/73
1971	Base	B8 (SP)				Rear	24-000345	
Volkswagen Thing								
1974	Base	B6 (HD)	Front	24-006200		Rear	24-006347	
1974	Base	B8 (SP)				Rear	24-000345	
1973	Base	B6 (HD)	Front	24-006200		Rear	24-006347	
1973	Base	B8 (SP)				Rear	24-000345	
Volvo 122								
1968	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1967	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1966	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1965	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1964	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1963	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1962	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1961	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
1960	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
1959	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
Volvo 142								
1974	Base	B4	Front	19-019420		Rear	19-019635	
1974	Base	B6 (HD)	Front	24-002899				
1974	GL	B4	Front	19-019420		Rear	19-019635	
1974	GL	B6 (HD)	Front	24-002899				
1974	S	B6 (HD)	Front	24-002899				
1973	Base	B4	Front	19-019420		Rear	19-019635	
1973	Base	B6 (HD)	Front	24-002899				
1973	S	B6 (HD)	Front	24-002899				
1972	Base	B4	Front	19-019420		Rear	19-019635	
1972	Base	B6 (HD)	Front	24-002899				
1972	E	B4	Front	19-019420		Rear	19-019635	
1972	E	B6 (HD)	Front	24-002899				
1972	S	B6 (HD)	Front	24-002899				
1971	Base	B4	Front	19-019420		Rear	19-019635	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 142 (continued)								
1971	Base	B6 (HD)	Front	24-002899				
1971	E	B4	Front	19-019420		Rear	19-019635	
1971	E	B6 (HD)	Front	24-002899				
1971	S	B6 (HD)	Front	24-002899				
1970	Base	B4	Front	19-019420		Rear	19-019635	
1970	Base	B6 (HD)	Front	24-002899				
1970	S	B6 (HD)	Front	24-002899				
1969	Base	B6 (HD)	Front	24-002899				
1969	S	B4	Front	19-019420		Rear	19-019635	
1969	S	B6 (HD)	Front	24-002899				
1968	Base	B6 (HD)	Front	24-002899				
1968	S	B4	Front	19-019420		Rear	19-019635	
1968	S	B6 (HD)	Front	24-002899				
1967	Base	B6 (HD)	Front	24-002899				
1967	S	B6 (HD)	Front	24-002899				
Volvo 144								
1974	Base	B4	Front	19-019420		Rear	19-019635	
1974	Base	B6 (HD)	Front	24-002899				
1974	GL	B4	Front	19-019420		Rear	19-019635	
1974	GL	B6 (HD)	Front	24-002899				
1974	S	B6 (HD)	Front	24-002899				
1973	Base	B4	Front	19-019420		Rear	19-019635	
1973	Base	B6 (HD)	Front	24-002899				
1973	S	B6 (HD)	Front	24-002899				
1972	Base	B4	Front	19-019420		Rear	19-019635	
1972	Base	B6 (HD)	Front	24-002899				
1972	S	B6 (HD)	Front	24-002899				
1971	Base	B4	Front	19-019420		Rear	19-019635	
1971	Base	B6 (HD)	Front	24-002899				
1971	S	B6 (HD)	Front	24-002899				
1970	Base	B4	Front	19-019420		Rear	19-019635	
1970	Base	B6 (HD)	Front	24-002899				
1970	S	B6 (HD)	Front	24-002899				
1969	Base	B6 (HD)	Front	24-002899				
1969	S	B4	Front	19-019420		Rear	19-019635	
1969	S	B6 (HD)	Front	24-002899				
1968	Base	B6 (HD)	Front	24-002899				
1968	S	B4	Front	19-019420		Rear	19-019635	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 144 (continued)								
1968	S	B6 (HD)	Front	24-002899				
1967	Base	B6 (HD)	Front	24-002899				
1967	S	B4	Front	19-019420		Rear	19-019635	
1967	S	B6 (HD)	Front	24-002899				
Volvo 145								
1974	Base	B4	Front	19-019420		Rear	19-019635	
1973	Base	B4	Front	19-019420		Rear	19-019635	
1972	Base	B4	Front	19-019420		Rear	19-019635	
1971	Base	B4	Front	19-019420		Rear	19-019635	
1970	Base	B4	Front	19-019420		Rear	19-019635	
1969	S	B4	Front	19-019420		Rear	19-019635	
1968	S	B4	Front	19-019420		Rear	19-019635	
Volvo 164								
1975	Base	B4	Front	19-019420		Rear	19-019635	
1975	Base	B6 (HD)	Front	24-002899				
1974	E	B4	Front	19-019420		Rear	19-019635	
1974	E	B6 (HD)	Front	24-002899				
1974	S	B6 (HD)	Front	24-002899				
1973	E	B4	Front	19-019420		Rear	19-019635	
1973	E	B6 (HD)	Front	24-002899				
1973	S	B6 (HD)	Front	24-002899				
1972	Base	B4	Front	19-019420		Rear	19-019635	
1972	Base	B6 (HD)	Front	24-002899				
1972	S	B6 (HD)	Front	24-002899				
1971	Base	B4	Front	19-019420		Rear	19-019635	
1971	Base	B6 (HD)	Front	24-002899				
1971	S	B6 (HD)	Front	24-002899				
1970	Base	B4	Front	19-019420		Rear	19-019635	
1970	Base	B6 (HD)	Front	24-002899				
1970	S	B6 (HD)	Front	24-002899				
1969	Base	B4	Front	19-019420		Rear	19-019635	
1969	Base	B6 (HD)	Front	24-002899				
1969	S	B6 (HD)	Front	24-002899				
Volvo 1800								
1973	E	B6 (HD)	Front	24-002837		Rear	24-002936	
1973	ES	B6 (HD)	Front	24-002837		Rear	24-002936	
1972	E	B6 (HD)	Front	24-002837		Rear	24-002936	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 1800 (continued)								
1972	ES	B6 (HD)	Front	24-002837		Rear	24-002936	
1971	E	B6 (HD)	Front	24-002837		Rear	24-002936	
1970	E	B6 (HD)	Front	24-002837		Rear	24-002936	
1969	E	B6 (HD)	Front	24-002837		Rear	24-002936	
1969	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1968	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
1968	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1967	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
1967	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1966	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
1966	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1965	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
1965	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1964	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
1964	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1963	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
1962	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
Volvo 240								
1993	Base	B4	Front	21-030314		Rear	19-019529	
1993	Base	B6 (HD)	Front	34-031520	Parameter 300/175	Rear	24-002967	
			Front	34-030806	Parameter 305/206			
			Front	34-030837	Parameter 350/150			
1992	Base	B4	Front	21-030314		Rear	19-019529	
1992	Base	B6 (HD)	Front	34-031520	Parameter 300/175	Rear	24-002967	
			Front	34-030806	Parameter 305/206			
			Front	34-030837	Parameter 350/150			
1991	Base	B4	Front	21-030314		Rear	19-019529	
1991	Base	B6 (HD)	Front	34-031520	Parameter 300/175	Rear	24-002967	
			Front	34-030806	Parameter 305/206			
			Front	34-030837	Parameter 350/150			
1991	Base; Non-ABS; Power Brakes; w/ Disc Front Brakes; w/ Disc Rear Brakes	B6 (HD)	Front	34-181539				
1991	SE	B4	Front	21-030314		Rear	19-019529	
1991	SE	B6 (HD)	Front	34-031520	Parameter 300/175	Rear	24-002967	
			Front	34-030806	Parameter 305/206			
			Front	34-030837	Parameter 350/150			
1990	Base	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 240 (continued)								
1990	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175			
			Front	34-030806	Parameter 305/206			
			Front	34-030837	Parameter 350/150			
1990	DL	B4	Front	21-030314		Rear	19-019529	
1990	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175			
			Front	34-030806	Parameter 305/206			
			Front	34-030837	Parameter 350/150			
Volvo 242								
1984	DL	B4	Front	21-030314		Rear	19-019529	
1984	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1984	GLT	B4	Front	21-030314		Rear	19-019529	
1984	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1983	DL	B4	Front	21-030314		Rear	19-019529	
1983	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1983	GLT	B4	Front	21-030314		Rear	19-019529	
1983	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1982	DL	B4	Front	21-030314		Rear	19-019529	
1982	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1982	GLT	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 242 (continued)								
1982	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	Base	B6 (HD)	Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	DL	B4	Front	21-030314		Rear	19-019529	
1981	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	GL	B4	Front	21-030314		Rear	19-019529	
1981	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	GLT	B4	Front	21-030314		Rear	19-019529	
1981	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	Turbo	B4	Front	21-030314		Rear	19-019529	
1981	Turbo	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1980	DL	B4	Front	21-030314		Rear	19-019529	
1980	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1979	Base	B4	Front	21-030314		Rear	19-019529	
1979	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1978	Base	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 242 (continued)								
1978	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1977	Base	B4	Front	21-030314		Rear	19-019529	
1977	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1976	Base	B4	Front	21-030314		Rear	19-019529	
1976	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1975	GL	B4	Front	21-030314		Rear	19-019529	
1975	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
Volvo 244								
1989	DL	B4	Front	21-030314		Rear	19-019529	
1989	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1989	GL	B4	Front	21-030314		Rear	19-019529	
1989	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1988	DL	B4	Front	21-030314		Rear	19-019529	
1988	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1988	GL	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front				Rear		
Volvo 244 (continued)									
1988	GL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1987	DL	B4	Front	21-030314		Rear	19-019529		
1987	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1987	GL	B4	Front	21-030314		Rear	19-019529		
1987	GL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1986	DL	B4	Front	21-030314		Rear	19-019529		
1986	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1986	GL	B4	Front	21-030314		Rear	19-019529		
1986	GL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1985	DL	B4	Front	21-030314		Rear	19-019529		
1985	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1985	GL	B4	Front	21-030314		Rear	19-019529		
1985	GL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1985	Turbo	B4	Front	21-030314		Rear	19-019529		



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 244 (continued)								
1985	Turbo	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1984	Base	B4	Front	21-030314		Rear	19-019529	
1984	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1984	DL	B4	Front	21-030314		Rear	19-019529	
1984	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1984	GL	B4	Front	21-030314		Rear	19-019529	
1984	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1983	DL	B4	Front	21-030314		Rear	19-019529	
1983	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1983	GL	B4	Front	21-030314		Rear	19-019529	
1983	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1983	GLT	B4	Front	21-030314		Rear	19-019529	
1983	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1982	DL	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front				Rear		
Volvo 244 (continued)									
1982	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1982	GL	B4	Front	21-030314		Rear	19-019529		
1982	GL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1982	GLT	B4	Front	21-030314		Rear	19-019529		
1982	GLT	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1981	Base	B6 (HD)	Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1981	DL	B4	Front	21-030314		Rear	19-019529		
1981	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1980	DL	B4	Front	21-030314		Rear	19-019529		
1980	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1979	DL	B4	Front	21-030314		Rear	19-019529		
1979	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1978	Base	B4	Front	21-030314		Rear	19-019529		
1978	Base	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1977	Base	B4	Front	21-030314		Rear	19-019529		



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 244 (continued)								
1977	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1976	Base	B4	Front	21-030314		Rear	19-019529	
1976	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1975	GL	B4	Front	21-030314		Rear	19-019529	
1975	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
Volvo 245								
1989	DL	B4	Front	21-030314		Rear	19-019529	
1989	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1989	GL	B4	Front	21-030314		Rear	19-019529	
1989	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1988	DL	B4	Front	21-030314		Rear	19-019529	
1988	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1988	GL	B4	Front	21-030314		Rear	19-019529	
1988	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1987	DL	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front				Rear		
Volvo 245 (continued)									
1987	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1987	GL	B4	Front	21-030314		Rear	19-019529		
1987	GL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1986	DL	B4	Front	21-030314		Rear	19-019529		
1986	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1986	GL	B4	Front	21-030314		Rear	19-019529		
1986	GL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1985	Base	B4	Front	21-030314		Rear	19-019529		
1985	Base	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1984	Base	B4	Front	21-030314		Rear	19-019529		
1984	Base	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1984	DL	B6 (HD)	Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1983	DL	B4	Front	21-030314		Rear	19-019529		
1983	DL	B6 (HD)	Front	34-181539		Rear	24-002967		
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
			Front	34-030837	Parameter 350/150				
1983	GL	B4	Front	21-030314		Rear	19-019529		



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 245 (continued)								
1983	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1983	GLT	B4	Front	21-030314		Rear	19-019529	
1983	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1982	DL	B4	Front	21-030314		Rear	19-019529	
1982	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1982	GL	B4	Front	21-030314		Rear	19-019529	
1982	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1982	GLT	B4	Front	21-030314		Rear	19-019529	
1982	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	Base	B6 (HD)	Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	DL	B4	Front	21-030314		Rear	19-019529	
1981	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	GLT	B4	Front	21-030314		Rear	19-019529	
1981	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1980	DL	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 245 (continued)								
1980	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1979	DL	B4	Front	21-030314		Rear	19-019529	
1979	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1978	Base	B4	Front	21-030314		Rear	19-019529	
1978	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1977	Base	B4	Front	21-030314		Rear	19-019529	
1977	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1976	Base	B4	Front	21-030314		Rear	19-019529	
1976	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1975	Base	B4	Front	21-030314		Rear	19-019529	
1975	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
Volvo 262								
1981	GL	B4	Front	21-030314		Rear	19-019529	
1981	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1980	Base	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 262 (continued)								
1980	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1979	C	B4	Front	21-030314		Rear	19-019529	
1979	C	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1978	C	B4	Front	21-030314		Rear	19-019529	
1978	C	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1976	GL	B4	Front	21-030314		Rear	19-019529	
1976	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
Volvo 264								
1982	GLE	B4	Front	21-030314		Rear	19-019529	
1982	GLE	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	GL	B4	Front	21-030314		Rear	19-019529	
1981	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1981	GLE	B4	Front	21-030314		Rear	19-019529	
1981	GLE	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1980	GL	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 264 (continued)								
1980	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1980	GLE	B4	Front	21-030314		Rear	19-019529	
1980	GLE	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1979	GL	B4	Front	21-030314		Rear	19-019529	
1979	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1978	GL	B4	Front	21-030314		Rear	19-019529	
1978	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1977	GL	B4	Front	21-030314		Rear	19-019529	
1977	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1976	GL	B4	Front	21-030314		Rear	19-019529	
1976	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
Volvo 265								
1981	GLE	B4	Front	21-030314		Rear	19-019529	
1981	GLE	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1980	GLE	B4	Front	21-030314		Rear	19-019529	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 265 (continued)								
1980	GLE	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1979	GL	B4	Front	21-030314		Rear	19-019529	
1979	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1978	GL	B4	Front	21-030314		Rear	19-019529	
1978	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1977	GL	B4	Front	21-030314		Rear	19-019529	
1977	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
1976	Base	B4	Front	21-030314		Rear	19-019529	
1976	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-031520	Parameter 300/175	Rear	33-067230	Parameter 225/150
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150			
Volvo 740								
1992	Base	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1992	Base	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1992	T	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1992	T	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1991	Base	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 740 (continued)								
1991	Base	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1991	T	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1991	T	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1990	Base	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1990	Base	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1990	GL	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1990	GL	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1990	GLE	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1990	GLE	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1989	Base	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1989	Base	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1989	GL	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1989	GL	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1989	GLE	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680
1989	GLE	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1988	GLE	B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 740 (continued)								
1988	GLE	B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
Volvo 760								
1990	Base	B4	Front	21-030543	From 5/84	Rear	19-019888	
1990	GLE	B4	Front	21-030543	From 5/84	Rear	19-019888	
1989	Base	B4	Front	21-030543	From 5/84	Rear	19-019888	
1989	GLE	B4	Front	21-030543	From 5/84	Rear	19-019888	
1988	GLE	B4	Front	21-030543	From 5/84	Rear	19-019888	
1988	GLE	B6 (HD)	Front	34-030677	From Chassis # 81680; Without Ride Height Adjustability			
1987	GLE	B4	Front	21-030543	From 5/84	Rear	19-019888	
1987	GLE	B6 (HD)	Front	34-030677	From Chassis # 81680; Without Ride Height Adjustability			
1986	GLE	B4	Front	21-030543	From 5/84	Rear	19-019888	
1986	GLE	B6 (HD)	Front	34-030677	From Chassis # 81680; Without Ride Height Adjustability			
1985	Base	B4	Front	21-030543	From 5/84	Rear	19-019888	
1985	Base	B6 (HD)	Front	34-030677	From Chassis # 81680; Without Ride Height Adjustability			
1985	GLE	B4	Front	21-030543	From 5/84	Rear	19-019888	
1985	GLE	B6 (HD)	Front	34-030677	From Chassis # 81680; Without Ride Height Adjustability			
1984	GLE	B4	Front	21-030543	From 5/84	Rear	19-019888	
			Front	21-030536	To 4/84			
1984	GLE	B6 (HD)	Front	34-002926	From 5/84 To 7/84	Rear	24-012744	To 4/84
1983	GLE	B4	Front	21-030536	To 4/84	Rear	19-019888	
1983	GLE	B6 (HD)				Rear	24-012744	To 4/84
Volvo 780								
1990	Base	B4	Front	21-030543	From 5/84	Rear	19-019888	
1989	Base	B4	Front	21-030543	From 5/84	Rear	19-019888	
1988	Base	B4	Front	21-030543	From 5/84	Rear	19-019888	
1987	Base	B4	Front	21-030543	From 5/84	Rear	19-019888	
Volvo 850								
1997	Base	B4	Front	22-045799		Rear	19-029450	
1997	Base	B6 (HD)	Front	22-193377		Rear	24-016407	
1997	GLT	B4	Front	22-045799		Rear	19-029450	
1997	GLT	B6 (HD)	Front	22-193377		Rear	24-016407	
1997	R	B4	Front	22-045799		Rear	19-029450	
1997	R	B6 (HD)	Front	22-193377		Rear	24-016407	
1997	T-5	B4	Front	22-045799		Rear	19-029450	
1997	T-5	B6 (HD)	Front	22-193377		Rear	24-016407	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 850 (continued)								
1996	Base	B4	Front	22-045799		Rear	19-029450	
1996	Base	B6 (HD)	Front	22-193377		Rear	24-016407	
1996	GLT	B4	Front	22-045799		Rear	19-029450	
1996	GLT	B6 (HD)	Front	22-193377		Rear	24-016407	
1996	R	B4	Front	22-045799		Rear	19-029450	
1996	R	B6 (HD)	Front	22-193377		Rear	24-016407	
1996	Turbo	B4	Front	22-045799		Rear	19-029450	
1996	Turbo	B6 (HD)	Front	22-193377		Rear	24-016407	
1995	Base	B4	Front	22-045799		Rear	19-029450	
1995	Base	B6 (HD)	Front	22-193377		Rear	24-016407	
1995	GLT	B4	Front	22-045799		Rear	19-029450	
1995	GLT	B6 (HD)	Front	22-193377		Rear	24-016407	
1995	T-5R	B4	Front	22-045799		Rear	19-029450	
1995	T-5R	B6 (HD)	Front	22-193377		Rear	24-016407	
1995	Turbo	B4	Front	22-045799		Rear	19-029450	
1995	Turbo	B6 (HD)	Front	22-193377		Rear	24-016407	
1994	Base	B4	Front	22-045799		Rear	19-029450	
1994	Base	B6 (HD)	Front	22-193377		Rear	24-016407	
1994	GLT	B4	Front	22-045799		Rear	19-029450	
1994	GLT	B6 (HD)	Front	22-193377		Rear	24-016407	
1994	Turbo	B4	Front	22-045799		Rear	19-029450	
1994	Turbo	B6 (HD)	Front	22-193377		Rear	24-016407	
1993	GLT	B4				Rear	19-029450	
1993	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	
Volvo 940								
1995	Base	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1995	Base	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
								Rear
1995	T	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1995	T	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
								Rear
1994	Base	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1994	Base	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
								Rear



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 940 (continued)								
1994	T	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1994	T	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1993	Base	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1993	Base	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1993	T	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1993	T	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1992	GL	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1992	GL	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1992	T	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1992	T	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1991	GLE	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1991	GLE	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1991	SE	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1991	SE	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1991	T	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1991	T	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
Volvo 960								
1994	Base	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo 960 (continued)								
1994	Base	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1993	Base	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1993	Base	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
1992	Base	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1992	Base	B6 (HD)	Front	34-002926		Rear	24-016629	With Independent Rear Suspension
						Rear	24-012744	Without Independent Rear Suspension
Volvo C30								
2012		B4				Rear	19-119526	
2012	T5	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2012	T5	B4	Front Right	22-112880				
			Front Left	22-112811				
2012	T5	B6 (HD)				Rear	24-196529	
2012	T5	B8 (SP)				Rear	24-196550	
2011	T5	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2011	T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2011	T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2011	T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2010	2.4i	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2010	2.4i	B4	Front Right	22-112880				
			Front Left	22-112811				
2010	2.4i	B6 (HD)				Rear	24-196529	
2010	2.4i	B8 (SP)				Rear	24-196550	
2010	T5	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo C30 (continued)								
2010	T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2010	T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2010	T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2009	2.4i	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2009	2.4i	B4	Front Right	22-112880				
			Front Left	22-112811				
2009	2.4i	B6 (HD)				Rear	24-196529	
2009	2.4i	B8 (SP)				Rear	24-196550	
2009	T5	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2009	T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2009	T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2009	T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2009	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2009	T5 Inspiration	B4	Front Right	22-112880				
			Front Left	22-112811				
2009	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2009	T5 Kinetic	B4	Front Right	22-112880				
			Front Left	22-112811				
2008	2.4i	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2008	2.4i	B4	Front Right	22-112880				
			Front Left	22-112811				
2008	2.4i	B6 (HD)				Rear	24-196529	
2008	2.4i	B8 (SP)				Rear	24-196550	
2008	T5	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo C30 (continued)								
2008	T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2008	T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2008	T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2008	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2008	T5 Inspiration	B4	Front Right	22-112880				
			Front Left	22-112811				
2008	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2008	T5 Kinetic	B4	Front Right	22-112880				
			Front Left	22-112811				
2007	2.4i	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2007	2.4i	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2007	2.4i	B6 (HD)				Rear	24-196529	
2007	2.4i	B8 (SP)				Rear	24-196550	
2007	T5	B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2007	T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2007	T5	B6 (HD)				Rear	24-196529	
2007	T5	B8 (SP)				Rear	24-196550	
Volvo C70								
2012	T5	B6 (HD)				Rear	24-142182	
2012	T5	B8 (SP)				Rear	24-142199	
2011	T5	B6 (HD)	Front Left	35-110736		Rear	24-142182	
			Front Right	35-110743				
2011	T5	B8 (SP)	Front Left	35-110767		Rear	24-142199	
			Front Right	35-110774				
2010	T5	B6 (HD)	Front Left	35-110736		Rear	24-142182	
			Front Right	35-110743				
2010	T5	B8 (SP)	Front Left	35-110767		Rear	24-142199	
			Front Right	35-110774				



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo C70 (continued)								
2009	T5	B6 (HD)	Front Left	35-110736		Rear	24-142182	
			Front Right	35-110743				
2009	T5	B8 (SP)	Front Left	35-110767		Rear	24-142199	
			Front Right	35-110774				
2008	T5	B6 (HD)	Front Left	35-110736		Rear	24-142182	
			Front Right	35-110743				
2008	T5	B8 (SP)	Front Left	35-110767		Rear	24-142199	
			Front Right	35-110774				
2007	T5	B6 (HD)	Front Left	35-110736		Rear	24-142182	
			Front Right	35-110743				
2007	T5	B8 (SP)	Front Left	35-110767		Rear	24-142199	
			Front Right	35-110774				
2006	T5	B6 (HD)	Front Left	35-110736		Rear	24-142182	
			Front Right	35-110743				
2006	T5	B8 (SP)	Front Left	35-110767		Rear	24-142199	
			Front Right	35-110774				
2004	Base	B4	Front	22-045799		Rear	19-029450	
2004	Base	B6 (HD)	Front	22-040152		Rear	24-016407	
2003	Base	B4	Front	22-045799		Rear	19-029450	
2003	Base	B6 (HD)	Front	22-040152		Rear	24-016407	
2002	Base	B4	Front	22-045799		Rear	19-029450	
2002	Base	B6 (HD)	Front	22-040152		Rear	24-016407	
2001	Base	B4	Front	22-045799		Rear	19-029450	
2001	Base	B6 (HD)	Front	22-040152		Rear	24-016407	
2000	Base	B4	Front	22-045799		Rear	19-029450	
2000	Base	B6 (HD)	Front	22-040152		Rear	24-016407	
1999	Base	B4	Front	22-045799		Rear	19-029450	
1999	Base	B6 (HD)	Front	22-040152		Rear	24-016407	
1998	Base	B4	Front	22-045799		Rear	19-029450	
1998	Base	B6 (HD)	Front	22-040152		Rear	24-016407	
Volvo S40								
2011	T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2011	T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2011	T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S40 (continued)								
2011	T5 R-Design	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2011	T5 R-Design	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2011	T5 R-Design	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2010	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2010	2.4i	B4				Rear	19-119526	
2010	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2010	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2010	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2010	FWD; T5	B6 (HD)				Rear	24-196529	
2010	FWD; T5	B8 (SP)				Rear	24-196550	
2010	FWD; T5 R-Design	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2010	FWD; T5 R-Design	B4				Rear	19-119526	
2010	FWD; T5 R-Design	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2010	FWD; T5 R-Design	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2009	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2009	2.4i	B4				Rear	19-119526	
2009	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2009	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2009	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2009	FWD; T5	B4				Rear	19-119526	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S40 (continued)								
2009	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2009	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2009	T5 Addition	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2009	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2009	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2008	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2008	2.4i	B4				Rear	19-119526	
2008	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2008	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2008	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2008	FWD; T5	B4				Rear	19-119526	
2008	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2008	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2008	T5 Addition	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2008	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2008	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2007	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S40 (continued)								
2007	2.4i	B4				Rear	19-119526	
2007	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2007	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2007	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2007	FWD; T5	B4				Rear	19-119526	
2007	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2007	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2007	T5 Addition	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2007	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2007	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2006	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2006	2.4i	B4				Rear	19-119526	
2006	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2006	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2006	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2006	FWD; T5	B4				Rear	19-119526	
2006	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2006	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S40 (continued)								
2005	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2005	FWD; T5	B4				Rear	19-119526	
2005	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2005	i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2005	i	B4				Rear	19-119526	
2005	i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005	i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2004	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2004	LSE	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2004	T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2004	T5	B4				Rear	19-119526	
2004	T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2004	T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2004	i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2004	i	B4				Rear	19-119526	
2004	i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2004	i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2003	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S40 (continued)								
2002	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2001	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2000	Base	B4	Front Right	22-120205	From 5/00	Rear	19-118703	From 5/00
			Front Left	22-120199	From 5/00	Rear	19-061283	To 4/00
			Front Right	22-118691	To 4/00			
			Front Left	22-118684	To 4/00			
Volvo S60								
2009	2.5T	B8 (SP)				Rear	24-067942	
2009	2.5T; FWD	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2009	2.5T; FWD	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2009	2.5T; FWD	B6 (HD)	Front	35-052210		Rear	24-067935	
2009	2.5T; FWD	B8 (SP)	Front	35-052227				
2009	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2009	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2009	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2009	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2008	2.5T	B8 (SP)				Rear	24-067942	
2008	2.5T; FWD	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2008	2.5T; FWD	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2008	2.5T; FWD	B6 (HD)	Front	35-052210		Rear	24-067935	
2008	2.5T; FWD	B8 (SP)	Front	35-052227				
2008	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2008	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2008	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2008	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2008	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2008	T5 Inspiration	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S60 (continued)								
2008	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2008	T5 Kinetic	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007	2.5T	B8 (SP)				Rear	24-067942	
2007	2.5T; FWD	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2007	2.5T; FWD	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007	2.5T; FWD	B6 (HD)	Front	35-052210		Rear	24-067935	
2007	2.5T; FWD	B8 (SP)	Front	35-052227				
2007	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2007	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2007	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2007	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2007	T5 Inspiration	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2007	T5 Kinetic	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2006	2.5T	B8 (SP)				Rear	24-067942	
2006	2.5T; FWD	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2006	2.5T; FWD	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2006	2.5T; FWD	B6 (HD)	Front	35-052210		Rear	24-067935	
2006	2.5T; FWD	B8 (SP)	Front	35-052227				
2006	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2006	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2006	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2006	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2006	T5 Sport	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S60 (continued)								
2006	T5 Sport	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2005	2.4	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2005	2.4	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2005	2.4	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	2.4	B8 (SP)	Front	35-052227		Rear	24-067942	
2005	2.5T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2005	2.5T	B4				Rear	24-193276	Without Ride Height Adjustability
2005	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2005	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2005	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2005	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	2.0T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2004	2.0T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2004	2.4	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2004	2.4	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2004	2.4	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	2.4	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	2.5T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2004	2.5T	B4				Rear	24-193276	Without Ride Height Adjustability
2004	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2004	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2004	T5	B6 (HD)	Front	35-052210		Rear	24-067935	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S60 (continued)								
2004	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2003	2.0T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2003	2.0T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003	2.4T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2003	2.4T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003	2.4T	B6 (HD)	Front	35-052210		Rear	24-067935	
2003	2.4T	B8 (SP)	Front	35-052227		Rear	24-067942	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2003	Base	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003	Base	B6 (HD)	Front	35-052210		Rear	24-067935	
2003	Base	B8 (SP)	Front	35-052227		Rear	24-067942	
2003	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2003	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2003	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2002	2.0T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2002	2.0T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2002	2.4T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2002	2.4T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2002	2.4T	B6 (HD)	Front	35-052210		Rear	24-067935	
2002	2.4T	B8 (SP)	Front	35-052227		Rear	24-067942	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2002	Base	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2002	Base	B6 (HD)	Front	35-052210		Rear	24-067935	
2002	Base	B8 (SP)	Front	35-052227		Rear	24-067942	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S60 (continued)								
2002	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2002	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2002	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2002	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2001	2.0T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2001	2.0T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2001	2.4T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2001	2.4T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2001	2.4T	B6 (HD)	Front	35-052210		Rear	24-067935	
2001	2.4T	B8 (SP)	Front	35-052227		Rear	24-067942	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2001	Base	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2001	Base	B6 (HD)	Front	35-052210		Rear	24-067935	
2001	Base	B8 (SP)	Front	35-052227		Rear	24-067942	
2001	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2001	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2001	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2001	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
Volvo S70								
2000	Base	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	Base	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000	GLT	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000	GLT SE	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	GLT SE	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000	T5	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S70 (continued)								
2000	T5	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1999	Base	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1999	Base	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1999	GLT	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1999	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1999	T5	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1999	T5	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1998	Base	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1998	Base	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1998	GLT	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1998	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1998	T5	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1998	T5	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
Volvo S80								
2012	3.2	B12 (Pro-Kit)	Front and Rear	46-190741	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1270kg Axle Load; Rear Lowered Height: 30mm, up to 1210kg Axle Load			
2012	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2011	3.2	B12 (Pro-Kit)	Front and Rear	46-190741	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1270kg Axle Load; Rear Lowered Height: 30mm, up to 1210kg Axle Load			
2011	3.2	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2011	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2011	3.2	Variable Depending on Application				Rear	24-143639	Setting: B6 (HD)
2011	T6	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S80 (continued)								
2010	3.2	B12 (Pro-Kit)	Front and Rear	46-190741	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1270kg Axle Load; Rear Lowered Height: 30mm, up to 1210kg Axle Load			
2010	3.2	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2010	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2010	3.2	Variable Depending on Application				Rear	24-143639	Setting: B6 (HD)
2010	T6	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2010	V8	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2009	3.2	B12 (Pro-Kit)	Front and Rear	46-190741	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1270kg Axle Load; Rear Lowered Height: 30mm, up to 1210kg Axle Load			
2009	3.2	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2009	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2009	3.2	Variable Depending on Application				Rear	24-143639	Setting: B6 (HD)
2009	FWD; T6	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2009	FWD; V8	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2009	T6	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2009	V8	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2008	3.2	B12 (Pro-Kit)	Front and Rear	46-190741	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1270kg Axle Load; Rear Lowered Height: 30mm, up to 1210kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S80 (continued)								
2008	3.2	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2008	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2008	3.2	Variable Depending on Application				Rear	24-143639	Setting: B6 (HD)
2008	FWD; T6	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2008	FWD; V8	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2008	T6	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2008	V8	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2007	3.2	B12 (Pro-Kit)	Front and Rear	46-190741	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1270kg Axle Load; Rear Lowered Height: 30mm, up to 1210kg Axle Load			
2007	3.2	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2007	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2007	3.2	Variable Depending on Application				Rear	24-143639	Setting: B6 (HD)
2007	FWD; V8	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2007	V8	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2006	2.5T	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2006	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2006	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2006	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S80 (continued)								
2005	2.5T	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2005	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2005	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2005	T6	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	T6	B8 (SP)	Front	35-052227		Rear	24-067942	
2005	T6 Premier	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2005	T6 Premier	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	T6 Premier	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	2.5T	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2004	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	2.9	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2004	2.9	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	2.9	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2004	T6	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	T6	B8 (SP)	Front	35-052227		Rear	24-067942	
2003	2.9	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2003	2.9	B6 (HD)	Front	35-052210		Rear	24-067935	
2003	2.9	B8 (SP)	Front	35-052227		Rear	24-067942	
2003	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2003	T6	B6 (HD)	Front	35-052210		Rear	24-067935	
2003	T6	B8 (SP)	Front	35-052227		Rear	24-067942	
2002	2.9	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2002	2.9	B6 (HD)	Front	35-052210		Rear	24-067935	
2002	2.9	B8 (SP)	Front	35-052227		Rear	24-067942	
2002	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2002	T6	B6 (HD)	Front	35-052210		Rear	24-067935	
2002	T6	B8 (SP)	Front	35-052227		Rear	24-067942	
2002	T6 Anniversary	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2001	2.9	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2001	2.9	B6 (HD)	Front	35-052210		Rear	24-067935	
2001	2.9	B8 (SP)	Front	35-052227		Rear	24-067942	
2001	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2001	T6	B6 (HD)	Front	35-052210		Rear	24-067935	
2001	T6	B8 (SP)	Front	35-052227		Rear	24-067942	
2001	T6 Executive	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo S80 (continued)								
2000	2.9	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2000	2.9	B6 (HD)	Front	35-052210		Rear	24-067935	
2000	2.9	B8 (SP)	Front	35-052227		Rear	24-067942	
2000	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2000	T6	B6 (HD)	Front	35-052210		Rear	24-067935	
2000	T6	B8 (SP)	Front	35-052227		Rear	24-067942	
2000	T6 Executive	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
1999	2.9	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
1999	2.9	B6 (HD)	Front	35-052210		Rear	24-067935	
1999	2.9	B8 (SP)	Front	35-052227		Rear	24-067942	
1999	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
1999	T6	B6 (HD)	Front	35-052210		Rear	24-067935	
1999	T6	B8 (SP)	Front	35-052227		Rear	24-067942	
Volvo V40								
2004	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2004	LSE	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2003	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2002	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2001	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2000	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
Volvo V50								
2011	T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2011	T5	B4				Rear	19-119526	
2011	T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2011	T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2011	T5 R-Design	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo V50 (continued)								
2011	T5 R-Design	B4				Rear	19-119526	
2011	T5 R-Design	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2011	T5 R-Design	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2010	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2010	2.4i	B4				Rear	19-119526	
2010	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2010	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2009	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2009	2.4i	B4				Rear	19-119526	
2009	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2009	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2008	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2008	2.4i	B4				Rear	19-119526	
2008	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2008	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2008	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2008	FWD; T5	B4				Rear	19-119526	
2008	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2008	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2007	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo V50 (continued)								
2007	2.4i	B4				Rear	19-119526	
2007	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2007	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2007	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2007	FWD; T5	B4				Rear	19-119526	
2007	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2007	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2006	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2006	2.4i	B4				Rear	19-119526	
2006	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2006	2.4i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2006	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2006	FWD; T5	B4				Rear	19-119526	
2006	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2006	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2006	T5 Elegance	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2006	T5 Elegance	B4				Rear	19-119526	
2006	T5 Elegance	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2006	T5 Elegance	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2005	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo V50 (continued)								
2005	FWD; T5	B4				Rear	19-119526	
2005	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005	FWD; T5	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2005	T5 Elegance	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2005	T5 Elegance	B4				Rear	19-119526	
2005	T5 Elegance	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005	T5 Elegance	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2005	T5 Sport	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2005	T5 Sport	B4				Rear	19-119526	
2005	T5 Sport	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005	T5 Sport	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2005	i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2005	i	B4				Rear	19-119526	
2005	i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005	i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
Volvo V70								
2010	3.2	B6 (HD)	Front Left	35-144960		Rear	24-146135	Except Electronic Adjustable Suspension; Standard Chassis; Without Ride Height Adjustability
			Front Right	35-144977				
2010	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2010	3.2	Variable Depending on Application				Rear	24-143639	Except Electronic Adjustable Suspension; Setting: B8 (SP); Without Ride Height Adjustability
2009	3.2	B6 (HD)	Front Left	35-144960		Rear	24-146135	Except Electronic Adjustable Suspension; Standard Chassis; Without Ride Height Adjustability
			Front Right	35-144977				



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo V70 (continued)								
2009	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2009	3.2	Variable Depending on Application				Rear	24-143639	Except Electronic Adjustable Suspension; Setting: B8 (SP); Without Ride Height Adjustability
2008	3.2	B6 (HD)	Front Left	35-144960		Rear	24-146135	Except Electronic Adjustable Suspension; Standard Chassis; Without Ride Height Adjustability
			Front Right	35-144977				
2008	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2008	3.2	Variable Depending on Application				Rear	24-143639	Except Electronic Adjustable Suspension; Setting: B8 (SP); Without Ride Height Adjustability
2007	2.4	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	2.4	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007	2.4	B6 (HD)	Front	35-052210		Rear	24-067935	
2007	2.4	B8 (SP)	Front	35-052227		Rear	24-067942	
2007	2.5T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007	2.5T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2007	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2006	2.4	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	2.4	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2006	2.4	B6 (HD)	Front	35-052210		Rear	24-067935	
2006	2.4	B8 (SP)	Front	35-052227		Rear	24-067942	
2006	2.5T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	2.5T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2006	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2006	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2005	2.4	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	2.4	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2005	2.4	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	2.4	B8 (SP)	Front	35-052227		Rear	24-067942	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo V70 (continued)								
2005	2.5T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	2.5T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2005	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2005	T5	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2005	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	2.4	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	2.4	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2004	2.4	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	2.4	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	2.5T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	2.5T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2004	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	R	B8 (SP)	Front	35-052227				
2004	T5	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2004	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2004	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2003	2.4T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	2.4T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003	2.4T	B6 (HD)	Front	35-052210		Rear	24-067935	
2003	2.4T	B8 (SP)	Front	35-052227		Rear	24-067942	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo V70 (continued)								
2003	Base	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003	Base	B6 (HD)	Front	35-052210		Rear	24-067935	
2003	Base	B8 (SP)	Front	35-052227		Rear	24-067942	
2003	T5	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2003	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2002	2.4T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002	2.4T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2002	2.4T	B6 (HD)	Front	35-052210		Rear	24-067935	
2002	2.4T	B8 (SP)	Front	35-052227		Rear	24-067942	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002	Base	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2002	Base	B6 (HD)	Front	35-052210		Rear	24-067935	
2002	Base	B8 (SP)	Front	35-052227		Rear	24-067942	
2002	T5	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2002	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2002	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2001	2.4T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2001	2.4T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2001	2.4T	B6 (HD)	Front	35-052210		Rear	24-067935	
2001	2.4T	B8 (SP)	Front	35-052227		Rear	24-067942	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2001	Base	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2001	Base	B6 (HD)	Front	35-052210		Rear	24-067935	
2001	Base	B8 (SP)	Front	35-052227		Rear	24-067942	



Passenger Cars

Year	Application	Series	Front			Rear		
Volvo V70 (continued)								
2001	T5	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2001	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2001	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2001	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2000	Base	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	Base	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000	Base	B8 (SP)	Front	35-052227				
2000	GLT	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000	GLT	B8 (SP)	Front	35-052227				
2000	GLT SE	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	GLT SE	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000	GLT SE	B8 (SP)	Front	35-052227				
1999	Base	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1999	Base	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1999	GLT	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1999	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1999	T5	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1999	T5	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1998	Base	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1998	Base	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1998	GLT	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1998	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1998	T5	B4	Front	22-045799		Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1998	T5	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
Volvo XC70								
2010	3.2	B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				



Passenger Cars

Year	Application	Series	Front			Rear
Volvo XC70 (continued)						
2010	T6	B6 (HD)	Front Left	35-144960		
			Front Right	35-144977		
2009	3.2	B6 (HD)	Front Left	35-144960		
			Front Right	35-144977		
2009	T6	B6 (HD)	Front Left	35-144960		
			Front Right	35-144977		
2008	3.2	B6 (HD)	Front Left	35-144960		
			Front Right	35-144977		

LIGHT TRUCK AND SUV APPLICATIONS





Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Audi Q5								
2012	Premium	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2012	Premium	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2012	Premium Plus	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2012	Premium Plus	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2012	Prestige	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2012	Prestige	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Base	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2011	Base	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Premium	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2011	Premium	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Premium Plus	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2011	Premium Plus	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2011	Prestige	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2011	Prestige	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Base	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Audi Q5 (continued)								
2010	Base	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Elite	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2010	Elite	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Luxury	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2010	Luxury	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Premium	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Premium	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2010	Premium	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Premium	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Premium Plus	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Premium Plus	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2010	Premium Plus	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Premium Plus	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Prestige	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010	Prestige	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2010	Prestige	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010	Prestige	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	Trendy	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2010	Trendy	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Audi Q5 (continued)								
2009	Base	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2009	Base	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Premium	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Premium	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2009	Premium	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Premium	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Premium Plus	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Premium Plus	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2009	Premium Plus	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Premium Plus	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Prestige	4600 Series	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Prestige	B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2009	Prestige	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2009	Prestige	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
BMW X3								
2013	xDrive28i	4600 Series	Front Left	35-197157				
			Front Right	35-197195				
2013	xDrive28i	B4	Front Right	22-213143	Sport Suspension	Rear	19-213156	Sport Suspension
			Front Left	22-213136	Sport Suspension	Rear	19-197692	Standard Chassis
			Front Right	22-197689	Standard Chassis			
			Front Left	22-197672	Standard Chassis			
2013	xDrive35i	4600 Series	Front Left	35-197157				
			Front Right	35-197195				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X3 (continued)								
2013	xDrive35i	B4	Front Right	22-213143	Sport Suspension	Rear	19-213156	Sport Suspension
			Front Left	22-213136	Sport Suspension	Rear	19-197692	Standard Chassis
			Front Right	22-197689	Standard Chassis			
			Front Left	22-197672	Standard Chassis			
2012	xDrive28i	4600 Series	Front Left	35-197157				
			Front Right	35-197195				
2012	xDrive28i	B4	Front Right	22-213143	Sport Suspension	Rear	19-213156	Sport Suspension
			Front Left	22-213136	Sport Suspension	Rear	19-197692	Standard Chassis
			Front Right	22-197689	Standard Chassis			
			Front Left	22-197672	Standard Chassis			
2012	xDrive35i	4600 Series	Front Left	35-197157				
			Front Right	35-197195				
2012	xDrive35i	B4	Front Right	22-213143	Sport Suspension	Rear	19-213156	Sport Suspension
			Front Left	22-213136	Sport Suspension	Rear	19-197692	Standard Chassis
			Front Right	22-197689	Standard Chassis			
			Front Left	22-197672	Standard Chassis			
2011	xDrive28i	4600 Series	Front Left	35-197157				
			Front Right	35-197195				
2011	xDrive28i	B4	Front Right	22-213143	Sport Suspension	Rear	19-213156	Sport Suspension
			Front Left	22-213136	Sport Suspension	Rear	19-197692	Standard Chassis
			Front Right	22-197689	Standard Chassis			
			Front Left	22-197672	Standard Chassis			
2011	xDrive35i	4600 Series	Front Left	35-197157				
			Front Right	35-197195				
2011	xDrive35i	B4	Front Right	22-213143	Sport Suspension	Rear	19-213156	Sport Suspension
			Front Left	22-213136	Sport Suspension	Rear	19-197692	Standard Chassis
			Front Right	22-197689	Standard Chassis			
			Front Left	22-197672	Standard Chassis			
2010	2.5si	4600 Series				Rear	24-114585	
2010	2.5si	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2010	3.0si	4600 Series				Rear	24-114585	
2010	3.0si	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2010	xDrive28i	4600 Series				Rear	24-114585	
2010	xDrive28i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X3 (continued)								
2010	xDrive30i	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2010	xDrive30i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2009	2.5si	4600 Series				Rear	24-114585	
2009	2.5si	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2009	3.0si	4600 Series				Rear	24-114585	
2009	3.0si	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2009	xDrive30i	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2009	xDrive30i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2008	2.5si	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2008	3.0i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2008	3.0si	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2008	3.0si	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2007	2.5si	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2007	3.0si	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2007	3.0si	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2006	2.5i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2006	3.0i	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2006	3.0i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2005	2.5i	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2005	2.5i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X3 (continued)								
2005	3.0i	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2005	3.0i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2004	2.5i	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2004	2.5i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2004	3.0i	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2004	3.0i	B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
BMW X5								
2013	w/ Coil Front Springs; xDrive30i	4600 Series	Front	24-143936	Without third row seating			
2013	w/ Coil Front Springs; xDrive30i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2013	w/ Coil Front Springs; xDrive30i	B4	Front	19-184098	Without third row seating			
2013	w/ Coil Front Springs; xDrive35i	4600 Series	Front	24-143936	Without third row seating			
2013	w/ Coil Front Springs; xDrive35i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2013	w/ Coil Front Springs; xDrive35i	B4	Front	19-184098	Without third row seating			
2013	w/ Coil Front Springs; xDrive50i	4600 Series	Front	24-143936	Without third row seating			
2013	w/ Coil Front Springs; xDrive50i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2013	w/ Coil Front Springs; xDrive50i	B4	Front	19-184098	Without third row seating			
2013	w/ Coil Rear Springs; xDrive30i	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2013	w/ Coil Rear Springs; xDrive35d	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2013	w/ Coil Rear Springs; xDrive35i	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2013	xDrive35d	4600 Series	Front	24-143936	Without third row seating			
2013	xDrive35d	4600 Series (Sport)	Front	24-143967	Without third row seating			
2013	xDrive35d	B4	Front	19-184098	Without third row seating			
2012	w/ Coil Front Springs; xDrive30i	4600 Series	Front	24-143936	Without third row seating			
2012	w/ Coil Front Springs; xDrive30i	4600 Series (Sport)	Front	24-143967	Without third row seating			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2012	w/ Coil Front Springs; xDrive30i	B4	Front	19-184098	Without third row seating			
2012	w/ Coil Front Springs; xDrive35i	4600 Series	Front	24-143936	Without third row seating			
2012	w/ Coil Front Springs; xDrive35i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2012	w/ Coil Front Springs; xDrive35i	B4	Front	19-184098	Without third row seating			
2012	w/ Coil Front Springs; xDrive50i	4600 Series	Front	24-143936	Without third row seating			
2012	w/ Coil Front Springs; xDrive50i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2012	w/ Coil Front Springs; xDrive50i	B4	Front	19-184098	Without third row seating			
2012	w/ Coil Rear Springs; xDrive30i	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2012	w/ Coil Rear Springs; xDrive35d	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2012	w/ Coil Rear Springs; xDrive35i	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2012	xDrive35d	4600 Series	Front	24-143936	Without third row seating			
2012	xDrive35d	4600 Series (Sport)	Front	24-143967	Without third row seating			
2012	xDrive35d	B4	Front	19-184098	Without third row seating			
2011	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35d	4600 Series				Rear Right	24-143950	Without third row seating
2011	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35d	4600 Series (Sport)				Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2011	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35i	4600 Series				Rear Right	24-143950	Without third row seating
2011	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35i	4600 Series (Sport)				Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2011	w/ Coil Front Springs; xDrive30i	4600 Series	Front	24-143936	Without third row seating			
2011	w/ Coil Front Springs; xDrive30i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2011	w/ Coil Front Springs; xDrive30i	B4	Front	19-184098	Without third row seating			
2011	w/ Coil Front Springs; xDrive35i	4600 Series	Front	24-143936	Without third row seating			
2011	w/ Coil Front Springs; xDrive35i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2011	w/ Coil Front Springs; xDrive35i	B4	Front	19-184098	Without third row seating			
2011	w/ Coil Rear Springs; xDrive30i	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2011	w/ Coil Rear Springs; xDrive35d	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2011	w/ Coil Rear Springs; xDrive35i	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2011	xDrive35d	4600 Series	Front	24-143936	Without third row seating			
2011	xDrive35d	4600 Series (Sport)	Front	24-143967	Without third row seating			
2011	xDrive35d	B4	Front	19-184098	Without third row seating			
2011	xDrive50i	4600 Series	Front	24-143936	Without third row seating			
2011	xDrive50i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2010	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive30i	4600 Series				Rear Right	24-143950	Without third row seating
2010	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive30i	4600 Series (Sport)				Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2010	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35d	4600 Series				Rear Right	24-143950	Without third row seating
2010	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35d	4600 Series (Sport)				Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2010	w/ Coil Rear Springs; xDrive30i	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2010	w/ Coil Rear Springs; xDrive35d	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2010	xDrive30i	4600 Series	Front	24-143936	Without third row seating			
2010	xDrive30i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2010	xDrive30i	B4	Front	19-184098	Without third row seating			
2010	xDrive35d	4600 Series	Front	24-143936	Without third row seating			
2010	xDrive35d	4600 Series (Sport)	Front	24-143967	Without third row seating			
2010	xDrive35d	B4	Front	19-184098	Without third row seating			
2010	xDrive48i	4600 Series	Front	24-143936	Without third row seating			
2010	xDrive48i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2010	xDrive48i	B4	Front	19-184098	Without third row seating			
2009	3.0si	4600 Series	Front	24-143936	Without third row seating	Rear Left	24-143943	Without third row seating
2009	3.0si	4600 Series (Sport)	Front	24-143967	Without third row seating			
2009	3.0si	B4	Front	19-184098	Without third row seating	Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2009	4.8i Premium	4600 Series	Front	24-143936	Without third row seating			
2009	4.8i Premium	4600 Series (Sport)	Front	24-143967	Without third row seating			
2009	4.8i Premium	B4	Front	19-184098	Without third row seating			
2009	4.8i Premium; w/ Coil Rear Springs	4600 Series				Rear Left	24-143943	Without third row seating



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2009	4.8i Premium; w/ Coil Rear Springs	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2009	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive30i	4600 Series				Rear Right	24-143950	Without third row seating
2009	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive30i	4600 Series (Sport)				Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2009	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35d	4600 Series				Rear Right	24-143950	Without third row seating
2009	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35d	4600 Series (Sport)				Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2009	w/ Coil Rear Springs; xDrive30i	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2009	w/ Coil Rear Springs; xDrive35d	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2009	xDrive30i	4600 Series	Front	24-143936	Without third row seating			
2009	xDrive30i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2009	xDrive30i	B4	Front	19-184098	Without third row seating			
2009	xDrive35d	4600 Series	Front	24-143936	Without third row seating			
2009	xDrive35d	4600 Series (Sport)	Front	24-143967	Without third row seating			
2009	xDrive35d	B4	Front	19-184098	Without third row seating			
2009	xDrive48i	4600 Series	Front	24-143936	Without third row seating			
2009	xDrive48i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2009	xDrive48i	B4	Front	19-184098	Without third row seating			
2008	3.0si	4600 Series	Front	24-143936	Without third row seating			
2008	3.0si	4600 Series (Sport)	Front	24-143967	Without third row seating			
2008	3.0si	B4	Front	19-184098	Without third row seating			
2008	3.0si; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear Right	24-143950	Without third row seating
2008	3.0si; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)				Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2008	3.0si; w/ Coil Rear Springs	4600 Series				Rear Left	24-143943	Without third row seating
2008	3.0si; w/ Coil Rear Springs	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2008	4.8i	4600 Series	Front	24-143936	Without third row seating			
2008	4.8i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2008	4.8i	B4	Front	19-184098	Without third row seating			
2008	4.8i Premium	4600 Series	Front	24-143936	Without third row seating			
2008	4.8i Premium	4600 Series (Sport)	Front	24-143967	Without third row seating			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2008	4.8i Premium	B4	Front	19-184098	Without third row seating			
2008	4.8i Premium; w/ Coil Rear Springs	4600 Series				Rear Left	24-143943	Without third row seating
2008	4.8i Premium; w/ Coil Rear Springs	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2007	3.0si	4600 Series	Front	24-143936	Without third row seating			
2007	3.0si	4600 Series (Sport)	Front	24-143967	Without third row seating			
2007	3.0si	B4	Front	19-184098	Without third row seating			
2007	3.0si; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear Right	24-143950	Without third row seating
2007	3.0si; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)				Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2007	3.0si; w/ Coil Rear Springs	4600 Series				Rear Left	24-143943	Without third row seating
2007	3.0si; w/ Coil Rear Springs	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2007	4.8i	4600 Series	Front	24-143936	Without third row seating			
2007	4.8i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2007	4.8i	B4	Front	19-184098	Without third row seating			
2007	4.8i Premium	4600 Series	Front	24-143936	Without third row seating			
2007	4.8i Premium	4600 Series (Sport)	Front	24-143967	Without third row seating			
2007	4.8i Premium	B4	Front	19-184098	Without third row seating			
2007	4.8i Premium; w/ Coil Rear Springs	4600 Series				Rear Left	24-143943	Without third row seating
2007	4.8i Premium; w/ Coil Rear Springs	B4				Rear Left	19-184074	Without third row seating
						Rear Right	19-184081	Without third row seating
2006	3.0i	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2006	3.0i	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006	4.4i	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2006	4.4i	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006	4.4i Formula 1	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2006	4.4i Formula 1	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006	4.4i Lujo	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2006	4.4i Lujo	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006	4.4i Top Line	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2006	4.4i Top Line	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006	4.8is	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2006	4.8is	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2006	4.8is; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2006	4.8is; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2005	3.0i	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2005	3.0i	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2005	4.4i	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2005	4.4i	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2005	4.4i Formula 1	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2005	4.4i Formula 1	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2005	4.4i Lujo	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2005	4.4i Lujo	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2005	4.4i Top Line	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2005	4.4i Top Line	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2005	4.8is	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2005	4.8is	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2004	3.0i	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2004	3.0i	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2004	4.4i	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2004	4.4i	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2004	4.4i Formula 1	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2004	4.4i Formula 1	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2004	4.4i Lujo	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2004	4.4i Lujo	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2004	4.4i Top Line	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2004	4.4i Top Line	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2004	4.8is	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2004	4.8is	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2003	3.0i	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2003	3.0i	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2003	3.0i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2003	3.0i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2003	4.4i	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2003	4.4i	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2003	4.4i Formula 1	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2003	4.4i Formula 1	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2003	4.4i Lujo	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2003	4.4i Lujo	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2003	4.4i Top Line	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2003	4.4i Top Line	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2003	4.4i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2003	4.4i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2003	4.6is	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2003	4.6is	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2002	3.0i	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2002	3.0i	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2002	3.0i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2002	3.0i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2002	4.4i	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2002	4.4i	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2002	4.4i Lujo	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2002	4.4i Lujo	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2002	4.4i Top Line	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2002	4.4i Top Line	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2002	4.4i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2002	4.4i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2002	4.6is	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2002	4.6is	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2001	3.0i	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2001	3.0i	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2001	3.0i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2001	3.0i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2001	4.4i	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2001	4.4i	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2001	4.4i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2001	4.4i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2000	4.4i	4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X5 (continued)								
2000	4.4i	B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2000	4.4i Lujo	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2000	4.4i Lujo	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2000	4.4i Top Line	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2000	4.4i Top Line	B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2000	4.4i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2000	4.4i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
BMW X6								
2012	w/ E71 Body; xDrive35i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating
2012	w/ E71 Body; xDrive50i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating			
2011	w/ E71 Body; xDrive35i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating
2011	w/ E71 Body; xDrive50i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating			
2011	xDrive35i	4600 Series	Front	24-143936		Rear Left	24-143943	Without third row seating
						Rear Right	24-143950	Without third row seating
2011	xDrive35i	4600 Series (Sport)	Front	24-143967	Without third row seating	Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2011	xDrive50i	4600 Series	Front	24-143936				
2011	xDrive50i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2010	w/ E71 Body; xDrive35i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X6 (continued)								
2010	w/ E71 Body; xDrive50i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating			
2010	xDrive35i	4600 Series	Front	24-143936		Rear Left	24-143943	Without third row seating
						Rear Right	24-143950	Without third row seating
2010	xDrive35i	4600 Series (Sport)	Front	24-143967	Without third row seating	Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2010	xDrive35iA	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating
2010	xDrive50i	4600 Series	Front	24-143936				
2010	xDrive50i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2010	xDrive50iA	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating
2009	w/ E71 Body; xDrive35i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating
2009	w/ E71 Body; xDrive50i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating			
2009	xDrive35i	4600 Series	Front	24-143936		Rear Left	24-143943	Without third row seating
						Rear Right	24-143950	Without third row seating
2009	xDrive35i	4600 Series (Sport)	Front	24-143967	Without third row seating	Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2009	xDrive35iA	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating
2009	xDrive50i	4600 Series	Front	24-143936				
2009	xDrive50i	4600 Series (Sport)	Front	24-143967	Without third row seating			
2009	xDrive50iA	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating
2008	w/ E71 Body; xDrive35i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating	Rear Left	19-184074	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	19-184081	For Vehicles Without Ride Height Control; Without third row seating
2008	w/ E71 Body; xDrive50i	B4	Front	19-184098	For Vehicles Without Ride Height Control; Without third row seating			
2008	xDrive35i	4600 Series	Front	24-143936		Rear Left	24-143943	Without third row seating
						Rear Right	24-143950	Without third row seating
2008	xDrive35i	4600 Series (Sport)	Front	24-143967	Without third row seating	Rear Left	24-143974	Without third row seating
						Rear Right	24-143981	Without third row seating
2008	xDrive50i	4600 Series	Front	24-143936				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
BMW X6 (continued)								
2008	xDrive50i	4600 Series (Sport)	Front	24-143967	Without third row seating			
Buick Rainier								
2007	CXL	4600 Series	Front	24-103336		Rear	24-103343	
2006	CXL	4600 Series	Front	24-103336		Rear	24-103343	
2005	CXL	4600 Series	Front	24-103336		Rear	24-103343	
2005	CXL Plus	4600 Series	Front	24-103336		Rear	24-103343	
2004	CXL	4600 Series	Front	24-103336		Rear	24-103343	
2004	CXL Plus	4600 Series	Front	24-103336		Rear	24-103343	
Cadillac Escalade								
2006	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	ESV	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	EXT	4600 Series				Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	EXT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	ESV	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	EXT	4600 Series				Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	EXT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Cadillac Escalade (continued)								
2004	ESV	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	EXT	4600 Series				Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	EXT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	ESV	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	EXT	4600 Series				Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	EXT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	EXT	4600 Series				Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2002	EXT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	Base	4600 Series	Front	24-104050	Excludes Electronic Suspension	Rear	24-021791	Excludes Electronic Suspension
2000	Base	4600 Series (Comfort)	Front	24-024242	Excludes Electronic Suspension			
2000	Base	Variable depending on application						
1999	Base	4600 Series	Front	24-104050	Excludes Electronic Suspension	Rear	24-021791	Excludes Electronic Suspension
1999	Base	4600 Series (Comfort)	Front	24-024242	Excludes Electronic Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Cadillac Escalade (continued)								
1999	Base	Variable depending on application				Rear	24-024211	4600 Series Comfort; Excludes Electronic Suspension; SetOption: Variable depending on application
Chevrolet Astro								
2005	AWD; Base	4600 Series	Front	24-021364				
2005	AWD; LS	4600 Series	Front	24-021364				
2005	AWD; LT	4600 Series	Front	24-021364				
2005	Base	4600 Series				Rear	24-010474	
2005	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2005	LS	4600 Series				Rear	24-010474	
2005	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2005	LT	4600 Series				Rear	24-010474	
2005	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2004	AWD; Base	4600 Series	Front	24-021364				
2004	AWD; LS	4600 Series	Front	24-021364				
2004	AWD; LT	4600 Series	Front	24-021364				
2004	Base	4600 Series				Rear	24-010474	
2004	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2004	LS	4600 Series				Rear	24-010474	
2004	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2004	LT	4600 Series				Rear	24-010474	
2004	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2003	AWD; Base	4600 Series	Front	24-021364				
2003	AWD; LS	4600 Series	Front	24-021364				
2003	AWD; LT	4600 Series	Front	24-021364				
2003	Base	4600 Series				Rear	24-010474	
2003	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2003	LS	4600 Series				Rear	24-010474	
2003	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2003	LT	4600 Series				Rear	24-010474	
2003	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2002	AWD; Base	4600 Series	Front	24-021364				
2002	AWD; LS	4600 Series	Front	24-021364				
2002	AWD; LT	4600 Series	Front	24-021364				
2002	Base	4600 Series				Rear	24-010474	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Astro (continued)								
2002	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2002	LS	4600 Series				Rear	24-010474	
2002	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2002	LT	4600 Series				Rear	24-010474	
2002	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2001	AWD; Base	4600 Series	Front	24-021364				
2001	AWD; LS	4600 Series	Front	24-021364				
2001	AWD; LT	4600 Series	Front	24-021364				
2001	Base	4600 Series				Rear	24-010474	
2001	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2001	LS	4600 Series				Rear	24-010474	
2001	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2001	LT	4600 Series				Rear	24-010474	
2001	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2000	AWD; Base	4600 Series	Front	24-021364				
2000	AWD; LS	4600 Series	Front	24-021364				
2000	AWD; LT	4600 Series	Front	24-021364				
2000	Base	4600 Series				Rear	24-010474	
2000	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2000	LS	4600 Series				Rear	24-010474	
2000	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2000	LT	4600 Series				Rear	24-010474	
2000	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1999	AWD; Base	4600 Series	Front	24-021364				
1999	AWD; LS	4600 Series	Front	24-021364				
1999	AWD; LT	4600 Series	Front	24-021364				
1999	Base	4600 Series				Rear	24-010474	
1999	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1999	LS	4600 Series				Rear	24-010474	
1999	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1999	LT	4600 Series				Rear	24-010474	
1999	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1998	AWD; Base	4600 Series	Front	24-021364				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Astro (continued)								
1998	AWD; LS	4600 Series	Front	24-021364				
1998	AWD; LT	4600 Series	Front	24-021364				
1998	Base	4600 Series				Rear	24-010474	
1998	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1998	LS	4600 Series				Rear	24-010474	
1998	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1998	LT	4600 Series				Rear	24-010474	
1998	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1997	AWD; Base	4600 Series	Front	24-021364				
1997	AWD; LS	4600 Series	Front	24-021364				
1997	AWD; LT	4600 Series	Front	24-021364				
1997	Base	4600 Series				Rear	24-010474	
1997	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1997	LS	4600 Series				Rear	24-010474	
1997	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1997	LT	4600 Series				Rear	24-010474	
1997	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1996	AWD; Base	4600 Series	Front	24-021364				
1996	AWD; LS	4600 Series	Front	24-021364				
1996	AWD; LT	4600 Series	Front	24-021364				
1996	Base	4600 Series				Rear	24-010474	
1996	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1996	LS	4600 Series				Rear	24-010474	
1996	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1996	LT	4600 Series				Rear	24-010474	
1996	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1995	AWD; Base	4600 Series	Front	24-021364				
1995	AWD; CL	4600 Series	Front	24-021364				
1995	AWD; LS	4600 Series	Front	24-021364				
1995	AWD; LT	4600 Series	Front	24-021364				
1995	Base	4600 Series				Rear	24-010474	
1995	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1995	CL	4600 Series				Rear	24-010474	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Astro (continued)								
1995	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1995	LS	4600 Series				Rear	24-010474	
1995	LS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1995	LT	4600 Series				Rear	24-010474	
1995	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1994	AWD; Base	4600 Series	Front	24-021364				
1994	AWD; CL	4600 Series	Front	24-021364				
1994	AWD; CS	4600 Series	Front	24-021364				
1994	AWD; LT	4600 Series	Front	24-021364				
1994	Base	4600 Series				Rear	24-010474	
1994	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1994	CL	4600 Series				Rear	24-010474	
1994	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1994	CS	4600 Series				Rear	24-010474	
1994	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1994	LT	4600 Series				Rear	24-010474	
1994	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1993	AWD; Base	4600 Series	Front	24-021364				
1993	AWD; CL	4600 Series	Front	24-021364				
1993	AWD; CS	4600 Series	Front	24-021364				
1993	AWD; LT	4600 Series	Front	24-021364				
1993	Base	4600 Series				Rear	24-010474	
1993	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1993	CL	4600 Series				Rear	24-010474	
1993	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1993	CS	4600 Series				Rear	24-010474	
1993	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1993	LT	4600 Series				Rear	24-010474	
1993	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1992	AWD; Base	4600 Series	Front	24-021364				
1992	AWD; CL	4600 Series	Front	24-021364				
1992	AWD; CS	4600 Series	Front	24-021364				
1992	AWD; LT	4600 Series	Front	24-021364				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Astro (continued)								
1992	Base	4600 Series				Rear	24-010474	
1992	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1992	CL	4600 Series				Rear	24-010474	
1992	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1992	CS	4600 Series				Rear	24-010474	
1992	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1992	LT	4600 Series				Rear	24-010474	
1992	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1991	AWD; Base	4600 Series	Front	24-021364				
1991	AWD; CL	4600 Series	Front	24-021364				
1991	AWD; CS	4600 Series	Front	24-021364				
1991	AWD; LT	4600 Series	Front	24-021364				
1991	Base	4600 Series				Rear	24-010474	
1991	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1991	CL	4600 Series				Rear	24-010474	
1991	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1991	CS	4600 Series				Rear	24-010474	
1991	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1991	LT	4600 Series				Rear	24-010474	
1991	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1990	AWD; Base	4600 Series	Front	24-021364				
1990	AWD; CL	4600 Series	Front	24-021364				
1990	AWD; CS	4600 Series	Front	24-021364				
1990	AWD; LT	4600 Series	Front	24-021364				
1990	Base	4600 Series				Rear	24-010474	
1990	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1990	CL	4600 Series				Rear	24-010474	
1990	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1990	CS	4600 Series				Rear	24-010474	
1990	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1990	LT	4600 Series				Rear	24-010474	
1990	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1989	Base	4600 Series				Rear	24-010474	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Astro (continued)								
1989	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1989	CL	4600 Series				Rear	24-010474	
1989	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1989	CS	4600 Series				Rear	24-010474	
1989	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1989	LT	4600 Series				Rear	24-010474	
1989	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	Base	4600 Series				Rear	24-010474	
1988	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	CL	4600 Series				Rear	24-010474	
1988	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	CS	4600 Series				Rear	24-010474	
1988	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	LT	4600 Series				Rear	24-010474	
1988	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	Base	4600 Series				Rear	24-010474	
1987	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	CL	4600 Series				Rear	24-010474	
1987	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	CS	4600 Series				Rear	24-010474	
1987	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	LT	4600 Series				Rear	24-010474	
1987	LT; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	Base	4600 Series				Rear	24-010474	
1986	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	CL	4600 Series				Rear	24-010474	
1986	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	CS	4600 Series				Rear	24-010474	
1986	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	Base	4600 Series				Rear	24-010474	
1985	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Astro (continued)								
1985	CL	4600 Series				Rear	24-010474	
1985	CL; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	CS	4600 Series				Rear	24-010474	
1985	CS; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
Chevrolet Avalanche								
2012	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2012	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2012	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LTX	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2012	LTX	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LTX	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	LTX	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2011	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2011	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche (continued)								
2011	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2011	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2010	Base	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2010	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2010	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2010	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche (continued)								
2009	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2009	Base	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2009	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2009	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2009	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2008	Base	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2008	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche (continued)								
2008	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2008	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2008	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2007	Base	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2007	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2007	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche (continued)								
2007	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2007	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
Chevrolet Avalanche 1500								
2006	Base	4600 Series	Front	24-065009	Excludes Electronic Suspension			
2006	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	LS	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2006	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket			
2006	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	LT	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	Z66	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2006	Z66	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	Z66	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	Z66	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	Z71	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2006	Z71	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	Base	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Base	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	LS	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2005	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	LT	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	Z66	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2005	Z66	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Z66	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Z66	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	Z71	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2005	Z71	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	Base	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Base	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	Z66	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	Z66	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2004	Z66	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Z66	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	Z71	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Z71	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	Base	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2003	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	Base	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	North Face	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	North Face	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	North Face	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2003	North Face	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	On Road Edition	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	On Road Edition	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	On Road Edition	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	On Road Edition	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	WHB	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	WHB	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2003	WHB	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	WHB	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	Z71	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	Z71	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	Base	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2002	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	Base	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	LS	4600 Series	Front	24-065009	Excludes Electronic Suspension			
2002	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LT	4600 Series	Front	24-065009	Excludes Electronic Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2002	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	On Road Edition	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2002	On Road Edition	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	On Road Edition	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	On Road Edition	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 1500 (continued)								
2002	Z71	4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2002	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	Z71	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
Chevrolet Avalanche 2500								
2006	LS	4600 Series	Front	24-060813		Rear	24-185677	
2006	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2006	LS	5100 Series (Steering Damper)	Front	33-174525				
2006	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2006	LT	4600 Series	Front	24-060813		Rear	24-185677	
2006	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2006	LT	5100 Series (Steering Damper)	Front	33-174525				
2006	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2005	LS	4600 Series	Front	24-060813		Rear	24-185677	
2005	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2005	LS	5100 Series (Steering Damper)	Front	33-174525				
2005	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2005	LT	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Avalanche 2500 (continued)								
2005	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2005	LT	5100 Series (Steering Damper)	Front	33-174525				
2005	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2004	Base	4600 Series	Front	24-060813		Rear	24-185677	
2004	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2004	Base	5100 Series (Steering Damper)	Front	33-174525				
2004	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2003	Base	4600 Series	Front	24-060813		Rear	24-185677	
2003	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2003	Base	5100 Series (Steering Damper)	Front	33-174525				
2003	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2002	Base	4600 Series	Front	24-060813		Rear	24-185677	
2002	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2002	Base	5100 Series (Steering Damper)	Front	33-174525				
2002	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
Chevrolet Blazer								
2005	4WD; Base	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2005	4WD; Base	4600 Series (Sport)				Rear	24-014137	
2005	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2005	Base	4600 Series				Rear	33-187532	
2005	Base; RWD	4600 Series	Front	24-187428				
2005	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2005	ZR2	4600 Series				Rear	24-018197	
2004	4WD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2004	4WD; LS	4600 Series (Sport)				Rear	24-014137	
2004	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2004	LS	4600 Series				Rear	33-187532	
2004	LS; RWD	4600 Series	Front	24-187428				
2004	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2004	ZR2	4600 Series				Rear	24-018197	
2003	4WD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
2003	4WD; LS	4600 Series (Sport)				Rear	24-014137	
2003	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2003	LS	4600 Series				Rear	33-187532	
2003	LS; RWD	4600 Series	Front	24-187428				
2003	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2003	ZR2	4600 Series				Rear	24-018197	
2002	4WD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2002	4WD; LS	4600 Series (Sport)						
2002	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2002	LS	4600 Series				Rear	33-187532	
2002	LS; RWD	4600 Series	Front	24-187428				
2002	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2002	LT	4600 Series				Rear	33-187532	
2002	LTZ	4600 Series				Rear	33-187532	
2002	LTZ	4600 Series (Sport)				Rear	24-014137	
2001	4WD; LS	4600 Series	Front	24-187831				
			Front	24-014120	Setting: 4600 Series (Sport)			
2001	4WD; LS	4600 Series (Sport)				Rear	24-014137	
2001	4WD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2001	AWD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2001	AWD; LS	4600 Series (Sport)				Rear	24-014137	
2001	AWD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2001	AWD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2001	LS	4600 Series						
2001	LS; RWD	4600 Series	Front	24-187428				
2001	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	LT	4600 Series				Rear	33-187532	
2001	LT; RWD	4600 Series	Front	24-187428				
2001	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	Trailblazer	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)	Rear	33-187532	
2001	Trailblazer	4600 Series (Sport)				Rear	24-014137	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
2000	4WD; LS	4600 Series	Front	24-187831				
			Front	24-014120	Setting: 4600 Series (Sport)			
2000	4WD; LS	4600 Series (Sport)				Rear	24-014137	
2000	4WD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2000	AWD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2000	AWD; LS	4600 Series (Sport)				Rear	24-014137	
2000	AWD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2000	AWD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
2000	LS	4600 Series				Rear	33-187532	
2000	LS; RWD	4600 Series	Front	24-187428				
2000	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	LT	4600 Series				Rear	33-187532	
2000	LT; RWD	4600 Series	Front	24-187428				
2000	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	Trailblazer	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)	Rear	33-187532	
2000	Trailblazer	4600 Series (Sport)				Rear	24-014137	
1999	4WD; Base	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1999	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1999	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1999	4WD; LS	4600 Series	Front	24-187831				
			Front	24-014120	Setting: 4600 Series (Sport)			
1999	4WD; LS	4600 Series (Sport)				Rear	24-014137	
1999	4WD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1999	AWD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1999	AWD; LS	4600 Series (Sport)				Rear	24-014137	
1999	AWD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1999	AWD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1999	Base	4600 Series				Rear	33-187532	
1999	Base; RWD	4600 Series	Front	24-187428				
1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	LS	4600 Series				Rear	33-187532	
1999	LS; RWD	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
1999	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	LT	4600 Series				Rear	33-187532	
1999	LT; RWD	4600 Series	Front	24-187428				
1999	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	Trailblazer	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)	Rear	33-187532	
1999	Trailblazer	4600 Series (Sport)				Rear	24-014137	
1998	4WD; Base	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1998	4WD; Base	4600 Series (Sport)						
1998	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1998	4WD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1998	4WD; LS	4600 Series (Sport)						
1998	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1998	4WD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1998	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1998	Base	4600 Series				Rear	33-187532	
1998	Base; RWD	4600 Series	Front	24-187428				
1998	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	LS	4600 Series				Rear	33-187532	
1998	LS; RWD	4600 Series	Front	24-187428				
1998	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	LT	4600 Series				Rear	33-187532	
1998	LT; RWD	4600 Series	Front	24-187428				
1998	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	4WD; Base	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1997	4WD; Base	4600 Series (Sport)						
1997	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1997	4WD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1997	4WD; LS	4600 Series (Sport)						
1997	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
1997	4WD; LT	4600 Series	Front	24-187831				
			Front	24-014120	Setting: 4600 Series (Sport)			
1997	AWD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1997	AWD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1997	Base	4600 Series				Rear	33-187532	
1997	Base; RWD	4600 Series	Front	24-187428				
1997	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	Deluxe	4600 Series				Rear	33-187532	
1997	LS	4600 Series				Rear	33-187532	
1997	LS; RWD	4600 Series	Front	24-187428				
1997	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	LT	4600 Series				Rear	33-187532	
1997	LT; RWD	4600 Series	Front	24-187428				
1997	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	4WD; Base	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1996	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1996	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1996	4WD; LS	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1996	4WD; LS	4600 Series (Sport)				Rear	24-014137	
1996	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1996	4WD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1996	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1996	AWD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1996	AWD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1996	Base	4600 Series				Rear	33-187532	
1996	Base; RWD	4600 Series	Front	24-187428				
1996	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	Deluxe	4600 Series				Rear	33-187532	
1996	LS	4600 Series				Rear	33-187532	
1996	LS; RWD	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
1996	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	LT	4600 Series				Rear	33-187532	
1996	LT; RWD	4600 Series	Front	24-187428				
1996	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	4WD; Base	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1995	4WD; Base	4600 Series (Sport)						
1995	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1995	4WD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1995	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1995	AWD; LT	4600 Series	Front	24-014120	Setting: 4600 Series (Sport)			
1995	AWD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1995	Base	4600 Series				Rear	33-187532	
1995	Base; RWD	4600 Series	Front	24-187428				
1995	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	Deluxe	4600 Series				Rear	33-187532	
1995	LT	4600 Series				Rear	33-187532	
1995	LT; RWD	4600 Series	Front	24-187428				
1995	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	4WD; Base	4600 Series	Front	24-104050		Rear	24-025027	
1994	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1994	4WD; Silverado	4600 Series	Front	24-104050		Rear	24-025027	
1994	4WD; Silverado Sport	4600 Series	Front	24-104050		Rear	24-025027	
1994	4WD; Silverado Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1994	4WD; Silverado Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1994	4WD; Silverado; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1994	4WD; Silverado; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1994	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 4-5"
1994	Base; RWD	4600 Series				Rear	24-016988	Rear Lifted Height: 1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
1994	Base; RWD	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1994	RWD; Silverado	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1994	RWD; Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1994	RWD; Silverado Sport	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1994	RWD; Silverado Sport	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1994	Silverado	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 4-5"
1994	Silverado Sport	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 4-5"
1993	4WD; Cheyenne	4600 Series	Front	24-104050		Rear	24-025027	
1993	4WD; Cheyenne; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1993	4WD; Cheyenne; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1993	4WD; Silverado	4600 Series	Front	24-104050		Rear	24-025027	
1993	4WD; Silverado; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1993	4WD; Silverado; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1993	Cheyenne	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 4-5"
1993	Cheyenne; RWD	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1993	Cheyenne; RWD	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1993	RWD; Silverado	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1993	RWD; Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1993	Silverado	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 4-5"
1992	4WD; Cheyenne	4600 Series	Front	24-104050		Rear	24-025027	
1992	4WD; Cheyenne; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1992	4WD; Cheyenne; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1992	4WD; Silverado	4600 Series	Front	24-104050		Rear	24-025027	
1992	4WD; Silverado; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1992	4WD; Silverado; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
1992	Cheyenne	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 4-5"
1992	Cheyenne; RWD	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1992	Cheyenne; RWD	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1992	RWD; Silverado	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1992	RWD; Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1992	Silverado	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 4-5"
1991	4WD; Scottsdale	4600 Series	Front	24-009232	Full size			
1991	4WD; Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1991	4WD; Scottsdale; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1991	4WD; Silverado	4600 Series	Front	24-009232	Full size			
1991	4WD; Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1991	4WD; Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1991	Scottsdale	4600 Series				Rear	24-009331	
1991	Silverado	4600 Series				Rear	24-009331	
1990	4WD; Scottsdale	4600 Series	Front	24-009232	Full size			
1990	4WD; Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1990	4WD; Scottsdale; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	4WD; Silverado	4600 Series	Front	24-009232	Full size			
1990	4WD; Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1990	4WD; Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Scottsdale	4600 Series				Rear	24-009331	
1990	Silverado	4600 Series				Rear	24-009331	
1989	4WD; Scottsdale	4600 Series	Front	24-009232	Full size			
1989	4WD; Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
1989	4WD; Scottsdale; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	4WD; Silverado	4600 Series	Front	24-009232	Full size			
1989	4WD; Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1989	4WD; Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Scottsdale	4600 Series				Rear	24-009331	
1989	Silverado	4600 Series				Rear	24-009331	
1988	Scottsdale	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1988	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988	Scottsdale; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1988	Silverado	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1988	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988	Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Custom Deluxe	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1987	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Custom Deluxe; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Silverado	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1987	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1974	Base	4600 Series	Front	24-009232	4WD	Rear	24-009331	
			Front	24-192941	RWD			
1973	Base	4600 Series	Front	24-009232	4WD	Rear	24-009331	
			Front	24-192941	RWD			
1972	Base	4600 Series	Front	24-009232	4WD			
			Front	24-192941	RWD			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
1971	Base	4600 Series	Front	24-009232	4WD			
			Front	24-192941	RWD			
1970	Base	4600 Series	Front	24-009232	4WD			
			Front	24-192941	RWD			
1969	Base	4600 Series	Front	24-009232	4WD			
			Front	24-192941	RWD			
Chevrolet C10								
1986	Custom	4600 Series	Front	24-192941		Rear	24-009331	
1986	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1986	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1985	Custom	4600 Series	Front	24-192941		Rear	24-009331	
1985	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1985	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1984	Custom	4600 Series	Front	24-192941		Rear	24-009331	
1984	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1984	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1983	Custom	4600 Series	Front	24-192941		Rear	24-009331	
1983	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1982	Custom	4600 Series	Front	24-192941		Rear	24-009331	
1982	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1982	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1981	Custom	4600 Series	Front	24-192941		Rear	24-009331	
1981	Deluxe	4600 Series	Front	24-192941		Rear	24-009331	
1980	Big Ten	4600 Series	Front	24-192941		Rear	24-009331	
1980	Cheyenne	4600 Series	Front	24-192941		Rear	24-009331	
1980	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-009331	
1980	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1980	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1979	Big Ten	4600 Series	Front	24-192941		Rear	24-009331	
1979	Cheyenne	4600 Series	Front	24-192941		Rear	24-009331	
1979	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-009331	
1979	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1979	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1978	Big Ten	4600 Series	Front	24-192941		Rear	24-009331	
1978	Cheyenne	4600 Series	Front	24-192941		Rear	24-009331	
1978	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-009331	
1978	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1977	Cheyenne	4600 Series	Front	24-192941		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C10 (continued)								
1977	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-009331	
1977	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1977	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1976	Cheyenne	4600 Series	Front	24-192941		Rear	24-009331	
1976	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-009331	
1976	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1976	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
1975	Cheyenne	4600 Series	Front	24-192941		Rear	24-009331	
1975	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-009331	
1975	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1975	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
Chevrolet C10 Pickup								
1974	Base	4600 Series	Front	24-192941		Rear	24-009331	
1973	Base	4600 Series	Front	24-192941		Rear	24-009331	
1972	Base	4600 Series	Front	24-192941				
1971	Base	4600 Series	Front	24-192941				
1970	Base	4600 Series	Front	24-192941				
1969	Base	4600 Series	Front	24-192941				
1968	Base	4600 Series	Front	24-192941				
1967	Base	4600 Series	Front	24-192941				
Chevrolet C10 Suburban								
1986	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1986	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1986	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1985	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1985	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1985	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1984	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1984	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1984	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1983	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1983	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C10 Suburban (continued)								
1982	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1982	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1982	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1981	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1981	Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1980	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1980	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1980	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1979	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1979	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1979	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1978	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1978	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1977	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1977	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1977	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1976	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1976	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1976	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1975	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1975	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1975	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
Chevrolet C1500								
1999	LS	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1999	LS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1999	LS	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1998	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1998	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1998	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1998	Silverado	4600 Series (Comfort)				Rear	24-014533	
1998	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1998	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1998	WT	4600 Series (Comfort)				Rear	24-014533	
1998	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1997	Base	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	Base	4600 Series (Comfort)				Rear	24-014533	
1997	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1997	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	Cheyenne	4600 Series (Comfort)				Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1997	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1997	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	Silverado	4600 Series (Comfort)				Rear	24-014533	
1997	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1997	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	WT	4600 Series (Comfort)				Rear	24-014533	
1997	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1996	Base	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1996	Base	4600 Series (Comfort)				Rear	24-014533	
1996	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1996	Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1996	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1996	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1996	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1996	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1996	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1996	Silverado	4600 Series (Comfort)				Rear	24-014533	
1996	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1996	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1996	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1996	WT	4600 Series (Comfort)				Rear	24-014533	
1996	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1996	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1995	Base	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1995	Base	4600 Series (Comfort)				Rear	24-014533	
1995	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1995	Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1995	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1995	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1995	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1995	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1995	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1995	Silverado	4600 Series (Comfort)				Rear	24-014533	
1995	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1995	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1995	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1995	WT	4600 Series (Comfort)				Rear	24-014533	
1995	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1995	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1994	Base	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1994	Base	4600 Series (Comfort)				Rear	24-014533	
1994	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1994	Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1994	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1994	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1994	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1994	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1994	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1994	Silverado	4600 Series (Comfort)				Rear	24-014533	
1994	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1994	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1994	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1994	WT	4600 Series (Comfort)				Rear	24-014533	
1994	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1994	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1993	454 SS	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1993	454 SS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1993	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1993	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1993	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1993	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1993	Silverado	4600 Series (Comfort)				Rear	24-014533	
1993	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1993	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1993	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1993	WT	4600 Series (Comfort)				Rear	24-014533	
1993	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1993	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1992	454 SS	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1992	454 SS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1992	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1992	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1992	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1992	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1992	Silverado	4600 Series (Comfort)				Rear	24-014533	
1992	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1992	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1992	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1992	WT	4600 Series (Comfort)				Rear	24-014533	
1992	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1992	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1991	454 SS	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1991	454 SS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1991	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1991	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1991	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1991	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1991	Silverado	4600 Series (Comfort)				Rear	24-014533	
1991	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1991	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1991	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1991	WT	4600 Series (Comfort)				Rear	24-014533	
1991	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1991	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1990	454 SS	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1990	454 SS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1990	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1990	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1990	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1990	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1990	Scottsdale	4600 Series (Comfort)				Rear	24-014533	
1990	Scottsdale	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1990	Scottsdale; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1990	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1990	Silverado	4600 Series (Comfort)				Rear	24-014533	
1990	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1990	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1990	WT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1990	WT	4600 Series (Comfort)				Rear	24-014533	
1990	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1990	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1989	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1989	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1989	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1989	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1989	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1989	Scottsdale	4600 Series (Comfort)				Rear	24-014533	
1989	Scottsdale	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1989	Scottsdale; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1989	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1989	Silverado	4600 Series (Comfort)				Rear	24-014533	
1989	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1989	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1988	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1988	Cheyenne	4600 Series (Comfort)				Rear	24-014533	
1988	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1988	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1988	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1988	Scottsdale	4600 Series (Comfort)				Rear	24-014533	
1988	Scottsdale	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1988	Scottsdale; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1988	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1988	Silverado	4600 Series (Comfort)				Rear	24-014533	
1988	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1988	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
Chevrolet C1500 Suburban								
1999	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1999	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1999	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	LS	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1999	LS	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1999	LS	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1998	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1998	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	LS	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1998	LS	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1998	LS	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 Suburban (continued)								
1997	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1997	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1997	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	LS	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1997	LS	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1997	LS	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	LT	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1997	LT	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1997	LT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1996	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1996	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1996	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1996	LS	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1996	LS	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1996	LS	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1996	LT	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1996	LT	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1996	LT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1995	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1995	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1995	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 Suburban (continued)								
1995	LS	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1995	LS	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1995	LS	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1995	LT	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1995	LT	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1995	LT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1994	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1994	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1994	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1994	Silverado	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1994	Silverado	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1994	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1993	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1993	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1993	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1993	Silverado	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1993	Silverado	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1993	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1992	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1992	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1992	Base	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C1500 Suburban (continued)								
1992	Silverado	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1992	Silverado	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1992	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
Chevrolet C20								
1986	2 Dr.; Cab & Chassis; Custom	4600 Series				Rear	24-009331	
1986	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1986	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1986	2 Dr.; Custom; Extended Cab Pickup	4600 Series				Rear	24-009331	
1986	2 Dr.; Custom; Standard Cab Pickup	4600 Series				Rear	24-009331	
1986	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1986	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1986	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1986	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1986	4 Dr.; Crew Cab Pickup; Custom	4600 Series				Rear	24-015875	
1986	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1986	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1986	Custom	4600 Series	Front	24-192941				
1986	Scottsdale	4600 Series	Front	24-192941				
1986	Silverado	4600 Series	Front	24-192941				
1985	2 Dr.; Cab & Chassis; Custom	4600 Series				Rear	24-009331	
1985	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1985	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1985	2 Dr.; Custom; Extended Cab Pickup	4600 Series				Rear	24-009331	
1985	2 Dr.; Custom; Standard Cab Pickup	4600 Series				Rear	24-009331	
1985	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1985	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1985	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 (continued)								
1985	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1985	4 Dr.; Crew Cab Pickup; Custom	4600 Series				Rear	24-015875	
1985	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1985	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1985	Custom	4600 Series	Front	24-192941				
1985	Scottsdale	4600 Series	Front	24-192941				
1985	Silverado	4600 Series	Front	24-192941				
1984	2 Dr.; Cab & Chassis; Custom	4600 Series				Rear	24-009331	
1984	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1984	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1984	2 Dr.; Custom; Extended Cab Pickup	4600 Series				Rear	24-009331	
1984	2 Dr.; Custom; Standard Cab Pickup	4600 Series				Rear	24-009331	
1984	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1984	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1984	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1984	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1984	4 Dr.; Crew Cab Pickup; Custom	4600 Series				Rear	24-015875	
1984	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1984	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1984	Custom	4600 Series	Front	24-192941				
1984	Scottsdale	4600 Series	Front	24-192941				
1984	Silverado	4600 Series	Front	24-192941				
1983	2 Dr.; Cab & Chassis; Custom	4600 Series				Rear	24-009331	
1983	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1983	2 Dr.; Custom; Extended Cab Pickup	4600 Series				Rear	24-009331	
1983	2 Dr.; Custom; Standard Cab Pickup	4600 Series				Rear	24-009331	
1983	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1983	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 (continued)								
1983	4 Dr.; Crew Cab Pickup; Custom	4600 Series				Rear	24-015875	
1983	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1983	Custom	4600 Series	Front	24-192941				
1983	Silverado	4600 Series	Front	24-192941				
1982	2 Dr.; Cab & Chassis; Custom	4600 Series				Rear	24-009331	
1982	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1982	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1982	2 Dr.; Custom; Extended Cab Pickup	4600 Series				Rear	24-009331	
1982	2 Dr.; Custom; Standard Cab Pickup	4600 Series				Rear	24-009331	
1982	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1982	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1982	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1982	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1982	4 Dr.; Cab & Chassis; Custom	4600 Series				Rear	24-009331	
1982	4 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1982	4 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1982	4 Dr.; Crew Cab Pickup; Custom	4600 Series				Rear	24-015875	
1982	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1982	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1982	Custom	4600 Series	Front	24-192941				
1982	Scottsdale	4600 Series	Front	24-192941				
1982	Silverado	4600 Series	Front	24-192941				
1981	2 Dr.; Cab & Chassis; Custom	4600 Series				Rear	24-009331	
1981	2 Dr.; Cab & Chassis; Deluxe	4600 Series				Rear	24-009331	
1981	2 Dr.; Custom; Extended Cab Pickup	4600 Series				Rear	24-009331	
1981	2 Dr.; Custom; Standard Cab Pickup	4600 Series				Rear	24-009331	
1981	2 Dr.; Deluxe; Extended Cab Pickup	4600 Series				Rear	24-009331	
1981	2 Dr.; Deluxe; Standard Cab Pickup	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 (continued)								
1981	4 Dr.; Cab & Chassis; Custom	4600 Series				Rear	24-009331	
1981	4 Dr.; Cab & Chassis; Deluxe	4600 Series				Rear	24-009331	
1981	4 Dr.; Crew Cab Pickup; Custom	4600 Series				Rear	24-015875	
1981	4 Dr.; Crew Cab Pickup; Deluxe	4600 Series				Rear	24-015875	
1981	Custom	4600 Series	Front	24-192941				
1981	Deluxe	4600 Series	Front	24-192941				
1980	2 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1980	2 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1980	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1980	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1980	2 Dr.; Cheyenne; Extended Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Cheyenne; Standard Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Custom Deluxe; Extended Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Custom Deluxe; Standard Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1980	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1980	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1980	4 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1980	4 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1980	4 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1980	4 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1980	4 Dr.; Cheyenne; Crew Cab Pickup	4600 Series				Rear	24-015875	
1980	4 Dr.; Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	24-015875	
1980	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1980	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1980	Cheyenne	4600 Series	Front	24-192941				
1980	Custom Deluxe	4600 Series	Front	24-192941				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 (continued)								
1980	Scottsdale	4600 Series	Front	24-192941				
1980	Silverado	4600 Series	Front	24-192941				
1979	2 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1979	2 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1979	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1979	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1979	2 Dr.; Cheyenne; Extended Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Cheyenne; Standard Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Custom Deluxe; Extended Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Custom Deluxe; Standard Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1979	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1979	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1979	4 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1979	4 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1979	4 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1979	4 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1979	4 Dr.; Cheyenne; Crew Cab Pickup	4600 Series				Rear	24-015875	
1979	4 Dr.; Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	24-015875	
1979	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1979	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1979	Cheyenne	4600 Series	Front	24-192941				
1979	Custom Deluxe	4600 Series	Front	24-192941				
1979	Scottsdale	4600 Series	Front	24-192941				
1979	Silverado	4600 Series	Front	24-192941				
1978	2 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1978	2 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 (continued)								
1978	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1978	2 Dr.; Cheyenne; Extended Cab Pickup	4600 Series				Rear	24-009331	
1978	2 Dr.; Cheyenne; Standard Cab Pickup	4600 Series				Rear	24-009331	
1978	2 Dr.; Custom Deluxe; Extended Cab Pickup	4600 Series				Rear	24-009331	
1978	2 Dr.; Custom Deluxe; Standard Cab Pickup	4600 Series				Rear	24-009331	
1978	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1978	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1978	4 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1978	4 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1978	4 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1978	4 Dr.; Cheyenne; Crew Cab Pickup	4600 Series				Rear	24-015875	
1978	4 Dr.; Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	24-015875	
1978	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1978	Cheyenne	4600 Series	Front	24-192941				
1978	Custom Deluxe	4600 Series	Front	24-192941				
1978	Scottsdale	4600 Series	Front	24-192941				
1977	2 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1977	2 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1977	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1977	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1977	2 Dr.; Cheyenne; Extended Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Cheyenne; Standard Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Custom Deluxe; Extended Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Custom Deluxe; Standard Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1977	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1977	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 (continued)								
1977	4 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1977	4 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1977	4 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1977	4 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1977	4 Dr.; Cheyenne; Crew Cab Pickup	4600 Series				Rear	24-015875	
1977	4 Dr.; Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	24-015875	
1977	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1977	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1977	Cheyenne	4600 Series	Front	24-192941				
1977	Custom Deluxe	4600 Series	Front	24-192941				
1977	Scottsdale	4600 Series	Front	24-192941				
1977	Silverado	4600 Series	Front	24-192941				
1976	2 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1976	2 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1976	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1976	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1976	2 Dr.; Cheyenne; Extended Cab Pickup	4600 Series				Rear	24-009331	
1976	2 Dr.; Cheyenne; Standard Cab Pickup	4600 Series				Rear	24-009331	
1976	2 Dr.; Custom Deluxe; Extended Cab Pickup	4600 Series				Rear	24-009331	
1976	2 Dr.; Custom Deluxe; Standard Cab Pickup	4600 Series				Rear	24-009331	
1976	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1976	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1976	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1976	4 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1976	4 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1976	4 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1976	4 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1976	4 Dr.; Cheyenne; Crew Cab Pickup	4600 Series				Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 (continued)								
1976	4 Dr.; Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	24-015875	
1976	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1976	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1976	Cheyenne	4600 Series	Front	24-192941				
1976	Custom Deluxe	4600 Series	Front	24-192941				
1976	Scottsdale	4600 Series	Front	24-192941				
1976	Silverado	4600 Series	Front	24-192941				
1975	2 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1975	2 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1975	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1975	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1975	2 Dr.; Cheyenne; Extended Cab Pickup	4600 Series				Rear	24-009331	
1975	2 Dr.; Cheyenne; Standard Cab Pickup	4600 Series				Rear	24-009331	
1975	2 Dr.; Custom Deluxe; Standard Cab Pickup	4600 Series				Rear	24-009331	
1975	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1975	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
1975	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1975	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1975	4 Dr.; Cab & Chassis; Cheyenne	4600 Series				Rear	24-009331	
1975	4 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	
1975	4 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1975	4 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1975	4 Dr.; Cheyenne; Crew Cab Pickup	4600 Series				Rear	24-015875	
1975	4 Dr.; Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	24-015875	
1975	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1975	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1975	Cheyenne	4600 Series	Front	24-192941				
1975	Custom Deluxe	4600 Series	Front	24-192941				
1975	Scottsdale	4600 Series	Front	24-192941				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 (continued)								
1975	Silverado	4600 Series	Front	24-192941				
Chevrolet C20 Pickup								
1974	Base	4600 Series	Front	24-192941		Rear	24-015875	Crew cab only
						Rear	24-009331	Except crew cab
1973	Base	4600 Series	Front	24-192941		Rear	24-015875	Crew cab only
						Rear	24-009331	Except crew cab
1972	Base	4600 Series	Front	24-192941				
1971	Base	4600 Series	Front	24-192941				
1970	Base	4600 Series	Front	24-192941				
1969	Base	4600 Series	Front	24-192941				
1968	Base	4600 Series	Front	24-192941				
Chevrolet C20 Suburban								
1986	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1986	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1986	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1985	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1985	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1985	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1984	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1984	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1984	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1983	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1983	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1982	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1982	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1982	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1981	Custom	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1981	Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1980	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1980	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C20 Suburban (continued)								
1980	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1979	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1979	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1979	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1978	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1978	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1977	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1977	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1977	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1976	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1976	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1976	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1975	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1975	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1975	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
Chevrolet C2500								
2000	Base	4600 Series	Front	24-016971		Rear	24-016988	
2000	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
2000	LS	4600 Series	Front	24-016971		Rear	24-016988	
2000	LS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1999	Base	4600 Series	Front	24-016971		Rear	24-016988	
1999	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1999	LS	4600 Series	Front	24-016971		Rear	24-016988	
1999	LS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1998	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Silverado	4600 Series	Front	24-016971		Rear	24-016988	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C2500 (continued)								
1998	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	WT	4600 Series	Front	24-016971		Rear	24-016988	
1998	WT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Base	4600 Series	Front	24-016971		Rear	24-016988	
1997	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1997	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1997	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	WT	4600 Series	Front	24-016971		Rear	24-016988	
1997	WT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Base	4600 Series	Front	24-016971		Rear	24-016988	
1996	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1996	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1996	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	WT	4600 Series	Front	24-016971		Rear	24-016988	
1996	WT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Base	4600 Series	Front	24-016971		Rear	24-016988	
1995	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1995	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1995	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	WT	4600 Series	Front	24-016971		Rear	24-016988	
1995	WT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Base	4600 Series	Front	24-016971		Rear	24-016988	
1994	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1994	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C2500 (continued)								
1994	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1994	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	WT	4600 Series	Front	24-016971		Rear	24-016988	
1994	WT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1993	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1993	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1992	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1992	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1991	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1991	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1990	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	
1990	Scottsdale	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1990	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1989	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	
1989	Scottsdale	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1989	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	
1988	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C2500 (continued)								
1988	Scottsdale	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Silverado	4600 Series	Front	24-016971		Rear	24-016988	
1988	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
Chevrolet C2500 Suburban								
1999	Base	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1999	LS	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1998	Base	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1998	LS	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1997	Base	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1997	LS	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1997	LT	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1996	Base	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1996	LS	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1996	LT	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1995	Base	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1995	LS	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1995	LT	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1994	Base	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1994	Silverado	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1993	Base	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1993	Silverado	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1992	Base	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
1992	Silverado	4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
Chevrolet C30								
1986	Custom	4600 Series	Front	24-192941		Rear	24-015875	
1986	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1986	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1985	Custom	4600 Series	Front	24-192941		Rear	24-015875	
1985	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C30 (continued)								
1985	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1984	Custom	4600 Series	Front	24-192941		Rear	24-015875	
1984	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1984	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1983	Custom	4600 Series	Front	24-192941		Rear	24-015875	
1983	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1982	Custom	4600 Series	Front	24-192941		Rear	24-015875	
1982	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1982	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1981	Custom	4600 Series	Front	24-192941		Rear	24-015875	
1981	Deluxe	4600 Series	Front	24-192941		Rear	24-015875	
1980	Cheyenne	4600 Series	Front	24-192941		Rear	24-015875	
1980	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-015875	
1980	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1980	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1979	Cheyenne	4600 Series	Front	24-192941		Rear	24-015875	
1979	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-015875	
1979	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1979	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1978	Cheyenne	4600 Series	Front	24-192941		Rear	24-015875	
1978	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-015875	
1978	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1977	Cheyenne	4600 Series	Front	24-192941		Rear	24-015875	
1977	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-015875	
1977	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1977	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1976	Cheyenne	4600 Series	Front	24-192941		Rear	24-015875	
1976	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-015875	
1976	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1976	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1975	Cheyenne	4600 Series	Front	24-192941		Rear	24-015875	
1975	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-015875	
1975	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1975	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
Chevrolet C3500								
2000	Base	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
2000	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C3500 (continued)								
2000	LS	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
2000	LS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1999	Base	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1999	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1999	LS	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1999	LS	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1998	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1998	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1998	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1998	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1997	Base	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1997	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1997	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1997	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1997	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1997	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1996	Base	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1996	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1996	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1996	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1996	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1996	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1995	Base	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1995	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1995	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1995	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1995	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1995	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1994	Base	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1994	Base	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1994	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C3500 (continued)								
1994	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1994	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1994	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1993	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1993	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1993	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1993	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1992	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1992	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1992	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1992	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1991	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1991	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1991	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1991	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1990	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1990	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1990	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1990	Scottsdale	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1990	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1990	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1989	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1989	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1989	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1989	Scottsdale	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1989	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1989	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1988	Cheyenne	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1988	Cheyenne	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
1988	Scottsdale	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1988	Scottsdale	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet C3500 (continued)								
1988	Silverado	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1988	Silverado	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
Chevrolet Colorado								
2012	4WD; LT	4600 Series	Front	24-186162		Rear	24-186179	
2012	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2012	LT; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2012	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2011	4WD; LT	4600 Series	Front	24-186162		Rear	24-186179	
2011	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2011	LT; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2011	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2010	4WD; Base	4600 Series	Front	24-186162		Rear	24-186179	
2010	4WD; LT	4600 Series	Front	24-186162		Rear	24-186179	
2010	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2010	Base; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2010	LT; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2010	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2009	4WD; Base	4600 Series	Front	24-186162		Rear	24-186179	
2009	4WD; LT	4600 Series	Front	24-186162		Rear	24-186179	
2009	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2009	Base; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2009	LT; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2009	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2008	4WD; Base	4600 Series	Front	24-186162		Rear	24-186179	
2008	4WD; LS	4600 Series	Front	24-186162		Rear	24-186179	
2008	4WD; LT	4600 Series	Front	24-186162		Rear	24-186179	
2008	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2008	Base; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2008	LS; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2008	LT; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2008	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2007	4WD; Base	4600 Series	Front	24-186162		Rear	24-186179	
2007	4WD; LS	4600 Series	Front	24-186162		Rear	24-186179	
2007	4WD; LT	4600 Series	Front	24-186162		Rear	24-186179	
2007	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2007	Base; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2007	LS; RWD	4600 Series	Front	24-186193		Rear	24-186209	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Colorado (continued)								
2007	LT; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2007	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2006	4WD; Base	4600 Series	Front	24-186162		Rear	24-186179	
2006	4WD; LS	4600 Series	Front	24-186162		Rear	24-186179	
2006	4WD; LT	4600 Series	Front	24-186162		Rear	24-186179	
2006	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2006	Base; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2006	LS; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2006	LT; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2006	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2005	4WD; Base	4600 Series	Front	24-186162		Rear	24-186179	
2005	4WD; Sport	4600 Series	Front	24-186162		Rear	24-186179	
2005	4WD; Sport LS	4600 Series	Front	24-186162		Rear	24-186179	
2005	4WD; Z85	4600 Series	Front	24-186162		Rear	24-186179	
2005	4WD; Z85 LS	4600 Series	Front	24-186162		Rear	24-186179	
2005	Base; RWD	4600 Series	Front	24-186193		Rear	24-186209	
2005	RWD; Sport	4600 Series	Front	24-186193		Rear	24-186209	
2005	RWD; Sport LS	4600 Series	Front	24-186193		Rear	24-186209	
2005	RWD; Z85	4600 Series	Front	24-186193		Rear	24-186209	
2005	RWD; Z85 LS	4600 Series	Front	24-186193		Rear	24-186209	
2005	Z71	4600 Series	Front	24-186162		Rear	24-186179	
2005	Z71 LS	4600 Series	Front	24-186162		Rear	24-186179	
2004	4WD; Base	4600 Series	Front	24-186162		Rear	24-186179	
2004	4WD; LS	4600 Series	Front	24-186162		Rear	24-186179	
2004	4WD; Z85	4600 Series	Front	24-186162		Rear	24-186179	
2004	4WD; Z85 LS	4600 Series	Front	24-186162		Rear	24-186179	
2004	Sport	4600 Series	Front	24-186193		Rear	24-186209	
2004	Sport LS	4600 Series	Front	24-186193		Rear	24-186209	
2004	Z71	4600 Series	Front	24-186162		Rear	24-186179	
2004	Z71 LS	4600 Series	Front	24-186162		Rear	24-186179	
Chevrolet El Camino								
1987	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1987	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1987	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1987	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1986	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet El Camino (continued)								
1986	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1986	Conquista	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1986	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1986	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1986	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1985	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1985	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1985	Conquista	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1985	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1985	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1985	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1984	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1984	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1984	Conquista	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1984	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1984	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1984	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1983	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1983	Conquista	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1983	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1983	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1983	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1982	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1982	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1982	Conquista	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1982	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet El Camino (continued)								
1982	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1982	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1981	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1981	Conquista	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1981	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1981	Royal Knight	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1981	Royal Knight	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1981	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1981	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1980	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1980	Royal Knight	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1980	Royal Knight	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1980	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1980	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1979	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1979	Royal Knight	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1979	Royal Knight	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1979	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1979	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1978	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1978	Conquista	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1978	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1978	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet El Camino (continued)								
1978	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1977	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1977	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1977	Classic	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1977	Classic	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1977	Conquista	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1977	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1977	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1977	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1976	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1976	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1976	Classic	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1976	Classic	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1976	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1976	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1975	Base	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1975	Classic	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1975	Classic	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1975	SS	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1975	SS	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1974	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1974	Custom	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1974	Custom	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1973	Base	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application
1973	Custom	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1973	Custom	B6 (HD)	Front	24-009492		Rear	24-009294	SetOption: Variable depending on application



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet El Camino (continued)								
1972	Base	AK Series				Rear	F4-BE5-E250-M0	
1972	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1972	Custom	AK Series						
1972	Custom	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1971	Base	AK Series						
1971	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1971	Custom	AK Series						
1971	Custom	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	Base	AK Series						
1970	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1970	Custom	AK Series						
1970	Custom	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	Base	AK Series						
1969	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	Custom	AK Series						
1969	Custom	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	Base	AK Series						
1969	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1969	Custom	AK Series						
1968	Base	AK Series				Rear	F4-BE5-E250-M0	
1968	Base	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
1968	Custom	AK Series						
1968	Custom	B6 (HD)	Front	24-131506		Rear	24-009294	SetOption: Variable depending on application
Chevrolet Express 1500								
2012	Base; RWD	4600 Series				Rear	24-024815	
2012	LS; RWD	4600 Series				Rear	24-024815	
2012	LT; RWD	4600 Series				Rear	24-024815	
2011	Base; RWD	4600 Series				Rear	24-024815	
2011	LS; RWD	4600 Series				Rear	24-024815	
2011	LT; RWD	4600 Series				Rear	24-024815	
2010	Base; RWD	4600 Series				Rear	24-024815	
2010	LS; RWD	4600 Series				Rear	24-024815	



Light Trucks and SUVs

Year	Application	Series	Front			Rear			
Chevrolet Express 1500 (continued)									
2010	LT; RWD	4600 Series				Rear	24-024815		
2009	Base; RWD	4600 Series				Rear	24-024815		
2009	LS; RWD	4600 Series				Rear	24-024815		
2009	LT; RWD	4600 Series				Rear	24-024815		
2008	Base; RWD	4600 Series				Rear	24-024815		
2008	LS; RWD	4600 Series				Rear	24-024815		
2008	LT; RWD	4600 Series				Rear	24-024815		
2007	Base; RWD	4600 Series				Rear	24-024815		
2007	LS; RWD	4600 Series				Rear	24-024815		
2007	LT; RWD	4600 Series				Rear	24-024815		
2006	Base; RWD	4600 Series				Rear	24-024815		
2006	LS; RWD	4600 Series				Rear	24-024815		
2006	LT; RWD	4600 Series				Rear	24-024815		
2005	Base; RWD	4600 Series				Rear	24-024815		
2005	LS; RWD	4600 Series				Rear	24-024815		
2004	Base; RWD	4600 Series				Rear	24-024815		
2004	LS; RWD	4600 Series				Rear	24-024815		
2003	Base; RWD	4600 Series				Rear	24-024815		
2003	LS; RWD	4600 Series				Rear	24-024815		
2002	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
2002	LS	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
2001	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
2001	LS	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
2000	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
2000	LS	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
1999	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
1999	LS	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
1998	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
1998	LS	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
1997	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
1997	LS	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
1996	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
1996	LS	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815		
Chevrolet Express 2500									
2012	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs	
							Rear	24-221948	GVW over 7,300lbs
							Rear	24-024815	GVW up to 7300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Express 2500 (continued)								
2012	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2012	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2011	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2011	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2011	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2010	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2010	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2010	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2009	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2009	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2009	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2008	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Express 2500 (continued)								
2008	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2008	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2007	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2007	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2007	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2006	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2005	Base	4600 Series				Rear	24-221948	GVW over 7,300lbs
2005	Base; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
2005	LS	4600 Series				Rear	24-221948	GVW over 7,300lbs
2005	LS; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
2005	RWD	4600 Series				Rear	24-025706	GVW over 7,300lbs
2004	Base	4600 Series				Rear	24-221948	GVW over 7,300lbs
2004	Base; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
2004	LS	4600 Series				Rear	24-221948	GVW over 7,300lbs
2004	LS; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
2004	RWD	4600 Series				Rear	24-025706	GVW over 7,300lbs
2003	Base; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2003	LS; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2003	RWD	4600 Series				Rear	24-025706	GVW over 7,300lbs
2002	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Express 2500 (continued)								
2002	LS	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2001	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2001	LS	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2000	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2000	LS	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1999	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1999	LS	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1998	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1998	LS	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1997	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1997	LS	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1996	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Express 2500 (continued)								
1996	LS	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
Chevrolet Express 3500								
2012	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2012	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2012	LT	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2011	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2011	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2011	LT	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2010	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2010	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2010	LT	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2009	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2009	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2009	LT	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2008	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2008	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2008	LT	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2007	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2007	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Express 3500 (continued)								
2007	LT	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2006	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2006	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2006	LT	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2005	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2005	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2004	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2004	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2003	Base	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2003	LS	4600 Series	Front	24-187435		Rear	24-221948	
						Rear	24-025706	Includes Class C
2002	Base	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2002	LS	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2001	Base	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2001	LS	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2000	Base	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2000	LS	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1999	Base	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1999	LS	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1998	Base	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Express 3500 (continued)								
1998	LS	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1997	Base	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1997	LS	4600 Series	Front	24-024808		Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1996	Base	4600 Series	Front	24-024808		Rear	24-025706	
			Front	24-025652	GVW to 7300lbs	Rear	24-221948	
1996	LS	4600 Series	Front	24-024808		Rear	24-025706	
			Front	24-025652	GVW to 7300lbs	Rear	24-221948	
Chevrolet Express 4500								
2012	Base	4600 Series	Front	24-025652		Rear	24-025706	Includes Class C
2011	Base	4600 Series	Front	24-025652		Rear	24-025706	Includes Class C
2010	Base	4600 Series	Front	24-025652		Rear	24-025706	Includes Class C
2009	Base	4600 Series	Front	24-025652		Rear	24-025706	Includes Class C
Chevrolet G10								
1995	Beauville	4600 Series	Front	24-010252				
1995	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995	Chevy Van	4600 Series	Front	24-010252				
1995	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995	Sportvan	4600 Series	Front	24-010252				
1995	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Beauville	4600 Series	Front	24-010252				
1994	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Chevy Van	4600 Series	Front	24-010252				
1994	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Sportvan	4600 Series	Front	24-010252				
1994	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Beauville	4600 Series	Front	24-010252				
1993	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Chevy Van	4600 Series	Front	24-010252				
1993	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Sportvan	4600 Series	Front	24-010252				
1993	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G10 (continued)								
1992	Beauville	4600 Series	Front	24-010252				
1992	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Chevy Van	4600 Series	Front	24-010252				
1992	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Sportvan	4600 Series	Front	24-010252				
1992	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Beauville	4600 Series	Front	24-010252				
1991	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Chevy Van	4600 Series	Front	24-010252				
1991	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Sportvan	4600 Series	Front	24-010252				
1991	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Beauville	4600 Series	Front	24-010252				
1990	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Chevy Van	4600 Series	Front	24-010252				
1990	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Sportvan	4600 Series	Front	24-010252				
1990	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Beauville	4600 Series	Front	24-010252				
1989	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Chevy Van	4600 Series	Front	24-010252				
1989	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Sportvan	4600 Series	Front	24-010252				
1989	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Beauville	4600 Series	Front	24-010252				
1988	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Chevy Van	4600 Series	Front	24-010252				
1988	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Sportvan	4600 Series	Front	24-010252				
1988	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Beauville	4600 Series	Front	24-010252				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G10 (continued)								
1987	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Chevy Van	4600 Series	Front	24-010252				
1987	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Sportvan	4600 Series	Front	24-010252				
1987	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Beauville	4600 Series	Front	24-010252				
1986	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Chevy Van	4600 Series	Front	24-010252				
1986	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Sportvan	4600 Series	Front	24-010252				
1986	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Beauville	4600 Series	Front	24-010252				
1985	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Chevy Van	4600 Series	Front	24-010252				
1985	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Sportvan	4600 Series	Front	24-010252				
1985	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Beauville	4600 Series	Front	24-010252				
1984	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Bonaventure	4600 Series	Front	24-010252				
1984	Bonaventure	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Chevy Van	4600 Series	Front	24-010252				
1984	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Sportvan	4600 Series	Front	24-010252				
1984	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Base	4600 Series	Front	24-010252				
1983	Base	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Beauville	4600 Series	Front	24-010252				
1983	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Bonaventure	4600 Series	Front	24-010252				
1983	Bonaventure	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G10 (continued)								
1983	Chevy Van	4600 Series	Front	24-010252				
1983	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Sportvan	4600 Series				Front	24-010252	
1983	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Beauville	4600 Series				Front	24-010252	
1982	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Chevy Van	4600 Series				Front	24-010252	
1982	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Sportvan	4600 Series				Front	24-010252	
1982	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Beauville	4600 Series				Front	24-010252	
1981	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Chevy Van	4600 Series				Front	24-010252	
1981	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Sportvan	4600 Series				Front	24-010252	
1981	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Beauville	4600 Series				Front	24-010252	
1980	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Chevy Van	4600 Series				Front	24-010252	
1980	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Sportvan	4600 Series				Front	24-010252	
1980	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Beauville	4600 Series				Front	24-010252	
1979	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Chevy Van	4600 Series				Front	24-010252	
1979	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Sportvan	4600 Series				Front	24-010252	
1979	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Beauville	4600 Series				Front	24-010252	
1978	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Chevy Van	4600 Series				Front	24-010252	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G10 (continued)								
1978	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Sportvan	4600 Series				Front	24-010252	
1978	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1977	Beauville	4600 Series				Front	24-010252	
1977	Chevy Van	4600 Series	Front	24-010252				
1977	Sportvan	4600 Series	Front	24-010252				
1976	Beauville	4600 Series	Front	24-010252				
1976	Chevy Van	4600 Series	Front	24-010252				
1976	Sportvan	4600 Series	Front	24-010252				
1975	Beauville	4600 Series	Front	24-010252				
1975	Chevy Van	4600 Series	Front	24-010252				
1975	Sportvan	4600 Series	Front	24-010252				
Chevrolet G10 Van								
1974	Base	4600 Series	Front	24-010252				
1974	Sportvan	4600 Series	Front	24-010252				
1973	Base	4600 Series	Front	24-010252				
1973	Sportvan	4600 Series	Front	24-010252				
1972	Base	4600 Series	Front	24-010252				
1972	Sportvan	4600 Series	Front	24-010252				
1971	Base	4600 Series	Front	24-010252				
1971	Sportvan	4600 Series	Front	24-010252				
Chevrolet G20								
1995	Beauville	4600 Series	Front	24-010252				
1995	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995	Chevy Van	4600 Series				Front	24-010252	
1995	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995	Sportvan	4600 Series				Front	24-010252	
1995	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Beauville	4600 Series				Front	24-010252	
1994	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Chevy Van	4600 Series				Front	24-010252	
1994	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Sportvan	4600 Series				Front	24-010252	
1994	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G20 (continued)								
1993	Beauville	4600 Series	Front	24-010252				
1993	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Chevy Van	4600 Series	Front	24-010252				
1993	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Sportvan	4600 Series	Front	24-010252				
1993	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Beauville	4600 Series	Front	24-010252				
1992	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Chevy Van	4600 Series	Front	24-010252	Use with long tie rod end on outer and short tie rod end on inner			
1992	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Sportvan	4600 Series	Front	24-010252				
1992	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Beauville	4600 Series	Front	24-010252				
1991	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Chevy Van	4600 Series	Front	24-010252	Use with long tie rod end on outer and short tie rod end on inner			
1991	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Sportvan	4600 Series	Front	24-010252				
1991	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Beauville	4600 Series	Front	24-010252				
1990	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Chevy Van	4600 Series	Front	24-010252	Use with short tie rod end on outer and long tie rod end on inner			
1990	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Sportvan	4600 Series	Front	24-010252				
1990	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Beauville	4600 Series	Front	24-010252				
1989	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Chevy Van	4600 Series	Front	24-010252	Use with short tie rod end on outer and long tie rod end on inner			
1989	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Sportvan	4600 Series	Front	24-010252				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G20 (continued)								
1989	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Beauville	4600 Series	Front	24-010252				
1988	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Chevy Van	4600 Series	Front	24-010252				
1988	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Sportvan	4600 Series	Front	24-010252				
1988	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Beauville	4600 Series	Front	24-010252				
1987	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Chevy Van	4600 Series	Front	24-010252				
1987	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Sportvan	4600 Series	Front	24-010252				
1987	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Beauville	4600 Series	Front	24-010252				
1986	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Chevy Van	4600 Series	Front	24-010252	Used as long tie rod end on outer			
1986	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Sportvan	4600 Series	Front	24-010252				
1986	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Beauville	4600 Series	Front	24-010252				
1985	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Chevy Van	4600 Series	Front	24-010252	Used as long tie rod end on outer			
1985	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Sportvan	4600 Series	Front	24-010252				
1985	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Beauville	4600 Series	Front	24-010252				
1984	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Bonaventure	4600 Series	Front	24-010252				
1984	Bonaventure	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Chevy Van	4600 Series	Front	24-010252	Used as short tie rod end on outer and inner			
1984	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G20 (continued)								
1984	Sportvan	4600 Series	Front	24-010252				
1984	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Beauville	4600 Series	Front	24-010252				
1983	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Bonaventure	4600 Series	Front	24-010252				
1983	Bonaventure	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Chevy Van	4600 Series	Front	24-010252	Used as short tie rod end on outer and inner			
1983	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Sportvan	4600 Series	Front	24-010252				
1983	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Beauville	4600 Series	Front	24-010252				
1982	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Chevy Van	4600 Series	Front	24-010252				
1982	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Sportvan	4600 Series	Front	24-010252				
1982	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Beauville	4600 Series	Front	24-010252				
1981	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Chevy Van	4600 Series	Front	24-010252				
1981	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Sportvan	4600 Series	Front	24-010252				
1981	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Beauville	4600 Series	Front	24-010252				
1980	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Chevy Van	4600 Series	Front	24-010252				
1980	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Sportvan	4600 Series	Front	24-010252				
1980	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Beauville	4600 Series	Front	24-010252				
1979	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Chevy Van	4600 Series	Front	24-010252				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G20 (continued)								
1979	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Sportvan	4600 Series	Front	24-010252				
1979	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Beauville	4600 Series	Front	24-010252				
1978	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Chevy Van	4600 Series	Front	24-010252				
1978	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Sportvan	4600 Series	Front	24-010252				
1978	Sportvan	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1977	Beauville	4600 Series	Front	24-010252				
1977	Chevy Van	4600 Series	Front	24-010252				
1977	Sportvan	4600 Series	Front	24-010252				
1976	Beauville	4600 Series	Front	24-010252				
1976	Chevy Van	4600 Series	Front	24-010252				
1976	Sportvan	4600 Series	Front	24-010252				
1975	Beauville	4600 Series	Front	24-010252				
1975	Chevy Van	4600 Series	Front	24-010252				
1975	Sportvan	4600 Series	Front	24-010252				
Chevrolet G20 Van								
1974	Base	4600 Series	Front	24-010252				
1974	Sportvan	4600 Series	Front	24-010252				
1973	Base	4600 Series	Front	24-010252				
1973	Sportvan	4600 Series	Front	24-010252				
1972	Base	4600 Series	Front	24-010252				
1972	Sportvan	4600 Series	Front	24-010252				
1971	Base	4600 Series	Front	24-010252				
1971	Sportvan	4600 Series	Front	24-010252				
Chevrolet G30								
1996	Beauville	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Chevy Van	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Hi-Cube	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1995	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G30 (continued)								
1995	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1991	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G30 (continued)								
1991	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1991	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1991	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G30 (continued)								
1987	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1987	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1987	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1987	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Bonaventure	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Bonaventure	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G30 (continued)								
1984	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Bonaventure	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Bonaventure	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G30 (continued)								
1980	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1978	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1978	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1978	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1978	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Beauville	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Hi-Cube	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet G30 (continued)								
1976	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1975	Beauville	4600 Series	Front	24-010252	Including Dually			
1975	Chevy Van	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1975	Hi-Cube	4600 Series	Front	24-010252	Including Dually			
1975	Sportvan	4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
Chevrolet G30 Van								
1974	Base	4600 Series	Front	24-010252	Including Dually			
1974	Sportvan	4600 Series	Front	24-010252	Including Dually			
1973	Base	4600 Series	Front	24-010252	Including Dually			
1973	Sportvan	4600 Series	Front	24-010252	Including Dually			
1972	Base	4600 Series	Front	24-010252	Including Dually			
1972	Sportvan	4600 Series	Front	24-010252	Including Dually			
1971	Base	4600 Series	Front	24-010252	Including Dually			
1971	Sportvan	4600 Series	Front	24-010252	Including Dually			
Chevrolet K10								
1986	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1986	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1986	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1986	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1985	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1985	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 (continued)								
1985	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1985	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1984	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1984	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1983	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1983	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1982	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1982	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1982	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1981	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Deluxe	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 (continued)								
1981	Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1980	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1980	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1980	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1980	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1979	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1979	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 (continued)								
1979	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1979	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1979	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1978	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1978	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1978	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1977	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1977	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 (continued)								
1977	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1977	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1977	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1976	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1976	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1976	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1976	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 (continued)								
1975	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1975	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1975	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1975	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
Chevrolet K10 Pickup								
1974	Base	4600 Series	Front	24-009232		Rear	24-009331	
1974	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1973	Base	4600 Series	Front	24-009232		Rear	24-009331	
1973	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1972	Base	4600 Series	Front	24-009232				
1972	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1971	Base	4600 Series	Front	24-009232				
1971	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1970	Base	4600 Series	Front	24-009232				
1970	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1969	Base	4600 Series	Front	24-009232				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 Pickup (continued)								
1969	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
Chevrolet K10 Suburban								
1986	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 Suburban (continued)								
1985	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1984	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1984	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 Suburban (continued)								
1982	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 Suburban (continued)								
1979	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 Suburban (continued)								
1977	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K10 Suburban (continued)								
1975	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1974	Base	4600 Series	Front	24-009232		Rear	24-009331	
1974	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1973	Base	4600 Series	Front	24-009232		Rear	24-009331	
1973	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
Chevrolet K1500								
1999	LS	4600 Series	Front	24-104050		Rear	24-020435	
1999	LS	4600 Series (Comfort)				Rear	24-020879	
1999	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1998	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1998	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1998	Silverado	4600 Series (Comfort)				Rear	24-020879	
1998	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	WT	4600 Series	Front	24-104050		Rear	24-020435	
1998	WT	4600 Series (Comfort)				Rear	24-020879	
1998	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Base	4600 Series	Front	24-104050		Rear	24-020435	
1997	Base	4600 Series (Comfort)				Rear	24-020879	
1997	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1997	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1997	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1997	Silverado	4600 Series (Comfort)				Rear	24-020879	
1997	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	WT	4600 Series	Front	24-104050		Rear	24-020435	
1997	WT	4600 Series (Comfort)				Rear	24-020879	
1997	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Base	4600 Series	Front	24-104050		Rear	24-020435	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K1500 (continued)								
1996	Base	4600 Series (Comfort)				Rear	24-020879	
1996	Base	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1996	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1996	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1996	Cheyenne	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1996	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1996	Silverado	4600 Series (Comfort)				Rear	24-020879	
1996	Silverado	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1996	WT	4600 Series	Front	24-104050		Rear	24-020435	
1996	WT	4600 Series (Comfort)				Rear	24-020879	
1996	WT	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	Base	4600 Series	Front	24-104050		Rear	24-020435	
1995	Base	4600 Series (Comfort)				Rear	24-020879	
1995	Base	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1995	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1995	Cheyenne	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1995	Silverado	4600 Series (Comfort)				Rear	24-020879	
1995	Silverado	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	WT	4600 Series	Front	24-104050		Rear	24-020435	
1995	WT	4600 Series (Comfort)				Rear	24-020879	
1995	WT	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1994	Base	4600 Series	Front	24-104050		Rear	24-020435	
1994	Base	4600 Series (Comfort)				Rear	24-020879	
1994	Base	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1994	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1994	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1994	Cheyenne	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1994	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1994	Silverado	4600 Series (Comfort)				Rear	24-020879	
1994	Silverado	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1994	WT	4600 Series	Front	24-104050		Rear	24-020435	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K1500 (continued)								
1994	WT	4600 Series (Comfort)				Rear	24-020879	
1994	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1993	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1993	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1993	Silverado	4600 Series (Comfort)				Rear	24-020879	
1993	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	WT	4600 Series	Front	24-104050		Rear	24-020435	
1993	WT	4600 Series (Comfort)				Rear	24-020879	
1993	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1992	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1992	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1992	Silverado	4600 Series (Comfort)				Rear	24-020879	
1992	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	WT	4600 Series	Front	24-104050		Rear	24-020435	
1992	WT	4600 Series (Comfort)				Rear	24-020879	
1992	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1991	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1991	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1991	Silverado	4600 Series (Comfort)				Rear	24-020879	
1991	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Sport	4600 Series	Front	24-104050		Rear	24-020435	
1991	Sport	4600 Series (Comfort)				Rear	24-020879	
1991	Sport	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	WT	4600 Series	Front	24-104050		Rear	24-020435	
1991	WT	4600 Series (Comfort)				Rear	24-020879	
1991	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K1500 (continued)								
1990	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1990	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Scottsdale	4600 Series	Front	24-104050		Rear	24-020435	
1990	Scottsdale	4600 Series (Comfort)				Rear	24-020879	
1990	Scottsdale	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1990	Silverado	4600 Series (Comfort)				Rear	24-020879	
1990	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	WT	4600 Series	Front	24-104050		Rear	24-020435	
1990	WT	4600 Series (Comfort)				Rear	24-020879	
1990	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1989	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1989	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Scottsdale	4600 Series	Front	24-104050		Rear	24-020435	
1989	Scottsdale	4600 Series (Comfort)				Rear	24-020879	
1989	Scottsdale	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1989	Silverado	4600 Series (Comfort)				Rear	24-020879	
1989	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Cheyenne	4600 Series	Front	24-104050		Rear	24-020435	
1988	Cheyenne	4600 Series (Comfort)				Rear	24-020879	
1988	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Scottsdale	4600 Series	Front	24-104050		Rear	24-020435	
1988	Scottsdale	4600 Series (Comfort)				Rear	24-020879	
1988	Scottsdale	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Silverado	4600 Series	Front	24-104050		Rear	24-020435	
1988	Silverado	4600 Series (Comfort)				Rear	24-020879	
1988	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
Chevrolet K1500 Suburban								
1999	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1999	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K1500 Suburban (continued)								
1999	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	LS	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1999	LS	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1999	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1998	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1998	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	LS	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1998	LS	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1998	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1997	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1997	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	LS	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1997	LS	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1997	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	LT	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1997	LT	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1997	LT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1996	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1996	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	LS	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1996	LS	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1996	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	LT	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1996	LT	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K1500 Suburban (continued)								
1996	LT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1995	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1995	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	LS	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1995	LS	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1995	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	LT	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1995	LT	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1995	LT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1994	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1994	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Silverado	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1994	Silverado	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1994	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1993	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1993	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Silverado	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1993	Silverado	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1993	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1992	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1992	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Silverado	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1992	Silverado	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K1500 Suburban (continued)								
1992	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
Chevrolet K20								
1986	2 Dr.; Custom; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1986	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1986	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1986	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1986	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1986	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1986	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1986	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1986	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1985	2 Dr.; Custom; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1985	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1985	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1985	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1985	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1985	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1985	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1985	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1985	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1984	Custom	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 (continued)								
1984	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1984	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1983	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1983	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	2 Dr.; Custom; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1982	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1982	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1982	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1982	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1982	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1982	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1982	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1982	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1981	2 Dr.; Custom; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1981	2 Dr.; Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1981	Custom	4600 Series	Front	24-009232		Rear	24-009331	
1981	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 (continued)								
1981	Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1981	Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1980	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1980	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1980	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1980	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1979	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 (continued)								
1979	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1979	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1979	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1978	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1978	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1978	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1977	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 (continued)								
1977	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1977	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1977	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1976	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1976	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1976	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1976	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	2 Dr.; Cheyenne; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Custom Deluxe; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Scottsdale; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Silverado; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 (continued)								
1975	Cheyenne	4600 Series	Front	24-009232		Rear	24-009331	
1975	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Custom Deluxe	4600 Series	Front	24-009232		Rear	24-009331	
1975	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Scottsdale	4600 Series	Front	24-009232		Rear	24-009331	
1975	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Silverado	4600 Series	Front	24-009232		Rear	24-009331	
1975	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
Chevrolet K20 Pickup								
1974	Base	4600 Series	Front	24-009232		Rear	24-009331	
1974	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1973	Base	4600 Series	Front	24-009232		Rear	24-009331	
1973	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1972	Base	4600 Series	Front	24-009232				
1972	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1971	Base	4600 Series	Front	24-009232				
1971	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1970	Base	4600 Series	Front	24-009232				
1970	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1969	Base	4600 Series	Front	24-009232				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 Pickup (continued)								
1969	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
Chevrolet K20 Suburban								
1986	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 Suburban (continued)								
1985	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1984	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1984	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 Suburban (continued)								
1982	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Custom	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 Suburban (continued)								
1979	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 Suburban (continued)								
1977	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K20 Suburban (continued)								
1975	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1974	Base	4600 Series	Front	24-009232		Rear	24-009331	
1974	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1973	Base	4600 Series	Front	24-009232		Rear	24-009331	
1973	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
Chevrolet K2500								
2000	Base	4600 Series	Front	24-104050		Rear	24-025683	
2000	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
2000	LS	4600 Series	Front	24-104050		Rear	24-025683	
2000	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	Base	4600 Series	Front	24-104050		Rear	24-025683	
1999	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	LS	4600 Series	Front	24-104050		Rear	24-025683	
1999	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1998	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1998	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	WT	4600 Series	Front	24-104050		Rear	24-025683	
1998	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Base	4600 Series	Front	24-104050		Rear	24-025683	
1997	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1997	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1997	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	WT	4600 Series	Front	24-104050		Rear	24-025683	
1997	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Base	4600 Series	Front	24-104050		Rear	24-025683	
1996	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1996	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1996	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	WT	4600 Series	Front	24-104050		Rear	24-025683	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K2500 (continued)								
1996	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Base	4600 Series	Front	24-104050		Rear	24-025683	
1995	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1995	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1995	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	WT	4600 Series	Front	24-104050		Rear	24-025683	
1995	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Base	4600 Series	Front	24-104050		Rear	24-025683	
1994	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1994	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1994	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	WT	4600 Series	Front	24-104050		Rear	24-025683	
1994	WT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1993	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1993	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1992	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1992	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1991	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1991	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1990	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Scottsdale	4600 Series	Front	24-104050		Rear	24-025683	
1990	Scottsdale	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1990	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1989	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Scottsdale	4600 Series	Front	24-104050		Rear	24-025683	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K2500 (continued)								
1989	Scottsdale	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1989	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1988	Cheyenne	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Scottsdale	4600 Series	Front	24-104050		Rear	24-025683	
1988	Scottsdale	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1988	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
Chevrolet K2500 Suburban								
1999	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1999	Base	4600 Series (Sport)						
1999	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	LS	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1999	LS	4600 Series (Sport)						
1999	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1998	Base	4600 Series (Sport)						
1998	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	LS	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1998	LS	4600 Series (Sport)						
1998	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1997	Base	4600 Series (Sport)						
1997	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	LS	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1997	LS	4600 Series (Sport)						
1997	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	LT	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1997	LT	4600 Series (Sport)						
1997	LT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K2500 Suburban (continued)								
1996	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1996	Base	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1996	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	LS	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1996	LS	4600 Series (Sport)						
1996	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	LT	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1996	LT	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1996	LT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1995	Base	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1995	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	LS	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1995	LS	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1995	LS	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	LT	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1995	LT	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1995	LT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1994	Base	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1994	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Silverado	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1994	Silverado	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1994	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1993	Base	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1993	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Silverado	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1993	Silverado	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1993	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K2500 Suburban (continued)								
1992	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1992	Base	4600 Series (Sport)					Rear	24-024051
1992	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Silverado	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1992	Silverado	4600 Series (Sport)					Rear	24-024051
1992	Silverado	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
Chevrolet K30								
1986	Custom	4600 Series	Front	AK2042		Rear	AK2043	
1986	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1986	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	
1986	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1986	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1986	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1985	Custom	4600 Series	Front	AK2042		Rear	AK2043	
1985	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1985	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	
1985	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1985	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1985	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1984	Custom	4600 Series	Front	AK2042		Rear	AK2043	
1984	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1984	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K30 (continued)								
1984	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1983	Custom	4600 Series	Front	AK2042		Rear	AK2043	
1983	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1983	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1983	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1982	Custom	4600 Series	Front	AK2042		Rear	AK2043	
1982	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1982	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	
1982	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1982	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1982	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1981	Custom	4600 Series	Front	AK2042		Rear	AK2043	
1981	Custom	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1981	Deluxe	4600 Series	Front	AK2042		Rear	AK2043	
1981	Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1980	Cheyenne	4600 Series	Front	AK2042		Rear	AK2043	
1980	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1980	Custom Deluxe	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K30 (continued)								
1980	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1980	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	
1980	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1980	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1980	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1979	Cheyenne	4600 Series	Front	AK2042		Rear	AK2043	
1979	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1979	Custom Deluxe	4600 Series	Front	AK2042		Rear	AK2043	
1979	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1979	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	
1979	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1979	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1979	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1978	Cheyenne	4600 Series	Front	AK2042		Rear	AK2043	
1978	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1978	Custom Deluxe	4600 Series	Front	AK2042		Rear	AK2043	
1978	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1978	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K30 (continued)								
1978	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1977	Cheyenne	4600 Series	Front	AK2042		Rear	AK2043	
1977	Cheyenne	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1977	Custom Deluxe	4600 Series	Front	AK2042		Rear	AK2043	
1977	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1977	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	
1977	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1977	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1977	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
Chevrolet K30 Pickup								
1974	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1973	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1972	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1971	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1970	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1969	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K3500								
2000	Base	4600 Series	Front	24-104050		Rear	24-025683	
2000	LS	4600 Series	Front	24-104050		Rear	24-025683	
1999	Base	4600 Series	Front	24-104050		Rear	24-025683	
1999	Base	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	LS	4600 Series	Front	24-104050		Rear	24-025683	
1999	LS	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1998	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1998	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Base	4600 Series	Front	24-104050		Rear	24-025683	
1997	Base	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1997	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1997	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Base	4600 Series	Front	24-104050		Rear	24-025683	
1996	Base	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1996	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1996	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Base	4600 Series	Front	24-104050		Rear	24-025683	
1995	Base	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1995	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1995	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Base	4600 Series	Front	24-104050		Rear	24-025683	
1994	Base	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1994	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1994	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1993	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1993	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K3500 (continued)								
1992	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1992	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1992	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1991	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1991	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1990	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Scottsdale	4600 Series	Front	24-104050		Rear	24-025683	
1990	Scottsdale	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1990	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1989	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Scottsdale	4600 Series	Front	24-104050		Rear	24-025683	
1989	Scottsdale	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1989	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Cheyenne	4600 Series	Front	24-104050		Rear	24-025683	
1988	Cheyenne	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Scottsdale	4600 Series	Front	24-104050		Rear	24-025683	
1988	Scottsdale	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Silverado	4600 Series	Front	24-104050		Rear	24-025683	
1988	Silverado	5100 Series	Front	33-061399	Rear Lifted Height: 2-4"	Rear	24-067379	Rear Lifted Height: 2-4"
Chevrolet K5 Blazer								
1986	Custom	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1986	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1986	Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Silverado	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1986	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1986	Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K5 Blazer (continued)								
1985	Custom	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1985	Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1985	Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Silverado	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1985	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1985	Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	4WD; Custom	4600 Series	Front	24-009232	Full size			
1984	4WD; Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1984	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	4WD; Scottsdale	4600 Series	Front	24-009232	Full size			
1984	4WD; Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1984	4WD; Scottsdale; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	4WD; Silverado	4600 Series	Front	24-009232	Full size			
1984	4WD; Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1984	4WD; Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Custom	4600 Series				Rear	24-009331	
1984	Custom; RWD	4600 Series	Front	24-192941				
1984	RWD; Scottsdale	4600 Series	Front	24-192941				
1984	RWD; Silverado	4600 Series	Front	24-192941				
1984	Scottsdale	4600 Series				Rear	24-009331	
1984	Silverado	4600 Series				Rear	24-009331	
1983	4WD; Custom	4600 Series	Front	24-009232	Full size			
1983	4WD; Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K5 Blazer (continued)								
1983	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	4WD; Silverado	4600 Series	Front	24-009232	Full size			
1983	4WD; Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1983	4WD; Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Custom	4600 Series				Rear	24-009331	
1983	Custom; RWD	4600 Series	Front	24-192941				
1983	RWD; Silverado	4600 Series	Front	24-192941				
1983	Silverado	4600 Series				Rear	24-009331	
1982	4WD; Custom	4600 Series	Front	24-009232	Full size			
1982	4WD; Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1982	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	4WD; Silverado	4600 Series	Front	24-009232	Full size			
1982	4WD; Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1982	4WD; Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Custom	4600 Series				Rear	24-009331	
1982	Custom; RWD	4600 Series	Front	24-192941				
1982	RWD; Silverado	4600 Series	Front	24-192941				
1982	Silverado	4600 Series				Rear	24-009331	
1981	4WD; Custom	4600 Series	Front	24-009232	Full size			
1981	4WD; Custom	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1981	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	4WD; Deluxe	4600 Series	Front	24-009232	Full size			
1981	4WD; Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1981	4WD; Deluxe; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K5 Blazer (continued)								
1981	4WD; Silverado	4600 Series	Front	24-009232	Full size			
1981	4WD; Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1981	4WD; Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Custom	4600 Series				Rear	24-009331	
1981	Custom; RWD	4600 Series	Front	24-192941				
1981	Deluxe	4600 Series				Rear	24-009331	
1981	Deluxe; RWD	4600 Series	Front	24-192941				
1981	RWD; Silverado	4600 Series	Front	24-192941				
1981	Silverado	4600 Series				Rear	24-009331	
1980	4WD; Cheyenne	4600 Series	Front	24-009232	Full size			
1980	4WD; Cheyenne	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1980	4WD; Cheyenne; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	4WD; Custom Deluxe	4600 Series	Front	24-009232	Full size			
1980	4WD; Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1980	4WD; Custom Deluxe; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	4WD; Silverado	4600 Series	Front	24-009232	Full size			
1980	4WD; Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1980	4WD; Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Cheyenne	4600 Series				Rear	24-009331	
1980	Cheyenne; RWD	4600 Series	Front	24-192941				
1980	Custom Deluxe	4600 Series				Rear	24-009331	
1980	Custom Deluxe; RWD	4600 Series	Front	24-192941				
1980	RWD; Silverado	4600 Series	Front	24-192941				
1980	Silverado	4600 Series				Rear	24-009331	
1979	4WD; Cheyenne	4600 Series	Front	24-009232	Full size			
1979	4WD; Cheyenne; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K5 Blazer (continued)								
1979	4WD; Custom Deluxe	4600 Series	Front	24-009232	Full size			
1979	4WD; Custom Deluxe; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Cheyenne	4600 Series				Rear	24-009331	
1979	Cheyenne; RWD	4600 Series	Front	24-192941				
1979	Custom Deluxe	4600 Series				Rear	24-009331	
1979	Custom Deluxe; RWD	4600 Series	Front	24-192941				
1978	4WD; Cheyenne	4600 Series	Front	24-009232	Full size			
1978	4WD; Cheyenne; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	4WD; Custom Deluxe	4600 Series	Front	24-009232	Full size			
1978	4WD; Custom Deluxe; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Cheyenne	4600 Series				Rear	24-009331	
1978	Cheyenne; RWD	4600 Series	Front	24-192941				
1978	Custom Deluxe	4600 Series				Rear	24-009331	
1978	Custom Deluxe; RWD	4600 Series	Front	24-192941				
1977	4WD; Cheyenne	4600 Series	Front	24-009232	Full size			
1977	4WD; Cheyenne; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	4WD; Custom Deluxe	4600 Series	Front	24-009232	Full size			
1977	4WD; Custom Deluxe; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Cheyenne	4600 Series				Rear	24-009331	
1977	Cheyenne; RWD	4600 Series	Front	24-192941				
1977	Custom Deluxe	4600 Series				Rear	24-009331	
1977	Custom Deluxe; RWD	4600 Series	Front	24-192941				
1976	4WD; Base	4600 Series	Front	24-009232	Full size			
1976	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	4WD; Cheyenne	4600 Series	Front	24-009232	Full size			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet K5 Blazer (continued)								
1976	4WD; Cheyenne; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Base	4600 Series				Rear	24-009331	
1976	Base; RWD	4600 Series	Front	24-192941				
1976	Cheyenne	4600 Series				Rear	24-009331	
1976	Cheyenne; RWD	4600 Series	Front	24-192941				
1975	4WD; Cheyenne	4600 Series	Front	24-009232	Full size			
1975	4WD; Cheyenne; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Base	4600 Series	Front	24-192941		Rear	24-009331	
1975	Cheyenne	4600 Series				Rear	24-009331	
1975	Cheyenne; RWD	4600 Series	Front	24-192941				
1975	Custom Deluxe	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1975	Custom Deluxe; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Scottsdale	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1975	Scottsdale; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Silverado	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1975	Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
Chevrolet Lumina APV								
1996	Base	4600 Series	Front	35-132462		Rear	24-010191	
1996	LS	4600 Series	Front	35-132462		Rear	24-010191	
1995	Base	4600 Series	Front	35-132462		Rear	24-010191	
1995	LS	4600 Series	Front	35-132462		Rear	24-010191	
1994	Base	4600 Series	Front	35-132462		Rear	24-010191	
1994	LS	4600 Series	Front	35-132462		Rear	24-010191	
1993	Base	4600 Series	Front	35-132462		Rear	24-010191	
1993	LS	4600 Series	Front	35-132462		Rear	24-010191	
1992	Base	4600 Series	Front	35-132462		Rear	24-010191	
1992	CL	4600 Series	Front	35-132462		Rear	24-010191	
1991	Base	4600 Series	Front	35-132462		Rear	24-010191	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Lumina APV (continued)								
1991	CL	4600 Series	Front	35-132462		Rear	24-010191	
1990	Base	4600 Series	Front	35-132462		Rear	24-010191	
1990	CL	4600 Series	Front	35-132462		Rear	24-010191	
Chevrolet P10								
1980	Base	4600 Series				Rear	24-015875	
1980	Base	B6 (HD)	Front	24-011730				
1980	Step-Van	4600 Series				Rear	24-015875	
1980	Step-Van	B6 (HD)	Front	24-011730				
1979	Base	4600 Series				Rear	24-015875	
1979	Base	B6 (HD)	Front	24-011730				
1979	Step-Van	4600 Series				Rear	24-015875	
1979	Step-Van	B6 (HD)	Front	24-011730				
1978	Base	4600 Series				Rear	24-015875	
1978	Base	B6 (HD)	Front	24-011730				
1978	Step-Van	4600 Series				Rear	24-015875	
1978	Step-Van	B6 (HD)	Front	24-011730				
1977	Base	4600 Series				Rear	24-015875	
1977	Base	B6 (HD)	Front	24-011730				
1977	Step-Van	4600 Series				Rear	24-015875	
1977	Step-Van	B6 (HD)	Front	24-011730				
1976	Base	4600 Series				Rear	24-015875	
1976	Base	B6 (HD)	Front	24-011730				
1976	Step-Van	4600 Series				Rear	24-015875	
1976	Step-Van	B6 (HD)	Front	24-011730				
1975	Base	4600 Series				Rear	24-015875	
1975	Base	B6 (HD)	Front	24-011730				
1975	Step-Van	4600 Series				Rear	24-015875	
1975	Step-Van	B6 (HD)	Front	24-011730				
Chevrolet P10 Series								
1967	Base	B6 (HD)	Front	24-011730				
1966	Base	B6 (HD)	Front	24-011730				
1965	Base	B6 (HD)	Front	24-011730				
1964	Base	B6 (HD)	Front	24-011730				
1963	Base	B6 (HD)	Front	24-011730				
Chevrolet P10 Van								
1974	Base	B6 (HD)	Front	24-011730				
1973	Base	B6 (HD)	Front	24-011730				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet P10 Van (continued)								
1972	Base	B6 (HD)	Front	24-011730				
1971	Base	B6 (HD)	Front	24-011730				
1970	Base	B6 (HD)	Front	24-011730				
1969	Base	B6 (HD)	Front	24-011730				
1968	Base	B6 (HD)	Front	24-011730				
Chevrolet P20								
1989	Base	4600 Series				Rear	24-015875	
1989	Base	B6 (HD)	Front	24-011730				
1989	Base	B6 (Steering Damper)	Front	24-026451				
1989	Step-Van	4600 Series				Rear	24-015875	
1989	Step-Van	B6 (HD)	Front	24-011730				
1989	Step-Van	B6 (Steering Damper)	Front	24-026451				
1988	Base	4600 Series				Rear	24-015875	
1988	Base	B6 (HD)	Front	24-011730				
1988	Base	B6 (Steering Damper)	Front	24-026451				
1988	Step-Van	4600 Series				Rear	24-015875	
1988	Step-Van	B6 (HD)	Front	24-011730				
1988	Step-Van	B6 (Steering Damper)	Front	24-026451				
1987	Base	4600 Series				Rear	24-015875	
1987	Base	B6 (HD)	Front	24-011730				
1987	Base	B6 (Steering Damper)	Front	24-026451				
1987	Step-Van	4600 Series				Rear	24-015875	
1987	Step-Van	B6 (HD)	Front	24-011730				
1987	Step-Van	B6 (Steering Damper)	Front	24-026451				
1986	Base	4600 Series				Rear	24-015875	
1986	Base	B6 (HD)	Front	24-011730				
1986	Base	B6 (Steering Damper)	Front	24-026451				
1985	Base	4600 Series				Rear	24-015875	
1985	Base	B6 (HD)	Front	24-011730				
1985	Base	B6 (Steering Damper)	Front	24-026451				
1985	Step-Van	4600 Series				Rear	24-015875	
1985	Step-Van	B6 (HD)	Front	24-011730				
1985	Step-Van	B6 (Steering Damper)	Front	24-026451				
1984	Base	4600 Series				Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet P20 (continued)								
1984	Base	B6 (HD)	Front	24-011730				
1984	Base	B6 (Steering Damper)	Front	24-026451				
1984	Step-Van		4600 Series				Rear	24-015875
1984	Step-Van	B6 (HD)	Front	24-011730				
1984	Step-Van	B6 (Steering Damper)	Front	24-026451				
1983	Base		4600 Series				Rear	24-015875
1983	Base	B6 (HD)	Front	24-011730				
1983	Step-Van	4600 Series				Rear	24-015875	
1983	Step-Van	B6 (HD)	Front	24-011730				
1982	Base	4600 Series				Rear	24-015875	
1982	Base	B6 (HD)	Front	24-011730				
1982	Step-Van	4600 Series				Rear	24-015875	
1982	Step-Van	B6 (HD)	Front	24-011730				
1981	Base	4600 Series				Rear	24-015875	
1981	Base	B6 (HD)	Front	24-011730				
1981	Step-Van	4600 Series				Rear	24-015875	
1981	Step-Van	B6 (HD)	Front	24-011730				
1980	Base	4600 Series				Rear	24-015875	
1980	Base	B6 (HD)	Front	24-011730				
1980	Step-Van	4600 Series				Rear	24-015875	
1980	Step-Van	B6 (HD)	Front	24-011730				
1979	Base	4600 Series				Rear	24-015875	
1979	Base	B6 (HD)	Front	24-011730				
1979	Step-Van	4600 Series				Rear	24-015875	
1979	Step-Van	B6 (HD)	Front	24-011730				
1978	Base	4600 Series				Rear	24-015875	
1978	Base	B6 (HD)	Front	24-011730				
1978	Step-Van	4600 Series				Rear	24-015875	
1978	Step-Van	B6 (HD)	Front	24-011730				
1977	Base	4600 Series				Rear	24-015875	
1977	Base	B6 (HD)	Front	24-011730				
1977	Step-Van	4600 Series				Rear	24-015875	
1977	Step-Van	B6 (HD)	Front	24-011730				
1976	Base	4600 Series				Rear	24-015875	
1976	Base	B6 (HD)	Front	24-011730				
1976	Step-Van	4600 Series				Rear	24-015875	
1976	Step-Van	B6 (HD)	Front	24-011730				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet P20 (continued)								
1975	Base	4600 Series				Rear	24-015875	
1975	Base	B6 (HD)	Front	24-011730				
1975	Step-Van	4600 Series				Rear	24-015875	
1975	Step-Van	B6 (HD)	Front	24-011730				
Chevrolet P20 Van								
1974	Base	B6 (HD)	Front	24-011730				
1973	Base	B6 (HD)	Front	24-011730				
Chevrolet P30								
1999	Base	4600 Series				Rear	24-015875	
1999	Base	B6 (HD)	Front	24-011730				
1999	Base	B6 (Steering Damper)	Front	24-026451				
1998	Base	4600 Series						
1998	Base	B6 (HD)	Front	24-011730				
1998	Base	B6 (Steering Damper)	Front	24-026451				
1997	Base	4600 Series						
1997	Base	B6 (HD)	Front	24-011730				
1997	Base	B6 (Steering Damper)	Front	24-026451				
1996	Base	4600 Series						
1996	Base	B6 (HD)	Front	24-011730				
1996	Base	B6 (Steering Damper)	Front	24-026451				
1995	Base	4600 Series						
1995	Base	B6 (HD)	Front	24-011730				
1995	Base	B6 (Steering Damper)	Front	24-026451				
1994	Base	4600 Series						
1994	Base	B6 (HD)	Front	24-011730				
1994	Base	B6 (Steering Damper)	Front	24-026451				
1993	Base	4600 Series						
1993	Base	B6 (HD)	Front	24-011730				
1993	Base	B6 (Steering Damper)	Front	24-026451				
1992	Base	4600 Series						
1992	Base	B6 (HD)	Front	24-011730				
1992	Base	B6 (Steering Damper)	Front	24-026451				
1991	Base	4600 Series						
1991	Base	B6 (HD)	Front	24-011730				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet P30 (continued)								
1991	Base	B6 (Steering Damper)	Front	24-026451				
1990	Base	4600 Series				Rear	24-015875	
1990	Base	B6 (HD)	Front	24-011730				
1990	Base	B6 (Steering Damper)	Front	24-026451				
1990	Step-Van	4600 Series						
1990	Step-Van	B6 (HD)	Front	24-011730				
1990	Step-Van	B6 (Steering Damper)	Front	24-026451				
1989	Base	4600 Series						
1989	Base	B6 (HD)	Front	24-011730				
1989	Base	B6 (Steering Damper)	Front	24-026451				
1989	Step-Van	4600 Series						
1989	Step-Van	B6 (HD)	Front	24-011730				
1989	Step-Van	B6 (Steering Damper)	Front	24-026451				
1988	Base	4600 Series						
1988	Base	B6 (HD)	Front	24-011730				
1988	Base	B6 (Steering Damper)	Front	24-026451				
1988	Step-Van	4600 Series						
1988	Step-Van	B6 (HD)	Front	24-011730				
1988	Step-Van	B6 (Steering Damper)	Front	24-026451				
1988	Base	4600 Series						
1988	Base	B6 (HD)	Front	24-011730				
1988	Base	B6 (Steering Damper)	Front	24-026451				
1988	Step-Van	4600 Series						
1988	Step-Van	B6 (HD)	Front	24-011730				
1988	Step-Van	B6 (Steering Damper)	Front	24-026451				
1987	Base	4600 Series						
1987	Base	B6 (HD)	Front	24-011730				
1987	Base	B6 (Steering Damper)	Front	24-026451				
1987	Step-Van	4600 Series						
1987	Step-Van	B6 (HD)	Front	24-011730				
1987	Step-Van	B6 (Steering Damper)	Front	24-026451				
1986	Base	4600 Series						
1986	Base	B6 (HD)	Front	24-011730				
1986	Base	B6 (Steering Damper)	Front	24-026451				
1985	Base	4600 Series						
1985	Base	B6 (HD)	Front	24-011730				
1985	Base	B6 (Steering Damper)	Front	24-026451				
1985	Step-Van	4600 Series						
1985	Step-Van	B6 (HD)	Front	24-011730				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet P30 (continued)								
1985	Step-Van	B6 (Steering Damper)	Front	24-026451				
1984	Base	4600 Series				Rear	24-015875	
1984	Base	B6 (HD)	Front	24-011730				
1984	Base	B6 (Steering Damper)	Front	24-026451				
1984	Step-Van	4600 Series				Rear	24-015875	
1984	Step-Van	B6 (HD)	Front	24-011730				
1984	Step-Van	B6 (Steering Damper)	Front	24-026451				
1983	Base	4600 Series				Rear	24-015875	
1983	Base	B6 (HD)	Front	24-011730				
1983	Step-Van	4600 Series				Rear	24-015875	
1983	Step-Van	B6 (HD)	Front	24-011730				
1982	Base	4600 Series				Rear	24-015875	
1982	Base	B6 (HD)	Front	24-011730				
1982	Step-Van	4600 Series				Rear	24-015875	
1982	Step-Van	B6 (HD)	Front	24-011730				
1981	Base	4600 Series				Rear	24-015875	
1981	Base	B6 (HD)	Front	24-011730				
1981	Step-Van	4600 Series				Rear	24-015875	
1981	Step-Van	B6 (HD)	Front	24-011730				
1980	Base	4600 Series				Rear	24-015875	
1980	Base	B6 (HD)	Front	24-011730				
1980	Step-Van	4600 Series				Rear	24-015875	
1980	Step-Van	B6 (HD)	Front	24-011730				
1979	Base	4600 Series				Rear	24-015875	
1979	Base	B6 (HD)	Front	24-011730				
1979	Step-Van	4600 Series				Rear	24-015875	
1979	Step-Van	B6 (HD)	Front	24-011730				
1978	Base	4600 Series				Rear	24-015875	
1978	Base	B6 (HD)	Front	24-011730				
1978	Step-Van	4600 Series				Rear	24-015875	
1978	Step-Van	B6 (HD)	Front	24-011730				
1977	Base	4600 Series				Rear	24-015875	
1977	Base	B6 (HD)	Front	24-011730				
1977	Step-Van	4600 Series				Rear	24-015875	
1977	Step-Van	B6 (HD)	Front	24-011730				
1976	Base	4600 Series				Rear	24-015875	
1976	Base	B6 (HD)	Front	24-011730				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet P30 (continued)								
1976	Step-Van	4600 Series				Rear	24-015875	
1976	Step-Van	B6 (HD)	Front	24-011730				
1975	Base	4600 Series				Rear	24-015875	
1975	Base	B6 (HD)	Front	24-011730				
1975	Step-Van	4600 Series				Rear	24-015875	
1975	Step-Van	B6 (HD)	Front	24-011730				
Chevrolet P30 Van								
1974	Base	B6 (HD)	Front	24-011730				
1973	Base	B6 (HD)	Front	24-011730				
Chevrolet R10								
1987	Custom Deluxe	4600 Series	Front	24-192941		Rear	24-009331	
1987	Scottsdale	4600 Series	Front	24-192941		Rear	24-009331	
1987	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
Chevrolet R10 Suburban								
1988	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1988	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1987	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1987	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1987	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
Chevrolet R1500 Suburban								
1991	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1991	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1990	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1990	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1989	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1989	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
Chevrolet R20								
1988	Cheyenne	4600 Series	Front	24-192941		Rear	24-015875	
1988	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1988	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
1987	2 Dr.; Cab & Chassis; Custom Deluxe	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet R20 (continued)								
1987	2 Dr.; Cab & Chassis; Scottsdale	4600 Series				Rear	24-009331	
1987	2 Dr.; Cab & Chassis; Silverado	4600 Series				Rear	24-009331	
1987	2 Dr.; Custom Deluxe; Standard Cab Pickup	4600 Series				Rear	24-009331	
1987	2 Dr.; Scottsdale; Standard Cab Pickup	4600 Series				Rear	24-009331	
1987	2 Dr.; Silverado; Standard Cab Pickup	4600 Series				Rear	24-009331	
1987	4 Dr.; Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	24-015875	
1987	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1987	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1987	Custom Deluxe	4600 Series	Front	24-192941				
1987	Scottsdale	4600 Series	Front	24-192941				
1987	Silverado	4600 Series	Front	24-192941				
Chevrolet R20 Suburban								
1988	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1988	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1987	Custom Deluxe	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1987	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1987	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
Chevrolet R2500								
1989	Cheyenne	4600 Series	Front	24-192941		Rear	24-015875	
1989	Scottsdale	4600 Series	Front	24-192941		Rear	24-015875	
1989	Silverado	4600 Series	Front	24-192941		Rear	24-015875	
Chevrolet R2500 Suburban								
1991	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1991	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1990	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1990	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1989	Scottsdale	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1989	Silverado	4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet R30								
1988	Cheyenne	4600 Series	Front	24-192941				
1988	Cheyenne; Crew Cab Pickup	4600 Series				Rear	24-015875	
1988	Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1988	Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1988	Scottsdale	4600 Series				Front	24-192941	
1988	Silverado	4600 Series	Front	24-192941				
1987	Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	24-015875	
1987	Crew Cab Pickup; Scottsdale	4600 Series				Rear	24-015875	
1987	Crew Cab Pickup; Silverado	4600 Series				Rear	24-015875	
1987	Custom Deluxe	4600 Series				Front	24-192941	
1987	Scottsdale	4600 Series	Front	24-192941				
1987	Silverado	4600 Series	Front	24-192941				
Chevrolet R3500								
1991	Cheyenne	4600 Series	Front	24-192941				
1991	Silverado	4600 Series	Front	24-192941				
1990	Cheyenne	4600 Series	Front	24-192941				
1990	Scottsdale	4600 Series	Front	24-192941				
1990	Silverado	4600 Series	Front	24-192941				
1989	Cheyenne	4600 Series	Front	24-192941				
1989	Scottsdale	4600 Series	Front	24-192941				
1989	Silverado	4600 Series	Front	24-192941				
Chevrolet S10								
2004	LS	4600 Series	Front	24-014106		Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2004	LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2004	ZR5	4600 Series	Front	24-014106				
2003	4WD; Base	4600 Series	Front	24-014106				
2003	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2003	4WD; LS	4600 Series	Front	24-014106				
2003	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2003	Base	4600 Series						
2003	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
2003	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2003	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2003	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
2003	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2003	Xtreme	4600 Series				Rear	15998553	Axle Wrap
2003	ZR2	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-018197	
2003	ZR5	4600 Series	Front	24-014106				
2002	4WD; Base	4600 Series	Front	24-014106				
2002	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2002	4WD; LS	4600 Series	Front	24-014106				
2002	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2002	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2002	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
2002	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2002	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2002	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
2002	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2002	Xtreme	4600 Series				Rear	15998553	Axle Wrap
2002	ZR2	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-018197	
2002	ZR5	4600 Series	Front	24-014106				
2001	4WD; Base	4600 Series	Front	24-014106				
2001	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2001	4WD; LS	4600 Series	Front	24-014106				
2001	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2001	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2001	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
2001	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
2001	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
2001	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	Xtreme	4600 Series				Rear	15998553	Axle Wrap
2001	ZR2	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-018197	
2001	ZR5	4600 Series	Front	24-014106				
2000	4WD; Base	4600 Series	Front	24-014106				
2000	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2000	4WD; LS	4600 Series	Front	24-014106				
2000	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2000	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2000	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
2000	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2000	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
2000	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	Xtreme	4600 Series				Rear	15998553	Axle Wrap
2000	ZR2	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-018197	
1999	4WD; Base	4600 Series	Front	24-014106				
1999	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1999	4WD; LS	4600 Series	Front	24-014106				
1999	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1999	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1999	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1999	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1999	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	Xtreme	4600 Series				Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1999	ZR2	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-018197	
1998	4WD; Base	4600 Series	Front	24-014106				
1998	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1998	4WD; LS	4600 Series	Front	24-014106				
1998	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1998	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1998	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1998	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1998	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1998	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	SS	4600 Series				Rear	15998553	Axle Wrap
1998	ZR2	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-018197	
1997	4WD; Base	4600 Series	Front	24-014106				
1997	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1997	4WD; LS	4600 Series	Front	24-014106				
1997	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1997	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1997	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1997	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1997	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1997	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	SS	4600 Series				Rear	15998553	Axle Wrap
1997	ZR2	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-018197	
1996	4WD; Base	4600 Series	Front	24-014106				
1996	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1996	4WD; LS	4600 Series	Front	24-014106				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1996	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1996	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1996	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1996	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1996	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1996	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	SS	4600 Series				Rear	15998553	Axle Wrap
1996	ZR2	4600 Series				Rear	24-018197	
1996	ZR2; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series			
1995	4WD; Base	4600 Series	Front	24-014106				
1995	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1995	4WD; LS	4600 Series	Front	24-014106				
1995	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1995	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1995	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1995	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1995	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1995	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	SS	4600 Series				Rear	15998553	Axle Wrap
1995	ZR2	4600 Series				Rear	24-018197	
1995	ZR2; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series			
1994	4WD; Base	4600 Series	Front	24-014106				
1994	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1994	4WD; LS	4600 Series	Front	24-014106				
1994	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1994	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1994	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1994	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1994	LS; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1994	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	SS	4600 Series				Rear	15998553	Axle Wrap
1994	ZR2	4600 Series				Rear	24-018197	
1994	ZR2; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014120	SetOption: Variable depending on application; Setting: 4600 Series			
1993	4WD; Base	4600 Series	Front	24-014106				
1993	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1993	4WD; EL	4600 Series	Front	24-014106				
1993	4WD; EL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1993	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1993	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1993	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1993	EL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1993	EL; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1993	EL; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	4WD; Base	4600 Series	Front	24-014106				
1992	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1992	4WD; EL	4600 Series	Front	24-014106				
1992	4WD; EL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1992	4WD; Tahoe	4600 Series	Front	24-014106				
1992	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1992	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1992	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1992	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	EL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1992	EL; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1992	EL; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1992	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1991	4WD; Base	4600 Series	Front	24-014106				
1991	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1991	4WD; Tahoe	4600 Series	Front	24-014106				
1991	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1991	Baja	4600 Series	Front	24-014106		Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1991	Baja; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1991	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1991	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1991	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1991	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1990	4WD; Base	4600 Series	Front	24-014106				
1990	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1990	4WD; Durango	4600 Series	Front	24-014106				
1990	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1990	4WD; Tahoe	4600 Series	Front	24-014106				
1990	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1990	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1990	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1990	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	Durango	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1990	Durango; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1990	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1990	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1989	4WD; Base	4600 Series	Front	24-014106				
1989	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1989	4WD; Durango	4600 Series	Front	24-014106				
1989	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1989	4WD; Sport	4600 Series	Front	24-014106				
1989	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1989	4WD; Tahoe	4600 Series	Front	24-014106				
1989	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1989	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1989	Base; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1989	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	Durango	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1989	Durango; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1989	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	RWD; Sport	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1989	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1989	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	Sport	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1989	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1988	2 Dr.; 4WD; Base; Extended Cab Pickup	4600 Series	Front	24-014106				
1988	2 Dr.; 4WD; Base; Standard Cab Pickup	4600 Series	Front	24-014106				
1988	2 Dr.; Base; Extended Cab Pickup; RWD	4600 Series	Front	24-187428				
1988	2 Dr.; Base; RWD; Standard Cab Pickup	4600 Series	Front	24-187428				
1988	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1988	4WD; Durango	4600 Series	Front	24-014106				
1988	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1988	4WD; Sport	4600 Series	Front	24-014106				
1988	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1988	4WD; Tahoe	4600 Series	Front	24-014106				
1988	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1988	Base	4600 Series						
1988	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1988	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	Durango	4600 Series						
1988	Durango; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1988	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	RWD; Sport	4600 Series	Front	24-187428				
1988	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	RWD; Tahoe	4600 Series	Front	24-187428				
1988	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	Sport	4600 Series						
1988	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1987	2 Dr.; 4WD; Base; Extended Cab Pickup	4600 Series	Front	24-014106				
1987	2 Dr.; 4WD; Base; Standard Cab Pickup	4600 Series	Front	24-014106				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1987	2 Dr.; Base; Extended Cab Pickup; RWD	4600 Series	Front	24-187428				
1987	2 Dr.; Base; RWD; Standard Cab Pickup	4600 Series	Front	24-187428				
1987	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1987	4WD; Sport	4600 Series	Front	24-014106				
1987	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1987	4WD; Tahoe	4600 Series	Front	24-014106				
1987	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1987	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1987	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1987	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	RWD; Sport	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1987	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1987	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	Sport	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1987	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1986	2 Dr.; 4WD; Base; Extended Cab Pickup	4600 Series	Front	24-014106				
1986	2 Dr.; 4WD; Base; Standard Cab Pickup	4600 Series	Front	24-014106				
1986	2 Dr.; Base; Extended Cab Pickup; RWD	4600 Series	Front	24-187428				
1986	2 Dr.; Base; RWD; Standard Cab Pickup	4600 Series	Front	24-187428				
1986	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1986	4WD; Durango	4600 Series	Front	24-014106				
1986	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1986	4WD; Sport	4600 Series	Front	24-014106				
1986	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1986	4WD; Tahoe	4600 Series	Front	24-014106				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1986	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1986	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1986	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1986	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	Durango	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1986	Durango; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1986	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	RWD; Sport	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1986	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1986	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	Sport	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1986	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1985	2 Dr.; 4WD; Base; Extended Cab Pickup	4600 Series	Front	24-014106				
1985	2 Dr.; 4WD; Base; Standard Cab Pickup	4600 Series	Front	24-014106				
1985	2 Dr.; Base; Extended Cab Pickup; RWD	4600 Series	Front	24-187428				
1985	2 Dr.; Base; RWD; Standard Cab Pickup	4600 Series	Front	24-187428				
1985	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1985	4WD; Durango	4600 Series	Front	24-014106				
1985	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1985	4WD; Sport	4600 Series	Front	24-014106				
1985	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1985	4WD; Tahoe	4600 Series	Front	24-014106				
1985	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1985	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1985	Base; RWD	4600 Series				Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1985	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	Durango	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1985	Durango; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1985	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	RWD; Sport	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1985	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1985	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	Sport	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1985	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1984	2 Dr.; 4WD; Base; Extended Cab Pickup	4600 Series	Front	24-014106				
1984	2 Dr.; 4WD; Base; Standard Cab Pickup	4600 Series	Front	24-014106				
1984	2 Dr.; Base; Extended Cab Pickup; RWD	4600 Series	Front	24-187428				
1984	2 Dr.; Base; RWD; Standard Cab Pickup	4600 Series	Front	24-187428				
1984	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1984	4WD; Durango	4600 Series	Front	24-014106				
1984	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1984	4WD; Sport	4600 Series	Front	24-014106				
1984	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1984	4WD; Tahoe	4600 Series	Front	24-014106				
1984	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1984	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1984	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1984	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	Durango	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1984	Durango; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1984	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	RWD; Sport	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1984	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1984	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	Sport	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1984	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1983	2 Dr.; 4WD; Base; Extended Cab Pickup	4600 Series	Front	24-014106				
1983	2 Dr.; 4WD; Base; Standard Cab Pickup	4600 Series	Front	24-014106				
1983	2 Dr.; Base; Extended Cab Pickup; RWD	4600 Series	Front	24-187428				
1983	2 Dr.; Base; RWD; Standard Cab Pickup	4600 Series	Front	24-187428				
1983	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1983	4WD; Durango	4600 Series	Front	24-014106				
1983	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1983	4WD; Sport	4600 Series	Front	24-014106				
1983	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1983	4WD; Tahoe	4600 Series	Front	24-014106				
1983	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1983	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1983	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1983	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	Durango	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1983	Durango; RWD	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1983	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	RWD; Sport	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1983	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1983	RWD; Tahoe	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
1983	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	Sport	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1983	Tahoe	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Base	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1982	Durango	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Durango; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1982	Gypsy	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Gypsy; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1982	High Sierra	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	High Sierra; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1982	Sport	4600 Series	Front	24-187428		Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				

Chevrolet S10 Blazer								
1994	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1994	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1994	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	4WD; LT	4600 Series (Sport)				Rear	24-014137	
1994	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1994	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1994	4WD; Tahoe LT	4600 Series (Sport)				Rear	24-014137	
1994	4WD; Tahoe LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1994	4WD; Tahoe LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1994	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	Base	4600 Series				Rear	33-187532	
1994	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	LT	4600 Series				Rear	33-187532	
1994	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	RWD; Tahoe LT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	Tahoe	4600 Series				Rear	33-187532	
1994	Tahoe LT	4600 Series				Rear	33-187532	
1993	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1993	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1993	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1993	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1993	4WD; Tahoe LT	4600 Series (Sport)				Rear	24-014137	
1993	4WD; Tahoe LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1993	4WD; Tahoe LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1993	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1993	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1993	Base	4600 Series				Rear	33-187532	
1993	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1993	RWD; Tahoe LT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1993	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1993	Tahoe	4600 Series				Rear	33-187532	
1993	Tahoe LT	4600 Series				Rear	33-187532	
1992	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1992	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1992	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1992	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1992	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1992	4WD; Tahoe LT	4600 Series (Sport)				Rear	24-014137	
1992	4WD; Tahoe LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1992	4WD; Tahoe LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1992	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992	Base	4600 Series				Rear	33-187532	
1992	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	RWD; Tahoe LT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	Sport	4600 Series				Rear	33-187532	
1992	Tahoe	4600 Series				Rear	33-187532	
1992	Tahoe LT	4600 Series				Rear	33-187532	
1991	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1991	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1991	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1991	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1991	4WD; Tahoe LT	4600 Series (Sport)				Rear	24-014137	
1991	4WD; Tahoe LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1991	4WD; Tahoe LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1991	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1991	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1991	Base	4600 Series				Rear	33-187532	
1991	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	RWD; Tahoe LT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	Tahoe	4600 Series				Rear	33-187532	
1991	Tahoe LT	4600 Series				Rear	33-187532	
1990	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1990	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1990	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1990	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1990	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1990	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1990	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1990	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1990	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1990	Base	4600 Series				Rear	33-187532	
1990	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1990	Sport	4600 Series				Rear	33-187532	
1990	Tahoe	4600 Series				Rear	33-187532	
1989	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1989	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1989	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1989	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1989	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989	Base	4600 Series				Rear	33-187532	
1989	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	High Country	4600 Series				Rear	33-187532	
1989	High Country	4600 Series (Sport)				Rear	24-014137	
1989	High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1989	High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	Sport	4600 Series				Rear	33-187532	
1988	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1988	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1988	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1988	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1988	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1988	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1988	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988	Base	4600 Series				Rear	33-187532	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1988	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	High Country	4600 Series				Rear	33-187532	
1988	High Country	4600 Series (Sport)				Rear	24-014137	
1988	High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1988	High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	Sport	4600 Series				Rear	33-187532	
1988	Tahoe	4600 Series				Rear	33-187532	
1987	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1987	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1987	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1987	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1987	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1987	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1987	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1987	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1987	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1987	Base	4600 Series				Rear	33-187532	
1987	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	High Country	4600 Series				Rear	33-187532	
1987	High Country	4600 Series (Sport)				Rear	24-014137	
1987	High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1987	High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1987	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1987	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	Sport	4600 Series				Rear	33-187532	
1987	Tahoe	4600 Series				Rear	33-187532	
1986	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1986	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1986	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1986	4WD; Durango	4600 Series (Sport)				Rear	24-014137	
1986	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1986	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1986	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1986	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1986	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1986	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1986	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1986	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1986	Base	4600 Series				Rear	33-187532	
1986	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	Durango	4600 Series				Rear	33-187532	
1986	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	Sport	4600 Series				Rear	33-187532	
1986	Tahoe	4600 Series				Rear	33-187532	
1985	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1985	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1985	4WD; Durango	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1985	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1985	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1985	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	Base	4600 Series				Rear	33-187532	
1985	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	Durango	4600 Series				Rear	33-187532	
1985	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	Sport	4600 Series				Rear	33-187532	
1985	Tahoe	4600 Series				Rear	33-187532	
1984	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1984	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1984	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1984	4WD; Durango	4600 Series (Sport)				Rear	24-014137	
1984	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1984	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1984	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1984	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1984	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1984	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1984	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1984	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1984	Base	4600 Series				Rear	33-187532	
1984	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	Durango	4600 Series				Rear	33-187532	
1984	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	Sport	4600 Series				Rear	33-187532	
1984	Tahoe	4600 Series				Rear	33-187532	
1983	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1983	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1983	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1983	4WD; Durango	4600 Series (Sport)				Rear	24-014137	
1983	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1983	4WD; Durango; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1983	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1983	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1983	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1983	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1983	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1983	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1983	Base	4600 Series				Rear	33-187532	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1983	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	Durango	4600 Series				Rear	33-187532	
1983	Durango; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	Sport	4600 Series				Rear	33-187532	
1983	Tahoe	4600 Series				Rear	33-187532	
Chevrolet Silverado 1500								
2012	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2012	Hybrid	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	LS	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2012	LS	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	LT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2012	LT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	L TZ	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2012	L TZ	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	L TZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2012	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2012	XFE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2012	XFE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	XFE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	Hybrid	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	LS	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	LS	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	LT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	LT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	LTZ	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	LTZ	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	XFE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	XFE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	XFE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2010	Hybrid	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	LS	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2010	LS	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	LT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2010	LT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	LTZ	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2010	LTZ	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2010	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	XFE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2010	XFE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	XFE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2009	Hybrid	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	LS	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2009	LS	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	LT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2009	LT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	LTZ	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2009	LTZ	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2009	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	Base	4600 Series	Front	24-188227	Excludes Electronic Suspension			
2008	Base	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	LS	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2008	LS	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	LT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2008	LT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	LTZ	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2008	LTZ	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2008	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2007	4WD; Classic Hybrid	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic Hybrid	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2007	4WD; Classic Hybrid	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic LS	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic LS	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2007	4WD; Classic LS	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2007	4WD; Classic LT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic LT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2007	4WD; Classic LT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic WT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic WT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2007	4WD; Classic WT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	Base	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900			
2007	Base	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900			
2007	Classic Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2007	Classic Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	Classic LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension			
2007	Classic LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	Classic LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	Classic SS	4600 Series	Front	24-186100	Excludes ZX3 Electronic Suspension	Rear	24-186117	Excludes ZX3 Electronic Suspension
2007	Classic WT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic WT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic WT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	LS	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	LS	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900			
2007	LT	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2007	LT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900			
2007	LTZ	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	LTZ	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900			
2007	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900			
2006	4WD; Hybrid	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; Hybrid	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2006	4WD; Hybrid	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; LS	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2006	4WD; LS	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2006	4WD; LS	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; LT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; LT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2006	4WD; LT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; WT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; WT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2006	4WD; WT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2006	Base; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	Base; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	Base; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2006	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2006	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2006	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2006	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2006	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2006	SS	4600 Series	Front	24-186100	Excludes ZX3 Electronic Suspension	Rear	24-186117	Excludes ZX3 Electronic Suspension
2005	4WD; Base	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	4WD; Base	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2005	4WD; Base	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	4WD; Hybrid	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	4WD; Hybrid	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2005	4WD; Hybrid	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	4WD; LS	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2005	4WD; LS	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2005	4WD; LS	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	4WD; LT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	4WD; LT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2005	4WD; LT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
			Front	25-176407	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2005	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	SS	4600 Series	Front	24-186100	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-186117	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	4WD; Base	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	4WD; Base	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2004	4WD; Base	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2004	4WD; Hybrid	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2004	4WD; Hybrid	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2004	4WD; Hybrid	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	4WD; LS	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2004	4WD; LS	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2004	4WD; LS	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	4WD; LT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2004	4WD; LT	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2004	4WD; LT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	4WD; WT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	4WD; WT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2004	4WD; WT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	4WD; Z71	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	4WD; Z71	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2004	4WD; Z71	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2004	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2004	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension			
2004	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2004	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2004	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2004	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2004	RWD; Z71; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	RWD; Z71; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2004	RWD; Z71; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2004	SS	4600 Series	Front	24-186100	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-186117	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; Base	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; Base	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2003	4WD; Base	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	4WD; LS	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; LS	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2003	4WD; LS	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2003	4WD; LT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; LT	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2003	4WD; LT	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	4WD; WT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; WT	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2003	4WD; WT	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2003	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2003	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2003	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2003	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2003	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2003	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2003	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2003	SS	4600 Series	Front	24-186100	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-186117	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	4WD; Base	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	4WD; Base	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2002	4WD; Base	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2002	4WD; LS	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2002	4WD; LS	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2002	4WD; LS	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	4WD; LT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2002	4WD; LT	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2002	4WD; LT	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	4WD; WT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2002	4WD; WT	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2002	4WD; WT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	Custom; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	Custom; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	Custom; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2002	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2001	4WD; Base	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2001	4WD; Base	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2001	4WD; Base	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	4WD; LS	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2001	4WD; LS	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2001	4WD; LS	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	4WD; LT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2001	4WD; LT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2001	4WD; LT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2001	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2001	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2001	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2001	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2001	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2001	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2001	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2001	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2000	4WD; Base	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2000	4WD; Base	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2000	4WD; Base	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2000	4WD; LS	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2000	4WD; LS	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2000	4WD; LS	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2000	4WD; LT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2000	4WD; LT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2000	4WD; LT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2000	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2000	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2000	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2000	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2000	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2000	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2000	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2000	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2000	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
1999	4WD; Base	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
1999	4WD; Base	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
1999	4WD; Base	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
1999	4WD; LS	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
1999	4WD; LS	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
1999	4WD; LS	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
1999	4WD; LT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
1999	4WD; LT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
1999	4WD; LT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
1999	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
1999	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
1999	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
1999	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
1999	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
1999	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
1999	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
1999	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
1999	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
Chevrolet Silverado 1500 HD								
2007	Classic LT	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Use With Overhead Truck Camper
2007	Classic LT	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	Classic LT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic LT	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	LT	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Use With Overhead Truck Camper
2006	LT	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	LT	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 HD (continued)								
2006	LT	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	Base	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper
2005	Base	5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	Base	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2005	Base	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	LS	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper
2005	LS	5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2005	LS	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	LT	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 HD (continued)								
2005	LT	5100 Series	Front	24-186735	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrateer			
2005	LT	5160 Series	Front	25-187618	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	LS	4600 Series	Front	24-060813	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes Quadrateer; Use With Overhead Truck Camper
2003	LS	5100 Series	Front	24-186735	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrateer			
2003	LS	5160 Series	Front	25-187618	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	LT	4600 Series	Front	24-060813	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes Quadrateer; Use With Overhead Truck Camper
2003	LT	5100 Series	Front	24-186735	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrateer			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 HD (continued)								
2003	LT	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	LS	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper
2002	LS	5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2002	LS	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	LT	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper
2002	LT	5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2002	LT	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	LS	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 1500 HD (continued)								
2001	LS	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	LS	5100 Series (Steering Damper)	Front	33-174525				
2001	LS	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	LT	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Use With Overhead Truck Camper
2001	LT	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	LT	5100 Series (Steering Damper)	Front	33-174525				
2001	LT	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
Chevrolet Silverado 2500								
2005	Base	4600 Series				Rear	24-060820	Excludes QuadraSteer
						Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper
2005	Base	5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes QuadraSteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes QuadraSteer; Rear Lifted Height: 4"
2005	Base	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2005	Base	5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes QuadraSteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes QuadraSteer; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 (continued)								
2004	Base	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2004	Base	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	Base	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	Base	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	LS	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2004	LS	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	LS	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	LT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2004	LT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	LT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	WT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 (continued)								
2004	WT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	WT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	WT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	Base	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2003	Base	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	Base	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	Base	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	LS	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2003	LS	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	LS	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	LT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2003	LT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 (continued)								
2003	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	LT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	Base	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2002	Base	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	Base	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	Base	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	Cheyenne	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2002	Cheyenne	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	Cheyenne	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	Cheyenne	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	Custom	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2002	Custom	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	Custom	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 (continued)								
2002	Custom	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	LS	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2002	LS	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	LS	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	LT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2002	LT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	LT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2001	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	Base	5100 Series (Steering Damper)	Front	33-174525				
2001	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	Cheyenne	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 (continued)								
2001	Cheyenne	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	Cheyenne	5100 Series (Steering Damper)	Front	33-174525				
2001	Cheyenne	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	Custom	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	Custom	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	Custom	5100 Series (Steering Damper)	Front	33-174525				
2001	Custom	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	LS	5100 Series (Steering Damper)	Front	33-174525				
2001	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	LT	5100 Series (Steering Damper)	Front	33-174525				
2001	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2000	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 (continued)								
2000	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2000	Base	5100 Series (Steering Damper)	Front	33-174525				
2000	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2000	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2000	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2000	LS	5100 Series (Steering Damper)	Front	33-174525				
2000	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2000	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2000	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2000	LT	5100 Series (Steering Damper)	Front	33-174525				
2000	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
1999	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
1999	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
1999	Base	5100 Series (Steering Damper)	Front	33-174525				
1999	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
1999	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 (continued)								
1999	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
1999	LS	5100 Series (Steering Damper)	Front	33-174525				
1999	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
1999	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
1999	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
1999	LT	5100 Series (Steering Damper)	Front	33-174525				
1999	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
Chevrolet Silverado 2500 HD								
2013	LT	4600 Series	Front	24-196437		Rear	24-196444	
2013	LT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	LT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	LTZ	4600 Series	Front	24-196437		Rear	24-196444	
2013	LTZ	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	LTZ	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	WT	4600 Series	Front	24-196437		Rear	24-196444	
2013	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	LT	4600 Series	Front	24-196437		Rear	24-196444	
2012	LT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	LT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	LTZ	4600 Series	Front	24-196437		Rear	24-196444	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2012	LTZ	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	LTZ	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	WT	4600 Series	Front	24-196437		Rear	24-196444	
2012	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	LT	4600 Series	Front	24-196437		Rear	24-196444	
2011	LT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	LT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	LTZ	4600 Series	Front	24-196437		Rear	24-196444	
2011	LTZ	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	LTZ	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	WT	4600 Series	Front	24-196437		Rear	24-196444	
2011	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2010	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2010	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	LT	5100 Series (Steering Damper)	Front	33-174525				
2010	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2010	LTZ	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2010	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2010	LTZ	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2010	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2010	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	WT	5100 Series (Steering Damper)	Front	33-174525				
2010	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2009	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	LT	5100 Series (Steering Damper)	Front	33-174525				
2009	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	LTZ	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2009	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2009	LTZ	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2009	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	WT	5100 Series (Steering Damper)	Front	33-174525				
2009	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2008	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	LT	5100 Series (Steering Damper)	Front	33-174525				
2008	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	LTZ	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2008	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2008	LTZ	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2008	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	WT	5100 Series (Steering Damper)	Front	33-174525				
2008	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	Classic LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2007	Classic LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic LS	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	Classic LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	Classic LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic LT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	Classic WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	Classic WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic WT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LT	5100 Series (Steering Damper)	Front	33-174525				
2007	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	LTZ	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2007	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2007	LTZ	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	WT	5100 Series (Steering Damper)	Front	33-174525				
2007	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2006	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	LS	5100 Series (Steering Damper)	Front	33-174525				
2006	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2006	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	LT	5100 Series (Steering Damper)	Front	33-174525				
2006	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2006	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	WT	5100 Series (Steering Damper)	Front	33-174525				
2006	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2005	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	Base	5100 Series (Steering Damper)	Front	33-174525				
2005	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2005	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	LS	5100 Series (Steering Damper)	Front	33-174525				
2005	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2005	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	LT	5100 Series (Steering Damper)	Front	33-174525				
2005	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2004	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	Base	5100 Series (Steering Damper)	Front	33-174525				
2004	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2004	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	LS	5100 Series (Steering Damper)	Front	33-174525				
2004	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2004	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	LT	5100 Series (Steering Damper)	Front	33-174525				
2004	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2004	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	WT	5100 Series (Steering Damper)	Front	33-174525				
2004	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2003	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	Base	5100 Series (Steering Damper)	Front	33-174525				
2003	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2003	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	LS	5100 Series (Steering Damper)	Front	33-174525				
2003	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2003	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	LT	5100 Series (Steering Damper)	Front	33-174525				
2003	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2002	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	Base	5100 Series (Steering Damper)	Front	33-174525				
2002	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2002	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	LS	5100 Series (Steering Damper)	Front	33-174525				
2002	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2002	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	LT	5100 Series (Steering Damper)	Front	33-174525				
2002	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	Base	5100 Series (Steering Damper)	Front	33-174525				
2001	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	LS	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	LS	5100 Series (Steering Damper)	Front	33-174525				
2001	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	LT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD (continued)								
2001	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	LT	5100 Series (Steering Damper)	Front	33-174525				
2001	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
Chevrolet Silverado 3500								
2007	4WD; Classic LS	4600 Series	Front	24-060813		Rear	24-185677	
2007	4WD; Classic LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	4WD; Classic LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	4WD; Classic LT	4600 Series	Front	24-060813		Rear	24-185677	
2007	4WD; Classic LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	4WD; Classic LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	4WD; Classic WT	4600 Series	Front	24-060813		Rear	24-185677	
2007	4WD; Classic WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	4WD; Classic WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	Base	4600 Series				Rear	24-185677	With Independent Front Suspension
2007	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Base	5100 Series (Steering Damper)	Front	33-174525				
2007	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2007	Classic LS	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic LS; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2007	Classic LS; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic LS; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic LT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic LT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2007	Classic LT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic LT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic WT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic WT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2007	Classic WT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic WT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	4WD; LS	4600 Series	Front	24-060813		Rear	24-185677	
2006	4WD; LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	4WD; LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"			
2006	4WD; LT	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2006	4WD; LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	4WD; LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	4WD; WT	4600 Series	Front	24-060813		Rear	24-185677	
2006	4WD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	4WD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	Base	4600 Series				Rear	24-185677	With Independent Front Suspension
2006	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2006	Base	5100 Series (Steering Damper)	Front	33-174525				
2006	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	HD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2006	HD	5100 Series (Steering Damper)	Front	33-174525				
2006	HD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	LS	5100 Series (Steering Damper)	Front	33-174525				
2006	LS; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2006	LS; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2006	LS; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	LT	5100 Series (Steering Damper)	Front	33-174525				
2006	LT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2006	LT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2006	LT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; WT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2006	RWD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	WT	5100 Series (Steering Damper)	Front	33-174525				
2005	4WD; Base	4600 Series	Front	24-060813		Rear	24-185677	
2005	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	4WD; LS	4600 Series	Front	24-060813		Rear	24-185677	
2005	4WD; LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	4WD; LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	4WD; LT	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2005	4WD; LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	4WD; LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	Base	5100 Series (Steering Damper)	Front	33-174525				
2005	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2005	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2005	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2005	LS	5100 Series (Steering Damper)	Front	33-174525				
2005	LS; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2005	LS; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2005	LS; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2005	LT	5100 Series (Steering Damper)	Front	33-174525				
2005	LT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2005	LT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2005	LT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	4WD; Base	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2004	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	4WD; LS	4600 Series	Front	24-060813		Rear	24-185677	
2004	4WD; LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	4WD; LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	4WD; LT	4600 Series	Front	24-060813		Rear	24-185677	
2004	4WD; LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	4WD; LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	4WD; WT	4600 Series	Front	24-060813		Rear	24-185677	
2004	4WD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	4WD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	Base	5100 Series (Steering Damper)	Front	33-174525				
2004	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2004	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2004	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	LS	5100 Series (Steering Damper)	Front	33-174525				
2004	LS; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2004	LS; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2004	LS; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	LT	5100 Series (Steering Damper)	Front	33-174525				
2004	LT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2004	LT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2004	LT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	RWD; WT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2004	RWD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2004	RWD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	WT	5100 Series (Steering Damper)	Front	33-174525				
2003	4WD; Base	4600 Series	Front	24-060813		Rear	24-185677	
2003	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	4WD; LS	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2003	4WD; LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	4WD; LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	4WD; LT	4600 Series	Front	24-060813		Rear	24-185677	
2003	4WD; LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	4WD; LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	Base	5100 Series (Steering Damper)	Front	33-174525				
2003	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2003	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2003	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2003	LS	5100 Series (Steering Damper)	Front	33-174525				
2003	LS; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2003	LS; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2003	LS; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2003	LT	5100 Series (Steering Damper)	Front	33-174525				
2003	LT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2003	LT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2003	LT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2002	4WD; Base	4600 Series	Front	24-060813		Rear	24-185677	
2002	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	4WD; LS	4600 Series	Front	24-060813		Rear	24-185677	
2002	4WD; LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	4WD; LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	4WD; LT	4600 Series	Front	24-060813		Rear	24-185677	
2002	4WD; LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	4WD; LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	Base	5100 Series (Steering Damper)	Front	33-174525				
2002	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2002	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2002	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2002	LS	5100 Series (Steering Damper)	Front	33-174525				
2002	LS; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2002	LS; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2002	LS; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2002	LT	5100 Series (Steering Damper)	Front	33-174525				
2002	LT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2002	LT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2002	LT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2001	4WD; Base	4600 Series	Front	24-060813		Rear	24-185677	
2001	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	4WD; LS	4600 Series	Front	24-060813		Rear	24-185677	
2001	4WD; LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	4WD; LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	4WD; LT	4600 Series	Front	24-060813		Rear	24-185677	
2001	4WD; LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2001	4WD; LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	Base	5100 Series (Steering Damper)	Front	33-174525				
2001	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2001	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2001	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2001	LS	5100 Series (Steering Damper)	Front	33-174525				
2001	LS; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2001	LS; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2001	LS; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2001	LT	5100 Series (Steering Damper)	Front	33-174525				
2001	LT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2001	LT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2001	LT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
Chevrolet Silverado 3500 HD								
2013	LT	4600 Series	Front	24-196437		Rear	24-196444	
2013	LT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 HD (continued)								
2013	LT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	LTZ	4600 Series	Front	24-196437		Rear	24-196444	
2013	LTZ	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	LTZ	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	WT	4600 Series	Front	24-196437		Rear	24-196444	
2013	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	LT	4600 Series	Front	24-196437		Rear	24-196444	
2012	LT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	LT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	LTZ	4600 Series	Front	24-196437		Rear	24-196444	
2012	LTZ	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	LTZ	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	WT	4600 Series	Front	24-196437		Rear	24-196444	
2012	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	LT	4600 Series	Front	24-196437		Rear	24-196444	
2011	LT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	LT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	LTZ	4600 Series	Front	24-196437		Rear	24-196444	
2011	LTZ	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	LTZ	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	WT	4600 Series	Front	24-196437		Rear	24-196444	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 HD (continued)								
2011	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2010	LT	4600 Series	Front	24-060813		Rear	24-185677	
2010	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	LT	5100 Series (Steering Damper)	Front	33-174525				
2010	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2010	LTZ	4600 Series	Front	24-060813		Rear	24-185677	
2010	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2010	LTZ	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2010	WT	4600 Series	Front	24-060813		Rear	24-185677	
2010	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	WT	5100 Series (Steering Damper)	Front	33-174525				
2010	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	LT	4600 Series	Front	24-060813		Rear	24-185677	
2009	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	LT	5100 Series (Steering Damper)	Front	33-174525				
2009	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	LTZ	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 HD (continued)								
2009	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2009	LTZ	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	WT	4600 Series	Front	24-060813		Rear	24-185677	
2009	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	WT	5100 Series (Steering Damper)	Front	33-174525				
2009	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	LT	4600 Series	Front	24-060813		Rear	24-185677	
2008	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	LT	5100 Series (Steering Damper)	Front	33-174525				
2008	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	LTZ	4600 Series	Front	24-060813		Rear	24-185677	
2008	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2008	LTZ	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	WT	4600 Series	Front	24-060813		Rear	24-185677	
2008	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	WT	5100 Series (Steering Damper)	Front	33-174525				
2008	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Silverado 3500 HD (continued)								
2007	LT	4600 Series	Front	24-060813		Rear	24-185677	
2007	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LT	5100 Series (Steering Damper)	Front	33-174525				
2007	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	LTZ	4600 Series	Front	24-060813		Rear	24-185677	
2007	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2007	LTZ	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	WT	4600 Series	Front	24-060813		Rear	24-185677	
2007	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	WT	5100 Series (Steering Damper)	Front	33-174525				
2007	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
Chevrolet Suburban 1500								
2012	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2012	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2012	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2012	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2012	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2011	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2011	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2011	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2010	Base	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2010	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2010	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2010	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2009	Base	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2009	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2009	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2009	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2009	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2008	Base	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2008	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2008	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LTZ	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2008	LTZ	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LTZ	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2007	Base	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2007	LS	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2007	LT	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LTX	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2007	LTX	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LTX	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LTX	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Z71	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2007	Z71	5100 Series				Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Z71	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	Z71	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2006	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2006	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	Base	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2006	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2006	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2006	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2006	LTZ	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	LTZ	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	LTZ	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2006	LTZ	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	Z71	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2006	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2006	Z71	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2005	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2005	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2005	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2005	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	Z71	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2005	Z71	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2004	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2004	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2004	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2004	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2004	Z71	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Z71	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2003	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2003	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2003	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2002	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2002	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2002	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2002	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2002	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2001	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2001	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2001	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			Rear
						Rear	25-177893	
2001	Base	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2001	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2001	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			Rear
						Rear	25-177893	
2001	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2001	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2001	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2000	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2000	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	25-176407	Front Lifted Height: 0-2.5"	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	Base	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2000	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	LS	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2000	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2000	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2000	LT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
Chevrolet Suburban 2500								
2012	LS	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2012	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2012	LS	5100 Series (Steering Damper)	Front	33-174525				
2012	LS	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2012	LT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2012	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2012	LT	5100 Series (Steering Damper)	Front	33-174525				
2012	LT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2011	LS	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2011	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 2500 (continued)								
2011	LS	5100 Series (Steering Damper)	Front	33-174525				
2011	LS	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"			
2011	LT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2011	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2011	LT	5100 Series (Steering Damper)	Front	33-174525				
2011	LT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"			
2010	LS	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2010	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2010	LS	5100 Series (Steering Damper)	Front	33-174525				
2010	LS	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"			
2010	LT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2010	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2010	LT	5100 Series (Steering Damper)	Front	33-174525				
2010	LT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"			
2009	Base	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2009	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2009	Base	5100 Series (Steering Damper)	Front	33-174525				
2009	Base	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"			
2009	LS	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2009	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2009	LS	5100 Series (Steering Damper)	Front	33-174525				
2009	LS	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"			
2009	LT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2009	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2009	LT	5100 Series (Steering Damper)	Front	33-174525				
2009	LT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"			
2008	LS	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2008	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2008	LS	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 2500 (continued)								
2008	LS	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2008	LT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2008	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2008	LT	5100 Series (Steering Damper)	Front	33-174525				
2008	LT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2007	LS	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2007	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2007	LS	5100 Series (Steering Damper)	Front	33-174525				
2007	LS	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2007	LT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2007	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2007	LT	5100 Series (Steering Damper)	Front	33-174525				
2007	LT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2007	LTZ	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2007	LTZ	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2007	LTZ	5100 Series (Steering Damper)	Front	33-174525				
2007	LTZ	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2006	LS	4600 Series	Front	24-060813		Rear	24-185677	
2006	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2006	LS	5100 Series (Steering Damper)	Front	33-174525				
2006	LS	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2006	LT	4600 Series	Front	24-060813		Rear	24-185677	
2006	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2006	LT	5100 Series (Steering Damper)	Front	33-174525				
2006	LT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2005	LS	4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-185677	Excludes QuadraSteer
2005	LS	5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2005	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 2500 (continued)								
2005	LS	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2005	LT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2005	LT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2005	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2005	LT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2004	LS	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2004	LS	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2004	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	LS	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2004	LT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2004	LT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2004	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	LT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2003	LS	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2003	LS	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2003	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	LS	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2003	LT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2003	LT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2003	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	LT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2002	LS	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2002	LS	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2002	LS	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	LS	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2002	LT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2002	LT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Suburban 2500 (continued)								
2002	LT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	LT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2001	Base	4600 Series	Front	24-060813		Rear	24-185677	
2001	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2001	Base	5100 Series (Steering Damper)	Front	33-174525				
2001	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2001	LS	4600 Series	Front	24-060813		Rear	24-185677	
2001	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2001	LS	5100 Series (Steering Damper)	Front	33-174525				
2001	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2001	LT	4600 Series	Front	24-060813		Rear	24-185677	
2001	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2001	LT	5100 Series (Steering Damper)	Front	33-174525				
2001	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2000	Base	4600 Series	Front	24-060813		Rear	24-185677	
2000	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2000	Base	5100 Series (Steering Damper)	Front	33-174525				
2000	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2000	LS	4600 Series	Front	24-060813		Rear	24-185677	
2000	LS	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2000	LS	5100 Series (Steering Damper)	Front	33-174525				
2000	LS	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2000	LT	4600 Series	Front	24-060813		Rear	24-185677	
2000	LT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2000	LT	5100 Series (Steering Damper)	Front	33-174525				
2000	LT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
Chevrolet Tahoe								
2012	Hybrid	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012	Hybrid	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2012	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	Hybrid	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LS	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012	LS	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	LS	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LT	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012	LT	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	LT	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LTZ	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012	LTZ	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	LTZ	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	Hybrid	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2011	Hybrid	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2011	Hybrid	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LS	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2011	LS	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LS	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LT	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2011	LT	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LT	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LTZ	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2011	LTZ	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	LTZ	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Base	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010	Base	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	Base	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Hybrid	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2010	Hybrid	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	Hybrid	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LS	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010	LS	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LS	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LT	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010	LT	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LT	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LTZ	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010	LTZ	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	LTZ	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Base	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	Base	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2009	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	Base	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Hybrid	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	Hybrid	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	Hybrid	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LS	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	LS	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	LS	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LT	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	LT	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	LT	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LTZ	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	LTZ	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2009	LTZ	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Z71	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	Z71	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Z71	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	Z71	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Base	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	Base	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	Base	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Hybrid	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	Hybrid	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	Hybrid	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LS	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	LS	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LS	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LT	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2008	LT	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LT	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LTZ	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	LTZ	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	LTZ	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Z71	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	Z71	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Z71	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	Z71	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Base	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2007	Base	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	Base	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LS	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2007	LS	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2007	LS	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LS	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LT	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2007	LT	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LT	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LTZ	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2007	LTZ	5100 Series				Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	LTZ	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	LTZ	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2006	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2006	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2006	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2006	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2006	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2006	LS	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2006	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2006	LT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	Z71	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2006	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
								Rear
2006	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
								Rear
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	Z71	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2005	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
								Rear



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2005	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2005	LS	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2005	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2005	LT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	Z71	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2005	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	Z71	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2004	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	LS	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2004	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2004	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2004	LT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	Z71	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2004	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2004	Z71	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2003	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket			
2003	LS	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2003	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	LT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	Z71	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2003	Z71	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2003	Z71	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2003	Z71	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2002	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2002	LS	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2002	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2002	LT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2001	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2001	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2001	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2001	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2001	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2001	LS	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2001	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2001	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2001	LT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	4WD; Z71; w/ Leaf Rear Springs; w/ Torsion Front Springs	4600 Series	Front	24-104050		Rear	24-021791	
2000	4WD; Z71; w/ Leaf Rear Springs; w/ Torsion Front Springs	4600 Series (Comfort)	Front	24-024129		Rear	24-024136	
2000	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket			
2000	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2000	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			Rear
2000	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			Rear
						Rear	25-177893	
2000	LS	B3 (OEM Replacement Springs)						Rear
2000	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			Rear



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2000	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket			
2000	LT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	Limited	4600 Series	Front	24-026703	Old Body Style GMT400	Rear	24-026727	Old Body Style GMT400; Will not replace electronic dampers
1999	2 Dr.; 4WD; LS; Sport Utility	4600 Series				Rear	24-025027	
1999	2 Dr.; 4WD; LT; Sport Utility	4600 Series				Rear	24-025027	
1999	2 Dr.; LS; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999	2 Dr.; LS; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999	2 Dr.; LT; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999	2 Dr.; LT; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999	4 Dr.; 4WD; LS; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1999	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1999	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1999	4 Dr.; 4WD; LT; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1999	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1999	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1999	4 Dr.; LS; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
1999	4 Dr.; LS; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	4 Dr.; LT; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
1999	4 Dr.; LT; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	4WD; Base	4600 Series				Rear	24-025027	
1999	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1999	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1999	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1999	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1999	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1999	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1999	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1999	Base; RWD; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999	LS	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1999	LT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1998	2 Dr.; 4WD; LS; Sport Utility	4600 Series				Rear	24-025027	
1998	2 Dr.; 4WD; LT; Sport Utility	4600 Series				Rear	24-025027	
1998	2 Dr.; LS; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1998	2 Dr.; LS; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1998	2 Dr.; LT; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1998	2 Dr.; LT; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1998	4 Dr.; 4WD; LS; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1998	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1998	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1998	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1998	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1998	4 Dr.; 4WD; LT; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1998	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1998	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1998	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1998	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1998	4 Dr.; LS; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not rreplace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1998	4 Dr.; LS; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	4 Dr.; LT; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1998	4 Dr.; LT; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	4WD; Base	4600 Series				Rear	24-025027	
1998	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1998	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1998	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1998	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1998	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1998	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1998	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1998	Base; RWD; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1998	LS	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1998	LT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1997	2 Dr.; 4WD; LS; Sport Utility	4600 Series				Rear	24-025027	
1997	2 Dr.; 4WD; LT; Sport Utility	4600 Series				Rear	24-025027	
1997	2 Dr.; LS; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997	2 Dr.; LS; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997	2 Dr.; LT; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1997	2 Dr.; LT; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997	4 Dr.; 4WD; LS; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1997	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1997	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1997	4 Dr.; 4WD; LT; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1997	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1997	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1997	4 Dr.; LS; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1997	4 Dr.; LS; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	4 Dr.; LT; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1997	4 Dr.; LT; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	4WD; Base	4600 Series				Rear	24-025027	
1997	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1997	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1997	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1997	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1997	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1997	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1997	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1997	Base; RWD; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997	LS	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1997	LT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1996	2 Dr.; 4WD; Base; Sport Utility	4600 Series				Rear	24-025027	
1996	2 Dr.; 4WD; LS; Sport Utility	4600 Series				Rear	24-025027	
1996	2 Dr.; 4WD; LT; Sport Utility	4600 Series				Rear	24-025027	
1996	2 Dr.; Base; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	2 Dr.; Base; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	2 Dr.; LS; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	2 Dr.; LS; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	2 Dr.; LT; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	2 Dr.; LT; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	4 Dr.; 4WD; Base; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1996	4 Dr.; 4WD; Base; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1996	4 Dr.; 4WD; Base; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1996	4 Dr.; 4WD; Base; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; Base; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1996	4 Dr.; 4WD; LS; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1996	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1996	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1996	4 Dr.; 4WD; LT; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1996	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1996	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1996	4 Dr.; Base; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1996	4 Dr.; Base; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1996	4 Dr.; LS; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1996	4 Dr.; LS; RWD; Sport Utility; w/ Coil Front Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1996	4 Dr.; LT; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1996	4 Dr.; LT; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1996	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1996	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1996	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1996	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1996	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1996	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1996	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1996	LS	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1996	LT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1995	2 Dr.; 4WD; Base; Sport Utility	4600 Series				Rear	24-025027	
1995	2 Dr.; 4WD; LS; Sport Utility	4600 Series				Rear	24-025027	
1995	2 Dr.; 4WD; LT; Sport Utility	4600 Series				Rear	24-025027	
1995	4 Dr.; 4WD; Base; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1995	4 Dr.; 4WD; Base; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; Base; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1995	4 Dr.; 4WD; Base; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; Base; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1995	4 Dr.; 4WD; LS; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1995	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1995	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1995	4 Dr.; 4WD; LT; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1995	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1995	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1995	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1995	4 Dr.; Base; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
1995	4 Dr.; Base; RWD; Sport Utility	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1995	4 Dr.; LS; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
1995	4 Dr.; LS; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1995	4 Dr.; LT; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
1995	4 Dr.; LT; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1995	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1995	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1995	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1995	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1995	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1995	4WD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1995	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1995	LS	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1995	LT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
Chevrolet Trailblazer								
2009	LT	4600 Series	Front	24-103336		Rear	24-103350	
2008	Base	4600 Series	Front	24-103336		Rear	24-103350	
2008	LT	4600 Series	Front	24-103336		Rear	24-103350	
2007	LS	4600 Series	Front	24-103336		Rear	24-103350	
2007	LT	4600 Series	Front	24-103336		Rear	24-103350	
2006	EXT LS	4600 Series	Front	24-103336		Rear	24-103350	
2006	EXT LT	4600 Series	Front	24-103336		Rear	24-103350	
2006	LS	4600 Series	Front	24-103336		Rear	24-103350	
2006	LT	4600 Series	Front	24-103336		Rear	24-103350	
2005	EXT LS	4600 Series	Front	24-103336		Rear	24-103350	
2005	EXT LT	4600 Series	Front	24-103336		Rear	24-103350	
2005	LS	4600 Series	Front	24-103336		Rear	24-103350	
2005	LT	4600 Series	Front	24-103336		Rear	24-103350	
2004	EXT LS	4600 Series	Front	24-103336		Rear	24-103350	
2004	EXT LT	4600 Series	Front	24-103336		Rear	24-103350	
2004	EXT North Face	4600 Series	Front	24-103336		Rear	24-103350	
2004	LS	4600 Series	Front	24-103336		Rear	24-103350	
2004	LT	4600 Series	Front	24-103336		Rear	24-103350	
2004	North Face	4600 Series	Front	24-103336		Rear	24-103350	
2003	EXT LT	4600 Series	Front	24-103336		Rear	24-103350	
2003	EXT North Face	4600 Series	Front	24-103336		Rear	24-103350	
2003	LS	4600 Series	Front	24-103336		Rear	24-103350	
2003	LT	4600 Series	Front	24-103336		Rear	24-103350	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet Trailblazer (continued)								
2003	LTZ	4600 Series	Front	24-103336		Rear	24-103350	
2003	North Face	4600 Series	Front	24-103336		Rear	24-103350	
2002	EXT LT	4600 Series	Front	24-103336		Rear	24-103350	
2002	EXT North Face	4600 Series	Front	24-103336		Rear	24-103350	
2002	LS	4600 Series	Front	24-103336		Rear	24-103350	
2002	LT	4600 Series	Front	24-103336		Rear	24-103350	
2002	LTZ	4600 Series	Front	24-103336		Rear	24-103350	
2002	North Face	4600 Series	Front	24-103336		Rear	24-103350	
Chevrolet V10								
1987	Custom Deluxe	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269				
1987	Scottsdale	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Scottsdale	4600 Series (Auxiliary)	Front	24-010269				
1987	Silverado	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Silverado	4600 Series (Auxiliary)	Front	24-010269				
Chevrolet V10 Suburban								
1988	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1988	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet V10 Suburban (continued)								
1987	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
Chevrolet V1500 Suburban								
1991	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1991	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1990	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1990	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1990	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1990	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1989	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet V1500 Suburban (continued)								
1989	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1989	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1989	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
Chevrolet V20								
1987	Custom Deluxe	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269				
1987	Scottsdale	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Scottsdale	4600 Series (Auxiliary)	Front	24-010269				
1987	Silverado	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Silverado	4600 Series (Auxiliary)	Front	24-010269				
Chevrolet V20 Suburban								
1988	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1988	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Custom Deluxe	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Custom Deluxe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Custom Deluxe	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet V20 Suburban (continued)								
1987	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
Chevrolet V2500 Suburban								
1991	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1991	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1990	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1990	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1990	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1990	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Scottsdale	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1989	Scottsdale	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chevrolet V2500 Suburban (continued)								
1989	Scottsdale	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Silverado	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1989	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1989	Silverado	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
Chevrolet V30								
1988	4 Dr.; Cheyenne; Crew Cab Pickup	4600 Series				Rear	AK2043	
1988	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	AK2043	
1988	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	AK2043	
1988	Cheyenne; Crew Cab Pickup	4600 Series	Front	AK2042				
1988	Crew Cab Pickup; Scottsdale	4600 Series	Front	AK2042				
1988	Crew Cab Pickup; Silverado	4600 Series	Front	AK2042				
1987	4 Dr.; Crew Cab Pickup; Custom Deluxe	4600 Series				Rear	AK2043	
1987	4 Dr.; Crew Cab Pickup; Scottsdale	4600 Series				Rear	AK2043	
1987	4 Dr.; Crew Cab Pickup; Silverado	4600 Series				Rear	AK2043	
1987	Crew Cab Pickup; Custom Deluxe	4600 Series	Front	AK2042				
1987	Crew Cab Pickup; Scottsdale	4600 Series	Front	AK2042				
1987	Crew Cab Pickup; Silverado	4600 Series	Front	AK2042				
Chevrolet V3500								
1991	Cheyenne	4600 Series	Front	AK2042		Rear	AK2043	
1991	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1990	Cheyenne	4600 Series	Front	AK2042		Rear	AK2043	
1990	Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	
1990	Silverado	4600 Series	Front	AK2042		Rear	AK2043	
1989	Cheyenne; Crew Cab Pickup	4600 Series	Front	AK2042		Rear	AK2043	
1989	Crew Cab Pickup; Scottsdale	4600 Series	Front	AK2042		Rear	AK2043	
1989	Crew Cab Pickup; Silverado	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Chrysler Aspen								
2009	Limited	4600 Series	Front	24-139106		Rear	24-139113	
2009	Limited Hybrid	4600 Series	Front	24-139106				
2008	Limited	4600 Series	Front	24-139106		Rear	24-139113	
2007	Limited	4600 Series	Front	24-139106		Rear	24-139113	
Dodge B100								
1980	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1979	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1978	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1977	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1976	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1975	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
Dodge B100 Van								
1974	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1974	Sportsman	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1973	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1973	Sportsman	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1972	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1972	Sportsman	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1971	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1971	Sportsman	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
Dodge B150								
1994	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1993	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1992	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1991	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1990	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1989	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1988	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1987	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1986	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1985	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1984	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1983	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1982	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1981	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
Dodge B1500								
1998	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge B1500 (continued)								
1997	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1996	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
1995	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
Dodge B200								
1980	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1979	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1978	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1977	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1976	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1975	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B200 Van								
1974	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1974	Maxi	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1974	Maxi Wagon	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1974	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1973	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1973	Maxi	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1973	Maxi Wagon	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1973	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1972	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1972	Maxi	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1972	Maxi Wagon	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge B200 Van (continued)								
1972	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1971	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1971	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B250								
1994	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1993	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1992	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1991	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1990	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1989	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1988	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1987	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1986	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1985	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1984	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1983	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge B250 (continued)								
1982	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1981	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B2500								
1998	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1997	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1996	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1995	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B300								
1980	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1979	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1978	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1977	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1976	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1975	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B300 Van								
1974	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1974	Maxi	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1974	Maxi Wagon	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1974	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge B300 Van (continued)								
1973	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1973	Maxi	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1973	Maxi Wagon	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1973	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1972	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1972	Maxi	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1972	Maxi Wagon	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1972	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1971	Base	4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1971	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B350								
1994	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1993	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1992	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1991	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1990	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1989	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1988	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1987	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1986	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge B350 (continued)								
1985	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1984	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1983	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1982	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1981	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B3500								
1998	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1997	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1996	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
1995	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge D100								
1989	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
1988	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
1987	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
1986	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
1979	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
1978	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
1977	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
1976	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
1975	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
Dodge D150								
1993	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1992	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1991	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge D150 (continued)								
1991	S	4600 Series	Front	24-184632	GVW to 8300 lbs			
1990	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1990	S	4600 Series	Front	24-184632	GVW to 8300 lbs			
1989	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1988	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1987	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1986	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1985	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1984	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1983	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1983	Miser	4600 Series	Front	24-184632	GVW to 8300 lbs			
1982	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1982	Miser	4600 Series	Front	24-184632	GVW to 8300 lbs			
1981	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1980	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1979	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1978	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
1977	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
Dodge D200								
1980	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1979	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1978	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1977	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1976	Custom	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1975	Custom	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge D250								
1993	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1992	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge D250 (continued)								
1991	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1990	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1989	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1988	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1987	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1986	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1985	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1984	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1983	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1982	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
1981	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge D300								
1980	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1979	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1978	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1977	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1976	Custom	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1975	Custom	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
Dodge D300 Pickup								
1974	Base	4600 Series				Rear	24-185158	GVW over 9000lbs
1973	Base	4600 Series				Rear	24-185158	GVW over 9000lbs
1972	Base	4600 Series				Rear	24-185158	GVW over 9000lbs
Dodge D350								
1993	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1992	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1991	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge D350 (continued)								
1990	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1989	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1988	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1987	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1986	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1985	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1984	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1983	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1982	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
1981	Base	4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
Dodge D50								
1982	4WD; Custom	4600 Series				Rear	24-002585	
1982	4WD; Sport	4600 Series				Rear	24-002585	
1982	Custom	AK Series	Front	F4-BE3-E249-M0				
1982	Custom	B6 (HD)	Front	24-009492				
1982	Custom; RWD	4600 Series				Rear	24-188203	
1982	RWD; Sport	4600 Series				Rear	24-188203	
1982	Royal	4600 Series				Rear	24-188203	
1982	Royal	AK Series	Front	F4-BE3-E249-M0				
1982	Royal	B6 (HD)	Front	24-009492				
1982	Sport	AK Series	Front	F4-BE3-E249-M0				
1982	Sport	B6 (HD)	Front	24-009492				
1981	Custom	4600 Series				Rear	24-188203	
1981	Custom	AK Series	Front	F4-BE3-E249-M0				
1981	Custom	B6 (HD)	Front	24-009492				
1981	Royal	4600 Series				Rear	24-188203	
1981	Royal	AK Series	Front	F4-BE3-E249-M0				
1981	Royal	B6 (HD)	Front	24-009492				
1981	Sport	4600 Series				Rear	24-188203	
1981	Sport	AK Series	Front	F4-BE3-E249-M0				
1981	Sport	B6 (HD)	Front	24-009492				
1980	Base	4600 Series				Rear	24-188203	
1980	Base	AK Series	Front	F4-BE3-E249-M0				
1980	Base	B6 (HD)	Front	24-009492				
1980	Sport	4600 Series				Rear	24-188203	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge D50 (continued)								
1980	Sport	AK Series	Front	F4-BE3-E249-M0				
1980	Sport	B6 (HD)	Front	24-009492				
1979	Base	4600 Series				Rear	24-188203	
1979	Base	AK Series	Front	F4-BE3-E249-M0				
1979	Base	B6 (HD)	Front	24-009492				
1979	Sport	4600 Series				Rear	24-188203	
1979	Sport	AK Series	Front	F4-BE3-E249-M0				
1979	Sport	B6 (HD)	Front	24-009492				
Dodge Dakota								
2004	4WD; Base	4600 Series				Rear	24-185240	
2004	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2004	4WD; Crew Cab Pickup; SLT	4600 Series				Rear	33-185859	
2004	4WD; Crew Cab Pickup; SLT Plus	4600 Series				Rear	33-185859	
2004	4WD; Crew Cab Pickup; Sport	4600 Series				Rear	33-185859	
2004	4WD; Crew Cab Pickup; Sport Plus	4600 Series				Rear	33-185859	
2004	4WD; Extended Cab Pickup; SLT	4600 Series				Rear	24-185240	
2004	4WD; Extended Cab Pickup; SLT Plus	4600 Series				Rear	24-185240	
2004	4WD; Extended Cab Pickup; Sport	4600 Series				Rear	24-185240	
2004	4WD; Extended Cab Pickup; Sport Plus	4600 Series				Rear	24-185240	
2004	4WD; SLT Plus; Standard Cab Pickup	4600 Series				Rear	24-185240	
2004	4WD; SLT Plus; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2004	4WD; SLT; Standard Cab Pickup	4600 Series				Rear	24-185240	
2004	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2004	4WD; SXT	4600 Series				Rear	24-185240	
2004	4WD; SXT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2004	4WD; Sport Plus; Standard Cab Pickup	4600 Series				Rear	24-185240	
2004	4WD; Sport Plus; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2004	4WD; Sport; Standard Cab Pickup	4600 Series				Rear	24-185240	
2004	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Dakota (continued)								
2004	4WD; Stampede	4600 Series				Rear	24-185240	
2004	4WD; Stampede; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2004	Base; RWD	4600 Series						
2004	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2004	Crew Cab Pickup; RWD; SLT	4600 Series						
2004	Crew Cab Pickup; RWD; SLT Plus	4600 Series				Rear	24-107013	
2004	Crew Cab Pickup; RWD; Sport	4600 Series				Rear	24-107013	
2004	Crew Cab Pickup; RWD; Sport Plus	4600 Series				Rear	24-107013	
2004	Extended Cab Pickup; RWD; SLT	4600 Series				Rear	24-065382	
2004	Extended Cab Pickup; RWD; SLT Plus	4600 Series				Rear	24-065382	
2004	Extended Cab Pickup; RWD; Sport	4600 Series				Rear	24-065382	
2004	Extended Cab Pickup; RWD; Sport Plus	4600 Series				Rear	24-065382	
2004	RWD; SLT Plus; Standard Cab Pickup	4600 Series				Rear	24-065382	
2004	RWD; SLT Plus; w/ Coil Front Springs	4600 Series	Front	24-064606				
2004	RWD; SLT; Standard Cab Pickup	4600 Series						
2004	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2004	RWD; SXT	4600 Series						
2004	RWD; SXT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2004	RWD; Sport Plus; Standard Cab Pickup	4600 Series						
2004	RWD; Sport Plus; w/ Coil Front Springs	4600 Series	Front	24-064606				
2004	RWD; Sport; Standard Cab Pickup	4600 Series						
2004	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
2004	RWD; Stampede	4600 Series						
2004	RWD; Stampede; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003	4WD; Base	4600 Series						
2003	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003	4WD; Crew Cab Pickup; SLT	4600 Series						
2003	4WD; Crew Cab Pickup; Sport	4600 Series				Rear	33-185859	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Dakota (continued)								
2003	4WD; Extended Cab Pickup; SLT	4600 Series				Rear	24-185240	
2003	4WD; Extended Cab Pickup; Sport	4600 Series				Rear	24-185240	
2003	4WD; SLT; Standard Cab Pickup	4600 Series				Rear	24-185240	
2003	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003	4WD; Sport; Standard Cab Pickup	4600 Series				Rear	24-185240	
2003	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003	Base; RWD	4600 Series				Rear	24-065382	
2003	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003	Crew Cab Pickup; RWD; SLT	4600 Series				Rear	24-107013	
2003	Crew Cab Pickup; RWD; Sport	4600 Series				Rear	24-107013	
2003	Extended Cab Pickup; RWD; SLT	4600 Series				Rear	24-065382	
2003	Extended Cab Pickup; RWD; Sport	4600 Series				Rear	24-065382	
2003	R/T	4600 Series				Rear	24-065382	
2003	R/T; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003	RWD; SLT; Standard Cab Pickup	4600 Series				Rear	24-065382	
2003	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003	RWD; Sport; Standard Cab Pickup	4600 Series				Rear	24-065382	
2003	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
2002	4WD; Base	4600 Series				Rear	24-185240	
2002	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2002	4WD; Crew Cab Pickup; SLT	4600 Series				Rear	33-185859	
2002	4WD; Crew Cab Pickup; Sport	4600 Series				Rear	33-185859	
2002	4WD; Extended Cab Pickup; SLT	4600 Series				Rear	24-185240	
2002	4WD; Extended Cab Pickup; Sport	4600 Series				Rear	24-185240	
2002	4WD; SLT; Standard Cab Pickup	4600 Series				Rear	24-185240	
2002	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2002	4WD; SXT	4600 Series				Rear	24-185240	
2002	4WD; SXT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Dakota (continued)								
2002	4WD; Sport; Standard Cab Pickup	4600 Series				Rear	24-185240	
2002	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series				Front	24-185233	
2002	Base; RWD	4600 Series				Rear	24-065382	
2002	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2002	Crew Cab Pickup; RWD; SLT	4600 Series						
2002	Crew Cab Pickup; RWD; Sport	4600 Series				Rear	24-107013	
2002	Extended Cab Pickup; RWD; SLT	4600 Series				Rear	24-065382	
2002	Extended Cab Pickup; RWD; Sport	4600 Series				Rear	24-065382	
2002	RWD; SLT; Standard Cab Pickup	4600 Series				Rear	24-065382	
2002	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2002	RWD; SXT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2002	RWD; Sport; Standard Cab Pickup	4600 Series				Rear	24-065382	
2002	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
2001	4WD; Base	4600 Series						
2001	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2001	4WD; Crew Cab Pickup; SLT	4600 Series						
2001	4WD; Crew Cab Pickup; Sport	4600 Series				Rear	33-185859	
2001	4WD; Extended Cab Pickup; SLT	4600 Series				Rear	24-185240	
2001	4WD; Extended Cab Pickup; Sport	4600 Series				Rear	24-185240	
2001	4WD; SLT; Standard Cab Pickup	4600 Series				Rear	24-185240	
2001	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2001	4WD; Sport; Standard Cab Pickup	4600 Series						
2001	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2001	Base; RWD	4600 Series						
2001	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2001	Crew Cab Pickup; RWD; SLT	4600 Series						
2001	Crew Cab Pickup; RWD; Sport	4600 Series				Rear	24-107013	
2001	Extended Cab Pickup; RWD; SLT	4600 Series				Rear	24-065382	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Dakota (continued)								
2001	Extended Cab Pickup; RWD; Sport	4600 Series				Rear	24-065382	
2001	R/T	4600 Series				Rear	24-065382	
2001	R/T; w/ Coil Front Springs	4600 Series	Front	24-064606				
2001	RWD; SLT; Standard Cab Pickup	4600 Series				Rear	24-065382	
2001	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2001	RWD; Sport; Standard Cab Pickup	4600 Series				Rear	24-065382	
2001	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
2000	4WD; Base	4600 Series				Rear	24-185240	
2000	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	4WD; Crew Cab Pickup; SLT	4600 Series				Rear	33-185859	
2000	4WD; Crew Cab Pickup; Sport	4600 Series				Rear	33-185859	
2000	4WD; Extended Cab Pickup; SLT	4600 Series				Rear	24-185240	
2000	4WD; Extended Cab Pickup; Sport	4600 Series				Rear	24-185240	
2000	4WD; SLT; Standard Cab Pickup	4600 Series				Rear	24-185240	
2000	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	4WD; Sport; Standard Cab Pickup	4600 Series				Rear	24-185240	
2000	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2000	Crew Cab Pickup; RWD; SLT	4600 Series				Rear	24-107013	
2000	Crew Cab Pickup; RWD; Sport	4600 Series				Rear	24-107013	
2000	Extended Cab Pickup; RWD; SLT	4600 Series				Rear	24-065382	
2000	Extended Cab Pickup; RWD; Sport	4600 Series				Rear	24-065382	
2000	R/T; w/ Coil Front Springs	4600 Series	Front	24-064606				
2000	RWD; SLT; Standard Cab Pickup	4600 Series				Rear	24-065382	
2000	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2000	RWD; Sport; Standard Cab Pickup	4600 Series				Rear	24-065382	
2000	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
1999	4WD; Base	4600 Series				Rear	24-185240	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Dakota (continued)								
1999	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1999	4WD; SLT	4600 Series				Rear	24-185240	
1999	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1999	4WD; Sport	4600 Series				Rear	24-185240	
1999	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1999	Base; RWD	4600 Series				Rear	24-065382	
1999	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
1999	R/T; w/ Coil Front Springs	4600 Series	Front	24-064606				
1999	RWD; SLT	4600 Series				Rear	24-065382	
1999	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
1999	RWD; Sport	4600 Series				Rear	24-065382	
1999	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
1998	4WD; Base	4600 Series				Rear	24-185240	
1998	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1998	4WD; SLT	4600 Series				Rear	24-185240	
1998	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1998	4WD; Sport	4600 Series				Rear	24-185240	
1998	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1998	Base; RWD	4600 Series				Rear	24-065382	
1998	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
1998	R/T; w/ Coil Front Springs	4600 Series	Front	24-064606				
1998	RWD; SLT	4600 Series				Rear	24-065382	
1998	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
1998	RWD; Sport	4600 Series				Rear	24-065382	
1998	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
1997	4WD; Base	4600 Series				Rear	24-185240	
1997	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1997	4WD; SLT	4600 Series				Rear	24-185240	
1997	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1997	4WD; Sport	4600 Series				Rear	24-185240	
1997	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1997	Base; RWD	4600 Series				Rear	24-065382	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Dakota (continued)								
1997	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
1997	RWD; SLT	4600 Series				Rear	24-065382	
1997	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
1997	RWD; Sport	4600 Series				Rear	24-065382	
1997	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
1996	Base	4600 Series				Rear	24-021753	Quad cab not included
1996	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1996	RWD; SLT	4600 Series	Front	24-184557	Non quad cab			
1996	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1996	RWD; WS	4600 Series	Front	24-184557	Non quad cab			
1996	SLT	4600 Series				Rear	24-021753	Quad cab not included
1996	Sport	4600 Series				Rear	24-021753	Quad cab not included
1996	WS	4600 Series				Rear	24-021753	Quad cab not included
1995	Base	4600 Series				Rear	24-021753	Quad cab not included
1995	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1995	RWD; SLT	4600 Series	Front	24-184557	Non quad cab			
1995	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1995	RWD; WS	4600 Series	Front	24-184557	Non quad cab			
1995	SLT	4600 Series				Rear	24-021753	Quad cab not included
1995	Sport	4600 Series				Rear	24-021753	Quad cab not included
1995	WS	4600 Series				Rear	24-021753	Quad cab not included
1994	Base	4600 Series				Rear	24-021753	Quad cab not included
1994	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1994	RWD; SLT	4600 Series	Front	24-184557	Non quad cab			
1994	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1994	RWD; WS	4600 Series	Front	24-184557	Non quad cab			
1994	SLT	4600 Series				Rear	24-021753	Quad cab not included
1994	Sport	4600 Series				Rear	24-021753	Quad cab not included
1994	WS	4600 Series				Rear	24-021753	Quad cab not included
1993	Base	4600 Series				Rear	24-021753	Quad cab not included
1993	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1993	LE	4600 Series				Rear	24-021753	Quad cab not included
1993	LE; RWD	4600 Series	Front	24-184557	Non quad cab			
1993	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1993	S	4600 Series	Front	24-184557	Non quad cab	Rear	24-021753	Quad cab not included
1993	Sport	4600 Series				Rear	24-021753	Quad cab not included
1992	Base	4600 Series				Rear	24-021753	Quad cab not included



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Dakota (continued)								
1992	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1992	LE	4600 Series				Rear	24-021753	Quad cab not included
1992	LE; RWD	4600 Series	Front	24-184557	Non quad cab			
1992	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1992	S	4600 Series	Front	24-184557	Non quad cab	Rear	24-021753	Quad cab not included
1992	Sport	4600 Series				Rear	24-021753	Quad cab not included
1991	Base	4600 Series				Rear	24-021753	Quad cab not included
1991	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1991	LE	4600 Series				Rear	24-021753	Quad cab not included
1991	LE; RWD	4600 Series	Front	24-184557	Non quad cab			
1991	RWD; SE	4600 Series	Front	24-184557	Non quad cab			
1991	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1991	S	4600 Series	Front	24-184557	Non quad cab	Rear	24-021753	Quad cab not included
1991	SE	4600 Series				Rear	24-021753	Quad cab not included
1991	Sport	4600 Series				Rear	24-021753	Quad cab not included
1990	Base	4600 Series				Rear	24-021753	Quad cab not included
1990	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1990	LE	4600 Series				Rear	24-021753	Quad cab not included
1990	LE; RWD	4600 Series	Front	24-184557	Non quad cab			
1990	RWD; SE	4600 Series	Front	24-184557	Non quad cab			
1990	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1990	S	4600 Series	Front	24-184557	Non quad cab	Rear	24-021753	Quad cab not included
1990	SE	4600 Series				Rear	24-021753	Quad cab not included
1990	Sport	4600 Series				Rear	24-021753	Quad cab not included
1989	Base	4600 Series				Rear	24-021753	Quad cab not included
1989	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1989	LE	4600 Series				Rear	24-021753	Quad cab not included
1989	LE; RWD	4600 Series	Front	24-184557	Non quad cab			
1989	RWD; SE	4600 Series	Front	24-184557	Non quad cab			
1989	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1989	SE	4600 Series				Rear	24-021753	Quad cab not included
1989	Shelby	4600 Series	Front	24-184557	Non quad cab	Rear	24-021753	Quad cab not included
1989	Sport	4600 Series				Rear	24-021753	Quad cab not included
1988	Base	4600 Series				Rear	24-021753	Quad cab not included
1988	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1988	LE	4600 Series				Rear	24-021753	Quad cab not included
1988	LE; RWD	4600 Series	Front	24-184557	Non quad cab			
1988	RWD; SE	4600 Series	Front	24-184557	Non quad cab			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Dakota (continued)								
1988	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1988	SE	4600 Series				Rear	24-021753	Quad cab not included
1988	Sport	4600 Series				Rear	24-021753	Quad cab not included
1987	Base	4600 Series				Rear	24-021753	Quad cab not included
1987	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1987	LE	4600 Series				Rear	24-021753	Quad cab not included
1987	LE; RWD	4600 Series	Front	24-184557	Non quad cab			
1987	RWD; SE	4600 Series	Front	24-184557	Non quad cab			
1987	SE	4600 Series				Rear	24-021753	Quad cab not included
Dodge Durango								
2009	Adventurer	4600 Series	Front	24-139106				
2009	Limited Hybrid	4600 Series	Front	24-139106				
2009	SXT	4600 Series	Front	24-139106				
2008	Adventurer	4600 Series	Front	24-139106		Rear	24-139113	
2008	Limited	4600 Series	Front	24-139106		Rear	24-139113	
2008	SLT	4600 Series	Front	24-139106		Rear	24-139113	
2008	SXT	4600 Series	Front	24-139106		Rear	24-139113	
2007	Adventurer	4600 Series	Front	24-139106		Rear	24-139113	
2007	Limited	4600 Series	Front	24-139106		Rear	24-139113	
2007	SLT	4600 Series	Front	24-139106		Rear	24-139113	
2007	SXT	4600 Series	Front	24-139106		Rear	24-139113	
2006	Adventurer	4600 Series	Front	24-139106		Rear	24-139113	
2006	Limited	4600 Series	Front	24-139106		Rear	24-139113	
2006	SLT	4600 Series	Front	24-139106		Rear	24-139113	
2006	SXT	4600 Series	Front	24-139106		Rear	24-139113	
2005	Limited	4600 Series	Front	24-139106		Rear	24-139113	
2005	SLT	4600 Series	Front	24-139106		Rear	24-139113	
2005	ST	4600 Series	Front	24-139106		Rear	24-139113	
2005	SXT	4600 Series	Front	24-139106		Rear	24-139113	
2004	Limited	4600 Series	Front	24-139106		Rear	24-139113	
2004	SLT	4600 Series	Front	24-139106		Rear	24-139113	
2004	ST	4600 Series	Front	24-139106		Rear	24-139113	
2003	4WD; SLT Plus; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2003	4WD; SLT Plus; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Durango (continued)								
2003	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2003	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003	R/T; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2003	R/T; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003	RWD; SLT	4600 Series				Rear	24-065382	
2003	RWD; SLT Plus	4600 Series				Rear	24-065382	
2003	RWD; SLT Plus; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003	RWD; Sport	4600 Series				Rear	24-065382	
2003	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
2002	4WD; SLT Plus; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2002	4WD; SLT Plus; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2002	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2002	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2002	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2002	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2002	R/T; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2002	R/T; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2002	RWD; SLT	4600 Series				Rear	24-065382	
2002	RWD; SLT Plus	4600 Series				Rear	24-065382	
2002	RWD; SLT Plus; w/ Coil Front Springs	4600 Series	Front	24-064606				
2002	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2002	RWD; Sport	4600 Series				Rear	24-065382	
2002	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
2001	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Durango (continued)								
2001	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2001	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2001	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2001	Base; RWD	4600 Series				Rear	24-065382	
2001	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2001	R/T; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2001	R/T; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2001	RWD; SLT	4600 Series				Rear	24-065382	
2001	RWD; SLT Plus	4600 Series	Front	24-064606		Rear	24-065382	
2001	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2000	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2000	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	4WD; R/T; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	4WD; SLT Plus; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2000	4WD; SLT Plus; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2000	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2000	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	Base; RWD	4600 Series				Rear	24-065382	
2000	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2000	R/T; RWD	4600 Series	Front	24-064606		Rear	24-065382	
2000	R/T; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2000	RWD; SLT	4600 Series				Rear	24-065382	
2000	RWD; SLT Plus	4600 Series				Rear	24-065382	
2000	RWD; SLT Plus; w/ Coil Front Springs	4600 Series	Front	24-064606				
2000	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Durango (continued)								
2000	RWD; Sport	4600 Series				Rear	24-065382	
2000	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
1999	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series						
1999	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1999	4WD; SLT Plus; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series						
1999	4WD; SLT Plus; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1999	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series						
1999	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1999	Base; RWD	4600 Series						
1999	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
1999	RWD; SLT	4600 Series						
1999	RWD; SLT Plus	4600 Series				Rear	24-065382	
1999	RWD; SLT Plus; w/ Coil Front Springs	4600 Series	Front	24-064606				
1999	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
1998	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1998	Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series						
1998	Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1998	RWD; SLT	4600 Series	Front	24-064606				
1998	RWD; SLT Plus	4600 Series	Front	24-064606		Rear	24-065382	
1998	SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
Dodge M300								
1974	Base	B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
1973	Base	B6 (HD)	Front	24-013185				
Dodge M350								
1974	Base	B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge M375								
1973	Base	B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge M400								
1974	Base	B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge Nitro								
2008	R/T	4600 Series	Front	24-139168		Rear	24-139175	
2008	SLT	4600 Series	Front	24-139168		Rear	24-139175	
2008	SXT	4600 Series	Front	24-139168		Rear	24-139175	
2007	R/T	4600 Series	Front	24-139168		Rear	24-139175	
2007	SLT	4600 Series	Front	24-139168		Rear	24-139175	
2007	SXT	4600 Series	Front	24-139168		Rear	24-139175	
Dodge R300								
1974	Base	B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
1974	Motor Home	B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
1973	Base	B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge R400								
1974	Base	B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge Ram 1500								
2010	4WD; Laramie	4600 Series	Front	24-187343		Rear	24-187350	
2010	4WD; Laramie	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2010	4WD; Laramie	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2010	4WD; SLT	4600 Series	Front	24-187343		Rear	24-187350	
2010	4WD; SLT	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2010	4WD; SLT	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2010	4WD; ST	4600 Series	Front	24-187343		Rear	24-187350	
2010	4WD; ST	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2010	4WD; ST	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2010	4WD; Sport	4600 Series	Front	24-187343		Rear	24-187350	
2010	4WD; Sport	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2010	4WD; Sport	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2010	4WD; TRX4	4600 Series				Rear	24-187350	
2010	Laramie; RWD	4600 Series	Front	24-187480		Rear	24-187510	
2010	RWD; SLT	4600 Series	Front	24-187480		Rear	24-187510	
2010	RWD; ST	4600 Series	Front	24-187480		Rear	24-187510	
2010	RWD; Sport	4600 Series	Front	24-187480		Rear	24-187510	
2010	TRX	4600 Series	Front	24-187480		Rear	24-187510	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2010	TRX4	4600 Series	Front	24-187343				
2010	TRX4	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2010	TRX4	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2009	4WD; Laramie	4600 Series	Front	24-187343		Rear	24-187350	
2009	4WD; Laramie	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2009	4WD; Laramie	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2009	4WD; SLT	4600 Series	Front	24-187343		Rear	24-187350	
2009	4WD; SLT	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2009	4WD; SLT	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2009	4WD; ST	4600 Series	Front	24-187343		Rear	24-187350	
2009	4WD; ST	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2009	4WD; ST	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2009	4WD; Sport	4600 Series	Front	24-187343		Rear	24-187350	
2009	4WD; Sport	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2009	4WD; Sport	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2009	4WD; TRX4	4600 Series				Rear	24-187350	
2009	Laramie; RWD	4600 Series	Front	24-187480		Rear	24-187510	
2009	RWD; SLT	4600 Series	Front	24-187480		Rear	24-187510	
2009	RWD; ST	4600 Series	Front	24-187480		Rear	24-187510	
2009	RWD; Sport	4600 Series	Front	24-187480		Rear	24-187510	
2009	TRX	4600 Series	Front	24-187480		Rear	24-187510	
2009	TRX4	4600 Series	Front	24-187343				
2009	TRX4	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2009	TRX4	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2008	2 Dr.; 4WD; SLT; Standard Cab Pickup	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2008	2 Dr.; 4WD; SLT; Standard Cab Pickup	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2008	2 Dr.; 4WD; SXT; Standard Cab Pickup	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2008	2 Dr.; 4WD; SXT; Standard Cab Pickup	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2008	2 Dr.; RWD; SLT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008	2 Dr.; RWD; SXT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008	2 Dr.; SLT; Standard Cab Pickup	4600 Series				Rear	24-025508	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2008	2 Dr.; SXT; Standard Cab Pickup	4600 Series				Rear	24-025508	
2008	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2008	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2008	4 Dr.; 4WD; Crew Cab Pickup; SLT	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2008	4 Dr.; 4WD; Crew Cab Pickup; SLT	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2008	4 Dr.; 4WD; Crew Cab Pickup; SXT	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2008	4 Dr.; 4WD; Crew Cab Pickup; SXT	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	4 Dr.; Crew Cab Pickup; Laramie	4600 Series				Rear	24-025508	
2008	4 Dr.; Crew Cab Pickup; Laramie; RWD	4600 Series	Front	24-069274				
2008	4 Dr.; Crew Cab Pickup; RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008	4 Dr.; Crew Cab Pickup; RWD; SXT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008	4 Dr.; Crew Cab Pickup; SLT	4600 Series				Rear	24-025508	
2008	4 Dr.; Crew Cab Pickup; SXT	4600 Series				Rear	24-025508	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2008	4WD; Extended Crew Cab Pickup; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2008	4WD; Extended Crew Cab Pickup; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2008	4WD; Extended Crew Cab Pickup; SXT	4600 Series	Front	24-186070		Rear	24-186094	
2008	4WD; Laramie	4600 Series	Front	24-186261	Excludes Mega cab			
2008	4WD; SLT	4600 Series	Front	24-186261	Excludes Mega cab			
2008	4WD; ST	4600 Series	Front	24-186261	Excludes Mega cab			
2008	4WD; ST	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2008	4WD; ST	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2008	4WD; SXT	4600 Series	Front	24-186261	Excludes Mega cab			
2008	Extended Crew Cab Pickup; Laramie; RWD	4600 Series	Front	24-186063		Rear	24-186087	
2008	Extended Crew Cab Pickup; RWD; SLT	4600 Series	Front	24-186063		Rear	24-186087	
2008	Extended Crew Cab Pickup; RWD; SXT	4600 Series	Front	24-186063		Rear	24-186087	
2008	RWD; ST; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008	ST	4600 Series				Rear	24-025508	
2007	2 Dr.; 4WD; SLT; Standard Cab Pickup	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2007	2 Dr.; 4WD; SLT; Standard Cab Pickup	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2007	2 Dr.; RWD; SLT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2007	2 Dr.; SLT; Standard Cab Pickup	4600 Series				Rear	24-025508	
2007	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2007	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2007	4 Dr.; 4WD; Crew Cab Pickup; SLT	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2007	4 Dr.; 4WD; Crew Cab Pickup; SLT	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2007	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2007	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2007	4 Dr.; Crew Cab Pickup; Laramie	4600 Series				Rear	24-025508	
2007	4 Dr.; Crew Cab Pickup; Laramie; RWD	4600 Series	Front	24-069274				
2007	4 Dr.; Crew Cab Pickup; RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2007	4 Dr.; Crew Cab Pickup; SLT	4600 Series				Rear	24-025508	
2007	4WD; Extended Crew Cab Pickup; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2007	4WD; Extended Crew Cab Pickup; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2007	4WD; Laramie	4600 Series	Front	24-186261	Excludes Mega cab			
2007	4WD; SLT	4600 Series	Front	24-186261	Excludes Mega cab			
2007	4WD; ST	4600 Series	Front	24-186261	Excludes Mega cab			
2007	4WD; ST	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2007	4WD; ST	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2007	4WD; Sport	4600 Series	Front	24-186261	Excludes Mega cab			
2007	4WD; Sport	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2007	4WD; Sport	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2007	Extended Crew Cab Pickup; Laramie; RWD	4600 Series	Front	24-186063				
2007	Extended Crew Cab Pickup; RWD; SLT	4600 Series	Front	24-186063		Rear	24-186087	
2007	RWD; ST; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2007	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2007	ST	4600 Series				Rear	24-025508	
2007	Sport	4600 Series				Rear	24-025508	
2007	TRX4	4600 Series	Front	24-186261	Excludes Mega cab	Rear	24-025508	
2007	TRX4	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2007	TRX4	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2006	2 Dr.; 4WD; Laramie; Standard Cab Pickup	5100 Series						
						Rear	24-185783	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2006	2 Dr.; 4WD; Laramie; Standard Cab Pickup	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2006	2 Dr.; 4WD; SLT; Standard Cab Pickup	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2006	2 Dr.; 4WD; SLT; Standard Cab Pickup	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2006	2 Dr.; Laramie; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2006	2 Dr.; Laramie; Standard Cab Pickup	4600 Series				Rear	24-025508	
2006	2 Dr.; RWD; SLT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2006	2 Dr.; SLT; Standard Cab Pickup	4600 Series				Rear	24-025508	
2006	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2006	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2006	4 Dr.; 4WD; Crew Cab Pickup; SLT	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2006	4 Dr.; 4WD; Crew Cab Pickup; SLT	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie; w/ Coil Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; Crew Cab Pickup; Laramie	4600 Series				Rear	24-025508	
2006	4 Dr.; Crew Cab Pickup; Laramie; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2006	4 Dr.; Crew Cab Pickup; RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2006	4 Dr.; Crew Cab Pickup; SLT	4600 Series				Rear	24-025508	
2006	4WD; Extended Crew Cab Pickup; Laramie	4600 Series				Rear	24-186094	
2006	4WD; Extended Crew Cab Pickup; Laramie; w/ Coil Front Springs	4600 Series	Front	24-186070				
2006	4WD; Extended Crew Cab Pickup; SLT	4600 Series				Rear	24-186094	
2006	4WD; Extended Crew Cab Pickup; SLT; w/ Coil Front Springs	4600 Series	Front	24-186070				
2006	4WD; Laramie	4600 Series	Front	24-186261	Excludes Mega cab			
2006	4WD; SLT	4600 Series	Front	24-186261	Excludes Mega cab			
2006	4WD; ST	4600 Series	Front	24-186261	Excludes Mega cab			
2006	4WD; ST	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2006	4WD; ST	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2006	4WD; Sport	4600 Series	Front	24-186261	Excludes Mega cab			
2006	4WD; Sport	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2006	4WD; Sport	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2006	Extended Crew Cab Pickup; Laramie; RWD	4600 Series				Rear	24-186087	
2006	Extended Crew Cab Pickup; Laramie; RWD; w/ Coil Front Springs	4600 Series	Front	24-186063				
2006	Extended Crew Cab Pickup; RWD; SLT	4600 Series				Rear	24-186087	
2006	Extended Crew Cab Pickup; RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-186063				
2006	RWD; ST; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2006	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2006	ST	4600 Series				Rear	24-025508	
2006	Sport	4600 Series				Rear	24-025508	
2006	TRX4	4600 Series	Front	24-186261	Excludes Mega cab	Rear	24-025508	
2006	TRX4	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2006	TRX4	5100 Series (Ride Height Adjustable)	Front	24-186988	Front Lifted Height: 0-2"			
2005	4WD; Hemi Sport	4600 Series	Front	24-069281				
2005	4WD; Hemi Sport	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005	4WD; Laramie	4600 Series	Front	24-069281				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2005	4WD; Laramie	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005	4WD; Rumble Bee	4600 Series	Front	24-069281				
2005	4WD; Rumble Bee	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005	4WD; SLT	4600 Series	Front	24-069281				
2005	4WD; SLT	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005	4WD; ST	4600 Series	Front	24-069281				
2005	4WD; ST	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005	Hemi Sport	4600 Series				Rear	24-025508	
2005	Hemi Sport; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005	Laramie	4600 Series				Rear	24-025508	
2005	Laramie; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005	RWD; Rumble Bee; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005	RWD; ST; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005	Rumble Bee	4600 Series				Rear	24-025508	
2005	SLT	4600 Series				Rear	24-025508	
2005	ST	4600 Series				Rear	24-025508	
2004	4WD; SLT	4600 Series	Front	24-069281				
2004	4WD; SLT	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2004	4WD; ST	4600 Series	Front	24-069281				
2004	4WD; ST	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2004	RWD; SLT	4600 Series	Front	24-069274				
2004	RWD; ST; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2004	SLT	4600 Series				Rear	24-025508	
2004	SRT-10; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2004	ST	4600 Series				Rear	24-025508	
2003	4WD; Laramie	4600 Series	Front	24-069281				
2003	4WD; SLT	4600 Series	Front	24-069281				
2003	4WD; ST	4600 Series	Front	24-069281				
2003	4WD; WS	4600 Series	Front	24-069281				
2003	Laramie	4600 Series				Rear	24-025508	
2003	Laramie; RWD	4600 Series	Front	24-069274				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2003	RWD; SLT	4600 Series	Front	24-069274				
2003	RWD; ST	4600 Series	Front	24-069274				
2003	RWD; WS	4600 Series	Front	24-069274				
2003	SLT	4600 Series				Rear	24-025508	
2003	ST	4600 Series				Rear	24-025508	
2003	WS	4600 Series				Rear	24-025508	
2002	4WD; SLT	4600 Series	Front	24-069281				
2002	4WD; ST	4600 Series	Front	24-069281				
2002	Custom	4600 Series	Front	24-069274		Rear	24-025508	
2002	RWD; SLT	4600 Series	Front	24-069274				
2002	RWD; ST	4600 Series	Front	24-069274				
2002	SLT	4600 Series				Rear	24-025508	
2002	ST	4600 Series				Rear	24-025508	
2001	4WD; Laramie	4600 Series	Front	24-184915		Rear	24-184922	
2001	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
2001	4WD; ST	4600 Series	Front	24-184915		Rear	24-184922	
2001	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
2001	4WD; Sport	4600 Series	Front	24-184915		Rear	24-184922	
2001	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
2001	4WD; WS	4600 Series	Front	24-184915		Rear	24-184922	
2001	4WD; WS	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
2001	Custom	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	Laramie; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	R/T	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	RWD; SLT	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	RWD; ST	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	RWD; Sport	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	RWD; WS	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	4WD; Laramie	4600 Series	Front	24-184915		Rear	24-184922	
2000	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
2000	4WD; ST	4600 Series	Front	24-184915		Rear	24-184922	
2000	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2000	4WD; Sport	4600 Series	Front	24-184915		Rear	24-184922	
2000	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
2000	4WD; WS	4600 Series	Front	24-184915		Rear	24-184922	
2000	4WD; WS	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
2000	Custom; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	Laramie; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	R/T	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	RWD; SLT	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	RWD; ST	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	RWD; Sport	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	RWD; WS	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	4WD; Laramie	4600 Series	Front	24-184915		Rear	24-184922	
1999	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1999	4WD; ST	4600 Series	Front	24-184915		Rear	24-184922	
1999	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1999	4WD; Sport	4600 Series	Front	24-184915		Rear	24-184922	
1999	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1999	Custom; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	Laramie; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	R/T	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	RWD; SLT	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	RWD; ST	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	RWD; Sport	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	RWD; WS	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	4WD; Laramie	4600 Series	Front	24-184915		Rear	24-184922	
1998	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1998	4WD; ST	4600 Series	Front	24-184915		Rear	24-184922	
1998	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1998	4WD; Sport	4600 Series	Front	24-184915		Rear	24-184922	
1998	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
1998	Custom; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	Laramie; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	Lujo	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	R/T	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	RWD; ST	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	RWD; Sport	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	RWD; WS	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	4WD; Laramie	4600 Series	Front	24-184915		Rear	24-184922	
1997	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1997	4WD; ST	4600 Series	Front	24-184915		Rear	24-184922	
1997	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1997	4WD; Sport	4600 Series	Front	24-184915		Rear	24-184922	
1997	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1997	Custom; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	Laramie; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	Lujo	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	RWD; ST	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	RWD; Sport	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	RWD; WS	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	Runner	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1996	4WD; Base	4600 Series	Front	24-184915		Rear	24-184922	
1996	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1996	Base; RWD	4600 Series	Front	24-184847		Rear	24-184854	
1995	4WD; Base	4600 Series	Front	24-184915		Rear	24-184922	
1995	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1995	Base; RWD	4600 Series	Front	24-184847		Rear	24-184854	
1994	4WD; Base	4600 Series	Front	24-184915		Rear	24-184922	
1994	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-191203	Rear Lifted Height: 4"
1994	Base; RWD	4600 Series	Front	24-184847		Rear	24-184854	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500								
2010	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2010	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"			
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2010	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"			
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2010	4WD; ST	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"			
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010	4WD; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2010	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"			
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2010	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010	Power Wagon	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"			
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2010	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2010	SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2009	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2009	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2009	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2009	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2009	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2009	4WD; ST	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2009	4WD; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2009	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2009	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2009	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2009	Power Wagon	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2009	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2009	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2009	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2009	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2009	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2009	SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2008	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4WD; ST	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	4WD; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2008	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	Power Wagon	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	RWD; SLT Big Horn	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	RWD; SLT Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2008	SLT Big Horn	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2008	SLT Sport	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2008	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2008	SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4WD; Sport	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; Sport	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	Power Wagon	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2007	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	RWD; SLT Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	RWD; Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	SLT Sport	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	Sport	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	TRX4	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	TRX4	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	TRX4	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	TRX4	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2006	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4WD; Sport	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; Sport	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	Power Wagon	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	RWD; SLT Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	RWD; Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	SLT Night Runner Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	SLT Sport	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	Sport	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	TRX4	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	TRX4	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	TRX4	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	TRX4	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2005	2 Dr.; 4WD; Laramie; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2005	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2005	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2005	4WD; Laramie	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2005	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2005	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2005	4WD; SLT	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2005	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2005	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2005	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2005	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2005	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2005	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2005	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2005	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2005	SLT Daytona	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2005	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2004	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2004	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2004	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2004	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2004	4WD; SLT	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2004	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2004	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2004	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2004	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2004	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2004	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2004	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2003	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2003	4 Dr.; 4WD; Base; Crew Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2003	4WD; Base	5100 Series	Front	24-066464		Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2003	4WD; Base	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2003	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2003	Base	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2003	Base; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2003	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2003	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2003	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2003	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2002	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2002	4 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2002	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
2002	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
2002	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2002	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
2002	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2001	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
2001	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2001	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2001	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
2001	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2000	4 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2000	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
2000	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
2000	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2000	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
2000	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	2 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1999	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1999	4 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1999	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1999	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1999	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1999	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1999	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	2 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1998	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1998	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1998	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1998	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1998	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
1998	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	2 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1997	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1997	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1997	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1997	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1997	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1997	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1996	2 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1996	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1996	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1996	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1996	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1996	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1996	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1995	2 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1995	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1995	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1995	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1995	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1995	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1995	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1994	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1994	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
1994	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1994	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1994	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1994	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
Dodge Ram 2500 Van								
2003	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
2002	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
2001	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
2000	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1999	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
Dodge Ram 3500								
2010	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2010	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	4WD; Laramie	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2010	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	4WD; SLT	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2010	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2010	4WD; ST	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010	4WD; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2010	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2010	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2010	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2010	SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2009	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2009	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2009	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2009	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2009	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2009	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2009	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2009	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2009	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	4WD; Laramie	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2009	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2009	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	4WD; SLT	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2009	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2009	4WD; ST	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2009	4WD; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2009	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2009	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2009	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2009	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2009	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2009	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2009	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2009	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2009	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2009	SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2008	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2008	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4WD; Laramie	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4WD; SLT	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4WD; ST	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	4WD; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2008	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2008	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2008	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2008	SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2007	2 Dr.; 4WD; Sport; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2007	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2007	4 Dr.; 4WD; Crew Cab Pickup; Sport	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2007	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	4WD; Sport	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; Sport	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	RWD; Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	Sport	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2007	TRX4	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2007	TRX4	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2007	TRX4	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	TRX4	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	2 Dr.; 4WD; Laramie; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	2 Dr.; 4WD; Sport; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; 4WD; Crew Cab Pickup; Sport	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2006	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; Laramie	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; SLT	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2006	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2006	4WD; Sport	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; Sport	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	RWD; Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2006	Sport	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2005	2 Dr.; 4WD; Laramie; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2005	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2005	4WD; Laramie	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2005	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2005	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2005	4WD; SLT	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2005	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2005	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2005	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2005	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2005	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2005	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2005	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2005	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2005	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2004	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2004	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2004	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2004	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2004	4WD; SLT	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2004	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2004	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2004	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2004	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2004	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2004	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2004	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2003	2 Dr.; 4WD; Base; Crew Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2003	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2003	4 Dr.; 4WD; Base; Crew Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2003	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2003	4WD; Base	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2003	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2003	Base	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2003	Base; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2002	2 Dr.; 4WD; Base; Crew Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2002	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2002	4 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2002	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
2002	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
2002	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2002	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
2002	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2001	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
2001	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
2001	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2001	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
2001	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2000	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2000	4 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2000	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
2000	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
2000	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2000	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
2000	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1999	4 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
1999	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1999	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1999	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1999	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1999	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1998	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1998	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1998	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1998	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1998	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1998	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	2 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1997	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1997	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1997	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1997	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1997	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1997	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1996	2 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1996	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1996	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1996	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1996	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
1996	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1996	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1995	2 Dr.; 4WD; Base; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1995	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1995	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1995	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1995	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1995	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1995	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1994	2 Dr.; 4WD; Base; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1994	4WD; Base	4600 Series	Front	24-184915	GVW up to 7500Lbs	Rear	24-188036	GVW over 8400 lbs
						Rear	24-184922	GVW to 7300lbs
1994	4WD; Base	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 3-4"
1994	4WD; Base	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
1994	Base	4600 Series	Front	24-185172	GVW over 8400 lbs; Solid Axle Front			
1994	Base; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
Dodge Ram 3500 Van								
2003	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
2002	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
2001	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
2000	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1999	Base	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
Dodge Ram 50								
1991	4WD; Base	4600 Series				Rear	24-002585	
1991	4WD; LE	4600 Series				Rear	24-002585	
1991	4WD; SE	4600 Series				Rear	24-002585	
1991	Base	AK Series	Front	F4-BE3-E249-M0				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 50 (continued)								
1991	Base	B6 (HD)	Front	24-009492				
1991	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1991	LE	AK Series	Front	F4-BE3-E249-M0				
1991	LE	B6 (HD)	Front	24-009492				
1991	LE; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1991	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1991	SE	AK Series	Front	F4-BE3-E249-M0				
1991	SE	B6 (HD)	Front	24-009492				
1990	4WD; Base	4600 Series				Rear	24-002585	
1990	4WD; LE	4600 Series				Rear	24-002585	
1990	4WD; SE	4600 Series				Rear	24-002585	
1990	Base	AK Series	Front	F4-BE3-E249-M0				
1990	Base	B6 (HD)	Front	24-009492				
1990	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1990	LE	AK Series	Front	F4-BE3-E249-M0				
1990	LE	B6 (HD)	Front	24-009492				
1990	LE; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1990	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1990	SE	AK Series	Front	F4-BE3-E249-M0				
1990	SE	B6 (HD)	Front	24-009492				
1989	4WD; Base	4600 Series				Rear	24-002585	
1989	4WD; Custom	4600 Series				Rear	24-002585	
1989	4WD; Sport	4600 Series				Rear	24-002585	
1989	Base	AK Series	Front	F4-BE3-E249-M0				
1989	Base	B6 (HD)	Front	24-009492				
1989	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1989	Custom	AK Series	Front	F4-BE3-E249-M0				
1989	Custom	B6 (HD)	Front	24-009492				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 50 (continued)								
1989	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1989	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1989	Sport	AK Series	Front	F4-BE3-E249-M0				
1989	Sport	B6 (HD)	Front	24-009492				
1988	4WD; Base	4600 Series				Rear	24-002585	
1988	4WD; Custom	4600 Series				Rear	24-002585	
1988	4WD; Sport	4600 Series				Rear	24-002585	
1988	Base	AK Series	Front	F4-BE3-E249-M0				
1988	Base	B6 (HD)	Front	24-009492				
1988	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1988	Custom	AK Series	Front	F4-BE3-E249-M0				
1988	Custom	B6 (HD)	Front	24-009492				
1988	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1988	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1988	Sport	AK Series	Front	F4-BE3-E249-M0				
1988	Sport	B6 (HD)	Front	24-009492				
1987	4WD; Base	4600 Series				Rear	24-002585	
1987	4WD; Custom	4600 Series				Rear	24-002585	
1987	4WD; Sport	4600 Series				Rear	24-002585	
1987	Base	AK Series	Front	F4-BE3-E249-M0				
1987	Base	B6 (HD)	Front	24-009492				
1987	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1987	Custom	AK Series	Front	F4-BE3-E249-M0				
1987	Custom	B6 (HD)	Front	24-009492				
1987	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1987	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1987	Sport	AK Series	Front	F4-BE3-E249-M0				
1987	Sport	B6 (HD)	Front	24-009492				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ram 50 (continued)								
1986	Custom	4600 Series				Rear	24-188203	
1986	Custom	AK Series	Front	F4-BE3-E249-M0				
1986	Custom	B6 (HD)	Front	24-009492				
1986	Sport	4600 Series				Rear	24-188203	
1986	Sport	AK Series	Front	F4-BE3-E249-M0				
1986	Sport	B6 (HD)	Front	24-009492				
1985	Custom	4600 Series				Rear	24-188203	
1985	Custom	AK Series	Front	F4-BE3-E249-M0				
1985	Custom	B6 (HD)	Front	24-009492				
1985	Royal	4600 Series				Rear	24-188203	
1985	Sport	4600 Series				Rear	24-188203	
1985	Sport	AK Series	Front	F4-BE3-E249-M0				
1985	Sport	B6 (HD)	Front	24-009492				
1984	Custom	4600 Series				Rear	24-188203	
1984	Custom	AK Series	Front	F4-BE3-E249-M0				
1984	Custom	B6 (HD)	Front	24-009492				
1984	Royal	4600 Series				Rear	24-188203	
1984	Sport	4600 Series				Rear	24-188203	
1983	Custom	4600 Series				Rear	24-188203	
1983	Custom	AK Series	Front	F4-BE3-E249-M0				
1983	Custom	B6 (HD)	Front	24-009492				
1983	Royal	4600 Series				Rear	24-188203	
1983	Sport	4600 Series				Rear	24-188203	
Dodge Ramcharger								
1993	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1993	Canyon Sport	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1993	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1992	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1992	Canyon Sport	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1992	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1991	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1991	Canyon Sport	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1991	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1990	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1990	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Ramcharger (continued)								
1989	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1989	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1988	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1988	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1987	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1987	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1986	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1986	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1985	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1985	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1984	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1984	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1983	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1983	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1982	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1982	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1981	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1981	Royal SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1980	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1980	SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1979	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1979	SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1978	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1978	SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1977	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1977	SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1976	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1976	SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1975	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1975	SE	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1974	Base	4600 Series				Rear	24-018296	
Dodge Sprinter 2500								
2009	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2009	Base; w/ 144.0 In. Wheelbase	B4				Front	22-184238	Single Rear Wheel
2009	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2009	Base; w/ 170.0 In. Wheelbase	B4				Front	22-184245	with Dual Rear Wheels (DRW)



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Sprinter 2500 (continued)								
2008	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2008	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2008	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2008	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2007	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2007	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2007	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2007	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2006	Base; Cab & Chassis	B4	Front	22-214768				
2006	Base; Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006	Base; Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2006	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2006	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2005	Base; Cab & Chassis	B4	Front	22-214768				
2005	Base; Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2005	Base; Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2005	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2005	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2005	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2005	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Sprinter 2500 (continued)								
2005	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2005	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2004	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2004	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2004	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2004	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2004	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2004	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2004	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2003	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2003	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2003	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2003	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2003	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2003	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2003	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
Dodge Sprinter 3500								
2009	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2009	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2009	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2009	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2008	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2008	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2008	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2008	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Sprinter 3500 (continued)								
2007	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2007	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2007	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2007	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2006	Base; Cab & Chassis	B4	Front	22-214768				
2006	Base; Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2006	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2006	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2005	Base; Cab & Chassis	B4	Front	22-214768				
2005	Base; Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2005	Base; Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2005	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2005	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2005	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2005	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2005	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2005	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2004	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2004	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2004	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Dodge Sprinter 3500 (continued)								
2004	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2004	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2003	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2003	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2003	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2003	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2003	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
Ford Aerostar								
1997	Base	4600 Series	Front	AK1088		Rear	AK1089	
1997	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1997	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1997	XLT Sport	4600 Series	Front	AK1088		Rear	AK1089	
1996	Base	4600 Series	Front	AK1088		Rear	AK1089	
1996	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1996	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1996	XLT Sport	4600 Series	Front	AK1088		Rear	AK1089	
1995	Base	4600 Series	Front	AK1088		Rear	AK1089	
1995	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1995	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1995	XLT Sport	4600 Series	Front	AK1088		Rear	AK1089	
1994	Base	4600 Series	Front	AK1088		Rear	AK1089	
1994	Eddie Bauer	4600 Series	Front	AK1088		Rear	AK1089	
1994	XL	4600 Series	Front	AK1088		Rear	AK1089	
1994	XL Plus	4600 Series	Front	AK1088		Rear	AK1089	
1994	XL Sport	4600 Series	Front	AK1088		Rear	AK1089	
1994	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1994	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1994	XLT Sport	4600 Series	Front	AK1088		Rear	AK1089	
1993	Base	4600 Series	Front	AK1088		Rear	AK1089	
1993	Eddie Bauer	4600 Series	Front	AK1088		Rear	AK1089	
1993	XL	4600 Series	Front	AK1088		Rear	AK1089	
1993	XL Plus	4600 Series	Front	AK1088		Rear	AK1089	
1993	XL Sport	4600 Series	Front	AK1088		Rear	AK1089	
1993	XLT	4600 Series	Front	AK1088		Rear	AK1089	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Aerostar (continued)								
1993	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1993	XLT Sport	4600 Series	Front	AK1088		Rear	AK1089	
1992	Base	4600 Series	Front	AK1088		Rear	AK1089	
1992	Eddie Bauer	4600 Series	Front	AK1088		Rear	AK1089	
1992	XL	4600 Series	Front	AK1088		Rear	AK1089	
1992	XL Plus	4600 Series	Front	AK1088		Rear	AK1089	
1992	XL Sport	4600 Series	Front	AK1088		Rear	AK1089	
1992	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1992	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1992	XLT Sport	4600 Series	Front	AK1088		Rear	AK1089	
1991	Base	4600 Series	Front	AK1088		Rear	AK1089	
1991	Eddie Bauer	4600 Series	Front	AK1088		Rear	AK1089	
1991	XL	4600 Series	Front	AK1088		Rear	AK1089	
1991	XL Plus	4600 Series	Front	AK1088		Rear	AK1089	
1991	XL Sport	4600 Series	Front	AK1088		Rear	AK1089	
1991	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1991	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1991	XLT Sport	4600 Series	Front	AK1088		Rear	AK1089	
1990	Base	4600 Series	Front	AK1088		Rear	AK1089	
1990	Eddie Bauer	4600 Series	Front	AK1088		Rear	AK1089	
1990	XL	4600 Series	Front	AK1088		Rear	AK1089	
1990	XL Plus	4600 Series	Front	AK1088		Rear	AK1089	
1990	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1990	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1989	Base	4600 Series	Front	AK1088		Rear	AK1089	
1989	Eddie Bauer	4600 Series	Front	AK1088		Rear	AK1089	
1989	XL	4600 Series	Front	AK1088		Rear	AK1089	
1989	XL Plus	4600 Series	Front	AK1088		Rear	AK1089	
1989	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1989	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1988	Base	4600 Series	Front	AK1088		Rear	AK1081	
1988	Eddie Bauer	4600 Series	Front	AK1088		Rear	AK1081	
1988	XL	4600 Series	Front	AK1088		Rear	AK1081	
1988	XLT	4600 Series	Front	AK1088		Rear	AK1081	
1987	Base	4600 Series	Front	AK1088		Rear	AK1081	
1987	XL	4600 Series	Front	AK1088		Rear	AK1081	
1987	XLT	4600 Series	Front	AK1088		Rear	AK1081	
1986	Base	4600 Series	Front	AK1088		Rear	AK1081	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Aerostar (continued)								
1986	XL	4600 Series	Front	AK1088		Rear	AK1081	
1986	XLT	4600 Series	Front	AK1088		Rear	AK1081	
Ford Bronco								
1996	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1996	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1996	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1996	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1996	XL	4600 Series	Front	24-013284		Rear	33-188218	
1996	XL	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1996	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1996	XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1996	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1996	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1996	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1996	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1996	XLT Sport	4600 Series	Front	24-013284		Rear	33-188218	
1996	XLT Sport	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1996	XLT Sport	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1996	XLT Sport	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1995	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1995	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	XL	4600 Series	Front	24-013284		Rear	33-188218	
1995	XL	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1995	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco (continued)								
1995	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1995	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1995	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	XLT Sport	4600 Series	Front	24-013284		Rear	33-188218	
1995	XLT Sport	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1995	XLT Sport	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	XLT Sport	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1994	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1994	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1994	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1994	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1994	XL	4600 Series	Front	24-013284		Rear	33-188218	
1994	XL	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1994	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1994	XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1994	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1994	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1994	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1994	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1993	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1993	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1993	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1993	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1993	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1993	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco (continued)								
1993	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1993	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1993	XL	4600 Series	Front	24-013284		Rear	33-188218	
1993	XL	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1993	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1993	XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1993	XLT Lariat	4600 Series	Front	24-013284		Rear	33-188218	
1993	XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1993	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1993	XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1992	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1992	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1992	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1992	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1992	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1992	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1992	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1992	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1992	XL	4600 Series	Front	24-013284		Rear	33-188218	
1992	XL	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1992	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1992	XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1992	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1992	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1992	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1992	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco (continued)								
1992	XLT Nite	4600 Series	Front	24-013284		Rear	33-188218	
1992	XLT Nite	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1992	XLT Nite	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1992	XLT Nite	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1991	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1991	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1991	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1991	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1991	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1991	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1991	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1991	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1991	XL	4600 Series	Front	24-013284		Rear	33-188218	
1991	XL	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1991	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1991	XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1991	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1991	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1991	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1991	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1990	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1990	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1990	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1990	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1990	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1990	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco (continued)								
1990	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1990	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1990	XL	4600 Series	Front	24-013284		Rear	33-188218	
1990	XL	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1990	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1990	XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1990	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1990	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1990	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1990	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1989	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1989	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1989	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1989	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1989	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1989	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1989	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1989	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1989	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1989	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1989	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1989	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1988	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1988	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1988	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1988	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco (continued)								
1988	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1988	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1988	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1988	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1988	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1988	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1988	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1988	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1987	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1987	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1987	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1987	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1987	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1987	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1987	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1987	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1987	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1987	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1987	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1987	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1986	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1986	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1986	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1986	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1986	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1986	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco (continued)								
1986	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1986	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1986	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1986	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1986	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1986	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1985	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1985	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1985	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1985	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1985	Eddie Bauer	4600 Series	Front	24-013284		Rear	33-188218	
1985	Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1985	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1985	Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1985	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1985	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1985	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1985	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1984	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1984	Custom	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1984	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1984	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1984	XLT	4600 Series	Front	24-013284		Rear	33-188218	
1984	XLT	4600 Series (Auxiliary)	Front	24-184809	Auxillary shock			
1984	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1984	XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco (continued)								
1983	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1983	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1983	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1983	XLS	4600 Series	Front	24-013284		Rear	33-188218	
1983	XLS	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1983	XLS	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1983	XLT Lariat	4600 Series	Front	24-013284		Rear	33-188218	
1983	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1983	XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1982	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1982	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1982	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1982	XLS	4600 Series	Front	24-013284		Rear	33-188218	
1982	XLS	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1982	XLS	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1982	XLT Lariat	4600 Series	Front	24-013284		Rear	33-188218	
1982	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1982	XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1981	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1981	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1981	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1981	Ranger XLT	4600 Series	Front	24-013284		Rear	33-188218	
1981	Ranger XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1981	Ranger XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1980	Custom	4600 Series	Front	24-013284		Rear	33-188218	
1980	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco (continued)								
1980	Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1980	Ranger XLT	4600 Series	Front	24-013284		Rear	33-188218	
1980	Ranger XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1980	Ranger XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1977	Custom	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1977	Sport	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1976	Custom	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1976	Sport	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1975	Custom	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1975	Northland	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1975	Ranger	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1975	Sport	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1974	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1973	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1973	Wagon	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1972	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1972	Wagon	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1971	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1971	Wagon	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1970	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1970	Wagon	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1969	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1969	Roadster	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1969	Wagon	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1968	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1968	Roadster	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1968	Wagon	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1967	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
1966	Base	5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
Ford Bronco II								
1990	Eddie Bauer	4600 Series	Front	24-022361		Rear	24-184946	
1990	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1990	XL	4600 Series	Front	24-022361		Rear	24-184946	
1990	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1990	XL Sport	4600 Series	Front	24-022361		Rear	24-184946	
1990	XL Sport	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco II (continued)								
1990	XLT	4600 Series	Front	24-022361		Rear	24-184946	
1990	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1990	XLT Plus	4600 Series	Front	24-022361		Rear	24-184946	
1990	XLT Plus	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1989	Eddie Bauer	4600 Series				Rear	24-184946	
1989	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1989	XL	4600 Series				Rear	24-184946	
1989	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1989	XL Sport	4600 Series				Rear	24-184946	
1989	XL Sport	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1989	XLT	4600 Series				Rear	24-184946	
1989	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1989	XLT Plus	4600 Series				Rear	24-184946	
1989	XLT Plus	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1988	Eddie Bauer	4600 Series				Rear	24-010184	
1988	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1988	XL	4600 Series				Rear	24-010184	
1988	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1988	XL Sport	4600 Series				Rear	24-010184	
1988	XL Sport	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1988	XLT	4600 Series				Rear	24-010184	
1988	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1987	Eddie Bauer	4600 Series				Rear	24-010184	
1987	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1987	XL	4600 Series				Rear	24-010184	
1987	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1987	XLT	4600 Series				Rear	24-010184	
1987	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1986	Base	4600 Series				Rear	24-010184	
1986	Base	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1986	Eddie Bauer	4600 Series				Rear	24-010184	
1986	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1986	XLT	4600 Series				Rear	24-010184	
1986	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1985	Base	4600 Series				Rear	24-010184	
1985	Base	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1985	Eddie Bauer	4600 Series				Rear	24-010184	
1985	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Bronco II (continued)								
1985	XLS	4600 Series				Rear	24-010184	
1985	XLS	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1985	XLT	4600 Series				Rear	24-010184	
1985	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1984	Base	4600 Series				Rear	24-010184	
1984	Base	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1984	Eddie Bauer	4600 Series				Rear	24-010184	
1984	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1984	XLS	4600 Series				Rear	24-010184	
1984	XLS	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1984	XLT	4600 Series				Rear	24-010184	
1984	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
Ford E-100 Econoline								
1983	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1983	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1982	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1982	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1982	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1981	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1981	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1981	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1980	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1980	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1980	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1979	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1979	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1979	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1978	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-100 Econoline (continued)								
1978	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1978	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1978	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1977	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1977	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1977	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1977	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1976	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1976	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1976	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1976	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1975	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1975	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1975	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1975	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
Ford E-100 Econoline Club Wagon								
1983	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1983	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1982	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1982	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1982	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1981	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1981	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-100 Econoline Club Wagon (continued)								
1981	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1980	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1980	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1980	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1979	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1979	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1979	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1978	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1978	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1978	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1978	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1977	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1977	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1977	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1977	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1976	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1976	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1976	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-100 Econoline Club Wagon (continued)								
1976	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1975	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1975	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1975	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1975	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
Ford E-150								
2012	Base	4600 Series				Rear	33-176840	
2012	XL	4600 Series				Rear	33-176840	
2012	XLT	4600 Series				Rear	33-176840	
2011	Base	4600 Series	Front	33-187563		Rear	33-176840	
2011	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2011	XL	4600 Series	Front	33-187563		Rear	33-176840	
2011	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2011	XLT	4600 Series	Front	33-187563		Rear	33-176840	
2011	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2010	Base	4600 Series	Front	33-187563		Rear	33-176840	
2010	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2010	XL	4600 Series	Front	33-187563		Rear	33-176840	
2010	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2010	XLT	4600 Series	Front	33-187563		Rear	33-176840	
2010	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2009	Base	4600 Series	Front	33-187563		Rear	33-176840	
2009	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2009	XL	4600 Series	Front	33-187563		Rear	33-176840	
2009	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2009	XLT	4600 Series	Front	33-187563		Rear	33-176840	
2009	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2008	Base	4600 Series	Front	33-187563		Rear	33-176840	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-150 (continued)								
2008	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2008	XL	4600 Series	Front	33-187563		Rear	33-176840	
2008	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2008	XLT	4600 Series	Front	33-187563		Rear	33-176840	
2008	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2007	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2007	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2007	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2007	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	Base	4600 Series				Rear	33-017204	Standard Suspension
2006	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2006	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2006	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2006	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2005	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2005	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2004	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2003	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2003	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-150 Club Wagon								
2005	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2005	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2005	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2005	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2005	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2005	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-150 Club Wagon (continued)								
2004	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2004	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2004	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2003	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2003	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2003	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2003	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2003	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2003	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-150 Econoline								
2002	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2002	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2001	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2000	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2000	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1999	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1999	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1998	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1998	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1997	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-150 Econoline (continued)								
1997	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1996	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1996	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1995	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1995	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1994	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1994	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1993	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1993	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1992	Base	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1992	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1991	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1991	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1990	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1990	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1989	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1989	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1988	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1988	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1987	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1987	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1986	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1986	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1985	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1985	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1984	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1984	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1983	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1983	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1982	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-150 Econoline (continued)								
1982	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1982	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1981	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1981	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1981	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1980	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1980	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1980	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1979	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1979	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1979	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1978	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1978	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1978	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1978	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1977	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1977	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1977	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1977	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
1976	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1976	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1976	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1976	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-150 Econoline (continued)								
1975	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1975	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1975	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1975	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
Ford E-150 Econoline Club Wagon								
2002	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2002	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2002	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2002	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2002	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2002	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2001	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	XL	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2001	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2001	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2000	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2000	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2000	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1999	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1999	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-150 Econoline Club Wagon (continued)								
1999	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1998	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1998	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1998	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1997	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1997	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1997	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1996	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1996	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1996	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1995	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1995	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1995	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1994	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1994	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1994	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1993	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1993	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1993	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1992	Chateau	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1992	Custom	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1992	XLT	4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
1991	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1991	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1991	XLT	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1990	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1990	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-150 Econoline Club Wagon (continued)								
1990	XLT	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1989	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1989	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1989	XLT	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1988	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1988	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1988	XLT	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1987	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1987	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1987	XLT	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1986	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1986	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1986	XLT	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1985	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1985	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1985	XLT	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1984	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1984	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1984	XLT	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1983	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1983	XL	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1982	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1982	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1982	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1981	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1981	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1981	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-150 Econoline Club Wagon (continued)								
1980	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1980	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1980	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1979	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1979	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1979	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1978	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1978	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1978	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1978	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1977	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1977	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1977	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1977	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1976	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1976	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1976	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1976	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1975	Base	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1975	Chateau	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1975	Custom	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1975	Northland	4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
Ford E-250								
2012	Base	4600 Series				Rear	33-176857	Class C
						Rear	33-176840	Class C ok
2011	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2011	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-250 (continued)								
2010	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2010	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2009	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2009	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2008	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2008	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2007	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2007	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2006	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2005	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2005	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2004	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2003	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2003	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-250 Econoline								
2002	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2002	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2001	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-250 Econoline (continued)								
2000	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2000	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1999	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1999	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1997	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1997	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1996	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1996	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-250 Econoline (continued)								
1993	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1993	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1991	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1991	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1990	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1990	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1989	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1989	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1988	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1988	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1987	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1987	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1986	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1986	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1985	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1985	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1984	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1984	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1983	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1983	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension

1653



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-250 Econoline Club Wagon (continued)								
1984	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1984	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1984	XLT	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1983	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1983	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1976	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1976	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1976	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1976	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1975	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1975	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1975	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1975	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
Ford E-250 Super Duty								
2005	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2005	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-250 Super Duty (continued)								
2004	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2004	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-350								
2003	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2003	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-350 Club Wagon								
2005	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2005	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2005	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2005	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2005	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2005	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2004	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2004	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2004	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2003	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2003	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2003	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2003	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Club Wagon (continued)								
2003	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2003	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-350 Econoline								
2002	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2002	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2001	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2000	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2000	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1999	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1999	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1997	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Econoline (continued)								
1997	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1996	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1996	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1993	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1993	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1991	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1991	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1990	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1990	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1989	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1989	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1988	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1988	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1987	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1987	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1986	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1986	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1985	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1985	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1984	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1984	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Econoline (continued)								
1983	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1983	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1976	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1976	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1976	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1976	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1975	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1975	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1975	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1975	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
Ford E-350 Econoline Club Wagon								
2002	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2002	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2002	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2002	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Econoline Club Wagon (continued)								
2002	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2002	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2001	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2001	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2001	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2000	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2000	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2000	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1999	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1999	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1999	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1999	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Econoline Club Wagon (continued)								
1998	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	XL HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	XL HD	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1998	XLT HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1998	XLT HD	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1997	Chateau	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1997	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	XL HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1997	XL HD	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1997	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1997	XLT HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1997	XLT HD	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
1996	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1996	Chateau HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1996	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Econoline Club Wagon (continued)								
1996	XL HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1996	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1996	XLT HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	Chateau HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	XL HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1995	XLT HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	Chateau HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	XL HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1994	XLT HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1993	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1993	Chateau HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1993	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1993	Custom HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Econoline Club Wagon (continued)								
1993	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1993	XLT HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	Chateau	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	Chateau HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	Custom	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	Custom HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1992	XLT HD	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
1991	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1991	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1991	XLT	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1990	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1990	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1989	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1989	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1989	XLT	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1988	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1988	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1988	XLT	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1987	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1987	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1987	XLT	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1986	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1986	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1986	XLT	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1985	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1985	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1985	XLT	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1984	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1984	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Econoline Club Wagon (continued)								
1984	XLT	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1983	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1983	XL	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1982	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1981	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1980	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1979	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1978	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Base	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Chateau	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Custom	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
1977	Northland	4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
Ford E-350 Super Duty								
2012	Base	4600 Series				Rear	33-176857	Class C
						Rear	33-176840	Class C ok
2012	XL	4600 Series				Rear	33-176857	Class C
						Rear	33-176840	Class C ok
2012	XLT	4600 Series				Rear	33-176857	Class C
						Rear	33-176840	Class C ok
2011	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2011	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2011	XL	4600 Series	Front	33-187570	Class C			
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2011	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Super Duty (continued)								
2011	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2011	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2010	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2010	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2010	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2010	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2010	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2010	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2009	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2009	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2009	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2009	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2009	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2009	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2008	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2008	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2008	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2008	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2008	XLT	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2008	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2007	Base	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2007	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-350 Super Duty (continued)								
2007	XL	4600 Series	Front	33-187570	Class C	Rear	33-176857	Class C
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2007	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2007	XLT	4600 Series	Front	33-187570	Class C			
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2007	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	Base	4600 Series	Front	33-187570	Class C			
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2006	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	XL	4600 Series	Front	33-187570	Class C			
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2006	XL	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	XLT	4600 Series	Front	33-187570	Class C			
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2006	XLT	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2005	Base	4600 Series	Front	33-187570	Class C			
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2005	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2004	Base	4600 Series	Front	33-187570	Class C			
			Front	33-187563	Class C ok	Rear	33-176840	Class C ok
2004	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-450 Econoline Super Duty								
2002	Custom	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2002	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	Custom	4600 Series	Front	33-187563	Class C			
			Front	33-187570	Class C	Rear	33-176857	Class C
2001	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Custom	4600 Series	Front	33-187563	Class C			
			Front	33-187570	Class C	Rear	33-176857	Class C
2000	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-450 Econoline Super Duty Stripped								
2002	Custom	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2002	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2001	Custom	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2001	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2000	Custom	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2000	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-450 Super Duty								
2012	Base	4600 Series				Rear	33-176840	Class C
						Rear	33-176857	Class C
2011	Base	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2011	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2010	Base	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2010	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2009	Base	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2009	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2008	Base	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2008	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2007	Base	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2007	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2006	Base	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2006	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2005	Base	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2005	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford E-450 Super Duty (continued)								
2004	Base	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2004	Base	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
2003	Custom	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2003	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford E-450 Super Duty Stripped Chassis								
2003	Custom	4600 Series	Front	33-187563	Class C	Rear	33-176840	Class C
			Front	33-187570	Class C	Rear	33-176857	Class C
2003	Custom	5100 Series (Steering Damper)	Front	24-174534	Class C ok			
Ford Excursion								
2005	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2005	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2005	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2005	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2005	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2005	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2005	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2005	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2005	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2005	Eddie Bauer; RWD	4600 Series	Front	24-185448		Rear	24-185455	
2005	Eddie Bauer; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Excursion (continued)								
2005	Limited; RWD	4600 Series	Front	24-185448		Rear	24-185455	
2005	Limited; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	Limited; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2005	RWD; XLT	4600 Series	Front	24-185448		Rear	24-185455	
2005	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2005	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2004	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2004	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462				
2004	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; XLS; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462				
2004	4WD; XLS; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; XLS; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462				
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	Eddie Bauer; RWD	4600 Series	Front	24-185448				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Excursion (continued)								
2004	Eddie Bauer; RWD	5100 Series (Steering Damper)	Front	24-158930				
2004	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2004	Limited; RWD	4600 Series	Front	24-185448		Rear	24-185455	
2004	Limited; RWD	5100 Series (Steering Damper)	Front	24-158930				
2004	Limited; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2004	RWD; XLS	4600 Series	Front	24-185448		Rear	24-185455	
2004	RWD; XLS	5100 Series (Steering Damper)	Front	24-158930				
2004	RWD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2004	RWD; XLT	4600 Series	Front	24-185448		Rear	24-185455	
2004	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2004	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2003	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2003	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2003	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2003	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	Eddie Bauer; RWD	4600 Series	Front	24-185448		Rear	24-185455	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Excursion (continued)								
2003	Eddie Bauer; RWD	5100 Series (Steering Damper)	Front	24-158930				
2003	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2003	Limited; RWD	4600 Series	Front	24-185448		Rear	24-185455	
2003	Limited; RWD	5100 Series (Steering Damper)	Front	24-158930				
2003	Limited; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2003	RWD; XLT	4600 Series	Front	24-185448		Rear	24-185455	
2003	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2003	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2002	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2002	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2002	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2002	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	Eddie Bauer; RWD	4600 Series	Front	24-185448		Rear	24-185455	
2002	Eddie Bauer; RWD	5100 Series (Steering Damper)	Front	24-158930				
2002	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2002	Limited; RWD	4600 Series	Front	24-185448		Rear	24-185455	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Excursion (continued)								
2002	Limited; RWD	5100 Series (Steering Damper)	Front	24-158930				
2002	Limited; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2002	RWD; XLT	4600 Series	Front	24-185448		Rear	24-185455	
2002	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2002	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2001	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2001	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2001	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	Limited; RWD	4600 Series	Front	24-185448		Rear	24-185455	
2001	Limited; RWD	5100 Series (Steering Damper)	Front	24-158930				
2001	Limited; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2001	RWD; XLT	4600 Series	Front	24-185448		Rear	24-185455	
2001	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2001	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2000	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2000	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4WD; Limited; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Excursion (continued)								
2000	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2000	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	Limited; RWD	4600 Series	Front	24-185448		Rear	24-185455	
2000	Limited; RWD	5100 Series (Steering Damper)	Front	24-158930				
2000	Limited; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2000	RWD; XLT	4600 Series	Front	24-185448		Rear	24-185455	
2000	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2000	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
Ford Expedition								
2012	EL King Ranch; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2012	EL Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2012	EL XL; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2012	EL XLT	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2012	King Ranch; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2012	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2012	Max Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2012	XL; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2012	XLT	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2011	EL King Ranch; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2011	EL Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2011	EL XL; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2011	EL XLT	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension

1673

1674



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Expedition (continued)								
2007	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2007	Max Eddie Bauer; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2007	Max Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2007	XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-197717	Excludes Electronic Suspension	Rear	24-197724	Excludes Electronic Suspension
2006	4WD; Eddie Bauer; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	4WD; King Ranch; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	4WD; Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	4WD; XLS	4600 Series	Front	24-131582				
2006	4WD; XLT Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	4WD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	Eddie Bauer	4600 Series				Rear	24-131599	
2006	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	King Ranch	4600 Series				Rear	24-131599	
2006	King Ranch; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	Limited	4600 Series				Rear	24-131599	
2006	Limited; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	RWD; XLS	4600 Series	Front	24-107617				
2006	RWD; XLT Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	XLS	4600 Series				Rear	24-131599	
2006	XLT	4600 Series				Rear	24-131599	
2006	XLT Sport	4600 Series				Rear	24-131599	
2005	4WD; Eddie Bauer; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2005	4WD; Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Expedition (continued)								
2005	4WD; XLS; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2005	4WD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2005	Eddie Bauer	4600 Series				Rear	24-131599	
2005	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2005	Limited	4600 Series				Rear	24-131599	
2005	Limited; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2005	RWD; XLS; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2005	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2005	XLS	4600 Series				Rear	24-131599	
2005	XLT	4600 Series				Rear	24-131599	
2004	4WD; Eddie Bauer; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2004	4WD; NBX; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2004	4WD; XLS; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2004	4WD; XLT Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2004	4WD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2004	Eddie Bauer	4600 Series				Rear	24-131599	
2004	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2004	NBX	4600 Series				Rear	24-131599	
2004	NBX; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2004	RWD; XLS; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2004	RWD; XLT Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2004	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2004	XLS	4600 Series				Rear	24-131599	
2004	XLT	4600 Series				Rear	24-131599	
2004	XLT Sport	4600 Series				Rear	24-131599	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Expedition (continued)								
2003	4WD; Eddie Bauer; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2003	4WD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2003	Eddie Bauer	4600 Series				Rear	24-131599	
2003	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2003	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2003	XLT	4600 Series				Rear	24-131599	
2002	4WD; Eddie Bauer	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
2002	4WD; Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
2002	4WD; XLT	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
2002	4WD; XLT; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
2002	Eddie Bauer; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2002	Eddie Bauer; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
2002	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
2002	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
2002	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2002	RWD; XLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
2002	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
2002	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
2001	4WD; Eddie Bauer	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
2001	4WD; Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
2001	4WD; XLT	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
2001	4WD; XLT; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
2001	Eddie Bauer; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Expedition (continued)								
2001	Eddie Bauer; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
2001	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
2001	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
2001	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2001	RWD; XLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
2001	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
2001	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
2000	4WD; Eddie Bauer	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
2000	4WD; Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
2000	4WD; XLT	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
2000	4WD; XLT; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
2000	Eddie Bauer; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2000	Eddie Bauer; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
2000	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
2000	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
2000	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2000	RWD; XLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
2000	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
2000	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
1999	4WD; Eddie Bauer	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
1999	4WD; Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
1999	4WD; XLT	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Expedition (continued)								
1999	4WD; XLT; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
1999	Eddie Bauer; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	Eddie Bauer; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
1999	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
1999	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
1999	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	RWD; XLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
1999	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
1999	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
1998	4WD; Eddie Bauer	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
1998	4WD; Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
1998	4WD; XLT	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
1998	4WD; XLT; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
1998	Eddie Bauer; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	Eddie Bauer; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
1998	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
1998	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
1998	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	RWD; XLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
1998	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
1998	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
1997	4WD; Eddie Bauer	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Expedition (continued)								
1997	4WD; Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
1997	4WD; XLT	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
1997	4WD; XLT; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
1997	Eddie Bauer; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	Eddie Bauer; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
1997	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
1997	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
1997	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	RWD; XLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189		Rear	24-185196	
1997	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	Rear Lifted Height: 0-1"
1997	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
Ford Explorer								
2001	4 Dr.; Limited; Sport Utility	4600 Series				Rear	24-021357	
2001	4WD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	4WD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	4WD; Postal	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	4WD; Sport	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	4WD; XL Fleet	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	4WD; XLS	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	4WD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	AWD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	AWD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	AWD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001	Eddie Bauer	4600 Series				Rear	24-021357	
2001	Eddie Bauer; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001	Limited; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift			
2001	RWD; XL Fleet	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Explorer (continued)								
2001	RWD; XLS	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001	RWD; XLT	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001	XL Fleet	4600 Series				Rear	24-021357	
2001	XLS	4600 Series				Rear	24-021357	
2001	XLT	4600 Series				Rear	24-021357	
2000	4 Dr.; Limited; Sport Utility	4600 Series				Rear	24-021357	
2000	4WD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	4WD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	4WD; Postal	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	4WD; Sport	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	4WD; XL Fleet	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	4WD; XLS	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	4WD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	AWD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	AWD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	AWD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	Eddie Bauer	4600 Series				Rear	24-021357	
2000	Eddie Bauer; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2000	Limited; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2000	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2000	RWD; XL Fleet	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2000	RWD; XLS	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2000	RWD; XLT	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2000	XL Fleet	4600 Series				Rear	24-021357	
2000	XLS	4600 Series				Rear	24-021357	
2000	XLT	4600 Series				Rear	24-021357	
1999	4WD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	4WD; Sport	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	4WD; XL	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	4WD; XLS	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	4WD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	AWD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	AWD; XLS	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	AWD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	Eddie Bauer	4600 Series				Rear	24-021357	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Explorer (continued)								
1999	Eddie Bauer; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1999	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1999	RWD; XL	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1999	RWD; XLS	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1999	RWD; XLT	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1999	XL	4600 Series				Rear	24-021357	
1999	XLS	4600 Series				Rear	24-021357	
1999	XLT	4600 Series				Rear	24-021357	
1998	4 Dr.; Limited; Sport Utility	4600 Series				Rear	24-021357	
1998	4 Dr.; Sport Utility; XL	4600 Series				Rear	24-021357	
1998	4WD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	4WD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	4WD; Sport	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	4WD; XL	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	4WD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	AWD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	AWD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	AWD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	Eddie Bauer	4600 Series				Rear	24-021357	
1998	Eddie Bauer; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1998	Limited; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1998	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1998	RWD; XL	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1998	RWD; XLT	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1998	XLT	4600 Series				Rear	24-021357	
1997	4 Dr.; Limited; Sport Utility	4600 Series				Rear	24-021357	
1997	4 Dr.; Sport Utility; XL	4600 Series				Rear	24-021357	
1997	4WD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1997	4WD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1997	4WD; Sport	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1997	4WD; XL	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1997	4WD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1997	AWD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1997	Eddie Bauer	4600 Series				Rear	24-021357	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Explorer (continued)								
1997	Eddie Bauer; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1997	Limited; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1997	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1997	RWD; XL	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1997	RWD; XLT	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1997	XLT	4600 Series				Rear	24-021357	
1996	4 Dr.; Limited; Sport Utility	4600 Series				Rear	24-021357	
1996	4 Dr.; Sport Utility; XL	4600 Series				Rear	24-021357	
1996	4WD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1996	4WD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1996	4WD; Sport	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1996	4WD; XL	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1996	4WD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1996	AWD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1996	Eddie Bauer	4600 Series				Rear	24-021357	
1996	Eddie Bauer; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1996	Limited; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1996	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1996	RWD; XL	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1996	RWD; XLT	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1996	XLT	4600 Series				Rear	24-021357	
1995	4 Dr.; Limited; Sport Utility	4600 Series				Rear	24-021357	
1995	4 Dr.; Sport Utility; XL	4600 Series				Rear	24-021357	
1995	4WD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1995	4WD; Expedition	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1995	4WD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1995	4WD; Sport	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1995	4WD; XL	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1995	4WD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1995	Eddie Bauer	4600 Series				Rear	24-021357	
1995	Eddie Bauer; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1995	Expedition; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1995	Limited; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Explorer (continued)								
1995	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1995	RWD; XL	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1995	RWD; XLT	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1995	XLT	4600 Series				Rear	24-021357	
1994	Eddie Bauer	4600 Series	Front	24-184762	Non Air Leveling			
1994	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1994	Limited	4600 Series	Front	24-184762	Non Air Leveling			
1994	Limited	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1994	Sport	4600 Series	Front	24-184762	Non Air Leveling			
1994	XL	4600 Series	Front	24-184762	Non Air Leveling			
1994	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1994	XLT	4600 Series	Front	24-184762	Non Air Leveling			
1994	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1993	Eddie Bauer	4600 Series	Front	24-184762	Non Air Leveling			
1993	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1993	Limited	4600 Series	Front	24-184762	Non Air Leveling			
1993	Limited	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1993	Sport	4600 Series	Front	24-184762	Non Air Leveling			
1993	XL	4600 Series	Front	24-184762	Non Air Leveling			
1993	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1993	XLT	4600 Series	Front	24-184762	Non Air Leveling			
1993	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1992	Eddie Bauer	4600 Series	Front	24-184762	Non Air Leveling			
1992	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1992	Sport	4600 Series	Front	24-184762	Non Air Leveling			
1992	XL	4600 Series	Front	24-184762	Non Air Leveling			
1992	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1992	XLT	4600 Series	Front	24-184762	Non Air Leveling			
1992	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1991	Eddie Bauer	4600 Series	Front	24-184762	Non Air Leveling			
1991	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1991	Sport	4600 Series	Front	24-184762	Non Air Leveling			
1991	XL	4600 Series	Front	24-184762	Non Air Leveling			
1991	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1991	XLT	4600 Series	Front	24-184762	Non Air Leveling			
1991	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Explorer Sport Trac								
2005	4WD; Adrenalin	4600 Series	Front	24-021333		Rear	24-021340	
2005	4WD; XLS	4600 Series	Front	24-021333		Rear	24-021340	
2005	4WD; XLT	4600 Series	Front	24-021333		Rear	24-021340	
2005	Adrenalin; RWD	4600 Series				Rear	24-021326	Non Air Leveling
2005	RWD; XLS	4600 Series				Rear	24-021326	Non Air Leveling
2005	RWD; XLT	4600 Series				Rear	24-021326	Non Air Leveling
2004	4WD; XLS	4600 Series	Front	24-021333		Rear	24-021340	
2004	4WD; XLT	4600 Series	Front	24-021333		Rear	24-021340	
2004	RWD; XLS	4600 Series				Rear	24-021326	Non Air Leveling
2004	RWD; XLT	4600 Series				Rear	24-021326	Non Air Leveling
2003	4WD; XLS	4600 Series	Front	24-021333		Rear	24-021340	
2003	4WD; XLT	4600 Series	Front	24-021333		Rear	24-021340	
2003	RWD; XLS	4600 Series				Rear	24-021326	Non Air Leveling
2003	RWD; XLT	4600 Series				Rear	24-021326	Non Air Leveling
2002	4WD; XL	4600 Series	Front	24-021333		Rear	24-021340	
2002	RWD; XL	4600 Series				Rear	24-021326	Non Air Leveling
2001	4WD; Base	4600 Series	Front	24-021333		Rear	24-021340	
2001	Base; RWD	4600 Series				Rear	24-021326	Non Air Leveling
Ford F Super Duty								
1997	Base	4600 Series	Front	F4-BOA-0000119		Rear	AK1193	15000lbs GVW
1997	XL	4600 Series	Front	F4-BOA-0000119		Rear	AK1193	15000lbs GVW
1996	XL	4600 Series	Front	F4-BOA-0000119		Rear	AK1193	15000lbs GVW
1995	XL	4600 Series	Front	F4-BOA-0000119		Rear	AK1193	15000lbs GVW
1994	XL	4600 Series	Front	F4-BOA-0000119		Rear	AK1193	15000lbs GVW
1993	XL	4600 Series	Front	F4-BOA-0000119		Rear	AK1193	14000lbs GVW
1992	Custom	4600 Series	Front	F4-BOA-0000123		Rear	AK1193	14000lbs GVW
1991	Custom	4600 Series	Front	F4-BOA-0000123		Rear	AK1193	14000lbs GVW
1990	Custom	4600 Series	Front	F4-BOA-0000123		Rear	AK1193	14000lbs GVW
Ford F-150								
2012	4WD; King Ranch	4600 Series	Front	24-187404		Rear	33-187419	
2012	4WD; King Ranch	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2012	4WD; King Ranch	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2012	4WD; Lariat	4600 Series	Front	24-187404		Rear	33-187419	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2012	4WD; Lariat	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2012	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2012	4WD; Platinum	4600 Series	Front	24-187404		Rear	33-187419	
2012	4WD; Platinum	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2012	4WD; Platinum	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2012	4WD; STX	4600 Series	Front	24-187404		Rear	33-187419	
2012	4WD; STX	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2012	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2012	4WD; XL	4600 Series	Front	24-187404		Rear	33-187419	
2012	4WD; XL	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2012	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2012	4WD; XLT	4600 Series	Front	24-187404		Rear	33-187419	
2012	4WD; XLT	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2012	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2012	AWD; Harley-Davidson Edition	4600 Series	Front	24-187404		Rear	33-187419	
2012	AWD; Harley-Davidson Edition	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2012	AWD; Harley-Davidson Edition	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2012	FX2	4600 Series	Front	24-187381		Rear	33-187396	
2012	FX2	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2012	FX2	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2012	FX4	4600 Series	Front	24-187404		Rear	33-187419	
2012	FX4	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2012	FX4	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2012	Harley-Davidson Edition; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2012	Harley-Davidson Edition; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2012	Harley-Davidson Edition; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2012	King Ranch; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2012	King Ranch; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2012	King Ranch; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2012	Lariat; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2012	Lariat; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2012	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2012	Platinum; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2012	Platinum; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2012	Platinum; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2012	RWD; STX	4600 Series	Front	24-187381				
2012	RWD; STX	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2012	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2012	RWD; XL	4600 Series	Front	24-187381				
2012	RWD; XL	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2012	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2012	RWD; XLT	4600 Series	Front	24-187381				
2012	RWD; XLT	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2012	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	4WD; King Ranch	4600 Series	Front	24-187404				
2011	4WD; King Ranch	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	4WD; King Ranch	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2011	4WD; Lariat	4600 Series	Front	24-187404				
2011	4WD; Lariat	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2011	4WD; Lariat Limited	4600 Series	Front	24-187404				
2011	4WD; Lariat Limited	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	4WD; Lariat Limited	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2011	4WD; Platinum	4600 Series	Front	24-187404				
2011	4WD; Platinum	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	4WD; Platinum	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2011	4WD; STX	4600 Series	Front	24-187404				
2011	4WD; STX	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2011	4WD; XL	4600 Series	Front	24-187404				
2011	4WD; XL	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2011	4WD; XLT	4600 Series	Front	24-187404				
2011	4WD; XLT	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2011	AWD; Harley-Davidson Edition	4600 Series	Front	24-187404		Rear	33-187419	
2011	AWD; Harley-Davidson Edition	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	AWD; Harley-Davidson Edition	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2011	FX2	4600 Series	Front	24-187381		Rear	33-187396	
2011	FX2	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2011	FX2	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	FX4	4600 Series	Front	24-187404		Rear	33-187419	
2011	FX4	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2011	FX4	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2011	Harley-Davidson Edition; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2011	Harley-Davidson Edition; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2011	Harley-Davidson Edition; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	King Ranch; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2011	King Ranch; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2011	King Ranch; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	Lariat Limited; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2011	Lariat Limited; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2011	Lariat Limited; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	Lariat; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2011	Lariat; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2011	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	Platinum; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2011	Platinum; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2011	Platinum; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	RWD; STX	4600 Series	Front	24-187381		Rear	33-187396	
2011	RWD; STX	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2011	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	RWD; XL	4600 Series	Front	24-187381		Rear	33-187396	
2011	RWD; XL	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2011	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2011	RWD; XLT	4600 Series	Front	24-187381		Rear	33-187396	
2011	RWD; XLT	5100 Series				Rear	33-187471	Rear Lifted Height: 0"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2011	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2010	4WD; King Ranch	4600 Series	Front	24-187404		Rear	33-187419	
2010	4WD; King Ranch	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2010	4WD; King Ranch	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2010	4WD; Lariat	4600 Series	Front	24-187404		Rear	33-187419	
2010	4WD; Lariat	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2010	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2010	4WD; Platinum	4600 Series	Front	24-187404		Rear	33-187419	
2010	4WD; Platinum	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2010	4WD; Platinum	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2010	4WD; STX	4600 Series	Front	24-187404		Rear	33-187419	
2010	4WD; STX	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2010	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2010	4WD; XL	4600 Series	Front	24-187404		Rear	33-187419	
2010	4WD; XL	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2010	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2010	4WD; XLT	4600 Series	Front	24-187404		Rear	33-187419	
2010	4WD; XLT	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2010	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2010	AWD; Harley-Davidson Edition	4600 Series	Front	24-187404		Rear	33-187419	
2010	AWD; Harley-Davidson Edition	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2010	AWD; Harley-Davidson Edition	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2010	FX2	4600 Series	Front	24-187381		Rear	33-187396	
2010	FX2	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2010	FX2	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2010	FX4	4600 Series	Front	24-187404		Rear	33-187419	
2010	FX4	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2010	FX4	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2010	Harley-Davidson Edition; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2010	Harley-Davidson Edition; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2010	Harley-Davidson Edition; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2010	King Ranch; RWD	4600 Series	Front	24-187381		Rear	33-187396	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2010	King Ranch; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2010	King Ranch; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2010	Lariat; RWD	4600 Series	Front	24-187381				
2010	Lariat; RWD	5100 Series				Rear	33-187396	
2010	Lariat; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2010	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2010	Platinum; RWD	4600 Series	Front	24-187381				
2010	Platinum; RWD	5100 Series				Rear	33-187396	
2010	Platinum; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2010	Platinum; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2010	RWD; STX	4600 Series	Front	24-187381				
2010	RWD; STX	5100 Series				Rear	33-187396	
2010	RWD; STX	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2010	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2010	RWD; XL	4600 Series	Front	24-187381				
2010	RWD; XL	5100 Series				Rear	33-187396	
2010	RWD; XL	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2010	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2010	RWD; XLT	4600 Series	Front	24-187381				
2010	RWD; XLT	5100 Series				Rear	33-187396	
2010	RWD; XLT	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2010	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2009	4WD; King Ranch	4600 Series	Front	24-187404				
2009	4WD; King Ranch	5100 Series				Rear	33-187419	
2009	4WD; King Ranch	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2009	4WD; King Ranch	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2009	4WD; Lariat	4600 Series	Front	24-187404				
2009	4WD; Lariat	5100 Series				Rear	33-187396	
2009	4WD; Lariat	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2009	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2009	4WD; Platinum	4600 Series	Front	24-187404				
2009	4WD; Platinum	5100 Series				Rear	33-187419	
2009	4WD; Platinum	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2009	4WD; Platinum	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2009	4WD; STX	4600 Series	Front	24-187404				
2009	4WD; STX	5100 Series				Rear	33-187419	
2009	4WD; STX	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2009	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2009	4WD; XL	4600 Series	Front	24-187404				
2009	4WD; XL	5100 Series				Rear	33-187419	
2009	4WD; XL	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2009	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2009	4WD; XLT	4600 Series	Front	24-187404				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2009	4WD; XLT	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2009	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2009	FX4	4600 Series	Front	24-187404		Rear	33-187419	
2009	FX4	5100 Series				Rear	33-187501	Rear Lifted Height: 0-1"
2009	FX4	5100 Series (Ride Height Adjustable)	Front	24-187497	Front Lifted Height: 0-2"			
2009	Flotillera	4600 Series	Front	24-187381		Rear	33-187396	
2009	Flotillera	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2009	Flotillera	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2009	King Ranch; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2009	King Ranch; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2009	King Ranch; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2009	Lariat; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2009	Lariat; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2009	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2009	Platinum; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2009	Platinum; RWD	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2009	Platinum; RWD	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2009	RWD; STX	4600 Series	Front	24-187381		Rear	33-187396	
2009	RWD; STX	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2009	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2009	RWD; XL	4600 Series	Front	24-187381		Rear	33-187396	
2009	RWD; XL	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2009	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2009	RWD; XLT	4600 Series	Front	24-187381		Rear	33-187396	
2009	RWD; XLT	5100 Series				Rear	33-187471	Rear Lifted Height: 0"
2009	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-187466	Front Lifted Height: 0-2.5"			
2008	4WD; Harley-Davidson Edition	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008	4WD; Harley-Davidson Edition	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2008	4WD; Harley-Davidson Edition	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2008	4WD; King Ranch	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008	4WD; King Ranch	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2008	4WD; King Ranch	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2008	4WD; Lariat	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008	4WD; Lariat	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2008	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2008	4WD; STX	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2008	4WD; STX	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2008	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2008	4WD; XL	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2008	4WD; XL	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2008	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2008	4WD; XLT	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2008	4WD; XLT	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2008	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2008	AWD; Limited	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2008	AWD; Limited	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2008	AWD; Limited	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2008	FX2	4600 Series	Front	24-107617				
2008	FX2	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2008	FX2	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2008	FX4	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2008	FX4	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2008	FX4	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2008	Harley-Davidson Edition; RWD	4600 Series	Front	24-107617				
2008	Harley-Davidson Edition; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2008	Harley-Davidson Edition; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2008	King Ranch; RWD	4600 Series	Front	24-107617				
2008	King Ranch; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2008	King Ranch; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2008	Lariat; RWD	4600 Series	Front	24-107617				
2008	Lariat; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2008	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2008	Limited; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2008	Limited; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2008	Limited; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2008	RWD; STX	4600 Series	Front	24-107617				
2008	RWD; STX	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2008	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2008	RWD; XL	4600 Series	Front	24-107617				
2008	RWD; XL	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2008	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2008	RWD; XLT	4600 Series	Front	24-107617				
2008	RWD; XLT	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2008	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2007	4WD; Harley-Davidson Edition	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2007	4WD; Harley-Davidson Edition	5100 Series				Rear	33-185897	
2007	4WD; Harley-Davidson Edition	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2007	4WD; King Ranch	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2007	4WD; King Ranch	5100 Series				Rear	33-185897	
2007	4WD; King Ranch	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2007	4WD; Lariat	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2007	4WD; Lariat	5100 Series				Rear	33-185897	
2007	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2007	4WD; STX	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2007	4WD; STX	5100 Series				Rear	33-185897	
2007	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2007	4WD; XL	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2007	4WD; XL	5100 Series				Rear	33-185897	
2007	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2007	4WD; XLT	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2007	4WD; XLT	5100 Series				Rear	33-185897	
2007	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2007	FX2	4600 Series	Front	24-107617				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2007	FX2	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2007	FX2	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2007	FX4	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2007	FX4	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2007	FX4	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2007	Harley-Davidson Edition; RWD	4600 Series	Front	24-107617				
2007	Harley-Davidson Edition; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2007	Harley-Davidson Edition; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2007	King Ranch; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2007	King Ranch; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2007	King Ranch; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2007	Lariat; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2007	Lariat; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2007	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2007	RWD; STX	4600 Series	Front	24-107617		Rear	24-107624	
2007	RWD; STX	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2007	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2007	RWD; XL	4600 Series	Front	24-107617		Rear	24-107624	
2007	RWD; XL	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2007	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2007	RWD; XLT	4600 Series	Front	24-107617		Rear	24-107624	
2007	RWD; XLT	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2007	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2006	4WD; Harley-Davidson Edition	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2006	4WD; Harley-Davidson Edition	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2006	4WD; Harley-Davidson Edition	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2006	4WD; King Ranch	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2006	4WD; King Ranch	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2006	4WD; King Ranch	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2006	4WD; Lariat	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2006	4WD; Lariat	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2006	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2006	4WD; STX	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2006	4WD; STX	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2006	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2006	4WD; XL	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2006	4WD; XL	5100 Series				Rear	33-185897	
2006	4WD; XL	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2006	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2006	4WD; XLT	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2006	4WD; XLT	5100 Series				Rear	33-185897	
2006	4WD; XLT	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2006	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2006	FX4	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2006	FX4	5100 Series				Rear	33-185897	
2006	FX4	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2006	FX4	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2006	Harley-Davidson Edition; RWD	4600 Series	Front	24-107617				
2006	Harley-Davidson Edition; RWD	5100 Series				Rear	33-185897	
2006	Harley-Davidson Edition; RWD	5100 Series (Ride Height Adjustable)	Front	24-107617				
2006	Harley-Davidson Edition; RWD	5100 Series						
2006	Harley-Davidson Edition; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2006	King Ranch; RWD	4600 Series	Front	24-107617				
2006	King Ranch; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2006	King Ranch; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2006	Lariat; RWD	4600 Series	Front	24-107617				
2006	Lariat; RWD	5100 Series				Rear	24-107624	
2006	Lariat; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2006	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2006	RWD; STX	4600 Series	Front	24-107617				
2006	RWD; STX	5100 Series				Rear	24-107624	
2006	RWD; STX	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2006	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2006	RWD; XL	4600 Series	Front	24-107617				
2006	RWD; XL	5100 Series				Rear	24-107624	
2006	RWD; XL	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2006	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2006	RWD; XLT	4600 Series	Front	24-107617				
2006	RWD; XLT	5100 Series				Rear	24-107624	
2006	RWD; XLT	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2006	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2006	RWD; XLT	5100 Series						



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2005	4WD; King Ranch	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2005	4WD; King Ranch	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2005	4WD; King Ranch	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2005	4WD; Lariat	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2005	4WD; Lariat	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2005	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2005	4WD; STX	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2005	4WD; STX	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2005	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2005	4WD; XL	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2005	4WD; XL	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2005	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2005	4WD; XLT	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2005	4WD; XLT	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2005	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2005	FX4	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2005	FX4	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2005	FX4	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2005	King Ranch; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2005	King Ranch; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2005	King Ranch; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2005	Lariat; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2005	Lariat; RWD	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2005	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2005	RWD; STX	4600 Series	Front	24-107617		Rear	24-107624	
2005	RWD; STX	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2005	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2005	RWD; XL	4600 Series	Front	24-107617		Rear	24-107624	
2005	RWD; XL	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2005	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2005	RWD; XLT	4600 Series	Front	24-107617		Rear	24-107624	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2005	RWD; XLT	5100 Series				Rear	24-186704	Rear Lifted Height: 0"
2005	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2004	4WD; Lariat	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2004	4WD; Lariat	5100 Series				Rear	33-185897	
2004	4WD; Lariat	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2004	4WD; STX	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2004	4WD; STX	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2004	4WD; STX	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2004	4WD; XL	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2004	4WD; XL	5100 Series				Rear	33-185897	
2004	4WD; XL	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2004	4WD; XLT	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2004	4WD; XLT	5100 Series				Rear	33-186009	Rear Lifted Height: 0-2"
2004	4WD; XLT	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2004	FX4	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2004	FX4	5100 Series				Rear	33-185897	
2004	FX4	5100 Series (Ride Height Adjustable)	Front	24-122986	Front Lifted Height: 0-2"			
2004	Lariat; RWD	4600 Series	Front	24-107617				
2004	Lariat; RWD	5100 Series				Rear	24-107624	
2004	Lariat; RWD	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2004	RWD; STX	4600 Series	Front	24-107617				
2004	RWD; STX	5100 Series				Rear	24-107624	
2004	RWD; STX	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2004	RWD; XL	4600 Series	Front	24-107617				
2004	RWD; XL	5100 Series				Rear	24-107624	
2004	RWD; XL	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2004	RWD; XLT	4600 Series	Front	24-107617				
2004	RWD; XLT	5100 Series				Rear	24-107624	
2004	RWD; XLT	5100 Series (Ride Height Adjustable)	Front	24-186698	Front Lifted Height: 0-2"			
2004	SVT Lightning	4600 Series	Front	24-187442	SetOption: Variable depending on application; Setting: 4600 Series			
2004	SVT Lightning	4600 Series	Front	24-187442	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-187459	SetOption: Variable depending on application; Setting: 4600 Series



Light Trucks and SUVs

Year	Application	Series	Front			Rear
Ford F-150 (continued)						
2003	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		
2003	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		
2003	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		
2003	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		
2003	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		
2003	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		
2003	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		
2003	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		
2003	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		
2003	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189		
2003	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189		
2003	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189		
2003	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		
2003	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		
2003	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		
2003	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-185219		
2003	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-185219		
2003	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-185219		



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2003	4WD; Lariat	4600 Series				Rear	AK2284	Heavy Duty
2003	4WD; Lariat	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2003	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2003	4WD; XL	4600 Series				Rear	AK2284	Heavy Duty
2003	4WD; XL	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2003	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2003	4WD; XLT	4600 Series				Rear	AK2284	Heavy Duty
2003	4WD; XLT	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2003	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2003	Harley-Davidson Edition	4600 Series	Front	24-185189		Rear	24-024792	Rear Lifted Height: 0-1"
2003	Harley-Davidson Edition	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185417	Rear Lifted Height: 4-5"
			Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2003	Harley-Davidson Edition	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2003	King Ranch	4600 Series	Front	24-185219		Rear	AK2284	Heavy Duty
2003	King Ranch	5100 Series	Front	24-225403	Front Lifted Height: 4"	Rear	24-185417	Rear Lifted Height: 0-2"
2003	King Ranch; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2003	Lariat	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2003	Lariat; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2003	Lariat; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2003	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2003	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2003	Lightning	4600 Series	Front	24-187442	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-187459	SetOption: Variable depending on application; Setting: 4600 Series
2003	RWD; XL	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2003	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2003	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2003	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2003	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2003	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2003	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2003	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2003	XL	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2003	XLT	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2002	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2002	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2002	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2002	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2002	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2002	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2002	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2002	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2002	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				
2002	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				
2002	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2002	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2002	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2002	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2002	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-185219				
2002	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-185219				
2002	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-185219				
2002	4WD; Lariat	4600 Series				Rear	AK2284	Heavy Duty
2002	4WD; Lariat	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2002	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2002	4WD; XL	4600 Series				Rear	AK2284	Heavy Duty
2002	4WD; XL	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2002	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2002	4WD; XLT	4600 Series				Rear	AK2284	Heavy Duty
2002	4WD; XLT	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2002	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2002	Harley-Davidson Edition	4600 Series	Front	24-185189		Rear	24-024792	Rear Lifted Height: 0-1"
2002	Harley-Davidson Edition	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185417	Rear Lifted Height: 4-5"
			Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2002	Harley-Davidson Edition	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2002	King Ranch	4600 Series	Front	24-185219		Rear	AK2284	Heavy Duty
2002	King Ranch	5100 Series	Front	24-225403	Front Lifted Height: 4"	Rear	24-185417	Rear Lifted Height: 0-2"
2002	King Ranch; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2002	Lariat	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2002	Lariat; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2002	Lariat; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2002	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2002	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2002	Lightning	4600 Series	Front	24-187442	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-187459	SetOption: Variable depending on application; Setting: 4600 Series
2002	RWD; XL	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2002	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2002	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2002	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2002	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2002	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2002	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2002	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2002	XL	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2002	XLT	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2001	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2001	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2001	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2001	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2001	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2001	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2001	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2001	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2001	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2001	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				
2001	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				
2001	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				
2001	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2001	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2001	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2001	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-185219				
2001	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-185219				
2001	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-185219				
2001	4WD; Lariat	4600 Series				Rear	AK2284	Heavy Duty
2001	4WD; Lariat	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2001	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2001	4WD; XL	4600 Series				Rear	AK2284	Heavy Duty
2001	4WD; XL	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2001	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2001	4WD; XLT	4600 Series				Rear	AK2284	Heavy Duty
2001	4WD; XLT	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2001	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2001	Harley-Davidson Edition	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185417	Rear Lifted Height: 4-5"
2001	Harley-Davidson Edition	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2001	King Ranch	4600 Series	Front	24-185219		Rear	AK2284	Heavy Duty
2001	King Ranch	5100 Series	Front	24-225403	Front Lifted Height: 4"	Rear	24-185417	Rear Lifted Height: 0-2"
2001	King Ranch; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2001	Lariat	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2001	Lariat; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2001	Lariat; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2001	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2001	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2001	Lightning	4600 Series	Front	24-187442	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-187459	SetOption: Variable depending on application; Setting: 4600 Series
2001	RWD; XL	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2001	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2001	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2001	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2001	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2001	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2001	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2001	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2001	XL	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2001	XLT	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2000	4WD; Base	4600 Series				Rear	AK2284	Heavy Duty
2000	4WD; Base	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2000	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2000	4WD; Lariat	4600 Series				Rear	AK2284	Heavy Duty
2000	4WD; Lariat	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2000	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2000	4WD; XL	4600 Series				Rear	AK2284	Heavy Duty
2000	4WD; XL	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2000	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2000	4WD; XLT	4600 Series				Rear	AK2284	Heavy Duty
2000	4WD; XLT	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2000	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2000	Base	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2000	Base; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2000	Base; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2000	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2000	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2000	Harley-Davidson Edition	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2000	Harley-Davidson Edition	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185417	Rear Lifted Height: 4-5"
			Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2000	Harley-Davidson Edition	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2000	Harley-Davidson Edition; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2000	Lariat	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2000	Lariat; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2000	Lariat; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2000	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2000	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2000	Lightning	4600 Series	Front	24-187442	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-187459	SetOption: Variable depending on application; Setting: 4600 Series
2000	RWD; XL	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2000	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2000	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2000	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2000	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
2000	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2000	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2000	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2000	XL	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2000	XLT	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1999	4WD; Base	4600 Series				Rear	AK2284	Heavy Duty
1999	4WD; Base	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1999	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1999	4WD; Lariat	4600 Series				Rear	AK2284	Heavy Duty
1999	4WD; Lariat	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1999	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1999	4WD; XL	4600 Series				Rear	AK2284	Heavy Duty
1999	4WD; XL	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1999	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1999	4WD; XLT	4600 Series				Rear	AK2284	Heavy Duty
1999	4WD; XLT	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1999	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1999	Base	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1999	Base; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	Base; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1999	Lariat	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1999	Lariat; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	Lariat; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1999	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1999	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1999	Lightning	4600 Series	Front	24-187442	SetOption: Variable depending on application; Setting: 4600 Series	Rear	24-187459	SetOption: Variable depending on application; Setting: 4600 Series
1999	RWD; XL	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1999	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1999	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1999	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1999	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1999	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1999	XL	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1999	XLT	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1998	4WD; Base	4600 Series				Rear	AK2284	Heavy Duty
1998	4WD; Base	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1998	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1998	4WD; Lariat	4600 Series				Rear	AK2284	Heavy Duty
1998	4WD; Lariat	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1998	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1998	4WD; XL	4600 Series				Rear	AK2284	Heavy Duty
1998	4WD; XL	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1998	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1998	4WD; XLT	4600 Series				Rear	AK2284	Heavy Duty
1998	4WD; XLT	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1998	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1998	Base	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1998	Base; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1998	Base; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1998	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1998	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1998	Lariat	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1998	Lariat; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	Lariat; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1998	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1998	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1998	RWD; XL	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1998	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1998	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1998	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1998	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1998	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1998	XL	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1998	XLT	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1997	4WD; Base	4600 Series				Rear	AK2284	Heavy Duty
1997	4WD; Base	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1997	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1997	4WD; Lariat	4600 Series				Rear	AK2284	Heavy Duty
1997	4WD; Lariat	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1997	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1997	4WD; XL	4600 Series				Rear	AK2284	Heavy Duty
1997	4WD; XL	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1997	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1997	4WD; XLT	4600 Series				Rear	AK2284	Heavy Duty
1997	4WD; XLT	5100 Series	Front	24-225403	Front Lifted Height: 4"			
1997	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1997	Base	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1997	Base; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	Base; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1997	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1997	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1997	Lariat	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1997	Lariat; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	Lariat; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1997	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1997	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1997	RWD; XL	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1997	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1997	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1997	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1997	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1997	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1997	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1997	XL	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1997	XLT	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1996	4WD; Eddie Bauer	4600 Series				Rear	24-016186	
1996	4WD; Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1996	4WD; Eddie Bauer	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1996	4WD; Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1996	4WD; Special	4600 Series				Rear	24-016186	
1996	4WD; Special	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1996	4WD; Special	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1996	4WD; Special	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1996	4WD; XL	4600 Series				Rear	24-016186	
1996	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1996	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1996	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1996	4WD; XLT	4600 Series				Rear	24-016186	
1996	4WD; XLT	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1996	4WD; XLT	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1996	4WD; XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1996	Eddie Bauer	4600 Series	Front	24-013284				
1996	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1996	Eddie Bauer; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1996	RWD; Special	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1996	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1996	RWD; XLT	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1996	Special	4600 Series	Front	24-013284				
1996	Special	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1996	XL	4600 Series	Front	24-013284				
1996	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1996	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	4WD; Eddie Bauer	4600 Series				Rear	24-016186	
1995	4WD; Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1995	4WD; Eddie Bauer	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1995	4WD; Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	4WD; Special	4600 Series				Rear	24-016186	
1995	4WD; Special	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1995	4WD; Special	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1995	4WD; Special	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	4WD; XL	4600 Series				Rear	24-016186	
1995	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1995	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1995	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	4WD; XLT	4600 Series				Rear	24-016186	
1995	4WD; XLT	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1995	4WD; XLT	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1995	4WD; XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	Eddie Bauer	4600 Series	Front	24-013284				
1995	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	Eddie Bauer; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1995	Lightning	4600 Series	Front	24-013284		Rear	AK1290	
			Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	AK2290	Lowered Shackles; Rear Lowered Height 4in
1995	RWD; Special	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1995	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1995	RWD; XLT	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1995	Special	4600 Series	Front	24-013284				
1995	Special	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	XL	4600 Series	Front	24-013284				
1995	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	XLT	4600 Series	Front	24-013284				
1995	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1994	4WD; XL	4600 Series				Rear	24-016186	
1994	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1994	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1994	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1994	4WD; XLT	4600 Series				Rear	24-016186	
1994	4WD; XLT	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1994	4WD; XLT	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1994	4WD; XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1994	Lightning	4600 Series	Front	24-013284		Rear	AK1290	
			Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	AK2290	Lowered Shackles; Rear Lowered Height 4in
1994	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1994	RWD; XLT	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1994	XL	4600 Series	Front	24-013284				
1994	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1994	XLT	4600 Series	Front	24-013284				
1994	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1993	4WD; XL	4600 Series				Rear	24-016186	
1993	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1993	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1993	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1993	4WD; XLT	4600 Series				Rear	24-016186	
1993	4WD; XLT	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1993	4WD; XLT	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1993	4WD; XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1993	Lightning	4600 Series	Front	24-013284		Rear	AK1290	
			Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	AK2290	Lowered Shackles; Rear Lowered Height 4in
1993	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1993	RWD; XLT	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1993	XL	4600 Series	Front	24-013284				
1993	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1993	XLT	4600 Series	Front	24-013284				
1993	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1992	4WD; Custom	4600 Series				Rear	24-016186	
1992	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1992	4WD; Custom	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1992	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1992	4WD; XL	4600 Series				Rear	24-016186	
1992	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1992	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1992	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1992	4WD; XLT Lariat	4600 Series				Rear	24-016186	
1992	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1992	4WD; XLT Lariat	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1992	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1992	Custom	4600 Series	Front	24-013284				
1992	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1992	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1992	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1992	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1992	XL	4600 Series	Front	24-013284				
1992	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1992	XLT Lariat	4600 Series	Front	24-013284				
1992	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1991	4WD; Custom	4600 Series				Rear	24-016186	
1991	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1991	4WD; Custom	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1991	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1991	4WD; XL	4600 Series				Rear	24-016186	
1991	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1991	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1991	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1991	4WD; XLT Lariat	4600 Series				Rear	24-016186	
1991	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1991	4WD; XLT Lariat	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1991	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1991	Custom	4600 Series	Front	24-013284				
1991	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1991	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1991	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1991	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1991	XL	4600 Series	Front	24-013284				
1991	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1991	XLT Lariat	4600 Series	Front	24-013284				
1991	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1990	4WD; Custom	4600 Series				Rear	24-016186	
1990	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1990	4WD; Custom	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1990	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1990	4WD; XL	4600 Series				Rear	24-016186	
1990	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1990	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1990	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1990	4WD; XLT Lariat	4600 Series				Rear	24-016186	
1990	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1990	4WD; XLT Lariat	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1990	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1990	Custom	4600 Series	Front	24-013284				
1990	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1990	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1990	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1990	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1990	XL	4600 Series	Front	24-013284				
1990	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1990	XLT Lariat	4600 Series	Front	24-013284				
1990	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1989	4WD; Custom	4600 Series				Rear	24-016186	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1989	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1989	4WD; Custom	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1989	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1989	4WD; XL	4600 Series						
1989	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1989	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1989	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1989	4WD; XLT Lariat	4600 Series						
1989	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1989	4WD; XLT Lariat	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1989	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1989	Custom	4600 Series	Front	24-013284				
1989	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1989	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1989	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1989	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1989	XL	4600 Series	Front	24-013284				
1989	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1989	XLT Lariat	4600 Series	Front	24-013284				
1989	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1988	4WD; Custom	4600 Series				Rear	24-016186	
1988	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1988	4WD; Custom	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1988	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1988	4WD; XL	4600 Series						
1988	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1988	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1988	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1988	4WD; XLT Lariat	4600 Series				Rear	24-016186	
1988	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1988	4WD; XLT Lariat	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1988	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1988	Custom	4600 Series	Front	24-013284				
1988	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1988	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1988	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1988	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1988	XL	4600 Series	Front	24-013284				
1988	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1988	XLT Lariat	4600 Series	Front	24-013284				
1988	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1987	4WD; Custom	4600 Series				Rear	24-016186	
1987	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1987	4WD; Custom	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1987	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1987	4WD; XL	4600 Series				Rear	24-016186	
1987	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1987	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1987	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1987	4WD; XLT Lariat	4600 Series				Rear	24-016186	
1987	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1987	4WD; XLT Lariat	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1987	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1987	Custom	4600 Series	Front	24-013284				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1987	Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1987	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1987	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1987	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1987	XL	4600 Series	Front	24-013284				
1987	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1987	XLT Lariat	4600 Series	Front	24-013284				
1987	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1986	4WD; Base	4600 Series				Rear	24-016186	
1986	4WD; Base	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1986	4WD; Base	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1986	4WD; Base	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1986	4WD; XL	4600 Series				Rear	24-016186	
1986	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1986	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1986	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1986	4WD; XLT Lariat	4600 Series				Rear	24-016186	
1986	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1986	4WD; XLT Lariat	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1986	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1986	Base	4600 Series	Front	24-013284				
1986	Base	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1986	Base; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1986	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1986	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1986	XL	4600 Series	Front	24-013284				
1986	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1986	XLT Lariat	4600 Series	Front	24-013284				
1986	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1985	4WD; Base	4600 Series				Rear	24-016186	
1985	4WD; Base	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1985	4WD; Base	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1985	4WD; Base	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1985	4WD; XL	4600 Series				Rear	24-016186	
1985	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1985	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1985	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1985	4WD; XLT Lariat	4600 Series				Rear	24-016186	
1985	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1985	4WD; XLT Lariat	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1985	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1985	Base	4600 Series	Front	24-013284				
1985	Base	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1985	Base; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1985	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1985	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	24-013291	
						Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
1985	XL	4600 Series	Front	24-013284				
1985	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1985	XLT Lariat	4600 Series	Front	24-013284				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1985	XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1984	4WD; Base	4600 Series				Rear	24-016186	
1984	4WD; Base	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1984	4WD; Base	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1984	4WD; Base	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1984	4WD; XL	4600 Series				Rear	24-016186	
1984	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1984	4WD; XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1984	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1984	4WD; XLT	4600 Series				Rear	24-016186	
1984	4WD; XLT	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1984	4WD; XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1984	4WD; XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1984	Base	4600 Series	Front	24-013284				
1984	Base; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1984	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1984	RWD; XLT	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1984	XL	4600 Series	Front	24-013284				
1984	XLT	4600 Series	Front	24-013284				
1983	4WD; Base	4600 Series				Rear	24-016186	
1983	4WD; Base	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1983	4WD; Base	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1983	4WD; Base	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1983	4WD; XL	4600 Series				Rear	24-016186	
1983	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1983	4WD; XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1983	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1983	4WD; XLS	4600 Series				Rear	24-016186	
1983	4WD; XLS	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1983	4WD; XLS	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1983	4WD; XLS	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1983	4WD; XLT	4600 Series				Rear	24-016186	
1983	4WD; XLT	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1983	4WD; XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1983	4WD; XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1983	Base	4600 Series	Front	24-013284				
1983	Base; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1983	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1983	RWD; XLS	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1983	RWD; XLT	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1983	XL	4600 Series	Front	24-013284				
1983	XLS	4600 Series	Front	24-013284				
1983	XLT	4600 Series	Front	24-013284				
1982	4WD; Custom	4600 Series				Rear	24-016186	
1982	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1982	4WD; Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1982	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1982	4WD; XL	4600 Series				Rear	24-016186	
1982	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1982	4WD; XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1982	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1982	4WD; XLS	4600 Series				Rear	24-016186	
1982	4WD; XLS	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1982	4WD; XLS	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1982	4WD; XLS	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1982	4WD; XLT Lariat	4600 Series				Rear	24-016186	
1982	4WD; XLT Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1982	4WD; XLT Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1982	4WD; XLT Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1982	Custom	4600 Series	Front	24-013284				
1982	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1982	RWD; XL	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1982	RWD; XLS	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1982	RWD; XLT Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1982	XL	4600 Series	Front	24-013284				
1982	XLS	4600 Series	Front	24-013284				
1982	XLT Lariat	4600 Series	Front	24-013284				
1981	4WD; Custom	4600 Series				Rear	24-016186	
1981	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1981	4WD; Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1981	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1981	4WD; Ranger	4600 Series				Rear	24-016186	
1981	4WD; Ranger	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1981	4WD; Ranger	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1981	4WD; Ranger	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1981	4WD; Ranger Lariat	4600 Series				Rear	24-016186	
1981	4WD; Ranger Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1981	4WD; Ranger Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1981	4WD; Ranger Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1981	4WD; Ranger XLT	4600 Series				Rear	24-016186	
1981	4WD; Ranger XLT	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1981	4WD; Ranger XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1981	4WD; Ranger XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1981	Custom	4600 Series	Front	24-013284				
1981	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1981	RWD; Ranger	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1981	RWD; Ranger Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1981	RWD; Ranger XLT	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1981	Ranger	4600 Series	Front	24-013284				
1981	Ranger Lariat	4600 Series	Front	24-013284				
1981	Ranger XLT	4600 Series	Front	24-013284				
1980	4WD; Custom	4600 Series				Rear	24-016186	
1980	4WD; Custom	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1980	4WD; Custom	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1980	4WD; Custom	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1980	4WD; Ranger	4600 Series				Rear	24-016186	
1980	4WD; Ranger	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1980	4WD; Ranger	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1980	4WD; Ranger	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1980	4WD; Ranger Lariat	4600 Series				Rear	24-016186	
1980	4WD; Ranger Lariat	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1980	4WD; Ranger Lariat	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1980	4WD; Ranger Lariat	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1980	4WD; Ranger XLT	4600 Series				Rear	24-016186	
1980	4WD; Ranger XLT	4600 Series (Auxiliary)	Front	24-184809	Auxiliary Shock			
1980	4WD; Ranger XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
1980	4WD; Ranger XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1980	Custom	4600 Series	Front	24-013284				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-150 (continued)								
1980	Custom; RWD	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1980	RWD; Ranger	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1980	RWD; Ranger Lariat	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1980	RWD; Ranger XLT	4600 Series	Front	24-021722	Front Lowered Height 3in; Utilizes drop I-beam	Rear	33-188218	
1980	Ranger	4600 Series	Front	24-013284				
1980	Ranger Lariat	4600 Series	Front	24-013284				
1980	Ranger XLT	4600 Series	Front	24-013284				
Ford F-150 Heritage								
2004	4WD; XL	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2004	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2004	4WD; XLT	5100 Series	Front	24-225403	Front Lifted Height: 4"			
2004	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2004	RWD; XL	4600 Series	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2004	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2004	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2004	RWD; XLT	4600 Series	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2004	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2004	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
Ford F-250								
1999	4WD; Base	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1999	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1999	4WD; Lariat	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1999	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1999	4WD; XL	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1999	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1999	4WD; XLT	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1999	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-065276	Rear Lifted Height: 3-4"
			Front	24-065283	Front Lifted Height: 6"			
1999	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1999	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-065276	Rear Lifted Height: 3-4"
			Front	24-065283	Front Lifted Height: 6"			
1999	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1999	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-065276	Rear Lifted Height: 3-4"
			Front	24-065283	Front Lifted Height: 6"			
1999	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1999	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-065276	Rear Lifted Height: 3-4"
			Front	24-065283	Front Lifted Height: 6"			
1998	4WD; Base	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1998	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1998	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1998	4WD; Lariat	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1998	4WD; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1998	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1998	4WD; XL	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1998	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1998	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1998	4WD; XLT	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1998	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1998	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1998	Base; RWD	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)			
1998	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1998	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1998	Lariat; RWD	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)	Rear	24-013291	
1998	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1998	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1998	RWD; XL	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)	Rear	24-013291	
1998	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1998	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1998	RWD; XLT	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)	Rear	24-013291	
1998	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1998	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1998	XLT VIP	4600 Series				Rear	24-013291	
1997	4WD; Base	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1997	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1997	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1997	4WD; Lariat	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1997	4WD; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1997	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1997	4WD; XL	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1997	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1997	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1997	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1997	4WD; XLT	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1997	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1997	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			
1997	Base; RWD	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)			
1997	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)			
1997	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1997	Lariat; RWD	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)			
1997	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)			
1997	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1997	RWD; XL	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)			
1997	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)			
1997	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1997	RWD; XLT	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)			
1997	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)			
1997	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1997	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1997	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1997	XLT VIP	4600 Series				Rear	24-013291	
1996	4WD; Eddie Bauer; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1996	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1996	4WD; Special; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1996	4WD; Special; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1996	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1996	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1996	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1996	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1996	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1996	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1996	Eddie Bauer; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1996	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1996	RWD; Special	4600 Series	Front	24-013284		Rear	24-013291	
1996	RWD; Special; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1996	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1996	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1996	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	
1996	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1996	XLT VIP	4600 Series				Rear	24-013291	
1995	4WD; Eddie Bauer	4600 Series				Rear	24-016186	
1995	4WD; Special	4600 Series				Rear	24-016186	
1995	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1995	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1995	4WD; XLT	4600 Series				Rear	24-016186	
1995	Base	4600 Series				Rear	24-013291	
1995	Eddie Bauer; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1995	Eddie Bauer; RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1995	RWD; Special	4600 Series	Front	24-013284		Rear	24-013291	
1995	RWD; Special	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1995	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1995	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1995	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	
1995	RWD; XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1994	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1994	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1994	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1994	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1994	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1994	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1994	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	
1994	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1993	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1993	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1993	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1993	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1993	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1993	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1993	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	
1993	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1992	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1992	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1992	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1992	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1992	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1992	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1992	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1992	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1992	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1992	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1992	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1992	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1991	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1991	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1991	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1991	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1991	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1991	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1991	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1991	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1991	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1991	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1991	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1991	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1990	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1990	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1990	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1990	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1990	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1990	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1990	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1990	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1990	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1990	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1990	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1990	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1989	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1989	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1989	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1989	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1989	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1989	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1989	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1989	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1989	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1988	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1988	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1988	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1988	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1988	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1988	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1988	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1988	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1988	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1987	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1987	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1987	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1987	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1987	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1987	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179				
1987	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1987	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1987	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1987	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1987	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1987	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1986	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1986	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1986	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1986	Base	4600 Series						
1986	Base	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1986	Base; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1986	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1986	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1986	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1986	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1986	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1986	XL	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1986	XLT Lariat	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1985	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1985	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1985	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1985	Base	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1985	Base; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1985	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1985	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1985	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1985	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1985	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1985	XL	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1985	XLT Lariat	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1984	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1984	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1984	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1984	Base	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1984	Base; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1984	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1984	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1984	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1984	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	
1984	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1984	XL	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1984	XLT	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1983	2 Dr.; Base; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; Base; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; Extended Cab Pickup; RWD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; RWD; Standard Cab Pickup; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Base; Crew Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Crew Cab Pickup; RWD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1983	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1983	4WD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1983	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1983	Base	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1983	Base; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1983	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	
1983	RWD; XLS	4600 Series	Front	24-013284		Rear	24-013291	
1983	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	
1983	XL	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1983	XLS	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1983	XLT	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1982	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; Extended Cab Pickup; RWD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; Extended Cab Pickup; RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; RWD; Standard Cab Pickup; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; RWD; Standard Cab Pickup; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1982	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1982	4WD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1982	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1982	Custom	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1982	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1982	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1982	RWD; XLS	4600 Series	Front	24-013284		Rear	24-013291	
1982	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1982	XL	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1982	XLS	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1982	XLT Lariat	4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1981	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; Extended Cab Pickup; RWD; Ranger Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; Extended Cab Pickup; RWD; Ranger XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; Extended Cab Pickup; RWD; Ranger; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; RWD; Ranger Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; RWD; Ranger XLT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; RWD; Ranger; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1981	RWD; Ranger	4600 Series	Front	24-013284		Rear	24-013291	
1981	RWD; Ranger Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1981	RWD; Ranger XLT	4600 Series	Front	24-013284		Rear	24-013291	
1980	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; Extended Cab Pickup; RWD; Ranger Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; Extended Cab Pickup; RWD; Ranger XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 (continued)								
1980	2 Dr.; Extended Cab Pickup; RWD; Ranger; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; RWD; Ranger Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; RWD; Ranger XLT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; RWD; Ranger; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	
1980	RWD; Ranger	4600 Series	Front	24-013284		Rear	24-013291	
1980	RWD; Ranger Lariat	4600 Series	Front	24-013284		Rear	24-013291	
1980	RWD; Ranger XLT	4600 Series	Front	24-013284		Rear	24-013291	
Ford F-250 Super Duty								
2012	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2012	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2012	4WD; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	
2012	4WD; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2012	4WD; XL	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	
2012	4WD; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; XLT	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2012	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2012	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2012	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2012	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	
2012	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2012	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2012	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2011	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2011	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2011	4WD; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Lariat	5100 Series (Steering Damper)	Front	24-196284				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2011	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	
2011	4WD; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; XL	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	
2011	4WD; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; XLT	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2011	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2011	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2011	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2011	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	
2011	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2011	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2011	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2010	4WD; Cabela's	4600 Series	Front	24-186674		Rear	24-185981	
2010	4WD; Cabela's	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Cabela's	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Cabela's	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Cabela's	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2010	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2010	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2010	4WD; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	
2010	4WD; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; XL	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	
2010	4WD; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; XLT	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2010	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-196284				
2010	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2010	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2010	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2010	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2010	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	
2010	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2010	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2010	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2009	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2009	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2009	4WD; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2009	4WD; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; XL	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	
2009	4WD; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; XLT	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	FX4	4600 Series	Front	24-186674		Rear	24-185981	
2009	FX4	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	FX4	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	FX4	5100 Series (Steering Damper)	Front	24-196284				
2009	FX4	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2009	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-196284				
2009	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2009	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2009	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2009	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2009	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	
2009	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2009	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2009	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2008	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2008	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2008	4WD; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	
2008	4WD; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; XL	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	
2008	4WD; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2008	4WD; XLT	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	FX4	4600 Series	Front	24-186674		Rear	24-185981	
2008	FX4	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	FX4	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	FX4	5100 Series (Steering Damper)	Front	24-196284				
2008	FX4	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2008	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-196284				
2008	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2008	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2008	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2008	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2008	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	
2008	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2008	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2008	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2007	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2007	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; King Ranch	5100 Series (Steering Damper)	Front	33-170862				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2007	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2007	4WD; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	
2007	4WD; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; XL	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	
2007	4WD; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; XLT	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2007	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2007	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2007	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2007	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2007	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2007	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	
2007	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2007	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2007	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2006	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2006	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; King Ranch	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2006	4WD; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	
2006	4WD; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; XL	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2006	4WD; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; XLT	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2006	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2006	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2006	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2006	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2006	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2006	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	
2006	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2006	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2006	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2005	4WD; FX4	4600 Series				Rear	24-185981	
2005	4WD; FX4	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
2005	4WD; Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2005	4WD; Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2005	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2005	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; King Ranch	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2005	4WD; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	
2005	4WD; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; XL	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	
2005	4WD; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; XLT	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	FX4	4600 Series	Front	24-186674				
2005	FX4	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2005	FX4	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	FX4	5100 Series (Steering Damper)	Front	33-170862				
2005	FX4	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	Harley-Davidson Edition	5160 Series				Rear	25-177442	Rear Lifted Height: 4"
2005	Harley-Davidson Edition; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2005	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2005	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	
2005	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2005	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2005	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2004	4WD; Harley-Davidson Edition	4600 Series	Front	33-028187				
2004	4WD; Harley-Davidson Edition	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; Harley-Davidson Edition	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4WD; King Ranch	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; King Ranch; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4WD; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2004	4WD; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4WD; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4WD; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	Harley-Davidson Edition	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	Harley-Davidson Edition; RWD	5100 Series (Steering Damper)	Front	24-158930				
2004	King Ranch	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2004	King Ranch; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004	King Ranch; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	Lariat	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2004	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2004	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2004	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	XL	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	XLT	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4WD; Lariat	4600 Series				Rear	24-185981	
2003	4WD; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2003	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	4WD; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2003	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2003	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	4WD; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2003	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2003	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2003	Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2003	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2003	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2003	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2003	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2003	XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4WD; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2002	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2002	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	4WD; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2002	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2002	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	4WD; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2002	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2002	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2002	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2002	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2002	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2002	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2002	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2002	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4WD; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2001	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2001	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	4WD; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2001	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2001	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	4WD; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2001	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2001	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2001	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2001	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2001	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2001	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2001	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2001	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4WD; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2000	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2000	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	4WD; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2000	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2000	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	4WD; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
2000	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2000	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2000	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2000	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2000	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2000	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2000	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2000	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2000	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4WD; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
1999	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
1999	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
1999	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	4WD; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
1999	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
1999	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	4WD; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	
1999	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
1999	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
1999	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
1999	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
1999	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
1999	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
1999	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
1999	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
Ford F-350								
1997	4WD; Base	4600 Series	Front	24-016179	Including Dually			
1997	4WD; Lariat	4600 Series	Front	24-016179	Including Dually			
1997	4WD; XL	4600 Series	Front	24-016179	Including Dually			
1997	4WD; XLT	4600 Series	Front	24-016179	Including Dually			
1997	Base; RWD	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel
1997	Lariat; RWD	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel
1997	RWD; XL	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel
1997	RWD; XLT	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel
1997	XL	4600 Series				Rear	24-016186	
1997	XLT	4600 Series				Rear	24-016186	
1996	4WD; Eddie Bauer	4600 Series	Front	24-016179	Including Dually			
1996	4WD; Special	4600 Series	Front	24-016179	Including Dually			
1996	4WD; XL	4600 Series	Front	24-016179	Including Dually			
1996	4WD; XLT	4600 Series	Front	24-016179	Including Dually			
1996	Base	4600 Series	Front	24-013284				
1996	Eddie Bauer	4600 Series				Rear	24-016186	
1996	Eddie Bauer; RWD	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1996	RWD; Special	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel
1996	RWD; XL	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel
1996	RWD; XLT	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel
1996	Special	4600 Series				Rear	24-016186	
1996	XL	4600 Series				Rear	24-016186	
1996	XLT	4600 Series				Rear	24-016186	
1995	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1995	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1995	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1995	4WD; Eddie Bauer; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1995	4WD; Eddie Bauer; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1995	4WD; Special; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1995	4WD; Special; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1995	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1995	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1995	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1995	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1995	Eddie Bauer; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1995	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1995	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1995	RWD; Special	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1995	RWD; Special; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1995	RWD; Special; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1995	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1995	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1995	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1995	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1995	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1994	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1994	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1994	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1994	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1994	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1994	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1994	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1994	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1994	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1994	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1994	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1994	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1993	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1993	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1993	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1993	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1993	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1993	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1993	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1993	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1993	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1993	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1993	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1993	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1992	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1992	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1992	4 Dr.; Crew Cab Pickup; Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1992	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1992	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1992	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1992	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1992	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1992	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1992	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1992	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1992	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1992	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1992	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1992	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1992	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1992	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1991	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1991	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1991	4 Dr.; Crew Cab Pickup; Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1991	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1991	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1991	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1991	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1991	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1991	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1991	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1991	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1991	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1991	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1991	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1991	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1991	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1991	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1990	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1990	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1990	4 Dr.; Crew Cab Pickup; Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1990	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1990	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1990	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1990	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1990	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1990	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1990	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1990	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1990	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1990	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1990	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1990	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1990	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1990	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1989	2 Dr.; Extended Cab Pickup; RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	2 Dr.; RWD; Standard Cab Pickup; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	4 Dr.; Crew Cab Pickup; Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1989	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1989	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1989	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1989	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1989	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1989	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1989	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1989	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1989	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1989	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1989	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1989	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1988	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1988	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	2 Dr.; Extended Cab Pickup; RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	2 Dr.; RWD; Standard Cab Pickup; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	4 Dr.; Crew Cab Pickup; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	4 Dr.; Crew Cab Pickup; RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1988	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1988	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1988	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1988	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1988	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1988	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1988	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1988	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1988	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1988	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1988	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1988	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1987	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1987	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1987	2 Dr.; RWD; Standard Cab Pickup; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1987	4 Dr.; Crew Cab Pickup; Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1987	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1987	4 Dr.; Crew Cab Pickup; RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1987	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1987	4WD; Custom; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1987	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1987	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1987	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1987	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1987	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1987	Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1987	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1987	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1987	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1987	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1986	2 Dr.; Base; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1986	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1986	2 Dr.; RWD; Standard Cab Pickup; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1986	4 Dr.; Base; Crew Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1986	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1986	4 Dr.; Crew Cab Pickup; RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1986	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1986	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1986	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1986	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1986	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1986	4WD; XLT Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016179	Including Dually			
1986	Base; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1986	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1986	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1986	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1986	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1986	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1985	2 Dr.; Base; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1985	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1985	2 Dr.; RWD; Standard Cab Pickup; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1985	4 Dr.; Base; Crew Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1985	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1985	4 Dr.; Crew Cab Pickup; RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1985	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1985	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1985	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1985	Base	4600 Series	Front	24-016155	Including Dually			
1985	Base; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1985	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1985	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1985	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1985	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1985	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels
1985	XL	4600 Series	Front	24-016155	Including Dually			
1985	XLT Lariat	4600 Series	Front	24-016155	Including Dually			
1984	2 Dr.; Base; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1984	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1984	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1984	4 Dr.; Base; Crew Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1984	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1984	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1984	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1984	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1984	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1984	Base	4600 Series	Front	24-016155	Including Dually			
1984	Base; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1984	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1984	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1984	XL	4600 Series	Front	24-016155	Including Dually			
1984	XLT	4600 Series	Front	24-016155	Including Dually			
1983	2 Dr.; Base; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; RWD; Standard Cab Pickup; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	2 Dr.; RWD; Standard Cab Pickup; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Base; Crew Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Crew Cab Pickup; RWD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1983	4WD; Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1983	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1983	4WD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1983	4WD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1983	Base	4600 Series	Front	24-016155	Including Dually			
1983	Base; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1983	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1983	RWD; XLS	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1983	RWD; XLT	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1983	XL	4600 Series	Front	24-016155	Including Dually			
1983	XLS	4600 Series	Front	24-016155	Including Dually			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1983	XLT	4600 Series	Front	24-016155	Including Dually			
1982	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	2 Dr.; RWD; Standard Cab Pickup; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1982	4WD; Custom; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1982	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1982	4WD; XLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1982	4WD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1982	Custom	4600 Series	Front	24-016155	Including Dually			
1982	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1982	RWD; XL	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1982	RWD; XLS	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1982	RWD; XLT Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1982	XL	4600 Series	Front	24-016155	Including Dually			
1982	XLS	4600 Series	Front	24-016155	Including Dually			
1982	XLT Lariat	4600 Series	Front	24-016155	Including Dually			
1981	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; Extended Cab Pickup; RWD; Ranger Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; Extended Cab Pickup; RWD; Ranger XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; Extended Cab Pickup; RWD; Ranger; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 (continued)								
1981	2 Dr.; RWD; Ranger Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; RWD; Ranger XLT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	2 Dr.; RWD; Ranger; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1981	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1981	RWD; Ranger	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1981	RWD; Ranger Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1981	RWD; Ranger XLT	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1980	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; Extended Cab Pickup; RWD; Ranger Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; Extended Cab Pickup; RWD; Ranger XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; Extended Cab Pickup; RWD; Ranger; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; RWD; Ranger Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; RWD; Ranger XLT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	2 Dr.; RWD; Ranger; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1980	Custom; RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1980	RWD; Ranger	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1980	RWD; Ranger Lariat	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1980	RWD; Ranger XLT	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
Ford F-350 Super Duty								
2012	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2012	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel
2012	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel
2012	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel
2012	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2012	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel
2012	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel
2012	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel
2012	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2012	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2012	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2012	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2012	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2012	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2012	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2012	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2012	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2012	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2012	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2012	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2012	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2012	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2012	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2012	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2012	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2012	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2012	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2012	Lariat; RWD	4600 Series	Front	24-197779				
2012	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
2012	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2012	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2012	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2012	RWD; XL	4600 Series	Front	24-197779				
2012	RWD; XLT	4600 Series	Front	24-197779				
2011	2 Dr.; 4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	Single or Dual Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2011	2 Dr.; 4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	Single or Dual Rear Wheel
2011	2 Dr.; Cab & Chassis; Lariat; RWD	4600 Series				Rear	24-013291	
2011	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2011	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2011	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	Single or Dual Rear Wheel
2011	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	Single or Dual Rear Wheel
2011	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	Single or Dual Rear Wheel
2011	4 Dr.; 4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	Single or Dual Rear Wheel
2011	4 Dr.; 4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	Single or Dual Rear Wheel
2011	4 Dr.; 4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	Single or Dual Rear Wheel
2011	4 Dr.; Cab & Chassis; Lariat; RWD	4600 Series				Rear	24-013291	
2011	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2011	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2011	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674				
2011	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674				
2011	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2011	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674				
2011	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674				
2011	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674				
2011	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	Single or Dual Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2011	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674				
2011	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674				
2011	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2011	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2011	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2011	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2011	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2011	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2011	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2011	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2011	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2011	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2011	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2011	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2011	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2011	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2011	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2011	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2011	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2011	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2011	Lariat; RWD	4600 Series	Front	24-197779				
2011	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
2011	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2011	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2011	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2011	RWD; XL	4600 Series	Front	24-197779				
2011	RWD; XLT	4600 Series	Front	24-197779				
2010	2 Dr.; 4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	
2010	2 Dr.; 4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	
2010	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2010	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2010	4 Dr.; 4WD; Cabela's; Crew Cab Pickup	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Crew Cab Pickup; King Ranch	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	
2010	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2010	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2010	4 Dr.; Crew Cab Pickup; Harley-Davidson Edition	4600 Series				Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2010	4WD; Cabela's	4600 Series	Front	24-186674				
2010	4WD; Cabela's	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Cabela's	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Cabela's	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Cabela's	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674				
2010	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674				
2010	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674				
2010	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2010	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674				
2010	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674				
2010	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; King Ranch	4600 Series	Front	24-186674				
2010	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2010	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674				
2010	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2010	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2010	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2010	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2010	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2010	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2010	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2010	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2010	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2010	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2010	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2010	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2010	Harley-Davidson Edition	4600 Series	Front	24-186674				
2010	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2010	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-196284				
2010	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2010	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2010	Lariat; RWD	4600 Series	Front	24-197779				
2010	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
2010	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2010	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2010	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2010	RWD; XL	4600 Series	Front	24-197779				
2010	RWD; XLT	4600 Series	Front	24-197779				
2009	2 Dr.; 4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	
2009	2 Dr.; 4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	
2009	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2009	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2009	4 Dr.; 4WD; Crew Cab Pickup; King Ranch	4600 Series				Rear	24-185981	
2009	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2009	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2009	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2009	4 Dr.; 4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2009	4 Dr.; 4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	
2009	4 Dr.; 4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	
2009	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2009	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2009	4 Dr.; Crew Cab Pickup; FX4	4600 Series				Rear	24-185981	
2009	4 Dr.; Crew Cab Pickup; Harley-Davidson Edition	4600 Series				Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2009	4 Dr.; Extended Cab Pickup; FX4	4600 Series				Rear	24-185981	
2009	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674				
2009	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674				
2009	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674				
2009	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674				
2009	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2009	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674				
2009	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674				
2009	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; King Ranch	4600 Series	Front	24-186674				
2009	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674				
2009	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2009	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2009	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2009	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2009	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2009	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2009	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2009	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2009	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2009	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2009	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2009	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2009	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2009	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2009	FX4	4600 Series	Front	24-186674				
2009	FX4	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2009	FX4	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	FX4	5100 Series (Steering Damper)	Front	24-196284				
2009	FX4	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	Harley-Davidson Edition	4600 Series	Front	24-186674				
2009	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2009	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-196284				
2009	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2009	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2009	Lariat; RWD	4600 Series	Front	24-197779				
2009	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
2009	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2009	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2009	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2009	RWD; XL	4600 Series	Front	24-197779				
2009	RWD; XLT	4600 Series	Front	24-197779				
2008	2 Dr.; 4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	
2008	2 Dr.; 4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	
2008	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2008	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2008	4 Dr.; 4WD; Crew Cab Pickup; King Ranch	4600 Series				Rear	24-185981	
2008	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2008	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2008	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2008	4 Dr.; 4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2008	4 Dr.; 4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	
2008	4 Dr.; 4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	
2008	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2008	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2008	4 Dr.; Crew Cab Pickup; FX4	4600 Series				Rear	24-185981	
2008	4 Dr.; Crew Cab Pickup; Harley-Davidson Edition	4600 Series				Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2008	4 Dr.; Extended Cab Pickup; FX4	4600 Series				Rear	24-185981	
2008	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674				
2008	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674				
2008	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674				
2008	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674				
2008	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2008	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674				
2008	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674				
2008	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; King Ranch	4600 Series	Front	24-186674				
2008	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674				
2008	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2008	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2008	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2008	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2008	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2008	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2008	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2008	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2008	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2008	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2008	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2008	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2008	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2008	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2008	FX4	4600 Series	Front	24-186674				
2008	FX4	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2008	FX4	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	FX4	5100 Series (Steering Damper)	Front	24-196284				
2008	FX4	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	Harley-Davidson Edition	4600 Series	Front	24-186674				
2008	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2008	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2008	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-196284				
2008	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2008	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2008	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2008	Lariat; RWD	4600 Series	Front	24-197779				
2008	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
2008	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2008	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2008	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2008	RWD; XL	4600 Series	Front	24-197779				
2008	RWD; XLT	4600 Series	Front	24-197779				
2007	2 Dr.; 4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	
2007	2 Dr.; 4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	
2007	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2007	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2007	4 Dr.; 4WD; Crew Cab Pickup; King Ranch	4600 Series				Rear	24-185981	
2007	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2007	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2007	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2007	4 Dr.; 4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2007	4 Dr.; 4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	
2007	4 Dr.; 4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	
2007	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2007	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2007	4 Dr.; Crew Cab Pickup; Harley-Davidson Edition	4600 Series				Rear	24-185981	
2007	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2007	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674				
2007	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674				
2007	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674				
2007	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2007	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674				
2007	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; King Ranch	4600 Series	Front	24-186674				
2007	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; King Ranch	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674				
2007	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2007	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2007	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2007	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2007	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2007	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2007	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2007	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2007	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2007	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2007	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2007	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2007	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2007	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2007	Harley-Davidson Edition	4600 Series	Front	24-186674				
2007	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2007	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2007	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2007	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2007	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2007	Lariat; RWD	4600 Series	Front	24-197779				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2007	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
2007	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2007	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2007	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2007	RWD; XL	4600 Series	Front	24-197779				
2007	RWD; XLT	4600 Series	Front	24-197779				
2006	2 Dr.; 4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	
2006	2 Dr.; 4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	
2006	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2006	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2006	4 Dr.; 4WD; Crew Cab Pickup; King Ranch	4600 Series				Rear	24-185981	
2006	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2006	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2006	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2006	4 Dr.; 4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2006	4 Dr.; 4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	
2006	4 Dr.; 4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	
2006	4 Dr.; Crew Cab Pickup; Harley-Davidson Edition	4600 Series				Rear	24-185981	
2006	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674				
2006	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674				
2006	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2006	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674				
2006	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674				
2006	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674				
2006	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674				
2006	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2006	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; King Ranch	4600 Series	Front	24-186674				
2006	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; King Ranch	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674				
2006	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674				
2006	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2006	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2006	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2006	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2006	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2006	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2006	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2006	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2006	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2006	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2006	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2006	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2006	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2006	Harley-Davidson Edition	4600 Series	Front	24-186674				
2006	Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2006	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2006	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2006	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2006	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2006	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2006	Lariat; RWD	4600 Series	Front	24-197779				
2006	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
2006	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2006	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2006	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2006	RWD; XL	4600 Series	Front	24-197779				
2006	RWD; XLT	4600 Series	Front	24-197779				
2005	2 Dr.; 4WD; Lariat; Standard Cab Pickup	4600 Series				Rear	24-185981	
2005	2 Dr.; 4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	
2005	2 Dr.; 4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	
2005	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2005	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2005	4 Dr.; 4WD; Crew Cab Pickup; Harley-Davidson Edition	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Crew Cab Pickup; King Ranch	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Extended Cab Pickup; Harley-Davidson Edition	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Extended Cab Pickup; King Ranch	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	
2005	4 Dr.; 4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	
2005	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2005	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2005	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674				
2005	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674				
2005	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2005	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674				
2005	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674				
2005	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674				
2005	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Harley-Davidson Edition	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2005	4WD; Harley-Davidson Edition	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; King Ranch	4600 Series	Front	24-186674				
2005	4WD; King Ranch	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; King Ranch	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Lariat; Standard Cab Pickup	4600 Series	Front	24-186674				
2005	4WD; Lariat; Standard Cab Pickup	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Lariat; Standard Cab Pickup	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Lariat; Standard Cab Pickup	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Lariat; Standard Cab Pickup	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674				
2005	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2005	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 4"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2005	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2005	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2005	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2005	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2005	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2005	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2005	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2005	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2005	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2005	Harley-Davidson Edition; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2005	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	Lariat; RWD	4600 Series	Front	24-197779				
2005	Lariat; RWD; Standard Cab Pickup	4600 Series				Rear	24-185325	
2005	Lariat; RWD; Standard Cab Pickup	5100 Series (Steering Damper)	Front	24-158930				
2005	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
2005	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2005	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2005	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2005	RWD; XL	4600 Series	Front	24-197779				
2005	RWD; XLT	4600 Series	Front	24-197779				
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2004	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2004	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	2 Dr.; Standard Cab Pickup; XL	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	2 Dr.; Standard Cab Pickup; XLT	5100 Series						
2004	4 Dr.; 4WD; Crew Cab Pickup; King Ranch; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series						



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2004	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2004	4 Dr.; Crew Cab Pickup; Lariat	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	4 Dr.; Crew Cab Pickup; XL	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	4 Dr.; Crew Cab Pickup; XLT	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	4 Dr.; Extended Cab Pickup; Lariat	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	4 Dr.; Extended Cab Pickup; XL	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	4 Dr.; Extended Cab Pickup; XLT	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2004	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2004	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2004	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Crew Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Crew Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Extended Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Extended Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Harley-Davidson Edition	4600 Series	Front	33-028187	Including Dually	Rear	33-185347	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4WD; Harley-Davidson Edition	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; Harley-Davidson Edition	5160 Series	Front	25-188387	Front Lifted Height: 0-3"			
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4WD; King Ranch	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually	Rear	33-185347	
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2004	4WD; Standard Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Standard Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2004	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2004	Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2004	Crew Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2004	Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2004	Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	Extended Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2004	Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	Harley-Davidson Edition	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	Harley-Davidson Edition; RWD	5100 Series (Steering Damper)	Front	24-158930				
2004	King Ranch	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2004	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2004	King Ranch; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004	King Ranch; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2004	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779				
2004	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2004	RWD; Standard Cab Pickup; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2004	RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779				
2004	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779				
2003	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2003	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2003	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2003	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	2 Dr.; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	2 Dr.; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2003	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	2 Dr.; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	2 Dr.; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	2 Dr.; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	2 Dr.; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2003	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2003	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2003	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2003	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2003	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	4 Dr.; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	4 Dr.; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	4 Dr.; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2003	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2003	4 Dr.; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4 Dr.; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2003	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2003	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2003	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2003	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Crew Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Crew Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Extended Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Extended Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Lariat; Standard Cab Pickup	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2003	4WD; Standard Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; Standard Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2003	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2003	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2003	Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2003	Crew Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2003	Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2003	Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2003	Extended Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2003	Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	Lariat; RWD; Standard Cab Pickup	5100 Series (Steering Damper)	Front	24-158930				
2003	Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779				
2003	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2003	RWD; Standard Cab Pickup; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2003	RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779				
2003	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779				
2002	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2002	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2002	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2002	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2002	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2002	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2002	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	2 Dr.; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	2 Dr.; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2002	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	2 Dr.; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	2 Dr.; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	2 Dr.; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	2 Dr.; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2002	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2002	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2002	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2002	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2002	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2002	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2002	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2002	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2002	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2002	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2002	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2002	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2002	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	4 Dr.; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	4 Dr.; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	4 Dr.; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2002	4 Dr.; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2002	4 Dr.; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4 Dr.; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2002	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2002	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2002	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2002	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Crew Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Crew Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Extended Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Extended Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Lariat; Standard Cab Pickup	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2002	4WD; Standard Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; Standard Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2002	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2002	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2002	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2002	Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series						
2002	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2002	Crew Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series						
2002	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2002	Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series						
2002	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2002	Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series						
2002	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2002	Extended Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series						
2002	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2002	Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series						
2002	Lariat; RWD; Standard Cab Pickup	5100 Series (Steering Damper)	Front	24-158930				
2002	Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs	4600 Series						
2002	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779				
2002	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2002	RWD; Standard Cab Pickup; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2002	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2002	RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs	4600 Series						
2002	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779				
2002	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779				
2001	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2001	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2001	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	2 Dr.; 4WD; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2001	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2001	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2001	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	2 Dr.; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2001	2 Dr.; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	2 Dr.; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	2 Dr.; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	2 Dr.; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	2 Dr.; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2001	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2001	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2001	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2001	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2001	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2001	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2001	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2001	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2001	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2001	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2001	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2001	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2001	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2001	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	4 Dr.; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series						
2001	4 Dr.; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	4 Dr.; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series						
2001	4 Dr.; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2001	4 Dr.; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2001	4 Dr.; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4 Dr.; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2001	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2001	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2001	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2001	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Crew Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Crew Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Extended Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Extended Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Lariat; Standard Cab Pickup	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2001	4WD; Standard Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2001	4WD; Standard Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2001	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2001	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2001	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2001	Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2001	Crew Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2001	Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2001	Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2001	Extended Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2001	Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	Lariat; RWD; Standard Cab Pickup	5100 Series (Steering Damper)	Front	24-158930				
2001	Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779				
2001	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2001	RWD; Standard Cab Pickup; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2001	RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2001	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779				
2001	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779				
2000	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2000	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2000	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2000	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2000	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2000	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2000	2 Dr.; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	2 Dr.; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	2 Dr.; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	2 Dr.; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	2 Dr.; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	2 Dr.; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2000	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2000	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2000	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2000	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2000	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2000	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2000	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2000	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2000	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2000	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2000	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
2000	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2000	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2000	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	4 Dr.; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	4 Dr.; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2000	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	4 Dr.; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2000	4 Dr.; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4 Dr.; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
2000	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2000	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2000	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2000	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; Crew Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; Crew Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; Extended Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; Extended Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; Lariat; Standard Cab Pickup	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2000	4WD; Standard Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2000	4WD; Standard Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2000	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2000	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2000	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2000	Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2000	Crew Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2000	Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2000	Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2000	Extended Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2000	Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	Lariat; RWD; Standard Cab Pickup	5100 Series (Steering Damper)	Front	24-158930				
2000	Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779				
2000	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2000	RWD; Standard Cab Pickup; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2000	RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2000	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779				
2000	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
1999	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
1999	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
1999	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
1999	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
1999	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
1999	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	2 Dr.; Lariat; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	2 Dr.; Lariat; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	2 Dr.; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	2 Dr.; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	2 Dr.; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
1999	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
1999	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
1999	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
1999	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
1999	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
1999	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
1999	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
1999	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
1999	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
1999	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
			Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
1999	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
1999	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
1999	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	4 Dr.; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	4 Dr.; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
1999	4 Dr.; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"			
1999	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	4 Dr.; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
1999	4 Dr.; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4 Dr.; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-062466	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 3-4"
1999	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
1999	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
1999	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
1999	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; Crew Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; Crew Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; Extended Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; Extended Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; Lariat; Standard Cab Pickup	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
1999	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
1999	4WD; Standard Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; Standard Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
1999	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
1999	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
1999	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
1999	Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
1999	Crew Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
1999	Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
1999	Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
1999	Extended Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
1999	Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	Lariat; RWD; Standard Cab Pickup	5100 Series (Steering Damper)	Front	24-158930				
1999	Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779				
1999	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
1999	RWD; Standard Cab Pickup; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
1999	RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
1999	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
1999	RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
1999	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779				
1999	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779				
Ford F-450 Super Duty								
2012	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2012	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2012	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2012	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-186032	
2012	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2012	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-186032	
2012	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-186032	
2012	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2012	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-186032	
2012	King Ranch; RWD	4600 Series				Rear	24-186032	
2012	Lariat; RWD; Standard Cab Pickup	4600 Series				Rear	24-186032	
2012	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-186032	
2012	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-186032	
2011	2 Dr.; 4WD; Lariat; Standard Cab Pickup	4600 Series				Rear	24-185981	
2011	2 Dr.; 4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	
2011	2 Dr.; 4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	
2011	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2011	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2011	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2011	4 Dr.; 4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2011	4 Dr.; 4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	
2011	4 Dr.; 4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	
2011	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2011	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2011	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2011	4WD; King Ranch	4600 Series				Rear	24-185981	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-450 Super Duty (continued)								
2011	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-186032	
2011	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2011	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-186032	
2011	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-186032	
2011	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2011	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-186032	
2011	King Ranch	4600 Series	Front	24-186674				
2011	King Ranch; RWD	4600 Series				Rear	24-186032	
2011	Lariat	4600 Series	Front	24-186674				
2011	Lariat; RWD; Standard Cab Pickup	4600 Series				Rear	24-186032	
2011	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-186032	
2011	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-186032	
2011	XL	4600 Series	Front	24-186674				
2011	XLT	4600 Series	Front	24-186674				
2010	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2010	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2010	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2010	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2010	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2010	4WD; Harley-Davidson Edition	4600 Series				Rear	24-185981	
2010	4WD; King Ranch	4600 Series				Rear	24-185981	
2010	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-186032	
2010	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2010	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-186032	
2010	Harley-Davidson Edition	4600 Series	Front	24-186674				
2010	Harley-Davidson Edition; RWD	4600 Series				Rear	24-186032	
2010	King Ranch	4600 Series	Front	24-186674				
2010	King Ranch; RWD	4600 Series				Rear	24-186032	
2010	Lariat	4600 Series	Front	24-186674				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-450 Super Duty (continued)								
2010	XL	4600 Series	Front	24-186674				
2010	XLT	4600 Series	Front	24-186674				
2009	4 Dr.; 4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2009	4 Dr.; 4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	
2009	4 Dr.; 4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2009	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2009	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2009	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2009	4WD; Harley-Davidson Edition	4600 Series				Rear	24-185981	
2009	4WD; King Ranch	4600 Series				Rear	24-185981	
2009	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-186032	
2009	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2009	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-186032	
2009	Harley-Davidson Edition	4600 Series	Front	24-186674				
2009	Harley-Davidson Edition; RWD	4600 Series				Rear	24-186032	
2009	King Ranch	4600 Series	Front	24-186674				
2009	King Ranch; RWD	4600 Series				Rear	24-186032	
2009	Lariat	4600 Series	Front	24-186674				
2009	XL	4600 Series	Front	24-186674				
2009	XLT	4600 Series	Front	24-186674				
2008	4WD; King Ranch	4600 Series				Rear	24-185981	
2008	4WD; Lariat	4600 Series				Rear	24-185981	
2008	4WD; XL	4600 Series				Rear	24-185981	
2008	4WD; XLT	4600 Series				Rear	24-185981	
2008	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2008	King Ranch	4600 Series	Front	24-186674				
2008	King Ranch; RWD	4600 Series				Rear	24-186032	
2008	Lariat	4600 Series	Front	24-186674				
2008	Lariat; RWD	4600 Series				Rear	24-186032	
2008	RWD; XLT	4600 Series				Rear	24-186032	
2008	XL	4600 Series	Front	24-186674				
2008	XLT	4600 Series	Front	24-186674				
2007	4WD; Lariat	4600 Series				Rear	24-186032	
2007	4WD; XL	4600 Series				Rear	24-186032	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-450 Super Duty (continued)								
2007	4WD; XLT	4600 Series				Rear	24-186032	
2007	Lariat	4600 Series	Front	24-186674				
2007	XL	4600 Series	Front	24-186674				
2007	XLT	4600 Series	Front	24-186674				
2006	4WD; Lariat	4600 Series				Rear	24-186032	
2006	4WD; XL	4600 Series				Rear	24-186032	
2006	4WD; XLT	4600 Series				Rear	24-186032	
2006	Lariat	4600 Series	Front	24-186674				
2006	XL	4600 Series	Front	24-186674				
2006	XLT	4600 Series	Front	24-186674				
2005	4WD; Lariat	4600 Series				Rear	24-186032	
2005	4WD; XL	4600 Series				Rear	24-186032	
2005	4WD; XLT	4600 Series				Rear	24-186032	
2005	Lariat	4600 Series	Front	24-186674				
2005	XL	4600 Series	Front	24-186674				
2005	XLT	4600 Series	Front	24-186674				
2004	4WD; Lariat	4600 Series				Rear	24-186032	
2004	4WD; XL	4600 Series				Rear	24-186032	
2004	4WD; XLT	4600 Series				Rear	24-186032	
2004	Lariat	4600 Series	Front	33-028187	GVW 15000lbs			
2004	Lariat; RWD; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2004	RWD; XL; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2004	RWD; XLT; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2004	XL	4600 Series	Front	33-028187	GVW 15000lbs			
2004	XLT	4600 Series	Front	33-028187	GVW 15000lbs			
2003	4WD; Lariat	4600 Series				Rear	24-186032	
2003	4WD; XL	4600 Series				Rear	24-186032	
2003	4WD; XLT	4600 Series				Rear	24-186032	
2003	Lariat	4600 Series	Front	33-028187	GVW 15000lbs			
2003	Lariat; RWD; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2003	RWD; XL; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2003	RWD; XLT; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2003	XL	4600 Series	Front	33-028187	GVW 15000lbs			
2003	XLT	4600 Series	Front	33-028187	GVW 15000lbs			
2002	4WD; Lariat	4600 Series				Rear	24-186032	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-450 Super Duty (continued)								
2002	4WD; XL	4600 Series				Rear	24-186032	
2002	4WD; XLT	4600 Series				Rear	24-186032	
2002	Lariat; RWD; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2002	Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	GVW 15000lbs			
2002	RWD; XL; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2002	RWD; XLT; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2002	XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	GVW 15000lbs			
2002	XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	GVW 15000lbs			
2001	4WD; Lariat	4600 Series				Rear	24-186032	
2001	4WD; XL	4600 Series				Rear	24-186032	
2001	4WD; XLT	4600 Series				Rear	24-186032	
2001	Lariat	4600 Series	Front	33-028187	GVW 15000lbs			
2001	Lariat; RWD; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2001	RWD; XL; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2001	RWD; XLT; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2001	XL	4600 Series	Front	33-028187	GVW 15000lbs			
2001	XLT	4600 Series	Front	33-028187	GVW 15000lbs			
2000	4WD; Lariat	4600 Series				Rear	24-186032	
2000	4WD; XL	4600 Series				Rear	24-186032	
2000	4WD; XLT	4600 Series				Rear	24-186032	
2000	Lariat	4600 Series	Front	33-028187	GVW 15000lbs			
2000	Lariat; RWD; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2000	RWD; XL; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2000	RWD; XLT; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2000	XL	4600 Series	Front	33-028187	GVW 15000lbs			
2000	XLT	4600 Series	Front	33-028187	GVW 15000lbs			
1999	4WD; Lariat	4600 Series				Rear	24-186032	
1999	4WD; XL	4600 Series				Rear	24-186032	
1999	4WD; XLT	4600 Series				Rear	24-186032	
1999	Lariat	4600 Series	Front	33-028187	GVW 15000lbs			
1999	Lariat; RWD; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-450 Super Duty (continued)								
1999	RWD; XL; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
1999	RWD; XLT; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
1999	XL	4600 Series	Front	33-028187	GVW 15000lbs			
1999	XLT	4600 Series	Front	33-028187	GVW 15000lbs			
Ford F-550 Super Duty								
2012	4WD; Lariat	4600 Series				Rear	24-186032	
2012	4WD; XL	4600 Series				Rear	24-186032	
2012	4WD; XLT	4600 Series				Rear	24-186032	
2011	4WD; Lariat	4600 Series				Rear	24-186032	
2011	4WD; XL	4600 Series				Rear	24-186032	
2011	4WD; XLT	4600 Series				Rear	24-186032	
2011	Lariat	4600 Series	Front	24-186674	GVW 19000Lbs			
2011	XL	4600 Series	Front	24-186674	GVW 19000Lbs			
2011	XLT	4600 Series	Front	24-186674	GVW 19000Lbs			
2010	4WD; Lariat	4600 Series						
2010	4WD; XL	4600 Series				Rear	24-186032	
2010	4WD; XLT	4600 Series				Rear	24-186032	
2010	Lariat	4600 Series				Front	24-186674	GVW 19000Lbs
2010	XL	4600 Series	Front	24-186674	GVW 19000Lbs			
2010	XLT	4600 Series	Front	24-186674	GVW 19000Lbs			
2009	4WD; Lariat	4600 Series				Rear	24-186032	
2009	4WD; XL	4600 Series				Rear	24-186032	
2009	4WD; XLT	4600 Series				Rear	24-186032	
2009	Lariat	4600 Series				Front	24-186674	GVW 19000Lbs
2009	XL	4600 Series	Front	24-186674	GVW 19000Lbs			
2009	XLT	4600 Series	Front	24-186674	GVW 19000Lbs			
2008	4WD; Lariat	4600 Series				Rear	24-186032	
2008	4WD; XL	4600 Series				Rear	24-186032	
2008	4WD; XLT	4600 Series				Rear	24-186032	
2008	Base	4600 Series				Front	24-186674	GVW 19000Lbs
2008	Lariat	4600 Series	Front	24-186674	GVW 19000Lbs			
2008	Lariat; RWD	4600 Series						
2008	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2008	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2008	XL	4600 Series				Front	24-186674	GVW 19000Lbs
2008	XLT	4600 Series	Front	24-186674	GVW 19000Lbs			
2007	4WD; Lariat	4600 Series						



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-550 Super Duty (continued)								
2007	4WD; XL	4600 Series				Rear	24-186032	
2007	4WD; XLT	4600 Series				Rear	24-186032	
2007	Base	4600 Series	Front	24-186674	GVW 19000Lbs			
2007	Lariat	4600 Series	Front	24-186674	GVW 19000Lbs			
2007	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2007	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2007	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2007	XL	4600 Series	Front	24-186674	GVW 19000Lbs			
2007	XLT	4600 Series	Front	24-186674	GVW 19000Lbs			
2006	4WD; Lariat	4600 Series				Rear	24-186032	
2006	4WD; XL	4600 Series				Rear	24-186032	
2006	4WD; XLT	4600 Series				Rear	24-186032	
2006	Base	4600 Series	Front	24-186674	GVW 19000Lbs			
2006	Lariat	4600 Series	Front	24-186674	GVW 19000Lbs			
2006	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2006	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2006	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2006	XL	4600 Series	Front	24-186674	GVW 19000Lbs			
2006	XLT	4600 Series	Front	24-186674	GVW 19000Lbs			
2005	4WD; Lariat	4600 Series				Rear	24-186032	
2005	4WD; XL	4600 Series				Rear	24-186032	
2005	4WD; XLT	4600 Series				Rear	24-186032	
2005	Base	4600 Series	Front	24-186674	GVW 19000Lbs			
2005	Lariat	4600 Series	Front	24-186674	GVW 19000Lbs			
2005	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2005	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2005	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2005	XL	4600 Series	Front	24-186674	GVW 19000Lbs			
2005	XLT	4600 Series	Front	24-186674	GVW 19000Lbs			
2004	4WD; Lariat	4600 Series				Rear	24-186032	
2004	4WD; XL	4600 Series				Rear	24-186032	
2004	4WD; XLT	4600 Series				Rear	24-186032	
2004	Lariat	4600 Series	Front	33-028187	GVW 19000Lbs			
2004	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2004	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2004	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2004	XL	4600 Series	Front	33-028187	GVW 19000Lbs			
2004	XLT	4600 Series	Front	33-028187	GVW 19000Lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-550 Super Duty (continued)								
2003	4WD; Lariat	4600 Series				Rear	24-186032	
2003	4WD; XL	4600 Series				Rear	24-186032	
2003	4WD; XLT	4600 Series				Rear	24-186032	
2003	Lariat	4600 Series	Front	33-028187	GVW 19000Lbs			
2003	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2003	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2003	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2003	XL	4600 Series	Front	33-028187	GVW 19000Lbs			
2003	XLT	4600 Series	Front	33-028187	GVW 19000Lbs			
2002	4WD; Lariat	4600 Series				Rear	24-186032	
2002	4WD; XL	4600 Series				Rear	24-186032	
2002	4WD; XLT	4600 Series				Rear	24-186032	
2002	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2002	Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	GVW 19000Lbs			
2002	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2002	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2002	XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	GVW 19000Lbs			
2002	XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	GVW 19000Lbs			
2001	4WD; Lariat	4600 Series				Rear	24-186032	
2001	4WD; XL	4600 Series				Rear	24-186032	
2001	4WD; XLT	4600 Series				Rear	24-186032	
2001	Lariat	4600 Series	Front	33-028187	GVW 19000Lbs			
2001	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2001	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2001	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2001	XL	4600 Series	Front	33-028187	GVW 19000Lbs			
2001	XLT	4600 Series	Front	33-028187	GVW 19000Lbs			
2000	4WD; Lariat	4600 Series				Rear	24-186032	
2000	4WD; XL	4600 Series				Rear	24-186032	
2000	4WD; XLT	4600 Series				Rear	24-186032	
2000	Lariat	4600 Series	Front	33-028187	GVW 19000Lbs			
2000	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2000	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
2000	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
2000	XL	4600 Series	Front	33-028187	GVW 19000Lbs			
2000	XLT	4600 Series	Front	33-028187	GVW 19000Lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F-550 Super Duty (continued)								
1999	4WD; Lariat	4600 Series				Rear	24-186032	
1999	4WD; XL	4600 Series				Rear	24-186032	
1999	4WD; XLT	4600 Series				Rear	24-186032	
1999	Lariat	4600 Series	Front	33-028187	GVW 19000Lbs			
1999	Lariat; RWD	4600 Series				Rear	24-186032	19,000lbs GVW
1999	RWD; XL	4600 Series				Rear	24-186032	19,000lbs GVW
1999	RWD; XLT	4600 Series				Rear	24-186032	19,000lbs GVW
1999	XL	4600 Series	Front	33-028187	GVW 19000Lbs			
1999	XLT	4600 Series	Front	33-028187	GVW 19000Lbs			
Ford F53								
2011	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2011	Base	B6 (Steering Damper)	Front	24-067355	Except vehicles with 50 degree wheel cut; Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2010	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2010	Base	B6 (Steering Damper)	Front	24-067355	Except vehicles with 50 degree wheel cut; Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2009	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2009	Base	B6 (Steering Damper)	Front	24-067355	Except vehicles with 50 degree wheel cut; Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2008	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2008	Base	B6 (Steering Damper)	Front	24-067355	Except vehicles with 50 degree wheel cut; Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2007	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2007	Base	B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2006	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2006	Base	B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2005	Base	B6 (HD)				Rear	24-187046	
2004	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2004	Base	B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2003	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2003	Base	B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2002	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2002	Base	B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F53 (continued)								
2001	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2001	Base	B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2000	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2000	Base	B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
1999	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
1999	Base	B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
1997	Base	B6 (C)	Front	24-187015		Rear	24-187022	
1997	Base	B6 (Steering Damper)	Front	24-067355				
1997	XL	B6 (C)	Front	24-187015		Rear	24-187022	
1997	XL	B6 (Steering Damper)	Front	24-067355				
1996	XL	B6 (C)	Front	24-187015		Rear	24-187022	
1996	XL	B6 (Steering Damper)	Front	24-067355				
1995	XL	B6 (C)	Front	24-187015		Rear	24-187022	
1995	XL	B6 (Steering Damper)	Front	24-067355				
1994	XL	B6 (C)	Front	24-187015		Rear	24-187022	
1994	XL	B6 (Steering Damper)	Front	24-067355				
1993	XL	B6 (C)	Front	24-187015		Rear	24-187022	
1993	XL	B6 (Steering Damper)	Front	24-067355				
1992	Custom	B6 (C)	Front	24-187015		Rear	24-187022	
1992	Custom	B6 (Steering Damper)	Front	24-067355				
1991	Custom	B6 (C)	Front	24-187015		Rear	24-187022	
1991	Custom	B6 (Steering Damper)	Front	24-067355				
1990	Custom	B6 (C)	Front	24-187015		Rear	24-187022	
1990	Custom	B6 (Steering Damper)	Front	24-067355				
1989	Custom	B6 (C)	Front	24-187015		Rear	24-187022	
1989	Custom	B6 (Steering Damper)	Front	24-067355				
1989	XL	B6 (C)	Front	24-187015		Rear	24-187022	
1989	XL	B6 (Steering Damper)	Front	24-067355				
1988	Custom	B6 (C)	Front	24-187015		Rear	24-187022	
1988	Custom	B6 (Steering Damper)	Front	24-067355				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford F53 (continued)								
1988	XL	B6 (C)	Front	24-187015		Rear	24-187022	
1988	XL	B6 (Steering Damper)	Front	24-067355				
Ford Ranchero								
1979	500	B6 (C)				Rear	24-184755	
1979	500	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1979	GT	B6 (C)						
1979	GT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1979	Squire	B6 (C)						
1979	Squire	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1978	500	B6 (C)						
1978	500	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1978	GT	B6 (C)						
1978	GT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1978	Squire	B6 (C)						
1978	Squire	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1977	500	B6 (C)						
1977	500	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1977	GT	B6 (C)						
1977	GT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1977	Squire	B6 (C)						
1977	Squire	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1976	500	B6 (C)						
1976	500	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1976	GT	B6 (C)						
1976	GT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1976	Squire	B6 (C)						
1976	Squire	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1975	500	B6 (C)						
1975	500	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1975	GT	B6 (C)						
1975	GT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranchero (continued)								
1975	Squire	B6 (C)				Rear	24-184755	
1975	Squire	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1974	500	B6 (C)				Rear	24-184755	
1974	GT	B6 (C)				Rear	24-184755	
1974	Squire	B6 (C)				Rear	24-184755	
1973	500	B6 (C)				Rear	24-184755	
1973	GT	B6 (C)				Rear	24-184755	
1973	Squire	B6 (C)				Rear	24-184755	
1972	500	B6 (C)				Rear	24-184755	
1972	GT	B6 (C)				Rear	24-184755	
1972	Squire	B6 (C)				Rear	24-184755	
Ford Ranger								
2011	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2011	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2011	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2011	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2011	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2011	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2011	Sport	4600 Series	Front	24-188241		Rear	24-188258	
2010	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2010	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2010	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2010	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2010	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2010	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2010	Sport	4600 Series	Front	24-188241		Rear	24-188258	
2009	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2009	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2009	FX4	4600 Series	Front	24-188241		Rear	24-188258	
2009	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2009	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
2009	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2009	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2009	Sport	4600 Series	Front	24-188241		Rear	24-188258	
2008	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2008	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2008	FX4	4600 Series	Front	24-188241		Rear	24-188258	
2008	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2008	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2008	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2008	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2008	Sport	4600 Series	Front	24-188241		Rear	24-188258	
2007	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2007	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2007	FX4	4600 Series	Front	24-188241		Rear	24-188258	
2007	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2007	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2007	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2007	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2007	STX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2007	STX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2007	Sport	4600 Series	Front	24-188241		Rear	24-188258	
2006	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2006	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2006	FX4	4600 Series	Front	24-188241		Rear	24-188258	
2006	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2006	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2006	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2006	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
2006	STX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2006	STX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2006	Sport	4600 Series	Front	24-188241		Rear	24-188258	
2005	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2005	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2005	Edge	4600 Series	Front	24-188241		Rear	24-188258	
2005	FX4	4600 Series	Front	24-188241		Rear	24-188258	
2005	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2005	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2005	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2005	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2005	STX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2005	STX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2004	4WD; Tremor	4600 Series	Front	24-188241		Rear	24-188258	
2004	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2004	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2004	Edge	4600 Series	Front	24-188241		Rear	24-188258	
2004	RWD; Tremor; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2004	RWD; Tremor; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2004	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2004	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2004	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2004	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	2 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
2003	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2003	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2003	Edge	4600 Series	Front	24-188241		Rear	24-188258	
2003	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2003	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2002	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2002	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2002	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2002	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2002	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2002	EV	4600 Series	Front	24-188241		Rear	24-188258	
2002	Edge	4600 Series	Front	24-188241		Rear	24-188258	
2002	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2002	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2002	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2001	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2001	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2001	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2001	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2001	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2001	EV	4600 Series	Front	24-188241		Rear	24-188258	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
2001	Edge	4600 Series	Front	24-188241		Rear	24-188258	
2001	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2000	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2000	EV	4600 Series	Front	24-188241		Rear	24-188258	
2000	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
1999	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
1999	EV	4600 Series	Front	24-188241		Rear	24-188258	
1999	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1999	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1999	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	4WD; Splash	4600 Series	Front	24-188241		Rear	24-188258	
1998	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
1998	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
1998	EV	4600 Series	Front	24-188241		Rear	24-188258	
1998	RWD; Splash; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1998	RWD; Splash; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1998	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1998	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1997	4WD; Splash	4600 Series				Rear	24-184984	
1997	4WD; Sport	4600 Series				Rear	24-184984	
1997	4WD; XL	4600 Series				Rear	24-184984	
1997	4WD; XLT	4600 Series				Rear	24-184984	
1997	RWD; Splash	4600 Series				Rear	24-184946	
1997	RWD; Sport	4600 Series				Rear	24-184946	
1997	RWD; XL	4600 Series				Rear	24-184946	
1997	RWD; XLT	4600 Series				Rear	24-184946	
1997	STX	4600 Series	Front	24-022361		Rear	24-184984	
1997	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1997	Splash	4600 Series	Front	24-022361				
1997	Splash	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1997	Sport	4600 Series	Front	24-022361				
1997	Sport	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1997	XL	4600 Series	Front	24-022361				
1997	XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1997	XLT	4600 Series	Front	24-022361				
1997	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1996	4WD; Splash	4600 Series				Rear	24-184984	
1996	4WD; XL	4600 Series				Rear	24-184984	
1996	4WD; XLT	4600 Series				Rear	24-184984	
1996	RWD; Splash	4600 Series				Rear	24-184946	
1996	RWD; XL	4600 Series				Rear	24-184946	
1996	RWD; XLT	4600 Series				Rear	24-184946	
1996	STX	4600 Series	Front	24-022361		Rear	24-184984	
1996	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1996	Splash	4600 Series	Front	24-022361				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1996	Splash	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1996	XL	4600 Series	Front	24-022361				
1996	XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1996	XLT	4600 Series	Front	24-022361				
1996	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1995	4WD; Splash	4600 Series				Rear	24-184984	
1995	4WD; XL	4600 Series				Rear	24-184984	
1995	4WD; XL Sport	4600 Series				Rear	24-184984	
1995	4WD; XLT	4600 Series				Rear	24-184984	
1995	RWD; Splash	4600 Series				Rear	24-184946	
1995	RWD; XL	4600 Series				Rear	24-184946	
1995	RWD; XL Sport	4600 Series				Rear	24-184946	
1995	RWD; XLT	4600 Series				Rear	24-184946	
1995	STX	4600 Series	Front	24-022361		Rear	24-184984	
1995	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1995	Splash	4600 Series	Front	24-022361				
1995	Splash	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1995	XL	4600 Series	Front	24-022361				
1995	XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1995	XL Sport	4600 Series	Front	24-022361				
1995	XL Sport	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1995	XLT	4600 Series	Front	24-022361				
1995	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1994	4WD; STX	4600 Series				Rear	24-184984	
1994	4WD; Splash	4600 Series				Rear	24-184984	
1994	4WD; XL	4600 Series				Rear	24-184984	
1994	4WD; XLT	4600 Series				Rear	24-184984	
1994	RWD; STX	4600 Series				Rear	24-184946	
1994	RWD; Splash	4600 Series				Rear	24-184946	
1994	RWD; XL	4600 Series				Rear	24-184946	
1994	RWD; XLT	4600 Series				Rear	24-184946	
1994	STX	4600 Series	Front	24-022361				
1994	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1994	Splash	4600 Series	Front	24-022361				
1994	Splash	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1994	XL	4600 Series	Front	24-022361				
1994	XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1994	XLT	4600 Series	Front	24-022361				
1994	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1993	4WD; STX	4600 Series				Rear	24-184984	
1993	4WD; Sport	4600 Series				Rear	24-184984	
1993	4WD; XL	4600 Series				Rear	24-184984	
1993	4WD; XLT	4600 Series				Rear	24-184984	
1993	RWD; STX	4600 Series				Rear	24-184946	
1993	RWD; Sport	4600 Series				Rear	24-184946	
1993	RWD; XL	4600 Series				Rear	24-184946	
1993	RWD; XLT	4600 Series				Rear	24-184946	
1993	STX	4600 Series	Front	24-022361				
1993	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1993	Splash	4600 Series	Front	24-022361		Rear	24-184946	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1993	Splash	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1993	Sport	4600 Series	Front	24-022361				
1993	Sport	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1993	XL	4600 Series	Front	24-022361				
1993	XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1993	XLT	4600 Series	Front	24-022361				
1993	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1992	4WD; Custom	4600 Series				Rear	24-184984	
1992	4WD; S	4600 Series				Rear	24-184984	
1992	4WD; STX	4600 Series				Rear	24-184984	
1992	4WD; Sport	4600 Series				Rear	24-184984	
1992	4WD; XLT	4600 Series				Rear	24-184984	
1992	Custom	4600 Series	Front	24-022361				
1992	Custom	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1992	Custom; RWD	4600 Series				Rear	24-184946	
1992	RWD; S	4600 Series				Rear	24-184946	
1992	RWD; STX	4600 Series				Rear	24-184946	
1992	RWD; Sport	4600 Series				Rear	24-184946	
1992	RWD; XLT	4600 Series				Rear	24-184946	
1992	S	4600 Series	Front	24-022361				
1992	S	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1992	STX	4600 Series	Front	24-022361				
1992	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1992	Sport	4600 Series	Front	24-022361				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1992	Sport	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1992	XLT	4600 Series	Front	24-022361				
1992	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1991	4WD; Custom	4600 Series				Rear	24-184984	
1991	4WD; STX	4600 Series				Rear	24-184984	
1991	4WD; Sport	4600 Series				Rear	24-184984	
1991	4WD; XLT	4600 Series				Rear	24-184984	
1991	Custom	4600 Series	Front	24-022361				
1991	Custom	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1991	Custom; RWD	4600 Series				Rear	24-184946	
1991	RWD; STX	4600 Series				Rear	24-184946	
1991	RWD; Sport	4600 Series				Rear	24-184946	
1991	RWD; XLT	4600 Series				Rear	24-184946	
1991	S	4600 Series	Front	24-022361		Rear	24-184946	
1991	S	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1991	STX	4600 Series	Front	24-022361				
1991	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1991	Sport	4600 Series	Front	24-022361				
1991	Sport	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1991	XLT	4600 Series	Front	24-022361				
1991	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1990	4WD; Custom	4600 Series				Rear	24-184984	
1990	4WD; STX	4600 Series				Rear	24-184984	
1990	4WD; XLT	4600 Series				Rear	24-184984	
1990	Custom	4600 Series	Front	24-022361				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1990	Custom	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1990	Custom; RWD	4600 Series				Rear	24-184946	
1990	RWD; STX	4600 Series				Rear	24-184946	
1990	RWD; XLT	4600 Series				Rear	24-184946	
1990	S	4600 Series	Front	24-022361		Rear	24-184946	
1990	S	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1990	S Plus	4600 Series	Front	24-022361		Rear	24-184946	
1990	S Plus	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1990	STX	4600 Series	Front	24-022361				
1990	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1990	XLT	4600 Series	Front	24-022361				
1990	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1989	4WD; Custom	4600 Series				Rear	24-184984	
1989	4WD; GT	4600 Series				Rear	24-184984	
1989	4WD; S	4600 Series				Rear	24-184984	
1989	4WD; STX	4600 Series				Rear	24-184984	
1989	4WD; XLT	4600 Series				Rear	24-184984	
1989	Custom	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1989	Custom; RWD	4600 Series				Rear	24-010184	
1989	GT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1989	GT; RWD	4600 Series				Rear	24-010184	
1989	RWD; S	4600 Series				Rear	24-010184	
1989	RWD; STX	4600 Series				Rear	24-010184	
1989	RWD; XLT	4600 Series				Rear	24-010184	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1989	S	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1989	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1989	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1988	4WD; Custom	4600 Series				Rear	24-184984	
1988	4WD; S	4600 Series				Rear	24-184984	
1988	4WD; STX	4600 Series				Rear	24-184984	
1988	4WD; XLT	4600 Series				Rear	24-184984	
1988	Custom	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1988	Custom; RWD	4600 Series				Rear	24-010184	
1988	RWD; S	4600 Series				Rear	24-010184	
1988	RWD; STX	4600 Series				Rear	24-010184	
1988	RWD; XLT	4600 Series				Rear	24-010184	
1988	S	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1988	STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1988	XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987	2 Dr.; Custom; Extended Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987	2 Dr.; Custom; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987	2 Dr.; Extended Cab Pickup; STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1987	2 Dr.; Extended Cab Pickup; XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987	2 Dr.; S; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987	2 Dr.; STX; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987	2 Dr.; Standard Cab Pickup; XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987	4WD; Custom	4600 Series				Rear	24-184984	
1987	4WD; S	4600 Series				Rear	24-184984	
1987	4WD; STX	4600 Series				Rear	24-184984	
1987	4WD; XLT	4600 Series				Rear	24-184984	
1987	Custom; RWD	4600 Series				Rear	24-010184	
1987	RWD; S	4600 Series				Rear	24-010184	
1987	RWD; STX	4600 Series				Rear	24-010184	
1987	RWD; XLT	4600 Series				Rear	24-010184	
1986	2 Dr.; Base; Extended Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; Base; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; Extended Cab Pickup; STX	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; Extended Cab Pickup; XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; Extended Cab Pickup; XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; S; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1986	2 Dr.; STX; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; Standard Cab Pickup; XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; Standard Cab Pickup; XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	4WD; Base	4600 Series				Rear	24-184984	
1986	4WD; S	4600 Series				Rear	24-184984	
1986	4WD; STX	4600 Series				Rear	24-184984	
1986	4WD; XL	4600 Series				Rear	24-184984	
1986	4WD; XLT	4600 Series				Rear	24-184984	
1986	Base; RWD	4600 Series				Rear	24-010184	
1986	RWD; S	4600 Series				Rear	24-010184	
1986	RWD; STX	4600 Series				Rear	24-010184	
1986	RWD; XL	4600 Series				Rear	24-010184	
1986	RWD; XLT	4600 Series				Rear	24-010184	
1985	2 Dr.; Base; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1985	2 Dr.; Standard Cab Pickup; XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1985	2 Dr.; Standard Cab Pickup; XLS	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1985	2 Dr.; Standard Cab Pickup; XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1985	4WD; Base	4600 Series				Rear	24-184984	
1985	4WD; XL	4600 Series				Rear	24-184984	
1985	4WD; XLS	4600 Series				Rear	24-184984	
1985	4WD; XLT	4600 Series				Rear	24-184984	
1985	Base; RWD	4600 Series				Rear	24-010184	
1985	RWD; XL	4600 Series				Rear	24-010184	
1985	RWD; XLS	4600 Series				Rear	24-010184	
1985	RWD; XLT	4600 Series				Rear	24-010184	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1984	2 Dr.; S; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1984	2 Dr.; Standard Cab Pickup; XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1984	2 Dr.; Standard Cab Pickup; XLS	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1984	2 Dr.; Standard Cab Pickup; XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1984	4WD; S	4600 Series				Rear	24-184984	
1984	4WD; XL	4600 Series				Rear	24-184984	
1984	4WD; XLS	4600 Series				Rear	24-184984	
1984	4WD; XLT	4600 Series				Rear	24-184984	
1984	RWD; S	4600 Series				Rear	24-010184	
1984	RWD; XL	4600 Series				Rear	24-010184	
1984	RWD; XLS	4600 Series				Rear	24-010184	
1984	RWD; XLT	4600 Series				Rear	24-010184	
1983	2 Dr.; Base; Standard Cab Pickup	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1983	2 Dr.; Standard Cab Pickup; XL	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1983	2 Dr.; Standard Cab Pickup; XLS	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1983	2 Dr.; Standard Cab Pickup; XLT	5100 Series	Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185684	Front Lifted Height: 6"	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1983	4WD; Base	4600 Series				Rear	24-184984	
1983	4WD; XL	4600 Series				Rear	24-184984	
1983	4WD; XLS	4600 Series				Rear	24-184984	
1983	4WD; XLT	4600 Series				Rear	24-184984	
1983	Base; RWD	4600 Series				Rear	24-010184	
1983	RWD; XL	4600 Series				Rear	24-010184	
1983	RWD; XLS	4600 Series				Rear	24-010184	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ford Ranger (continued)								
1983	RWD; XLT	4600 Series				Rear	24-010184	
Freightliner Sprinter 2500								
2012	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2012	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2012	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2012	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2011	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2011	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2011	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2011	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2010	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2010	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2010	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2010	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2009	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2009	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2009	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2009	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2008	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2008	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2008	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2008	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2007	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2007	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2007	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2007	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2006	Base; Cab & Chassis	B4	Front	22-214768				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Freightliner Sprinter 2500 (continued)								
2006	Base; Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006	Base; Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2006	Base; w/ 118.0 In. Wheelbase	B4						
2006	Base; w/ 140.0 In. Wheelbase	4600 Series						
2006	Base; w/ 140.0 In. Wheelbase	B4						
2006	Base; w/ 158.0 In. Wheelbase	4600 Series						
2006	Base; w/ 158.0 In. Wheelbase	B4						
2005	Base; Cab & Chassis	B4	Front	22-214768				
2005	Base; Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2005	Base; Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2005	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2005	Base; w/ 118.0 In. Wheelbase	B4						
2005	Base; w/ 140.0 In. Wheelbase	4600 Series						
2005	Base; w/ 140.0 In. Wheelbase	B4						
2005	Base; w/ 158.0 In. Wheelbase	4600 Series						
2005	Base; w/ 158.0 In. Wheelbase	B4						
2004	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2004	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2004	Base; w/ 118.0 In. Wheelbase	B4						
2004	Base; w/ 140.0 In. Wheelbase	4600 Series						
2004	Base; w/ 140.0 In. Wheelbase	B4						
2004	Base; w/ 158.0 In. Wheelbase	4600 Series						



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Freightliner Sprinter 2500 (continued)								
2004	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2003	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2003	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2003	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2003	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2003	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2003	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2003	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2002	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2002	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2002	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2002	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2002	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2002	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2002	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
Freightliner Sprinter 3500								
2012	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2012	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2012	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2012	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2011	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2011	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2011	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2011	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2010	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Freightliner Sprinter 3500 (continued)								
2010	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2010	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2010	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2009	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2009	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2009	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2009	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2008	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2008	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2008	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2008	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2007	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2007	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2007	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2007	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2006	Base; Cab & Chassis	B4	Front	22-214768				
2006	Base; Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2006	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2006	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2005	Base; Cab & Chassis	B4	Front	22-214768				
2005	Base; Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Freightliner Sprinter 3500 (continued)								
2005	Base; Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2005	Base; w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2005	Base; w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2005	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2005	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2005	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2005	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2004	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2004	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2004	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2004	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2004	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2003	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2003	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2003	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2003	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2003	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2002	Base	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2002	Base; w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2002	Base; w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2002	Base; w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2002	Base; w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
GMC C15								
1978	Base	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1978	Heavy Half	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C15 (continued)								
1978	High Sierra	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1978	Sierra Classic	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1978	Sierra Grande	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1978	Street Coupe	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1977	Base	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1977	Heavy Half	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1977	High Sierra	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1977	Indy Hauler	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1977	Sierra Classic	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1977	Sierra Grande	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1976	Base	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1976	High Sierra	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1976	Sierra Classic	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1976	Sierra Grande	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1975	Base	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1975	High Sierra	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1975	Sierra Classic	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
1975	Sierra Grande	4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
GMC C15 Suburban								
1978	Base	4600 Series	Front	24-192941		Rear	24-009331	
1978	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1978	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1978	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1977	Base	4600 Series	Front	24-192941		Rear	24-009331	
1977	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1977	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1977	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1976	Base	4600 Series	Front	24-192941		Rear	24-009331	
1976	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1976	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1976	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1975	Base	4600 Series	Front	24-192941		Rear	24-009331	
1975	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1975	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1975	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
GMC C15/C1500 Pickup								
1974	Base	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C15/C1500 Pickup (continued)								
1973	Base	4600 Series				Rear	24-009331	
GMC C15/C1500 Suburban								
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
GMC C1500								
1999	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
						Rear	24-021715	Rear Lowered Height: up to 4in
1999	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1999	Sierra SL	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1999	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
1999	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1999	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1999	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
1999	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1999	Sierra SLT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1998	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Sierra SL	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1998	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 (continued)								
1998	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Sierra SLT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998	Sierra Special	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1998	Sierra Special	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Sierra Special	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	Sierra GT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	Sierra GT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra GT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SL	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SLT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1997	Sierra Special	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1997	Sierra Special	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 (continued)								
1997	Sierra Special	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1996	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1996	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SL	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1996	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1996	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1996	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1996	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SLT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1996	Sierra Special	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1996	Sierra Special	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra Special	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1995	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1995	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra SL	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1995	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1995	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 (continued)								
1995	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1995	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1995	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra SLT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1995	Sierra Special	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1995	Sierra Special	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra Special	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1994	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1994	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SL	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1994	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1994	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1994	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1994	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SLT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1994	Sierra Special	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1994	Sierra Special	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 (continued)								
1994	Sierra Special	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1993	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1993	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1993	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1993	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1993	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1993	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra SLX	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1992	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1992	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Sierra	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1992	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1992	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1992	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1992	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 (continued)								
1992	Sierra SLX	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1991	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1991	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Sierra	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1991	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1991	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1991	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1991	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Sierra SLX	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1990	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1990	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Sierra	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1990	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1990	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1990	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1990	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 (continued)								
1990	Sierra SLX	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1989	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1989	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Sierra	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1989	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1989	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1989	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1989	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Sierra SLX	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1988	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1988	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Sierra	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1988	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1988	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Sierra SLE	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1988	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Rear Lifted Height: 0-1"
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-021715	Rear Lowered Height: up to 4in
1988	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 (continued)								
1988	Sierra SLX	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1986	Base	4600 Series	Front	24-192941		Rear	24-009331	
1986	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1986	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1985	Base	4600 Series	Front	24-192941		Rear	24-009331	
1985	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1985	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1984	Base	4600 Series	Front	24-192941		Rear	24-009331	
1984	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1984	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1983	Base	4600 Series	Front	24-192941		Rear	24-009331	
1983	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1983	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1982	Base	4600 Series	Front	24-192941		Rear	24-009331	
1982	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1982	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1982	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1982	Street Coupe	4600 Series	Front	24-192941		Rear	24-009331	
1981	Base	4600 Series	Front	24-192941		Rear	24-009331	
1981	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1981	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1981	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1981	Street Coupe	4600 Series	Front	24-192941		Rear	24-009331	
1980	Base	4600 Series	Front	24-192941		Rear	24-009331	
1980	Heavy Half	4600 Series	Front	24-192941		Rear	24-009331	
1980	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1980	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1980	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1980	Street Coupe	4600 Series	Front	24-192941		Rear	24-009331	
1979	Base	4600 Series	Front	24-192941		Rear	24-009331	
1979	Heavy Half	4600 Series	Front	24-192941		Rear	24-009331	
1979	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1979	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1979	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1979	Street Coupe	4600 Series	Front	24-192941		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 Suburban								
1999	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1999	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1999	Base	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1999	SLE	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1999	SLE	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1999	SLE	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1999	SLT	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1999	SLT	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1999	SLT	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1998	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1998	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1998	Base	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1998	SLE	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1998	SLE	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1998	SLE	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1998	SLT	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1998	SLT	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1998	SLT	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1997	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1997	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1997	Base	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1997	SLE	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1997	SLE	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1997	SLE	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1997	SLT	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 Suburban (continued)								
1997	SLT	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1997	SLT	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1996	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1996	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1996	Base	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1996	SLE	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1996	SLE	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1996	SLE	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1996	SLT	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1996	SLT	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1996	SLT	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1995	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1995	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1995	Base	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1995	SLE	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1995	SLE	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1995	SLE	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1995	SLT	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1995	SLT	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1995	SLT	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1994	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1994	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1994	Base	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1994	SLE	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1994	SLE	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1994	SLE	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 Suburban (continued)								
1993	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1993	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1993	Base	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1993	SLE	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1993	SLE	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1993	SLE	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1992	Base	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1992	Base	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1992	Base	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1992	SLE	4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-022484	Not the same as O.E.
						Rear	24-016988	Rear Lifted Height: 1"
1992	SLE	4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1992	SLE	5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1986	Base	4600 Series	Front	24-192941		Rear	24-009331	
1986	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1986	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1985	Base	4600 Series	Front	24-192941		Rear	24-009331	
1985	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1985	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1984	Base	4600 Series	Front	24-192941		Rear	24-009331	
1984	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1984	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1983	Base	4600 Series	Front	24-192941		Rear	24-009331	
1983	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1983	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1982	Base	4600 Series	Front	24-192941		Rear	24-009331	
1982	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1982	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1982	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1981	Base	4600 Series	Front	24-192941		Rear	24-009331	
1981	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1981	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1981	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C1500 Suburban (continued)								
1980	Base	4600 Series	Front	24-192941		Rear	24-009331	
1980	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1980	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1980	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1979	Base	4600 Series	Front	24-192941		Rear	24-009331	
1979	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1979	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1979	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
GMC C25								
1978	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1978	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1978	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1978	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1978	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1978	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1978	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1978	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1978	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	
1978	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1978	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1978	2 Dr.; Sierra Grande; Standard Cab Pickup	4600 Series				Rear	24-009331	
1978	4 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1978	4 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1978	4 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1978	4 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1978	Base	4600 Series	Front	24-192941				
1978	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1978	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1978	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1978	Crew Cab Pickup; Sierra Grande	4600 Series				Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C25 (continued)								
1978	High Sierra	4600 Series	Front	24-192941				
1978	Sierra Classic	4600 Series	Front	24-192941				
1978	Sierra Grande	4600 Series	Front	24-192941				
1977	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1977	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1977	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1977	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1977	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1977	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1977	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	
1977	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1977	2 Dr.; Sierra Grande; Standard Cab Pickup	4600 Series				Rear	24-009331	
1977	4 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1977	4 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1977	4 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1977	4 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1977	Base	4600 Series	Front	24-192941				
1977	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1977	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1977	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1977	Crew Cab Pickup; Sierra Grande	4600 Series				Rear	24-015875	
1977	High Sierra	4600 Series	Front	24-192941				
1977	Sierra Classic	4600 Series	Front	24-192941				
1977	Sierra Grande	4600 Series	Front	24-192941				
1976	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1976	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C25 (continued)								
1976	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1976	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1976	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1976	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1976	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1976	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1976	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	
1976	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1976	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1976	2 Dr.; Sierra Grande; Standard Cab Pickup	4600 Series				Rear	24-009331	
1976	4 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1976	4 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1976	4 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1976	4 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1976	Base	4600 Series	Front	24-192941				
1976	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1976	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1976	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1976	Crew Cab Pickup; Sierra Grande	4600 Series				Rear	24-015875	
1976	High Sierra	4600 Series	Front	24-192941				
1976	Sierra Classic	4600 Series	Front	24-192941				
1976	Sierra Grande	4600 Series	Front	24-192941				
1975	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1975	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1975	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1975	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1975	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1975	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C25 (continued)								
1975	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1975	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1975	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	
1975	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1975	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1975	2 Dr.; Sierra Grande; Standard Cab Pickup	4600 Series				Rear	24-009331	
1975	4 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1975	4 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1975	4 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1975	4 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1975	Base	4600 Series	Front	24-192941				
1975	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1975	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1975	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1975	Crew Cab Pickup; Sierra Grande	4600 Series				Rear	24-015875	
1975	High Sierra	4600 Series	Front	24-192941				
1975	Sierra Classic	4600 Series	Front	24-192941				
1975	Sierra Grande	4600 Series	Front	24-192941				
GMC C25 Suburban								
1978	Base	4600 Series	Front	24-192941		Rear	24-009331	
1978	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1978	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1978	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1977	Base	4600 Series	Front	24-192941		Rear	24-009331	
1977	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1977	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1977	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1976	Base	4600 Series	Front	24-192941		Rear	24-009331	
1976	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1976	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1976	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1975	Base	4600 Series	Front	24-192941		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C25 Suburban (continued)								
1975	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1975	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1975	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
GMC C25/C2500 Pickup								
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
GMC C25/C2500 Suburban								
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
GMC C2500								
2000	Sierra SL	4600 Series (Comfort)				Rear	24-014533	
2000	Sierra SLE	4600 Series (Comfort)				Rear	24-014533	
2000	Sierra SLT	4600 Series (Comfort)				Rear	24-014533	
1999	Sierra SL	4600 Series (Comfort)				Rear	24-014533	
1999	Sierra SLE	4600 Series (Comfort)				Rear	24-014533	
1999	Sierra SLT	4600 Series (Comfort)				Rear	24-014533	
1998	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	
1998	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1998	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	
1998	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	
1997	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1997	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	
1997	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	
1996	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C2500 (continued)								
1996	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	
1996	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	
1995	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1995	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	
1995	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	
1994	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1994	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	
1994	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra	4600 Series	Front	24-016971		Rear	24-016988	
1993	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1993	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	
1993	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Sierra	4600 Series	Front	24-016971		Rear	24-016988	
1992	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1992	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	
1992	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Sierra	4600 Series	Front	24-016971		Rear	24-016988	
1991	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1991	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C2500 (continued)								
1991	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	
1991	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Sierra	4600 Series	Front	24-016971		Rear	24-016988	
1990	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1990	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	
1990	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Sierra	4600 Series	Front	24-016971		Rear	24-016988	
1989	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1989	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	
1989	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Sierra	4600 Series	Front	24-016971		Rear	24-016988	
1988	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	
1988	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	
1988	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1986	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1986	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1986	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1986	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1986	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1986	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1986	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1986	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1986	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1986	Base	4600 Series	Front	24-192941				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C2500 (continued)								
1986	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1986	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1986	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1986	High Sierra	4600 Series	Front	24-192941				
1986	Sierra Classic	4600 Series	Front	24-192941				
1985	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1985	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1985	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1985	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1985	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1985	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1985	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1985	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1985	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1985	Base	4600 Series	Front	24-192941				
1985	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1985	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1985	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1985	High Sierra	4600 Series	Front	24-192941				
1985	Sierra Classic	4600 Series	Front	24-192941				
1984	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1984	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1984	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1984	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1984	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1984	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1984	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1984	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1984	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C2500 (continued)								
1984	Base	4600 Series	Front	24-192941				
1984	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1984	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1984	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1984	High Sierra	4600 Series	Front	24-192941				
1984	Sierra Classic	4600 Series	Front	24-192941				
1983	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1983	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1983	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1983	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1983	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1983	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1983	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1983	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1983	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1983	Base	4600 Series	Front	24-192941				
1983	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1983	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1983	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1983	High Sierra	4600 Series	Front	24-192941				
1983	Sierra Classic	4600 Series	Front	24-192941				
1982	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1982	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1982	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1982	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1982	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1982	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1982	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1982	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C2500 (continued)								
1982	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1982	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1982	2 Dr.; Sierra Grande; Standard Cab Pickup	4600 Series				Rear	24-009331	
1982	4 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1982	4 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1982	4 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1982	4 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1982	Base	4600 Series	Front	24-192941				
1982	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1982	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1982	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1982	Crew Cab Pickup; Sierra Grande	4600 Series				Rear	24-015875	
1982	High Sierra	4600 Series	Front	24-192941				
1982	Sierra Classic	4600 Series	Front	24-192941				
1982	Sierra Grande	4600 Series	Front	24-192941				
1981	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1981	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1981	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1981	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1981	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1981	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1981	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1981	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1981	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	
1981	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1981	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1981	2 Dr.; Sierra Grande; Standard Cab Pickup	4600 Series				Rear	24-009331	
1981	4 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C2500 (continued)								
1981	4 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1981	4 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1981	4 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1981	Base	4600 Series	Front	24-192941				
1981	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1981	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1981	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1981	Crew Cab Pickup; Sierra Grande	4600 Series				Rear	24-015875	
1981	High Sierra	4600 Series	Front	24-192941				
1981	Sierra Classic	4600 Series	Front	24-192941				
1981	Sierra Grande	4600 Series	Front	24-192941				
1980	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1980	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1980	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1980	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1980	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1980	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1980	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	
1980	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1980	2 Dr.; Sierra Grande; Standard Cab Pickup	4600 Series				Rear	24-009331	
1980	4 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1980	4 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1980	4 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1980	4 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1980	Base	4600 Series	Front	24-192941				
1980	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C2500 (continued)								
1980	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1980	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1980	Crew Cab Pickup; Sierra Grande	4600 Series				Rear	24-015875	
1980	High Sierra	4600 Series	Front	24-192941				
1980	Sierra Classic	4600 Series	Front	24-192941				
1980	Sierra Grande	4600 Series	Front	24-192941				
1979	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1979	2 Dr.; Base; Extended Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1979	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1979	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1979	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1979	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	
1979	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1979	2 Dr.; Sierra Grande; Standard Cab Pickup	4600 Series				Rear	24-009331	
1979	4 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1979	4 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1979	4 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1979	4 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1979	Base	4600 Series	Front	24-192941				
1979	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1979	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1979	Crew Cab Pickup; Sierra Classic	4600 Series				Rear	24-015875	
1979	Crew Cab Pickup; Sierra Grande	4600 Series				Rear	24-015875	
1979	High Sierra	4600 Series	Front	24-192941				
1979	Sierra Classic	4600 Series	Front	24-192941				
1979	Sierra Grande	4600 Series	Front	24-192941				

1894



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C2500 Suburban (continued)								
1992	Base	4600 Series	Front	24-016971		Rear	24-024235	Same as O.E.; Torsion Bar front only; Will not replace electronic dampers
			Front	24-024228	Excludes Electronic Suspension			
1992	SLE	4600 Series	Front	24-016971		Rear	24-024235	Same as O.E.; Torsion Bar front only; Will not replace electronic dampers
			Front	24-024228	Excludes Electronic Suspension			
1986	Base	4600 Series	Front	24-192941		Rear	24-009331	
1986	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1986	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1985	Base	4600 Series	Front	24-192941		Rear	24-009331	
1985	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1985	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1984	Base	4600 Series	Front	24-192941		Rear	24-009331	
1984	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1984	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1983	Base	4600 Series	Front	24-192941		Rear	24-009331	
1983	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1983	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1982	Base	4600 Series	Front	24-192941		Rear	24-009331	
1982	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1982	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1982	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1981	Base	4600 Series	Front	24-192941		Rear	24-009331	
1981	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1981	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1981	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1980	Base	4600 Series	Front	24-192941		Rear	24-009331	
1980	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1980	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1980	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
1979	Base	4600 Series	Front	24-192941		Rear	24-009331	
1979	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1979	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1979	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
GMC C35								
1978	Base	4600 Series	Front	24-192941		Rear	24-015875	
1978	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1978	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1978	Sierra Grande	4600 Series	Front	24-192941		Rear	24-015875	
1977	Base	4600 Series	Front	24-192941		Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C35 (continued)								
1977	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1977	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1977	Sierra Grande	4600 Series	Front	24-192941		Rear	24-015875	
1976	Base	4600 Series	Front	24-192941		Rear	24-015875	
1976	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1976	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1976	Sierra Grande	4600 Series	Front	24-192941		Rear	24-015875	
1975	Base	4600 Series	Front	24-192941		Rear	24-015875	
1975	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1975	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1975	Sierra Grande	4600 Series	Front	24-192941		Rear	24-015875	
GMC C35/C3500 Pickup								
1974	Base	4600 Series				Rear	24-015875	
1973	Base	4600 Series				Rear	24-015875	
GMC C3500								
2000	Sierra SL	4600 Series	Front	24-016971				
2000	Sierra SL	4600 Series (Comfort)				Rear	24-014533	
2000	Sierra SLE	4600 Series	Front	24-016971				
2000	Sierra SLE	4600 Series (Comfort)				Rear	24-014533	
2000	Sierra SLT	4600 Series	Front	24-016971				
2000	Sierra SLT	4600 Series (Comfort)				Rear	24-014533	
1999	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1999	Sierra SL	4600 Series (Comfort)				Rear	24-014533	
1999	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1999	Sierra SLE	4600 Series (Comfort)				Rear	24-014533	
1999	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1999	Sierra SLT	4600 Series (Comfort)				Rear	24-014533	
1998	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1998	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1998	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1998	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1998	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SL	4600 Series	Front	24-016971		Rear	24-016988	Including Dually



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C3500 (continued)								
1997	Sierra SL	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1997	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1997	Sierra SLT	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1997	Sierra SLT	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1996	Sierra SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1996	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996	Sierra SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1996	Sierra SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1995	Sierra SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1995	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1995	Sierra SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1995	Sierra SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1994	Sierra SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1994	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1994	Sierra SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C3500 (continued)								
1994	Sierra SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1993	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra SLX; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1993	Sierra SLX; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1993	Sierra; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1993	Sierra; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1992	Sierra SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Sierra SLX; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1992	Sierra SLX; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1992	Sierra; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1992	Sierra; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1991	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1991	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1991	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1991	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1990	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1990	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1990	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1990	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C3500 (continued)								
1989	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1989	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1989	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1989	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1989	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Sierra	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1988	Sierra	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Sierra SLE	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1988	Sierra SLE	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1988	Sierra SLX	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1988	Sierra SLX	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1986	Base	4600 Series	Front	24-192941		Rear	24-015875	
1986	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1986	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1985	Base	4600 Series	Front	24-192941		Rear	24-015875	
1985	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1985	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1984	Base	4600 Series	Front	24-192941		Rear	24-015875	
1984	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1984	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1983	Base	4600 Series	Front	24-192941		Rear	24-015875	
1983	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1983	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1982	Base	4600 Series	Front	24-192941		Rear	24-015875	
1982	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1982	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1982	Sierra Grande	4600 Series	Front	24-192941		Rear	24-015875	
1981	Base	4600 Series	Front	24-192941		Rear	24-015875	
1981	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1981	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1981	Sierra Grande	4600 Series	Front	24-192941		Rear	24-015875	
1980	Base	4600 Series	Front	24-192941		Rear	24-015875	
1980	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1980	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC C3500 (continued)								
1980	Sierra Grande	4600 Series	Front	24-192941		Rear	24-015875	
1979	Base	4600 Series	Front	24-192941		Rear	24-015875	
1979	High Sierra	4600 Series	Front	24-192941		Rear	24-015875	
1979	Sierra Classic	4600 Series	Front	24-192941		Rear	24-015875	
1979	Sierra Grande	4600 Series	Front	24-192941		Rear	24-015875	
GMC Caballero								
1986	Amarillo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1986	Amarillo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1986	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1986	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1986	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1986	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1985	Amarillo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1985	Amarillo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1985	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1985	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1985	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1985	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1984	Amarillo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1984	Amarillo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1984	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1984	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1984	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Caballero (continued)								
1984	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1983	Amarillo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1983	Amarillo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1983	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1983	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1983	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1983	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1982	Amarillo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1982	Amarillo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1982	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1982	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1982	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1982	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1981	Amarillo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1981	Amarillo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1981	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1981	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1981	Conquista	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1981	Conquista	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1981	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Caballero (continued)								
1981	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1981	Royal Knight	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1981	Royal Knight	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1980	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1980	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1980	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1980	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1980	Laredo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1980	Laredo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1979	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1979	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1979	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1979	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1979	Laredo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1979	Laredo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1978	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1978	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1978	Diablo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1978	Diablo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1978	Laredo	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Caballero (continued)								
1978	Laredo	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
GMC Canyon								
2012	4WD; SLE	4600 Series	Front	24-186162		Rear	24-186179	
2012	4WD; SLT	4600 Series	Front	24-186162		Rear	24-186179	
2012	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2012	RWD; SLE	4600 Series	Front	24-186193		Rear	24-186209	
2012	RWD; SLT	4600 Series	Front	24-186193		Rear	24-186209	
2012	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2011	4WD; SLE	4600 Series	Front	24-186162		Rear	24-186179	
2011	4WD; SLT	4600 Series	Front	24-186162		Rear	24-186179	
2011	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2011	RWD; SLE	4600 Series	Front	24-186193		Rear	24-186209	
2011	RWD; SLT	4600 Series	Front	24-186193		Rear	24-186209	
2011	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2010	4WD; SLE	4600 Series	Front	24-186162		Rear	24-186179	
2010	4WD; SLT	4600 Series	Front	24-186162		Rear	24-186179	
2010	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2010	Base	4600 Series	Front	24-186162		Rear	24-186179	
2010	RWD; SLE	4600 Series	Front	24-186193		Rear	24-186209	
2010	RWD; SLT	4600 Series	Front	24-186193		Rear	24-186209	
2010	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2009	4WD; SLE	4600 Series	Front	24-186162		Rear	24-186179	
2009	4WD; SLT	4600 Series	Front	24-186162		Rear	24-186179	
2009	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2009	Base	4600 Series	Front	24-186162		Rear	24-186179	
2009	RWD; SLE	4600 Series	Front	24-186193		Rear	24-186209	
2009	RWD; SLT	4600 Series	Front	24-186193		Rear	24-186209	
2009	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2008	4WD; SL	4600 Series	Front	24-186162		Rear	24-186179	
2008	4WD; SLE	4600 Series	Front	24-186162		Rear	24-186179	
2008	4WD; SLT	4600 Series	Front	24-186162		Rear	24-186179	
2008	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2008	Base	4600 Series	Front	24-186162		Rear	24-186179	
2008	RWD; SL	4600 Series	Front	24-186193		Rear	24-186209	
2008	RWD; SLE	4600 Series	Front	24-186193		Rear	24-186209	
2008	RWD; SLT	4600 Series	Front	24-186193		Rear	24-186209	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Canyon (continued)								
2008	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2007	4WD; SL	4600 Series	Front	24-186162		Rear	24-186179	
2007	4WD; SLE	4600 Series	Front	24-186162		Rear	24-186179	
2007	4WD; SLT	4600 Series	Front	24-186162		Rear	24-186179	
2007	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2007	Base	4600 Series	Front	24-186162		Rear	24-186179	
2007	RWD; SL	4600 Series	Front	24-186193		Rear	24-186209	
2007	RWD; SLE	4600 Series	Front	24-186193		Rear	24-186209	
2007	RWD; SLT	4600 Series	Front	24-186193		Rear	24-186209	
2007	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2006	4WD; SL	4600 Series	Front	24-186162		Rear	24-186179	
2006	4WD; SLE	4600 Series	Front	24-186162		Rear	24-186179	
2006	4WD; SLT	4600 Series	Front	24-186162		Rear	24-186179	
2006	4WD; WT	4600 Series	Front	24-186162		Rear	24-186179	
2006	RWD; SL	4600 Series	Front	24-186193		Rear	24-186209	
2006	RWD; SLE	4600 Series	Front	24-186193		Rear	24-186209	
2006	RWD; SLT	4600 Series	Front	24-186193		Rear	24-186209	
2006	RWD; WT	4600 Series	Front	24-186193		Rear	24-186209	
2005	4WD; Z85 SL	4600 Series	Front	24-186162		Rear	24-186179	
2005	4WD; Z85 SLE	4600 Series	Front	24-186162		Rear	24-186179	
2005	RWD; Z85 SL	4600 Series	Front	24-186193		Rear	24-186209	
2005	RWD; Z85 SLE	4600 Series	Front	24-186193		Rear	24-186209	
2005	Z71 Fleet	4600 Series	Front	24-186162		Rear	24-186179	
2005	Z71 SL	4600 Series	Front	24-186162		Rear	24-186179	
2005	Z71 SLE	4600 Series	Front	24-186162		Rear	24-186179	
2004	4WD; SL	4600 Series	Front	24-186162		Rear	24-186179	
2004	4WD; SLE	4600 Series	Front	24-186162		Rear	24-186179	
2004	4WD; Z85 SL	4600 Series	Front	24-186162		Rear	24-186179	
2004	4WD; Z85 SLE	4600 Series	Front	24-186162		Rear	24-186179	
2004	RWD; SL	4600 Series	Front	24-186193		Rear	24-186209	
2004	RWD; SLE	4600 Series	Front	24-186193		Rear	24-186209	
2004	RWD; Z85 SL	4600 Series	Front	24-186193		Rear	24-186209	
2004	RWD; Z85 SLE	4600 Series	Front	24-186193		Rear	24-186209	
2004	Z71 Fleet	4600 Series	Front	24-186162		Rear	24-186179	
2004	Z71 SL	4600 Series	Front	24-186162		Rear	24-186179	
2004	Z71 SLE	4600 Series	Front	24-186162		Rear	24-186179	
GMC Envoy								
2009	Denali	4600 Series	Front	24-103336		Rear	24-103343	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Envoy (continued)								
2009	SLE	4600 Series	Front	24-103336		Rear	24-103350	
2009	SLT	4600 Series	Front	24-103336		Rear	24-103350	
2008	Denali	4600 Series	Front	24-103336		Rear	24-103343	
2008	SLE	4600 Series	Front	24-103336		Rear	24-103350	
2008	SLT	4600 Series	Front	24-103336		Rear	24-103350	
2007	Denali	4600 Series	Front	24-103336		Rear	24-103343	
2007	SLE	4600 Series	Front	24-103336		Rear	24-103350	
2007	SLT	4600 Series	Front	24-103336		Rear	24-103350	
2006	Denali	4600 Series	Front	24-103336		Rear	24-103343	
2006	SLE	4600 Series	Front	24-103336				
2006	SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2006	SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2006	SLT	4600 Series	Front	24-103336				
2006	SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2006	SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2006	XL Denali	4600 Series	Front	24-103336		Rear	24-103343	
2006	XL SLE	4600 Series	Front	24-103336				
2006	XL SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2006	XL SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2006	XL SLT	4600 Series	Front	24-103336				
2006	XL SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2006	XL SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2005	Denali	4600 Series	Front	24-103336		Rear	24-103343	
2005	SLE	4600 Series	Front	24-103336				
2005	SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2005	SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2005	SLT	4600 Series	Front	24-103336				
2005	SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2005	SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2005	XL Denali	4600 Series	Front	24-103336		Rear	24-103343	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Envoy (continued)								
2005	XL SLE	4600 Series	Front	24-103336				
2005	XL SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2005	XL SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2005	XL SLT	4600 Series	Front	24-103336				
2005	XL SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2005	XL SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2005	XUV SLE	4600 Series	Front	24-103336				
2005	XUV SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2005	XUV SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2005	XUV SLT	4600 Series	Front	24-103336				
2005	XUV SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2005	XUV SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2004	SLE	4600 Series	Front	24-103336				
2004	SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2004	SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2004	SLT	4600 Series	Front	24-103336				
2004	SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2004	SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2004	XL SLE	4600 Series	Front	24-103336				
2004	XL SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2004	XL SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2004	XL SLT	4600 Series	Front	24-103336				
2004	XL SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2004	XL SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2004	XUV SLE	4600 Series	Front	24-103336				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Envoy (continued)								
2004	XUV SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2004	XUV SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2004	XUV SLT	4600 Series	Front	24-103336				
2004	XUV SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2004	XUV SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2003	SLE	4600 Series	Front	24-103336				
2003	SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2003	SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2003	SLT	4600 Series	Front	24-103336				
2003	SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2003	SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2003	XL SLE	4600 Series	Front	24-103336				
2003	XL SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2003	XL SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2003	XL SLT	4600 Series	Front	24-103336				
2003	XL SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2003	XL SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2002	SLE	4600 Series	Front	24-103336				
2002	SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2002	SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2002	SLT	4600 Series	Front	24-103336				
2002	SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2002	SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2002	XL SLE	4600 Series	Front	24-103336				
2002	XL SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2002	XL SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Envoy (continued)								
2002	XL SLT	4600 Series	Front	24-103336				
2002	XL SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2002	XL SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
GMC G15								
1978	Rally	4600 Series	Front	24-010252				
1978	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Rally STX	4600 Series	Front	24-010252				
1978	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1978	Vandura	4600 Series	Front	24-010252				
1978	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1977	Rally	4600 Series	Front	24-010252				
1977	Rally STX	4600 Series	Front	24-010252				
1977	Vandura	4600 Series	Front	24-010252				
1976	Rally	4600 Series	Front	24-010252				
1976	Rally STX	4600 Series	Front	24-010252				
1976	Vandura	4600 Series	Front	24-010252				
1975	Rally	4600 Series	Front	24-010252				
1975	Rally STX	4600 Series	Front	24-010252				
1975	Vandura	4600 Series	Front	24-010252				
GMC G1500								
1995	Rally	4600 Series	Front	24-010252				
1995	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995	Rally STX	4600 Series	Front	24-010252				
1995	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995	Vandura	4600 Series	Front	24-010252				
1995	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Rally	4600 Series	Front	24-010252				
1994	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Rally STX	4600 Series	Front	24-010252				
1994	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1994	Vandura	4600 Series	Front	24-010252				
1994	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC G1500 (continued)								
1993	Rally	4600 Series	Front	24-010252				
1993	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Rally STX	4600 Series	Front	24-010252				
1993	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Vandura	4600 Series	Front	24-010252				
1993	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Rally	4600 Series	Front	24-010252				
1992	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Rally STX	4600 Series	Front	24-010252				
1992	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Vandura	4600 Series	Front	24-010252				
1992	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Rally	4600 Series	Front	24-010252				
1991	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Rally STX	4600 Series	Front	24-010252				
1991	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Vandura	4600 Series	Front	24-010252				
1991	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Rally	4600 Series	Front	24-010252				
1990	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Rally STX	4600 Series	Front	24-010252				
1990	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Vandura	4600 Series	Front	24-010252				
1990	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Rally	4600 Series	Front	24-010252				
1989	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Rally STX	4600 Series	Front	24-010252				
1989	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Vandura	4600 Series	Front	24-010252				
1989	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Rally	4600 Series	Front	24-010252				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC G1500 (continued)								
1988	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Rally STX	4600 Series	Front	24-010252				
1988	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Vandura	4600 Series	Front	24-010252				
1988	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Rally	4600 Series	Front	24-010252				
1987	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Rally STX	4600 Series	Front	24-010252				
1987	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Vandura	4600 Series	Front	24-010252				
1987	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Rally	4600 Series	Front	24-010252				
1986	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Rally STX	4600 Series	Front	24-010252				
1986	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Vandura	4600 Series	Front	24-010252				
1986	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Rally	4600 Series	Front	24-010252				
1985	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Rally STX	4600 Series	Front	24-010252				
1985	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Vandura	4600 Series	Front	24-010252				
1985	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Rally	4600 Series	Front	24-010252				
1984	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Rally Custom	4600 Series	Front	24-010252				
1984	Rally Custom	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Rally STX	4600 Series	Front	24-010252				
1984	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Vandura	4600 Series	Front	24-010252				
1984	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC G1500 (continued)								
1983	Rally	4600 Series	Front	24-010252				
1983	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Rally Custom	4600 Series	Front	24-010252				
1983	Rally Custom	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Rally STX	4600 Series	Front	24-010252				
1983	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Vandura	4600 Series	Front	24-010252				
1983	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Rally	4600 Series	Front	24-010252				
1982	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Rally STX	4600 Series	Front	24-010252				
1982	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Vandura	4600 Series	Front	24-010252				
1982	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Rally	4600 Series	Front	24-010252				
1981	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Rally STX	4600 Series	Front	24-010252				
1981	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Vandura	4600 Series	Front	24-010252				
1981	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Rally	4600 Series	Front	24-010252				
1980	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Rally STX	4600 Series	Front	24-010252				
1980	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Vandura	4600 Series	Front	24-010252				
1980	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Rally	4600 Series	Front	24-010252				
1979	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Rally STX	4600 Series	Front	24-010252				
1979	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Vandura	4600 Series	Front	24-010252				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC G1500 (continued)								
1979	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
GMC G25								
1978	Rally	4600 Series	Front	24-010252				
1978	Rally	4600 Series (Auxiliary)						
1978	Rally STX	4600 Series	Front	24-010252				
1978	Rally STX	4600 Series (Auxiliary)						
1978	Vandura	4600 Series	Front	24-010252				
1978	Vandura	4600 Series (Auxiliary)						
1977	Rally	4600 Series	Front	24-010252				
1977	Rally STX	4600 Series	Front	24-010252				
1977	Vandura	4600 Series	Front	24-010252				
1976	Rally	4600 Series	Front	24-010252				
1976	Rally STX	4600 Series	Front	24-010252				
1976	Vandura	4600 Series	Front	24-010252				
1975	Rally	4600 Series	Front	24-010252				
1975	Rally STX	4600 Series	Front	24-010252				
1975	Vandura	4600 Series	Front	24-010252				
GMC G2500								
1995	Rally	4600 Series	Front	24-010252				
1995	Rally	4600 Series (Auxiliary)						
1995	Rally STX	4600 Series	Front	24-010252				
1995	Rally STX	4600 Series (Auxiliary)						
1995	Vandura	4600 Series	Front	24-010252				
1995	Vandura	4600 Series (Auxiliary)						
1994	Rally	4600 Series	Front	24-010252				
1994	Rally	4600 Series (Auxiliary)						
1994	Rally STX	4600 Series	Front	24-010252				
1994	Rally STX	4600 Series (Auxiliary)						
1994	Vandura	4600 Series	Front	24-010252				
1994	Vandura	4600 Series (Auxiliary)						
1993	Rally	4600 Series	Front	24-010252				
1993	Rally	4600 Series (Auxiliary)						
1993	Rally STX	4600 Series	Front	24-010252				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC G2500 (continued)								
1993	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1993	Vandura	4600 Series				Front	24-010252	
1993	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Rally	4600 Series				Front	24-010252	
1992	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Rally STX	4600 Series				Front	24-010252	
1992	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1992	Vandura	4600 Series				Front	24-010252	
1992	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Rally	4600 Series				Front	24-010252	
1991	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Rally STX	4600 Series				Front	24-010252	
1991	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1991	Vandura	4600 Series				Front	24-010252	
1991	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Rally	4600 Series				Front	24-010252	
1990	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Rally STX	4600 Series				Front	24-010252	
1990	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1990	Vandura	4600 Series				Front	24-010252	
1990	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Rally	4600 Series				Front	24-010252	
1989	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Rally STX	4600 Series				Front	24-010252	
1989	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1989	Vandura	4600 Series				Front	24-010252	
1989	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Rally	4600 Series				Front	24-010252	
1988	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1988	Rally STX	4600 Series				Front	24-010252	
1988	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC G2500 (continued)								
1988	Vandura	4600 Series	Front	24-010252				
1988	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Rally	4600 Series				Front	24-010252	
1987	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Rally STX	4600 Series				Front	24-010252	
1987	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1987	Vandura	4600 Series				Front	24-010252	
1987	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Rally	4600 Series				Front	24-010252	
1986	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Rally STX	4600 Series				Front	24-010252	
1986	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1986	Vandura	4600 Series				Front	24-010252	
1986	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Rally	4600 Series				Front	24-010252	
1985	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Rally STX	4600 Series				Front	24-010252	
1985	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1985	Vandura	4600 Series				Front	24-010252	
1985	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Rally	4600 Series				Front	24-010252	
1984	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Rally Custom	4600 Series				Front	24-010252	
1984	Rally Custom	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Rally STX	4600 Series				Front	24-010252	
1984	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984	Vandura	4600 Series				Front	24-010252	
1984	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Rally	4600 Series				Front	24-010252	
1983	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Rally Custom	4600 Series				Front	24-010252	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC G2500 (continued)								
1983	Rally Custom	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Rally STX	4600 Series				Front	24-010252	
1983	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1983	Vandura	4600 Series				Front	24-010252	
1983	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Rally	4600 Series				Front	24-010252	
1982	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Rally STX	4600 Series				Front	24-010252	
1982	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1982	Vandura	4600 Series				Front	24-010252	
1982	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Rally	4600 Series				Front	24-010252	
1981	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Rally STX	4600 Series				Front	24-010252	
1981	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1981	Vandura	4600 Series				Front	24-010252	
1981	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Rally	4600 Series				Front	24-010252	
1980	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Rally STX	4600 Series				Front	24-010252	
1980	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1980	Vandura	4600 Series				Front	24-010252	
1980	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Rally	4600 Series				Front	24-010252	
1979	Rally	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Rally STX	4600 Series				Front	24-010252	
1979	Rally STX	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1979	Vandura	4600 Series				Front	24-010252	
1979	Vandura	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
GMC G35								
1978	Magnavan	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC G35 (continued)								
1978	Rally	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1978	Rally Camper Special	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1978	Rally STX	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1978	Vandura	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1978	Vandura Special	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Magnavan	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Rally	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Rally Camper Special	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Rally STX	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Vandura	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1977	Vandura Special	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Magnavan	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Rally	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Rally Camper Special	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Rally STX	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Vandura	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1976	Vandura Special	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1975	Magnavan	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1975	Rally	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1975	Rally Camper Special	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1975	Rally STX	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1975	Vandura	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
1975	Vandura Special	4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
GMC G3500								
1996	Magnavan	4600 Series	Front	24-024808		Rear	24-024815	GVW up to 7300lbs
1996	Rally	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Rally Camper Special	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis



Light Trucks and SUVs

Year	Application	Series	Front	Rear		
GMC G3500 (continued)						
1996	Rally STX	4600 Series		Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Vandura	4600 Series		Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Vandura Special	4600 Series		Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1995	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1994	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1993	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1992	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front	Rear		
GMC G3500 (continued)						
1991	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1991	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1991	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1991	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1991	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1991	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1990	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1989	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1988	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1987	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1987	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1987	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front	Rear		
GMC G3500 (continued)						
1987	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1987	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1987	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1986	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1985	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Rally Custom	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1984	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Rally Custom	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front	Rear		
GMC G3500 (continued)						
1983	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1983	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1982	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1981	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1980	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Magnavan	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Rally	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Rally Camper Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Rally STX	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Vandura	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only
1979	Vandura Special	4600 Series		Rear	24-011419	Class C ok; Dual Rear Wheels Only



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy								
2005	Base	4600 Series				Rear	33-187532	
2005	Base	4600 Series (Sport)				Rear	24-014137	
2005	SLS	4600 Series				Rear	33-187532	
2005	SLS	4600 Series (Sport)				Rear	24-014137	
2004	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
2004	SLS	4600 Series				Rear	33-187532	
2003	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
2003	SLS	4600 Series				Rear	33-187532	
2002	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
2002	SLS	4600 Series				Rear	33-187532	
2001	4WD; Diamond Edition	4600 Series (Sport)				Rear	24-014137	
2001	4WD; Diamond Edition; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
2001	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
2001	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
2001	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
2001	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
2001	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
2001	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
2001	AWD; SLE	4600 Series (Sport)				Rear	24-014137	
2001	AWD; SLT	4600 Series (Sport)				Rear	24-014137	
2001	Diamond Edition	4600 Series				Rear	33-187532	
2001	Diamond Edition; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	Envoy	4600 Series				Rear	33-187532	
2001	Envoy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	SLE	4600 Series				Rear	33-187532	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
2001	SLS	4600 Series				Rear	33-187532	
2001	SLT	4600 Series				Rear	33-187532	
2000	4WD; Diamond Edition	4600 Series (Sport)				Rear	24-014137	
2000	4WD; Diamond Edition; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831		4600 Series Sport; SetOption: Variable depending on application		
			Front	24-014120				
2000	4WD; Envoy	4600 Series	Front	24-187831				
2000	4WD; Envoy	4600 Series (Sport)				Rear	24-014137	
2000	4WD; Envoy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
2000	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
2000	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831		4600 Series Sport; SetOption: Variable depending on application		
			Front	24-014120				
2000	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
2000	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831		4600 Series Sport; SetOption: Variable depending on application		
			Front	24-014120				
2000	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
2000	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831		4600 Series Sport; SetOption: Variable depending on application		
			Front	24-014120				
2000	AWD; SLE	4600 Series (Sport)				Rear	24-014137	
2000	AWD; SLS	4600 Series (Sport)				Rear	24-014137	
2000	AWD; SLT	4600 Series (Sport)				Rear	24-014137	
2000	Diamond Edition	4600 Series				Rear	33-187532	
2000	Diamond Edition; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	Envoy	4600 Series				Rear	33-187532	
2000	Envoy; RWD	4600 Series	Front	24-187428				
2000	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	SLE	4600 Series				Rear	33-187532	
2000	SLS	4600 Series				Rear	33-187532	
2000	SLT	4600 Series				Rear	33-187532	
1999	4WD; Envoy	4600 Series	Front	24-187831				
1999	4WD; Envoy	4600 Series (Sport)				Rear	24-014137	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1999	4WD; Envoy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1999	4WD; SL	4600 Series (Sport)				Rear	24-014137	
1999	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1999	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1999	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1999	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
1999	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1999	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
1999	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1999	AWD; Envoy	4600 Series (Sport)				Rear	24-014137	
1999	AWD; SL	4600 Series (Sport)				Rear	24-014137	
1999	AWD; SLE	4600 Series (Sport)				Rear	24-014137	
1999	AWD; SLS	4600 Series (Sport)				Rear	24-014137	
1999	AWD; SLT	4600 Series (Sport)				Rear	24-014137	
1999	Envoy	4600 Series				Rear	33-187532	
1999	Envoy; RWD	4600 Series	Front	24-187428				
1999	RWD; SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	SL	4600 Series				Rear	33-187532	
1999	SLE	4600 Series				Rear	33-187532	
1999	SLS	4600 Series				Rear	33-187532	
1999	SLT	4600 Series				Rear	33-187532	
1998	4WD; Envoy	4600 Series	Front	24-187831				
1998	4WD; Envoy	4600 Series (Sport)				Rear	24-014137	
1998	4WD; Envoy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1998	4WD; SL	4600 Series (Sport)				Rear	24-014137	
1998	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1998	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1998	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1998	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
1998	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1998	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
1998	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1998	Envoy	4600 Series				Rear	33-187532	
1998	Envoy; RWD	4600 Series	Front	24-187428				
1998	RWD; SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	SL	4600 Series				Rear	33-187532	
1998	SLE	4600 Series				Rear	33-187532	
1998	SLS	4600 Series				Rear	33-187532	
1998	SLT	4600 Series				Rear	33-187532	
1997	4WD; SL	4600 Series (Sport)				Rear	24-014137	
1997	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1997	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1997	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1997	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
1997	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1997	4WD; SLT	4600 Series (Sport)				Rear	24-014137	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1997	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1997	RWD; SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1997	SL	4600 Series				Rear	33-187532	
1997	SLE	4600 Series				Rear	33-187532	
1997	SLS	4600 Series				Rear	33-187532	
1997	SLT	4600 Series				Rear	33-187532	
1996	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1996	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1996	4WD; SL	4600 Series (Sport)				Rear	24-014137	
1996	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1996	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1996	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1996	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
1996	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1996	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
1996	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1996	Base	4600 Series				Rear	33-187532	
1996	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	RWD; SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1996	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1996	SL	4600 Series				Rear	33-187532	
1996	SLE	4600 Series				Rear	33-187532	
1996	SLS	4600 Series				Rear	33-187532	
1996	SLT	4600 Series				Rear	33-187532	
1995	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1995	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1995	4WD; SL	4600 Series (Sport)				Rear	24-014137	
1995	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1995	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1995	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1995	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
1995	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1995	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
1995	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1995	AWD; SLT	4600 Series (Sport)				Rear	24-014137	
1995	AWD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1995	Base	4600 Series				Rear	33-187532	
1995	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	RWD; SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1995	SL	4600 Series				Rear	33-187532	
1995	SLE	4600 Series				Rear	33-187532	
1995	SLS	4600 Series				Rear	33-187532	
1995	SLT	4600 Series				Rear	33-187532	
1994	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1994	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1994	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
1994	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
1994	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	Base	4600 Series				Rear	33-187532	
1994	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994	SLE	4600 Series				Rear	33-187532	
1994	SLS	4600 Series				Rear	33-187532	
1994	SLT	4600 Series				Rear	33-187532	
1993	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1993	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1993	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1993	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1993	4WD; SLS	4600 Series (Sport)				Rear	24-014137	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1993	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1993	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
1993	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1993	Base	4600 Series				Rear	33-187532	
1993	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1993	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1993	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1993	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1993	SLE	4600 Series				Rear	33-187532	
1993	SLS	4600 Series				Rear	33-187532	
1993	SLT	4600 Series				Rear	33-187532	
1992	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1992	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1992	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
1992	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992	Base	4600 Series				Rear	33-187532	
1992	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1992	SLE	4600 Series				Rear	33-187532	
1992	SLT	4600 Series				Rear	33-187532	
1991	Base	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1991	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1991	Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Base	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1990	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1990	Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Sierra Classic	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1990	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1990	Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Base	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1989	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1989	Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Sierra Classic	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1989	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1989	Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1988	Base	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1988	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988	Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1988	Sierra Classic	4600 Series	Front	24-009232	Full size	Rear	24-009331	
1988	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988	Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1987	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1987	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1986	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1986	Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Silverado	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1986	Silverado	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1986	Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1985	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1985	Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1985	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1985	High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1985	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1985	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1985	Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1984	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1984	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1984	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1984	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1984	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1983	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1983	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1983	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1983	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1983	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1983	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1982	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1982	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1982	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1982	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1982	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1982	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1982	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1982	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1982	Street Coupe	4600 Series	Front	24-192941				
			Front	24-009232	Full size			
1982	Street Coupe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1981	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1981	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1981	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1981	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1981	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1981	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1981	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1981	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1981	Street Coupe	4600 Series	Front	24-192941				
			Front	24-009232	Full size			
1981	Street Coupe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1980	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1980	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1980	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1980	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1980	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1980	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1980	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1980	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1980	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1980	Street Coupe	4600 Series	Front	24-192941				
			Front	24-009232	Full size			
1980	Street Coupe	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1979	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
1979	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1979	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1979	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1979	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1979	Street Coupe	4600 Series	Front	24-192941				
			Front	24-009232	Full size			
1978	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1978	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1978	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1978	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1978	Street Coupe	4600 Series	Front	24-192941				
			Front	24-009232	Full size			
1977	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1977	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1977	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1977	Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1976	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1976	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1976	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1976	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1975	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1975	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Base	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1975	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1975	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1975	Sierra Grande	4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
GMC K15								
1978	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	Base	4600 Series	Front	24-009232		Rear	24-009331	
1978	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1978	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1978	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1978	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K15 (continued)								
1977	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	Base	4600 Series	Front	24-009232		Rear	24-009331	
1977	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1977	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1977	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1977	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	Base	4600 Series	Front	24-009232		Rear	24-009331	
1976	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1976	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1976	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K15 (continued)								
1976	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1976	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	Base	4600 Series	Front	24-009232		Rear	24-009331	
1975	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1975	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1975	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1975	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
GMC K15 Suburban								
1978	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K15 Suburban (continued)								
1978	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K15 Suburban (continued)								
1976	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K15 Suburban (continued)								
1975	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
GMC K15/K1500 Pickup								
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
GMC K15/K1500 Suburban								
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
GMC K1500								
1999	Sierra SL	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	Sierra SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Sierra SL	4600 Series	Front	24-104050		Rear	24-020435	
1998	Sierra SL	4600 Series (Comfort)				Rear	24-020879	
1998	Sierra SL	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1998	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1998	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Sierra SLT	4600 Series	Front	24-104050		Rear	24-020435	
1998	Sierra SLT	4600 Series (Comfort)				Rear	24-020879	
1998	Sierra SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Sierra Special	4600 Series	Front	24-104050		Rear	24-020435	
1998	Sierra Special	4600 Series (Comfort)				Rear	24-020879	
1998	Sierra Special	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Sierra SL	4600 Series	Front	24-104050		Rear	24-020435	
1997	Sierra SL	4600 Series (Comfort)				Rear	24-020879	
1997	Sierra SL	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 (continued)								
1997	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1997	Sierra SLE	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1997	Sierra SLT	4600 Series	Front	24-104050		Rear	24-020435	
1997	Sierra SLT	4600 Series (Comfort)				Rear	24-020879	
1997	Sierra SLT	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1997	Sierra Special	4600 Series	Front	24-104050		Rear	24-020435	
1997	Sierra Special	4600 Series (Comfort)				Rear	24-020879	
1997	Sierra Special	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1996	Sierra SL	4600 Series	Front	24-104050		Rear	24-020435	
1996	Sierra SL	4600 Series (Comfort)				Rear	24-020879	
1996	Sierra SL	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1996	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1996	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1996	Sierra SLE	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1996	Sierra SLT	4600 Series	Front	24-104050		Rear	24-020435	
1996	Sierra SLT	4600 Series (Comfort)				Rear	24-020879	
1996	Sierra SLT	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1996	Sierra Special	4600 Series	Front	24-104050		Rear	24-020435	
1996	Sierra Special	4600 Series (Comfort)				Rear	24-020879	
1996	Sierra Special	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	Sierra SL	4600 Series	Front	24-104050		Rear	24-020435	
1995	Sierra SL	4600 Series (Comfort)				Rear	24-020879	
1995	Sierra SL	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1995	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1995	Sierra SLE	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	Sierra SLS	4600 Series	Front	24-104050		Rear	24-020435	
1995	Sierra SLS	4600 Series (Comfort)				Rear	24-020879	
1995	Sierra SLS	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	Sierra SLT	4600 Series	Front	24-104050		Rear	24-020435	
1995	Sierra SLT	4600 Series (Comfort)				Rear	24-020879	
1995	Sierra SLT	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1995	Sierra Special	4600 Series	Front	24-104050		Rear	24-020435	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 (continued)								
1995	Sierra Special	4600 Series (Comfort)				Rear	24-020879	
1995	Sierra Special	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Sierra SL	4600 Series	Front	24-104050		Rear	24-020435	
1994	Sierra SL	4600 Series (Comfort)				Rear	24-020879	
1994	Sierra SL	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1994	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1994	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Sierra SLT	4600 Series	Front	24-104050		Rear	24-020435	
1994	Sierra SLT	4600 Series (Comfort)				Rear	24-020879	
1994	Sierra SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Sierra Special	4600 Series	Front	24-104050		Rear	24-020435	
1994	Sierra Special	4600 Series (Comfort)				Rear	24-020879	
1994	Sierra Special	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Sierra	4600 Series	Front	24-104050		Rear	24-020435	
1993	Sierra	4600 Series (Comfort)				Rear	24-020879	
1993	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1993	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1993	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Sierra SLX	4600 Series	Front	24-104050		Rear	24-020435	
1993	Sierra SLX	4600 Series (Comfort)				Rear	24-020879	
1993	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Sierra Sport	4600 Series	Front	24-104050		Rear	24-020435	
1993	Sierra Sport	4600 Series (Comfort)				Rear	24-020879	
1993	Sierra Sport	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Sierra	4600 Series	Front	24-104050		Rear	24-020435	
1992	Sierra	4600 Series (Comfort)				Rear	24-020879	
1992	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1992	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1992	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Sierra SLX	4600 Series	Front	24-104050		Rear	24-020435	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 (continued)								
1992	Sierra SLX	4600 Series (Comfort)				Rear	24-020879	
1992	Sierra SLX	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1991	Sierra	4600 Series	Front	24-104050		Rear	24-020435	
1991	Sierra	4600 Series (Comfort)				Rear	24-020879	
1991	Sierra	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1991	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1991	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1991	Sierra SLE	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1991	Sierra SLX	4600 Series	Front	24-104050		Rear	24-020435	
1991	Sierra SLX	4600 Series (Comfort)				Rear	24-020879	
1991	Sierra SLX	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1990	Sierra	4600 Series	Front	24-104050		Rear	24-020435	
1990	Sierra	4600 Series (Comfort)				Rear	24-020879	
1990	Sierra	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1990	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1990	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1990	Sierra SLE	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1990	Sierra SLX	4600 Series	Front	24-104050		Rear	24-020435	
1990	Sierra SLX	4600 Series (Comfort)				Rear	24-020879	
1990	Sierra SLX	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1989	Sierra	4600 Series	Front	24-104050		Rear	24-020435	
1989	Sierra	4600 Series (Comfort)				Rear	24-020879	
1989	Sierra	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1989	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	
1989	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1989	Sierra SLE	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1989	Sierra SLX	4600 Series	Front	24-104050		Rear	24-020435	
1989	Sierra SLX	4600 Series (Comfort)				Rear	24-020879	
1989	Sierra SLX	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1988	Sierra	4600 Series	Front	24-104050		Rear	24-020435	
1988	Sierra	4600 Series (Comfort)				Rear	24-020879	
1988	Sierra	5100 Series				Front	33-061399	Front Lifted Height: 4-6"
1988	Sierra SLE	4600 Series	Front	24-104050		Rear	24-020435	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 (continued)								
1988	Sierra SLE	4600 Series (Comfort)				Rear	24-020879	
1988	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Sierra SLX	4600 Series	Front	24-104050		Rear	24-020435	
1988	Sierra SLX	4600 Series (Comfort)				Rear	24-020879	
1988	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1986	Base	4600 Series	Front	24-009232		Rear	24-009331	
1986	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1986	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1986	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Base	4600 Series	Front	24-009232		Rear	24-009331	
1985	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1985	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1985	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Base	4600 Series	Front	24-009232		Rear	24-009331	
1984	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1984	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 (continued)								
1984	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1984	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Base	4600 Series	Front	24-009232		Rear	24-009331	
1983	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1983	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1983	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Base	4600 Series	Front	24-009232		Rear	24-009331	
1982	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1982	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1982	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1982	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Base	4600 Series	Front	24-009232		Rear	24-009331	
1981	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 (continued)								
1981	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1981	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1981	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	Base	4600 Series	Front	24-009232		Rear	24-009331	
1980	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1980	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1980	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1980	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 (continued)								
1979	Base	4600 Series	Front	24-009232		Rear	24-009331	
1979	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1979	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1979	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1979	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
GMC K1500 Suburban								
1999	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1999	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1999	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	SLE	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1999	SLE	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1999	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	SLT	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1999	SLT	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1999	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1998	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1998	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	SLE	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1998	SLE	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 Suburban (continued)								
1998	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	SLT	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1998	SLT	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1998	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1997	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1997	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	SLE	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1997	SLE	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1997	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	SLT	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1997	SLT	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1997	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1996	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1996	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	SLE	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1996	SLE	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1996	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	SLT	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1996	SLT	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1996	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1995	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1995	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	SLE	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1995	SLE	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 Suburban (continued)								
1995	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	SLT	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1995	SLT	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1995	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1994	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1994	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	SLE	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1994	SLE	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1994	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1993	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1993	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	SLE	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1993	SLE	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1993	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Base	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1992	Base	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1992	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	SLE	4600 Series	Front	24-104050		Rear	24-024211	Excludes Electronic Suspension; SetOption: Variable depending on application; Setting: 4600 Series
1992	SLE	4600 Series (Comfort)				Rear	24-020428	Will not replace electronic dampers
1992	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1986	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 Suburban (continued)								
1986	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1984	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 Suburban (continued)								
1984	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1984	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 Suburban (continued)								
1982	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 Suburban (continued)								
1980	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K1500 Suburban (continued)								
1979	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
GMC K25								
1978	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978	Base	4600 Series	Front	24-009232		Rear	24-009331	
1978	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1978	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1978	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1978	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1978	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	Base	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K25 (continued)								
1977	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1977	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1977	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1977	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1977	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1976	Base	4600 Series	Front	24-009232		Rear	24-009331	
1976	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1976	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1976	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1976	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1976	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K25 (continued)								
1975	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	Base	4600 Series	Front	24-009232		Rear	24-009331	
1975	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1975	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1975	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1975	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1975	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
GMC K25 Suburban								
1978	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K25 Suburban (continued)								
1978	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1978	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1977	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1977	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1977	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K25 Suburban (continued)								
1976	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1976	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1976	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1976	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1975	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K25 Suburban (continued)								
1975	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1975	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1975	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
GMC K25/K2500 Pickup								
1974	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1973	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1972	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1971	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1970	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1969	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
GMC K25/K2500 Suburban								
1974	Base	4600 Series				Rear	24-009331	
1973	Base	4600 Series				Rear	24-009331	
GMC K2500								
2000	Sierra SL	4600 Series	Front	24-104050		Rear	24-025683	
2000	Sierra SL	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
2000	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
2000	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
2000	Sierra SLT	4600 Series	Front	24-104050		Rear	24-025683	
2000	Sierra SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	Sierra SL	4600 Series	Front	24-104050		Rear	24-025683	
1999	Sierra SL	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"

1962



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 (continued)								
1993	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1993	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1992	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1992	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1992	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1991	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1991	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1991	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1990	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1990	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1990	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1989	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1989	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1989	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1988	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1988	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1988	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1986	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1986	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1986	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1986	Base	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 (continued)								
1986	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1986	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1986	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1986	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1986	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1985	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1985	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1985	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1985	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1985	Base	4600 Series	Front	24-009232		Rear	24-009331	
1985	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1985	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1985	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1985	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1985	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1984	Base	4600 Series	Front	24-009232		Rear	24-009331	
1984	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1984	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 (continued)								
1984	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Base	4600 Series	Front	24-009232		Rear	24-009331	
1983	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1983	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1983	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1982	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1982	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1982	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1982	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1982	Base	4600 Series	Front	24-009232		Rear	24-009331	
1982	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1982	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1982	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1982	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1982	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1982	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1982	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 (continued)								
1981	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1981	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1981	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1981	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1981	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1981	Base	4600 Series	Front	24-009232		Rear	24-009331	
1981	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1981	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1981	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1981	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1981	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1981	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1981	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980	Base	4600 Series	Front	24-009232		Rear	24-009331	
1980	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1980	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 (continued)								
1980	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1980	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1980	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1980	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Base; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; High Sierra; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Sierra Classic; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	2 Dr.; Sierra Grande; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1979	Base	4600 Series	Front	24-009232		Rear	24-009331	
1979	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	High Sierra	4600 Series	Front	24-009232		Rear	24-009331	
1979	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Sierra Classic	4600 Series	Front	24-009232		Rear	24-009331	
1979	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
1979	Sierra Grande	4600 Series	Front	24-009232		Rear	24-009331	
1979	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 6"
			Front	33-185552	Front Lifted Height: 6"			
GMC K2500 Suburban								
1999	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1999	Base	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1999	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	SLE	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 Suburban (continued)								
1999	SLE	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1999	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	SLT	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1999	SLT	4600 Series (Sport)						
1999	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1998	Base	4600 Series (Sport)						
1998	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	SLE	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1998	SLE	4600 Series (Sport)						
1998	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	SLT	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1998	SLT	4600 Series (Sport)						
1998	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1997	Base	4600 Series (Sport)						
1997	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	SLE	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1997	SLE	4600 Series (Sport)						
1997	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1997	SLT	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1997	SLT	4600 Series (Sport)						
1997	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1996	Base	4600 Series (Sport)						
1996	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	SLE	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1996	SLE	4600 Series (Sport)						
1996	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1996	SLT	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 Suburban (continued)								
1996	SLT	4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1996	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1995	Base	4600 Series (Sport)						
1995	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	SLE	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1995	SLE	4600 Series (Sport)						
1995	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1995	SLT	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1995	SLT	4600 Series (Sport)						
1995	SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1994	Base	4600 Series (Sport)						
1994	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1994	SLE	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1994	SLE	4600 Series (Sport)						
1994	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1993	Base	4600 Series (Sport)						
1993	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1993	SLE	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1993	SLE	4600 Series (Sport)						
1993	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Base	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1992	Base	4600 Series (Sport)						
1992	Base	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	SLE	4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1992	SLE	4600 Series (Sport)						
1992	SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1986	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 Suburban (continued)								
1986	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1986	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1985	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1985	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1985	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 Suburban (continued)								
1984	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1984	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1984	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1984	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1984	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1983	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1983	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1983	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 Suburban (continued)								
1982	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1982	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1982	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1982	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1981	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1981	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1981	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 Suburban (continued)								
1981	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1980	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1980	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1980	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K2500 Suburban (continued)								
1979	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1979	Sierra Grande	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1979	Sierra Grande	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1979	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
GMC K35								
1978	Base	4600 Series	Front	AK2042		Rear	AK2043	
1978	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1978	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1978	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1978	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
1978	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1978	Sierra Grande	4600 Series	Front	AK2042		Rear	AK2043	
1978	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1977	Base	4600 Series	Front	AK2042		Rear	AK2043	
1977	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1977	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1977	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1977	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K35 (continued)								
1977	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1977	Sierra Grande	4600 Series	Front	AK2042		Rear	AK2043	
1977	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
GMC K35/K3500 Pickup								
1974	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1973	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1972	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1971	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1970	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1969	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
GMC K3500								
2000	Sierra SL	4600 Series	Front	24-104050				
2000	Sierra SLE	4600 Series	Front	24-104050				
2000	Sierra SLT	4600 Series	Front	24-104050				
1999	Sierra SL	4600 Series	Front	24-104050		Rear	24-025683	
1999	Sierra SL	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1999	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999	Sierra SLT	4600 Series	Front	24-104050		Rear	24-025683	
1999	Sierra SLT	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998	Sierra SL	4600 Series	Front	24-104050		Rear	24-025683	

1976



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K3500 (continued)								
1992	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1992	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1992	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1991	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1991	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1991	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1991	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1990	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1990	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1990	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1990	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1989	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1989	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1989	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1989	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Sierra	4600 Series	Front	24-104050		Rear	24-025683	
1988	Sierra	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Sierra SLE	4600 Series	Front	24-104050		Rear	24-025683	
1988	Sierra SLE	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1988	Sierra SLX	4600 Series	Front	24-104050		Rear	24-025683	
1988	Sierra SLX	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1986	Base	4600 Series	Front	AK2042		Rear	AK2043	
1986	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1986	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1986	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1986	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K3500 (continued)								
1986	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1985	Base	4600 Series	Front	AK2042		Rear	AK2043	
1985	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1985	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1985	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1985	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
1985	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1984	Base	4600 Series	Front	AK2042		Rear	AK2043	
1984	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1984	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1984	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1984	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
1984	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1983	Base	4600 Series	Front	AK2042		Rear	AK2043	
1983	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1983	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1983	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1983	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K3500 (continued)								
1983	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1982	Base	4600 Series	Front	AK2042		Rear	AK2043	
1982	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1982	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1982	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1982	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
1982	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1982	Sierra Grande	4600 Series	Front	AK2042		Rear	AK2043	
1982	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1981	Base	4600 Series	Front	AK2042		Rear	AK2043	
1981	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1981	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1981	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1981	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
1981	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1981	Sierra Grande	4600 Series	Front	AK2042		Rear	AK2043	
1981	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1980	Base	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC K3500 (continued)								
1980	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1980	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1980	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1980	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
1980	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1980	Sierra Grande	4600 Series	Front	AK2042		Rear	AK2043	
1980	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1979	Base	4600 Series	Front	AK2042		Rear	AK2043	
1979	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1979	High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1979	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1979	Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
1979	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
1979	Sierra Grande	4600 Series	Front	AK2042		Rear	AK2043	
1979	Sierra Grande	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-104652	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185576	Rear Lifted Height: 6"
GMC P15								
1978	Base	4600 Series				Rear	24-015875	
1978	Base	B6 (HD)	Front	24-011730				
1978	Value Van	4600 Series				Rear	24-015875	
1978	Value Van	B6 (HD)	Front	24-011730				
1977	Base	4600 Series				Rear	24-015875	
1977	Base	B6 (HD)	Front	24-011730				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC P15 (continued)								
1977	Value Van	4600 Series				Rear	24-015875	
1977	Value Van	B6 (HD)	Front	24-011730				
1976	Base	4600 Series				Rear	24-015875	
1976	Base	B6 (HD)	Front	24-011730				
1976	Value Van	4600 Series				Rear	24-015875	
1976	Value Van	B6 (HD)	Front	24-011730				
1975	Base	4600 Series				Rear	24-015875	
1975	Base	B6 (HD)	Front	24-011730				
1975	Value Van	4600 Series				Rear	24-015875	
1975	Value Van	B6 (HD)	Front	24-011730				
GMC P15/P1500 Van								
1974	Base	4600 Series				Rear	24-015875	
1974	Base	B6 (HD)	Front	24-011730				
1973	Base	4600 Series				Rear	24-015875	
1973	Base	B6 (HD)	Front	24-011730				
1972	Base	B6 (HD)	Front	24-011730				
1971	Base	B6 (HD)	Front	24-011730				
1970	Base	B6 (HD)	Front	24-011730				
1969	Base	B6 (HD)	Front	24-011730				
1968	Base	B6 (HD)	Front	24-011730				
1967	Base	B6 (HD)	Front	24-011730				
GMC P1500								
1980	Base	4600 Series				Rear	24-015875	
1980	Base	B6 (HD)	Front	24-011730				
1980	Value Van	4600 Series				Rear	24-015875	
1980	Value Van	B6 (HD)	Front	24-011730				
1979	Base	4600 Series				Rear	24-015875	
1979	Base	B6 (HD)	Front	24-011730				
1979	Value Van	4600 Series				Rear	24-015875	
1979	Value Van	B6 (HD)	Front	24-011730				
GMC P25								
1978	Base	4600 Series				Rear	24-015875	
1978	Base	B6 (HD)	Front	24-011730				
1978	Value Van	4600 Series				Rear	24-015875	
1978	Value Van	B6 (HD)	Front	24-011730				
1977	Base	4600 Series				Rear	24-015875	
1977	Base	B6 (HD)	Front	24-011730				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC P25 (continued)								
1977	Value Van	4600 Series				Rear	24-015875	
1977	Value Van	B6 (HD)	Front	24-011730				
1976	Base	4600 Series				Rear	24-015875	
1976	Base	B6 (HD)	Front	24-011730				
1976	Value Van	4600 Series				Rear	24-015875	
1976	Value Van	B6 (HD)	Front	24-011730				
1975	Base	4600 Series				Rear	24-015875	
1975	Base	B6 (HD)	Front	24-011730				
1975	Value Van	4600 Series				Rear	24-015875	
1975	Value Van	B6 (HD)	Front	24-011730				
GMC P25/P2500 Van								
1974	Base	4600 Series				Rear	24-015875	
1974	Base	B6 (HD)	Front	24-011730				
1973	Base	4600 Series				Rear	24-015875	
1973	Base	B6 (HD)	Front	24-011730				
GMC P2500								
1989	Base	4600 Series				Rear	24-015875	
1989	Base	B6 (HD)	Front	24-011730				
1989	Base	B6 (Steering Damper)	Front	24-026451				
1989	Value Van	4600 Series				Rear	24-015875	
1989	Value Van	B6 (HD)	Front	24-011730				
1989	Value Van	B6 (Steering Damper)	Front	24-026451				
1988	Base	4600 Series				Rear	24-015875	
1988	Base	B6 (HD)	Front	24-011730				
1988	Base	B6 (Steering Damper)	Front	24-026451				
1988	Value Van	4600 Series				Rear	24-015875	
1988	Value Van	B6 (HD)	Front	24-011730				
1988	Value Van	B6 (Steering Damper)	Front	24-026451				
1987	Base	4600 Series				Rear	24-015875	
1987	Base	B6 (HD)	Front	24-011730				
1987	Base	B6 (Steering Damper)	Front	24-026451				
1987	Value Van	4600 Series				Rear	24-015875	
1987	Value Van	B6 (HD)	Front	24-011730				
1987	Value Van	B6 (Steering Damper)	Front	24-026451				
1986	Base	4600 Series				Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC P2500 (continued)								
1986	Base	B6 (HD)	Front	24-011730				
1986	Base	B6 (Steering Damper)	Front	24-026451				
1986	Value Van	4600 Series				Rear	24-015875	
1986	Value Van	B6 (HD)	Front	24-011730				
1986	Value Van	B6 (Steering Damper)	Front	24-026451				
1985	Base	4600 Series				Rear	24-015875	
1985	Base	B6 (HD)	Front	24-011730				
1985	Base	B6 (Steering Damper)	Front	24-026451				
1985	Value Van	4600 Series				Rear	24-015875	
1985	Value Van	B6 (HD)	Front	24-011730				
1985	Value Van	B6 (Steering Damper)	Front	24-026451				
1984	Base	4600 Series				Rear	24-015875	
1984	Base	B6 (HD)	Front	24-011730				
1984	Base	B6 (Steering Damper)	Front	24-026451				
1984	Value Van	4600 Series				Rear	24-015875	
1984	Value Van	B6 (HD)	Front	24-011730				
1984	Value Van	B6 (Steering Damper)	Front	24-026451				
1983	Base	4600 Series				Rear	24-015875	
1983	Base	B6 (HD)	Front	24-011730				
1983	Value Van	4600 Series				Rear	24-015875	
1983	Value Van	B6 (HD)	Front	24-011730				
1982	Base	4600 Series				Rear	24-015875	
1982	Base	B6 (HD)	Front	24-011730				
1982	Value Van	4600 Series				Rear	24-015875	
1982	Value Van	B6 (HD)	Front	24-011730				
1981	Base	4600 Series				Rear	24-015875	
1981	Base	B6 (HD)	Front	24-011730				
1981	Value Van	4600 Series				Rear	24-015875	
1981	Value Van	B6 (HD)	Front	24-011730				
1980	Base	4600 Series				Rear	24-015875	
1980	Base	B6 (HD)	Front	24-011730				
1980	Value Van	4600 Series				Rear	24-015875	
1980	Value Van	B6 (HD)	Front	24-011730				
1979	Base	4600 Series				Rear	24-015875	
1979	Base	B6 (HD)	Front	24-011730				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC P2500 (continued)								
1979	Value Van	4600 Series				Rear	24-015875	
1979	Value Van	B6 (HD)	Front	24-011730				
GMC P35								
1978	Base	4600 Series				Rear	24-015875	
1978	Base	B6 (HD)	Front	24-011730				
1978	Value Van	4600 Series				Rear	24-015875	
1978	Value Van	B6 (HD)	Front	24-011730				
1977	Base	4600 Series				Rear	24-015875	
1977	Base	B6 (HD)	Front	24-011730				
1977	Value Van	4600 Series				Rear	24-015875	
1977	Value Van	B6 (HD)	Front	24-011730				
1976	Base	4600 Series				Rear	24-015875	
1976	Base	B6 (HD)	Front	24-011730				
1976	Value Van	4600 Series				Rear	24-015875	
1976	Value Van	B6 (HD)	Front	24-011730				
1975	Base	4600 Series				Rear	24-015875	
1975	Base	B6 (HD)	Front	24-011730				
1975	Value Van	4600 Series				Rear	24-015875	
1975	Value Van	B6 (HD)	Front	24-011730				
GMC P35/P3500 Van								
1974	Base	4600 Series				Rear	24-015875	
1974	Base	B6 (HD)	Front	24-011730				
1974	Motor Home	4600 Series				Rear	24-015875	
1974	Motor Home	B6 (HD)	Front	24-011730				
1973	Base	4600 Series				Rear	24-015875	
1973	Base	B6 (HD)	Front	24-011730				
GMC P3500								
1999	Base	4600 Series				Rear	24-015875	
1999	Base	B6 (HD)	Front	24-011730				
1999	Base	B6 (Steering Damper)	Front	24-026451				
1998	Base	4600 Series				Rear	24-015875	
1998	Base	B6 (HD)	Front	24-011730				
1998	Base	B6 (Steering Damper)	Front	24-026451				
1997	Base	4600 Series				Rear	24-015875	
1997	Base	B6 (HD)	Front	24-011730				
1997	Base	B6 (Steering Damper)	Front	24-026451				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC P3500 (continued)								
1996	Base	4600 Series				Rear	24-015875	
1996	Base	B6 (HD)	Front	24-011730				
1996	Base	B6 (Steering Damper)	Front	24-026451				
1995	Base	4600 Series				Rear	24-015875	
1995	Base	B6 (HD)	Front	24-011730				
1995	Base	B6 (Steering Damper)	Front	24-026451				
1994	Base	4600 Series				Rear	24-015875	
1994	Base	B6 (HD)	Front	24-011730				
1994	Base	B6 (Steering Damper)	Front	24-026451				
1993	Base	4600 Series				Rear	24-015875	
1993	Base	B6 (HD)	Front	24-011730				
1993	Base	B6 (Steering Damper)	Front	24-026451				
1992	Base	4600 Series				Rear	24-015875	
1992	Base	B6 (HD)	Front	24-011730				
1992	Base	B6 (Steering Damper)	Front	24-026451				
1991	Base	4600 Series				Rear	24-015875	
1991	Base	B6 (HD)	Front	24-011730				
1991	Base	B6 (Steering Damper)	Front	24-026451				
1990	Base	4600 Series				Rear	24-015875	
1990	Base	B6 (HD)	Front	24-011730				
1990	Base	B6 (Steering Damper)	Front	24-026451				
1990	Value Van	4600 Series				Rear	24-015875	
1990	Value Van	B6 (HD)	Front	24-011730				
1990	Value Van	B6 (Steering Damper)	Front	24-026451				
1989	Base	4600 Series				Rear	24-015875	
1989	Base	B6 (HD)	Front	24-011730				
1989	Base	B6 (Steering Damper)	Front	24-026451				
1989	Value Van	4600 Series				Rear	24-015875	
1989	Value Van	B6 (HD)	Front	24-011730				
1989	Value Van	B6 (Steering Damper)	Front	24-026451				
1988	Base	4600 Series				Rear	24-015875	
1988	Base	B6 (HD)	Front	24-011730				
1988	Base	B6 (Steering Damper)	Front	24-026451				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC P3500 (continued)								
1988	Value Van	4600 Series				Rear	24-015875	
1988	Value Van	B6 (HD)	Front	24-011730				
1988	Value Van	B6 (Steering Damper)	Front	24-026451				
1987	Base	4600 Series				Rear	24-015875	
1987	Base	B6 (HD)	Front	24-011730				
1987	Base	B6 (Steering Damper)	Front	24-026451				
1987	Value Van	4600 Series				Rear	24-015875	
1987	Value Van	B6 (HD)	Front	24-011730				
1987	Value Van	B6 (Steering Damper)	Front	24-026451				
1986	Base	4600 Series				Rear	24-015875	
1986	Base	B6 (HD)	Front	24-011730				
1986	Base	B6 (Steering Damper)	Front	24-026451				
1986	Value Van	4600 Series				Rear	24-015875	
1986	Value Van	B6 (HD)	Front	24-011730				
1986	Value Van	B6 (Steering Damper)	Front	24-026451				
1985	Base	4600 Series				Rear	24-015875	
1985	Base	B6 (HD)	Front	24-011730				
1985	Base	B6 (Steering Damper)	Front	24-026451				
1985	Value Van	4600 Series				Rear	24-015875	
1985	Value Van	B6 (HD)	Front	24-011730				
1985	Value Van	B6 (Steering Damper)	Front	24-026451				
1984	Base	4600 Series				Rear	24-015875	
1984	Base	B6 (HD)	Front	24-011730				
1984	Base	B6 (Steering Damper)	Front	24-026451				
1984	Value Van	4600 Series				Rear	24-015875	
1984	Value Van	B6 (HD)	Front	24-011730				
1984	Value Van	B6 (Steering Damper)	Front	24-026451				
1983	Base	4600 Series				Rear	24-015875	
1983	Base	B6 (HD)	Front	24-011730				
1983	Value Van	4600 Series				Rear	24-015875	
1983	Value Van	B6 (HD)	Front	24-011730				
1982	Base	4600 Series				Rear	24-015875	
1982	Base	B6 (HD)	Front	24-011730				
1982	Value Van	4600 Series				Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC P3500 (continued)								
1982	Value Van	B6 (HD)	Front	24-011730				
1981	Base	4600 Series				Rear	24-015875	
1981	Base	B6 (HD)	Front	24-011730				
1981	Value Van	4600 Series				Rear	24-015875	
1981	Value Van	B6 (HD)	Front	24-011730				
1980	Base	4600 Series				Rear	24-015875	
1980	Base	B6 (HD)	Front	24-011730				
1980	Value Van	4600 Series				Rear	24-015875	
1980	Value Van	B6 (HD)	Front	24-011730				
1979	Base	4600 Series				Rear	24-015875	
1979	Base	B6 (HD)	Front	24-011730				
1979	Value Van	4600 Series				Rear	24-015875	
1979	Value Van	B6 (HD)	Front	24-011730				
GMC PB1000 Series								
1965	Base	B6 (HD)	Front	24-011730				
1964	Base	B6 (HD)	Front	24-011730				
1963	Base	B6 (HD)	Front	24-011730				
GMC PB15 Series								
1966	Base	B6 (HD)	Front	24-011730				
GMC R1500								
1987	Base	4600 Series	Front	24-192941		Rear	24-009331	
1987	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1987	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
GMC R1500 Suburban								
1991	Base	4600 Series	Front	24-192941		Rear	24-009331	
1990	Base	4600 Series	Front	24-192941		Rear	24-009331	
1990	SLE	4600 Series	Front	24-192941		Rear	24-009331	
1989	Base	4600 Series	Front	24-192941		Rear	24-009331	
1989	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1988	Base	4600 Series	Front	24-192941		Rear	24-009331	
1988	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1987	Base	4600 Series	Front	24-192941		Rear	24-009331	
1987	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1987	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
GMC R2500								
1989	Base	4600 Series	Front	24-192941		Rear	24-009331	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC R2500 (continued)								
1989	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1989	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1988	Base	4600 Series	Front	24-192941		Rear	24-009331	
1988	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1988	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1987	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	
1987	2 Dr.; Base; Standard Cab Pickup	4600 Series				Rear	24-009331	
1987	2 Dr.; Cab & Chassis; High Sierra	4600 Series				Rear	24-009331	
1987	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1987	2 Dr.; High Sierra; Standard Cab Pickup	4600 Series				Rear	24-009331	
1987	2 Dr.; Sierra Classic; Standard Cab Pickup	4600 Series				Rear	24-009331	
1987	Base	4600 Series	Front	24-192941				
1987	High Sierra	4600 Series	Front	24-192941				
1987	Sierra Classic	4600 Series	Front	24-192941				
GMC R2500 Suburban								
1991	Base	4600 Series	Front	24-192941		Rear	24-009331	
1990	Base	4600 Series	Front	24-192941		Rear	24-009331	
1990	SLE	4600 Series	Front	24-192941		Rear	24-009331	
1989	Base	4600 Series	Front	24-192941		Rear	24-009331	
1989	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1988	Base	4600 Series	Front	24-192941		Rear	24-009331	
1988	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
1987	Base	4600 Series	Front	24-192941		Rear	24-009331	
1987	High Sierra	4600 Series	Front	24-192941		Rear	24-009331	
1987	Sierra Classic	4600 Series	Front	24-192941		Rear	24-009331	
GMC R3500								
1991	Base	4600 Series	Front	24-192941				
1991	SLE	4600 Series	Front	24-192941				
1990	Base	4600 Series	Front	24-192941				
1990	SLE	4600 Series	Front	24-192941				
1989	Base	4600 Series	Front	24-192941				
1989	High Sierra	4600 Series	Front	24-192941				
1989	Sierra Classic	4600 Series	Front	24-192941				
1988	Base	4600 Series	Front	24-192941				
1988	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC R3500 (continued)								
1988	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1988	Crew Cab Pickup; Sierra Classic	4600 Series						
1988	High Sierra	4600 Series	Front	24-192941				
1988	Sierra Classic	4600 Series	Front	24-192941				
1987	Base	4600 Series	Front	24-192941				
1987	Base; Crew Cab Pickup	4600 Series				Rear	24-015875	
1987	Crew Cab Pickup; High Sierra	4600 Series				Rear	24-015875	
1987	Crew Cab Pickup; Sierra Classic	4600 Series						
1987	High Sierra	4600 Series	Front	24-192941				
1987	Sierra Classic	4600 Series	Front	24-192941				
GMC S15								
1990	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1990	4WD; High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1990	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1990	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1990	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1990	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	High Sierra	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1990	High Sierra; RWD	4600 Series				Rear	15998553	Axle Wrap
1990	High Sierra; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	RWD; Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
1990	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	Sierra Classic	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1989	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1989	4WD; High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1989	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1989	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 (continued)								
1989	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1989	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	High Sierra	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1989	High Sierra; RWD	4600 Series				Rear	15998553	Axle Wrap
1989	High Sierra; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	RWD; Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
1989	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	Sierra Classic	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1988	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1988	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1988	4WD; High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1988	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1988	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1988	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1988	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	Gypsy	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1988	Gypsy; RWD	4600 Series				Rear	15998553	Axle Wrap
1988	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	High Sierra	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1988	High Sierra; RWD	4600 Series				Rear	15998553	Axle Wrap
1988	High Sierra; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	RWD; Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
1988	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	Sierra Classic	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1987	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 (continued)								
1987	4WD; EL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1987	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1987	4WD; High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1987	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1987	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1987	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1987	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	EL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1987	EL; RWD	4600 Series				Rear	15998553	Axle Wrap
1987	EL; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	Gypsy	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1987	Gypsy; RWD	4600 Series				Rear	15998553	Axle Wrap
1987	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	High Sierra	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1987	High Sierra; RWD	4600 Series				Rear	15998553	Axle Wrap
1987	High Sierra; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	RWD; Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
1987	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	Sierra Classic	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1986	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1986	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1986	4WD; High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1986	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1986	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1986	Base; RWD	4600 Series				Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 (continued)								
1986	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	Gypsy	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1986	Gypsy; RWD	4600 Series				Rear	15998553	Axle Wrap
1986	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	High Sierra	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1986	High Sierra; RWD	4600 Series				Rear	15998553	Axle Wrap
1986	High Sierra; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	RWD; Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
1986	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	Sierra Classic	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1985	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1985	4WD; High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1985	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1985	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1985	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1985	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	High Sierra	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1985	High Sierra; RWD	4600 Series				Rear	15998553	Axle Wrap
1985	High Sierra; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	RWD; Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
1985	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	Sierra Classic	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1984	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1984	4WD; High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1984	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 (continued)								
1984	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1984	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1984	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	High Sierra	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1984	High Sierra; RWD	4600 Series				Rear	15998553	Axle Wrap
1984	High Sierra; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	RWD; Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
1984	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	Sierra Classic	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1983	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1983	4WD; High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1983	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1983	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1983	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1983	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	High Sierra	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1983	High Sierra; RWD	4600 Series				Rear	15998553	Axle Wrap
1983	High Sierra; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	RWD; Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
1983	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	Sierra Classic	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Base	4600 Series				Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Base; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1982	High Sierra	4600 Series				Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 (continued)								
1982	High Sierra; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1982	Sierra Classic	4600 Series				Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1982	Sierra Grande	4600 Series				Rear	15998553	Axle Wrap
						Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	Sierra Grande; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
GMC S15 Jimmy								
1991	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1991	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1991	4WD; SLE	4600 Series (Sport)				Rear	24-014137	
1991	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1991	4WD; SLS	4600 Series (Sport)				Rear	24-014137	
1991	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1991	4WD; SLT	4600 Series (Sport)				Rear	24-014137	
1991	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1991	Base	4600 Series				Rear	33-187532	
1991	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991	SLE	4600 Series				Rear	33-187532	
1991	SLS	4600 Series				Rear	33-187532	
1991	SLT	4600 Series				Rear	33-187532	
1990	4WD; Base	4600 Series (Sport)				Rear	24-014137	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 Jimmy (continued)								
1990	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1990	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1990	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1990	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1990	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1990	Base	4600 Series				Rear	33-187532	
1990	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	Gypsy	4600 Series				Rear	33-187532	
1990	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990	Sierra Classic	4600 Series				Rear	33-187532	
1989	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1989	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1989	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1989	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989	4WD; Timberline	4600 Series (Sport)				Rear	24-014137	
1989	4WD; Timberline; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989	Base	4600 Series				Rear	33-187532	
1989	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	Gypsy	4600 Series				Rear	33-187532	
1989	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 Jimmy (continued)								
1989	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	RWD; Timberline; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989	Sierra Classic	4600 Series				Rear	33-187532	
1989	Timberline	4600 Series				Rear	33-187532	
1988	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1988	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1988	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1988	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988	4WD; Timberline	4600 Series (Sport)				Rear	24-014137	
1988	4WD; Timberline; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988	Base	4600 Series				Rear	33-187532	
1988	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	Gypsy	4600 Series				Rear	33-187532	
1988	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	RWD; Timberline; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988	Sierra Classic	4600 Series				Rear	33-187532	
1988	Timberline	4600 Series				Rear	33-187532	
1987	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1987	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1987	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1987	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 Jimmy (continued)								
1987	4WD; High Country	4600 Series (Sport)				Rear	24-014137	
1987	4WD; High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1987	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1987	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1987	Base	4600 Series				Rear	33-187532	
1987	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	Gypsy	4600 Series				Rear	33-187532	
1987	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	High Country	4600 Series				Rear	33-187532	
1987	High Country; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1987	Sierra Classic	4600 Series				Rear	33-187532	
1986	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1986	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1986	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1986	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1986	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1986	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1986	Base	4600 Series				Rear	33-187532	
1986	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	Gypsy	4600 Series				Rear	33-187532	
1986	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1986	Sierra Classic	4600 Series				Rear	33-187532	
1985	4WD; Base	4600 Series (Sport)				Rear	24-014137	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 Jimmy (continued)								
1985	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	Base	4600 Series				Rear	33-187532	
1985	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	Gypsy	4600 Series				Rear	33-187532	
1985	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	High Sierra	4600 Series				Rear	33-187532	
1985	High Sierra	4600 Series (Sport)				Rear	24-014137	
1985	High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	Sierra Classic	4600 Series				Rear	33-187532	
1984	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1984	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1984	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1984	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1984	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1984	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1984	Base	4600 Series				Rear	33-187532	
1984	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	Gypsy	4600 Series				Rear	33-187532	
1984	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC S15 Jimmy (continued)								
1984	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1984	Sierra Classic	4600 Series				Rear	33-187532	
1983	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1983	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1983	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1983	Base	4600 Series				Rear	33-187532	
1983	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	Gypsy	4600 Series				Rear	33-187532	
1983	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1983	Sierra Classic	4600 Series				Rear	33-187532	
GMC Safari								
2005	AWD; Base	4600 Series	Front	24-021364				
2005	AWD; SLE	4600 Series	Front	24-021364				
2005	AWD; SLT	4600 Series	Front	24-021364				
2005	Base	4600 Series				Rear	24-010474	
2005	SLE	4600 Series				Rear	24-010474	
2005	SLT	4600 Series				Rear	24-010474	
2004	AWD; Base	4600 Series	Front	24-021364				
2004	AWD; SLE	4600 Series	Front	24-021364				
2004	AWD; SLT	4600 Series	Front	24-021364				
2004	Base	4600 Series				Rear	24-010474	
2004	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2004	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2004	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2004	SLE	4600 Series				Rear	24-010474	
2004	SLT	4600 Series				Rear	24-010474	
2003	AWD; Base	4600 Series	Front	24-021364				
2003	AWD; SLE	4600 Series	Front	24-021364				
2003	AWD; SLT	4600 Series	Front	24-021364				
2003	Base	4600 Series				Rear	24-010474	
2003	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Safari (continued)								
2003	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2003	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2003	SLE	4600 Series				Rear	24-010474	
2003	SLT	4600 Series				Rear	24-010474	
2002	AWD; SL	4600 Series	Front	24-021364				
2002	AWD; SLE	4600 Series	Front	24-021364				
2002	AWD; SLT	4600 Series	Front	24-021364				
2002	RWD; SL	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2002	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2002	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2002	SL	4600 Series				Rear	24-010474	
2002	SLE	4600 Series				Rear	24-010474	
2002	SLT	4600 Series				Rear	24-010474	
2001	AWD; SL	4600 Series	Front	24-021364				
2001	AWD; SLE	4600 Series	Front	24-021364				
2001	AWD; SLT	4600 Series	Front	24-021364				
2001	RWD; SL	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2001	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2001	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2001	SL	4600 Series				Rear	24-010474	
2001	SLE	4600 Series				Rear	24-010474	
2001	SLT	4600 Series				Rear	24-010474	
2000	AWD; SL	4600 Series	Front	24-021364				
2000	AWD; SLE	4600 Series	Front	24-021364				
2000	AWD; SLT	4600 Series	Front	24-021364				
2000	RWD; SL	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
2000	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2000	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
2000	SL	4600 Series				Rear	24-010474	
2000	SLE	4600 Series				Rear	24-010474	
2000	SLT	4600 Series				Rear	24-010474	
1999	AWD; SL	4600 Series	Front	24-021364				
1999	AWD; SLE	4600 Series	Front	24-021364				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Safari (continued)								
1999	AWD; SLT	4600 Series	Front	24-021364				
1999	RWD; SL	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1999	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1999	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1999	SL	4600 Series				Rear	24-010474	
1999	SLE	4600 Series				Rear	24-010474	
1999	SLT	4600 Series				Rear	24-010474	
1998	AWD; SL	4600 Series	Front	24-021364				
1998	AWD; SLE	4600 Series	Front	24-021364				
1998	AWD; SLT	4600 Series	Front	24-021364				
1998	AWD; SLX	4600 Series	Front	24-021364				
1998	RWD; SL	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1998	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1998	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1998	RWD; SLX	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1998	SL	4600 Series				Rear	24-010474	
1998	SLE	4600 Series				Rear	24-010474	
1998	SLT	4600 Series				Rear	24-010474	
1998	SLX	4600 Series				Rear	24-010474	
1997	AWD; Base	4600 Series	Front	24-021364				
1997	AWD; SL	4600 Series	Front	24-021364				
1997	AWD; SLE	4600 Series	Front	24-021364				
1997	AWD; SLT	4600 Series	Front	24-021364				
1997	AWD; SLX	4600 Series	Front	24-021364				
1997	Base	4600 Series				Rear	24-010474	
1997	SL	4600 Series				Rear	24-010474	
1997	SLE	4600 Series				Rear	24-010474	
1997	SLT	4600 Series				Rear	24-010474	
1997	SLX	4600 Series				Rear	24-010474	
1996	AWD; Base	4600 Series	Front	24-021364				
1996	AWD; SL	4600 Series	Front	24-021364				
1996	AWD; SLE	4600 Series	Front	24-021364				
1996	AWD; SLT	4600 Series	Front	24-021364				
1996	AWD; SLX	4600 Series	Front	24-021364				
1996	Base	4600 Series				Rear	24-010474	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Safari (continued)								
1996	SL	4600 Series				Rear	24-010474	
1996	SLE	4600 Series				Rear	24-010474	
1996	SLT	4600 Series				Rear	24-010474	
1996	SLX	4600 Series				Rear	24-010474	
1995	AWD; Base	4600 Series	Front	24-021364				
1995	AWD; SL	4600 Series	Front	24-021364				
1995	AWD; SLE	4600 Series	Front	24-021364				
1995	AWD; SLT	4600 Series	Front	24-021364				
1995	AWD; SLX	4600 Series	Front	24-021364				
1995	Base	4600 Series				Rear	24-010474	
1995	SL	4600 Series				Rear	24-010474	
1995	SLE	4600 Series				Rear	24-010474	
1995	SLT	4600 Series				Rear	24-010474	
1995	SLX	4600 Series				Rear	24-010474	
1994	AWD; Base	4600 Series	Front	24-021364				
1994	AWD; SLE	4600 Series	Front	24-021364				
1994	AWD; SLT	4600 Series	Front	24-021364				
1994	AWD; SLX	4600 Series	Front	24-021364				
1994	Base	4600 Series				Rear	24-010474	
1994	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1994	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1994	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1994	RWD; SLX	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1994	SLE	4600 Series				Rear	24-010474	
1994	SLT	4600 Series				Rear	24-010474	
1994	SLX	4600 Series				Rear	24-010474	
1993	AWD; Base	4600 Series	Front	24-021364				
1993	AWD; SLE	4600 Series	Front	24-021364				
1993	AWD; SLT	4600 Series	Front	24-021364				
1993	Base	4600 Series				Rear	24-010474	
1993	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1993	GT	4600 Series				Rear	24-010474	
1993	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1993	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1993	SLE	4600 Series				Rear	24-010474	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Safari (continued)								
1993	SLT	4600 Series				Rear	24-010474	
1992	AWD; Base	4600 Series	Front	24-021364				
1992	AWD; SLE	4600 Series	Front	24-021364				
1992	AWD; SLT	4600 Series	Front	24-021364				
1992	Base	4600 Series				Rear	24-010474	
1992	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1992	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1992	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1992	SLE	4600 Series				Rear	24-010474	
1992	SLT	4600 Series				Rear	24-010474	
1991	AWD; Base	4600 Series	Front	24-021364				
1991	AWD; SLE	4600 Series	Front	24-021364				
1991	AWD; SLT	4600 Series	Front	24-021364				
1991	Base	4600 Series				Rear	24-010474	
1991	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1991	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1991	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1991	SLE	4600 Series				Rear	24-010474	
1991	SLT	4600 Series				Rear	24-010474	
1990	AWD; Base	4600 Series	Front	24-021364				
1990	AWD; SLE	4600 Series	Front	24-021364				
1990	AWD; SLT	4600 Series	Front	24-021364				
1990	AWD; SLX	4600 Series	Front	24-021364				
1990	Base	4600 Series				Rear	24-010474	
1990	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1990	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1990	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1990	RWD; SLX	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1990	SLE	4600 Series				Rear	24-010474	
1990	SLT	4600 Series				Rear	24-010474	
1990	SLX	4600 Series				Rear	24-010474	
1989	Base	4600 Series				Rear	24-010474	
1989	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Safari (continued)								
1989	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1989	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1989	RWD; SLX	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1989	SLE	4600 Series				Rear	24-010474	
1989	SLT	4600 Series				Rear	24-010474	
1989	SLX	4600 Series				Rear	24-010474	
1988	Base	4600 Series				Rear	24-010474	
1988	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1988	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1988	RWD; SLX	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1988	SLE	4600 Series				Rear	24-010474	
1988	SLT	4600 Series				Rear	24-010474	
1988	SLX	4600 Series				Rear	24-010474	
1987	Base	4600 Series				Rear	24-010474	
1987	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	RWD; SL	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1987	RWD; SLT	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1987	RWD; SLX	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1987	SL	4600 Series				Rear	24-010474	
1987	SLE	4600 Series				Rear	24-010474	
1987	SLT	4600 Series				Rear	24-010474	
1987	SLX	4600 Series				Rear	24-010474	
1986	Base	4600 Series				Rear	24-010474	
1986	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	RWD; SL	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1986	RWD; SLX	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1986	SL	4600 Series				Rear	24-010474	
1986	SLE	4600 Series				Rear	24-010474	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Safari (continued)								
1986	SLX	4600 Series				Rear	24-010474	
1985	Base	4600 Series				Rear	24-010474	
1985	Base; RWD	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	RWD; SL	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	RWD; SLE	B6 (HD)	Front	24-011044	SetOption: Variable depending on application; Setting: B6 (HD)			
1985	RWD; SLX	B6 (HD)	Front	24-011044	SetOption: Variable depending on application			
1985	SL	4600 Series				Rear	24-010474	
1985	SLE	4600 Series				Rear	24-010474	
1985	SLX	4600 Series				Rear	24-010474	
GMC Savana 1500								
2012	Base; RWD	4600 Series				Rear	24-024815	
2012	LS; RWD	4600 Series				Rear	24-024815	
2012	LT; RWD	4600 Series				Rear	24-024815	
2011	Base; RWD	4600 Series				Rear	24-024815	
2011	LS; RWD	4600 Series				Rear	24-024815	
2011	LT; RWD	4600 Series				Rear	24-024815	
2010	Base; RWD	4600 Series				Rear	24-024815	
2010	LS; RWD	4600 Series				Rear	24-024815	
2010	LT; RWD	4600 Series				Rear	24-024815	
2010	RWD; SL	4600 Series				Rear	24-024815	
2010	RWD; SLE	4600 Series				Rear	24-024815	
2009	Base; RWD	4600 Series				Rear	24-024815	
2009	LS; RWD	4600 Series				Rear	24-024815	
2009	LT; RWD	4600 Series				Rear	24-024815	
2009	RWD; SL	4600 Series				Rear	24-024815	
2009	RWD; SLE	4600 Series				Rear	24-024815	
2008	Base; RWD	4600 Series				Rear	24-024815	
2008	LS; RWD	4600 Series				Rear	24-024815	
2008	LT; RWD	4600 Series				Rear	24-024815	
2007	Base; RWD	4600 Series				Rear	24-024815	
2007	LS; RWD	4600 Series				Rear	24-024815	
2007	LT; RWD	4600 Series				Rear	24-024815	
2006	Base; RWD	4600 Series				Rear	24-024815	
2006	LS; RWD	4600 Series				Rear	24-024815	
2006	LT; RWD	4600 Series				Rear	24-024815	
2005	Base; RWD	4600 Series				Rear	24-024815	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Savana 1500 (continued)								
2005	RWD; SLE	4600 Series				Rear	24-024815	
2004	Base; RWD	4600 Series				Rear	24-024815	
2004	RWD; SLE	4600 Series				Rear	24-024815	
2003	Base; RWD	4600 Series				Rear	24-024815	
2003	RWD; SLE	4600 Series				Rear	24-024815	
2002	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
2002	SLT	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
2001	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
2001	SLT	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
2000	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
2000	SLE	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
1999	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
1999	SLE	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
1998	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
1998	SLE	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
1997	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
1997	SLE	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
1996	Base	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
1996	SLE	4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
GMC Savana 2500								
2012	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2012	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2012	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2012	SL	4600 Series				Rear	24-221948	GVW over 7,300lbs
2012	SLE	4600 Series				Rear	24-221948	GVW over 7,300lbs
2011	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2011	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Savana 2500 (continued)								
2011	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2010	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2010	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2010	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2010	SL	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2010	SLE	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2009	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2009	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2009	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2009	SL	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2009	SLE	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2008	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Savana 2500 (continued)								
2008	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2008	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2007	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2007	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2007	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2006	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2005	Base; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2005	RWD; SLE	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2004	Base; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2004	RWD; SLE	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2003	Base; RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2003	RWD; SLE	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2002	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Savana 2500 (continued)								
2002	SLT	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
2001	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2001	SLT	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2000	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
2000	SLE	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1999	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1999	SLE	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1998	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1998	SLE	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1997	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1997	SLE	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1996	Base	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs
1996	SLE	4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-025706	GVW over 7,300lbs
						Rear	24-221948	GVW over 7,300lbs
						Rear	24-024815	GVW up to 7300lbs



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Savana 3500								
2012	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2012	LS	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2012	LT	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2012	SL	4600 Series				Rear	24-221948	
2012	SLE	4600 Series				Rear	24-221948	
2011	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2011	LS	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2011	LT	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2010	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2010	LS	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2010	LT	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2010	SL	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2010	SLE	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2009	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2009	LS	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2009	LT	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2009	SL	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2009	SLE	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2008	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2008	LS	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Savana 3500 (continued)								
2008	LT	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2007	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2007	LS	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2007	LT	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2006	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2006	LS	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2006	LT	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2005	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2005	SLE	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2004	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2004	SLE	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2003	Base	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2003	SLE	4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
						Rear	24-025706	Includes Class C
2002	Base	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2002	SLT	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2001	Base	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2001	SLT	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2000	Base	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
2000	SLE	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Savana 3500 (continued)								
1999	Base	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1999	SLE	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1998	Base	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1998	SLE	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1997	Base	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1997	SLE	4600 Series	Front	24-024808	Class C	Rear	24-221948	
			Front	24-025652	GVW to 7300lbs	Rear	24-025706	Includes Class C
1996	Base	4600 Series	Front	24-024808	Class C	Rear	24-025706	
			Front	24-025652	GVW to 7300lbs	Rear	24-221948	
1996	SLE	4600 Series	Front	24-024808	Class C	Rear	24-025706	
			Front	24-025652	GVW to 7300lbs	Rear	24-221948	
GMC Savana 4500								
2012		4600 Series	Front	24-025652				
2012	Base	4600 Series				Rear	24-025706	Includes Class C
2011		4600 Series	Front	24-025652				
2011	Base	4600 Series				Rear	24-025706	Includes Class C
2010		4600 Series	Front	24-025652				
2010	Base	4600 Series				Rear	24-025706	Includes Class C
2009		4600 Series	Front	24-025652				
2009	Base	4600 Series				Rear	24-025706	Includes Class C
GMC Sierra 1500								
2012	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	Hybrid	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	SL	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	SL	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	SL	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	SLE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2012	SLE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	SLT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	SLT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2012	XFE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	XFE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	XFE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	Hybrid	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	SL	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	SL	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	SL	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	SLE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	SLE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	SLT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2011	SLT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2011	XFE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2011	XFE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2011	XFE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension			
2010	Hybrid	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	SL	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2010	SL	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	SL	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	SLE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2010	SLE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	SLT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2010	SLT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2010	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2010	XFE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2010	XFE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	XFE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension			
2009	Hybrid	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	SL	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2009	SL	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	SL	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	SLE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2009	SLE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	SLT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2009	SLT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2009	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2009	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2009	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	SL	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2008	SL	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	SL	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	SLE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2008	SLE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	SLT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2008	SLT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2008	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2008	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2008	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer			
2007	4WD; Classic Hybrid	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic Hybrid	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2007	4WD; Classic Hybrid	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic SL	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2007	4WD; Classic SL	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2007	4WD; Classic SL	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic SLE	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic SLE	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2007	4WD; Classic SLE	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic SLT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic SLT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2007	4WD; Classic SLT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic WT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic WT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2007	4WD; Classic WT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	Classic Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	Classic SL; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic SL; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic SL; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	Classic SLE; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic SLE; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2007	Classic SLE; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	Classic SLT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic SLT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension			
2007	Classic SLT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	Classic WT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic WT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension			
2007	Classic WT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2007	SLE	4600 Series	Front	24-188227	New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	SLE	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900			
2007	SLT	4600 Series	Front	24-188227	New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	SLT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900			
2007	WT	4600 Series	Front	24-188227	New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	WT	5100 Series				Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	WT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Electronic Suspension; Front Lifted Height: 0-1.75"; Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2006	4WD; Hybrid	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; Hybrid	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2006	4WD; Hybrid	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; SL	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; SL	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2006	4WD; SL	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; SLE	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; SLE	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2006	4WD; SLE	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; SLT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; SLT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2006	4WD; SLT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; WT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; WT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2006	4WD; WT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2006	RWD; SL; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	RWD; SL; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	RWD; SL; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2006	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2006	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2006	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	4WD; Base	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2005	4WD; Base	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2005	4WD; Base	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	4WD; Hybrid	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	4WD; Hybrid	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2005	4WD; Hybrid	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	4WD; SLE	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	4WD; SLE	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2005	4WD; SLE	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	4WD; SLT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	4WD; SLT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2005	4WD; SLT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	4WD; WT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	4WD; WT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2005	4WD; WT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2005	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2005	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2004	4WD; Base	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	4WD; Base	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2004	4WD; Base	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	4WD; SLE	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	4WD; SLE	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2004	4WD; SLE	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	4WD; SLT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	4WD; SLT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2004	4WD; SLT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	4WD; WT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	4WD; WT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2004	4WD; WT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2004	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2004	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2004	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2004	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2004	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2004	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2003	4WD; Base	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; Base	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2003	4WD; Base	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	4WD; SL	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; SL	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2003	4WD; SL	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	4WD; SLE	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; SLE	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2003	4WD; SLE	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	4WD; SLT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	4WD; SLT	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2003	4WD; SLT	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	4WD; WT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2003	4WD; WT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2003	4WD; WT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2003	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2003	RWD; SL; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003	RWD; SL; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2003	RWD; SL; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2003	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2003	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2003	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2003	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2003	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	4WD; Base	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2002	4WD; Base	5100 Series	Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2002	4WD; Base	5160 Series	Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	4WD; HT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2002	4WD; HT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2002	4WD; HT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	4WD; SL	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	4WD; SL	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2002	4WD; SL	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	4WD; SLE	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	4WD; SLE	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2002	4WD; SLE	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	4WD; SLT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	4WD; SLT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2002	4WD; SLT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	4WD; WT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	4WD; WT	5100 Series	Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2002	4WD; WT	5160 Series	Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2002	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	HT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	HT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension			
2002	HT; RWD; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	RWD; SL; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	RWD; SL; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2002	RWD; SL; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2002	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2002	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2002	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2002	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2001	4WD; SL	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2001	4WD; SL	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2001	4WD; SL	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	4WD; SLE	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2001	4WD; SLE	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2001	4WD; SLE	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	4WD; SLT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2001	4WD; SLT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2001	4WD; SLT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	RWD; SL; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2001	RWD; SL; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2001	RWD; SL; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2001	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2001	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2001	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2001	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2001	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2001	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2000	4WD; SL	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2000	4WD; SL	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2000	4WD; SL	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2000	4WD; SLE	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2000	4WD; SLE	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2000	4WD; SLE	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2000	4WD; SLT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2000	4WD; SLT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
2000	4WD; SLT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2000	RWD; SL; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2000	RWD; SL; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2000	RWD; SL; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2000	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2000	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2000	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
2000	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2000	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2000	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
1999	4WD; SL	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
1999	4WD; SL	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
1999	4WD; SL	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
1999	4WD; SLE	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
1999	4WD; SLE	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
1999	4WD; SLE	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
1999	4WD; SLT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
1999	4WD; SLT	5100 Series	Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit			
1999	4WD; SLT	5160 Series	Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
1999	RWD; SL; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
1999	RWD; SL; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
1999	RWD; SL; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
1999	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
1999	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
1999	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
1999	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
1999	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
1999	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit			
GMC Sierra 1500 HD								
2007	Classic SLE	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2007	Classic SLE	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	Classic SLE	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic SLE	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	Classic SLT	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2007	Classic SLT	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	Classic SLT	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 HD (continued)								
2007	Classic SLT	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	SLE	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2006	SLE	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	SLE	5100 Series (Steering Damper)	Front	33-174525				
2006	SLE	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	SLT	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2006	SLT	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	SLT	5100 Series (Steering Damper)	Front	33-174525				
2006	SLT	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	SLE	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 HD (continued)								
2005	SLE	5100 Series	Front	24-186735	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrateer			
2005	SLE	5160 Series	Front	25-187618	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187694	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
			Front	25-187687	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"; Rear Lifted Height: 4"
2005	SLT	4600 Series	Front	24-060813	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2005	SLT	5100 Series	Front	24-186735	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrateer			
2005	SLT	5160 Series	Front	25-187618	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187694	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
			Front	25-187687	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"; Rear Lifted Height: 4"
2003	SLE	4600 Series	Front	24-060813	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2003	SLE	5100 Series	Front	24-186735	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrateer			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 HD (continued)								
2003	SLE	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"; Rear Lifted Height: 4"
2003	SLT	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2003	SLT	5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2003	SLT	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"; Rear Lifted Height: 4"
2002	SLE	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2002	SLE	5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2002	SLE	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"; Rear Lifted Height: 4"
2002	SLT	4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 HD (continued)								
2002	SLT	5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2002	SLT	5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"; Rear Lifted Height: 4"
2001	SLE	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2001	SLE	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	SLE	5100 Series (Steering Damper)	Front	33-174525				
2001	SLE	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	SLT	4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-060820	Excludes ZX3 Electronic Suspension
						Rear	24-186575	Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
2001	SLT	5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001	SLT	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 1500 HD (continued)								
2001	SLT	5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
GMC Sierra 2500								
2004	Base	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2004	Base	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	Base	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	Base	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	SLE	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2004	SLE	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	SLE	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	SLT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2004	SLT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 (continued)								
2004	SLT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	WT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2004	WT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004	WT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004	WT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	Base	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2003	Base	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	Base	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	Base	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	SLE	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2003	SLE	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	SLE	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 (continued)								
2003	SLT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2003	SLT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	SLT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	WT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2003	WT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2003	WT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2003	WT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	Base	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2002	Base	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	Base	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	Base	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	SL	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 (continued)								
2002	SL	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	SL	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	SL	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	SLE	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2002	SLE	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	SLE	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	SLT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-060820	Excludes Quadrasteer
						Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
2002	SLT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2002	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2002	SLT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2001	SL	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	SL	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 (continued)								
2001	SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	SLE	5100 Series (Steering Damper)	Front	33-174525				
2001	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	SLT	5100 Series (Steering Damper)	Front	33-174525				
2001	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2000	SL	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2000	SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2000	SL	5100 Series (Steering Damper)	Front	33-174525				
2000	SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2000	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2000	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2000	SLE	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 (continued)								
2000	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2000	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2000	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2000	SLT	5100 Series (Steering Damper)	Front	33-174525				
2000	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
1999	SL	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
1999	SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
1999	SL	5100 Series (Steering Damper)	Front	33-174525				
1999	SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
1999	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
1999	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
1999	SLE	5100 Series (Steering Damper)	Front	33-174525				
1999	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
1999	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
1999	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
1999	SLT	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 (continued)								
1999	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
GMC Sierra 2500 HD								
2013	Denali	4600 Series	Front	24-196437		Rear	24-196444	
2013	Denali	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	Denali	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	SLE	4600 Series	Front	24-196437		Rear	24-196444	
2013	SLE	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	SLE	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	SLT	4600 Series	Front	24-196437		Rear	24-196444	
2013	SLT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	SLT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	WT	4600 Series	Front	24-196437		Rear	24-196444	
2013	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	Denali	4600 Series	Front	24-196437		Rear	24-196444	
2012	Denali	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	Denali	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	SLE	4600 Series	Front	24-196437		Rear	24-196444	
2012	SLE	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	SLE	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	SLT	4600 Series	Front	24-196437		Rear	24-196444	
2012	SLT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2012	SLT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	WT	4600 Series	Front	24-196437		Rear	24-196444	
2012	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	Denali	4600 Series	Front	24-196437		Rear	24-196444	
2011	Denali	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	Denali	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	SLE	4600 Series	Front	24-196437		Rear	24-196444	
2011	SLE	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	SLE	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	SLT	4600 Series	Front	24-196437		Rear	24-196444	
2011	SLT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	SLT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	WT	4600 Series	Front	24-196437		Rear	24-196444	
2011	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2010	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2010	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	SLE	5100 Series (Steering Damper)	Front	33-174525				
2010	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2010	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2010	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	SLT	5100 Series (Steering Damper)	Front	33-174525				
2010	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2010	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2010	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	WT	5100 Series (Steering Damper)	Front	33-174525				
2010	WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2009	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2009	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	SLE	5100 Series (Steering Damper)	Front	33-174525				
2009	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2009	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2009	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	SLT	5100 Series (Steering Damper)	Front	33-174525				
2009	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2009	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2009	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2009	WT	5100 Series (Steering Damper)	Front	33-174525				
2009	WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2008	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2008	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	SLE	5100 Series (Steering Damper)	Front	33-174525				
2008	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2008	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2008	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	SLT	5100 Series (Steering Damper)	Front	33-174525				
2008	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2008	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2008	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	WT	5100 Series (Steering Damper)	Front	33-174525				
2008	WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2007	Classic SL	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	Classic SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic SL	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2007	Classic SL	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2007	Classic SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	Classic SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic SLE	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2007	Classic SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	Classic SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic SLT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2007	Classic WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	Classic WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic WT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2007	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	SLE	5100 Series (Steering Damper)	Front	33-174525				
2007	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2007	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	SLT	5100 Series (Steering Damper)	Front	33-174525				
2007	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2007	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2007	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	WT	5100 Series (Steering Damper)	Front	33-174525				
2007	WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2006	SL	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2006	SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	SL	5100 Series (Steering Damper)	Front	33-174525				
2006	SL	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2006	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2006	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	SLE	5100 Series (Steering Damper)	Front	33-174525				
2006	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2006	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2006	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	SLT	5100 Series (Steering Damper)	Front	33-174525				
2006	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2006	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2006	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	WT	5100 Series (Steering Damper)	Front	33-174525				
2006	WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2005	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2005	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	Base	5100 Series (Steering Damper)	Front	33-174525				
2005	Base	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2005	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2005	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	SLE	5100 Series (Steering Damper)	Front	33-174525				
2005	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2005	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2005	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2005	SLT	5100 Series (Steering Damper)	Front	33-174525				
2005	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2005	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2005	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	WT	5100 Series (Steering Damper)	Front	33-174525				
2005	WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2004	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2004	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	Base	5100 Series (Steering Damper)	Front	33-174525				
2004	Base	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2004	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2004	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	SLE	5100 Series (Steering Damper)	Front	33-174525				
2004	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2004	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2004	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	SLT	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2004	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2004	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2004	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	WT	5100 Series (Steering Damper)	Front	33-174525				
2004	WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2003	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2003	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	Base	5100 Series (Steering Damper)	Front	33-174525				
2003	Base	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2003	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2003	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	SLE	5100 Series (Steering Damper)	Front	33-174525				
2003	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2003	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2003	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	SLT	5100 Series (Steering Damper)	Front	33-174525				
2003	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2003	WT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2003	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	WT	5100 Series (Steering Damper)	Front	33-174525				
2003	WT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2002	Base	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2002	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	Base	5100 Series (Steering Damper)	Front	33-174525				
2002	Base	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2002	SL	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2002	SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	SL	5100 Series (Steering Damper)	Front	33-174525				
2002	SL	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2002	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2002	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	SLE	5100 Series (Steering Damper)	Front	33-174525				
2002	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2002	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2002	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	SLT	5100 Series (Steering Damper)	Front	33-174525				
2002	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2001	SL	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	SL	5100 Series (Steering Damper)	Front	33-174525				
2001	SL	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2001	SLE	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	SLE	5100 Series (Steering Damper)	Front	33-174525				
2001	SLE	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
2001	SLT	4600 Series	Front	24-060813		Rear	24-060820	
						Rear	24-186575	Use With Overhead Truck Camper
2001	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	SLT	5100 Series (Steering Damper)	Front	33-174525				
2001	SLT	5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
GMC Sierra 3500								
2007	4WD; Classic SL	4600 Series	Front	24-060813		Rear	24-185677	
2007	4WD; Classic SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2007	4WD; Classic SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	4WD; Classic SLE	4600 Series	Front	24-060813		Rear	24-185677	
2007	4WD; Classic SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	4WD; Classic SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	4WD; Classic SLT	4600 Series	Front	24-060813		Rear	24-185677	
2007	4WD; Classic SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	4WD; Classic SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	4WD; Classic WT	4600 Series	Front	24-060813		Rear	24-185677	
2007	4WD; Classic WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	4WD; Classic WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	Classic SL	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic SL; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2007	Classic SL; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic SL; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic SLE	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic SLE; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2007	Classic SLE; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic SLE; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic SLT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic SLT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2007	Classic SLT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic SLT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic WT	5100 Series (Steering Damper)	Front	33-174525				
2007	Classic WT; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2007	Classic WT; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007	Classic WT; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	4WD; SL	4600 Series	Front	24-060813		Rear	24-185677	
2006	4WD; SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	4WD; SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	4WD; SLE	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2006	4WD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	4WD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	4WD; SLT	4600 Series	Front	24-060813		Rear	24-185677	
2006	4WD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	4WD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	4WD; WT	4600 Series	Front	24-060813		Rear	24-185677	
2006	4WD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2006	4WD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2006	RWD; SL	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2006	RWD; SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; SLE	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2006	RWD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; SLT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2006	RWD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; WT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2006	RWD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2006	RWD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	SL	5100 Series (Steering Damper)	Front	33-174525				
2006	SLE	5100 Series (Steering Damper)	Front	33-174525				
2006	SLT	5100 Series (Steering Damper)	Front	33-174525				
2006	WT	5100 Series (Steering Damper)	Front	33-174525				
2005	4WD; Base	4600 Series	Front	24-060813		Rear	24-185677	
2005	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	4WD; SLE	4600 Series	Front	24-060813		Rear	24-185677	
2005	4WD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	4WD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	4WD; SLT	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2005	4WD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	4WD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	4WD; WT	4600 Series	Front	24-060813		Rear	24-185677	
2005	4WD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2005	4WD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2005	Base	5100 Series (Steering Damper)	Front	33-174525				
2005	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2005	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2005	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2005	RWD; SLE	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2005	RWD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2005	RWD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2005	RWD; SLT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2005	RWD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2005	RWD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2005	RWD; WT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2005	RWD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2005	RWD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2005	SLE	5100 Series (Steering Damper)	Front	33-174525				
2005	SLT	5100 Series (Steering Damper)	Front	33-174525				
2005	WT	5100 Series (Steering Damper)	Front	33-174525				
2004	4WD; Base	4600 Series	Front	24-060813		Rear	24-185677	
2004	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	4WD; SLE	4600 Series	Front	24-060813		Rear	24-185677	
2004	4WD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	4WD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	4WD; SLT	4600 Series	Front	24-060813		Rear	24-185677	
2004	4WD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	4WD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	4WD; WT	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2004	4WD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2004	4WD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2004	Base	5100 Series (Steering Damper)	Front	33-174525				
2004	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2004	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2004	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	RWD; SLE	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2004	RWD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2004	RWD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	RWD; SLT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2004	RWD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2004	RWD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	RWD; WT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2004	RWD; WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2004	RWD; WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2004	SLE	5100 Series (Steering Damper)	Front	33-174525				
2004	SLT	5100 Series (Steering Damper)	Front	33-174525				
2004	WT	5100 Series (Steering Damper)	Front	33-174525				
2003	4WD; Base	4600 Series	Front	24-060813				
2003	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	4WD; SLE	4600 Series	Front	24-060813		Rear	24-185677	
2003	4WD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	4WD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	4WD; SLT	4600 Series	Front	24-060813		Rear	24-185677	
2003	4WD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2003	4WD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2003	Base	5100 Series (Steering Damper)	Front	33-174525				
2003	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension			
2003	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2003	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2003	RWD; SLE	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2003	RWD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2003	RWD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2003	RWD; SLT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2003	RWD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2003	RWD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2003	SLE	5100 Series (Steering Damper)	Front	33-174525				
2003	SLT	5100 Series (Steering Damper)	Front	33-174525				
2002	4WD; Base	4600 Series	Front	24-060813		Rear	24-185677	
2002	4WD; Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	4WD; Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	4WD; SL	4600 Series	Front	24-060813		Rear	24-185677	
2002	4WD; SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	4WD; SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	4WD; SLE	4600 Series	Front	24-060813		Rear	24-185677	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2002	4WD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	4WD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	4WD; SLT	4600 Series	Front	24-060813		Rear	24-185677	
2002	4WD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2002	4WD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2002	Base	5100 Series (Steering Damper)	Front	33-174525				
2002	Base; RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2002	Base; RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2002	Base; RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2002	RWD; SL	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2002	RWD; SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2002	RWD; SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2002	RWD; SLE	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2002	RWD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2002	RWD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2002	RWD; SLT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2002	RWD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2002	RWD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2002	SL	5100 Series (Steering Damper)	Front	33-174525				
2002	SLE	5100 Series (Steering Damper)	Front	33-174525				
2002	SLT	5100 Series (Steering Damper)	Front	33-174525				
2001	4WD; SL	4600 Series	Front	24-060813		Rear	24-185677	
2001	4WD; SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	4WD; SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	4WD; SLE	4600 Series	Front	24-060813		Rear	24-185677	
2001	4WD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	4WD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	4WD; SLT	4600 Series	Front	24-060813		Rear	24-185677	
2001	4WD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2001	4WD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2001	RWD; SL	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 (continued)								
2001	RWD; SL	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2001	RWD; SL	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2001	RWD; SLE	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2001	RWD; SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2001	RWD; SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2001	RWD; SLT	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2001	RWD; SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2001	RWD; SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2001	SL	5100 Series (Steering Damper)	Front	33-174525				
2001	SLE	5100 Series (Steering Damper)	Front	33-174525				
2001	SLT	5100 Series (Steering Damper)	Front	33-174525				
GMC Sierra 3500 HD								
2013	Denali	4600 Series	Front	24-196437		Rear	24-196444	
2013	Denali	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	Denali	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	SLE	4600 Series	Front	24-196437		Rear	24-196444	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 HD (continued)								
2013	SLE	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	SLE	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	SLT	4600 Series	Front	24-196437		Rear	24-196444	
2013	SLT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	SLT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2013	WT	4600 Series	Front	24-196437		Rear	24-196444	
2013	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	Denali	4600 Series	Front	24-196437		Rear	24-196444	
2012	Denali	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	Denali	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	SLE	4600 Series	Front	24-196437		Rear	24-196444	
2012	SLE	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	SLE	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	SLT	4600 Series	Front	24-196437		Rear	24-196444	
2012	SLT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	SLT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2012	WT	4600 Series	Front	24-196437		Rear	24-196444	
2012	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2012	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	Denali	4600 Series	Front	24-196437		Rear	24-196444	
2011	Denali	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 HD (continued)								
2011	Denali	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	SLE	4600 Series	Front	24-196437		Rear	24-196444	
2011	SLE	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	SLE	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	SLT	4600 Series	Front	24-196437		Rear	24-196444	
2011	SLT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	SLT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2011	WT	4600 Series	Front	24-196437		Rear	24-196444	
2011	WT	5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2011	WT	5160 Series	Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-218190	Front Lifted Height: 4-6"	Rear	25-218206	Rear Lifted Height: 3-4"
2010	SLE	4600 Series	Front	24-060813		Rear	24-185677	
2010	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	SLE	5100 Series (Steering Damper)	Front	33-174525				
2010	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2010	SLT	4600 Series	Front	24-060813		Rear	24-185677	
2010	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	SLT	5100 Series (Steering Damper)	Front	33-174525				
2010	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2010	WT	4600 Series	Front	24-060813		Rear	24-185677	
2010	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2010	WT	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 HD (continued)								
2010	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	SLE	4600 Series	Front	24-060813		Rear	24-185677	
2009	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	SLE	5100 Series (Steering Damper)	Front	33-174525				
2009	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	SLT	4600 Series	Front	24-060813		Rear	24-185677	
2009	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	SLT	5100 Series (Steering Damper)	Front	33-174525				
2009	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2009	WT	4600 Series	Front	24-060813		Rear	24-185677	
2009	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2009	WT	5100 Series (Steering Damper)	Front	33-174525				
2009	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	SLE	4600 Series	Front	24-060813		Rear	24-185677	
2008	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	SLE	5100 Series (Steering Damper)	Front	33-174525				
2008	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	SLT	4600 Series	Front	24-060813		Rear	24-185677	
2008	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sierra 3500 HD (continued)								
2008	SLT	5100 Series (Steering Damper)	Front	33-174525				
2008	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2008	WT	4600 Series	Front	24-060813		Rear	24-185677	
2008	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2008	WT	5100 Series (Steering Damper)	Front	33-174525				
2008	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	SLE	4600 Series	Front	24-060813		Rear	24-185677	
2007	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	SLE	5100 Series (Steering Damper)	Front	33-174525				
2007	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	SLT	4600 Series	Front	24-060813		Rear	24-185677	
2007	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	SLT	5100 Series (Steering Damper)	Front	33-174525				
2007	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007	WT	4600 Series	Front	24-060813		Rear	24-185677	
2007	WT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-186742	Rear Lifted Height: 0-1"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-191203	Rear Lifted Height: 2"
						Rear	24-186636	Rear Lifted Height: 4"
2007	WT	5100 Series (Steering Damper)	Front	33-174525				
2007	WT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
GMC Sonoma								
2004	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sonoma (continued)								
2004	SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2004	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2004	SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2003	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2003	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2003	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
2003	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
2003	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2003	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2002	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2002	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2002	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
2002	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
2002	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2002	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2001	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2001	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2001	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
2001	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
2001	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2001	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2000	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2000	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2000	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2000	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
2000	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sonoma (continued)								
2000	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
2000	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2000	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2000	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1999	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1999	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1999	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1999	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
1999	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap
1999	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
1999	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1999	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1999	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1998	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1998	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1998	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1998	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
1998	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap
1998	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
1998	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1998	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1998	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1997	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1997	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1997	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1997	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
1997	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sonoma (continued)								
1997	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
1997	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1997	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1997	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1996	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1996	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1996	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1996	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
1996	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap
1996	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
1996	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1996	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1996	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1995	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1995	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1995	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1995	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
1995	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap
1995	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
1995	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1995	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1995	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1994	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1994	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1994	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1994	RWD; SL	4600 Series				Rear	15998553	Axle Wrap
1994	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sonoma (continued)								
1994	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
1994	SL	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1994	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1994	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1993	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1993	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1993	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1993	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1993	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1993	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap
1993	RWD; SLS	4600 Series				Rear	15998553	Axle Wrap
1993	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1993	SLS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1992	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1992	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1992	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1992	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1992	GT	4600 Series				Rear	15998553	Axle Wrap
1992	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap
1992	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1991	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1991	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1991	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1991	Base; RWD	4600 Series				Rear	15998553	Axle Wrap
1991	RWD; SLE	4600 Series				Rear	15998553	Axle Wrap
1991	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Sprint								
1977	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1977	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1977	Classic	AK Series	Front	F4-BE3-E249-M0				
1977	Classic	B6 (HD)	Front	24-009492				
1976	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1976	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1976	Classic	AK Series	Front	F4-BE3-E249-M0				
1976	Classic	B6 (HD)	Front	24-009492				
1976	SP	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1976	SP	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1976	Sierra Madre Del Sur	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1976	Sierra Madre Del Sur	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1975	Base	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1975	Classic	AK Series	Front	F4-BE3-E249-M0				
1975	Classic	B6 (HD)	Front	24-009492				
1975	High Sierra	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1975	High Sierra	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
1975	SP	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1975	SP	B6 (HD)	Front	24-009492		Rear	24-009294	Leveling system will not work with this shock; SetOption: Variable depending on application; Setting: B6 (HD)
GMC Syclone								
1991	Base	4600 Series	Front	24-014106				
GMC Typhoon								
1993		4600 Series (Sport)				Rear	24-014137	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Typhoon (continued)								
1993	Base	4600 Series	Front	24-187831		Rear	33-187532	
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992		4600 Series (Sport)				Rear	24-014137	
1992	Base	4600 Series	Front	24-187831		Rear	33-187532	
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
GMC V1500								
1987	Base	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	High Sierra	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Sierra Classic	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
GMC V1500 Suburban								
1991	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1990	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1990	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	SLE	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1990	SLE	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1990	SLE	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1989	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC V1500 Suburban (continued)								
1989	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1989	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1989	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1988	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1988	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1988	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1988	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1987	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1987	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1987	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC V2500								
1987	Base	4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	High Sierra	4600 Series	Front	24-009232	Square body style			
1987	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1987	Sierra Classic	4600 Series	Front	24-009232	Square body style			
1987	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
GMC V2500 Suburban								
1991	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"			
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1990	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1990	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"			
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1990	SLE	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1990	SLE	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1990	SLE	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"			
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1989	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1989	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"			
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1989	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1989	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1989	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"			
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC V2500 Suburban (continued)								
1988	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1988	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1988	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1988	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Base	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Base	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1987	Base	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	High Sierra	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	High Sierra	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1987	High Sierra	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
1987	Sierra Classic	4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1987	Sierra Classic	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1987	Sierra Classic	5100 Series	Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-2.5"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 6"
GMC V3500								
1991	Base	4600 Series	Front	AK2042		Rear	AK2043	
1991	SLE	4600 Series	Front	AK2042		Rear	AK2043	
1990	Base	4600 Series	Front	AK2042		Rear	AK2043	
1990	SLE	4600 Series	Front	AK2042		Rear	AK2043	
1989	Base; Crew Cab Pickup	4600 Series	Front	AK2042		Rear	AK2043	
1989	Crew Cab Pickup; High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1989	Crew Cab Pickup; Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC V3500 (continued)								
1988	Base; Crew Cab Pickup	4600 Series	Front	AK2042		Rear	AK2043	
1988	Crew Cab Pickup; High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1988	Crew Cab Pickup; Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
1987	Base; Crew Cab Pickup	4600 Series	Front	AK2042		Rear	AK2043	
1987	Crew Cab Pickup; High Sierra	4600 Series	Front	AK2042		Rear	AK2043	
1987	Crew Cab Pickup; Sierra Classic	4600 Series	Front	AK2042		Rear	AK2043	
GMC Yukon								
2012	Hybrid	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012	Hybrid	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	Hybrid	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2012	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	Hybrid	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2011	Hybrid	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	Hybrid	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2011	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2011	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Base	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010	Base	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2010	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	Base	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Hybrid	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010	Hybrid	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	Hybrid	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Base	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2009	Base	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	Base	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Hybrid	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	Hybrid	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	Hybrid	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2008	Base	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	Base	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	Base	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Hybrid	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	Hybrid	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	Hybrid	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	Hybrid	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2008	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2008	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Base	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2007	Base	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Base	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	Base	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2007	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2007	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2007	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2006	SL	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2006	SL	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	SL	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	SL	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2006	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2006	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2006	SLE	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2006	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2006	SLT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2005	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	SLE	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2005	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket			
2005	SLT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2004	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2004	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2004	SLE	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2004	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2004	SLT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2003	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	SLE	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2003	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	SLT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2002	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2002	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2002	SLE	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2002	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2002	SLT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2001	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2001	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	SLE	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2001	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2001	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	SLT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2000	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2000	SLE	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
2000	SLT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
1999	4WD; SLE; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999	4WD; SLE; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1999	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1999	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1999	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-185615	Rear Lifted Height: 2-4"
1999	4WD; SLT; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999	4WD; SLT; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1999	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1999	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1999	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-185615	Rear Lifted Height: 2-4"
1999	RWD; SLE	4600 Series	Front	24-026703		Rear	24-016988	Rear Lifted Height: 1"
1999	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1999	RWD; SLT	4600 Series	Front	24-026703		Rear	24-016988	Rear Lifted Height: 1"
1999	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1999	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1999	SLT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1998	4WD; SLE; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1998	4WD; SLE; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
1998	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1998	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1998	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-185615	Rear Lifted Height: 2-4"
1998	4WD; SLT; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1998	4WD; SLT; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1998	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1998	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1998	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-185615	Rear Lifted Height: 2-4"
1998	RWD; SLE	4600 Series	Front	24-026703		Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not rreplace electronic dampers
1998	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1998	RWD; SLT	4600 Series	Front	24-026703		Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not rreplace electronic dampers
1998	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1998	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1998	SLT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1997	2 Dr.; RWD; SLE; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997	2 Dr.; RWD; SLE; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997	2 Dr.; RWD; SLT; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997	2 Dr.; RWD; SLT; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
1997	4 Dr.; 4WD; SLE; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997	4 Dr.; 4WD; SLE; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1997	4 Dr.; 4WD; SLE; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997	4 Dr.; 4WD; SLE; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1997	4 Dr.; 4WD; SLE; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1997	4 Dr.; 4WD; SLE; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1997	4 Dr.; 4WD; SLT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997	4 Dr.; 4WD; SLT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1997	4 Dr.; 4WD; SLT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997	4 Dr.; 4WD; SLT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1997	4 Dr.; 4WD; SLT; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1997	4 Dr.; 4WD; SLT; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1997	4 Dr.; RWD; SLE	4600 Series	Front	24-026703				
1997	4 Dr.; RWD; SLE; Sport Utility	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1997	4 Dr.; RWD; SLE; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1997	4 Dr.; RWD; SLT	4600 Series	Front	24-026703				
1997	4 Dr.; RWD; SLT; Sport Utility	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1997	4 Dr.; RWD; SLT; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1997	4WD; SL	4600 Series				Rear	24-025027	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
1997	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1997	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1997	4WD; SLE	4600 Series				Rear	24-025027	
1997	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1997	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1997	4WD; SLT	4600 Series				Rear	24-025027	
1997	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1997	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1997	RWD; SL; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997	RWD; SLE	4600 Series				Rear	24-026727	Will not rreplace electronic dampers
1997	RWD; SLT	4600 Series				Rear	24-026727	Will not rreplace electronic dampers
1997	SL	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1997	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1997	SLT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1996	2 Dr.; RWD; SLE; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	2 Dr.; RWD; SLE; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	2 Dr.; RWD; SLT; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	2 Dr.; RWD; SLT; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	4 Dr.; 4WD; SLE; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; SLE; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
1996	4 Dr.; 4WD; SLE; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; SLE; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1996	4 Dr.; 4WD; SLE; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1996	4 Dr.; 4WD; SLE; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1996	4 Dr.; 4WD; SLT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; SLT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1996	4 Dr.; 4WD; SLT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	4 Dr.; 4WD; SLT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1996	4 Dr.; 4WD; SLT; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1996	4 Dr.; 4WD; SLT; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1996	4 Dr.; RWD; SLE	4600 Series	Front	24-026703				
1996	4 Dr.; RWD; SLE; Sport Utility	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1996	4 Dr.; RWD; SLE; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1996	4 Dr.; RWD; SLT	4600 Series	Front	24-026703				
1996	4 Dr.; RWD; SLT; Sport Utility	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1996	4 Dr.; RWD; SLT; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1996	4WD; SL	4600 Series				Rear	24-025027	
1996	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1996	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1996	4WD; SLE	4600 Series				Rear	24-025027	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
1996	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1996	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1996	4WD; SLT	4600 Series				Rear	24-025027	
1996	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1996	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1996	RWD; SL; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996	RWD; SLE	4600 Series				Rear	24-026727	Will not replace electronic dampers
1996	RWD; SLT	4600 Series				Rear	24-026727	Will not replace electronic dampers
1996	SL	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1996	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1996	SLT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1995	4 Dr.; 4WD; SLE; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; SLE; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1995	4 Dr.; 4WD; SLE; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; SLE; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1995	4 Dr.; 4WD; SLE; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1995	4 Dr.; 4WD; SLE; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1995	4 Dr.; 4WD; SLT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; SLT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
1995	4 Dr.; 4WD; SLT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1995	4 Dr.; 4WD; SLT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1995	4 Dr.; 4WD; SLT; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1995	4 Dr.; 4WD; SLT; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1995	4 Dr.; RWD; SLE	4600 Series	Front	24-026703				
1995	4 Dr.; RWD; SLE; Sport Utility	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1995	4 Dr.; RWD; SLE; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1995	4 Dr.; RWD; SLT	4600 Series	Front	24-026703				
1995	4 Dr.; RWD; SLT; Sport Utility	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1995	4 Dr.; RWD; SLT; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1995	4WD; Base	4600 Series				Rear	24-025027	
1995	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1995	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1995	4WD; SLE	4600 Series				Rear	24-025027	
1995	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1995	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1995	4WD; SLT	4600 Series				Rear	24-025027	
1995	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1995	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1995	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1995	RWD; SLE	4600 Series				Rear	24-026727	Will not replace electronic dampers
1995	RWD; SLT	4600 Series				Rear	24-026727	Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
1995	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1995	SLT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1994	4WD; Base	4600 Series				Rear	24-025027	
1994	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1994	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1994	4WD; SLE	4600 Series				Rear	24-025027	
1994	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1994	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1994	4WD; Sport	4600 Series				Rear	24-025027	
1994	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1994	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1994	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1994	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1994	Sport	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1993	4WD; Base	4600 Series				Rear	24-025027	
1993	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1993	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1993	4WD; GT	4600 Series				Rear	24-025027	
1993	4WD; GT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1993	4WD; GT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1993	4WD; SLE	4600 Series				Rear	24-025027	
1993	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon (continued)								
1993	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1993	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1993	GT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1993	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1992	4WD; Base	4600 Series				Rear	24-025027	
1992	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1992	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1992	4WD; SLE	4600 Series				Rear	24-025027	
1992	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1992	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1992	4WD; Sport	4600 Series				Rear	24-025027	
1992	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-104050				
1992	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1992	Base	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1992	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1992	Sport	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
GMC Yukon XL 1500								
2012	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2012	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2012	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2012	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2012	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2011	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2011	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2011	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2011	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2010	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2010	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2010	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2009	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2009	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2009	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2008	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2008	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2008	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2008	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2008	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2007	SLE	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLE	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2007	SLT	5100 Series				Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	SLT	5100 Series (Ride Height Adjustable)	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-1.75"			
2007	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2006	SL	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	SL	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2006	SL	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	SL	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	SLE	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2006	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket			
2006	SLT	B3 (OEM Replacement Springs)						
2005	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2005	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	SLE	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2005	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2005	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2005	SLT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2004	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2004	SLE	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2004	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2004	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2004	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2004	SLT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2003	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2003	SLE	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2003	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2003	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2003	SLT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2002	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2002	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	SLE	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2002	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2002	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2002	SLT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2001	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2001	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2001	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket			
2001	SLE	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2001	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2001	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2001	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2001	SLT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2000	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
2000	SLE	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2000	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2000	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket			
2000	SLT	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
GMC Yukon XL 2500								
2012	SLE	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2012	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2012	SLE	5100 Series (Steering Damper)	Front	33-174525				
2012	SLE	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2012	SLT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2012	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2012	SLT	5100 Series (Steering Damper)	Front	33-174525				
2012	SLT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2011	SLE	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2011	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 2500 (continued)								
2011	SLE	5100 Series (Steering Damper)	Front	33-174525				
2011	SLE	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2011	SLT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2011	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2011	SLT	5100 Series (Steering Damper)	Front	33-174525				
2011	SLT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2010	SLE	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2010	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2010	SLE	5100 Series (Steering Damper)	Front	33-174525				
2010	SLE	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2010	SLT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2010	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2010	SLT	5100 Series (Steering Damper)	Front	33-174525				
2010	SLT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2009	SLE	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2009	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2009	SLE	5100 Series (Steering Damper)	Front	33-174525				
2009	SLE	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2009	SLT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2009	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2009	SLT	5100 Series (Steering Damper)	Front	33-174525				
2009	SLT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2008	SLE	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2008	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2008	SLE	5100 Series (Steering Damper)	Front	33-174525				
2008	SLE	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2008	SLT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2008	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2008	SLT	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 2500 (continued)								
2008	SLT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2007	SLE	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2007	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2007	SLE	5100 Series (Steering Damper)	Front	33-174525				
2007	SLE	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2007	SLT	4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2007	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2007	SLT	5100 Series (Steering Damper)	Front	33-174525				
2007	SLT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2006	SLE	4600 Series	Front	24-060813		Rear	24-185677	
2006	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2006	SLE	5100 Series (Steering Damper)	Front	33-174525				
2006	SLE	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2006	SLT	4600 Series	Front	24-060813		Rear	24-185677	
2006	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2006	SLT	5100 Series (Steering Damper)	Front	33-174525				
2006	SLT	5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2005	SLE	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2005	SLE	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2005	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2005	SLE	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2005	SLT	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2005	SLT	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2005	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2005	SLT	5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2004	SLE	4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-185677	Excludes Quadrasteer
2004	SLE	5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes Quadrasteer; Rear Lifted Height: 0-1"
2004	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 2500 (continued)								
2004	SLE	5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2004	SLT	4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-185677	Excludes QuadraSteer
2004	SLT	5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2004	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2004	SLT	5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2003	SLE	4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-185677	Excludes QuadraSteer
2003	SLE	5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2003	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2003	SLE	5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2003	SLT	4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-185677	Excludes QuadraSteer
2003	SLT	5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2003	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2003	SLT	5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2002	SLE	4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-185677	Excludes QuadraSteer
2002	SLE	5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2002	SLE	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2002	SLE	5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2002	SLT	4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-185677	Excludes QuadraSteer
2002	SLT	5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2002	SLT	5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2002	SLT	5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2001	SLE	4600 Series	Front	24-060813		Rear	24-185677	
2001	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2001	SLE	5100 Series (Steering Damper)	Front	33-174525				
2001	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2001	SLT	4600 Series	Front	24-060813		Rear	24-185677	
2001	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2001	SLT	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
GMC Yukon XL 2500 (continued)								
2001	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2000	SLE	4600 Series	Front	24-060813		Rear	24-185677	
2000	SLE	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2000	SLE	5100 Series (Steering Damper)	Front	33-174525				
2000	SLE	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
2000	SLT	4600 Series	Front	24-060813		Rear	24-185677	
2000	SLT	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2000	SLT	5100 Series (Steering Damper)	Front	33-174525				
2000	SLT	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
Geo Tracker								
1997	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1996	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1996	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1995	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1995	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1994	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1994	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1993	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1993	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1992	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1992	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1991	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1991	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1990	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1990	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1989	Base	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1989	LSi	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Honda CR-V								
2006	EX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2006	EX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2006	LX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2006	LX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2006	SE	4600 Series	Front Left	35-107460		Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2006	SE	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2005	EX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2005	EX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2005	LX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2005	LX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2005	SE	4600 Series	Front Left	35-107460		Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2005	SE	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2004	EX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2004	EX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2004	LX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2004	LX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2003	EX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2003	EX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2003	LX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Honda CR-V (continued)								
2003	LX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2002	EX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2002	EX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2002	LX	4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2002	LX	B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2001	EX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
2001	LX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
2001	SE	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
2000	EX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
2000	LX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
2000	SE	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
1999	EX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
1999	LX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
1998	EX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
1998	LX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
1997	LX	4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
Honda Odyssey								
1998	EX	4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
1998	LX	4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
1997	EX	4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
1997	LX	4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
1996	EX	4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
1996	LX	4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
1995	EX	4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
1995	LX	4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
Honda Passport								
2002	EX	4600 Series	Front	24-185363		Rear	24-185370	
2002	LX	4600 Series	Front	24-185363		Rear	24-185370	
2001	EX	4600 Series	Front	24-185363		Rear	24-185370	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Honda Passport (continued)								
2001	LX	4600 Series	Front	24-185363		Rear	24-185370	
2000	EX	4600 Series	Front	24-185363		Rear	24-185370	
2000	LX	4600 Series	Front	24-185363		Rear	24-185370	
1999	EX	4600 Series	Front	24-185363		Rear	24-185370	
1999	LX	4600 Series	Front	24-185363		Rear	24-185370	
1998	EX	4600 Series	Front	24-185363		Rear	24-185370	
1998	LX	4600 Series	Front	24-185363		Rear	24-185370	
1997	EX	4600 Series	Front	24-191180		Rear	24-012652	
1997	LX	4600 Series	Front	24-191180		Rear	24-012652	
1996	DX	4600 Series	Front	24-191180		Rear	24-012652	
1996	EX	4600 Series	Front	24-191180		Rear	24-012652	
1996	LX	4600 Series	Front	24-191180		Rear	24-012652	
1995	DX	4600 Series	Front	24-191180		Rear	24-012652	
1995	EX	4600 Series	Front	24-191180		Rear	24-012652	
1995	LX	4600 Series	Front	24-191180		Rear	24-012652	
1994	DX	4600 Series	Front	24-191180		Rear	24-012652	
1994	EX	4600 Series	Front	24-191180		Rear	24-012652	
1994	LX	4600 Series	Front	24-191180		Rear	24-012652	
Hummer H2								
2009	Adventure	4600 Series	Front	24-109369		Rear	24-185912	
2009	Adventure	5100 Series (Steering Damper)	Front	33-174525				
2009	Base	4600 Series	Front	24-109369				
2009	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	24-187206	Front Lifted Height: 6"			
2009	Base	5100 Series (Steering Damper)	Front	33-174525				
2009	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2009	Base; w/ Coil Rear Springs	4600 Series				Rear	24-185912	
2009	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	33-187228	Rear Lifted Height: 5"
2009	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5160 Series				Rear	25-187625	Rear Lifted Height: 0-2"
2009	Luxury	4600 Series	Front	24-109369		Rear	24-185912	
2009	Luxury	5100 Series (Steering Damper)	Front	33-174525				
2008	Adventure	4600 Series	Front	24-109369		Rear	24-185912	
2008	Adventure	5100 Series (Steering Damper)	Front	33-174525				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Hummer H2 (continued)								
2008	Base	4600 Series	Front	24-109369				
2008	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	24-187206	Front Lifted Height: 6"			
2008	Base	5100 Series (Steering Damper)	Front	33-174525				
2008	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2008	Base; w/ Coil Rear Springs	4600 Series				Rear	24-185912	
2008	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	33-187228	Rear Lifted Height: 5"
2008	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5160 Series				Rear	25-187625	Rear Lifted Height: 0-2"
2008	Luxury	4600 Series	Front	24-109369		Rear	24-185912	
2008	Luxury	5100 Series (Steering Damper)	Front	33-174525				
2007	Adventure	4600 Series	Front	24-109369		Rear	24-185912	
2007	Adventure	5100 Series (Steering Damper)	Front	33-174525				
2007	Base	4600 Series	Front	24-109369				
2007	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	24-187206	Front Lifted Height: 6"			
2007	Base	5100 Series (Steering Damper)	Front	33-174525				
2007	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	Base; w/ Coil Rear Springs	4600 Series				Rear	24-185912	
2007	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	33-187228	Rear Lifted Height: 5"
2007	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5160 Series				Rear	25-187625	Rear Lifted Height: 0-2"
2007	Luxury	4600 Series	Front	24-109369		Rear	24-185912	
2007	Luxury	5100 Series (Steering Damper)	Front	33-174525				
2007	Special Edition	4600 Series	Front	24-109369		Rear	24-185912	
2007	Special Edition	5100 Series (Steering Damper)	Front	33-174525				
2006	Adventure	4600 Series	Front	24-109369		Rear	24-185912	
2006	Adventure	5100 Series (Steering Damper)	Front	33-174525				
2006	Base	4600 Series	Front	24-109369				
2006	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	24-187206	Front Lifted Height: 6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Hummer H2 (continued)								
2006	Base	5100 Series (Steering Damper)	Front	33-174525				
2006	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	Base; w/ Coil Rear Springs	4600 Series				Rear	24-185912	
2006	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	33-187228	Rear Lifted Height: 5"
2006	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5160 Series				Rear	25-187625	Rear Lifted Height: 0-2"
2006	Luxury	4600 Series	Front	24-109369		Rear	24-185912	
2006	Luxury	5100 Series (Steering Damper)	Front	33-174525				
2005	Adventure	4600 Series	Front	24-109369		Rear	24-185912	
2005	Adventure	5100 Series (Steering Damper)	Front	33-174525				
2005	Base	4600 Series	Front	24-109369				
2005	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	24-187206	Front Lifted Height: 6"			
2005	Base	5100 Series (Steering Damper)	Front	33-174525				
2005	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005	Base; w/ Coil Rear Springs	4600 Series				Rear	24-185912	
2005	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	33-187228	Rear Lifted Height: 5"
2005	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5160 Series				Rear	25-187625	Rear Lifted Height: 0-2"
2005	Luxury	4600 Series	Front	24-109369		Rear	24-185912	
2005	Luxury	5100 Series (Steering Damper)	Front	33-174525				
2004	Base	4600 Series	Front	24-109369				
2004	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift			
			Front	24-187206	Front Lifted Height: 6"			
2004	Base	5100 Series (Steering Damper)	Front	33-174525				
2004	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2004	Base; w/ Coil Rear Springs	4600 Series				Rear	24-185912	
2004	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	33-187228	Rear Lifted Height: 5"
2004	Base; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5160 Series				Rear	25-187625	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Hummer H2 (continued)								
2003	Base	4600 Series	Front	24-109369		Rear	24-185912	
2003	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	33-187228	Rear Lifted Height: 5"
			Front	24-187206	Front Lifted Height: 6"			
2003	Base	5100 Series (Steering Damper)	Front	33-174525				
2003	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
Hummer H3								
2010	Adventure	4600 Series	Front	24-187091		Rear	24-016988	
2010	Alpha	4600 Series	Front	24-187091		Rear	24-016988	
2010	Alpha	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2010	Alpha	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2010	Base	4600 Series	Front	24-187091		Rear	24-016988	
2010	Base	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2010	Base	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2010	Luxury	4600 Series	Front	24-187091		Rear	24-016988	
2009	Adventure	4600 Series	Front	24-187091		Rear	24-016988	
2009	Alpha	4600 Series	Front	24-187091		Rear	24-016988	
2009	Alpha	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2009	Alpha	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2009	Base	4600 Series	Front	24-187091		Rear	24-016988	
2009	Base	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2009	Base	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2009	Championship Series	4600 Series	Front	24-187091		Rear	24-016988	
2009	Championship Series	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2009	Championship Series	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2009	Luxury	4600 Series	Front	24-187091		Rear	24-016988	
2009	X	4600 Series	Front	24-187091		Rear	24-016988	
2009	X	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2009	X	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2008	Adventure	4600 Series	Front	24-187091		Rear	24-016988	
2008	Alpha	4600 Series	Front	24-187091		Rear	24-016988	
2008	Alpha	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Hummer H3 (continued)								
2008	Alpha	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2008	Base	4600 Series	Front	24-187091		Rear	24-016988	
2008	Base	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2008	Base	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2008	Luxury	4600 Series	Front	24-187091		Rear	24-016988	
2008	X	4600 Series	Front	24-187091		Rear	24-016988	
2008	X	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2008	X	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	Adventure	4600 Series	Front	24-187091		Rear	24-016988	
2007	Base	4600 Series	Front	24-187091		Rear	24-016988	
2007	Base	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2007	Base	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	Luxury	4600 Series	Front	24-187091		Rear	24-016988	
2007	X	4600 Series	Front	24-187091		Rear	24-016988	
2007	X	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2007	X	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	Adventure	4600 Series	Front	24-187091		Rear	24-016988	
2006	Base	4600 Series	Front	24-187091		Rear	24-016988	
2006	Base	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2006	Base	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	Luxury	4600 Series	Front	24-187091		Rear	24-016988	
Hummer H3T								
2010	Adventure	4600 Series	Front	24-187091		Rear	24-016988	
2010	Alpha	4600 Series	Front	24-187091		Rear	24-016988	
2010	Alpha	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2010	Alpha	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2010	Base	4600 Series	Front	24-187091		Rear	24-016988	
2010	Base	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2010	Base	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2009	Alpha	4600 Series	Front	24-187091		Rear	24-016988	
2009	Alpha	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Hummer H3T (continued)								
2009	Alpha	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2009	Base	4600 Series	Front	24-187091		Rear	24-016988	
2009	Base	5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2009	Base	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
Infiniti QX56								
2010	Base	4600 Series	Front	24-197656				
2010	Base	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2009	Base	4600 Series	Front	24-197656				
2009	Base	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2008	Base	4600 Series	Front	24-197656				
2008	Base	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2007	Base	4600 Series	Front	24-197656				
2007	Base	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2006	Base	4600 Series	Front	24-197656				
2006	Base	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2005	Base	4600 Series	Front	24-197656				
2005	Base	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2004	Base	4600 Series	Front	24-197656				
2004	Base	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
Isuzu Amigo								
1994	S	4600 Series	Front	24-191180		Rear	24-002585	
1994	XS	4600 Series	Front	24-191180		Rear	24-002585	
1993	S	4600 Series	Front	24-191180		Rear	24-002585	
1993	XS	4600 Series	Front	24-191180		Rear	24-002585	
1992	S	4600 Series	Front	24-191180		Rear	24-002585	
1992	XS	4600 Series	Front	24-191180		Rear	24-002585	
1991	S	4600 Series	Front	24-191180		Rear	24-002585	
1991	XS	4600 Series	Front	24-191180		Rear	24-002585	
1990	S	4600 Series	Front	24-191180		Rear	24-002585	
1990	XS	4600 Series	Front	24-191180		Rear	24-002585	
1989	S	4600 Series	Front	24-191180		Rear	24-002585	
1989	XS	4600 Series	Front	24-191180		Rear	24-002585	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Isuzu Ascender								
2007	S	4600 Series	Front	24-103336		Rear	24-103350	
2006	Base	4600 Series	Front	24-103336		Rear	24-103350	
2006	LS	4600 Series	Front	24-103336		Rear	24-103350	
2005	LS	4600 Series	Front	24-103336		Rear	24-103350	
2005	Limited	4600 Series	Front	24-103336		Rear	24-103350	
2005	S	4600 Series	Front	24-103336		Rear	24-103350	
2004	LS	4600 Series	Front	24-103336		Rear	24-103350	
2004	Limited	4600 Series	Front	24-103336		Rear	24-103350	
2004	S	4600 Series	Front	24-103336		Rear	24-103350	
2003	Base	4600 Series	Front	24-103336		Rear	24-103350	
2003	LS	4600 Series	Front	24-103336		Rear	24-103350	
2003	Limited	4600 Series	Front	24-103336		Rear	24-103350	
Isuzu Hombre								
2000	4WD; S; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2000	4WD; XS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2000	RWD; S; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	RWD; XS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000	S	4600 Series				Rear	33-187532	
2000	XS	4600 Series				Rear	33-187532	
1999	4WD; S; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1999	4WD; XS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1999	RWD; S; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	RWD; XS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999	S	4600 Series				Rear	33-187532	
1999	XS	4600 Series				Rear	33-187532	
1998	4WD; S; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1998	4WD; XS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1998	RWD; S; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Isuzu Hombre (continued)								
1998	RWD; XS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998	S	4600 Series				Rear	33-187532	
1998	XS	4600 Series				Rear	33-187532	
1997	S	4600 Series	Front	24-187428		Rear	33-187532	
1997	XS	4600 Series	Front	24-187428		Rear	33-187532	
1996	S	4600 Series	Front	24-187428		Rear	33-187532	
1996	XS	4600 Series	Front	24-187428		Rear	33-187532	
Isuzu Rodeo								
2004	S	4600 Series	Front	24-185363		Rear	24-185370	
2003	LS	4600 Series	Front	24-185363		Rear	24-185370	
2003	LSE	4600 Series	Front	24-185363		Rear	24-185370	
2003	S	4600 Series	Front	24-185363		Rear	24-185370	
2003	S V6	4600 Series	Front	24-185363		Rear	24-185370	
2002	LS	4600 Series	Front	24-185363		Rear	24-185370	
2002	LSE	4600 Series	Front	24-185363		Rear	24-185370	
2002	S	4600 Series	Front	24-185363		Rear	24-185370	
2002	S V6	4600 Series	Front	24-185363		Rear	24-185370	
2001	LS	4600 Series	Front	24-185363		Rear	24-185370	
2001	LSE	4600 Series	Front	24-185363		Rear	24-185370	
2001	S	4600 Series	Front	24-185363		Rear	24-185370	
2001	S V6	4600 Series	Front	24-185363		Rear	24-185370	
2000	LS	4600 Series	Front	24-185363		Rear	24-185370	
2000	LSE	4600 Series	Front	24-185363		Rear	24-185370	
2000	S	4600 Series	Front	24-185363		Rear	24-185370	
1999	LS	4600 Series	Front	24-185363		Rear	24-185370	
1999	LSE	4600 Series	Front	24-185363		Rear	24-185370	
1999	S	4600 Series	Front	24-185363		Rear	24-185370	
1998	LS	4600 Series	Front	24-185363		Rear	24-185370	
1998	S	4600 Series	Front	24-185363		Rear	24-185370	
1997	LS	4600 Series	Front	24-191180		Rear	24-012652	
1997	S	4600 Series	Front	24-191180		Rear	24-012652	
1996	LS	4600 Series	Front	24-191180		Rear	24-012652	
1996	S	4600 Series	Front	24-191180		Rear	24-012652	
1995	LS	4600 Series	Front	24-191180		Rear	24-012652	
1995	S	4600 Series	Front	24-191180		Rear	24-012652	
1994	LS	4600 Series	Front	24-191180		Rear	24-012652	
1994	S	4600 Series	Front	24-191180		Rear	24-012652	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Isuzu Rodeo (continued)								
1993	LS	4600 Series	Front	24-191180		Rear	24-012652	
1993	S	4600 Series	Front	24-191180		Rear	24-012652	
1992	LS	4600 Series	Front	24-191180		Rear	24-012652	
1992	S	4600 Series	Front	24-191180		Rear	24-012652	
1992	XS	4600 Series	Front	24-191180		Rear	24-012652	
1991	LS	4600 Series	Front	24-191180		Rear	24-012652	
1991	S	4600 Series	Front	24-191180		Rear	24-012652	
1991	XS	4600 Series	Front	24-191180		Rear	24-012652	
Isuzu Rodeo Sport								
2003	S	4600 Series	Front	24-185363		Rear	24-185370	
2003	S V6	4600 Series	Front	24-185363		Rear	24-185370	
2002	S	4600 Series	Front	24-185363		Rear	24-185370	
2002	S V6	4600 Series	Front	24-185363		Rear	24-185370	
2001	S	4600 Series	Front	24-185363		Rear	24-185370	
2001	S V6	4600 Series	Front	24-185363		Rear	24-185370	
Isuzu Trooper								
2002	LS	4600 Series	Front	24-191197		Rear	24-017398	
2002	Limited	4600 Series	Front	24-191197		Rear	24-017398	
2002	S	4600 Series	Front	24-191197		Rear	24-017398	
2001	LS	4600 Series	Front	24-191197		Rear	24-017398	
2001	Limited	4600 Series	Front	24-191197		Rear	24-017398	
2001	S	4600 Series	Front	24-191197		Rear	24-017398	
2000	LS	4600 Series	Front	24-191197		Rear	24-017398	
2000	Limited	4600 Series	Front	24-191197		Rear	24-017398	
2000	S	4600 Series	Front	24-191197		Rear	24-017398	
1999	S	4600 Series	Front	24-191197		Rear	24-017398	
1998	S	4600 Series	Front	24-191197		Rear	24-017398	
1997	LS	4600 Series	Front	24-191197		Rear	24-017398	
1997	Ltd	4600 Series	Front	24-191197		Rear	24-017398	
1997	S	4600 Series	Front	24-191197		Rear	24-017398	
1996	LS	4600 Series	Front	24-191197		Rear	24-017398	
1996	S	4600 Series	Front	24-191197		Rear	24-017398	
1996	SE	4600 Series	Front	24-191197		Rear	24-017398	
1995	LS	4600 Series	Front	24-191197		Rear	24-017398	
1995	RS	4600 Series	Front	24-191197		Rear	24-017398	
1995	S	4600 Series	Front	24-191197		Rear	24-017398	
1994	LS	4600 Series	Front	24-191197		Rear	24-017398	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Isuzu Trooper (continued)								
1994	RS	4600 Series	Front	24-191197		Rear	24-017398	
1994	S	4600 Series	Front	24-191197		Rear	24-017398	
1993	LS	4600 Series	Front	24-191197		Rear	24-017398	
1993	RS	4600 Series	Front	24-191197		Rear	24-017398	
1993	S	4600 Series	Front	24-191197		Rear	24-017398	
1992	LS	4600 Series	Front	24-191197		Rear	24-017398	
1992	S	4600 Series	Front	24-191197		Rear	24-017398	
1991	LS	4600 Series	Front	24-001861		Rear	24-012393	
1991	S	4600 Series	Front	24-001861		Rear	24-012393	
1991	SE	4600 Series	Front	24-001861		Rear	24-012393	
1991	XS	4600 Series	Front	24-001861		Rear	24-012393	
1990	LS	4600 Series	Front	24-001861		Rear	24-012393	
1990	RS	4600 Series	Front	24-001861		Rear	24-012393	
1990	S	4600 Series	Front	24-001861		Rear	24-012393	
1990	XS	4600 Series	Front	24-001861		Rear	24-012393	
1989	LS	4600 Series	Front	24-001861		Rear	24-012393	
1989	RS	4600 Series	Front	24-001861		Rear	24-012393	
1989	S	4600 Series	Front	24-001861		Rear	24-012393	
1989	XS	4600 Series	Front	24-001861		Rear	24-012393	
1988	LS	4600 Series	Front	24-001861		Rear	24-012393	
1988	S	4600 Series	Front	24-001861		Rear	24-012393	
1988	XS	4600 Series	Front	24-001861		Rear	24-012393	
1987	DLX	4600 Series	Front	24-001861		Rear	24-012393	
1987	LS	4600 Series	Front	24-001861		Rear	24-012393	
1986	DLX	4600 Series	Front	24-001861		Rear	24-001960	
1986	LS	4600 Series	Front	24-001861		Rear	24-001960	
1986	LX	4600 Series	Front	24-001861		Rear	24-001960	
1985	Base	4600 Series	Front	24-001861		Rear	24-001960	
1984	Base	4600 Series	Front	24-001861		Rear	24-001960	
Jeep CJ5								
1983	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1983	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Laredo	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1983	Laredo	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Limited	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1983	Limited	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1983	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"

2142



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep CJ5 (continued)								
1977	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 2-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1977	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1976	Base	4600 Series	Front	AK1066	Front Lifted Height: 2-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1976	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1976	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 2-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1976	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1975	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1975	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
1974	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1973	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1972	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1971	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1970	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1969	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1968	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1967	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1966	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1965	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1964	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1963	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1962	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1961	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep CJ5 (continued)								
1960	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1959	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
Jeep CJ5A								
1968	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1967	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
1966	Base	5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
Jeep CJ6								
1975	Base	4600 Series				Rear	24-002608	
1974	Base	4600 Series				Rear	24-002608	
1973	Base	4600 Series				Rear	24-002608	
1972	Base	4600 Series				Rear	24-002608	
1971	Base	4600 Series				Rear	24-002608	
1970	Base	4600 Series				Rear	24-002608	
1969	Base	4600 Series				Rear	24-002608	
1968	Base	4600 Series				Rear	24-002608	
1967	Base	4600 Series				Rear	24-002608	
1966	Base	4600 Series				Rear	24-002608	
1965	Base	4600 Series				Rear	24-002608	
1964	Base	4600 Series				Rear	24-002608	
1963	Base	4600 Series				Rear	24-002608	
1962	Base	4600 Series				Rear	24-002608	
1961	Base	4600 Series				Rear	24-002608	
1960	Base	4600 Series				Rear	24-002608	
1959	Base	4600 Series				Rear	24-002608	
Jeep CJ7								
1986	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1986	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1986	Laredo	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1986	Laredo	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep CJ7 (continued)								
1986	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1986	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1985	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1985	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1985	Laredo	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1985	Laredo	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1985	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1985	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1984	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1984	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1984	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1984	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1983	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Laredo	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1983	Laredo	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Limited	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1983	Limited	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1983	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1982	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1982	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1982	Laredo	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1982	Laredo	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1982	Limited	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep CJ7 (continued)								
1982	Limited	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1982	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1982	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1981	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1981	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1981	Laredo	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1981	Laredo	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1981	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1981	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1980	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1980	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1980	Golden Hawk	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1980	Golden Hawk	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1980	Laredo	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1980	Laredo	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1980	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1980	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1979	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1979	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1979	Golden Eagle	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1979	Golden Eagle	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1979	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1979	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1978	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1978	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep CJ7 (continued)								
1978	Golden Eagle	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1978	Golden Eagle	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1978	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1978	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1977	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1977	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1977	Golden Eagle	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1977	Golden Eagle	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1977	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1977	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1976	Base	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1976	Base	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1976	Renegade	4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-002608	
						Rear	24-011006	Rear Lifted Height: 0-2.5"
1976	Renegade	5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
Jeep Cherokee								
2001	Classic	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2001	Classic	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
2001	Classic	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
2001	Limited	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2001	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
2001	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
2001	SE	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2001	SE	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
2001	SE	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
2001	Sport	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2001	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
2001	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
2000	Classic	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2000	Classic	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
2000	Classic	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
2000	Limited	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2000	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
2000	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
2000	SE	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2000	SE	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
2000	SE	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
2000	Sport	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2000	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
2000	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1999	Classic	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1999	Classic	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1999	Classic	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1999	Limited	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1999	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1999	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1999	SE	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1999	SE	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1999	SE	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1999	Sport	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1999	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1999	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1998	Classic	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1998	Classic	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1998	Classic	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1998	Limited	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1998	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1998	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1998	SE	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1998	SE	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1998	SE	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1998	Sport	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1998	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1998	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1997	Country	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1997	Country	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1997	Country	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1997	SE	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1997	SE	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1997	SE	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1997	Sport	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1997	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1997	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1996	Classic	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1996	Classic	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1996	Classic	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1996	Country	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1996	Country	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1996	Country	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1996	SE	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1996	SE	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1996	SE	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1996	Sport	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1996	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1996	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1995	Country	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1995	Country	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1995	Country	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1995	SE	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1995	SE	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1995	SE	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1995	Sport	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1995	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1995	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1994	Country	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1994	Country	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1994	Country	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1994	SE	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1994	SE	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1994	SE	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1994	Sport	4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1994	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1994	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1993	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1993	2 Dr.; Country; Sport Utility	4600 Series	Front	24-010450	XJ			
1993	2 Dr.; Sport; Sport Utility	4600 Series	Front	24-010450	XJ			
1993	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1993	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1993	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1993	Country	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1993	Country	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1993	Country	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1993	Sport	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1993	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1993	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1992	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1992	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			
1992	2 Dr.; Sport; Sport Utility	4600 Series	Front	24-010450	XJ			
1992	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1992	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1992	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1992	Briarwood	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1992	Briarwood	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1992	Briarwood	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1992	Laredo	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1992	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1992	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1992	Limited	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1992	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1992	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1992	Sport	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1992	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1992	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1991	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1991	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			
1991	2 Dr.; Sport; Sport Utility	4600 Series	Front	24-010450	XJ			
1991	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1991	4 Dr.; Laredo; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1991	4 Dr.; Sport; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1991	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1991	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1991	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1991	Briarwood	4600 Series	Front	B46-0046		Rear	B46-0056	
						Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1991	Briarwood	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1991	Briarwood	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1991	Laredo	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1991	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1991	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1991	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
						Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1991	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1991	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1991	Sport	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1991	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1991	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1990	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1990	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			
1990	2 Dr.; Limited; Sport Utility	4600 Series	Front	24-010450	XJ			
1990	2 Dr.; Pioneer; Sport Utility	4600 Series	Front	24-010450	XJ			
1990	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1990	4 Dr.; Laredo; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1990	4 Dr.; Limited; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1990	4 Dr.; Pioneer; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1990	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1990	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1990	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1990	Laredo	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1990	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1990	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1990	Limited	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1990	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1990	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1990	Pioneer	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1990	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1990	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1990	Sport	4600 Series	Front	24-010450	XJ	Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1990	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1990	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1989	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1989	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			
1989	2 Dr.; Limited; Sport Utility	4600 Series	Front	24-010450	XJ			
1989	2 Dr.; Pioneer; Sport Utility	4600 Series	Front	24-010450	XJ			
1989	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1989	4 Dr.; Laredo; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1989	4 Dr.; Limited; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1989	4 Dr.; Pioneer; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1989	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1989	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1989	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1989	Laredo	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1989	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1989	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1989	Limited	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1989	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1989	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1989	Pioneer	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1989	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1989	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1989	Sport	4600 Series	Front	24-010450	XJ	Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1989	Sport	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1989	Sport	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1988	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1988	2 Dr.; Chief; Sport Utility	4600 Series	Front	24-010450	XJ			
1988	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1988	2 Dr.; Limited; Sport Utility	4600 Series	Front	24-010450	XJ			
1988	2 Dr.; Pioneer; Sport Utility	4600 Series	Front	24-010450	XJ			
1988	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1988	4 Dr.; Chief; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1988	4 Dr.; Laredo; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1988	4 Dr.; Limited; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1988	4 Dr.; Pioneer; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1988	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1988	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1988	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1988	Chief	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1988	Chief	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1988	Chief	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1988	Laredo	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1988	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1988	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1988	Limited	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1988	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1988	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1988	Pioneer	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1988	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1988	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1987	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1987	2 Dr.; Chief; Sport Utility	4600 Series	Front	24-010450	XJ			
1987	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1987	2 Dr.; Pioneer; Sport Utility	4600 Series	Front	24-010450	XJ			
1987	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1987	4 Dr.; Chief; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1987	4 Dr.; Laredo; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1987	4 Dr.; Pioneer; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1987	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1987	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1987	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1987	Chief	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1987	Chief	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1987	Chief	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1987	Laredo	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1987	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1987	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1987	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
						Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1987	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1987	Limited	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1987	Pioneer	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1987	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1987	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1986	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1986	2 Dr.; Chief; Sport Utility	4600 Series	Front	24-010450	XJ			
1986	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			
1986	2 Dr.; Pioneer; Sport Utility	4600 Series	Front	24-010450	XJ			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1986	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1986	4 Dr.; Chief; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1986	4 Dr.; Laredo; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1986	4 Dr.; Pioneer; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1986	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1986	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1986	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1986	Chief	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1986	Chief	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1986	Chief	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1986	Laredo	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1986	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1986	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1986	Pioneer	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1986	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1986	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1986	Pioneer; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-185639	Rear Lifted Height: 2-3"
						Rear	33-066868	Rear Lifted Height: 3.5-4"
						Rear	33-151663	Rear Lifted Height: 5-6"
1986	Pioneer; w/ Coil Front Springs; w/ Leaf Rear Springs	5160 Series				Rear	25-187816	Rear Lifted Height: 4"
1985	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1985	2 Dr.; Chief; Sport Utility	4600 Series	Front	24-010450	XJ			
1985	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			
1985	2 Dr.; Pioneer; Sport Utility	4600 Series	Front	24-010450	XJ			
1985	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1985	4 Dr.; Chief; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1985	4 Dr.; Laredo; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1985	4 Dr.; Pioneer; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1985	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1985	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1985	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1985	Chief	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1985	Chief	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1985	Chief	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1985	Laredo	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1985	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1985	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1985	Pioneer	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1985	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1985	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1984	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1984	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1984	Base	4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1984	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1984	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1983	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Chief	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Pioneer	4600 Series	Front	B46-0046		Rear	B46-0056	
1983	Pioneer	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1982	4 Dr.; Chief; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1982	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1982	Chief	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1981	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1981	Chief	4600 Series	Front	B46-0046		Rear	B46-0056	
1981	Chief	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1980	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1980	Base	4600 Series	Front	B46-0046				
1979	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1978	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1977	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1977	Base	4600 Series	Front	B46-0046				
1977	S	4600 Series	Front	B46-0046				
Jeep Comanche								
1992	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1992	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1992	Eliminator	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1992	Eliminator	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1992	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1992	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1991	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1991	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1991	Eliminator	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1991	Eliminator	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1991	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1991	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1990	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear
Jeep Comanche (continued)						
1990	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1990	Eliminator	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1990	Eliminator	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1990	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1990	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1989	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1989	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1989	Eliminator	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1989	Eliminator	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1989	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1989	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1988	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1988	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1988	Chief	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1988	Chief	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1988	Eliminator	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1988	Eliminator	5160 Series	Front	25-187670	Front Lifted Height: 4"	
1988	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	
			Front	24-188197	Front Lifted Height: 3.5-4"	
			Front	24-185943	Front Lifted Height: 5-6"	
1988	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Comanche (continued)								
1988	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1988	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1987	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1987	Base	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1987	Chief	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1987	Chief	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1987	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1987	Laredo	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1987	Pioneer	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1987	Pioneer	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1986	Custom	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1986	Custom	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1986	X	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1986	X	5160 Series	Front	25-187670	Front Lifted Height: 4"			
1986	XLS	5100 Series	Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
			Front	24-185943	Front Lifted Height: 5-6"			
1986	XLS	5160 Series	Front	25-187670	Front Lifted Height: 4"			
Jeep Commander								
2010	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2010	Sport	4600 Series	Front	24-186797		Rear	24-186803	
2009	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2009	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2009	Sport	4600 Series	Front	24-186797		Rear	24-186803	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Commander (continued)								
2008	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2008	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2008	Sport	4600 Series	Front	24-186797		Rear	24-186803	
2007	Base	4600 Series	Front	24-186797		Rear	24-186803	
2007	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2007	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2006	65th Anniversary Edition	4600 Series	Front	24-186797		Rear	24-186803	
2006	Base	4600 Series	Front	24-186797		Rear	24-186803	
2006	Limited	4600 Series	Front	24-186797		Rear	24-186803	
Jeep DJ5								
1983	Base	4600 Series				Rear	24-002608	
1982	Base	4600 Series				Rear	24-002608	
1981	Base	4600 Series				Rear	24-002608	
1980	Base	4600 Series				Rear	24-002608	
1979	Base	4600 Series				Rear	24-002608	
1978	Base	4600 Series				Rear	24-002608	
1977	Base	4600 Series				Rear	24-002608	
1976	Base	4600 Series				Rear	24-002608	
1975	Base	4600 Series				Rear	24-002608	
1974	Base	4600 Series				Rear	24-002608	
1973	Base	4600 Series				Rear	24-002608	
1972	Base	4600 Series				Rear	24-002608	
1971	Base	4600 Series				Rear	24-002608	
1970	Base	4600 Series				Rear	24-002608	
1969	Base	4600 Series				Rear	24-002608	
1968	Base	4600 Series				Rear	24-002608	
1967	Base	4600 Series				Rear	24-002608	
1966	Base	4600 Series				Rear	24-002608	
1965	Base	4600 Series				Rear	24-002608	
Jeep DJ6								
1968	Base	4600 Series				Rear	24-002608	
1967	Base	4600 Series				Rear	24-002608	
1966	Base	4600 Series				Rear	24-002608	
1965	Base	4600 Series				Rear	24-002608	
Jeep Gladiator								
1967	Base	4600 Series	Front	24-002561	J3000,J4000,J5000	Rear	B46-0056	
1966	Base	4600 Series	Front	24-002561	J3000,J4000,J5000	Rear	B46-0056	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Grand Cherokee								
2010	Laredo	4600 Series	Front	24-186797		Rear	24-186803	
2010	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2009	Laredo	4600 Series	Front	24-186797		Rear	24-186803	
2009	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2009	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2008	Laredo	4600 Series	Front	24-186797		Rear	24-186803	
2008	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2008	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2007	Laredo	4600 Series	Front	24-186797		Rear	24-186803	
2007	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2007	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2006	65th Anniversary Edition	4600 Series	Front	24-186797		Rear	24-186803	
2006	Laredo	4600 Series	Front	24-186797		Rear	24-186803	
2006	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2006	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2005	Laredo	4600 Series	Front	24-186797		Rear	24-186803	
2005	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2004	Laredo	4600 Series	Front	24-029636		Rear	24-029643	
2004	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2004	Limited	4600 Series	Front	24-029636		Rear	24-029643	
2004	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2004	Overland	4600 Series	Front	24-029636		Rear	24-029643	
2004	Overland	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2004	Special Edition	4600 Series	Front	24-029636		Rear	24-029643	
2004	Special Edition	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2003	Laredo	4600 Series	Front	24-029636		Rear	24-029643	
2003	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2003	Limited	4600 Series	Front	24-029636		Rear	24-029643	
2003	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2003	Overland	4600 Series	Front	24-029636		Rear	24-029643	
2003	Overland	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Grand Cherokee (continued)								
2002	Laredo	4600 Series	Front	24-029636		Rear	24-029643	
2002	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2002	Limited	4600 Series	Front	24-029636		Rear	24-029643	
2002	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2002	Overland	4600 Series	Front	24-029636		Rear	24-029643	
2002	Overland	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2002	Sport	4600 Series	Front	24-029636		Rear	24-029643	
2002	Sport	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2001	Laredo	4600 Series	Front	24-029636		Rear	24-029643	
2001	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2001	Limited	4600 Series	Front	24-029636		Rear	24-029643	
2001	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2000	Laredo	4600 Series	Front	24-029636		Rear	24-029643	
2000	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
2000	Limited	4600 Series	Front	24-029636		Rear	24-029643	
2000	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
1999	Laredo	4600 Series	Front	24-029636		Rear	24-029643	
1999	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
1999	Limited	4600 Series	Front	24-029636		Rear	24-029643	
1999	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151649	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151632	Rear Lifted Height: 3-4"
1998	5.9 Limited	4600 Series	Front	24-017985		Rear	24-017992	
1998	5.9 Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1998	Laredo	4600 Series	Front	24-017985		Rear	24-017992	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Grand Cherokee (continued)								
1998	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1998	Limited	4600 Series	Front	24-017985		Rear	24-017992	
1998	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1998	TSi	4600 Series	Front	24-017985				
1998	TSi	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1997	Laredo	4600 Series	Front	24-017985		Rear	24-017992	
1997	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1997	Limited	4600 Series	Front	24-017985		Rear	24-017992	
1997	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1997	Orvis	4600 Series	Front	24-017985		Rear	24-017992	
1997	Orvis	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1997	TSi	4600 Series	Front	24-017985		Rear	24-017992	
1997	TSi	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1996	Laredo	4600 Series	Front	24-017985		Rear	24-017992	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Grand Cherokee (continued)								
1996	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1996	Limited	4600 Series	Front	24-017985		Rear	24-017992	
1996	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1995	Laredo	4600 Series	Front	24-017985		Rear	24-017992	
1995	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1995	Limited	4600 Series	Front	24-017985		Rear	24-017992	
1995	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1995	Orvis	4600 Series	Front	24-017985		Rear	24-017992	
1995	Orvis	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1995	SE	4600 Series	Front	24-017985		Rear	24-017992	
1995	SE	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1994	Laredo	4600 Series	Front	24-017985		Rear	24-017992	
1994	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1994	Limited	4600 Series	Front	24-017985		Rear	24-017992	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Grand Cherokee (continued)								
1994	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1994	SE	4600 Series	Front	24-017985		Rear	24-017992	
1994	SE	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1993	Base	4600 Series	Front	24-017985		Rear	24-017992	
1993	Base	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1993	Laredo	4600 Series	Front	24-017985		Rear	24-017992	
1993	Laredo	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1993	Limited	4600 Series	Front	24-017985		Rear	24-017992	
1993	Limited	5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-186216	Front Lifted Height: 3"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 4"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
Jeep Grand Wagoneer								
1993	Base	5100 Series	Front	24-188197		Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-185622	Front Lifted Height: 1.5-2"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-186216	Front Lifted Height: 3"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185943	Front Lifted Height: 6"			
1991	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1990	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1989	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1988	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1987	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1986	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1985	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1985	Limited	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1984	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Grand Wagoneer (continued)								
1984	Limited	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
Jeep J10								
1988	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1988	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1987	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1987	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1986	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1986	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1985	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1985	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1984	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1984	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1983	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1982	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1982	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1981	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1981	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1980	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1979	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1978	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1977	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1976	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1975	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
Jeep J20								
1988	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1988	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1987	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1987	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1986	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1986	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1985	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1985	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1984	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1984	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1983	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1983	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep J20 (continued)								
1982	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1982	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1981	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1981	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1980	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1979	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1978	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1977	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1976	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
1975	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
Jeep Liberty								
2012	Jet	4600 Series	Front	24-139168		Rear	24-139175	
2012	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2012	Limited Edition	4600 Series	Front	24-139168		Rear	24-139175	
2012	North Edition	4600 Series	Front	24-139168		Rear	24-139175	
2012	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2011	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2011	Renegade	4600 Series	Front	24-139168		Rear	24-139175	
2011	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2010	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2010	Renegade	4600 Series	Front	24-139168		Rear	24-139175	
2010	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2009	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2009	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2008	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2008	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2007	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2007	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2006	65th Anniversary Edition	4600 Series	Front	24-139168		Rear	24-139175	
2006	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2006	Renegade	4600 Series	Front	24-139168		Rear	24-139175	
2006	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2005	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2005	Renegade	4600 Series	Front	24-139168		Rear	24-139175	
2005	Rocky Mountain Edition	4600 Series	Front	24-139168		Rear	24-139175	
2005	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2004	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2004	Renegade	4600 Series	Front	24-139168		Rear	24-139175	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Liberty (continued)								
2004	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2003	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2003	Renegade	4600 Series	Front	24-139168		Rear	24-139175	
2003	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2002	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2002	Renegade	4600 Series				Rear	24-139175	
2002	Sport	4600 Series	Front	24-139168		Rear	24-139175	
Jeep TJ								
2006	Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2006	SE	4600 Series	Front	24-024426		Rear	24-024433	
2006	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2006	Sport	4600 Series	Front	24-024426		Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
2006	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2005	Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2005	Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2005	SE	4600 Series	Front	24-024426		Rear	24-024433	
2005	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
2005	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2005	Sport	4600 Series	Front	24-024426		Rear	24-024433	
2005	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2005	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2004	Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2004	Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2004	Sahara	4600 Series	Front	24-024426		Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
2004	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2004	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2004	Sport	4600 Series	Front	24-024426		Rear	24-024433	
2004	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2004	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2003	Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
2003	Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2003	SE	4600 Series	Front	24-024426		Rear	24-024433	
2003	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2003	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2003	Sahara	4600 Series	Front	24-024426		Rear	24-024433	
2003	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2003	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2003	Sport	4600 Series	Front	24-024426		Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
2003	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2003	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
						Rear	25-212662	Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2002	SE	4600 Series	Front	24-024426		Rear	24-024433	
2002	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2002	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
						Rear	25-212662	Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2002	Sahara	4600 Series	Front	24-024426		Rear	24-024433	
2002	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
2002	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2002	Sport	4600 Series	Front	24-024426		Rear	24-024433	
2002	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2002	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2001	SE	4600 Series	Front	24-024426		Rear	24-024433	
2001	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2001	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2001	Sahara	4600 Series	Front	24-024426		Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
2001	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2001	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
						Rear	25-212662	Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2001	Sport	4600 Series	Front	24-024426		Rear	24-024433	
2001	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2001	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
						Rear	25-212662	Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2000	SE	4600 Series	Front	24-024426		Rear	24-024433	
2000	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
2000	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2000	Sahara	4600 Series	Front	24-024426		Rear	24-024433	
2000	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2000	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
2000	Sport	4600 Series	Front	24-024426		Rear	24-024433	
2000	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2000	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
1999	SE	4600 Series	Front	24-024426		Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
1999	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1999	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
						Rear	25-212662	Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1999	Sahara	4600 Series	Front	24-024426		Rear	24-024433	
1999	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1999	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
						Rear	25-212662	Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1999	Sport	4600 Series	Front	24-024426		Rear	24-024433	
1999	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
1999	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
1998	SE	4600 Series	Front	24-024426		Rear	24-024433	
1998	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1998	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
1998	Sahara	4600 Series	Front	24-024426		Rear	24-024433	
1998	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1998	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-212662	Rear Lifted Height: 6"
1998	Sport	4600 Series	Front	24-024426		Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
1998	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1998	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
						Rear	25-212662	Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1997	SE	4600 Series	Front	24-024426		Rear	24-024433	
1997	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1997	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
						Rear	25-212662	Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1997	Sahara	4600 Series	Front	24-024426		Rear	24-024433	
1997	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep TJ (continued)								
1997	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear Lifted Height: 6"		
1997	Sport	4600 Series	Front	24-024426		Rear	24-024433	
1997	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1997	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear Lifted Height: 6"		
Jeep Wagoneer								
1990	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1990	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1989	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1989	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1988	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1988	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1987	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wagoneer (continued)								
1987	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1987	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1987	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1986	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1986	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1986	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1986	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1985	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1985	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1985	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1985	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1984	Base	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1984	Base	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"
1984	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1984	Limited	5100 Series	Front	24-185622	Front Lifted Height: 2-3"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
			Front	24-185943	Front Lifted Height: 5-6"	Rear	33-151663	Rear Lifted Height: 5-6"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler								
2013	Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2013	Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 3.5-5"; Short Arm Lift			
2013	Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2013	Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels
			Front	25-187632	Front Lifted Height: 3.5-5"	Rear	25-187649	Rear Lifted Height: 4"
2013	Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2013	Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 3.5-5"; Short Arm Lift			
2013	Sahara	5100 Series (Steering Damper)	Front	24-158428				
2013	Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels
			Front	25-187632	Front Lifted Height: 3.5-5"	Rear	25-187649	Rear Lifted Height: 4"
2013	Sport	4600 Series	Front	24-141727		Rear	24-141734	
2013	Sport	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 3.5-5"; Short Arm Lift			
2013	Sport	5100 Series (Steering Damper)	Front	24-158428				
2013	Sport	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels
			Front	25-187632	Front Lifted Height: 3.5-5"	Rear	25-187649	Rear Lifted Height: 4"
2013	Unlimited Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2013	Unlimited Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 3.5-5"; Short Arm Lift			
2013	Unlimited Rubicon	5100 Series (Steering Damper)	Front	24-158428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2013	Unlimited Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels
			Front	25-187632	Front Lifted Height: 3.5-5"	Rear	25-187649	Rear Lifted Height: 4"
2013	Unlimited Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2013	Unlimited Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 3.5-5"; Short Arm Lift			
2013	Unlimited Sahara	5100 Series (Steering Damper)	Front	24-158428				
2013	Unlimited Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels
			Front	25-187632	Front Lifted Height: 3.5-5"	Rear	25-187649	Rear Lifted Height: 4"
2013	Unlimited Sport	4600 Series	Front	24-141727		Rear	24-141734	
2013	Unlimited Sport	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 3.5-5"; Short Arm Lift			
2013	Unlimited Sport	5100 Series (Steering Damper)	Front	24-158428				
2013	Unlimited Sport	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels
			Front	25-187632	Front Lifted Height: 3.5-5"	Rear	25-187649	Rear Lifted Height: 4"
2012	Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2012	Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2012	Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2012	Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2012	Sahara	4600 Series	Front	24-141727		Rear	24-141734	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2012	Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2012	Sahara	5100 Series (Steering Damper)	Front	24-158428				
2012	Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2012	Sport	4600 Series	Front	24-141727		Rear	24-141734	
2012	Sport	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2012	Sport	5100 Series (Steering Damper)	Front	24-158428				
2012	Sport	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2012	Unlimited Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2012	Unlimited Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2012	Unlimited Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2012	Unlimited Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2012	Unlimited Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2012	Unlimited Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2012	Unlimited Sahara	5100 Series (Steering Damper)	Front	24-158428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2012	Unlimited Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2012	Unlimited Sport	4600 Series	Front	24-141727		Rear	24-141734	
2012	Unlimited Sport	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2012	Unlimited Sport	5100 Series (Steering Damper)	Front	24-158428				
2012	Unlimited Sport	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2011	Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2011	Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2011	Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2011	Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2011	Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2011	Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2011	Sahara	5100 Series (Steering Damper)	Front	24-158428				
2011	Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2011	Sport	4600 Series	Front	24-141727		Rear	24-141734	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2011	Sport	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2011	Sport	5100 Series (Steering Damper)	Front	24-158428				
2011	Sport	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2011	Unlimited Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2011	Unlimited Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2011	Unlimited Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2011	Unlimited Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2011	Unlimited Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2011	Unlimited Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2011	Unlimited Sahara	5100 Series (Steering Damper)	Front	24-158428				
2011	Unlimited Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2011	Unlimited Sport	4600 Series	Front	24-141727		Rear	24-141734	
2011	Unlimited Sport	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2011	Unlimited Sport	5100 Series (Steering Damper)	Front	24-158428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2011	Unlimited Sport	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Islander	4600 Series	Front	24-141727		Rear	24-141734	
2010	Islander	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Islander	5100 Series (Steering Damper)	Front	24-158428				
2010	Islander	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Mountain	4600 Series	Front	24-141727		Rear	24-141734	
2010	Mountain	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Mountain	5100 Series (Steering Damper)	Front	24-158428				
2010	Mountain	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2010	Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2010	Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Sahara	4600 Series	Front	24-141727		Rear	24-141734	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2010	Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Sahara	5100 Series (Steering Damper)	Front	24-158428				
2010	Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Sport	4600 Series	Front	24-141727		Rear	24-141734	
2010	Sport	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Sport	5100 Series (Steering Damper)	Front	24-158428				
2010	Sport	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Unlimited Islander	4600 Series	Front	24-141727		Rear	24-141734	
2010	Unlimited Islander	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Unlimited Islander	5100 Series (Steering Damper)	Front	24-158428				
2010	Unlimited Islander	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Unlimited Mountain	4600 Series	Front	24-141727		Rear	24-141734	
2010	Unlimited Mountain	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Unlimited Mountain	5100 Series (Steering Damper)	Front	24-158428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2010	Unlimited Mountain	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Unlimited Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2010	Unlimited Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Unlimited Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2010	Unlimited Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Unlimited Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2010	Unlimited Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Unlimited Sahara	5100 Series (Steering Damper)	Front	24-158428				
2010	Unlimited Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Unlimited Sport	4600 Series	Front	24-141727		Rear	24-141734	
2010	Unlimited Sport	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Unlimited Sport	5100 Series (Steering Damper)	Front	24-158428				
2010	Unlimited Sport	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	Unlimited X	4600 Series	Front	24-141727		Rear	24-141734	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2010	Unlimited X	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	Unlimited X	5100 Series (Steering Damper)	Front	24-158428				
2010	Unlimited X	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2010	X	4600 Series	Front	24-141727		Rear	24-141734	
2010	X	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2010	X	5100 Series (Steering Damper)	Front	24-158428				
2010	X	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2009	Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2009	Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2009	Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2009	Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2009	Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2009	Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2009	Sahara	5100 Series (Steering Damper)	Front	24-158428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2009	Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2009	Unlimited Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2009	Unlimited Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2009	Unlimited Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2009	Unlimited Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2009	Unlimited Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2009	Unlimited Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2009	Unlimited Sahara	5100 Series (Steering Damper)	Front	24-158428				
2009	Unlimited Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2009	Unlimited X	4600 Series	Front	24-141727		Rear	24-141734	
2009	Unlimited X	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2009	Unlimited X	5100 Series (Steering Damper)	Front	24-158428				
2009	Unlimited X	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2009	X	4600 Series	Front	24-141727		Rear	24-141734	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2009	X	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2009	X	5100 Series (Steering Damper)	Front	24-158428				
2009	X	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2009	X-S	4600 Series	Front	24-141727		Rear	24-141734	
2009	X-S	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2009	X-S	5100 Series (Steering Damper)	Front	24-158428				
2009	X-S	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2008	Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2008	Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2008	Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2008	Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2008	Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2008	Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2008	Sahara	5100 Series (Steering Damper)	Front	24-158428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2008	Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2008	Unlimited Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2008	Unlimited Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2008	Unlimited Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2008	Unlimited Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2008	Unlimited Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2008	Unlimited Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2008	Unlimited Sahara	5100 Series (Steering Damper)	Front	24-158428				
2008	Unlimited Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2008	Unlimited X	4600 Series	Front	24-141727		Rear	24-141734	
2008	Unlimited X	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2008	Unlimited X	5100 Series (Steering Damper)	Front	24-158428				
2008	Unlimited X	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2008	X	4600 Series	Front	24-141727		Rear	24-141734	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2008	X	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2008	X	5100 Series (Steering Damper)	Front	24-158428				
2008	X	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2007	Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2007	Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2007	Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2007	Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2007	Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2007	Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2007	Sahara	5100 Series (Steering Damper)	Front	24-158428				
2007	Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2007	Unlimited Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2007	Unlimited Rubicon	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2007	Unlimited Rubicon	5100 Series (Steering Damper)	Front	24-158428				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2007	Unlimited Rubicon	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2007	Unlimited Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2007	Unlimited Sahara	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2007	Unlimited Sahara	5100 Series (Steering Damper)	Front	24-158428				
2007	Unlimited Sahara	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2007	Unlimited X	4600 Series	Front	24-141727		Rear	24-141734	
2007	Unlimited X	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2007	Unlimited X	5100 Series (Steering Damper)	Front	24-158428				
2007	Unlimited X	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2007	X	4600 Series	Front	24-141727		Rear	24-141734	
2007	X	5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift			
2007	X	5100 Series (Steering Damper)	Front	24-158428				
2007	X	5160 Series	Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187649	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	25-187632	Front Lifted Height: 3.5-5"; Long or Short Arm Lift	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
2006	65th Anniversary Edition	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2006	65th Anniversary Edition	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	65th Anniversary Edition	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift		Rear	25-212662
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2006	Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift		Rear	25-212662
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2006	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2006	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2006	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Sport	4600 Series	Front	24-024426	TJ	Rear	25-193145	Rear Lifted Height: 0-3"
2006	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift			
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift			
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Sport	5160 Series	Front	24-024426	TJ	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Unlimited	4600 Series	Front	25-193121	Rear Lifted Height: 3.5-4.5"			
2006	Unlimited	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2006	Unlimited	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift			
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift			
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Unlimited	5160 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Unlimited	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Unlimited Rubicon	4600 Series	Front	25-193121	Rear Lifted Height: 3.5-4.5"			
2006	Unlimited Rubicon	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2006	Unlimited Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	Unlimited Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2006	X	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2006	X	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2006	X	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2006	X 65 Aniversario	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
2005	Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2005	Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2005	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2005	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2005	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2005	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2005	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2005	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2005	Unlimited	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2005	Unlimited	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2005	Unlimited	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2005	Unlimited Rubicon	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2005	Unlimited Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2005	Unlimited Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2005	X	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2005	X	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2005	X	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			Rear
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			Rear
2004	Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2004	Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			Rear
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			Rear
2004	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2004	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift			Rear
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2004	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			Rear
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			Rear
2004	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2004	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2004	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2004	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2004	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2004	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2004	Unlimited	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2004	Unlimited	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2004	Unlimited	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift		Rear	25-212662
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear		25-193145
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift		Rear	25-193121
2004	X	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2004	X	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2004	X	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift		Rear	25-212662
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear		25-193145
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift		Rear	25-193121
2003	Rubicon	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2003	Rubicon	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift		Rear	25-193145
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear		25-193121
2003	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2003	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2003	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2003	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2003	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2003	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2003	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2003	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2003	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2003	X	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2003	X	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift			
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift			
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2003	X	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2003	X AT	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
2002	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2002	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift			
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift			
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2002	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2002	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2002	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2002	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2002	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2002	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2002	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2002	X	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2002	X	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2002	X	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2001	60 Aniversario	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
2001	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2001	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift			
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift			
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2001	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2001	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2001	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift			
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift			
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2001	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
2001	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2001	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2001	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2000	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2000	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2000	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
2000	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2000	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2000	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift		Rear	25-212662
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear		25-193145
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift		Rear	25-193121
2000	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2000	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
2000	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift		Rear	25-212662
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear		25-193145
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift		Rear	25-193121
1999	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	
1999	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1999	SE	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift		Rear	25-212662
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear		25-193145
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift		Rear	25-193121
1999	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
1999	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1999	Sahara	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
1999	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	
1999	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1999	Sport	5160 Series	Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
1998	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	
1998	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
1998	SE	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift			
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1998	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	
1998	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1998	Sahara	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift			
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1998	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	
1998	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1998	Sport	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift			
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1997	Base	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
1997	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
1997	SE	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift		Rear	33-185514
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1997	SE	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift			
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1997	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	
1997	Sahara	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift		Rear	33-185514
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			
1997	Sahara	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift			
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1997	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433	
1997	Sport	5100 Series	Front	24-186810	Front Lifted Height: 0-2"	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-185257	Front Lifted Height: 3"; Short Arm Lift		Rear	24-186827
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift	Rear		24-185264
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift		Rear	33-185514
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
1997	Sport	5160 Series	Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift			
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
1995	Rio Grande	4600 Series	Front	24-013093		Rear	24-013109	
1995	Rio Grande	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1995	SE	4600 Series	Front	24-013093		Rear	24-013109	
1995	SE	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1995	Sahara	4600 Series	Front	24-013093		Rear	24-013109	
1995	Sahara	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1994	Renegade	4600 Series	Front	24-013093		Rear	24-013109	
1994	Renegade	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1994	S	4600 Series	Front	24-013093		Rear	24-013109	
1994	S	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1994	SE	4600 Series	Front	24-013093		Rear	24-013109	
1994	SE	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1994	Sahara	4600 Series	Front	24-013093		Rear	24-013109	
1994	Sahara	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1993	Base	4600 Series	Front	24-013093		Rear	24-013109	
1993	Base	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1993	Islander	4600 Series	Front	24-013093		Rear	24-013109	
1993	Islander	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1993	Renegade	4600 Series	Front	24-013093		Rear	24-013109	
1993	Renegade	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1993	S	4600 Series	Front	24-013093		Rear	24-013109	
1993	S	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1993	Sahara	4600 Series	Front	24-013093		Rear	24-013109	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
1993	Sahara	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1992	Base	4600 Series	Front	24-013093		Rear	24-013109	
1992	Base	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1992	Islander	4600 Series	Front	24-013093		Rear	24-013109	
1992	Islander	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1992	Renegade	4600 Series	Front	24-013093		Rear	24-013109	
1992	Renegade	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1992	S	4600 Series	Front	24-013093		Rear	24-013109	
1992	S	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1992	Sahara	4600 Series	Front	24-013093		Rear	24-013109	
1992	Sahara	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1991	Base	4600 Series	Front	24-013093		Rear	24-013109	
1991	Base	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1991	Islander	4600 Series	Front	24-013093		Rear	24-013109	
1991	Islander	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1991	Laredo	4600 Series	Front	24-013093		Rear	24-013109	
1991	Laredo	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1991	Limited	4600 Series	Front	24-013093		Rear	24-013109	
1991	Limited	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1991	Renegade	4600 Series	Front	24-013093		Rear	24-013109	
1991	Renegade	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1991	S	4600 Series	Front	24-013093		Rear	24-013109	
1991	S	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1991	Sahara	4600 Series	Front	24-013093		Rear	24-013109	
1991	Sahara	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
1990	Base	4600 Series	Front	24-013093		Rear	24-013109	
1990	Base	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1990	Islander	4600 Series	Front	24-013093		Rear	24-013109	
1990	Islander	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1990	Laredo	4600 Series	Front	24-013093		Rear	24-013109	
1990	Laredo	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1990	Sahara	4600 Series	Front	24-013093		Rear	24-013109	
1990	Sahara	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1989	Base	4600 Series	Front	24-013093		Rear	24-013109	
1989	Base	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1989	Islander	4600 Series	Front	24-013093		Rear	24-013109	
1989	Islander	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1989	Laredo	4600 Series	Front	24-013093		Rear	24-013109	
1989	Laredo	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1989	Sahara	4600 Series	Front	24-013093		Rear	24-013109	
1989	Sahara	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1988	Base	4600 Series	Front	24-013093		Rear	24-013109	
1988	Base	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1988	Islander	4600 Series	Front	24-013093		Rear	24-013109	
1988	Islander	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1988	Laredo	4600 Series	Front	24-013093		Rear	24-013109	
1988	Laredo	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1988	S	4600 Series	Front	24-013093		Rear	24-013109	
1988	S	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1988	Sahara	4600 Series	Front	24-013093		Rear	24-013109	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
1988	Sahara	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1988	Sport	4600 Series	Front	24-013093		Rear	24-013109	
1988	Sport	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1987	Base	4600 Series	Front	24-013093		Rear	24-013109	
1987	Base	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1987	Laredo	4600 Series	Front	24-013093		Rear	24-013109	
1987	Laredo	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
1987	Sport	4600 Series	Front	24-013093		Rear	24-013109	
1987	Sport	5100 Series	Front	24-064576	Front Lifted Height: 3-4"	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-185653	Springover	Rear	24-064583	Springover
Kia Sorento								
2009	4WD; EX	4600 Series	Front	24-111041				
2009	4WD; LX	4600 Series	Front	24-111041				
2008	4WD; EX	4600 Series	Front	24-111041				
2008	4WD; LX	4600 Series	Front	24-111041				
2007	4WD; EX	4600 Series	Front	24-111041				
2007	4WD; LX	4600 Series	Front	24-111041				
2006	4WD; EX	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability
2006	4WD; LX	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability
2005	4WD; EX	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability
2005	4WD; LX	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability
2004	4WD; EX	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability
2004	4WD; LX	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability
2003	4WD; EX	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Kia Sorento (continued)								
2003	4WD; LX	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability
Kia Sportage								
2002	4WD; Base	B4				Rear	19-214634	Standard Chassis
2001	4WD; Base	B4				Rear	19-214634	Standard Chassis
2001	4WD; EX	B4				Rear	19-214634	Standard Chassis
2001	4WD; Limited	B4				Rear	19-214634	Standard Chassis
2000	4WD; Base	B4				Rear	19-214634	Standard Chassis
2000	4WD; EX	B4				Rear	19-214634	Standard Chassis
1999	4WD; Base	B4				Rear	19-214634	Standard Chassis
1999	4WD; EX	B4				Rear	19-214634	Standard Chassis
Land Rover Defender 110								
1993	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1993	Base	4600 Series (Steering Damper)	Front	24-022354				
1993	Base	B4	Front	19-061177		Rear	19-061191	
Land Rover Defender 90								
1997	Base	4600 Series	Front	24-188296		Rear	24-188302	
1997	Base	4600 Series (Steering Damper)	Front	24-022354				
1997	LE	4600 Series	Front	24-188296		Rear	24-188302	
1997	LE	4600 Series (Steering Damper)	Front	24-022354				
1995	Base	4600 Series	Front	24-188296		Rear	24-188302	
1995	Base	4600 Series (Steering Damper)	Front	24-022354				
1994	Base	4600 Series	Front	24-188296		Rear	24-188302	
1994	Base	4600 Series (Steering Damper)	Front	24-022354				
Land Rover Discovery								
2004	HSE	4600 Series				Rear	24-060479	
2004	HSE	4600 Series (Steering Damper)	Front	24-105804				
2004	HSE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2004	HSE; w/ Coil Rear Springs	B4				Rear	19-061191	
2004	S	4600 Series				Rear	24-060479	
2004	S	4600 Series (Steering Damper)	Front	24-105804				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Discovery (continued)								
2004	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2004	S; w/ Coil Rear Springs	B4				Rear	19-061191	
2004	SE	4600 Series				Rear	24-060479	
2004	SE	4600 Series (Steering Damper)	Front	24-105804				
2004	SE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2004	SE; w/ Coil Rear Springs	B4				Rear	19-061191	
2003	HSE	4600 Series				Rear	24-060479	
2003	HSE	4600 Series (Steering Damper)	Front	24-105804				
2003	HSE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2003	HSE; w/ Coil Rear Springs	B4				Rear	19-061191	
2003	S	4600 Series				Rear	24-060479	
2003	S	4600 Series (Steering Damper)	Front	24-105804				
2003	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2003	S; w/ Coil Rear Springs	B4				Rear	19-061191	
2003	SE	4600 Series				Rear	24-060479	
2003	SE	4600 Series (Steering Damper)	Front	24-105804				
2003	SE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2003	SE; w/ Coil Rear Springs	B4				Rear	19-061191	
2002	Series II SD	4600 Series				Rear	24-060479	
2002	Series II SD	4600 Series (Steering Damper)	Front	24-105804				
2002	Series II SD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2002	Series II SD; w/ Coil Rear Springs	B4				Rear	19-061191	
2002	Series II SE	4600 Series				Rear	24-060479	
2002	Series II SE	4600 Series (Steering Damper)	Front	24-105804				
2002	Series II SE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2002	Series II SE; w/ Coil Rear Springs	B4				Rear	19-061191	
2001	Series II LE	4600 Series				Rear	24-060479	
2001	Series II LE	4600 Series (Steering Damper)	Front	24-105804				
2001	Series II LE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Discovery (continued)								
2001	Series II LE; w/ Coil Rear Springs	B4				Rear	19-061191	
2001	Series II SD	4600 Series				Rear	24-060479	
2001	Series II SD	4600 Series (Steering Damper)	Front	24-105804				
2001	Series II SD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2001	Series II SD; w/ Coil Rear Springs							
2001	Series II SD; w/ Coil Rear Springs	B4						
2001	Series II SE	4600 Series				Rear	19-061191	
2001	Series II SE	4600 Series (Steering Damper)	Front	24-105804				
2001	Series II SE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2001	Series II SE; w/ Coil Rear Springs	B4				Rear	19-061191	
2000	Series II	4600 Series				Rear	24-060479	
2000	Series II	4600 Series (Steering Damper)	Front	24-105804				
2000	Series II; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2000	Series II; w/ Coil Rear Springs	B4				Rear	19-061191	
1999	SD	4600 Series	Front	24-188296		Rear	24-027793	
1999	SD	4600 Series (Steering Damper)	Front	24-188272				
1999	SD	B4						
1999	SD	B4 (Steering Damper)	Front	19-061207				
1999	Series II	4600 Series						
1999	Series II	4600 Series (Steering Damper)	Front	24-105804				
1999	Series II; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
1999	Series II; w/ Coil Rear Springs	B4				Rear	19-061191	
1998	50th Anniversary Edition	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1998	50th Anniversary Edition	4600 Series (Steering Damper)	Front	24-188272				
1998	50th Anniversary Edition	B4	Front	19-061177				
1998	50th Anniversary Edition	B4 (Steering Damper)	Front	19-061207				
1998	LE	4600 Series	Front	24-188296				
			Front	24-002431		Rear	24-002530	
1998	LE	4600 Series (Steering Damper)	Front	24-188272				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Discovery (continued)								
1998	LE	B4	Front	19-061177		Rear	19-061184	
1998	LE	B4 (Steering Damper)	Front	19-061207				
1998	LSE	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1998	LSE	4600 Series (Steering Damper)	Front	24-188272				
1998	LSE	B4	Front	19-061177		Rear	19-061184	
1998	LSE	B4 (Steering Damper)	Front	19-061207				
1998	SD	4600 Series	Front	24-002431		Rear	24-002530	
1998	SD	B4	Front	19-061177		Rear	19-061184	
1998	SE7	4600 Series	Front	24-002431		Rear	24-002530	
1998	SE7	B4	Front	19-061177		Rear	19-061184	
1997	LSE	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1997	LSE	4600 Series (Steering Damper)	Front	24-188272				
1997	LSE	B4	Front	19-061177		Rear	19-061184	
1997	LSE	B4 (Steering Damper)	Front	19-061207				
1997	SD	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1997	SD	4600 Series (Steering Damper)	Front	24-188272				
1997	SD	B4	Front	19-061177		Rear	19-061184	
1997	SD	B4 (Steering Damper)	Front	19-061207				
1997	SE	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1997	SE	4600 Series (Steering Damper)	Front	24-188272				
1997	SE	B4	Front	19-061177		Rear	19-061184	
1997	SE	B4 (Steering Damper)	Front	19-061207				
1997	SE7	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1997	SE7	4600 Series (Steering Damper)	Front	24-188272				
1997	SE7	B4	Front	19-061177		Rear	19-061184	
1997	SE7	B4 (Steering Damper)	Front	19-061207				
1997	XD	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Discovery (continued)								
1997	XD	4600 Series (Steering Damper)	Front	24-188272				
1997	XD	B4	Front	19-061177		Rear	19-061184	
1997	XD	B4 (Steering Damper)	Front	19-061207				
1996	SD	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1996	SD	4600 Series (Steering Damper)	Front	24-188272				
1996	SD	B4	Front	19-061177		Rear	19-061184	
1996	SD	B4 (Steering Damper)	Front	19-061207				
1996	SE	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1996	SE	4600 Series (Steering Damper)	Front	24-188272				
1996	SE	B4	Front	19-061177		Rear	19-061184	
1996	SE	B4 (Steering Damper)	Front	19-061207				
1996	SE7	4600 Series	Front	24-188296		Rear	24-027793	
			Front	24-002431		Rear	24-002530	
1996	SE7	4600 Series (Steering Damper)	Front	24-188272				
1996	SE7	B4	Front	19-061177		Rear	19-061184	
1996	SE7	B4 (Steering Damper)	Front	19-061207				
1995	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1995	Base	4600 Series (Steering Damper)	Front	24-188272				
1995	Base	B4	Front	19-061177		Rear	19-061184	
1995	Base	B4 (Steering Damper)	Front	19-061207				
1994	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1994	Base	4600 Series (Steering Damper)	Front	24-188272				
1994	Base	B4	Front	19-061177		Rear	19-061184	
1994	Base	B4 (Steering Damper)	Front	19-061207				
Land Rover LR3								
2009	HSE	4600 Series	Front	24-136709	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-136716	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2009	HSE Lux	4600 Series	Front	24-136709	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-136716	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010

2225



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Range Rover (continued)								
2010	Base	B4				Rear	44-191177	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2010	Supercharged	B4				Rear	44-191177	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2009	Supercharged	B4				Rear	44-191177	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2008	Supercharged	B4				Rear	44-191177	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2007	Supercharged	B4				Rear	44-191177	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2006	Supercharged	B4				Rear	44-191177	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2002	HSE	4600 Series	Front	24-022149		Rear	24-022156	
2001	HSE	4600 Series	Front	24-022149		Rear	24-022156	
2001	SE	4600 Series	Front	24-022149		Rear	24-022156	
2000	Base	4600 Series	Front	24-022149		Rear	24-022156	
2000	County	4600 Series	Front	24-022149		Rear	24-022156	
2000	HSE	4600 Series	Front	24-022149		Rear	24-022156	
2000	HSK	4600 Series	Front	24-022149		Rear	24-022156	
2000	SE	4600 Series	Front	24-022149		Rear	24-022156	
2000	Vitesse	4600 Series	Front	24-022149		Rear	24-022156	
1999	Base	4600 Series	Front	24-022149		Rear	24-022156	
1999	Callaway	4600 Series	Front	24-022149		Rear	24-022156	
1999	HSE	4600 Series	Front	24-022149		Rear	24-022156	
1999	S	4600 Series	Front	24-022149		Rear	24-022156	
1999	SE	4600 Series	Front	24-022149		Rear	24-022156	
1998	50th Anniversary Edition	4600 Series	Front	24-022149		Rear	24-022156	
1998	HSE	4600 Series	Front	24-022149		Rear	24-022156	
1998	SE	4600 Series	Front	24-022149		Rear	24-022156	
1997	HSE	4600 Series	Front	24-022149		Rear	24-022156	
1997	Kensington	4600 Series	Front	24-022149		Rear	24-022156	
1997	SE	4600 Series	Front	24-022149		Rear	24-022156	
1997	Vitesse	4600 Series	Front	24-022149		Rear	24-022156	
1996	HSE	4600 Series	Front	24-022149		Rear	24-022156	
1996	SE	4600 Series	Front	24-022149		Rear	24-022156	
1995	25th Anniversary Edition	4600 Series	Front	24-022149		Rear	24-022156	
1995	County Classic	4600 Series	Front	24-022149		Rear	24-022156	
1995	County LWB	4600 Series	Front	24-022149		Rear	24-022156	
1995	SE	4600 Series	Front	24-022149		Rear	24-022156	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Range Rover (continued)								
1994	County	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1994	County	4600 Series (Steering Damper)	Front	24-188272				
1994	County	B4	Front	19-061177		Rear	19-061184	
1994	County	B4 (Steering Damper)	Front	19-061207				
1994	County LWB	4600 Series	Front	24-022149		Rear	24-022156	
1993	County	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1993	County	4600 Series (Steering Damper)	Front	24-188272				
1993	County	B4	Front	19-061177		Rear	19-061184	
1993	County	B4 (Steering Damper)	Front	19-061207				
1993	County LWB	4600 Series	Front	24-021531		Rear	24-021524	
1993	Sport	4600 Series	Front	24-021531		Rear	24-021524	
1992	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1992	Base	4600 Series (Steering Damper)	Front	24-188272				
1992	Base	B4	Front	19-061177		Rear	19-061184	
1992	Base	B4 (Steering Damper)	Front	19-061207				
1992	County	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1992	County	4600 Series (Steering Damper)	Front	24-188272				
1992	County	B4	Front	19-061177		Rear	19-061184	
1992	County	B4 (Steering Damper)	Front	19-061207				
1992	LSE	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1992	LSE	4600 Series (Steering Damper)	Front	24-188272				
1992	LSE	B4	Front	19-061177		Rear	19-061184	
1992	LSE	B4 (Steering Damper)	Front	19-061207				
1991	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1991	Base	4600 Series (Steering Damper)	Front	24-188272				
1991	Base	B4	Front	19-061177		Rear	19-061184	
1991	Base	B4 (Steering Damper)	Front	19-061207				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Range Rover (continued)								
1991	County SE	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1991	County SE	4600 Series (Steering Damper)	Front	24-188272				
1991	County SE	B4	Front	19-061177		Rear	19-061184	
1991	County SE	B4 (Steering Damper)	Front	19-061207				
1991	Great Divide	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1991	Great Divide	4600 Series (Steering Damper)	Front	24-188272				
1991	Great Divide	B4	Front	19-061177		Rear	19-061184	
1991	Great Divide	B4 (Steering Damper)	Front	19-061207				
1991	Hunter	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1991	Hunter	4600 Series (Steering Damper)	Front	24-188272				
1991	Hunter	B4	Front	19-061177		Rear	19-061184	
1991	Hunter	B4 (Steering Damper)	Front	19-061207				
1990	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1990	Base	4600 Series (Steering Damper)	Front	24-188272				
1990	Base	B4	Front	19-061177		Rear	19-061184	
1990	Base	B4 (Steering Damper)	Front	19-061207				
1990	County	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1990	County	4600 Series (Steering Damper)	Front	24-188272				
1990	County	B4	Front	19-061177		Rear	19-061184	
1990	County	B4 (Steering Damper)	Front	19-061207				
1989	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1989	Base	4600 Series (Steering Damper)	Front	24-188272				
1989	Base	B4	Front	19-061177		Rear	19-061184	
1989	Base	B4 (Steering Damper)	Front	19-061207				
1989	County	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1989	County	4600 Series (Steering Damper)	Front	24-188272				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Range Rover (continued)								
1989	County	B4	Front	19-061177		Rear	19-061184	
1989	County	B4 (Steering Damper)	Front	19-061207				
1989	Hunter		4600 Series	Front	24-188296			
			Front	24-002431		Rear	24-002530	
1989	Hunter	4600 Series (Steering Damper)	Front	24-188272				
1989	Hunter	B4	Front	19-061177		Rear	19-061184	
1989	Hunter	B4 (Steering Damper)	Front	19-061207				
1988	40th Anniversary Edition	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1988	40th Anniversary Edition	4600 Series (Steering Damper)	Front	24-188272				
1988	40th Anniversary Edition	B4	Front	19-061177		Rear	19-061184	
1988	40th Anniversary Edition	B4 (Steering Damper)	Front	19-061207				
1988	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1988	Base	4600 Series (Steering Damper)	Front	24-188272				
1988	Base	B4	Front	19-061177		Rear	19-061184	
1988	Base	B4 (Steering Damper)	Front	19-061207				
1987	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1987	Base	4600 Series (Steering Damper)	Front	24-188272				
1987	Base	B4	Front	19-061177		Rear	19-061184	
1987	Base	B4 (Steering Damper)	Front	19-061207				
1974	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1974	Base	B4	Front	19-061177		Rear	19-061184	
1974	Base	B4 (Steering Damper)	Front	19-061207				
1973	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1973	Base	B4	Front	19-061177		Rear	19-061184	
1973	Base	B4 (Steering Damper)	Front	19-061207				
1972	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1972	Base	B4	Front	19-061177		Rear	19-061184	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Range Rover (continued)								
1972	Base	B4 (Steering Damper)	Front	19-061207				
1971	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1971	Base	B4	Front	19-061177		Rear	19-061184	
1971	Base	B4 (Steering Damper)	Front	19-061207				
1970	Base	4600 Series	Front	24-188296		Rear	24-188302	
			Front	24-002431		Rear	24-002530	
1970	Base	B4	Front	19-061177		Rear	19-061184	
1970	Base	B4 (Steering Damper)	Front	19-061207				
Land Rover Range Rover Sport								
2012	HSE	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2012	HSE	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2012	Supercharged	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2012	Supercharged	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2011	HSE	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2011	HSE	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2011	Supercharged	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2011	Supercharged	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2010	Base	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Range Rover Sport (continued)								
2010	Base	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2010	HSE	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2010	HSE	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2010	Supercharged	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2010	Supercharged	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2009	HSE	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2009	HSE	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2009	Supercharged	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2009	Supercharged	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2008	HSE	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2008	HSE	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2008	LE	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2008	LE	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2008	Supercharged	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Land Rover Range Rover Sport (continued)								
2008	Supercharged	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2007	HSE	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2007	HSE	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2007	Supercharged	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2007	Supercharged	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2006	HSE	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2006	HSE	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2006	Supercharged	4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010
2006	Supercharged	B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
Lincoln Blackwood								
2002	Base	4600 Series	Front	24-185189		Rear	24-024792	
Lincoln Mark LT								
2008	4WD; Base	4600 Series	Front	24-109345		Rear	33-185897	
2008	Base; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2007	4WD; Base	4600 Series	Front	24-109345		Rear	33-185897	
2007	Base; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2006	4WD; Base	4600 Series	Front	24-109345		Rear	33-185897	
2006	Base; RWD	4600 Series	Front	24-107617		Rear	24-107624	
Lincoln Navigator								
2012	Base	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Lincoln Navigator (continued)								
2012	L	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2011	Base	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2011	L	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2010	Base	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2010	L	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2010	Ultimate	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2009	Base	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2009	L	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2008	Base	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2008	L	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2008	L Ultimate	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2008	Ultimate	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2007	L Luxury	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2007	L Ultimate	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2007	Luxury	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2007	Ultimate	4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2002	Base; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189				
2002	Base; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	
2002	Base; RWD; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185202	
2001	Base; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189				
2001	Base; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	
2001	Base; RWD; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185202	
2000	Base; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189				
2000	Base; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Lincoln Navigator (continued)								
2000	Base; RWD; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185202	
1999	Base; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189				
1999	Base; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	
1999	Base; RWD; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185202	
1998	Base; RWD; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series	Front	24-185189				
1998	Base; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-185189		Rear	24-185202	
1998	Base; RWD; w/ Coil Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185202	
Mazda B2300								
2009	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2009	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2008	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2008	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2007	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2007	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2006	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2006	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2005	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2005	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2004	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2004	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2004	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2004	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mazda B2300 (continued)								
2003	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2003	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2002	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2002	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2001	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2001	SX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001	SX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1997	Base	4600 Series	Front	24-022361		Rear	24-184946	
1997	SE	4600 Series	Front	24-022361		Rear	24-184946	
1996	4WD; Base	4600 Series				Rear	24-184984	
1996	Base	4600 Series	Front	24-022361				
1996	Base; RWD	4600 Series				Rear	24-184946	
1996	SE	4600 Series	Front	24-022361		Rear	24-184946	
1995	4WD; Base	4600 Series				Rear	24-184984	
1995	Base	4600 Series	Front	24-022361				
1995	Base; RWD	4600 Series				Rear	24-184946	
1995	SE	4600 Series	Front	24-022361		Rear	24-184946	
1994	Base	4600 Series	Front	24-022361		Rear	24-184946	
1994	SE	4600 Series	Front	24-022361		Rear	24-184946	
Mazda B2500								
2001	SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001	SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2001	SX; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001	SX; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mazda B2500 (continued)								
2000	SX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	SX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift			
1999	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	SX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift			
1999	SX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	Troy Lee; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1999	Troy Lee; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1998	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	SX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1998	SX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
Mazda B3000								
2007	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2007	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2007	DS	4600 Series	Front	24-188241		Rear	24-188258	
2006	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2006	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2006	DS	4600 Series	Front	24-188241		Rear	24-188258	
2005	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2005	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2005	DS	4600 Series	Front	24-188241		Rear	24-188258	
2004	DS	4600 Series	Front	24-188241		Rear	24-188258	
2004	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2004	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mazda B3000 (continued)								
2003	DS	4600 Series	Front	24-188241		Rear	24-188258	
2003	SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2003	SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2002	Base	4600 Series	Front	24-188241		Rear	24-188258	
2002	DS	4600 Series	Front	24-188241		Rear	24-188258	
2001	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	
2001	DS	4600 Series	Front	24-188241		Rear	24-188258	
2001	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	
2000	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	SX; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	SX; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	Troy Lee; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	Troy Lee; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	
1999	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1999	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	Troy Lee; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1999	Troy Lee; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	
1998	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1998	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	SX	4600 Series	Front	24-188241		Rear	24-188258	
1996	Base	4600 Series	Front	24-022361		Rear	24-184984	
1996	SE	4600 Series	Front	24-022361		Rear	24-184946	
1995	Base	4600 Series	Front	24-022361		Rear	24-184984	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mazda B3000 (continued)								
1995	SE	4600 Series	Front	24-022361		Rear	24-184946	
1994	4WD; Base	4600 Series				Rear	24-184984	
1994	Base	4600 Series	Front	24-022361				
1994	Base; RWD	4600 Series				Rear	24-184946	
1994	SE	4600 Series	Front	24-022361		Rear	24-184946	
Mazda B4000								
2010	SE	4600 Series	Front	24-188241		Rear	24-188258	
2009	Base	4600 Series	Front	24-188241		Rear	24-188258	
2009	SE	4600 Series	Front	24-188241		Rear	24-188258	
2008	Base	4600 Series	Front	24-188241		Rear	24-188258	
2008	SE	4600 Series	Front	24-188241		Rear	24-188258	
2007	4WD; Base	4600 Series	Front	24-188241		Rear	24-188258	
2007	SE	4600 Series	Front	24-188241		Rear	24-188258	
2006	4WD; Base	4600 Series	Front	24-188241		Rear	24-188258	
2006	SE	4600 Series	Front	24-188241		Rear	24-188258	
2005	4WD; Base	4600 Series	Front	24-188241		Rear	24-188258	
2005	SE	4600 Series	Front	24-188241		Rear	24-188258	
2004	Base	4600 Series				Rear	24-188258	
2004	DS	4600 Series	Front	24-188241				
2004	SE	4600 Series	Front	24-188241		Rear	24-188258	
2003	Base	4600 Series				Rear	24-188258	
2003	DS	4600 Series	Front	24-188241				
2003	SE	4600 Series	Front	24-188241		Rear	24-188258	
2002	Base	4600 Series				Rear	24-188258	
2002	DS	4600 Series	Front	24-188241				
2001	DS	4600 Series	Front	24-188241				
2001	SE	4600 Series	Front	24-188241		Rear	24-188258	
2000	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	
2000	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	Troy Lee	4600 Series	Front	24-188241		Rear	24-188258	
1999	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	
1999	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1999	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mazda B4000 (continued)								
1998	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1998	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1997	4WD; SE	4600 Series				Rear	24-184984	
1997	Base	4600 Series	Front	24-022361		Rear	24-184984	
1997	RWD; SE	4600 Series				Rear	24-184946	
1997	SE	4600 Series	Front	24-022361				
1996	4WD; LE	4600 Series				Rear	24-184984	
1996	LE	4600 Series	Front	24-022361				
1996	LE; RWD	4600 Series				Rear	24-184946	
1996	SE	4600 Series	Front	24-022361		Rear	24-184984	
1995	4WD; LE	4600 Series				Rear	24-184984	
1995	LE	4600 Series	Front	24-022361				
1995	LE; RWD	4600 Series				Rear	24-184946	
1995	SE	4600 Series	Front	24-022361		Rear	24-184984	
1994	4WD; LE	4600 Series				Rear	24-184984	
1994	4WD; SE	4600 Series				Rear	24-184984	
1994	LE	4600 Series	Front	24-022361				
1994	LE; RWD	4600 Series				Rear	24-184946	
1994	RWD; SE	4600 Series				Rear	24-184946	
1994	SE	4600 Series	Front	24-022361				
Mazda Navajo								
1994	DX	4600 Series	Front	24-184762				
1994	LX	4600 Series	Front	24-184762				
1993	DX	4600 Series	Front	24-184762				
1993	LX	4600 Series	Front	24-184762				
1992	DX	4600 Series	Front	24-184762				
1992	LX	4600 Series	Front	24-184762				
1991	LX	4600 Series	Front	24-184762				
Mercedes-Benz G500								
2008	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2008	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-017343	Armored Vehicles
2007	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2007	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz G500 (continued)								
2007	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-017343	Armored Vehicles
2006	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2006	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2006	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-017343	Armored Vehicles
2005	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2005	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-017343	Armored Vehicles
2004	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2004	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2004	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-017343	Armored Vehicles
2003	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2003	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2003	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-017343	Armored Vehicles
2002	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2002	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2002	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-017343	Armored Vehicles
Mercedes-Benz G55 AMG								
2011	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2010	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2007	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2006	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2005	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2004	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2003	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
Mercedes-Benz G550								
2012		B4	Front	24-017275	Armored or non armored vehicles			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz G550 (continued)								
2012	Base	B4				Rear	24-017282	
						Rear	24-017343	Armored Vehicles
2011	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2011	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
						Rear	24-017343	Armored Vehicles
2010	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2010	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
						Rear	24-017343	Armored Vehicles
2009	Base	4600 Series (Comfort)	Front	24-016353		Rear	24-016360	
2009	Base	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
						Rear	24-017343	Armored Vehicles
Mercedes-Benz GL320								
2009	Bluetec 4Matic	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2008	CDI	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2007	CDI	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
Mercedes-Benz GL350								
2011	Bluetec 4Matic	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2010	Bluetec 4Matic	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
Mercedes-Benz GL450								
2011	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2010	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz GL450 (continued)								
2009	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2008	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2007	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
Mercedes-Benz GL550								
2011	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2010	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2009	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
2008	Base	B4 (Air)	Front	44-156268	With ADS	Rear	24-166997	With ADS
			Front	44-165062	Without ADS	Rear	40-148342	With or without ADS
						Rear	24-158657	Without ADS
Mercedes-Benz GLK280								
2009	Base	4600 Series	Front	35-164418				
2009	Base	B6 (HD)				Rear	24-164429	
2009	Sport	4600 Series	Front	35-164418				
2009	Sport	B6 (HD)				Rear	24-164429	
Mercedes-Benz GLK350								
2012	4Matic	4600 Series	Front	35-164418				
2012	4Matic	B6 (HD)				Rear	24-164429	
2012	Base	4600 Series	Front	35-164418				
2012	Base	B6 (HD)				Rear	24-164429	
2011	4Matic	4600 Series	Front	35-164418				
2011	4Matic	B6 (HD)				Rear	24-164429	
2011	Base	4600 Series	Front	35-164418				
2011	Base	B6 (HD)				Rear	24-164429	
2010	4Matic	4600 Series	Front	35-164418				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz GLK350 (continued)								
2010	4Matic	B6 (HD)				Rear	24-164429	
2010	Base	4600 Series	Front	35-164418				
2010	Base	B6 (HD)				Rear	24-164429	
2009	Sport	4600 Series	Front	35-164418				
2009	Sport	B6 (HD)				Rear	24-164429	
Mercedes-Benz ML320								
2009	AWD; Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2009	Bluetec 4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2009	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2009	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2008	AWD; CDI; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2008	CDI; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2008	CDI; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2008	CDI; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2007	AWD; CDI; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2007	CDI; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2007	CDI; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2007	CDI; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2003	Base	4600 Series	Front	24-126649		Rear	24-029858	
2003	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2002	Base	4600 Series	Front	24-126649		Rear	24-029858	
2002	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2001	Base	4600 Series	Front	24-126649		Rear	24-029858	
2001	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz ML320 (continued)								
2000	Base	4600 Series	Front	24-126649	From 9/00; From Chassis Number A145272 or X707755	Rear	24-029858	
2000	Base	B4	Front	19-124551	From 9/00; From Chassis Number A145272 or X707755	Rear	19-124568	
			Front	19-132501	To 9/00; To Chassis Number A145271 or X707754	Rear	41-173435	
1999	Base	4600 Series				Rear	24-029858	
1999	Base	B4	Front	19-132501		Rear	19-124568	
						Rear	41-173435	
1998	Base	B4	Front	19-132501				
Mercedes-Benz ML350								
2011	AWD; Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS			
2011	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2011	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension			
2011	AWD; Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2011	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2011	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2011	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-144834	Standard Suspension
2011	Bluetec 4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2011	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2011	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2010	AWD; Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS			
2010	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2010	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension			
2010	AWD; Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz ML350 (continued)								
2010	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2010	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2010	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-144834	Standard Suspension
2010	Bluetec 4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2010	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2010	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2009	AWD; Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS			
2009	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2009	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2009	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension			
2009	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-144834	Standard Suspension
2008	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2008	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2007	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2007	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2007	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz ML350 (continued)								
2007	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2006	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2006	Base	4600 Series	Front	24-124362		Rear	24-124379	
2006	Base	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2005	Base	4600 Series	Front	24-126649		Rear	24-029858	
2005	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2004	Base	4600 Series	Front	24-126649		Rear	24-029858	
2004	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2003	Base	4600 Series	Front	24-126649		Rear	24-029858	
2003	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
Mercedes-Benz ML430								
2001	Base	4600 Series	Front	24-126649		Rear	24-029858	
2001	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2000	Base	4600 Series	Front	24-126649	From 9/00; From Chassis Number A145272 or X707755	Rear	24-029858	
2000	Base	B4	Front	19-124551	From 9/00; From Chassis Number A145272 or X707755	Rear	19-124568	
			Front	19-132501	To 9/00; To Chassis Number A145271 or X707754	Rear	41-173435	
1999	Base	4600 Series				Rear	24-029858	
1999	Base	B4	Front	19-132501		Rear	19-124568	
						Rear	41-173435	
Mercedes-Benz ML500								
2007	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2007	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2007	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2006	Base	4600 Series	Front	24-124362		Rear	24-124379	
2006	Base	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2005	Base	4600 Series	Front	24-126649		Rear	24-029858	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz ML500 (continued)								
2005	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2004	Base	4600 Series	Front	24-126649		Rear	24-029858	
2004	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2003	Base	4600 Series	Front	24-126649		Rear	24-029858	
2003	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2002	Base	4600 Series	Front	24-126649		Rear	24-029858	
2002	Base	B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
Mercedes-Benz ML55 AMG								
2003	Base	4600 Series	Front	24-126649		Rear	24-029858	
2002	Base	4600 Series	Front	24-126649		Rear	24-029858	
2001	Base	4600 Series	Front	24-126649		Rear	24-029858	
2000	Base	4600 Series	Front	24-126649	From 9/00; From Chassis Number A145272 or X707755	Rear	24-029858	
Mercedes-Benz ML550								
2011	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2011	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2011	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2010	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2010	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2010	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2009	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2008	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
						Rear	40-148335	With ADS



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz ML550 (continued)								
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
Mercedes-Benz ML63 AMG								
2011	Base	B4 (Air)	Front	44-146108	With ADS	Rear	24-144919	With ADS
						Rear	40-118673	With ADS
2010	Base	B4 (Air)	Front	44-146108	With ADS	Rear	24-144919	With ADS
						Rear	40-118673	With ADS
2009	Base	B4 (Air)	Front	44-146108	With ADS	Rear	24-144919	With ADS
						Rear	40-118673	With ADS
2008	Base	B4 (Air)	Front	44-146108	With ADS	Rear	24-144919	With ADS
						Rear	40-118673	With ADS
2007	Base	B4 (Air)	Front	44-146108	With ADS	Rear	24-144919	With ADS
						Rear	40-118673	With ADS
Mercedes-Benz Sprinter 2500								
2012	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2012	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2012	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2012	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2011	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2011	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2011	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2011	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2010	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2010	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2010	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2010	Base; w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
Mercedes-Benz Sprinter 3500								
2012	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2012	Base; w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mercedes-Benz Sprinter 3500 (continued)								
2012	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2012	Base; w/ 170.0 In. Wheelbase	B4				Front	22-184245	with Dual Rear Wheels (DRW)
2011	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2011	Base; w/ 144.0 In. Wheelbase	B4				Front	22-184238	Single Rear Wheel
2011	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2011	Base; w/ 170.0 In. Wheelbase	B4				Front	22-184245	with Dual Rear Wheels (DRW)
2010	Base; w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2010	Base; w/ 144.0 In. Wheelbase	B4				Front	22-184238	Single Rear Wheel
2010	Base; w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2010	Base; w/ 170.0 In. Wheelbase	B4				Front	22-184245	with Dual Rear Wheels (DRW)
Mercury Mountaineer								
2001	Base	4600 Series				Rear	24-021357	
2001	Base; RWD	4600 Series				Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift
2000	4WD; Base	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	AWD; Base	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	Base	4600 Series				Rear	24-021357	
2000	Base; RWD	4600 Series				Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift
1999	4WD; Base	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	AWD; Base	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1999	Base	4600 Series				Rear	24-021357	
1999	Base; RWD	4600 Series				Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift
1998	4WD; Base	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	AWD; Base	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998	Base	4600 Series				Rear	24-021357	
1998	Base; RWD	4600 Series				Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift
1997	4WD; Base	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1997	AWD; Base	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1997	Base	4600 Series				Rear	24-021357	
1997	Base; RWD	4600 Series				Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift
Mitsubishi Montero								
2006	Limited	4600 Series	Front	24-062718		Rear	24-062725	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mitsubishi Montero (continued)								
2005	Limited	4600 Series	Front	24-062718		Rear	24-062725	
2004	Limited	4600 Series	Front	24-062718		Rear	24-062725	
2004	XLS	4600 Series	Front	24-062718		Rear	24-062725	
2003	Limited	4600 Series	Front	24-062718		Rear	24-062725	
2003	XLS	4600 Series	Front	24-062718		Rear	24-062725	
2002	Limited	4600 Series	Front	24-062718		Rear	24-062725	
2002	XLS	4600 Series	Front	24-062718		Rear	24-062725	
2001	Limited	4600 Series	Front	24-062718		Rear	24-062725	
2001	XLS	4600 Series	Front	24-062718		Rear	24-062725	
2000	Base	4600 Series	Front	24-017947	Excludes Select Ride Vehicle			
1999	Base	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1998	Base	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1997	LS	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1997	SR	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1996	LS	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1996	SR	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1995	LS	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1995	SR	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1994	LS	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1994	SR	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1993	Base	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1993	LS	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1993	RS	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1993	SR	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1992	Base	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1992	LS	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1992	RS	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1992	SR	4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1991	Base	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1991	LS	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1991	RS	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1990	Base	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1990	LS	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1990	RS	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1990	SP	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1989	Base	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1989	LS	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1989	SP	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Mitsubishi Montero (continued)								
1987	Base	4600 Series				Rear	24-013338	
1986	Base	4600 Series				Rear	24-013338	
1985	Base	4600 Series				Rear	24-013338	
1984	Base	4600 Series				Rear	24-013338	
1983	Base	4600 Series				Rear	24-013338	
Mitsubishi Montero Sport								
2004	LS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2004	XLS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2004	XLS Premium	4600 Series	Front	24-017947				
2004	XLS Touring	4600 Series	Front	24-017947				
2003	ES	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2003	LS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2003	Limited	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2003	XLS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2003	XLS Touring	4600 Series	Front	24-017947				
2002	ES	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2002	LS	4600 Series				Rear	24-064255	Exc. Select ride
2002	Limited	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2002	XLS	4600 Series				Rear	24-064255	Exc. Select ride
2001	ES	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2001	LS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2001	Limited	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2001	XLS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2000	ES	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2000	LS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2000	Limited	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2000	XLS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
1999	ES	4600 Series	Front	24-017947		Rear	24-013338	
1999	LS	4600 Series	Front	24-017947		Rear	24-013338	
1999	Limited	4600 Series	Front	24-017947		Rear	24-013338	
1999	XLS	4600 Series	Front	24-017947		Rear	24-013338	
1998	ES	4600 Series	Front	24-017947		Rear	24-013338	
1998	LS	4600 Series	Front	24-017947		Rear	24-013338	
1998	XLS	4600 Series	Front	24-017947		Rear	24-013338	
1997	ES	4600 Series	Front	24-017947		Rear	24-013338	
1997	LS	4600 Series	Front	24-017947		Rear	24-013338	
1997	XLS	4600 Series	Front	24-017947		Rear	24-013338	



Light Trucks and SUVs

Year	Application	Series	Front			Rear
Nissan Armada						
2012	Platinum	4600 Series	Front	24-197656		
2012	Platinum	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2012	SL	4600 Series	Front	24-197656		
2012	SL	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2012	SV	4600 Series	Front	24-197656		
2012	SV	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2011	Platinum	4600 Series	Front	24-197656		
2011	Platinum	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2011	SL	4600 Series	Front	24-197656		
2011	SL	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2011	SV	4600 Series	Front	24-197656		
2011	SV	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2010	Platinum	4600 Series	Front	24-197656		
2010	Platinum	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2010	SE	4600 Series	Front	24-197656		
2010	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2010	Titanium	4600 Series	Front	24-197656		
2010	Titanium	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2009	LE	4600 Series	Front	24-197656		
2009	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2009	SE	4600 Series	Front	24-197656		
2009	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2008	LE	4600 Series	Front	24-197656		
2008	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2008	SE	4600 Series	Front	24-197656		
2008	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2007	LE	4600 Series	Front	24-197656		
2007	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2007	SE	4600 Series	Front	24-197656		
2007	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"	
2006	LE	4600 Series	Front	24-197656		



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Armada (continued)								
2006	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2006	SE	4600 Series	Front	24-197656				
2006	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2006	SE Off-Road	4600 Series	Front	24-197656				
2006	SE Off-Road	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2005	LE	4600 Series	Front	24-197656				
2005	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2005	SE	4600 Series	Front	24-197656				
2005	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2005	SE Off-Road	4600 Series	Front	24-197656				
2005	SE Off-Road	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
Nissan D21								
1994	Base	4600 Series	Front	24-187824	From 6/86 To 97	Rear	24-011006	
1994	SE	4600 Series	Front	24-187824		Rear	24-011006	
1994	XE	4600 Series	Front	24-187824		Rear	24-011006	
Nissan Frontier								
2012	PRO-4X	4600 Series	Front	24-137430		Rear	24-186155	
2012	PRO-4X	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2012	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	S	4600 Series	Front	24-137430		Rear	24-186155	
2012	S	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2012	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	SL	4600 Series	Front	24-137430		Rear	24-186155	
2012	SL	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2012	SL	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	SV	4600 Series	Front	24-137430		Rear	24-186155	
2012	SV	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2012	SV	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	PRO-4X	4600 Series	Front	24-137430		Rear	24-186155	
2011	PRO-4X	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2011	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	S	4600 Series	Front	24-137430		Rear	24-186155	
2011	S	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Frontier (continued)								
2011	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	SL	4600 Series	Front	24-137430		Rear	24-186155	
2011	SL	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2011	SL	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	SV	4600 Series	Front	24-137430		Rear	24-186155	
2011	SV	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2011	SV	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	LE	4600 Series	Front	24-137430		Rear	24-186155	
2010	LE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2010	LE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	PRO-4X	4600 Series	Front	24-137430		Rear	24-186155	
2010	PRO-4X	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2010	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	SE	4600 Series	Front	24-137430		Rear	24-186155	
2010	SE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2010	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	XE	4600 Series	Front	24-137430		Rear	24-186155	
2010	XE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2010	XE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	LE	4600 Series	Front	24-137430		Rear	24-186155	
2009	LE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	LE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	PRO-4X	4600 Series	Front	24-137430		Rear	24-186155	
2009	PRO-4X	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	SE	4600 Series	Front	24-137430		Rear	24-186155	
2009	SE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	XE	4600 Series	Front	24-137430		Rear	24-186155	
2009	XE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	XE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2008	LE	4600 Series	Front	24-137430		Rear	24-186155	
2008	LE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Frontier (continued)								
2008	LE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2008	Nismo Off-Road	4600 Series	Front	24-137430		Rear	24-186155	
2008	Nismo Off-Road	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2008	Nismo Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2008	SE	4600 Series	Front	24-137430		Rear	24-186155	
2008	SE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2008	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2008	XE	4600 Series	Front	24-137430		Rear	24-186155	
2008	XE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2008	XE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2007	LE	4600 Series	Front	24-137430		Rear	24-186155	
2007	LE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2007	LE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2007	Nismo Off-Road	4600 Series	Front	24-137430		Rear	24-186155	
2007	Nismo Off-Road	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2007	Nismo Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2007	SE	4600 Series	Front	24-137430		Rear	24-186155	
2007	SE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2007	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2007	XE	4600 Series	Front	24-137430		Rear	24-186155	
2007	XE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2007	XE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2006	LE	4600 Series	Front	24-137430		Rear	24-186155	
2006	LE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2006	LE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2006	Nismo Off-Road	4600 Series	Front	24-137430		Rear	24-186155	
2006	Nismo Off-Road	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2006	Nismo Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2006	SE	4600 Series	Front	24-137430		Rear	24-186155	
2006	SE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2006	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2006	XE	4600 Series	Front	24-137430		Rear	24-186155	
2006	XE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Frontier (continued)								
2006	XE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2005	LE	4600 Series	Front	24-137430		Rear	24-186155	
2005	LE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2005	LE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2005	Nismo Off-Road	4600 Series	Front	24-137430		Rear	24-186155	
2005	Nismo Off-Road	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2005	Nismo Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2005	SE	4600 Series	Front	24-137430		Rear	24-186155	
2005	SE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2005	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2005	XE	4600 Series	Front	24-137430		Rear	24-186155	
2005	XE	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2005	XE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2004	4WD; SC	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2004	4WD; XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2004	Crew Cab Pickup; RWD; SC	4600 Series	Front	24-187824		Rear	24-185011	
2004	Crew Cab Pickup; RWD; XE	4600 Series	Front	24-187824		Rear	24-185011	
2004	Extended Cab Pickup; RWD; SC	4600 Series	Front	24-185004		Rear	24-184885	
2004	Extended Cab Pickup; RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
2004	SVE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2003	4WD; SC	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2003	4WD; SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2003	4WD; XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2003	Base	4600 Series	Front	24-185004		Rear	24-184885	
2003	Crew Cab Pickup; RWD; SC	4600 Series	Front	24-187824		Rear	24-185011	
2003	Crew Cab Pickup; RWD; SE	4600 Series	Front	24-187824		Rear	24-185011	
2003	Crew Cab Pickup; RWD; XE	4600 Series	Front	24-187824		Rear	24-185011	
2003	Extended Cab Pickup; RWD; SC	4600 Series	Front	24-185004		Rear	24-184885	
2003	Extended Cab Pickup; RWD; SE	4600 Series	Front	24-185004		Rear	24-184885	
2003	Extended Cab Pickup; RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
2003	SVE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2002	4WD; SC	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Frontier (continued)								
2002	4WD; SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2002	4WD; XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2002	Base	4600 Series	Front	24-185004		Rear	24-184885	
2002	Crew Cab Pickup; RWD; SC	4600 Series	Front	24-187824		Rear	24-185011	
2002	Crew Cab Pickup; RWD; SE	4600 Series	Front	24-187824		Rear	24-185011	
2002	Crew Cab Pickup; RWD; XE	4600 Series	Front	24-187824		Rear	24-185011	
2002	Extended Cab Pickup; RWD; SC	4600 Series	Front	24-185004		Rear	24-184885	
2002	Extended Cab Pickup; RWD; SE	4600 Series	Front	24-185004		Rear	24-184885	
2002	Extended Cab Pickup; RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
2002	SVE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2001	4WD; SC	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2001	4WD; SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2001	4WD; XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2001	Crew Cab Pickup; RWD; SC	4600 Series	Front	24-187824		Rear	24-185011	
2001	Crew Cab Pickup; RWD; SE	4600 Series	Front	24-187824		Rear	24-185011	
2001	Crew Cab Pickup; RWD; XE	4600 Series	Front	24-187824		Rear	24-185011	
2001	Extended Cab Pickup; RWD; SC	4600 Series	Front	24-185004		Rear	24-184885	
2001	Extended Cab Pickup; RWD; SE	4600 Series	Front	24-185004		Rear	24-184885	
2001	Extended Cab Pickup; RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
2001	RWD; Standard Cab Pickup; XE	4600 Series	Front	24-185004		Rear	24-184885	
2000	4WD; SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2000	4WD; XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2000	Crew Cab Pickup; RWD; SE	4600 Series	Front	24-187824		Rear	24-185011	
2000	Crew Cab Pickup; RWD; XE	4600 Series	Front	24-187824		Rear	24-185011	
2000	Extended Cab Pickup; RWD; SE	4600 Series	Front	24-185004		Rear	24-184885	
2000	Extended Cab Pickup; RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
2000	RWD; Standard Cab Pickup; XE	4600 Series	Front	24-185004		Rear	24-184885	
1999	4WD; SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
1999	4WD; XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
1999	RWD; SE	4600 Series	Front	24-185004		Rear	24-184885	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Frontier (continued)								
1999	RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
1998	4WD; SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
1998	4WD; XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
1998	Base	4600 Series	Front	24-185004		Rear	24-184885	
1998	RWD; SE	4600 Series	Front	24-185004		Rear	24-184885	
1998	RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
Nissan Pathfinder								
2012	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2012	4WD; S	4600 Series	Front	24-197427		Rear	24-197434	
2012	4WD; SV	4600 Series	Front	24-197427		Rear	24-197434	
2012	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2012	RWD; S	4600 Series	Front	24-137430		Rear	24-186919	
2012	RWD; SV	4600 Series	Front	24-137430		Rear	24-186919	
2011	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2011	4WD; S	4600 Series	Front	24-197427		Rear	24-197434	
2011	4WD; SV	4600 Series	Front	24-197427		Rear	24-197434	
2011	4WD; Silver Edition	4600 Series	Front	24-197427		Rear	24-197434	
2011	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2011	RWD; S	4600 Series	Front	24-137430		Rear	24-186919	
2011	RWD; SV	4600 Series	Front	24-137430		Rear	24-186919	
2011	RWD; Silver Edition	4600 Series	Front	24-137430		Rear	24-186919	
2010	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2010	4WD; S	4600 Series	Front	24-197427		Rear	24-197434	
2010	4WD; SE	4600 Series	Front	24-197427		Rear	24-197434	
2010	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2010	RWD; S	4600 Series	Front	24-137430		Rear	24-186919	
2010	RWD; SE	4600 Series	Front	24-137430		Rear	24-186919	
2009	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2009	4WD; S	4600 Series	Front	24-197427		Rear	24-197434	
2009	4WD; SE	4600 Series	Front	24-197427		Rear	24-197434	
2009	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2009	RWD; S	4600 Series	Front	24-137430		Rear	24-186919	
2009	RWD; SE	4600 Series	Front	24-137430		Rear	24-186919	
2009	SE Off-Road	4600 Series	Front	24-197427		Rear	24-197434	
2008	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2008	4WD; S	4600 Series	Front	24-197427		Rear	24-197434	
2008	4WD; SE	4600 Series	Front	24-197427		Rear	24-197434	
2008	AWD; LE Luxury	4600 Series	Front	24-197427		Rear	24-197434	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Pathfinder (continued)								
2008	AWD; SE Comfort	4600 Series	Front	24-197427		Rear	24-197434	
2008	AWD; SE Premium	4600 Series	Front	24-197427		Rear	24-197434	
2008	LE Luxury; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2008	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2008	RWD; S	4600 Series	Front	24-137430		Rear	24-186919	
2008	RWD; SE	4600 Series	Front	24-137430		Rear	24-186919	
2008	RWD; SE Comfort	4600 Series	Front	24-137430		Rear	24-186919	
2008	RWD; SE Premium	4600 Series	Front	24-137430		Rear	24-186919	
2008	SE Off-Road	4600 Series	Front	24-197427		Rear	24-197434	
2007	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2007	4WD; S	4600 Series	Front	24-197427		Rear	24-197434	
2007	4WD; SE	4600 Series	Front	24-197427		Rear	24-197434	
2007	AWD; LE Luxury	4600 Series	Front	24-197427		Rear	24-197434	
2007	AWD; SE Comfort	4600 Series	Front	24-197427		Rear	24-197434	
2007	AWD; SE Premium	4600 Series	Front	24-197427		Rear	24-197434	
2007	LE Luxury; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2007	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2007	RWD; S	4600 Series	Front	24-137430		Rear	24-186919	
2007	RWD; SE	4600 Series	Front	24-137430		Rear	24-186919	
2007	RWD; SE Comfort	4600 Series	Front	24-137430		Rear	24-186919	
2007	RWD; SE Premium	4600 Series	Front	24-137430		Rear	24-186919	
2007	SE Off-Road	4600 Series	Front	24-197427		Rear	24-197434	
2006	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2006	4WD; S	4600 Series	Front	24-197427		Rear	24-197434	
2006	4WD; SE	4600 Series	Front	24-197427		Rear	24-197434	
2006	AWD; LE Luxury	4600 Series	Front	24-197427		Rear	24-197434	
2006	AWD; SE Comfort	4600 Series	Front	24-197427		Rear	24-197434	
2006	AWD; SE Premium	4600 Series	Front	24-197427		Rear	24-197434	
2006	LE Luxury; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2006	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2006	RWD; S	4600 Series	Front	24-137430		Rear	24-186919	
2006	RWD; SE	4600 Series	Front	24-137430		Rear	24-186919	
2006	RWD; SE Comfort	4600 Series	Front	24-137430		Rear	24-186919	
2006	RWD; SE Premium	4600 Series	Front	24-137430		Rear	24-186919	
2006	SE Off-Road	4600 Series	Front	24-197427		Rear	24-197434	
2005	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2005	4WD; SE	4600 Series	Front	24-197427		Rear	24-197434	
2005	4WD; SE Off-Road	4600 Series	Front	24-197427		Rear	24-197434	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Pathfinder (continued)								
2005	4WD; XE	4600 Series	Front	24-197427		Rear	24-197434	
2005	AWD; LE Luxury	4600 Series	Front	24-197427		Rear	24-197434	
2005	AWD; SE Comfort	4600 Series	Front	24-197427		Rear	24-197434	
2005	LE Luxury; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2005	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2005	RWD; SE	4600 Series	Front	24-137430		Rear	24-186919	
2005	RWD; SE Comfort	4600 Series	Front	24-137430		Rear	24-186919	
2005	RWD; SE Off-Road	4600 Series	Front	24-137430		Rear	24-186919	
2005	RWD; XE	4600 Series	Front	24-137430		Rear	24-186919	
2004	Armada LE	4600 Series	Front	24-197656				
2004	Armada LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2004	Armada SE	4600 Series	Front	24-197656				
2004	Armada SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
1995	4WD; LE	4600 Series	Front	24-185080		Rear	24-185097	
1995	4WD; LE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1995	4WD; XE	4600 Series	Front	24-185080		Rear	24-185097	
1995	4WD; XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1995	SE	4600 Series	Front	24-185080		Rear	24-185097	
1995	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1994	4WD; LE	4600 Series	Front	24-185080		Rear	24-185097	
1994	4WD; LE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1994	4WD; XE	4600 Series	Front	24-185080		Rear	24-185097	
1994	4WD; XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1994	SE	4600 Series	Front	24-185080		Rear	24-185097	
1994	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1993	4WD; XE	4600 Series	Front	24-185080		Rear	24-185097	
1993	4WD; XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1993	SE	4600 Series	Front	24-185080		Rear	24-185097	
1993	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1992	4WD; XE	4600 Series	Front	24-185080		Rear	24-185097	
1992	4WD; XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1992	SE	4600 Series	Front	24-185080		Rear	24-185097	
1992	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Pathfinder (continued)								
1991	4WD; XE	4600 Series	Front	24-185080		Rear	24-185097	
1991	4WD; XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1991	SE	4600 Series	Front	24-185080				
1991	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1990	4WD; XE	4600 Series	Front	24-185080				
1990	4WD; XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1990	SE	4600 Series	Front	24-185080				
1990	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1989	4WD; XE	4600 Series	Front	24-185080				
1989	4WD; XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1989	SE	4600 Series	Front	24-185080				
1989	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1988	SE	4600 Series	Front	24-185080				
1988	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1988	XE	4600 Series	Front	24-185080				
1988	XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1987	E	4600 Series	Front	24-185080				
1987	E	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1987	SE	4600 Series	Front	24-185080				
1987	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1987	XE	4600 Series	Front	24-185080				
1987	XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
Nissan Pickup								
1997	Base	4600 Series	Front	24-187824	From 6/86 To 97	Rear	24-011006	
1997	SE	4600 Series	Front	24-187824		Rear	24-011006	
1997	XE	4600 Series	Front	24-187824		Rear	24-011006	
1996	Base	4600 Series	Front	24-187824	From 6/86 To 97	Rear	24-011006	
1996	SE	4600 Series	Front	24-187824		Rear	24-011006	
1996	XE	4600 Series	Front	24-187824		Rear	24-011006	
1995	Base	4600 Series	Front	24-187824	From 6/86 To 97	Rear	24-011006	
1995	SE	4600 Series	Front	24-187824		Rear	24-011006	
1995	XE	4600 Series	Front	24-187824		Rear	24-011006	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Titan								
2012	4WD; S	4600 Series				Rear	24-116244	
2012	4WD; S	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2012	4WD; SL	4600 Series				Rear	24-116244	
2012	4WD; SL	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2012	4WD; SV	4600 Series				Rear	24-116244	
2012	4WD; SV	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2012	PRO-4X	4600 Series	Front	24-197656		Rear	24-116244	
2012	PRO-4X	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2012	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2012	RWD; S	4600 Series				Rear	24-185967	
2012	RWD; S	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2012	RWD; SL	4600 Series				Rear	24-185967	
2012	RWD; SL	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2012	RWD; SV	4600 Series				Rear	24-185967	
2012	RWD; SV	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2012	S	4600 Series	Front	24-197656				
2012	S	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2012	SL	4600 Series	Front	24-197656				
2012	SL	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2012	SV	4600 Series	Front	24-197656				
2012	SV	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2011	4WD; S	4600 Series				Rear	24-116244	
2011	4WD; S	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2011	4WD; SL	4600 Series				Rear	24-116244	
2011	4WD; SL	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2011	4WD; SV	4600 Series				Rear	24-116244	
2011	4WD; SV	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2011	PRO-4X	4600 Series	Front	24-197656		Rear	24-116244	
2011	PRO-4X	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2011	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2011	RWD; S	4600 Series				Rear	24-185967	
2011	RWD; S	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2011	RWD; SL	4600 Series				Rear	24-185967	
2011	RWD; SL	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2011	RWD; SV	4600 Series				Rear	24-185967	
2011	RWD; SV	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Titan (continued)								
2011	S	4600 Series	Front	24-197656				
2011	S	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2011	SL	4600 Series	Front	24-197656				
2011	SL	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2011	SV	4600 Series	Front	24-197656				
2011	SV	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2010	4WD; LE	4600 Series				Rear	24-116244	
2010	4WD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2010	4WD; SE	4600 Series				Rear	24-116244	
2010	4WD; SE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2010	4WD; XE	4600 Series				Rear	24-116244	
2010	4WD; XE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2010	LE	4600 Series	Front	24-197656				
2010	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2010	LE; RWD	4600 Series				Rear	24-185967	
2010	LE; RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2010	PRO-4X	4600 Series	Front	24-197656		Rear	24-116244	
2010	PRO-4X	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2010	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2010	RWD; SE	4600 Series				Rear	24-185967	
2010	RWD; SE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2010	RWD; XE	4600 Series				Rear	24-185967	
2010	RWD; XE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2010	SE	4600 Series	Front	24-197656				
2010	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2010	XE	4600 Series	Front	24-197656				
2010	XE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2009	4WD; LE	4600 Series				Rear	24-116244	
2009	4WD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2009	4WD; SE	4600 Series				Rear	24-116244	
2009	4WD; SE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2009	4WD; XE	4600 Series				Rear	24-116244	
2009	4WD; XE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2009	AWD; LE	4600 Series				Rear	24-116244	
2009	AWD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Titan (continued)								
2009	LE	4600 Series	Front	24-197656				
2009	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2009	LE; RWD	4600 Series				Rear	24-185967	
2009	LE; RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2009	PRO-4X	4600 Series	Front	24-197656		Rear	24-116244	
2009	PRO-4X	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2009	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2009	RWD; SE	4600 Series				Rear	24-185967	
2009	RWD; SE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2009	RWD; XE	4600 Series				Rear	24-185967	
2009	RWD; XE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2009	SE	4600 Series	Front	24-197656				
2009	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2009	XE	4600 Series	Front	24-197656				
2009	XE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2008	4WD; LE	4600 Series				Rear	24-116244	
2008	4WD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2008	4WD; SE	4600 Series				Rear	24-116244	
2008	4WD; SE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2008	4WD; XE	4600 Series				Rear	24-116244	
2008	4WD; XE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2008	AWD; LE	4600 Series				Rear	24-116244	
2008	AWD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2008	LE	4600 Series	Front	24-197656				
2008	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2008	LE; RWD	4600 Series				Rear	24-185967	
2008	LE; RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2008	PRO-4X	4600 Series	Front	24-197656		Rear	24-116244	
2008	PRO-4X	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2008	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2008	RWD; SE	4600 Series				Rear	24-185967	
2008	RWD; SE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2008	RWD; XE	4600 Series				Rear	24-185967	
2008	RWD; XE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2008	SE	4600 Series	Front	24-197656				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Titan (continued)								
2008	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2008	XE	4600 Series	Front	24-197656				
2008	XE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2007	4WD; LE	4600 Series				Rear	24-116244	
2007	4WD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2007	4WD; SE	4600 Series				Rear	24-116244	
2007	4WD; SE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2007	4WD; XE	4600 Series				Rear	24-116244	
2007	4WD; XE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2007	AWD; LE	4600 Series				Rear	24-116244	
2007	AWD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2007	LE	4600 Series	Front	24-197656				
2007	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2007	LE; RWD	4600 Series				Rear	24-185967	
2007	LE; RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2007	RWD; SE	4600 Series				Rear	24-185967	
2007	RWD; SE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2007	RWD; XE	4600 Series				Rear	24-185967	
2007	RWD; XE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2007	SE	4600 Series	Front	24-197656				
2007	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2007	XE	4600 Series	Front	24-197656				
2007	XE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2006	4WD; LE	4600 Series				Rear	24-116244	
2006	4WD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2006	4WD; SE	4600 Series				Rear	24-116244	
2006	4WD; SE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2006	4WD; XE	4600 Series				Rear	24-116244	
2006	4WD; XE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2006	LE	4600 Series	Front	24-197656				
2006	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2006	LE; RWD	4600 Series				Rear	24-185967	
2006	LE; RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2006	RWD; SE	4600 Series				Rear	24-185967	
2006	RWD; SE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Titan (continued)								
2006	RWD; XE	4600 Series				Rear	24-185967	
2006	RWD; XE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2006	SE	4600 Series	Front	24-197656				
2006	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2006	XE	4600 Series	Front	24-197656				
2006	XE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2005	4WD; LE	4600 Series				Rear	24-116244	
2005	4WD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2005	4WD; SE	4600 Series				Rear	24-116244	
2005	4WD; SE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2005	4WD; XE	4600 Series				Rear	24-116244	
2005	4WD; XE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2005	LE	4600 Series	Front	24-197656				
2005	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2005	LE; RWD	4600 Series				Rear	24-185967	
2005	LE; RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2005	RWD; SE	4600 Series				Rear	24-185967	
2005	RWD; SE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2005	RWD; XE	4600 Series				Rear	24-185967	
2005	RWD; XE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2005	SE	4600 Series	Front	24-197656				
2005	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2005	XE	4600 Series	Front	24-197656				
2005	XE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2004	4WD; LE	4600 Series				Rear	24-116244	
2004	4WD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2004	4WD; SE	4600 Series				Rear	24-116244	
2004	4WD; SE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2004	4WD; XE	4600 Series				Rear	24-116244	
2004	4WD; XE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2004	LE	4600 Series	Front	24-197656				
2004	LE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2004	LE; RWD	4600 Series				Rear	24-185967	
2004	LE; RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2004	RWD; SE	4600 Series				Rear	24-185967	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Titan (continued)								
2004	RWD; SE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2004	RWD; XE	4600 Series				Rear	24-185967	
2004	RWD; XE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2004	SE	4600 Series	Front	24-197656				
2004	SE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
2004	XE	4600 Series	Front	24-197656				
2004	XE	5100 Series (Ride Height Adjustable)	Front	24-197649	Front Lifted Height: 0-2"			
Nissan Xterra								
2012	4WD; S	4600 Series				Rear	24-187121	
2012	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2012	4WD; X	4600 Series				Rear	24-187121	
2012	4WD; X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2012	PRO-4X	4600 Series	Front	24-137430		Rear	24-187121	
2012	PRO-4X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2012	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	RWD; S	4600 Series				Rear	24-187008	
2012	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2012	RWD; X	4600 Series				Rear	24-187008	
2012	RWD; X	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2012	S	4600 Series	Front	24-137430				
2012	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	SV	4600 Series	Front	24-137430		Rear	24-187121	
2012	SV	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2012	SV	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	X	4600 Series	Front	24-137430				
2012	X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	4WD; S	4600 Series				Rear	24-187121	
2011	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2011	4WD; SV	4600 Series				Rear	24-187121	
2011	4WD; SV	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2011	4WD; X	4600 Series				Rear	24-187121	
2011	4WD; X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2011	PRO-4X	4600 Series	Front	24-137430		Rear	24-187121	
2011	PRO-4X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2011	PRO-4X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Xterra (continued)								
2011	RWD; S	4600 Series				Rear	24-187008	
2011	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2011	RWD; SV	4600 Series				Rear	24-187008	
2011	RWD; SV	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2011	RWD; X	4600 Series				Rear	24-187008	
2011	RWD; X	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2011	S	4600 Series	Front	24-137430				
2011	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	SV	4600 Series	Front	24-137430				
2011	SV	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	X	4600 Series	Front	24-137430				
2011	X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	4WD; S	4600 Series				Rear	24-187121	
2010	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2010	4WD; SE	4600 Series				Rear	24-187121	
2010	4WD; SE	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2010	4WD; X	4600 Series				Rear	24-187121	
2010	4WD; X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2010	Off-Road	4600 Series	Front	24-137430		Rear	24-187121	
2010	Off-Road	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2010	Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	RWD; S	4600 Series				Rear	24-187008	
2010	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2010	RWD; SE	4600 Series				Rear	24-187008	
2010	RWD; SE	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2010	RWD; X	4600 Series				Rear	24-187008	
2010	RWD; X	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2010	S	4600 Series	Front	24-137430				
2010	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	SE	4600 Series	Front	24-137430				
2010	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	X	4600 Series	Front	24-137430				
2010	X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	4WD; S	4600 Series				Rear	24-187121	
2009	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Xterra (continued)								
2009	4WD; SE	4600 Series				Rear	24-187121	
2009	4WD; SE	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2009	4WD; X	4600 Series				Rear	24-187121	
2009	4WD; X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2009	Off-Road	4600 Series	Front	24-137430		Rear	24-187121	
2009	Off-Road	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2009	Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	RWD; S	4600 Series				Rear	24-187008	
2009	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2009	RWD; SE	4600 Series				Rear	24-187008	
2009	RWD; SE	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2009	RWD; X	4600 Series				Rear	24-187008	
2009	RWD; X	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2009	S	4600 Series	Front	24-137430				
2009	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	SE	4600 Series	Front	24-137430				
2009	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	X	4600 Series	Front	24-137430				
2009	X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2008	4WD; S	4600 Series				Rear	24-187121	
2008	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2008	4WD; SE	4600 Series				Rear	24-187121	
2008	4WD; SE	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2008	4WD; X	4600 Series				Rear	24-187121	
2008	4WD; X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2008	Off-Road	4600 Series	Front	24-137430		Rear	24-187121	
2008	Off-Road	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2008	Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2008	RWD; S	4600 Series				Rear	24-187008	
2008	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2008	RWD; SE	4600 Series				Rear	24-187008	
2008	RWD; SE	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2008	RWD; X	4600 Series				Rear	24-187008	
2008	RWD; X	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2008	S	4600 Series	Front	24-137430				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Xterra (continued)								
2008	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2008	SE	4600 Series	Front	24-137430				
2008	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2008	X	4600 Series	Front	24-137430				
2008	X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2007	4WD; S	4600 Series				Rear	24-187121	
2007	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2007	4WD; SE	4600 Series				Rear	24-187121	
2007	4WD; SE	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2007	4WD; X	4600 Series				Rear	24-187121	
2007	4WD; X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2007	Off-Road	4600 Series	Front	24-137430		Rear	24-187121	
2007	Off-Road	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2007	Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2007	RWD; S	4600 Series				Rear	24-187008	
2007	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2007	RWD; SE	4600 Series				Rear	24-187008	
2007	RWD; SE	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2007	RWD; X	4600 Series				Rear	24-187008	
2007	RWD; X	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2007	S	4600 Series	Front	24-137430				
2007	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2007	SE	4600 Series	Front	24-137430				
2007	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2007	X	4600 Series	Front	24-137430				
2007	X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2006	4WD; Off-Road	4600 Series				Rear	24-187121	
2006	4WD; Off-Road	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2006	4WD; S	4600 Series				Rear	24-187121	
2006	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2006	4WD; SE	4600 Series				Rear	24-187121	
2006	4WD; SE	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2006	4WD; X	4600 Series				Rear	24-187121	
2006	4WD; X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2006	Off-Road	4600 Series	Front	24-137430				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Xterra (continued)								
2006	Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2006	Off-Road; RWD	4600 Series				Rear	24-187008	
2006	Off-Road; RWD	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2006	RWD; S	4600 Series				Rear	24-187008	
2006	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2006	RWD; SE	4600 Series				Rear	24-187008	
2006	RWD; SE	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2006	RWD; X	4600 Series				Rear	24-187008	
2006	RWD; X	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2006	S	4600 Series	Front	24-137430				
2006	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2006	SE	4600 Series	Front	24-137430				
2006	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2006	X	4600 Series	Front	24-137430				
2006	X	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2005	4WD; Off-Road	4600 Series				Rear	24-187121	
2005	4WD; Off-Road	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2005	4WD; S	4600 Series				Rear	24-187121	
2005	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2005	4WD; SE	4600 Series				Rear	24-187121	
2005	4WD; SE	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2005	Off-Road	4600 Series	Front	24-137430				
2005	Off-Road	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2005	Off-Road; RWD	4600 Series				Rear	24-187008	
2005	Off-Road; RWD	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2005	RWD; S	4600 Series				Rear	24-187008	
2005	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2005	RWD; SE	4600 Series				Rear	24-187008	
2005	RWD; SE	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2005	S	4600 Series	Front	24-137430				
2005	S	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2005	SE	4600 Series	Front	24-137430				
2005	SE	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Nissan Xterra (continued)								
2004	SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2004	XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2003	SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2003	XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2002	SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2002	XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2001	SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2001	XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2000	SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
2000	XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.

Oldsmobile Bravada

2004	Base	4600 Series	Front	24-103336				
2004	Base; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2004	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2003	Base	4600 Series	Front	24-103336				
2003	Base; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2003	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Oldsmobile Bravada (continued)								
2002	Base	4600 Series	Front	24-103336				
2002	Base; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2002	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2001	Base	4600 Series	Front	24-187831		Rear	33-187532	
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
2001	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
2001	Base	4600 Series (Sport)				Rear	24-014137	
2000	Base	4600 Series	Front	24-187831		Rear	33-187532	
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
2000	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
2000	Base	4600 Series (Sport)				Rear	24-014137	
1999	Base	4600 Series	Front	24-187831		Rear	33-187532	
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1999	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
1999	Base	4600 Series (Sport)				Rear	24-014137	
1998	Base	4600 Series	Front	24-187831		Rear	33-187532	
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1998	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
1998	Base	4600 Series (Sport)				Rear	24-014137	
1997	Base	4600 Series	Front	24-187831		Rear	33-187532	
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1997	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
1997	Base	4600 Series (Sport)				Rear	24-014137	
1996	Base	4600 Series	Front	24-187831		Rear	33-187532	
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1996	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
1996	Base	4600 Series (Sport)				Rear	24-014137	
1994	Base	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Oldsmobile Bravada (continued)								
1993	Base	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1993	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
1992	Base	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1992	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
1991	Base	4600 Series	Front	24-187831				
			Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1991	Base	4600 Series (Comfort)	Front	F4-B46-1598-W0		Rear	F4-B46-1599-W0	
Oldsmobile Silhouette								
1996	Base	4600 Series	Front	35-132462	A-Platform based Van	Rear	24-010191	Leveling system will not function when shocks are installed
1995	Base	4600 Series	Front	35-132462	A-Platform based Van	Rear	24-010191	Leveling system will not function when shocks are installed
1994	Base	4600 Series	Front	35-132462	A-Platform based Van	Rear	24-010191	Leveling system will not function when shocks are installed
1993	Base	4600 Series	Front	35-132462	A-Platform based Van	Rear	24-010191	Leveling system will not function when shocks are installed
1992	Base	4600 Series	Front	35-132462	A-Platform based Van	Rear	24-010191	Leveling system will not function when shocks are installed
1991	Base	4600 Series	Front	35-132462	A-Platform based Van	Rear	24-010191	Leveling system will not function when shocks are installed
1990	Base	4600 Series	Front	35-132462	A-Platform based Van	Rear	24-010191	Leveling system will not function when shocks are installed
Plymouth PB300								
1980	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1979	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1978	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1977	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1976	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1975	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
Plymouth PB350								
1983	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1982	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1981	Voyager	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Plymouth Trailduster								
1981	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1980	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1979	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1978	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1977	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1976	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
1975	Base	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
Pontiac Trans Sport								
1996	Base	4600 Series	Front	35-132462		Rear	24-010191	Leveling system will not function when shock is installed
1995	Base	4600 Series	Front	35-132462		Rear	24-010191	Leveling system will not function when shock is installed
1994	Base	4600 Series	Front	35-132462		Rear	24-010191	Leveling system will not function when shock is installed
1993	Base	4600 Series	Front	35-132462		Rear	24-010191	Leveling system will not function when shock is installed
1992	Base	4600 Series	Front	35-132462		Rear	24-010191	Leveling system will not function when shock is installed
1991	Base	4600 Series	Front	35-132462		Rear	24-010191	Leveling system will not function when shock is installed
1990	Base	4600 Series	Front	35-132462		Rear	24-010191	Leveling system will not function when shock is installed
Porsche Cayenne								
2012	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Excludes PASM Electronic Suspension Package
2012	S Hybrid; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Excludes PASM Electronic Suspension Package
2012	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Excludes PASM Electronic Suspension Package
2011	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Excludes PASM Electronic Suspension Package
2011	S Hybrid; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Excludes PASM Electronic Suspension Package
2011	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Excludes PASM Electronic Suspension Package
2010	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2010	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Porsche Cayenne (continued)								
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2006	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2006	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2006	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
2006	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2006	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2006	S; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
2005	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2005	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2005	S; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
2004	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2004	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Porsche Cayenne (continued)								
2004	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
2004	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2004	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2004	S; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
2003	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2003	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2003	S; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
Ram 1500								
2012	4WD; Big Horn	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2012	4WD; Big Horn	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2012	4WD; Laramie	4600 Series	Front	24-187343		Rear	24-187350	
2012	4WD; Laramie	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2012	4WD; Laramie	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2012	4WD; Laramie Longhorn	4600 Series	Front	24-187343		Rear	24-187350	
2012	4WD; Laramie Longhorn	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2012	4WD; Laramie Longhorn	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2012	4WD; Outdoorsman	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2012	4WD; Outdoorsman	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2012	4WD; SLT	4600 Series	Front	24-187343		Rear	24-187350	
2012	4WD; SLT	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2012	4WD; SLT	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2012	4WD; ST	4600 Series	Front	24-187343		Rear	24-187350	
2012	4WD; ST	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2012	4WD; ST	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ram 1500 (continued)								
2012	4WD; Sport	4600 Series	Front	24-187343		Rear	24-187350	
2012	4WD; Sport	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2012	4WD; Sport	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2012	Laramie Longhorn; RWD	4600 Series	Front	24-187480				
2012	Laramie; RWD	4600 Series	Front	24-187480		Rear	24-187510	
2012	RWD; SLT	4600 Series	Front	24-187480		Rear	24-187510	
2012	RWD; ST	4600 Series	Front	24-187480		Rear	24-187510	
2012	RWD; Sport	4600 Series	Front	24-187480		Rear	24-187510	
2011	4WD; Big Horn	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2011	4WD; Big Horn	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2011	4WD; Laramie	4600 Series	Front	24-187343				
2011	4WD; Laramie	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2011	4WD; Laramie	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2011	4WD; Laramie Longhorn	5100 Series						
2011	4WD; Laramie Longhorn	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2011	4WD; SLT	4600 Series	Front	24-187343				
2011	4WD; SLT	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2011	4WD; SLT	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2011	4WD; ST	4600 Series	Front	24-187343				
2011	4WD; ST	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2011	4WD; ST	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2011	4WD; SXT	5100 Series						
2011	4WD; SXT	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2011	4WD; Sport	4600 Series	Front	24-187343				
2011	4WD; Sport	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2011	4WD; Sport	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2011	4WD; Tradesman	4600 Series	Front	24-187343				
2011	4WD; Tradesman	5100 Series				Rear	24-187374	Rear Lifted Height: 0-1"
2011	4WD; Tradesman	5100 Series (Ride Height Adjustable)	Front	24-187367	Front Lifted Height: 0-2.75"			
2011	Laramie; RWD	4600 Series	Front	24-187480				
2011	RWD; SLT	4600 Series	Front	24-187480		Rear	24-187510	
2011	RWD; ST	4600 Series	Front	24-187480		Rear	24-187510	
2011	RWD; Sport	4600 Series	Front	24-187480		Rear	24-187510	
2011	RWD; Tradesman	4600 Series	Front	24-187480		Rear	24-187510	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ram 2500								
2012	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	4WD; Laramie Longhorn	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; Laramie Longhorn	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; Laramie Longhorn	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	4WD; Outdoorsman	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; Outdoorsman	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; Outdoorsman	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; ST	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2012	Laramie Longhorn	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2012	Laramie Longhorn; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012	Outdoorsman	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2012	Outdoorsman; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ram 2500 (continued)								
2012	Power Wagon	5100 Series (Steering Damper)	Front	33-170794				
2012	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2012	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; Laramie Longhorn	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; Laramie Longhorn	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; Laramie Longhorn	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; Outdoorsman	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; Outdoorsman	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; Outdoorsman	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; ST	5100 Series (Steering Damper)	Front	33-170794				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ram 2500 (continued)								
2011	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	Laramie Longhorn	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	Laramie Longhorn; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	Outdoorsman	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	Outdoorsman; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	Power Wagon	5100 Series (Steering Damper)	Front	33-170794				
2011	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
Ram 3500								
2012	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	4WD; Laramie Longhorn	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; Laramie Longhorn	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; Laramie Longhorn	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ram 3500 (continued)								
2012	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2012	4WD; ST	5100 Series (Steering Damper)	Front	33-170794				
2012	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2012	Laramie Longhorn	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2012	Laramie Longhorn; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2012	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; Laramie Longhorn	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; Laramie Longhorn	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; Laramie Longhorn	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; SLT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Ram 3500 (continued)								
2011	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; ST	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	4WD; SXT	5100 Series	Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
			Front	24-187213	Front Lifted Height: 6-8"	Rear	33-187228	Rear Lifted Height: 3-5"
2011	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794				
2011	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	Laramie	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	Laramie Longhorn	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	Laramie Longhorn; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2011	SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
Saab 9-7x								
2009	4.2i	4600 Series	Front	24-103336		Rear	24-103343	
2009	5.3i	4600 Series	Front	24-103336		Rear	24-103343	
2009	Aero	4600 Series	Front	24-103336		Rear	24-103343	
2008	4.2i	4600 Series	Front	24-103336		Rear	24-103343	
2008	5.3i	4600 Series	Front	24-103336		Rear	24-103343	
2008	Aero	4600 Series	Front	24-103336		Rear	24-103343	
2007	4.2i	4600 Series	Front	24-103336		Rear	24-103343	
2007	5.3i	4600 Series	Front	24-103336		Rear	24-103343	
2006	4.2i	4600 Series	Front	24-103336		Rear	24-103343	
2006	5.3i	4600 Series	Front	24-103336		Rear	24-103343	
2005	Arc	4600 Series	Front	24-103336		Rear	24-103343	
2005	Linear	4600 Series	Front	24-103336		Rear	24-103343	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Seat Alhambra								
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-193865	Front Lowered Height: 30mm, up to 1260kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2008	Sport	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2008	Sport	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2007	Reference	B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2007	Reference	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2007	Reference	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-193865	Front Lowered Height: 30mm, up to 1260kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2007	Sport	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2007	Sport	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2006	Reference	B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2006	Reference	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2006	Reference	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2005	Reference	B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2005	Reference	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2005	Reference	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2005	Sport	B12 (Pro-Kit)	Front and Rear	46-193865	Front Lowered Height: 30mm, up to 1260kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2005	Sport	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2005	Sport	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2004	Sport	B12 (Pro-Kit)	Front and Rear	46-193865	Front Lowered Height: 30mm, up to 1260kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2004	Sport	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2004	Sport	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2004	Stella	B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2004	Stella	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2004	Stella	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2003	Sport	B12 (Pro-Kit)	Front and Rear	46-193865	Front Lowered Height: 30mm, up to 1260kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2003	Sport	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2003	Sport	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Seat Alhambra (continued)								
2003	Stella	B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2003	Stella	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2003	Stella	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2002	Sport	B12 (Pro-Kit)	Front and Rear	46-193865	Front Lowered Height: 30mm, up to 1260kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2002	Sport	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2002	Sport	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2002	Stella	B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2002	Stella	B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2002	Stella	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
Suzuki Equator								
2012	Base	4600 Series	Front	24-137430		Rear	24-186155	
2012	Base	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2012	Base	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	Premium	4600 Series	Front	24-137430		Rear	24-186155	
2012	Premium	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2012	Premium	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	RMZ-4	4600 Series	Front	24-137430		Rear	24-186155	
2012	RMZ-4	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2012	RMZ-4	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2012	Sport	4600 Series	Front	24-137430		Rear	24-186155	
2012	Sport	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2012	Sport	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	Base	4600 Series	Front	24-137430		Rear	24-186155	
2011	Base	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2011	Base	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	Premium	4600 Series	Front	24-137430		Rear	24-186155	
2011	Premium	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2011	Premium	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2011	RMZ-4	4600 Series	Front	24-137430		Rear	24-186155	
2011	RMZ-4	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2011	RMZ-4	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Suzuki Equator (continued)								
2011	Sport	4600 Series	Front	24-137430		Rear	24-186155	
2011	Sport	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2011	Sport	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	Base	4600 Series	Front	24-137430		Rear	24-186155	
2010	Base	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2010	Base	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	Premium	4600 Series	Front	24-137430		Rear	24-186155	
2010	Premium	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2010	Premium	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	RMZ-4	4600 Series	Front	24-137430		Rear	24-186155	
2010	RMZ-4	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2010	RMZ-4	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2010	Sport	4600 Series	Front	24-137430		Rear	24-186155	
2010	Sport	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2010	Sport	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	Base	4600 Series	Front	24-137430		Rear	24-186155	
2009	Base	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	Base	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	JX	4600 Series	Front	24-137430		Rear	24-186155	
2009	JX	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	JX	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	Premium	4600 Series	Front	24-137430		Rear	24-186155	
2009	Premium	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	Premium	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	RMZ-4	4600 Series	Front	24-137430		Rear	24-186155	
2009	RMZ-4	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	RMZ-4	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
2009	Sport	4600 Series	Front	24-137430		Rear	24-186155	
2009	Sport	5100 Series				Rear	24-187152	Rear Lifted Height: 0-1"
2009	Sport	5100 Series (Ride Height Adjustable)	Front	24-187053	Front Lifted Height: 0-2"			
Suzuki Samurai								
1995	JL	4600 Series	Front	24-012157		Rear	24-012164	
1994	JL	4600 Series	Front	24-012157		Rear	24-012164	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Suzuki Samurai (continued)								
1993	JA	4600 Series	Front	24-012157		Rear	24-012164	
1993	JL	4600 Series	Front	24-012157				
1992	JA	4600 Series	Front	24-012157		Rear	24-012164	
1992	JL	4600 Series	Front	24-012157				
1991	JA	4600 Series	Front	24-012157		Rear	24-012164	
1991	JL	4600 Series	Front	24-012157		Rear	24-012164	
1991	JS	4600 Series	Front	24-012157		Rear	24-012164	
1990	JL	4600 Series	Front	24-012157		Rear	24-012164	
1989	Base	4600 Series	Front	24-012157		Rear	24-012164	
1988	JA	4600 Series	Front	24-012157		Rear	24-012164	
1988	JX	4600 Series	Front	24-012157		Rear	24-012164	
Suzuki Sidekick								
1998	JLX Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1998	JS	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1998	JS Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1998	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1998	JX Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997	JLX Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997	JS	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997	JX Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1996	JLX Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1996	JS	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1996	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1996	JX Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1995	JLX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1995	JS	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1995	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1994	JLX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1994	JS	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Suzuki Sidekick (continued)								
1994	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1993	JLX	4600 Series	Front	35-003991				
1993	JS	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1993	JX	4600 Series	Front	35-003991				
1992	JLX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1992	JS	4600 Series	Front	35-003991				
1992	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1991	JL	4600 Series	Front	35-003991				
1991	JLX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1991	JS	4600 Series	Front	35-003991				
1991	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1990	JLX	4600 Series	Front	35-003991				
1990	JS	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1990	JX	4600 Series	Front	35-003991				
1989	JA	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1989	JLX	4600 Series	Front	35-003991				
1989	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
Toyota 4Runner								
2012	Limited	4600 Series	Front	24-187541		Rear	24-187558	
2012	Limited	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2012	Limited	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2012	Limited	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2012	SR5	4600 Series	Front	24-187541		Rear	24-187558	
2012	SR5	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2012	SR5	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2012	SR5	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2012	Trail	4600 Series	Front	24-187541		Rear	24-187558	
2012	Trail	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2012	Trail	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota 4Runner (continued)								
2012	Trail	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2011	Limited	4600 Series	Front	24-187541		Rear	24-187558	
2011	Limited	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2011	Limited	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2011	Limited	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2011	SR5	4600 Series	Front	24-187541		Rear	24-187558	
2011	SR5	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2011	SR5	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2011	SR5	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2011	Trail	4600 Series	Front	24-187541		Rear	24-187558	
2011	Trail	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2011	Trail	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2011	Trail	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2010	Limited	4600 Series	Front	24-187541		Rear	24-187558	
2010	Limited	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2010	Limited	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2010	Limited	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2010	SR5	4600 Series	Front	24-187541		Rear	24-187558	
2010	SR5	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2010	SR5	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2010	SR5	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2010	Trail	4600 Series	Front	24-187541		Rear	24-187558	
2010	Trail	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2010	Trail	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2010	Trail	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2009	Limited	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2009	Limited	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2009	Limited	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2009	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2009	SR5	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2009	SR5	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2009	SR5	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2009	SR5; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota 4Runner (continued)								
2009	Sport	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2009	Sport	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2009	Sport	5160 Series						
2009	Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2008	Limited	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2008	Limited	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2008	Limited	5160 Series						
2008	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2008	SR5	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2008	SR5	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2008	SR5	5160 Series						
2008	SR5; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2008	Sport	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2008	Sport	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2008	Sport	5160 Series						
2008	Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2007	Limited	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2007	Limited	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2007	Limited	5160 Series						
2007	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2007	SR5	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2007	SR5	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2007	SR5	5160 Series						
2007	SR5; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2007	Sport	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2007	Sport	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2007	Sport	5160 Series						
2007	Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2006	Limited	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota 4Runner (continued)								
2006	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2006	SR5	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2006	SR5; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2006	Sport	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2006	Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2005	Limited	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2005	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2005	SR5	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2005	SR5; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2005	Sport	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2005	Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2004	Limited	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2004	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2004	SR5	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2004	SR5; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2004	Sport	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2004	Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2003	Limited	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2003	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2003	SR5	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2003	SR5; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2002	4WD; Limited	4600 Series	Front	24-187244				
2002	4WD; SR5	4600 Series	Front	24-187244				
2002	Base	4600 Series				Rear	24-024518	
2002	Base; RWD	4600 Series	Front	24-188234				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota 4Runner (continued)								
2002	Limited	4600 Series				Rear	24-024518	
2002	Limited; RWD	4600 Series	Front	24-188234				
2002	RWD; SR5	4600 Series	Front	24-188234				
2002	SR5	4600 Series				Rear	24-024518	
2001	4WD; Base	4600 Series	Front	24-187244				
2001	4WD; Limited	4600 Series	Front	24-187244				
2001	4WD; SR5	4600 Series	Front	24-187244				
2001	Base	4600 Series				Rear	24-024518	
2001	Base; RWD	4600 Series	Front	24-188234				
2001	Limited	4600 Series				Rear	24-024518	
2001	Limited; RWD	4600 Series	Front	24-188234				
2001	RWD; SR5	4600 Series	Front	24-188234				
2001	SR5	4600 Series				Rear	24-024518	
2000	4WD; Base	4600 Series	Front	24-187244				
2000	4WD; Limited	4600 Series	Front	24-187244				
2000	4WD; SR5	4600 Series	Front	24-187244				
2000	Base	4600 Series				Rear	24-024518	
2000	Base; RWD	4600 Series	Front	24-188234				
2000	Limited	4600 Series				Rear	24-024518	
2000	Limited; RWD	4600 Series	Front	24-188234				
2000	RWD; SR5	4600 Series	Front	24-188234				
2000	SR5	4600 Series				Rear	24-024518	
1999	4WD; Base	4600 Series	Front	24-187244				
1999	4WD; Limited	4600 Series	Front	24-187244				
1999	4WD; SR5	4600 Series	Front	24-187244				
1999	Base	4600 Series				Rear	24-024518	
1999	Base; RWD	4600 Series	Front	24-188234				
1999	Limited	4600 Series				Rear	24-024518	
1999	Limited; RWD	4600 Series	Front	24-188234				
1999	RWD; SR5	4600 Series	Front	24-188234				
1999	SR5	4600 Series				Rear	24-024518	
1998	4WD; Base	4600 Series	Front	24-187244				
1998	4WD; Limited	4600 Series	Front	24-187244				
1998	4WD; SR5	4600 Series	Front	24-187244				
1998	Base	4600 Series				Rear	24-024518	
1998	Base; RWD	4600 Series	Front	24-188234				
1998	Limited	4600 Series				Rear	24-024518	
1998	Limited; RWD	4600 Series	Front	24-188234				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota 4Runner (continued)								
1998	RWD; SR5	4600 Series	Front	24-188234				
1998	SR5	4600 Series				Rear	24-024518	
1997	4WD; Base	4600 Series	Front	24-187244				
1997	4WD; Limited	4600 Series	Front	24-187244				
1997	4WD; SR5	4600 Series	Front	24-187244				
1997	Base	4600 Series				Rear	24-024518	
1997	Base; RWD	4600 Series	Front	24-188234				
1997	Limited	4600 Series				Rear	24-024518	
1997	Limited; RWD	4600 Series	Front	24-188234				
1997	RWD; SR5	4600 Series	Front	24-188234				
1997	SR5	4600 Series				Rear	24-024518	
1996	4WD; Base	4600 Series	Front	24-187244				
1996	4WD; SR5	4600 Series	Front	24-187244				
1996	Base	4600 Series				Rear	24-024518	
1996	Base; RWD	4600 Series	Front	24-188234				
1996	Limited	4600 Series	Front	24-187244		Rear	24-024518	
1996	RWD; SR5	4600 Series	Front	24-188234				
1996	SR5	4600 Series				Rear	24-024518	
1995	SR5	4600 Series	Front	24-014687		Rear	24-014694	
1995	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"			
1994	SR5	4600 Series	Front	24-014687		Rear	24-014694	
1994	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"			
1993	SR5	4600 Series	Front	24-014687		Rear	24-014694	
1993	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"			
1992	SR5	4600 Series	Front	24-014687		Rear	24-014694	
1992	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"			
1991	SR5	4600 Series	Front	24-014687		Rear	24-014694	
1991	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"			
1990	SR5	4600 Series	Front	24-014687		Rear	24-014694	
1990	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"			
1989	DLX	4600 Series	Front	24-011396		Rear	24-011402	
1989	DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1989	SR5	4600 Series	Front	24-011396		Rear	24-011402	
1989	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1988	DLX	4600 Series	Front	24-011396		Rear	24-011402	
1988	DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1988	SR5	4600 Series	Front	24-011396		Rear	24-011402	
1988	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota 4Runner (continued)								
1987	DLX	4600 Series	Front	24-011396		Rear	24-011402	
1987	DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987	SR5	4600 Series	Front	24-011396		Rear	24-011402	
1987	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	DLX	4600 Series	Front	24-011396		Rear	24-011402	
1986	DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	SR5	4600 Series	Front	24-011396		Rear	24-011402	
1986	SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1985	DLX	4600 Series	Front	24-184601		Rear	24-011402	
1985	SR5	4600 Series	Front	24-184601		Rear	24-011402	
1984	DLX	4600 Series	Front	24-184601		Rear	24-011402	
1984	SR5	4600 Series	Front	24-184601		Rear	24-011402	
Toyota FJ Cruiser								
2012	Base	4600 Series	Front	24-187541		Rear	24-187558	
2012	Base	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2012	Base	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2012	Base	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2011	Base	4600 Series	Front	24-187541		Rear	24-187558	
2011	Base	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2011	Base	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2011	Base	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2010	Base	4600 Series	Front	24-187541		Rear	24-187558	
2010	Base	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2010	Base	5100 Series (Ride Height Adjustable)	Front	24-196499	Front Lifted Height: 0-2.5"			
2010	Base	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2009	Base	4600 Series	Front	24-188401		Rear	24-186049	
2009	Base	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2009	Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2009	Base	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2009	Core	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2009	Core	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2009	Premium	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2009	Premium	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2008	Base	4600 Series	Front	24-188401		Rear	24-186049	
2008	Base	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2008	Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota FJ Cruiser (continued)								
2008	Base	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2008	Premium	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2008	Premium	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2008	Trail Teams Special Edition	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2008	Trail Teams Special Edition	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2008	Trail Teams Special Edition	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2007	Base	4600 Series	Front	24-188401		Rear	24-186049	
2007	Base	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2007	Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2007	Base	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2007	TRD Special Edition	5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2007	TRD Special Edition	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2007	TRD Special Edition	5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
Toyota Land Cruiser								
2011	Base	4600 Series	Front	24-214018	Excludes Air Leveling Suspension; Excludes Electronic Suspension	Rear	24-152938	Excludes Air Leveling Suspension; Excludes Electronic Suspension
2010	Base	4600 Series	Front	24-214018	Excludes Air Leveling Suspension; Excludes Electronic Suspension	Rear	24-152938	Excludes Air Leveling Suspension; Excludes Electronic Suspension
2009	Base	4600 Series	Front	24-214018	Excludes Air Leveling Suspension; Excludes Electronic Suspension	Rear	24-152938	Excludes Air Leveling Suspension; Excludes Electronic Suspension
2009	VX	4600 Series	Front	24-214018	Excludes Air Leveling Suspension; Excludes Electronic Suspension	Rear	24-152938	Excludes Air Leveling Suspension; Excludes Electronic Suspension
2008	Base	4600 Series	Front	24-214018	Excludes Air Leveling Suspension; Excludes Electronic Suspension	Rear	24-152938	Excludes Air Leveling Suspension; Excludes Electronic Suspension
2008	VX	4600 Series	Front	24-214018	Excludes Air Leveling Suspension; Excludes Electronic Suspension	Rear	24-152938	Excludes Air Leveling Suspension; Excludes Electronic Suspension
2007	Base	4600 Series	Front	24-027397		Rear	24-027403	
2006	Base	4600 Series	Front	24-027397		Rear	24-027403	
2005	Base	4600 Series	Front	24-027397		Rear	24-027403	
2004	Base	4600 Series	Front	24-027397		Rear	24-027403	
2003	Base	4600 Series	Front	24-027397		Rear	24-027403	
2002	Base	4600 Series	Front	24-027397		Rear	24-027403	
2001	Base	4600 Series	Front	24-027397		Rear	24-027403	
2000	Base	4600 Series	Front	24-027397		Rear	24-027403	
1999	Base	4600 Series	Front	24-027397		Rear	24-027403	
1998	Base	4600 Series	Front	24-027397		Rear	24-027403	
1997	Base	4600 Series	Front	24-014779	FJ80	Rear	24-014786	FJ80



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Land Cruiser (continued)								
1996	Base	4600 Series	Front	24-014779	FJ80	Rear	24-014786	FJ80
1995	Base	4600 Series	Front	24-014779	FJ80	Rear	24-014786	FJ80
1994	Base	4600 Series	Front	24-014779	FJ80	Rear	24-014786	FJ80
1993	Base	4600 Series	Front	24-014779	FJ80	Rear	24-014786	FJ80
1992	Base	4600 Series	Front	24-014779	FJ80	Rear	24-014786	FJ80
1991	Base	4600 Series	Front	24-014779	FJ80	Rear	24-014786	FJ80
1990	Base	4600 Series	Front	24-010047	FJ61/FJ62	Rear	24-011327	FJ60/FJ61/FJ62/HJ60
1989	Base	4600 Series	Front	24-010047	FJ61/FJ62	Rear	24-011327	FJ60/FJ61/FJ62/HJ60
1988	Base	4600 Series	Front	24-010047	FJ61/FJ62	Rear	24-011327	FJ60/FJ61/FJ62/HJ60
1987	Base	4600 Series	Front	24-002479		Rear	24-011327	FJ60/FJ61/FJ62/HJ60
			Front	24-010047	FJ61/FJ62	Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1986	Base	4600 Series	Front	24-002479		Rear	24-011327	FJ60/FJ61/FJ62/HJ60
			Front	24-010047	FJ61/FJ62	Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1985	Base	4600 Series	Front	24-002479		Rear	24-011327	FJ60/FJ61/FJ62/HJ60
			Front	24-010047	FJ61/FJ62	Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1984	Base	4600 Series	Front	24-002479		Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1983	Base	4600 Series				Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1983	Base; w/ FJ60 Body	4600 Series	Front	24-002479				
1982	Base	4600 Series	Front	24-002486	FJ40	Rear	24-002585	FJ40; From 1/75 To 82
						Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1982	Base; w/ FJ40 Body	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"	Rear	33-185552	Rear Lifted Height: 4"
1982	Base; w/ FJ60 Body	4600 Series	Front	24-002479				
1981	Base	4600 Series	Front	24-002486	FJ40	Rear	24-002585	FJ40; From 1/75 To 82
						Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1981	Base; w/ FJ40 Body	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"	Rear	33-185552	Rear Lifted Height: 4"
1981	Base; w/ FJ60 Body	4600 Series	Front	24-002479				
1980	Base	4600 Series	Front	24-002486	FJ40	Rear	24-002585	FJ40; From 1/75 To 82
						Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1980	Base; w/ FJ40 Body	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"	Rear	33-185552	Rear Lifted Height: 4"
1979	Base	4600 Series	Front	24-002486	FJ40	Rear	24-002585	FJ40; From 1/75 To 82
1979	Base; w/ FJ40 Body	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"	Rear	33-185552	Rear Lifted Height: 4"
1978	Base	4600 Series	Front	24-002486	FJ40	Rear	24-002585	FJ40; From 1/75 To 82

2297



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Land Cruiser (continued)								
1965	Base	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"			Rear
1964	Base	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"			Rear
1963	Base	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"			Rear
1962	Base	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"			Rear
1961	Base	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"			Rear
1960	Base	5100 Series	Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"			Rear
Toyota Pickup								
1995	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1995	4WD; DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1995	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1995	4WD; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1995	Base	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1995	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1995	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1994	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1994	4WD; DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1994	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1994	4WD; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1994	Base	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1994	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1994	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1993	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1993	4WD; DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Pickup (continued)								
1993	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1993	4WD; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1993	Base	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1993	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1993	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1992	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1992	4WD; DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1992	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1992	4WD; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1992	Base	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1992	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1992	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1991	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1991	4WD; DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1991	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1991	4WD; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1991	Base	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1991	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1991	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1990	2 Dr.; 4WD; DLX; Extended Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1990	2 Dr.; 4WD; DLX; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1990	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1990	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1990	4WD; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1990	Base	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1990	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Pickup (continued)								
1990	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1989	2 Dr.; 4WD; DLX; Extended Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1989	2 Dr.; 4WD; DLX; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1989	2 Dr.; 4WD; Extended Cab Pickup; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1989	2 Dr.; 4WD; SR5; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1989	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1989	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1989	Base	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1989	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1989	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1988	2 Dr.; 4WD; Base; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1988	2 Dr.; 4WD; DLX; Extended Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1988	2 Dr.; 4WD; DLX; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1988	2 Dr.; 4WD; Extended Cab Pickup; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1988	2 Dr.; 4WD; SR5; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1988	4WD; Base	4600 Series	Front	24-011396		Rear	24-011402	
1988	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1988	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1988	Base; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1988	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1988	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1988	SR5 Turbo	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1987	2 Dr.; 4WD; Base; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987	2 Dr.; 4WD; DLX; Extended Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987	2 Dr.; 4WD; DLX; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Pickup (continued)								
1987	2 Dr.; 4WD; Extended Cab Pickup; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987	2 Dr.; 4WD; Extended Cab Pickup; SR5 Turbo	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987	2 Dr.; 4WD; SR5; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987	4WD; Base	4600 Series	Front	24-011396		Rear	24-011402	
1987	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1987	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1987	4WD; SR5 Turbo	4600 Series	Front	24-011396		Rear	24-011402	
1987	Base Turbo	4600 Series	Front	24-011396		Rear	24-011402	
1987	Base Turbo	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987	Base; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1987	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1987	LN55 DLX	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1987	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1987	RWD; SR5 Turbo	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1986	2 Dr.; 4WD; Base; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	2 Dr.; 4WD; DLX; Extended Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	2 Dr.; 4WD; DLX; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	2 Dr.; 4WD; Extended Cab Pickup; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	2 Dr.; 4WD; Extended Cab Pickup; SR5 Turbo	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	2 Dr.; 4WD; SR5; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	4WD; Base	4600 Series	Front	24-011396		Rear	24-011402	
1986	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1986	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1986	4WD; SR5 Turbo	4600 Series	Front	24-011396		Rear	24-011402	
1986	Base Turbo	4600 Series	Front	24-011396		Rear	24-011402	
1986	Base Turbo	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1986	Base; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Pickup (continued)								
1986	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1986	LN55 DLX	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1986	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1986	RWD; SR5 Turbo	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1985	4WD; Base	4600 Series				Rear	24-011402	
1985	4WD; DLX	4600 Series				Rear	24-011402	
1985	4WD; SR5	4600 Series				Rear	24-011402	
1985	Base	4600 Series	Front	24-184601				
1985	Base; RWD	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1985	Base; RWD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1985	DLX	4600 Series	Front	24-184601				
1985	DLX Turbo	4600 Series	Front	24-184601		Rear	24-011402	
1985	DLX; RWD	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1985	DLX; RWD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1985	RWD; SR5	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1985	RWD; SR5; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1985	SR5	4600 Series	Front	24-184601				
1985	SR5 Turbo	4600 Series	Front	24-184601		Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1985	SR5 Turbo; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1984	4WD; Base	4600 Series				Rear	24-011402	
1984	4WD; DLX	4600 Series				Rear	24-011402	
1984	4WD; SR5	4600 Series				Rear	24-011402	
1984	Base	4600 Series	Front	24-184601				
1984	Base; RWD	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1984	Base; RWD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Pickup (continued)								
1984	DLX	4600 Series	Front	24-184601				
1984	DLX; RWD	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1984	DLX; RWD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1984	LN56	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1984	RWD; SR5	4600 Series				Rear	24-002585	Dual Rear Wheels
						Rear	24-188203	Single Rear Wheel
1984	RWD; SR5; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1984	SR5	4600 Series	Front	24-184601				
1983	4WD; DLX	4600 Series				Rear	24-002585	
1983	4WD; DLX	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1983	4WD; SR5	4600 Series				Rear	24-002585	
1983	4WD; SR5	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1983	Base	4600 Series	Front	24-184601		Rear	24-188203	Single Rear Wheel
1983	DLX	4600 Series	Front	24-184601				
1983	DLX; RWD	4600 Series				Rear	24-188203	Single Rear Wheel
1983	RWD; SR5	4600 Series				Rear	24-188203	Single Rear Wheel
1983	SR5	4600 Series	Front	24-184601				
1982	4WD; DLX	4600 Series				Rear	24-002585	
1982	4WD; DLX	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1982	4WD; SR5	4600 Series				Rear	24-002585	
1982	4WD; SR5	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1982	Base	4600 Series	Front	24-184601		Rear	24-188203	Single Rear Wheel
1982	DLX	4600 Series	Front	24-184601				
1982	DLX; RWD	4600 Series				Rear	24-188203	Single Rear Wheel
1982	RWD; SR5	4600 Series				Rear	24-188203	Single Rear Wheel
1982	SR5	4600 Series	Front	24-184601				
1981	4WD; DLX	4600 Series				Rear	24-002585	
1981	4WD; DLX	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1981	4WD; SR5	4600 Series				Rear	24-002585	
1981	4WD; SR5	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1981	Base	4600 Series	Front	24-184601		Rear	24-188203	Single Rear Wheel
1981	DLX	4600 Series	Front	24-184601				
1981	DLX; RWD	4600 Series				Rear	24-188203	Single Rear Wheel
1981	RWD; SR5	4600 Series				Rear	24-188203	Single Rear Wheel



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Pickup (continued)								
1981	SR5	4600 Series	Front	24-184601				
1980	4WD; DLX	4600 Series				Rear	24-002585	
1980	4WD; DLX	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1980	Base	4600 Series	Front	24-184601		Rear	24-188203	Single Rear Wheel
1980	DLX	4600 Series	Front	24-184601				
1980	DLX; RWD	4600 Series				Rear	24-188203	Single Rear Wheel
1980	SR5	4600 Series	Front	24-184601		Rear	24-188203	Single Rear Wheel
1979	4WD; DLX	4600 Series				Rear	24-002585	
1979	4WD; DLX	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1979	Base	4600 Series	Front	24-184601		Rear	24-188203	Single Rear Wheel
1979	DLX	4600 Series	Front	24-184601				
1979	DLX; RWD	4600 Series				Rear	24-188203	Single Rear Wheel
1979	SR5	4600 Series	Front	24-184601		Rear	24-188203	Single Rear Wheel
1978	Base	4600 Series				Rear	24-188203	Single Rear Wheel
1978	SR5	4600 Series				Rear	24-188203	Single Rear Wheel
1977	Base	4600 Series				Rear	24-188203	Single Rear Wheel
1977	SR5	4600 Series				Rear	24-188203	Single Rear Wheel
1976	Base	4600 Series				Rear	24-188203	Single Rear Wheel
1975	Base	4600 Series				Rear	24-188203	Single Rear Wheel
1974	Base	4600 Series				Rear	24-188203	Single Rear Wheel
Toyota RAV4								
2012	Base	B4				Rear	19-164687	
2012	Limited	B4				Rear	19-164687	
2012	Sport	B4				Rear	19-164687	
2011	Base	B4				Rear	19-164687	
2011	Limited	B4				Rear	19-164687	
2011	Sport	B4				Rear	19-164687	
2010	Base	B4				Rear	19-164687	
2010	Limited	B4				Rear	19-164687	
2010	Sport	B4				Rear	19-164687	
2009	Base	B4				Rear	19-164687	
2009	Limited	B4				Rear	19-164687	
2009	Sport	B4				Rear	19-164687	
2008	Base	B4				Rear	19-164687	
2008	Limited	B4				Rear	19-164687	
2008	Sport	B4				Rear	19-164687	
2007	Base	B4				Rear	19-164687	
2007	Limited	B4				Rear	19-164687	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota RAV4 (continued)								
2007	Sport	B4				Rear	19-164687	
2006	Base	B4				Rear	19-164687	
2006	Limited	B4				Rear	19-164687	
2006	Sport	B4				Rear	19-164687	
2005	Base	B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2005	L	B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2005	Sport	B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2004	Base	B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2003	Base	B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2002	Base	B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2001	Base	B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2000	Base	4600 Series	Front	34-030615	After 97 must verify that strut units are not sealed type	Rear	24-021203	
2000	Base	B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2000	Base	B8 (SP)	Front	34-030622	Verify that strut units are "serviceable" non-sealed type	Rear	24-021210	
1999	Base	4600 Series	Front	34-030615	After 97 must verify that strut units are not sealed type	Rear	24-021203	
1999	Base	B8 (SP)	Front	34-030622	Verify that strut units are "serviceable" non-sealed type	Rear	24-021210	
1998	Base	4600 Series	Front	34-030615	After 97 must verify that strut units are not sealed type	Rear	24-021203	
1998	Base	B8 (SP)	Front	34-030622	Verify that strut units are "serviceable" non-sealed type	Rear	24-021210	
1997	Base	4600 Series	Front	34-030615	After 97 must verify that strut units are not sealed type	Rear	24-021203	
1997	Base	B8 (SP)	Front	34-030622	Verify that strut units are "serviceable" non-sealed type	Rear	24-021210	
1996	Base	4600 Series	Front	34-030615	After 97 must verify that strut units are not sealed type	Rear	24-021203	
1996	Base	B8 (SP)	Front	34-030622	Verify that strut units are "serviceable" non-sealed type	Rear	24-021210	
Toyota Sequoia								
2012	Limited	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2012	Limited	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Sequoia (continued)								
2012	Limited	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2012	Platinum	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2012	Platinum; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2012	Platinum; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2012	SR5	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2012	SR5	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2012	SR5	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2011	Limited	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2011	Limited	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2011	Limited	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2011	Platinum	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2011	Platinum; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2011	Platinum; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2011	SR5	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2011	SR5	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2011	SR5	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2010	Limited	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2010	Limited; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2010	Limited; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2010	Platinum	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2010	Platinum; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2010	Platinum; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2010	SR5	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2010	SR5; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2010	SR5; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2009	Limited	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2009	Limited; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2009	Limited; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2009	Platinum	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Sequoia (continued)								
2009	Platinum; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2009	Platinum; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2009	SR5	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2009	SR5; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2009	SR5; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2008	Limited	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2008	Limited; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2008	Limited; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2008	Platinum	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2008	Platinum; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2008	Platinum; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2008	SR5	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2008	SR5 Premium	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2008	SR5 Premium	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2008	SR5 Premium	5100 Series (Ride Height Adjustable)	Front	24-187275	Front Lifted Height: 0-2.5"			
2008	SR5; w/ Coil Rear Springs	4600 Series	Front	24-187251	Excludes Electronic Suspension	Rear	33-187266	Excludes Electronic Suspension
2008	SR5; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2007	Limited	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2007	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2007	SR5	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2007	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2006	Limited	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2006	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2006	SR5	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2006	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2005	Limited	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2005	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2005	SR5	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2005	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2004	Limited	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Sequoia (continued)								
2004	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2004	SR5	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2004	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2003	Limited	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2003	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2003	SR5	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2003	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2002	Limited	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2002	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2002	SR5	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2002	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2001	Limited	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2001	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
2001	SR5	4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Rear Lifted Height: 0-1"
2001	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2.5"			
Toyota T100								
1998	4WD; Base	4600 Series	Front	24-184892		Rear	24-184908	
1998	4WD; SR5	4600 Series	Front	24-184892		Rear	24-184908	
1998	Base; RWD	4600 Series	Front	24-021272		Rear	24-021289	
1998	RWD; SR5	4600 Series	Front	24-021272		Rear	24-021289	
1997	4WD; DLX	4600 Series	Front	24-184892		Rear	24-184908	
1997	4WD; SR5	4600 Series	Front	24-184892		Rear	24-184908	
1997	Base	4600 Series	Front	24-021272		Rear	24-021289	
1997	DLX; RWD	4600 Series	Front	24-021272		Rear	24-021289	
1997	RWD; SR5	4600 Series	Front	24-021272		Rear	24-021289	
1996	4WD; DLX	4600 Series	Front	24-184892		Rear	24-184908	
1996	4WD; SR5	4600 Series	Front	24-184892		Rear	24-184908	
1996	Base	4600 Series	Front	24-021272		Rear	24-021289	
1996	DLX; RWD	4600 Series	Front	24-021272		Rear	24-021289	
1996	RWD; SR5	4600 Series	Front	24-021272		Rear	24-021289	
1995	4WD; SR5	4600 Series	Front	24-184892		Rear	24-184908	
1995	Base	4600 Series	Front	24-021272		Rear	24-021289	
1995	DLX; RWD	4600 Series	Front	24-021272		Rear	24-021289	
1995	One-Ton DLX	4600 Series				Rear	24-021289	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota T100 (continued)								
1995	RWD; SR5	4600 Series	Front	24-021272		Rear	24-021289	
1994	4WD; SR5	4600 Series	Front	24-184892		Rear	24-184908	
1994	Base	4600 Series	Front	24-021272		Rear	24-021289	
1994	RWD; SR5	4600 Series	Front	24-021272		Rear	24-021289	
1993	4WD; Base	4600 Series	Front	24-184892		Rear	24-184908	
1993	4WD; SR5	4600 Series	Front	24-184892		Rear	24-184908	
1993	Base; RWD	4600 Series	Front	24-021272		Rear	24-021289	
1993	One-Ton	4600 Series				Rear	24-021289	
1993	RWD; SR5	4600 Series	Front	24-021272		Rear	24-021289	
Toyota Tacoma								
2013	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2013	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2013	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2013	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2013	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2013	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2013	Pre Runner	5100 Series				Rear	24-186728	6 Lug Wheel; Rear Lifted Height: 0-1"
2013	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	6 Lug Wheel; Front Lifted Height: 0-2.5"			
2013	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2012	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2012	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2012	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2012	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2012	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2012	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2012	Pre Runner	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2012	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2012	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2011	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2011	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2011	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2011	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Tacoma (continued)								
2011	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2011	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2011	Pre Runner	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2011	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2011	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2010	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2010	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2010	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2010	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2010	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2010	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2010	Pre Runner	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2010	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2010	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2009	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2009	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2009	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2009	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2009	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2009	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2009	Pre Runner	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2009	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2009	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2008	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2008	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2008	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2008	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2008	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2008	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2008	Pre Runner	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Tacoma (continued)								
2008	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2008	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2007	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2007	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2007	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2007	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2007	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2007	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2007	Pre Runner	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2007	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2007	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2006	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2006	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2006	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2006	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2006	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2006	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2006	Pre Runner	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2006	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2006	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2005	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2005	4WD; Base	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2005	4WD; Base	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2005	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2005	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2005	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2005	Pre Runner	5100 Series				Rear	24-186728	Rear Lifted Height: 0-1"
2005	Pre Runner	5100 Series (Ride Height Adjustable)	Front	24-186711	Front Lifted Height: 0-2.5"			
2005	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front				Rear		
Toyota Tacoma (continued)									
2004	4WD; Base	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
2004	Base; RWD	4600 Series	Front	24-184991	5 Lug Wheel		Rear	24-026758	5 Lug Wheel
2004	Pre Runner	4600 Series	Front	24-022842	6 Lug Wheel		Rear Left	24-184960	6 Lug Wheel
							Rear Right	24-184977	6 Lug Wheel
2003	4WD; DLX	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
2003	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel		Rear	24-026758	5 Lug Wheel
2003	Pre Runner	4600 Series	Front	24-022842	6 Lug Wheel		Rear Left	24-184960	6 Lug Wheel
							Rear Right	24-184977	6 Lug Wheel
2002	4WD; DLX	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
2002	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel		Rear	24-026758	5 Lug Wheel
2002	Pre Runner	4600 Series	Front	24-022842	6 Lug Wheel		Rear Left	24-184960	6 Lug Wheel
							Rear Right	24-184977	6 Lug Wheel
2001	4WD; DLX	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
2001	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel		Rear	24-026758	5 Lug Wheel
2001	Pre Runner	4600 Series	Front	24-022842	6 Lug Wheel		Rear Left	24-184960	6 Lug Wheel
							Rear Right	24-184977	6 Lug Wheel
2000	4WD; DLX	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
2000	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel		Rear	24-026758	5 Lug Wheel
2000	Limited	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
2000	Pre Runner	4600 Series	Front	24-022842	6 Lug Wheel		Rear Left	24-184960	6 Lug Wheel
							Rear Right	24-184977	6 Lug Wheel
2000	SR5	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
1999	4WD; DLX	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
1999	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel		Rear	24-026758	5 Lug Wheel
1999	Limited	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	
1999	Pre Runner	4600 Series	Front	24-022842	6 Lug Wheel		Rear Left	24-184960	6 Lug Wheel
							Rear Right	24-184977	6 Lug Wheel
1999	SR5	4600 Series	Front	24-022842			Rear Left	24-184960	
							Rear Right	24-184977	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Tacoma (continued)								
1998	4WD; DLX	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
1998	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel	Rear	24-026758	5 Lug Wheel
1998	Limited	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
1998	Pre Runner	4600 Series	Front	24-022842	6 Lug Wheel	Rear Left	24-184960	6 Lug Wheel
						Rear Right	24-184977	6 Lug Wheel
1998	SR5	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
1997	4WD; DLX	4600 Series	Front	24-022842		Rear Right	24-184977	
1997	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel	Rear	24-026758	5 Lug Wheel
1997	SR5	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
1996	4WD; DLX	4600 Series	Front	24-022842		Rear Right	24-184977	
1996	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel	Rear	24-026758	5 Lug Wheel
1996	SR5	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
1995	4WD; DLX	4600 Series	Front	24-022842		Rear Right	24-184977	
1995	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel	Rear	24-026758	5 Lug Wheel
1995	SR5	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
Toyota Tundra								
2012	Base	4600 Series	Front	24-186230		Rear	24-186247	
2012	Base	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2012	Base	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2012	Limited	4600 Series	Front	24-186230		Rear	24-186247	
2012	Limited	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2012	Limited	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2011	Base	4600 Series	Front	24-186230		Rear	24-186247	
2011	Base	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2011	Base	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2011	Limited	4600 Series	Front	24-186230		Rear	24-186247	
2011	Limited	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2011	Limited	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2011	SR5	4600 Series	Front	24-186230		Rear	24-186247	
2011	SR5	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Tundra (continued)								
2011	SR5	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2010	Base	4600 Series	Front	24-186230		Rear	24-186247	
2010	Base	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2010	Base	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2010	Limited	4600 Series	Front	24-186230		Rear	24-186247	
2010	Limited	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2010	Limited	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2010	Platinum	4600 Series	Front	24-186230		Rear	24-186247	
2010	Platinum	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2010	Platinum	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2010	SR5	4600 Series	Front	24-186230		Rear	24-186247	
2010	SR5	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2010	SR5	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2009	Base	4600 Series	Front	24-186230		Rear	24-186247	
2009	Base	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2009	Base	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2009	Limited	4600 Series	Front	24-186230		Rear	24-186247	
2009	Limited	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2009	Limited	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2009	Platinum	4600 Series	Front	24-186230		Rear	24-186247	
2009	Platinum	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2009	Platinum	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2009	SR5	4600 Series	Front	24-186230		Rear	24-186247	
2009	SR5	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2009	SR5	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2008	Base	4600 Series	Front	24-186230		Rear	24-186247	
2008	Base	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2008	Base	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2008	Limited	4600 Series	Front	24-186230		Rear	24-186247	
2008	Limited	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2008	Limited	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2008	SR5	4600 Series	Front	24-186230		Rear	24-186247	
2008	SR5	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Tundra (continued)								
2008	SR5	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2007	Base	4600 Series	Front	24-186230		Rear	24-186247	
2007	Base	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2007	Base	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2007	Limited	4600 Series	Front	24-186230		Rear	24-186247	
2007	Limited	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2007	Limited	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2007	SR5	4600 Series	Front	24-186230		Rear	24-186247	
2007	SR5	5100 Series				Rear	24-186971	Rear Lifted Height: 0-1"
2007	SR5	5100 Series (Ride Height Adjustable)	Front	24-186964	Front Lifted Height: 0.875-2.5"			
2006	4 Dr.; Extended Cab Pickup; Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2006	4 Dr.; Extended Cab Pickup; SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2006	Base	4600 Series	Front	24-185387		Rear	24-185394	
2006	Base	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2006	Base	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2006	Base	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2006	Limited	4600 Series	Front	24-185387		Rear	24-185394	
2006	Limited	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2006	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2006	SR5	4600 Series	Front	24-185387		Rear	24-185394	
2006	SR5	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2006	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2005	2 Dr.; Base; Standard Cab Pickup	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2005	2 Dr.; Limited; Standard Cab Pickup	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2005	2 Dr.; SR5; Standard Cab Pickup	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2005	4 Dr.; Base; Extended Cab Pickup	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2005	4 Dr.; Extended Cab Pickup; Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2005	4 Dr.; Extended Cab Pickup; SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2005	Base	4600 Series	Front	24-185387		Rear	24-185394	
2005	Base	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2005	Base	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Tundra (continued)								
2005	Limited	4600 Series	Front	24-185387		Rear	24-185394	
2005	Limited	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2005	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2005	SR5	4600 Series	Front	24-185387				
2005	SR5	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2005	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2004	2 Dr.; SR5; Standard Cab Pickup	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2004	4 Dr.; Extended Cab Pickup; Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2004	4 Dr.; Extended Cab Pickup; SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2004	Base	4600 Series	Front	24-185387		Rear	24-185394	
2004	Base	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2004	Base	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2004	Base	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2004	Limited	4600 Series	Front	24-185387		Rear	24-185394	
2004	Limited	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2004	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2004	SR5	4600 Series	Front	24-185387				
2004	SR5	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2004	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2003	Base	4600 Series	Front	24-185387				
2003	Base	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2003	Base	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2003	Base	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2003	Limited	4600 Series	Front	24-185387		Rear	24-185394	
2003	Limited	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2003	Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2003	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2003	SR5	4600 Series	Front	24-185387		Rear	24-185394	
2003	SR5	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2003	SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2003	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2002	Base	4600 Series	Front	24-185387		Rear	24-185394	
2002	Base	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Toyota Tundra (continued)								
2002	Base	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2002	Base	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2002	Limited	4600 Series	Front	24-185387		Rear	24-185394	
2002	Limited	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2002	Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2002	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2002	SR5	4600 Series	Front	24-185387		Rear	24-185394	
2002	SR5	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2002	SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2002	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2001	Base	4600 Series	Front	24-185387		Rear	24-185394	
2001	Base	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2001	Base	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2001	Base	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2001	Limited	4600 Series	Front	24-185387		Rear	24-185394	
2001	Limited	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2001	Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2001	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2001	SR5	4600 Series	Front	24-185387		Rear	24-185394	
2001	SR5	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2001	SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2001	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2000	Base	4600 Series	Front	24-185387		Rear	24-185394	
2000	Base	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2000	Base	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2000	Base	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2000	Limited	4600 Series	Front	24-185387		Rear	24-185394	
2000	Limited	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2000	Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2000	Limited	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			
2000	SR5	4600 Series	Front	24-185387		Rear	24-185394	
2000	SR5	5100 Series				Rear	24-100144	Rear Lifted Height: 0-1"
2000	SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2"			
2000	SR5	5100 Series (Ride Height Adjustable)	Front	24-188265	Front Lifted Height: 0-2"			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Amarok								
2012	Entry	4600 Series	Front	24-195690				
2012	Highline	4600 Series	Front	24-195690				
2012	Startline	4600 Series	Front	24-195690				
2011	Entry	4600 Series	Front	24-195690				
2011	Highline	4600 Series	Front	24-195690				
2011	Startline	4600 Series	Front	24-195690				
Volkswagen EuroVan								
2009	1.9L L4 1896cc 116 CID; Base	B12 (Pro-Kit)	Front and Rear	46-192141	Front Lowered Height: 30mm, up to 1550kg Axle Load; Rear Lowered Height: 30mm, up to 1720kg Axle Load			
2009	Base	4600 Series	Front	22-142429	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	24-109116	
2009	Base	B4	Front	22-140098	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	19-140100	
2009	Base	B8 (SP)	Front	22-142436	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension			
2008	1.9L L4 1896cc 116 CID; Base	B12 (Pro-Kit)	Front and Rear	46-192141	Front Lowered Height: 30mm, up to 1550kg Axle Load; Rear Lowered Height: 30mm, up to 1720kg Axle Load			
2008	Base	4600 Series	Front	22-142429	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	24-109116	
2008	Base	B4	Front	22-140098	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	19-140100	
2008	Base	B8 (SP)	Front	22-142436	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension			
2007	1.9L L4 1896cc 116 CID; Base	B12 (Pro-Kit)	Front and Rear	46-192141	Front Lowered Height: 30mm, up to 1550kg Axle Load; Rear Lowered Height: 30mm, up to 1720kg Axle Load			
2007	Base	4600 Series	Front	22-142429	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	24-109116	
2007	Base	B4	Front	22-140098	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	19-140100	
2007	Base	B8 (SP)	Front	22-142436	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension			
2006	1.9L L4 1896cc 116 CID; Base	B12 (Pro-Kit)	Front and Rear	46-192141	Front Lowered Height: 30mm, up to 1550kg Axle Load; Rear Lowered Height: 30mm, up to 1720kg Axle Load			
2006	Base	4600 Series	Front	22-142429	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	24-109116	
2006	Base	B4	Front	22-140098	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	19-140100	
2006	Base	B8 (SP)	Front	22-142436	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen EuroVan (continued)								
2004	2.5L L5 2461cc 150 CID; Base	B12 (Pro-Kit)	Front and Rear	46-192158	Front Lowered Height: 30mm, up to 1710kg Axle Load; Rear Lowered Height: 30mm, up to 1720kg Axle Load			
2004	Base	4600 Series	Front	22-142429	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	24-109116	
2004	Base	B4	Front	22-140098	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	19-140100	
2004	Base	B8 (SP)	Front	22-142436	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension			
2003	Base	4600 Series				Rear	24-214230	
2003	Base	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2003	GLS	4600 Series	Front	24-019118		Rear	24-214230	
2003	GLS	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2003	GLS	B4	Front	19-028514		Rear	19-028521	
2003	MV	4600 Series	Front	24-019118		Rear	24-214230	
2003	MV	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2003	MV	B4	Front	19-028514		Rear	19-028521	
2002	Base	4600 Series				Rear	24-214230	
2002	Base	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2002	GLS	4600 Series	Front	24-019118		Rear	24-214230	
2002	GLS	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2002	GLS	B4	Front	19-028514		Rear	19-028521	
2002	MV	4600 Series	Front	24-019118		Rear	24-214230	
2002	MV	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2002	MV	B4	Front	19-028514		Rear	19-028521	
2001	Base	4600 Series				Rear	24-214230	
2001	Base	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2001	GLS	4600 Series	Front	24-019118		Rear	24-214230	
2001	GLS	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen EuroVan (continued)								
2001	GLS	B4	Front	19-028514		Rear	19-028521	
2001	MV	4600 Series	Front	24-019118		Rear	24-214230	
2001	MV	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2001	MV	B4	Front	19-028514		Rear	19-028521	
2000	GLS	4600 Series	Front	24-019118		Rear	24-214230	
2000	GLS	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2000	GLS	B4	Front	19-028514		Rear	19-028521	
2000	MV	4600 Series	Front	24-019118		Rear	24-214230	
2000	MV	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2000	MV	B4	Front	19-028514		Rear	19-028521	
2000	VR6	4600 Series				Rear	24-214230	
2000	VR6	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1999	GLS	4600 Series	Front	24-019118		Rear	24-214230	
1999	GLS	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1999	GLS	B4	Front	19-028514		Rear	19-028521	
1999	MV	4600 Series	Front	24-019118		Rear	24-214230	
1999	MV	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1999	MV	B4	Front	19-028514		Rear	19-028521	
1997	Camper	4600 Series	Front	24-019118		Rear	24-214230	
1997	Camper	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1996	Base	4600 Series				Rear	24-214230	
1996	Base	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1995	Base	4600 Series				Rear	24-214230	
1995	Base	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1995	Camper	4600 Series	Front	24-019118		Rear	24-214230	
1995	Camper	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen EuroVan (continued)								
1995	GLS	4600 Series				Rear	24-214230	
1995	GLS	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1995	Transport	4600 Series				Rear	24-214230	
1995	Transport	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1994	Base	4600 Series				Rear	24-214230	
1994	Base	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1994	CV	4600 Series				Rear	24-214230	
1994	CV	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1994	GLS	4600 Series				Rear	24-214230	
1994	GLS	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1993	Base	4600 Series				Rear	24-214230	
1993	Base	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1993	CL	4600 Series	Front	24-019118		Rear	24-214230	
1993	CL	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1993	CL	B4	Front	19-028514		Rear	19-028521	
1993	CV	4600 Series				Rear	24-214230	
1993	CV	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1993	GL	4600 Series	Front	24-019118		Rear	24-214230	
1993	GL	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1993	GL	B4	Front	19-028514		Rear	19-028521	
1993	MV	4600 Series	Front	24-019118		Rear	24-214230	
1993	MV	B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
1993	MV	B4	Front	19-028514		Rear	19-028521	
1992	CL	4600 Series				Rear	24-214230	
1992	CV	4600 Series				Rear	24-214230	
1992	GL	4600 Series				Rear	24-214230	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Rabbit Pickup								
1983	Base	B4	Front	21-030338				
1983	Base	B6 (HD)				Rear	24-027618	
1983	LX	B4	Front	21-030338				
1983	LX	B6 (HD)				Rear	24-027618	
1983	Sport	B4	Front	21-030338				
1983	Sport	B6 (HD)				Rear	24-027618	
1982	Base	B4	Front	21-030338				
1982	Base	B6 (HD)				Rear	24-027618	
1982	LX	B4	Front	21-030338				
1982	LX	B6 (HD)				Rear	24-027618	
1982	Sport	B4	Front	21-030338				
1982	Sport	B6 (HD)				Rear	24-027618	
1981	Base	B4	Front	21-030338				
1981	Base	B6 (HD)				Rear	24-027618	
1981	LX	B4	Front	21-030338				
1981	LX	B6 (HD)				Rear	24-027618	
1981	Sport	B4	Front	21-030338				
1981	Sport	B6 (HD)				Rear	24-027618	
1980	Base	B4	Front	21-030338				
1980	Base	B6 (HD)				Rear	24-027618	
1980	LX	B4	Front	21-030338				
1980	LX	B6 (HD)				Rear	24-027618	
1980	Sport	B4	Front	21-030338				
1980	Sport	B6 (HD)				Rear	24-027618	
Volkswagen Sharan								
2008	Comfortline	B12 (Pro-Kit)	Front and Rear	46-192172	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 30mm, up to 1355kg Axle Load			
2008	Comfortline	B4	Front	22-046796	Standard Chassis			
2008	Comfortline	B6 (HD)	Front	35-103509	Standard Chassis	Rear	24-103527	Standard Chassis
2008	Comfortline	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2007	Comfortline	B12 (Pro-Kit)	Front and Rear	46-192172	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 30mm, up to 1355kg Axle Load			
2007	Comfortline	B4	Front	22-046796	Standard Chassis			
2007	Comfortline	B6 (HD)	Front	35-103509	Standard Chassis	Rear	24-103527	Standard Chassis
2007	Comfortline	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2006	Comfortline	B12 (Pro-Kit)	Front and Rear	46-192172	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 30mm, up to 1355kg Axle Load			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Sharan (continued)								
2006	Comfortline	B4	Front	22-046796	Standard Chassis			
2006	Comfortline	B6 (HD)	Front	35-103509	Standard Chassis	Rear	24-103527	Standard Chassis
2006	Comfortline	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2005	Comfortline	B12 (Pro-Kit)	Front and Rear	46-192172	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 30mm, up to 1355kg Axle Load			
2005	Comfortline	B4	Front	22-046796	Standard Chassis			
2005	Comfortline	B6 (HD)	Front	35-103509	Standard Chassis	Rear	24-103527	Standard Chassis
2005	Comfortline	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2004	Comfortline	B12 (Pro-Kit)	Front and Rear	46-192172	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 30mm, up to 1355kg Axle Load			
2004	Comfortline	B4	Front	22-046796	Standard Chassis			
2004	Comfortline	B6 (HD)	Front	35-103509	Standard Chassis	Rear	24-103527	Standard Chassis
2004	Comfortline	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2003	Comfortline	B12 (Pro-Kit)	Front and Rear	46-192172	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 30mm, up to 1355kg Axle Load			
2003	Comfortline	B4	Front	22-046796	Standard Chassis			
2003	Comfortline	B6 (HD)	Front	35-103509	Standard Chassis	Rear	24-103527	Standard Chassis
2003	Comfortline	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
2002	Base	B12 (Pro-Kit)	Front and Rear	46-192172	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 30mm, up to 1355kg Axle Load			
2002	Base	B4	Front	22-046796	Standard Chassis			
2002	Base	B6 (HD)	Front	35-103509	Standard Chassis	Rear	24-103527	Standard Chassis
2002	Base	B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
Volkswagen Tiguan								
2012	S	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2012	S	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2012	SE	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2012	SE	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2012	SEL	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2012	SEL	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2011	Comfortline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2011	Comfortline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2011	Highline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Tiguan (continued)								
2011	Highline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2011	S	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2011	S	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2011	SE	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2011	SE	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2011	SEL	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2011	SEL	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2011	Trendline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2011	Trendline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2010	Comfortline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2010	Comfortline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2010	Highline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2010	Highline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2010	S	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2010	S	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2010	SE	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2010	SE	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2010	SEL	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2010	SEL	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2010	Trendline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2010	Trendline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2010	Wolfsburg Edition	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2010	Wolfsburg Edition	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2009	Comfortline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2009	Comfortline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2009	Highline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2009	Highline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Tiguan (continued)								
2009	S	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2009	S	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2009	SE	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2009	SE	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2009	SEL	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2009	SEL	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2009	Trendline	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2009	Trendline	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
Volkswagen Touareg								
2012	Hybrid	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2012	Hybrid; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	TDI Executive	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2012	TDI Executive; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2012	TDI Lux	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2012	TDI Lux; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	TDI Sport	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2012	TDI Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	V6 Executive	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2012	V6 Executive; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2012	V6 Lux	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2012	V6 Lux; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	V6 Sport	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2012	V6 Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2011	Comfortline	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2011	Comfortline; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2011	Execline	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2011	Execline; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2011	Highline	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2011	Highline; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2011	Hybrid	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2011	Hybrid; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2011	TDI	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2011	TDI; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2011	VR6	B4	Front Right	19-189703	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189710	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension
			Front Left	19-189697	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Off-road Suspension; Sport Suspension	Rear	19-189680	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis
			Front Left	19-189666	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Chassis			
			Front Right	19-189673	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; Standard Suspension			
2011	VR6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2010	3.0L V6 2967cc 181 CID; TDI	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2010	Comfortline	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2010	Highline	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2010	VR6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2010	VR6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2010	VR6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2009	3.0L V6 2967cc 181 CID; TDI	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	Base	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2009	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2009	Comfortline	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	Execline	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	Highline	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	V6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	V6 Premium	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	V6 TDI	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2008	Base	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2008	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2008	V6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2008	V6 Premium	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2008	V8	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2007	Base	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2007	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2007	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2007	V6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2007	V6 Premium	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2007	V8	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2006	Base	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2006	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2006	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2006	V6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2006	V6 Premium	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2006	V8	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2005	Base	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2005	V6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2005	V6 Premium	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2005	V8	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2004	V6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2004	V6 Premium	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2004	V6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2004	V6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2004	V8	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2004	V8; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2004	V8; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
Volkswagen Transporter								
1969	Base	4600 Series	Front	24-000321				
1968	Base	4600 Series	Front	24-000321				
1967	Base	4600 Series	Front	24-000321		Rear	24-181488	
1966	Base	4600 Series	Front	24-000321		Rear	24-181488	
1965	Base	4600 Series	Front	24-000321		Rear	24-181488	
1964	Base	4600 Series	Front	24-000321		Rear	24-181488	
1963	Base	4600 Series	Front	24-000321		Rear	24-181488	
1962	Base	4600 Series	Front	24-000321		Rear	24-181488	
1961	Base	4600 Series	Front	24-000321		Rear	24-181488	
1960	Base	4600 Series	Front	24-000321		Rear	24-181488	
1959	Base	4600 Series	Front	24-000321		Rear	24-181488	
1958	Base	4600 Series	Front	24-000321		Rear	24-181488	
1957	Base	4600 Series	Front	24-000321		Rear	24-181488	
1956	Base	4600 Series	Front	24-000321		Rear	24-181488	
1955	Base	4600 Series	Front	24-000321		Rear	24-181488	
Volkswagen Vanagon								
1991	Base	4600 Series	Front	24-008204		Rear	24-008303	
1991	Base	B4	Front	19-020198		Rear	19-020075	
1991	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1991	Campmobile	B4	Front	19-020198		Rear	19-020075	
1991	Carat	4600 Series	Front	24-008204		Rear	24-008303	
1991	Carat	B4	Front	19-020198		Rear	19-020075	
1991	GL	4600 Series	Front	24-008204		Rear	24-008303	
1991	GL	B4	Front	19-020198		Rear	19-020075	
1990	Base	4600 Series	Front	24-008204		Rear	24-008303	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Vanagon (continued)								
1990	Base	B4	Front	19-020198		Rear	19-020075	
1990	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1990	Campmobile	B4	Front	19-020198		Rear	19-020075	
1990	Carat	4600 Series	Front	24-008204		Rear	24-008303	
1990	Carat	B4	Front	19-020198		Rear	19-020075	
1990	GL	4600 Series	Front	24-008204		Rear	24-008303	
1990	GL	B4	Front	19-020198		Rear	19-020075	
1989	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1989	Campmobile	B4	Front	19-020198		Rear	19-020075	
1989	Carat	4600 Series	Front	24-008204		Rear	24-008303	
1989	Carat	B4	Front	19-020198		Rear	19-020075	
1989	GL	4600 Series	Front	24-008204		Rear	24-008303	
1989	GL	B4	Front	19-020198		Rear	19-020075	
1988	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1988	Campmobile	B4	Front	19-020198		Rear	19-020075	
1988	GL	4600 Series	Front	24-008204		Rear	24-008303	
1988	GL	B4	Front	19-020198		Rear	19-020075	
1987	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1987	Campmobile	B4	Front	19-020198		Rear	19-020075	
1987	GL	4600 Series	Front	24-008204		Rear	24-008303	
1987	GL	B4	Front	19-020198		Rear	19-020075	
1986	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1986	Campmobile	B4	Front	19-020198		Rear	19-020075	
1986	GL	4600 Series	Front	24-008204		Rear	24-008303	
1986	GL	B4	Front	19-020198		Rear	19-020075	
1986	L	4600 Series	Front	24-008204		Rear	24-008303	
1986	L	B4	Front	19-020198		Rear	19-020075	
1985	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1985	Campmobile	B4	Front	19-020198		Rear	19-020075	
1985	GL	4600 Series	Front	24-008204		Rear	24-008303	
1985	GL	B4	Front	19-020198		Rear	19-020075	
1985	L	4600 Series	Front	24-008204		Rear	24-008303	
1985	L	B4	Front	19-020198		Rear	19-020075	
1984	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1984	Campmobile	B4	Front	19-020198		Rear	19-020075	
1984	GL	4600 Series	Front	24-008204		Rear	24-008303	
1984	GL	B4	Front	19-020198		Rear	19-020075	
1984	L	4600 Series	Front	24-008204		Rear	24-008303	



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volkswagen Vanagon (continued)								
1984	L	B4	Front	19-020198		Rear	19-020075	
1983	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1983	Campmobile	B4	Front	19-020198		Rear	19-020075	
1983	GL	4600 Series	Front	24-008204		Rear	24-008303	
1983	GL	B4	Front	19-020198		Rear	19-020075	
1983	L	4600 Series	Front	24-008204		Rear	24-008303	
1983	L	B4	Front	19-020198		Rear	19-020075	
1982	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1982	Campmobile	B4	Front	19-020198		Rear	19-020075	
1982	GL	4600 Series	Front	24-008204		Rear	24-008303	
1982	GL	B4	Front	19-020198		Rear	19-020075	
1982	L	4600 Series	Front	24-008204		Rear	24-008303	
1982	L	B4	Front	19-020198		Rear	19-020075	
1981	Base	4600 Series	Front	24-008204		Rear	24-008303	
1981	Base	B4	Front	19-020198		Rear	19-020075	
1981	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1981	Campmobile	B4	Front	19-020198		Rear	19-020075	
1981	Kombi	4600 Series	Front	24-008204		Rear	24-008303	
1981	Kombi	B4	Front	19-020198		Rear	19-020075	
1980	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1980	Campmobile	B4	Front	19-020198		Rear	19-020075	
1980	Kombi	4600 Series	Front	24-008204		Rear	24-008303	
1980	Kombi	B4	Front	19-020198		Rear	19-020075	
Volvo XC90								
2013	3.2	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2013	3.2 R-Design	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2012	3.2	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2012	3.2 R-Design	4600 Series	Front	35-146995				
2012	3.2; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2012	Base	4600 Series	Front	35-146995				
2012	Luxury	4600 Series	Front	35-146995				
2011	3.2	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2011	3.2; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2011	Base	4600 Series	Front	35-146995				
2011	Luxury	4600 Series	Front	35-146995				



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volvo XC90 (continued)								
2011	V8	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2011	V8	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2010	3.2	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2010	3.2; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2010	R-Design	4600 Series	Front	35-146995				
2010	V8	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2010	V8	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2009	3.2	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2009	3.2 R-Design	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2009	3.2 R-Design	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2009	3.2; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2009	V8	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2009	V8	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2009	V8 R-Design	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2009	V8 R-Design	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2008	3.2	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2008	3.2 Sport	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2008	3.2 Sport	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2008	3.2; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2008	V8	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2008	V8	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2008	V8 Sport	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2008	V8 Sport	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2007	3.2	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2007	3.2; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2007	V8	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2007	V8	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volvo XC90 (continued)								
2007	V8 Sport	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2007	V8 Sport	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2006	2.5T	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2006	2.5T; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2006	T6	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2006	T6	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2006	V8	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2006	V8	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2006	V8 Ocean Race	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2006	V8 Ocean Race	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2006	V8 Premier	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2006	V8 Premier	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2005	2.5T	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2005	2.5T; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2005	T6	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2005	T6	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2005	T6 Premier	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2005	T6 Premier	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2005	V8	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2005	V8	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2004	2.5T	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2004	2.5T; AWD	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2004	T6	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2004	T6	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2003	AWD; Base	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2003	Base	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2003	T6	4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed



Light Trucks and SUVs

Year	Application	Series	Front			Rear		
Volvo XC90 (continued)								
2003	T6	B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
Workhorse P30								
2005	Base	4600 Series				Rear	24-015875	
2005	Base	B6 (HD)	Front	24-011730				
2005	Base	B6 (Steering Damper)	Front	24-026451				
2004	Base	4600 Series				Rear	24-015875	
2004	Base	B6 (HD)	Front	24-011730				
2004	Base	B6 (Steering Damper)	Front	24-026451				
2003	Base	4600 Series				Rear	24-015875	
2003	Base	B6 (HD)	Front	24-011730				
2003	Base	B6 (Steering Damper)	Front	24-026451				
2002	Base	4600 Series				Rear	24-015875	
2002	Base	B6 (HD)	Front	24-011730				
2002	Base	B6 (Steering Damper)	Front	24-026451				
2001	Base	4600 Series				Rear	24-015875	
2001	Base	B6 (HD)	Front	24-011730				
2001	Base	B6 (Steering Damper)	Front	24-026451				
2000	Base	4600 Series				Rear	24-015875	
2000	Base	B6 (HD)	Front	24-011730				
2000	Base	B6 (Steering Damper)	Front	24-026451				

MEDIUM DUTY TRUCK APPLICATIONS





Medium Duty Trucks

Year	Application	Series	Front			Rear		
Chevrolet C4500 Kodiak								
2009	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type



Medium Duty Trucks

Year	Application	Series	Front			Rear		
Chevrolet C4500 Kodiak (continued)								
2006	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
Chevrolet C5500 Kodiak								
2009	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type



Medium Duty Trucks

Year	Application	Series	Front			Rear		
Chevrolet C5500 Kodiak (continued)								
2009	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type



Medium Duty Trucks

Year	Application	Series	Front			Rear		
Chevrolet C5500 Kodiak (continued)								
2006	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
Freightliner FL50								
1999	Base	B6 (HD)	Front	24-186490		Rear	F4-BE5-2961-H0	
1998	Base	B6 (HD)	Front	24-186490		Rear	F4-BE5-2961-H0	
1997	Base	B6 (HD)	Front	24-186490		Rear	F4-BE5-2961-H0	
1996	Base	B6 (HD)	Front	24-186490		Rear	F4-BE5-2961-H0	
Freightliner FL60								
1999	Base	B6 (HD)	Front	24-186490		Rear	F4-BE5-2961-H0	
1998	Base	B6 (HD)	Front	24-186490		Rear	F4-BE5-2961-H0	
1997	Base	B6 (HD)	Front	24-186490		Rear	F4-BE5-2961-H0	
1996	Base	B6 (HD)	Front	24-186490		Rear	F4-BE5-2961-H0	



Medium Duty Trucks

Year	Application	Series	Front			Rear		
GMC C4500 Topkick								
2009	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type



Medium Duty Trucks

Year	Application	Series	Front			Rear		
GMC C4500 Topkick (continued)								
2006	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C4C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C4E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C4U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C4V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
GMC C5500 Topkick								
2009	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type



Medium Duty Trucks

Year	Application	Series	Front			Rear		
GMC C5500 Topkick (continued)								
2009	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2009	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2008	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2007	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type



Medium Duty Trucks

Year	Application	Series	Front			Rear		
GMC C5500 Topkick (continued)								
2006	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2006	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5C044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5E044	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2005	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C5C042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C5E042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C5U042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
2004	C5V042	B6 (HD)	Front	24-186650		Rear	24-186667	Eye to Eye Mounting Type
						Rear	24-153256	Pin to Pin Mounting Type
Isuzu N								
1995	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
1994	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
1993	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
1992	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
1991	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
1990	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
1989	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
1988	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
1987	NPR	B6 (HD)	Front	AK1250		Rear	AK1251	
Workhorse P32								
2005	Base	4600 Series				Rear	24-015875	
2005	Base	B6 (HD)	Front	24-011730				



Medium Duty Trucks

Year	Application	Series	Front			Rear		
Workhorse P32 (continued)								
2005	Base	B6 (Steering Damper)	Front	24-026451				
2004	Base	4600 Series				Rear	24-015875	
2004	Base	B6 (HD)	Front	24-011730				
2004	Base	B6 (Steering Damper)	Front	24-026451				
2003	Base	4600 Series				Rear	24-015875	
2003	Base	B6 (HD)	Front	24-011730				
2003	Base	B6 (Steering Damper)	Front	24-026451				
2002	Base	4600 Series				Rear	24-015875	
2002	Base	B6 (HD)	Front	24-011730				
2002	Base	B6 (Steering Damper)	Front	24-026451				
2001	Base	4600 Series				Rear	24-015875	
2001	Base	B6 (HD)	Front	24-011730				
2001	Base	B6 (Steering Damper)	Front	24-026451				
2000	Base	4600 Series				Rear	24-015875	
2000	Base	B6 (HD)	Front	24-011730				
2000	Base	B6 (Steering Damper)	Front	24-026451				
1999	Base	4600 Series				Rear	24-015875	
1999	Base	B6 (HD)	Front	24-011730				
1999	Base	B6 (Steering Damper)	Front	24-026451				
Workhorse W20								
2009	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2008	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2007	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2006	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2005	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2004	Base	B6 (HD)	Front	24-186629		Rear	24-186537	
2003	Base	B6 (HD)	Front	24-186629		Rear	24-186537	
2002	Base	B6 (HD)	Front	24-186629		Rear	24-186537	
2001	Base	B6 (HD)	Front	24-186629		Rear	24-186537	
Workhorse W22								
2009	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2008	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2007	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2006	Base	B6 (HD)	Front	24-153249		Rear	24-153256	



Medium Duty Trucks

Year	Application	Series	Front			Rear		
Workhorse W22 (continued)								
2005	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2004	Base	B6 (HD)	Front	24-186629		Rear	24-186537	
2003	Base	B6 (HD)	Front	24-186629		Rear	24-186537	
2002	Base	B6 (HD)	Front	24-186629		Rear	24-186537	
2001	Base	B6 (HD)	Front	24-186629		Rear	24-186537	
Workhorse W24								
2009	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2008	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2007	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2006	Base	B6 (HD)	Front	24-153249		Rear	24-153256	
2005	Base	B6 (HD)	Front	24-153249		Rear	24-153256	



MOTORHOME CHASSIS LISTINGS (Standard Suspension)							
Model		Year	Setting	Front Shock	Note	Rear Shock	Note
CHEVROLET / GMC MOTORHOMES							
Express / Savannah 4500		09-'12	B6	24-187435		24-025706	
Express / Savannah 3500	Class C	03-'12	B6	24-187435		24-025706	
		3/97-'02	B6	24-024808		24-025706	
		96-2/97	B6	24-024808		24-024815	
G3500 / G30	Class C (Dual rear wheel models)	75-'96	B6	24-010252		24-011419	
GMC FWD Motorhome		72-'78	B6	24-009409		24-213004	16
C4500 Kodiak/C5500 Kodiak/Endura	With pin-to-pin rear	04-'11	B6	24-186650		24-153256	
	With eye-to-eye rear	04-'11	B6	24-186650		24-186667	34
P10/P1500/P20/P2500/P30/P3500/P32/P37		73-'00	B6	24-011730		24-015875	
		84-'00	Steering Damper	24-026451			
P40 (MACK TRUCK)		89-'94	B6			24-015875	
P72	Air Suspension	95-'99	B6	24-184885		F4-B46-2068-M0	
	Spring Suspension	95-'99	B6	24-017312		24-017329	
P1500		63-'72	B6	24-011730			
DODGE MOTORHOMES							
B100/B200/B300	(GVW to 8300 lbs.) CLASS C	70-'00	B6	24-184632	28	24-184670	
MB/BF/Mini Motorhome							
B200/B300	(GVW over 9000 lbs.) CLASS C	70-'00	B6	24-014014	28	24-184670	
MB/BF Mini Motorhome							
M&R 300/400/500/600		73-'81	B6	24-013185		F4-B46-1319-W0	
Sprinter 2500	Single Rear Wheels	07-'12	B4	22-184238		19-171579	
	Single Rear Wheels		4600			24-167161	
	Dual Rear Wheels		B4	22-184245		19-169279	
	Dual Rear Wheels		4600			24-177702	
	Single Rear Wheel Without Super High Ceiling or Cab & Chassis model	03-'06	B4	22-214751		19-064529	
	Single Rear Wheel With Super High Ceiling or Cab & Chassis model		B4	22-214768		19-064529	
	Single Rear Wheels		4600			24-167161	
	Dual Rear Wheel Without Super High Ceiling or Cab & Chassis model		B4	22-214751		19-100180	
	Dual Rear Wheel With Super High Ceiling or Cab & Chassis model			22-214768			
	Dual Rear Wheels		4600			24-177702	
Sprinter 3500	Single Rear Wheels	07-'12	B4	22-184238		19-171579	
	Single Rear Wheels		4600			24-167161	
	Dual Rear Wheels		B4	22-184245		19-169279	
	Dual Rear Wheels		4600			24-177702	
	Single Rear Wheel Without Super High Ceiling or Cab & Chassis model	03-'06	B4	22-214751		19-064529	
	Single Rear Wheel With Super High Ceiling or Cab & Chassis model		B4	22-214768		19-064529	
	Single Rear Wheels		4600			24-167161	
	Dual Rear Wheel Without Super High Ceiling or Cab & Chassis model		B4	22-214751		19-100180	
	Dual Rear Wheel With Super High Ceiling or Cab & Chassis model			22-214768			
	Dual Rear Wheels		4600			24-177702	

FORD MOTORHOMES						
E33/E200/E250/E300/E350/E450	CLASS C	08-'12	B6-C	33-187563		33-176840
			B6	33-187570		33-176857
	CLASS C	92-'07	B6-C	33-187563		33-176840
			B6	33-187570		33-176857
	CLASS C	75-'91	B6	24-184656		24-184663
F53	Class "A" Motorhome Chassis V10	98-'12	B6	24-187039		24-187046
08-'11 except vehicles with 50 degree wheel cut	Vehicles without o.e. stabilizer, use bracket kit	98-'12	Steering Damper	24-067355		B4-BOA-0000213
	Class "A" Motorhome Chassis (V8)	88-'97	B6	24-187015		24-187022
	Vehicles without o.e. stabilizer, use bracket kit		Steering Damper	24-067355		B4-BOA-0000213
FORETRAVEL MOTORHOMES						
U-225 / U-240		92-'95	B6	24-196635		24-196642
U-270 / U-295 / U-300 / U-320		92-'04	B6	24-018685		24-018685
U-280		92-'96	B6	24-018685		24-018685
FREIGHTLINER MOTORHOMES						
FL50 / FL60		96-'99	B6	24-186490		F4-BE5-2961-H0
M-Line		88-'95	B6	24-013185		F4-B46-1319-W0
MC22/MC28 FRED Chassis		05-'08	B6	24-197007		24-197014
Powerliner		97-'02	B6			24-186483
V-Line Air Suspension		94-'98	B6	24-020725		24-020732
V-Line Spring Suspension	(Except VC26RD/V917/VB22RD) DIESEL PUSHER	90-'97	B6	24-186414		24-020930
X-Line Air Suspension	Mono Beam Front	02-'11	B6	33-187525		24-186483
	Mono Beam Front	7/97-'02	B6	33-025452		24-186452
	Mono Beam Front	95-6/97	B6	24-186445		24-186469
XC Airliner	(AirLiner Rear 02-11)	02-'11	B6	33-187525		24-065412
X-Line Spring Suspension		89-'97	B6	24-017299		F4-B46-1319-W0
Sprinter 2500	Single Rear Wheels	07-'12	B4	22-184238		19-171579
	Single Rear Wheels		4600			24-167161
	Dual Rear Wheels		B4	22-184245		19-169279
	Dual Rear Wheels		4600			24-177702
	Single Rear Wheel Without Super High Ceiling or Cab & Chassis model	02-'06	B4	22-214751		19-064529
	Single Rear Wheel With Super High Ceiling or Cab & Chassis model		B4	22-214768		19-064529
	Single Rear Wheels		4600			24-167161
	Dual Rear Wheel Without Super High Ceiling or Cab & Chassis model		B4	22-214751		19-100180
	Dual Rear Wheel With Super High Ceiling or Cab & Chassis model			22-214768		
	Dual Rear Wheels		4600			24-177702
Sprinter 3500	Single Rear Wheels	07-'12	B4	22-184238		19-171579
	Single Rear Wheels		4600			24-167161
	Dual Rear Wheels		B4	22-184245		19-169279
	Dual Rear Wheels		4600			24-177702
	Single Rear Wheel Without Super High Ceiling or Cab & Chassis model	02-'06	B4	22-214751		19-064529
	Single Rear Wheel With Super High Ceiling or Cab & Chassis model		B4	22-214768		19-064529
	Single Rear Wheels		4600			24-167161
	Dual Rear Wheel Without Super High Ceiling or Cab & Chassis model		B4	22-214751		19-100180

FREIGHTLINER MOTORHOMES (cont'd)							
	Dual Rear Wheel With Super High Ceiling or Cab & Chassis model			22-214768			
	Dual Rear Wheels		4600			24-177702	
ISUZU MOTORHOMES							
	NPR	(GVW 13,250 lbs.)	87-'95	B6	AK1250		AK1251
JOHN DEERE MOTORHOMES							
	Class "A" Motorhome Chassis		86-'88	B6	24-013185		F4-B46-1319-W0
MERCEDES-BENZ MOTORHOMES (also see Dodge)							
	Sprinter 2500	Single Rear Wheels	10-'12	B4	22-184238		19-171579
		Single Rear Wheels		4600			24-167161
		Dual Rear Wheels		B4	22-184245		19-169279
		Dual Rear Wheels		4600			24-177702
	Sprinter 3500	Single Rear Wheels	10-'12	B4	22-184238		19-171579
		Single Rear Wheels		4600			24-167161
		Dual Rear Wheels		B4	22-184245		19-169279
		Dual Rear Wheels		4600			24-177702
MONACO (ROADMASTER CHASSIS) MOTORHOMES							
	Ambassador / Cayman / Knight / Neptune	(R4R / RR4R)	02-'11	B6	24-186582		24-186599
	Diplomat / Endeavor	(RR8R chassis)4 frt / 4rear shocks	04-'11	B6-C	24-186605		24-186612
	Camelot / Diplomat / Imperial / Windsor / Sceptor	(RR8S chassis)	02-'11	B6-C	24-187305	16	24-187305 16
			90-'01	B6-C	24-187336		24-187336
	Dynasty / Executive / Navigator / Signature	(S-series chassis)	08-'11	B6-C	24-187138	16	24-187145 16
			02-'07	B6	24-187312	16	24-187312 16,33
			90-'01	B6-C	24-187312	16	24-187312 16,33
				B6	24-187329	16	24-187329 16
	La Palma / Monarch / Vacationer	F53 Chassis	98-'11	B6	24-187039		24-187046
				Steering Damper	24-067355		B4-BOA-0000213
			88-'97	B6	24-187015		24-187022
				Steering Damper	24-067355		B4-BOA-0000213
	La Palma / Monarch / Vacationer	W20 / W22 Chassis	05-'11	B6	24-153249		24-153256
			01-'04	B6	24-186629		24-186537
MOR / RYDE MOTORHOMES (Torsional elastic suspension / poly-butyl (synthetic rubber springs))							
	Single Axle System with 4 positions		86-'89	B6			24-186421 16
	Single Axle System with 2 positions		90-'92	B6			24-013987
	P30 Single Axle System with 2 positions		90-'92	B6			24-015875
	Tag Axle System - Combined with Drive Axle		87-'90	B6			24-013987 35
SAFARI (BEAVER & MAGNUM CHASSIS) MOTORHOMES							
	GM P30 Chassis		95-'97	B6	24-011730		24-015875
	Isuzu NPR	(GVW 13,250 lbs)	92-'94	B6	AK1250		AK1251
	Magnum Chassis	(8 air bag system)	98-'06	B6	24-020930		24-020930
	Blue Max / Blue Streak/Velvet	(4bag or Torsional Elastic)	92-'04	B6	24-186438		24-020930
	Cheetah		00-'04	B6	24-186438		24-020930
	Zanzabar		00-'04	B6	24-186438		24-020930
SPARTAN MOTORHOMES (STEER AXLE APPLICATIONS - FRONT)							
Tuthill Suspensions			Bilstein #				
	Alpine / Summit		97-'00	B6	24-186414		
	EC 2000	Air Suspension	94-'97	B6	24-184885		
		Leaf Spring Suspension K100 (SPRING)	94-'99	B6	24-017312		
K2 / K3 / Mountain Master / MC 2000			Bilstein #				
	510AR	Air Frt I-Beam	91-'95	B6	24-186407		
	1906F	Air Frt I-Beam	96-'04	B6	24-021500		
	IFS1200 & IFS1260	Air IFS(GVWF under 13000#)	97-'04	B6	24-186476		
	IFS1360	Air IFS(GVWF over 13k# & under 14k#)	98-'05	B6	24-027625		
	IFS1460	Air IFS(GVWF over 14k# & under 16k#)	05-'12	B6	24-191241		

SPARTAN MOTORHOMES (STEER AXLE APPLICATIONS - FRONT) (cont'd)							
K2 / K3 / Mountain Master / MC 2000				Bilstein #			
IFS1660	Air IFS(1st Generation GVWF over 16k# & under 18k#)	04-'05	B6	AK1391			
	Air IFS(2nd Generation GVWF over 16k# & under 18k#)	06-'12	B6	24-191234			
Hendrickson Suspension							
K2/K3/Mountain Master				Bilstein #			
AirTek	Air Frt I-Beam 1st Generation	08-'09	B6	24-191210			
	Air Frt I-Beam 2nd Generation	2009	B6	24-191272			
	Air Frt I-Beam 3rd Generation Newmar Allstar	2009	B6	24-191302			
Air IFS	(GVWF under 12000#)	08-'09	B6	24-191265			
SPARTAN MOTORHOMES (AXLE APPLICATIONS - REAR)							
Motorhomes (Standard Suspension)							
Tuthill Suspensions				Bilstein #			
Alpine / Summit		97-'00	B6	24-186414			
EC 2000	Air Suspension	94-'97	B6	F4-B46-2068-M0			
	Leaf Spring Suspension K100 (SPRING)	94-'99	B6	24-017329			
K2 / K3 / Mountain Master / MC 2000				Bilstein #			
102AR	Air drive Axle Suspension	91-'95	B6	24-015943			
240AR	Air drive Axle Suspension	96-'08	B6	24-186780			
Hendrickson Suspensions							
K2/K3/Mountain Master				Bilstein #			
HAS	Air Drive Axle Suspension	08-'11	B6	24-191227			
HTB	Air Drive Axle Suspension	08-'11	B6	24-191258			
SPARTAN MOTORHOMES (AUXILIARY AXLE APPLICATIONS - REAR)							
Hendrickson Suspensions				Bilstein #			
Auxiliary Axle 12,000#		08-'11	B6	24-191289			
Tuthill Suspensions				Bilstein #			
Auxiliary Axle 12,000#		09-'11	B6	24-191296			
Spartan Chassis I.D. (Fourth letter designation in VIN code): M=Mountain Master N=IC P=EC 2000 R=KC 1000 W=EC 2000							
Model		Year	Setting	Front Shock	Note	Rear Shock	Note
TOYOTA MOTORHOMES							
Mini Motorhome	Includes 1 ton dually	84-'95	B6	24-184830		24-002585	
VOLKSWAGEN MOTORHOMES							
Winnebago Rialta	(Eurovan based) H-Series	93-'03	B6	24-019118			
WORKHORSE MOTORHOMES							
P30 Series	Widetrack IFS	00-'05	B6	24-011730		24-015875	
			Steering Damper	24-026451			
W24		05-'10	B6	24-153249		24-153256	
W20 / W22		05-'11	B6	24-153249		24-153256	
		01-'04	B6	24-186629		24-186537	
TRAILER / 5TH WHEEL CHASSIS LISTINGS							
Model		Year	Setting			Rear Shock	Note
FLEETWOOD TRAILERS							
Avion Trailer		92-'01	B6			F4-B36-1625-W0	16
TRAILER/5TH WHEEL WITH DEXTER AXLES							
Multiple applications, Check manual for axle type or reference Col/EXT length			B6			24-064194	

16 - Axle requires four shock absorbers.

28 - Vehicles with GVW of 9000 lbs. or over, must use 24-014014 which is longer than 24-184632.

33 - Tag Axle requires two additional shock absorbers.

34 - Use regular chassis application on drive axle.

35 - Tag axles systems (rear position only), use OE application on drive axle.

Shocks are listed for standard chassis as supplies by manufacturer. Some motorhomes utilize tag axles or modified rear suspensions which may preclude use of shocks listed.



MOTORSPORTS SERIES

Model		Year	Series		Front Shock	Valving Rebound / Compression	Body (Steel)	Note	Rear Shock	Valving Rebound / Compression	Body	Note
-------	--	------	--------	--	-------------	-------------------------------------	-----------------	------	------------	-------------------------------------	------	------

BMW

E36 M3		95-'99	Motorsports	Left	K4-VE3-05778M9	3000/3000	S Threaded Body		K4-BE3-05551T9	2000/2000	S Conventional Body	
				Right	K4-VE3-05779M9	3000/3000	S Threaded Body					

CHEVROLET

Camaro		82-'92	Motorsports		AK1049	1620/920	S Conventional Body		AK1050	2500/1000	S Conventional Body	
Corvette		84-'87	Motorsports		AK1030	3600/1350	S Conventional Body		AK1031	5400/1600	S Conventional Body	
			Motorsports HD		AK1040	4100/1450	S Conventional Body		AK1041	6200/1200	S Conventional Body	
		'88	Motorsports		AK1034	3600/1350	S Conventional Body		AK1035	5400/1600	S Conventional Body	

PORSCHE

911 RSR	Insert	63-'89	Motorsports		F4-RE3-5049-H0	1610/1600	S Cartridge Only		K4-BE5-59545H0	1800/1700	S Threaded Body	
			Motorsports	Left	K4-V36-58774H0	1610/1600	S Threaded Body	1,2	K4-BE5-59545H0	1800/1700	S Threaded Body	3
			Motorsports	Right	K4-V36-58773H0	1610/1600	S Threaded Body	1,2				
924 Race		77-'82	Motorsports	Left	AK1130	1410/1020	S Conventional Body					
			Motorsports	Right	AK1131	1410/1020	S Conventional Body					
934	Insert	76-'77	Motorsports		K4-VS-1812H0	2000/1700	S Cartridge Only		K4-BE5-61732M9	2200/1800	S Threaded Body	
			Motorsports	Left	K4-VE3-62298M0	2000/1700	S Threaded Body		K4-BE5-61732M9	2200/1800	S Threaded Body	
			Motorsports	Right	K4-VE3-62299M0	2000/1700	S Threaded Body					
944 Turbo	"Turbo Cup"	85-'91	Motorsports	Left	K4-VE3-62512M0	3800/1500	S Threaded Body		24-593762	5650/2180	S Threaded Body	
			Motorsports	Right	K4-VE3-62513M0	3800/1500	S Threaded Body					
	"Firehawk"		Motorsports HD	Left	K4-VE3-59374H0	6000/1800	S Threaded Body		K4-BE3-59636T0	4000/2000	S Conventional Body	
			Motorsports HD	Right	K4-VE3-59375H0	6000/1800	S Threaded Body					
964 RS		89-'92	Motorsports	Left	F4-V36-0155-H0	2590/840	S Threaded Body		F4-B46-1487-H0	415/237	S Threaded Body	
			Motorsports	Right	F4-V36-0156-H0	2590/840	S Threaded Body					
964	Original Cup Car Only	89-'94	Motorsports	Left	K4-V36-59118H0	2200/670	S Threaded Body		K4-BE5-04887-T0	3790/1720	S Threaded Body	
			Motorsports	Right	K4-V36-59117H0	2200/670	S Threaded Body					
993 RSR	Insert	95-'98	Motorsports		K4-XDE-05767T1	2370/960	S Cartridge Only					
			Motorsports	Left	K4-VE3-05767TL	2370/960	S Threaded Body					
			Motorsports	Right	K4-VE3-05767TR	2370/960	S Threaded Body					
964 RSR		89-'94	Motorsports						K4-BE5-05760T1	4020/2160	S Threaded Body	
993		95-'98	Motorsports	Left	K4-VE3-05186TL	2200/900	S Threaded Body		F4-BE5-2353-T1	2900/1900	S Threaded Body	
			Motorsports	Right	K4-VE3-05186TR	2200/900	S Threaded Body					
996		99-'05	Motorsports		K4-VE3-61084M0	1850/950	S Threaded Body		F4-BE5-2540-T0	3000/2000	S Threaded Body	
996 GT3		02-'05	Motorsports		F4-VSE-0030091	N/A (Adj.)	S Threaded Body		F4-VSE-0030664	N/A (Adj.)	A Threaded Body	
			Motorsports (RES)		F4-VR3-C425-M0	N/A (Adj.)	S Threaded Body		F4-BR5-C426-M0	N/A (Adj.)	S Threaded Body	
997 Cup Car		05-'11	Motorsports		F4-VSE-0030091	N/A (Adj.)	S Threaded Body		F4-VSE-0030664	N/A (Adj.)	A Threaded Body	
			Motorsports (RES)		F4-VR3-C425-M0	N/A (Adj.)	S Threaded Body		F4-BR5-C426-M0	N/A (Adj.)	S Threaded Body	

VOLKSWAGEN

Golf II Group A (Asphalt)		85-'92	Motorsports		F4-VE3-4406-M0	3000/1200	S Threaded Body	4	F4-BE5-2738-M0	3000/1000	S Threaded Body	4
Golf II Group B		85-'92	Motorsports		F4-VE3-4141-H0	3000/1200	S Conventional Body		K4-BE3-60068T0	3000/1000	S Conventional Body	
Rabbit Group I Rallye		74-'84	Motorsports		F4-V36-0059-H0	2700/1000	S Conventional Body		F4-B46-0657-H1	150/45	S Conventional Body	
Rabbit Group II Race		74-'84	Motorsports		K4-VE3-60320T0	230/80	S Threaded Body	4	F4-B46-0653-H0	208/72	S Threaded Body	4

NOTES

A-Aluminum

S-Steel

1-Replaces struts with S calipers only.

2-Upper spring seat is original Porsche part (954 341 211 00).

3-Upper spring seat is original Porsche part (954 333 529 00).

4-Threaded body racing units can only be used with 68mm ID race springs.