



BILSTEIN[®] **SHOCK ABSORBERS**

2014 APPLICATION GUIDE

B4 OE REPLACEMENT [CAR]



BILSTEIN B4 OE Replacement gas pressure shocks and struts are designed to be the economical choice for maintaining the original equipment ride characteristics, while incorporating Bilstein's world-famous durability and precise construction.

Models Include:

- B4
- B4 (Air Suspension)
- B4 (DampMatic®)
- B4 (DampTronic®)
- B4 (ACD)
- B4 (Steering)

B4 OE REPLACEMENT (AIR) [CAR]



BILSTEIN B4 OE Replacement Air Suspension is the most advanced air suspension module and represents the future direction of ride control. Selected as OE by Mercedes Benz, Jaguar, and Land Rover, this innovative technology is exclusively offered by Bilstein in the aftermarket.

B6 [CAR]



BILSTEIN B6 gas pressure shocks and struts are designed to mount in the stock location on a range of passenger cars. This superior design increases performance and handling while maintaining an exceptional street ride.

Models Include:

- B6 (HD)
- B6 (C)
- B6 (DampTronic®)
- B6 (Steering)

BILSTEIN® PRODUCT LINE

B8 [CAR]



BILSTEIN B8 gas pressure shocks and struts are designed for passenger cars using shorter static length springs (Lowered).

The performance-minded driver will experience absolute mastery of the road.

Models Include:

- B8 (SP)
- B8 (DampTronic®)

B12 [CAR]



BILSTEIN B12 kits provide a lower stance and more stable ride for better road handling and control. Kit includes four dampers and four springs, specially tuned and matched to each passenger car application.

Models Include:

- B12 (Pro-Kit)
- B12 (Sportline)

B14 [CAR]



BILSTEIN B14 kits offer a precise 30mm - 50mm range of adjustable lowered ride height and improved handling for passenger cars. It includes four performance-level dampers and four progressive rate springs.

Models Include:

- B14 (PSS)



B16 [CAR]

BILSTEIN B16 ride-height and dampening adjustable kits are designed to lower the vehicle 30mm - 50mm while increasing performance for passenger cars. Kit includes four adjustable dampers and four progressive rate springs.

Models Include:

- B16 (PSS9)
- B16 (PSS10)
- B16 (ridecontrol)
- B16 (DampTronic®)
- B16 (IRC)



BILSTEIN CLUBSPORT® [CAR]

The BILSTEIN Clubsport® features technology derived from Bilstein's race winning MDS double adjustable system and is the ultimate coilover suspension solution for both on-road and racing applications.



4600 SERIES [TRUCK/SUV]

BILSTEIN 4600 Series gas pressure shocks and struts are specifically designed to mount in the stock location of factory height light trucks, vans, SUVs, and Jeeps. An instant upgrade.

Models Include:

- 4600
- 4600 (Auxiliary)
- 4600 (Sport)
- 4600 (Comfort)
- 4600 (Steering)

BILSTEIN® PRODUCT LINE




5100 SERIES [TRUCK/SUV]

BILSTEIN 5100 Series gas pressure shocks and struts are designed to increase performance on lifted light trucks, vans, SUVs, and Jeeps. Ideal for heavy hauling or occasional off road use.

Models Include:

- 5100
- 5100 (Ride Height Adjustable)
- 5100 (Steering)
- 5100 (Auxiliary)
- 5100 (BTS)



5160 SERIES [TRUCK/SUV]

BILSTEIN 5160 Series gas pressure shocks are a direct-fit remote reservoir application. The exceptional design expands oil capacity for enhanced cooling and increased performance both on and off road. Designed for lifted light trucks, vans, SUVs, and Jeeps.

Models Include:

- 5160



60mm BTS SYSTEM [TRUCK/SUV]

BILSTEIN's latest BTS System featuring the 60mm shock design—a direct descendent of our legendary off-road racing technology—brings the performance proven in Baja to the streets.

Table of Contents



PASSENGER CAR APPLICATIONS

ACURA	6
ALFA ROMEO	6
AUDI	8
AUSTIN MINI	65
BMW	66
BUICK	138
CADILLAC	142
CHEVROLET	144
CHRYSLER	155
DAEWOO	157
DODGE	157
EAGLE	159
FIAT	159
FORD	161
HONDA	172
HYUNDAI	181
INFINITI	183
JAGUAR	184
LEXUS	187
LINCOLN	188
MAZDA	189
MERCEDES-BENZ	195
MERCURY	247
MINI	249
MITSUBISHI	259
NISSAN	261
OLDSMOBILE	262
PONTIAC	265
PORSCHE	268
ROLLS ROYCE	289
SAAB	290
SUBARU	305
TOYOTA	309
VOLKSWAGEN	312
VOLVO	417

LIGHT TRUCK & SUV APPLICATIONS

AUDI	433
BMW	433
BUICK	440
CADILLAC	440
CHEVROLET	440
CHRYSLER	478
DODGE	478
FORD	495
GMC	537
GEO	577
HONDA	577
HUMMER	577
INFINITI	578

ISUZU	578
JEEP	579
KIA	592
LAND ROVER	592
LINCOLN	594
MAZDA	595
MERCEDES-BENZ	597
MERCURY	601
MITSUBISHI	601
NISSAN	602
OLDSMOBILE	606
PLYMOUTH	607
PONTIAC	642
SEAT	642
TOYOTA	643
VOLKSWAGEN	643
WORKHORSE	644

MEDIUM AND HEAVY DUTY TRUCK APPLICATIONS

CHEVROLET	646
GMC	646
WORKHORSE	646

CUSTOM FIT SHOCKS

5125 SERIES	648
5165 SERIES	649

ROAD RACE APPLICATIONS

BMW	651
CHEVROLET	651
PORSCHE	651
VOLKSWAGEN	651

MOTORHOME CHASSIS LISTINGS

CHEVROLET / GMC	653
DODGE	653
FORD	653
FORETRAVEL	654
FREIGHTLINER	654
ISUZU	655
JOHN DEERE	655
MERCEDES-BENZ	655
MONACO	655
MOR / RYDE	655
SAFARI	655
SPARTAN	655
TOYOTA	656
VOLKSWAGEN	656
WORKHORSE	656
TRAILER/5TH WHEEL	657

PASSENGER CAR

APPLICATIONS



Years	Application	Series	Front			Rear		
Acura CL								
2003-2001		B6 (HD)	Front	24-185714		Rear	24-185721	
2003-2001		B8 (SP)	Front	24-065801		Rear	24-185738	
1999-1997		B6 (HD)	Front	24-023719	Must reuse original brake line brackets. Installation tool included with shock.	Rear	24-021142	
Acura Integra								
2001-1997	LS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2001-1997	GS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2001-1997	GS-R	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
2001-2000, 1998-1997	Type R	B8 (SP)	Front	24-023405		Rear	24-023412	
1998-1997	RS	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1996-1994		B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
Acura Legend								
1990-1989		B6 (HD)	Front Left	24-011990		Rear	24-011921	
1988-1986		B6 (HD)	Front Left	24-011990				
1988-1987	2 Dr.; Coupe	B6 (HD)				Rear	24-011921	
Acura NSX								
2002-2000, 1998-1991		B6 (HD)	Front	24-016636		Rear	24-016650	
1999	T	B6 (HD)	Front	24-016636		Rear	24-016650	
1999	Base	B6 (HD)	Front	24-016636		Rear	24-016650	
Acura TSX								
2008-2004		B6 (HD)	Front	24-107303	Without Xenon lights	Rear	24-107310	Without Xenon lights
Alfa Romeo 147								
2007-2004, 2002		B12 (Pro-Kit)	Front and Rear	46-182852	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 980kg Axle Load			
2007-2004, 2002		B12 (Sportline)	Front and Rear	46-182937	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 40mm, up to 980kg Axle Load			
2007-2004, 2002		B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-100331	Sport Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Alfa Romeo 156								
2004, 2002		B12 (Pro-Kit)	Front and Rear	46-182739	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1060kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004, 2002		B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
Alfa Romeo 159								
2008		B12 (Pro-Kit)	Front and Rear	46-182760	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1200kg Axle Load; Rear Lowered Height: 30-35mm, up to 1100kg Axle Load			
2008-2007		B8 (SP)	Front	24-128803		Rear	24-128810	
2007	JTS	B12 (Pro-Kit)	Front and Rear	46-182760	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1200kg Axle Load; Rear Lowered Height: 30-35mm, up to 1100kg Axle Load			
Alfa Romeo Alfetta								
1977-1975		B6 (HD)	Front	24-004657		Rear	24-004756	
Alfa Romeo Berlina								
1974-1969		B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo Brera								
2008-2007		B12 (Pro-Kit)	Front and Rear	46-000064	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1300kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load			
2008-2007		B8 (SP)	Front	24-128803		Rear	24-128810	
Alfa Romeo Duetto 1600								
1968-1966		B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo GT								
2008		B12 (Pro-Kit)	Front and Rear	46-188434	Front Lowered Height: 25mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 980kg Axle Load			
2008-2007		B8 (SP)	Front	24-027977	Sport Suspension	Rear	35-047216	Sport Suspension
2007	3.2	B12 (Pro-Kit)	Front and Rear	46-188441	Front Lowered Height: 20mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 980kg Axle Load			
2007	Distinctive	B12 (Pro-Kit)	Front and Rear	46-188434	Front Lowered Height: 25mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 980kg Axle Load			
Alfa Romeo GT Veloce								
1974-1970		B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo GTA								
1965		B6 (HD)	Front	24-004633		Rear	24-004732	



Years	Application	Series	Front			Rear		
Alfa Romeo GTV-6								
1986-1981		B6 (HD)	Front	24-004657		Rear	24-004756	
Alfa Romeo Giulia Sprint								
1966-1965		B6 (HD)	Front	24-004633		Rear	24-004732	
1964-1963	GT	B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo Milano								
1989	Verde	B6 (HD)	Front	24-011754		Rear	24-011761	
1989, 1987	Gold	B6 (HD)	Front	24-011754		Rear	24-011761	
1988		B6 (HD)	Front	24-011754		Rear	24-011761	
1987	Silver	B6 (HD)	Front	24-011754		Rear	24-011761	
1987	Platinum	B6 (HD)	Front	24-011754		Rear	24-011761	
Alfa Romeo Montreal								
1974-1972		B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo Spider								
2008-2007		B12 (Pro-Kit)	Front and Rear	46-000040	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 1300kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2008-2007		B8 (SP)	Front	24-128803		Rear	24-128810	
1994-1969		B6 (HD)	Front	24-004633		Rear	24-004732	
Alfa Romeo Sprint								
1979-1977		B6 (HD)	Front	24-004657		Rear	24-004756	
Audi 100								
1994	S; Wagon	B4				Rear	19-029214	Standard Chassis; With 10mm Upper Mount
1994		B4	Front	21-030390				
1994	S; Sedan	B4				Rear	19-029214	Standard Chassis
1994	CS	B4				Rear	19-029214	Standard Chassis
1994-1992		B6 (HD)	Front	34-003701		Rear	24-015769	
1994-1992		B8 (SP)	Front	34-003695		Rear	24-015738	
1993-1992		B4	Front	21-030390		Rear	19-029214	Standard Chassis
1991-1989		B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1991-1989		B6 (HD)	Front	34-003701		Rear	24-001304	
Audi 100 Quattro								
1994-1992	Sedan; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192400	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi 100 Quattro (continued)								
1994-1992	Sedan; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1994-1989		B4	Front	21-030390				
1994-1992		B6 (HD)	Front	34-003701		Rear	24-025935	With 10mm Upper Stem Threads
						Rear	24-020657	Sport Suspension; Standard Chassis; With 12mm Upper Stem Thread
1994-1992		B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension
1991-1989		B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
Audi 100 Series								
1977-1969		B6 (HD)	Front	24-632164		Rear	24-632157	
1977-1969		Motorsports				Rear	24-632621	
Audi 200								
1991-1989		B4	Front	21-030390		Rear	F4-BNE-2015-BE	
						Rear	19-020150	Standard Chassis
1991-1989		B6 (HD)	Front	34-003701		Rear	24-015769	
1991-1989		B8 (SP)	Front	34-003695		Rear	24-015738	
Audi 200 Quattro								
1991-1989		B4	Front	21-030390				
1991-1989		B6 (HD)				Rear	24-020657	With 12mm Upper Stem Thread
Audi 4000								
1987-1980		B4	Front	21-030406		Rear	19-019680	
1987-1980		B6 (HD)	Front	34-030059		Rear	24-020510	
1987-1980		B8 (SP)	Front	34-030066		Rear	24-020503	
Audi 4000 Quattro								
1987-1986	CS	B4	Front	21-030406	With 50mm Outside Strut Diameter			
1987-1986	CS	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	
1985-1984		B4	Front	21-030406	With 50mm Outside Strut Diameter			
1985-1984		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	
Audi 5000								
1988-1986		B4	Front	21-030390		Rear	F4-BNE-2015-BE	
1988-1986		B6 (HD)	Front	34-003701		Rear	24-001304	
1985	S	B4	Front	21-030390		Rear	F4-BNE-2015-BE	



Years	Application	Series	Front			Rear		
Audi 5000 (continued)								
1985	S	B6 (HD)	Front	34-003701		Rear	24-001304	
1984	S Turbo	B4	Front	21-030390				
1984-1981	S	B4	Front	21-030390				
1984-1981	S	B6 (HD)	Front	34-003701				
1984	S Turbo	B6 (HD)	Front	34-003701				
1983-1981	Base	B4	Front	21-030390				
1983-1981	Base	B6 (HD)	Front	34-003701				
1980-1978		B4	Front	21-030390				
1980-1978		B6 (HD)	Front	34-003701				
Audi 5000 Quattro								
1988-1987	S	B4	Front	21-030390				
1988-1986		B6 (HD)	Front	34-003701				
1988-1986		B8 (SP)	Front	34-003695		Rear	24-020664	
Audi 80								
1992-1988		B4	Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-019680	Standard Suspension
			Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter	Rear	19-019307	Sport Suspension
1992-1988		B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1992-1988		B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension
Audi 80 Quattro								
1992-1988		B4	Front	21-030444	With 50mm Outside Strut Diameter			
1992-1988		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1992-1988		B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
Audi 90								
1995-1993		B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-019673	Standard Chassis
						Rear	19-029184	Sport Suspension
1995-1993		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-186377	
1995-1993		B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-016964	
1991-1988		B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-019680	Standard Suspension
						Rear	19-019307	Sport Suspension
1991-1988		B6 (HD)	Front	34-030059	Standard Suspension; With 50mm Outside Strut Diameter	Rear	24-020510	Standard Suspension
1991-1988		B8 (SP)	Front	34-030066	Sport Suspension; With 50mm Outside Strut Diameter	Rear	24-020503	Sport Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Audi 90 Quattro								
1995-1993, 1991-1988		B4	Front	21-030444	With 50mm Outside Strut Diameter			
1995-1993		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-062121	
			Front	34-030868	B6 (HD); With 55mm Outside Strut Diameter			
1991-1988		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1991-1988		B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter
Audi A3								
2013-2012	Attraction	B4				Rear	19-127439	Excludes Electronic Suspension
2013-2012	Ambiente	B4				Rear	19-127439	Excludes Electronic Suspension
2013	Base	B4				Rear	19-127439	Excludes Electronic Suspension
2012-2011	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2012-2011	4 Dr.	B12 (Pro-Kit)	Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2012-2010	4 Dr.; Base	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2012-2010	Base	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
Audi A3 (continued)								
2012-2010	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2012-2010	Hatchback; TDI	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012-2010	Base; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012-2011	Base	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012-2011	TDI	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012-2010	Base	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012-2010	TDI	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012-2011	TDI	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012-2011	Base	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-127439	Excludes Electronic Suspension
2012-2010	Hatchback; TDI	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A3 (continued)								
2012-2010	Base; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012-2011	Base	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2012-2010	Hatchback; TDI	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012-2010	Base; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012-2011	TDI	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2012-2010	Base; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012-2011	Base	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2012-2011	TDI	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2012-2010	Hatchback; TDI	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012-2010	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2012-2010	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2010	4 Dr.; TDI	B12 (Pro-Kit)	Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear
Audi A3 (continued)						
2010	4 Dr.; Base	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2010	Cabrio	B12 (Pro-Kit)	Front and Rear	46-192431	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control: Front Lowered Height: 25mm, up to 1155kg Axle Load; Rear Lowered Height: 25mm, up to 985kg Axle Load; With 55mm Outside Strut Diameter	
2010	4 Dr.; Attraction	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	

Passenger Cars



Years	Application	Series	Front			Rear
Audi A3 (continued)						
2010	4 Dr.; Ambiente	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2010	4 Dr.; Attraction Plus	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2010	4 Dr.; Attraction Plus	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2010	1.4L L4 1390cc 85 CID; 4 Dr.; Ambiente	B12 (Sportline)	Front and Rear	46-183408	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194657	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	



Years	Application	Series	Front			Rear
Audi A3 (continued)						
2010	4 Dr.; Attraction	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2010	Ambiente	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2010	Ambiente; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2010	Attraction Plus; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2010	Attraction	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2010	Cabrio	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 40-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2010	Attraction Plus	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2010	Attraction; Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2010	Base	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter	
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	Attraction	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Attraction Plus	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Ambiente	B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	TDI	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Attraction	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Cabrio	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Attraction Plus	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Ambiente	B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010	Base	B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	Excludes Electronic Suspension
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Cabrio; Convertible	B4				Rear	19-172996	Except Electronic Adjustable Suspension; Standard Chassis



Years	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	Attraction; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2010	Attraction Plus; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2010	Ambiente	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-127439	Excludes Electronic Suspension
2010	Attraction	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-127439	Excludes Electronic Suspension
2010	TDI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Cabrio	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction Plus	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-127439	Excludes Electronic Suspension
2010	Ambiente; Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2010	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Attraction; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction Plus	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Cabrio	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Ambiente	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Attraction	B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A3 (continued)								
2010	Ambiente; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction Plus; Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	TDI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2010	Cabrio	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Ambiente	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Attraction Plus	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Attraction	B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010	Ambiente; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction Plus; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	Attraction; Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2010	TDI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2010, 2005	Attraction	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2010, 2005	Attraction Plus	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2009-2008	2.0L L4 1984cc 121 CID; 4 Dr.	B12 (Pro-Kit)	Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter			
2009		B12 (Pro-Kit)	Front and Rear	46-192431	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1155kg Axle Load; Rear Lowered Height: 25mm, up to 985kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear
Audi A3 (continued)						
2009-2006	4 Dr.	B12 (Pro-Kit)	Front and Rear	46-183095	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194541	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
2009-2006	4 Dr.	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009-2008	1.4L L4 1390cc 85 CID; 4 Dr.	B12 (Sportline)	Front and Rear	46-183408	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194657	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009-2006	Hatchback	B14 (PSS)	Front and Rear	47-128347	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A3 (continued)								
2009		B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 40-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009-2006		B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009-2006		B16 (PSS9)	Front and Rear	48-113793	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Convertible	B4				Rear	19-172996	Except Electronic Adjustable Suspension; Standard Chassis
2009-2006		B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	Excludes Electronic Suspension
			Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009-2005	Hatchback	B4	Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2009-2006		B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2009-2005	Hatchback	B6 (HD)	Front	35-113751	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009-2006		B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2009-2005	Hatchback	B8 (SP)	Front	35-113768	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2009-2006		Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear
Audi A3 (continued)						
2008-2006		B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2007-2006	2.0L L4 1984cc 121 CID; 4 Dr.	B12 (Pro-Kit)	Front and Rear	46-183101	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-183125	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194558	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-194565	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter	
2007	2.0L L4 1984cc 121 CID; 4 Dr.	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2006	2.0L L4 1984cc 121 CID; 4 Dr.	B12 (Sportline)	Front and Rear	46-183422	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194664	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2005	3 Dr.; Ambiente; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183156	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-194589	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	

Passenger Cars



Years	Application	Series	Front		Rear
Audi A3 (continued)					
2005	3 Dr.; Attraction Plus; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183156	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter
			Front and Rear	46-194589	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2005	3 Dr.; Attraction; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183163	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter
			Front and Rear	46-194596	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2005	3 Dr.; Attraction Plus; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183163	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter
			Front and Rear	46-194596	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2005	3 Dr.; Attraction; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183156	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter
			Front and Rear	46-194589	Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2005	3 Dr.; Quattro	B12 (Pro-Kit)	Front and Rear	46-183187	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 50mm Outside Strut Diameter
			Front and Rear	46-194640	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; With 55mm Outside Strut Diameter
2005	3 Dr.; Ambiente; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183163	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter
			Front and Rear	46-194596	Front Lowered Height: 30mm, up to 1155kg Axle Load; Rear Lowered Height: 30mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter



Years	Application	Series	Front			Rear		
Audi A3 (continued)								
2005	3 Dr.; Attraction	B12 (Sportline)	Front and Rear	46-194688	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183446	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
2005	3 Dr.; Ambiente	B12 (Sportline)	Front and Rear	46-194688	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183446	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
2005	3 Dr.; Attraction Plus	B12 (Sportline)	Front and Rear	46-194688	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183446	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35-40mm, up to 1005kg Axle Load; With 50mm Outside Strut Diameter			
2005		B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2005		B6 (HD)				Rear	24-172936	Except Electronic Adjustable Suspension; Standard Chassis
2005		B8 (SP)				Rear	24-178006	Except Electronic Adjustable Suspension; Standard Chassis
2005	Quattro	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1110kg Axle Load; With 55mm Outside Strut Diameter			
2004	Advance; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			
2004	Advance; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2004	Advance	B12 (Sportline)	Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2003-1998	w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180148	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 930kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A3 (continued)								
2003-1998	w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180162	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load			
2003-1998		B12 (Sportline)	Front and Rear	46-180216	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
			Front and Rear	46-180223	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 35-40mm, up to 1000kg Axle Load			
2003-1998		B4				Rear	19-029160	Standard Chassis
2003-1998		B6 (HD)				Rear	24-025430	
2003-1998		B8 (SP)				Rear	24-025447	
Audi A4								
2014, 2012-2010		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013, 2009-2008	Base	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013, 2009-2008	Luxury	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013, 2009	Base	B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013, 2009	Base	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013, 2009	Trendy	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2013, 2009	Luxury	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2013, 2009	Base	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2013, 2009	Sport	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2013, 2009	Trendy Plus	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2012-2010		B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012-2010		B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012-2010		B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2010		B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2010		B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2011-2010		B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011-2010		B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009-2008	Cabriolet	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2009	Luxury	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009-2007	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-188687	From Chassis # 8E-7-400001; Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load			
2009	Trendy Plus	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2009	Trendy	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Sport	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Trendy	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Sport	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Luxury	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Trendy Plus	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009-2004	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2009, 2005-2004	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2009	Cabriolet	B4	Front	19-109510	Sport Suspension; To Chassis # 8H-7-400 000			
2009	Cabriolet	B6 (HD)	Front	24-119788		Rear	24-119795	
2009	Base	B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	



Years	Application	Series	Front			Rear
Audi A4 (continued)						
2008-2006	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2008-2006	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2008-2007	2.0L L4 1984cc 121 CID; Trendy	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2008-2007	Cabrio Elite	B12 (Pro-Kit)	Front and Rear	46-188687	From Chassis # 8E-7-400001; Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load	
2008-2006	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2008	1.8L L4 1781cc; Trendy Plus	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2008	1.8L L4 1781cc; Trendy Plus	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2008-2006	3.2L V6 3123cc; Base	B12 (Sportline)	Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2008-2006	2.0L L4 1984cc 121 CID; Base	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2008-2006	1.8L L4 1781cc; Luxury	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2008-2007	2.0L L4 1984cc 121 CID; Trendy	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2008-2005	Trendy	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load	

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2008-2007	Cabrio Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008-2004	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Trendy Plus	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008-2004	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008-2006, 2003-2002		B16 (PSS9)	Front and Rear	48-169301				
2008-2007	Trendy	B4	Front	19-164472	Sport Suspension			
2008-2007	Cabriolet	B4	Front	19-109510	Sport Suspension			
2008	Trendy Plus	B4	Front	19-164472	Sport Suspension			
2008-2007	Luxury	B4	Front	19-164472	Sport Suspension			
2008-2006	Base; w/ B7 Body	B4				Rear	19-164489	Sport Suspension
2008-2006	Base	B4	Front	19-158945	Standard Suspension	Rear	19-158952	Standard Suspension
			Front	19-164472	Sport Suspension			
2008-2007		B6 (HD)	Front	24-119788		Rear	24-119795	
2008-2007		B8 (SP)	Front	24-119818		Rear	24-119825	
2007	2.0L L4 1984cc 121 CID; Elite	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2007	2.0L L4 1984cc 121 CID; Cabriolet; Convertible	B12 (Pro-Kit)	Front and Rear	46-189837	Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000			
2007	2.0L L4 1984cc 121 CID; Elite	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2007-2005	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	Elite	B4	Front	19-164472	Sport Suspension			



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2006	2.0L L4 1984cc 121 CID; Vangard	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2006-2003	1.8L L4 1781cc; Cabriolet; Convertible	B12 (Pro-Kit)	Front and Rear	46-189837	Front Lowered Height: 20mm, up to 1150kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000			
2006	1.8L L4 1781cc; Trendy	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2006	Elite	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	1.8L L4 1781cc; Trendy	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	2.0L L4 1984cc 121 CID; Vangard	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006	Limited Edition	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2006-2004	Vangard	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006-2004	Cabrio	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	Limited Edition	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006-2003	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2006	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2006-2003	Cabriolet	B6 (HD)	Front	24-065146				
2006	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2006-2003	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2005	2.0L L4 1984cc 121 CID; Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			

Passenger Cars



Years	Application	Series	Front		Rear
Audi A4 (continued)					
2005	1.8L L4 1781cc; Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load
2005	1.8L L4 1781cc; Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load
2005	2.0L L4 1984cc 121 CID; Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188465	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load
			Front and Rear	46-188472	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load
2005	3.0L V6 2976cc; Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188472	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load
2005	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-188526	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load
2005-2003	3.0L V6 2976cc; Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189820	Front Lowered Height: 20mm, up to 1230kg Axle Load; Rear Lowered Height: 20mm, up to 1100kg Axle Load; To Chassis # 8E-7-400 000
2005	1.8L L4 1781cc; Base; w/ B7 Body	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load
2005	2.0L L4 1984cc 121 CID; Base; w/ B6 Body	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load
2005	2.0L L4 1984cc 121 CID; Base; w/ B7 Body	B12 (Sportline)	Front and Rear	46-188588	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load
			Front and Rear	46-188595	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load
2005	1.8L L4 1781cc; Avant	B12 (Sportline)	Front and Rear	46-188601	From Chassis # 8E-5-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load
2005	3.0L V6 2976cc; Base; w/ B6 Body	B12 (Sportline)	Front and Rear	46-188595	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load
2005	1.8L L4 1781cc; Base; w/ B6 Body	B12 (Sportline)	Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load
2005-2004	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2005-2004	Base	B16 (PSS9)	Front and Rear	48-169301				
2005	Base; w/ B7 Body	B4	Front	19-158945	Standard Suspension	Rear	19-164489	Sport Suspension
			Front	19-164472	Sport Suspension	Rear	19-158952	Standard Suspension
2005-2003	Base; FWD	B6 (HD)				Rear	24-119795	From 10/02
2005-2003	Base	B6 (HD)	Front	24-119788	From 10/02			
2005-2004	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2005-2003	Base; FWD	B8 (SP)	Front	24-119818	From 10/02	Rear	24-119825	From 10/02
2004	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2004	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2004	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-183026	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-5-400 000			
			Front and Rear	46-188526	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004	1.8L L4 1781cc; Confort	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2004	1.8L L4 1781cc; Vanguard	B12 (Pro-Kit)	Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2004	3.0L V6 2976cc; Avant	B12 (Pro-Kit)	Front and Rear	46-183033	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-5-400 000			
			Front and Rear	46-188533	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-188472	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2004	1.8L L4 1781cc; Avant	B12 (Sportline)	Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
			Front and Rear	46-188601	From Chassis # 8E-5-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load			



Years	Application	Series	Front			Rear
Audi A4 (continued)						
2004-2003	3.0L V6 2976cc; Base	B12 (Sportline)	Front and Rear	46-182418	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
			Front and Rear	46-188595	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2004	3.0L V6 2976cc; Avant	B12 (Sportline)	Front and Rear	46-182418	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
			Front and Rear	46-188618	From Chassis # 8E-5-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load	
2004-2003	1.8L L4 1781cc; Confort	B12 (Sportline)	Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
			Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2004-2003	1.8L L4 1781cc; Luxury	B12 (Sportline)	Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
			Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2004	1.8L L4 1781cc; Base	B12 (Sportline)	Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
			Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2004-2003	1.8L L4 1781cc; Vanguard	B12 (Sportline)	Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000	
			Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load	
2004	Confort	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load	



Years	Application	Series	Front			Rear
Audi A4 (continued)						
2003	1.8L L4 1781cc; Confort	B12 (Pro-Kit)	Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2003	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-182975	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-183385	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-188472	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2003	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2003	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2003	1.8L L4 1781cc; Vanguard	B12 (Pro-Kit)	Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	
			Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load	
2003	Vanguard	B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000	

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2003	1.8L L4 1781cc; Base	B12 (Sportline)	Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
			Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2003	Confort	B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2003	Luxury	B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2003-2002		B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2003	Base; Sedan; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Luxury; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Confort; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Sedan; Vanguard	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003	Cabrio; Convertible	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2002	3.0L V6 2976cc	B12 (Pro-Kit)	Front and Rear	46-182975	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-183385	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-188472	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			
2002	1.8L L4 1781cc	B12 (Pro-Kit)	Front and Rear	46-182968	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-188465	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1035kg Axle Load			



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2002	3.0L V6 2976cc	B12 (Sportline)	Front and Rear	46-182418	Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
			Front and Rear	46-188595	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1140kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2002	1.8L L4 1781cc	B12 (Sportline)	Front and Rear	46-182401	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1090kg Axle Load; To Chassis # 8E-5-400 000			
			Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-188588	From Chassis # 8E-2-400001; Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load			
2002		B12 (Sportline)	Front and Rear	46-183378	Front Lowered Height: 45-50mm, up to 1090kg Axle Load; Rear Lowered Height: 35-40mm, up to 1035kg Axle Load; To Chassis # 8E-2-400 000			
2002		B4	Front	19-109510	Sport Suspension; To 9/02; To Chassis # 8E-2-400 000	Rear	19-111803	Sport Suspension; To Chassis # 8E-2-400 000
2002		B6 (HD)	Front	24-065146	To 9/02			
			Front	24-119788	From 10/02			
2002	FWD	B6 (HD)				Rear	24-119795	From 10/02
2002	FWD	B8 (SP)	Front	24-119818	From 10/02	Rear	24-119825	From 10/02
2002	Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2002	Sedan; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2001	2.8L V6 2771cc; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2001		B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189158	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
2001	2.8L V6 2771cc; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189196	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2001	1.8L L4 1781cc	B12 (Pro-Kit)	Front and Rear	46-189097	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2001	1.8L L4 1781cc	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001		B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001	2.8L V6 2771cc; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-189264	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2001		B4	Front	19-119939	From 7/00 To 01; Sport Suspension	Rear	19-103471	
			Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
2001		B6 (HD)	Front	24-065122	From 7/00 To 01	Rear	24-062596	
2000		B12 (Pro-Kit)	Front and Rear	46-189141	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
			Front and Rear	46-189158	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
2000	2.8L V6 2771cc; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189097	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189080	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2000	1.8L L4 1781cc	B12 (Pro-Kit)	Front and Rear	46-189097	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189080	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
2000	2.8L V6 2771cc; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189189	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189196	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2000	1.8L L4 1781cc	B12 (Sportline)	Front and Rear	46-189264	From Chassis # 8D-1-030001; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2000	2.8L V6 2771cc; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-189264	From Chassis # 8D-1-030001; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2000		B12 (Sportline)	Front and Rear	46-189264	From Chassis # 8D-1-030001; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
2000		B4	Front	19-045771	Sport Suspension; To 6/00	Rear	19-103471	
			Front	22-031167	Standard Suspension; To 6/00			
			Front	19-119939	From 7/00 To 01; Sport Suspension			
			Front	19-119922	From Chassis # 8D-1-030001; Standard Chassis			
2000		B6 (HD)	Front	24-020794	To 6/00	Rear	24-062596	
			Front	24-065122	From 7/00 To 01			
2000-1999		B8 (SP)	Front	24-020817	To 6/00			
1999	2.8L V6 2771cc; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183279	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
			Front and Rear	46-189189	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1999		B12 (Pro-Kit)	Front and Rear	46-189141	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
			Front and Rear	46-183248	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load; To Chassis # 8D-X-200000			
			Front and Rear	46-183361	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; To Chassis # 8D-X-200000			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
1999	1.8L L4 1781cc	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
			Front and Rear	46-189080	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
1999	2.8L V6 2771cc; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
			Front and Rear	46-189080	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
			Front and Rear	46-189257	From Chassis # 8D-X-200001 to 8D-1-030000; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load			
1999		B4	Front	19-045771	Sport Suspension; To 6/00	Rear	19-103471	
			Front	22-031167	Standard Suspension; To 6/00	Rear	19-105376	Standard Chassis; To Chassis # 8D-X-200000
1999		B6 (HD)	Front	24-020794	To 6/00	Rear	24-062596	
1998	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1998	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1998	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-183248	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load			
1998	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183279	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
1998	2.8L V6 2771cc; Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183248	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1045kg Axle Load			



Years	Application	Series	Front			Rear		
Audi A4 (continued)								
1998-1996		B12 (Pro-Kit)	Front and Rear	46-183361	Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 35-40mm, up to 1010kg Axle Load; To Chassis # 8D-X-200000			
1998	Avant	B4	Front	22-031167		Rear	19-105376	Standard Chassis; To Chassis # 8D-X-200000
1998	Base	B4	Front	19-045771	Sport Suspension; To 6/00	Rear	19-029207	
			Front	22-031167	Standard Suspension; To 6/00			
1998		B6 (HD)				Rear	24-020800	
1998	Base	B6 (HD)	Front	24-020794	To 6/00			
1998	Avant	B6 (HD)	Front	24-020794				
1998	Base	B8 (SP)	Front	24-020817	To 6/00			
1998		B8 (SP)				Rear	24-020824	
1998	Avant	B8 (SP)	Front	24-020817				
1997	1.8L L4 1781cc	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1997-1996	2.8L V6 2771cc; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183200	Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1997-1996	2.8L V6 2771cc; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183279	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load; To Chassis # 8D-X-200000			
1997-1996		B4	Front	19-045771	Sport Suspension; To 6/00	Rear	19-029207	
			Front	22-031167	Standard Suspension; To 6/00			
1997-1996		B6 (HD)	Front	24-020794	To 6/00	Rear	24-020800	
1997-1996		B8 (SP)	Front	24-020817	To 6/00	Rear	24-020824	
Audi A4 Quattro								
2014, 2010-2009		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013-2011, 2008	Elite	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013	Premium	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013	Premium Plus	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013-2011, 2008	Base	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013, 2009	Base	B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2013, 2009	Base	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013, 2009	Elite	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2013	Sport	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2013, 2009	Base	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2012-2011	Luxury	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2012-2011, 2008	Avant	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2012-2009	Base	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012-2009	Avant	B12 (Pro-Kit)	Front and Rear	46-183354	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1225kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012-2009	Base	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2012-2010		B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2010		B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2010		B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2011-2010		B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011-2010		B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2010-2009	3.2L V6 3123cc; Elite	B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010	Elite	B12 (Pro-Kit)	Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010-2009	Elite	B12 (Sportline)	Front and Rear	46-183521	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45mm, up to 1105kg Axle Load; Rear Lowered Height: 35mm, up to 1155kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	Elite	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-183323	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1105kg Axle Load; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2009-2008, 2006-2005	Cabriolet	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2009	Avant	B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Cabriolet	B16 (PSS9)	Front and Rear	48-169301				
2009	Avant	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009	Avant	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Sport Suspension
2009	Cabriolet	B6 (HD)	Front	24-119788				
2009	Avant	B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2009	Base	B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2009	Avant	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2009	Base	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2008	Cabriolet	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2008-2006	Avant	B12 (Pro-Kit)	Front and Rear	46-188571	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2008-2005	Elite	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008	Trendy	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008-2006	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Trendy	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008-2006	2.0L L4 1984cc 121 CID; Elite	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008-2006, 2004	Base	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2008-2006	2.0L L4 1984cc 121 CID; Avant	B12 (Pro-Kit)	Front and Rear	46-188564	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2008, 2006-2005	Base	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008	Trendy	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008, 2006-2005	Elite	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008, 2006-2005	Avant	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2008-2002		B16 (PSS9)	Front and Rear	48-169301				
2008	Trendy	B4	Front	19-164472	Sport Suspension			
2008-2006	Base	B4	Front	19-158945	Standard Suspension	Rear	19-164489	Sport Suspension
			Front	19-164472	Sport Suspension	Rear	19-158952	Standard Suspension
2008-2007	Elite	B4	Front	19-164472	Sport Suspension			



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2008		B6 (HD)	Front	24-119788				
2008	Base	B6 (HD)				Rear	24-119795	
2008	Avant	B6 (HD)				Rear	24-119795	
2008		B8 (SP)	Front	24-119818		Rear	24-119825	
2007-2006	2.0L L4 1984cc 121 CID; DTM	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2007-2006	DTM	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2007, 2004- 2002		B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2007	DTM	B4	Front	19-164472	Sport Suspension			
2007		B6 (HD)	Front	24-119788		Rear	24-119795	
2007		B8 (SP)				Rear	24-119825	
2007-2006	AWD; Avant	B8 (SP)	Front	24-119818				
2007	Cabriolet	B8 (SP)	Front	24-119818				
2007	Base	B8 (SP)	Front	24-119818				
2006	Vanguard	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006	DTM	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2006-2004	Cabriolet	B4	Front	19-109510	Sport Suspension	Rear	19-111803	Sport Suspension; To Chassis # 8H-7-400 000
2006-2003	Base	B6 (HD)	Front	24-119788		Rear	24-119795	
2006	Avant	B6 (HD)	Front	24-119788		Rear	24-119795	
2006-2004	Cabriolet	B6 (HD)	Front	24-065146				
2006	Avant	B8 (SP)				Rear	24-119825	
2006-2004	Cabriolet; Convertible; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8H-7-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8H-7-400 000
2006-2003	Base	B8 (SP)	Front	24-119818		Rear	24-119825	
2005	1.8L L4 1781cc; Avant; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188564	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	Avant; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188571	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	1.8L L4 1781cc; Avant; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188564	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2005	Luxury	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	1.8L L4 1781cc; Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	Avant; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188571	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	1.8L L4 1781cc; Base; w/ B6 Body	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Avant; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188564	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2005	2.0L L4 1984cc 121 CID; Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	Base; w/ B7 Body	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2005	Luxury	B14 (PSS)	Front and Rear	47-169289	Front Lowered Height: 30-60mm, up to 1250kg Axle Load; Rear Lowered Height: 20-50mm, up to 1170kg Axle Load			
2005	Base; w/ B7 Body	B4	Front	19-158945	Standard Suspension	Rear	19-164489	Sport Suspension
			Front	19-164472	Sport Suspension	Rear	19-158952	Standard Suspension
2005	Avant; w/ B6 Body	B4				Rear	19-111803	Sport Suspension; To Chassis # 8E-5-400 000
2005	Avant; w/ B6 Body	B6 (HD)	Front	24-065146				
2005	Avant; w/ B7 Body	B6 (HD)	Front	24-119788		Rear	24-119795	
2005-2002	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2005	Avant; w/ B7 Body	B8 (SP)				Rear	24-119825	
2005	AWD; Avant; w/ B7 Body	B8 (SP)	Front	24-119818				
2004	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004-2002	Avant	B12 (Pro-Kit)	Front and Rear	46-183071	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load; To Chassis # 8E-5-400 000			
			Front and Rear	46-188571	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2004	Luxury	B12 (Pro-Kit)	Front and Rear	46-188502	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-188496	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004-2002	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-183064	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load; To Chassis # 8E-5-400 000			
			Front and Rear	46-188564	From Chassis # 8E-5-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1150kg Axle Load			
2004-2002	Avant	B4				Rear	19-111803	Sport Suspension; To Chassis # 8E-5-400 000
2004-2002	Avant	B6 (HD)	Front	24-065146				
2003-2002	1.8L L4 1781cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-182999	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2003	Base	B12 (Pro-Kit)	Front and Rear	46-188502	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2003-2002	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-182999	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2003	Luxury	B12 (Pro-Kit)	Front and Rear	46-188502	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
			Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2003-2002	Luxury; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2003-2002	Base; Sedan; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2002	Luxury	B12 (Pro-Kit)	Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2002	Le Mans	B12 (Pro-Kit)	Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
			Front and Rear	46-188496	From Chassis # 8E-2-400001; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2002	Base	B12 (Pro-Kit)	Front and Rear	46-183002	Front Lowered Height: 30mm, up to 1165kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2002	1.8L L4 1781cc; Le Mans	B12 (Pro-Kit)	Front and Rear	46-182999	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 8E-2-400 000			
2002	Base	B4	Front	19-109510	Sport Suspension; To 9/02; To Chassis # 8E-2-400 000	Rear	19-111803	Sport Suspension; To Chassis # 8E-2-400 000
2002	Base	B6 (HD)	Front	24-065146	To 9/02	Rear	24-119795	From 10/02
			Front	24-119788	From 10/02			
2002	Base	B8 (SP)	Front	24-119818	From 10/02	Rear	24-119825	From 10/02
2002	Le Mans; Sedan	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-2-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-2-400 000
2001	Confort	B12 (Pro-Kit)	Front and Rear	46-189110	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2001	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189202	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2001	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189110	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2001	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189110	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2001	2.8L V6 2771cc; Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-189233	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2001	2.8L V6 2771cc; Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189172	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2001	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189172	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2001-1996		B16 (PSS9)	Front and Rear	48-086103	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1150kg Axle Load; Rear Lowered Height: 30-50mm, up to 1140kg Axle Load			
2001-1996		B4	Front	19-045771	Sport Suspension	Rear	19-184050	
			Front	22-031167	Standard Suspension			
2001-2000		B6 (HD)	Front	24-065122	From 7/00 To 01	Rear	24-062121	From 7/00 To 01
2001-2000		B8 (SP)				Rear	24-062145	From 7/00 To 01
2000	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183286	Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 8D-1-030000			
			Front and Rear	46-189202	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
2000	2.8L V6 2771cc; Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183309	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
			Front and Rear	46-189233	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2000	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189110	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
			Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 8D-1-030000			
2000	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189172	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
			Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2000	2.8L V6 2771cc; Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189172	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
			Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
2000	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-189110	From Chassis # 8D-1-030001; Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
			Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 8D-1-030000			
2000-1998	Base	B6 (HD)	Front	24-020794	To 6/00	Rear	24-026215	To 6/00
2000-1999	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-026222	From 3/98 To 6/00
1999-1998	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1999-1998	2.8L V6 2771cc; Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1999	2.8L V6 2771cc; Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1999	1.8L L4 1781cc; Avant	B12 (Pro-Kit)	Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1999-1998	2.8L V6 2771cc; Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183309	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1999-1998	2.8L V6 2771cc; Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183286	Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1999-1998	Avant	B6 (HD)	Front	24-020794				
1999-1998	Avant	B8 (SP)	Front	24-020817		Rear	24-062145	
1998	Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183262	From Chassis # 8D-W-006471 to 8D-1-030000; Front Lowered Height: 30mm, up to 1055kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1998	Base	B8 (SP)	Front	24-020817	To 6/00	Rear	24-026697	To 2/98
						Rear	24-026222	From 3/98 To 6/00
1997	1.8L L4 1781cc	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997-1996	2.8L V6 2771cc; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-183286	Front Lowered Height: 30mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load			



Years	Application	Series	Front			Rear		
Audi A4 Quattro (continued)								
1997	2.8L V6 2771cc; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997-1996		B6 (HD)	Front	24-020794	To 6/00	Rear	24-026215	To 6/00
1997-1996		B8 (SP)	Front	24-020817	To 6/00	Rear	24-026697	
1996	w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-183224	Front Lowered Height: 30mm, up to 1055kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
Audi A5								
2014-2008		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013-2012		B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013-2008		B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013-2008		B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension
2012-2011		B12 (Pro-Kit)	Front and Rear	46-189745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			
2011-2010		B16 (PSS10)	Front and Rear	48-147231	Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011-2010		B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011-2010		B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010		B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
			Front and Rear	46-189745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			
2009-2008		B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
Audi A5 Quattro								
2014, 2010-2008		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A5 Quattro (continued)								
2013-2012	Premium Plus	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013-2011	Base	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013-2012	Premium	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013-2011	Cabriolet	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013-2011	Elite	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2013-2012	Cabriolet	B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013-2010	Base	B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013-2011	Cabriolet	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013-2011	Elite	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013-2011	Base	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013	Elite	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension
2013	Cabriolet	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension
2013	S Line	B4	Front	19-171616	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension
2013	Base	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension
2012-2010	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189769	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1240kg Axle Load			



Years	Application	Series	Front			Rear		
Audi A5 Quattro (continued)								
2012-2010	2.0L L4 1984cc 121 CID; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189738	Except Electronic Adjustable Suspension; Front Lowered Height: 20-25mm, up to 1120kg Axle Load; Rear Lowered Height: 15-20mm, up to 1095kg Axle Load			
2012	Premium	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012	Premium Plus	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2008		B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
			Front	19-171616	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension	Rear	19-171623	Except Electronic Adjustable Suspension; Includes S-Line Package, Model 1BV; Sport Suspension
2011	Luxury	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-151282			
2011	3.2L V6 3197cc 195 CID; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2011-2010	Cabriolet	B16 (PSS10)	Front and Rear	48-147231	Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011	Luxury	B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011-2008		B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011-2008		B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2010-2008		B16 (Ride Control)	Front and Rear	49-151282	Excludes Electronic Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009-2008		B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2009-2008		B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 20-50mm, up to 1245kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
Audi A6								
2013-2012		B16 (PSS10)	Front and Rear	48-221832	Front Lowered Height: 30-50mm; Rear Lowered Height: 30-50mm			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A6 (continued)								
2011-2006		B12 (Pro-Kit)	Front and Rear	46-189844	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
2011-2005		B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2011-2006		B16 (PSS9)	Front and Rear	48-116541				
2011-2005		B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2011-2006		B6 (HD)	Front	35-116288		Rear	24-116299	
2011-2006		B8 (SP)	Front	35-116301		Rear	24-116312	
2005-2001		B12 (Pro-Kit)	Front and Rear	46-192226	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load			
2004-1998		B14 (PSS)	Front and Rear	47-124806	For Vehicles Without Ride Height Control; Front Lowered Height: 35-55mm, up to 1205kg Axle Load; Rear Lowered Height: 35-55mm, up to 1130kg Axle Load			
2004-1998		B16 (PSS9)	Front and Rear	48-088749				
2004-2002		B4	Front	19-119939		Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
						Rear	19-029443	Standard Suspension
2004-2002		B6 (HD)	Front	24-065085		Rear	24-065429	
2004-2001	Sedan	B8 (SP)				Rear	24-065436	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Original spring seat must be reused
2001-1998		B4	Front	19-045771	Sport Suspension	Rear	19-140049	Sport Suspension; Without Ride Height Adjustability
			Front	22-031167	Standard Suspension			
						Rear	19-029443	Standard Suspension
2001, 1998		B6 (HD)	Front	24-020794		Rear	24-025324	
2001		B8 (SP)				Rear	24-025331	
						Rear	F4-BE3-2533-H0	
2000-1999		B6 (HD)	Front	24-020794		Rear	24-025324	
						Rear	24-026994	Must reuse O.E. spring seat; To Chassis # 4B-Y-200 000; Without Ride Height Adjustability
2000-1998		B8 (SP)	Front	24-020817		Rear	24-025331	
						Rear	F4-BE3-2533-H0	



Years	Application	Series	Front			Rear		
Audi A6 (continued)								
1999		B12 (Pro-Kit)	Front and Rear	46-192219	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load; To Chassis # 4B-Y-200 000			
			Front and Rear	46-192295	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1130kg Axle Load; To Chassis # 4B-Y-200 000			
1998		B12 (Pro-Kit)	Front and Rear	46-192219	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1090kg Axle Load; To Chassis # 4B-Y-200 000			
1997-1995	Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192417	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997-1995	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192394	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997-1995		B4	Front	21-030390		Rear	19-029214	Standard Chassis
1997-1995		B6 (HD)	Front	34-003701		Rear	24-015769	
1997-1995		B8 (SP)	Front	34-003695		Rear	24-015738	
1995	Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192370	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1995	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192356	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1160kg Axle Load ; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
Audi A6 Quattro								
2013	Prestige	B16 (PSS10)	Front and Rear	48-221832	Front Lowered Height: 30-50mm; Rear Lowered Height: 30-50mm			
2013	Premium	B16 (PSS10)	Front and Rear	48-221832	Front Lowered Height: 30-50mm; Rear Lowered Height: 30-50mm			
2013	Premium Plus	B16 (PSS10)	Front and Rear	48-221832	Front Lowered Height: 30-50mm; Rear Lowered Height: 30-50mm			
2012		B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2012		B16 (PSS10)	Front and Rear	48-221832	Front Lowered Height: 30-50mm; Rear Lowered Height: 30-50mm			
2011-2006	4.2L V8 4163cc; Base	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2011-2009	3.0L V6 2995cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2011-2009	Avant	B12 (Pro-Kit)	Front and Rear	46-189899	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load			
2011-2007, 2005		B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2011-2005		B16 (PSS9)	Front and Rear	48-116541				
2011-2007, 2005		B4	Front	19-139951	For Vehicles Without Ride Height Control	Rear	19-139968	For Vehicles Without Ride Height Control
2011-2005		B6 (HD)	Front	35-116288		Rear	24-116299	
2011-2005		B8 (SP)	Front	35-116301		Rear	24-116312	
2008-2006	3.2L V6 3123cc; Base	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2008-2006	3.2L V6 3123cc; Avant	B12 (Pro-Kit)	Front and Rear	46-189912	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1335kg Axle Load			
2006	Elite	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Base	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Avant	B14 (PSS)	Front and Rear	47-116573	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 40-60mm, up to 1410kg Axle Load; Rear Lowered Height: 40-60mm, up to 1380kg Axle Load			
2006	Avant	B4	Front	19-139951	For Vehicles Without Ride Height Control			
2006		B4				Rear	19-139968	For Vehicles Without Ride Height Control
2006	Base	B4	Front	19-139951	For Vehicles Without Ride Height Control			
2006	Elite	B4	Front	19-139951	For Vehicles Without Ride Height Control			



Years	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2005	3.2L V6 3123cc	B12 (Pro-Kit)	Front and Rear	46-189851	Front Lowered Height: 30mm, up to 1215kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2005	4.2L V8 4163cc	B12 (Pro-Kit)	Front and Rear	46-189875	Front Lowered Height: 30mm, up to 1350kg Axle Load; Rear Lowered Height: 30mm, up to 1240kg Axle Load; Without Ride Height Adjustability			
2004-2002	Avant	B12 (Pro-Kit)	Front and Rear	46-192349	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2004-2002	3.0L V6 2950cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2004-2002	3.0L V6 2976cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2004-2002	2.7L V6 2671cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2004-1998		B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004-1998		B16 (PSS9)	Front and Rear	48-088688				
2004-2002		B4	Front	19-119939		Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
2004-2002		B6 (HD)	Front	24-065085		Rear	24-065092	
2004-2000	2.7L V6 2671cc; Base	B8 (SP)				Rear	24-065115	
2004-2002	3.0L V6 2976cc; Base	B8 (SP)				Rear	24-065115	
2004-1998	Avant	B8 (SP)				Rear	24-065115	
2002	Luxury	B12 (Pro-Kit)	Front and Rear	46-192264	Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2001	2.8L V6 2771cc; Luxury	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2001	Avant	B12 (Pro-Kit)	Front and Rear	46-192332	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1230kg Axle Load			
			Front and Rear	46-192349	For Vehicles Without Ride Height Control; From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1130kg Axle Load			
2001	Luxury	B12 (Pro-Kit)	Front and Rear	46-192264	From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
2001	2.7L V6 2671cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
2001	2.8L V6 2771cc; Base	B12 (Pro-Kit)	Front and Rear	46-192264	From Chassis # 4B-1-000001; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must Reuse Rear O.E. Spring Seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
2001-1998		B4	Front	19-045771	Sport Suspension	Rear	19-184067	Sport Suspension; To Chassis # 4B-Y-200 000
			Front	22-031167	Standard Suspension			
2001-1998		B6 (HD)	Front	24-020794		Rear	24-065092	
2001-1998	2.8L V6 2771cc; Base	B8 (SP)				Rear	24-065115	
2000-1998	Avant	B12 (Pro-Kit)	Front and Rear	46-192332	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1230kg Axle Load			



Years	Application	Series	Front			Rear		
Audi A6 Quattro (continued)								
2000-1998	2.8L V6 2771cc; Base	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
2000	2.7L V6 2671cc; Base	B12 (Pro-Kit)	Front and Rear	46-192257	For Vehicles Without Ride Height Control; From Chassis # 4B-W-070001 to 4B-Y-200000; Front Lowered Height: 30mm, up to 1230kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1175kg Axle Load			
1997-1995	Avant; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192424	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1997-1995	Base; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-192400	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1997-1995	Avant	B4	Front	21-030390	Standard Suspension			
1997-1995	Base	B4	Front	21-030390				
1997-1995		B6 (HD)	Front	34-003701		Rear	24-025935	With O.E. standard suspension (M10 upper stem)
						Rear	24-020657	With O.E. sport suspension (M12 upper stem)
1997-1995		B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
1995	Avant; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192387	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
1995	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
Audi A7 Quattro								
2013-2012		B6 (HD)	Front	24-145961	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Standard Chassis	Rear	24-145978	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Standard Chassis
2013-2012		B8 (SP)	Front	24-145985	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Standard Chassis	Rear	24-145992	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Standard Chassis
Audi A8								
2000-1997		B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
1999-1997		B6 (HD)	Front	24-026093		Rear	24-026161	



Years	Application	Series	Front			Rear		
Audi A8 Quattro								
2003-2002		B12 (Pro-Kit)	Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
2003-2000		B6 (HD)	Front	24-066785	From 5/00	Rear	24-026161	
2001-2000		B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
			Front and Rear	46-193834	For Vehicles Without Ride Height Control; From Chassis # 4D-1-000001; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load			
2000	Base	B6 (HD)	Front	24-026093	To 4/00			
1999-1997		B12 (Pro-Kit)	Front and Rear	46-193810	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1254kg Axle Load; Rear Lowered Height: 25mm, up to 1230kg Axle Load; To Chassis # 4D-Y-020000			
1999-1997		B6 (HD)	Front	24-026093	To 4/00	Rear	24-026161	
Audi Cabriolet								
1998-1994		B12 (Pro-Kit)	Front and Rear	46-189813	Front Lowered Height: 20mm, up to 1100kg Axle Load; Rear Lowered Height: 20mm, up to 870kg Axle Load; With 50mm Outside Strut Diameter			
1998-1994		B4	Front	21-030444	With 50mm Outside Strut Diameter	Rear	19-028873	
1998-1994		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-018449	
1998-1994		B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter			
			Front	24-018432				
Audi Coupe								
1987-1981		B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019680	
1987-1981		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-020510	
1987-1981		B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	24-020503	
Audi Coupe Quattro								
1991-1990		B4	Front	21-030444	With 50mm Outside Strut Diameter			
1991-1990		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
1991-1990		B8 (SP)	Front	34-030066	With 50mm Outside Strut Diameter	Rear	34-030585	With 55mm Outside Strut Diameter



Years	Application	Series	Front			Rear		
Audi Fox								
1979-1973		B4	Front	21-030406	With 50mm Outside Strut Diameter			
1979-1973		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter			
Audi Quattro								
1985-1983		B4	Front	21-030406	Standard Suspension; With 50mm Outside Strut Diameter			
			Front	21-030444	Sport Suspension; With 50mm Outside Strut Diameter			
1985-1983		B6 (HD)	Front	34-030165	With 55mm Outside Strut Diameter	Rear	34-030172	With 55mm Outside Strut Diameter
			Front	34-030059	With 50mm Outside Strut Diameter			
Audi R8								
2012	Base	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
2012	GT	Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
2011-2008		Bilstein Clubsport	Front and Rear	48-153690	Except Electronic Adjustable Suspension; Front Lowered Height: 10-25mm, up to 940kg Axle Load; Rear Lowered Height: 20-35mm, up to 1095kg Axle Load			
Audi RS4								
2008-2007		B16 (PSS9)	Front and Rear	48-105958	Dynamic Ride Control (DRC) must be removed			
2008-2007		B8 (SP)	Front	24-119818	Dynamic Ride Control (DRC) must be removed	Rear	24-119825	Dynamic Ride Control (DRC) must be removed
Audi RS6								
2004-2003		B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004-2003		B16 (PSS9)	Front and Rear	48-088688	Dynamic Ride Control (DRC) must be removed			
Audi S3								
2004-2000		B12 (Pro-Kit)	Front and Rear	46-180186	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 20mm, up to 1120kg Axle Load			
Audi S4								
2013-2010		B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1245kg Axle Load; Rear Lowered Height: 10-20mm, up to 1225kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi S4 (continued)								
2012-2010		B12 (Pro-Kit)	Front and Rear	46-183330	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1215kg Axle Load ; Rear Lowered Height: 30mm, up to 1160kg Axle Load; Standard Chassis; Without Lowered Chassis			
2010		B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2009-2004		B16 (PSS9)	Front and Rear	48-105958				
2009		B4				Rear	19-164489	
2009-2006		B8 (SP)	Front	24-119818		Rear	24-119825	
2008-2007	Base	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
2008-2007	Cabriolet	B4				Rear	19-164489	
2006	Base; w/ B7 Body	B4	Front	19-164472	Sport Suspension			
2006	Base	B4				Rear	19-164489	Sport Suspension
2005	Base; w/ B7 Body	B4	Front	19-164472	Sport Suspension	Rear	19-164489	Sport Suspension
2005-2004	Avant; Wagon; w/ B6 Body	B8 (SP)	Front	24-065160	Sport Suspension; To Chassis # 8E-5-400 000	Rear	24-065177	Sport Suspension; To Chassis # 8E-5-400 000
2005	Base; w/ B7 Body	B8 (SP)	Front	24-119818		Rear	24-119825	
2005	Avant; w/ B7 Body	B8 (SP)	Front	24-119818		Rear	24-119825	
2005-2004	Cabriolet	B8 (SP)	Front	24-119818		Rear	24-119825	
2002-2001	Avant	B12 (Pro-Kit)	Front and Rear	46-183316	Front Lowered Height: 20mm, up to 1150kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20mm, up to 1130kg Axle Load			
2002-2000		B16 (PSS9)	Front and Rear	48-086165	Front Lowered Height: 15-35mm, up to 1150kg Axle Load; Rear Lowered Height: 10-30mm, up to 1140kg Axle Load			
2002-2000		B6 (HD)	Front	24-185028		Rear	24-062121	
2002-2000		B8 (SP)	Front	24-185059		Rear	24-062145	
1994-1992		B12 (Pro-Kit)	Front and Rear	46-192363	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1240kg Axle Load ; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
Audi S5								
2013-2010	Base	B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
2013-2011		B16 (PSS10)	Front and Rear	48-147231	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1215kg Axle Load; Rear Lowered Height: 10-20mm, up to 1215kg Axle Load			
2012-2010	Cabriolet	B12 (Pro-Kit)	Front and Rear	46-189776	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1245kg Axle Load; Rear Lowered Height: 15mm, up to 1240kg Axle Load			



Years	Application	Series	Front			Rear		
Audi S5 (continued)								
2011-2008		B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2011-2008		B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010-2008		B16 (PSS10)	Front and Rear	48-147231	Front Lowered Height: 10-30mm, up to 1215kg Axle Load; Rear Lowered Height: 10-20mm, up to 1215kg Axle Load			
2009-2008		B12 (Pro-Kit)	Front and Rear	46-189721	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1205kg Axle Load; Rear Lowered Height: 20mm, up to 1095kg Axle Load			
Audi S6								
2011-2007		B16 (PSS9)	Front and Rear	48-116541				
2010-2007		B8 (SP)	Front	35-116301		Rear	24-116312	
2004-2001		B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2003-2002		B16 (PSS9)	Front and Rear	48-088688				
2003-2002		B8 (SP)				Rear	24-065115	
1995		B4	Front	21-030390				
1995		B6 (HD)	Front	34-003701		Rear	24-025935	With O.E. standard suspension (M10 upper stem)
1995		B8 (SP)	Front	34-003695		Rear	24-020664	Sport Suspension; Thread Size M12
Audi S8								
2003-2001		B6 (HD)	Front	24-066785		Rear	24-026161	
Audi TT								
2013-2011		B4				Rear	19-170084	Standard Chassis; Without Sport Suspension
2010-2008		B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2010-2008	Convertible	B12 (Pro-Kit)	Front and Rear	46-189639	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 785kg Axle Load			
2010-2008	Coupe	B12 (Pro-Kit)	Front and Rear	46-189615	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 785kg Axle Load			
2010-2008		B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2010-2008		B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2009-2008	2 Dr.; Coupe	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi TT (continued)								
2009-2008		B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2009-2008		B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2007		B4	Front	22-170071	Standard Chassis; Without Sport Suspension			
2006-1999	1.8L L4 1781cc; Coupe	B12 (Pro-Kit)	Front and Rear	46-189592	Front Lowered Height: 25mm, up to 980kg Axle Load; Rear Lowered Height: 25mm, up to 760kg Axle Load			
2006-2001	1.8L L4 1781cc; Convertible	B12 (Pro-Kit)	Front and Rear	46-189578	Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 25mm, up to 820kg Axle Load			
2006-1999		B14 (PSS)	Front and Rear	47-080478	Front Lowered Height: 30-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-50mm, up to 825kg Axle Load			
2006-2000		B16 (PSS9)	Front and Rear	48-080484	Front Lowered Height: 30-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-50mm, up to 825kg Axle Load			
2006-2000		B4	Front	22-145550		Rear	19-145563	
2006-2000		B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060325	Excludes S-Line Suspension Package
2006-2000		B8 (SP)	Front	35-046387		Rear	24-060332	
Audi TT Quattro								
2013	Premium Plus	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2013	Prestige	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2013	RS	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2013	S	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2013	S	B4				Rear	19-170084	Standard Chassis; Without Sport Suspension
2013	Premium Plus	B4				Rear	19-170084	Standard Chassis; Without Sport Suspension
2013	Prestige	B4				Rear	19-170084	Standard Chassis; Without Sport Suspension
2012, 2010-2009	S	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2012	Prestige	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			



Years	Application	Series	Front			Rear		
Audi TT Quattro (continued)								
2012	Premium Plus	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2012	S	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2012	Premium Plus	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2012	Prestige	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2012	RS	B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2012	Premium Plus	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2012	Base	B4				Rear	19-170084	Standard Chassis; Without Sport Suspension
2012	Prestige	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2012	S	B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2011		B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2011-2008		B14 (PSS)	Front and Rear	47-138896	Except Magnetic Ride; Front Lowered Height: 20-40mm, up to 1040kg Axle Load; Rear Lowered Height: 20-40mm, up to 885kg Axle Load			
2011-2008		B4	Front	22-170071	Standard Chassis; Without Sport Suspension	Rear	19-170084	Standard Chassis; Without Sport Suspension
2010-2009	2.0L L4 1984cc 121 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189653	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1005kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2010	2 Dr.; Base; Coupe	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2010	S	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2010-2008		B6 (HD)	Front	35-136811	Except Magnetic Ride	Rear	24-136822	Except Magnetic Ride
2010-2008		B8 (SP)	Front	35-136835	Except Magnetic Ride	Rear	24-136846	Except Magnetic Ride
2009	3.2L V6 3189cc 195 CID; Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-189646	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Audi TT Quattro (continued)								
2009	3.2L V6 3189cc 195 CID; Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-189622	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2009-2008	2 Dr.; Coupe	B16 (PSS10)	Front and Rear	48-138864	Except Magnetic Ride			
2008	3.2L V6 3189cc 195 CID; Convertible	B12 (Pro-Kit)	Front and Rear	46-189646	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2008	Coupe	B12 (Pro-Kit)	Front and Rear	46-189622	Except Magnetic Ride; Front Lowered Height: 25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 885kg Axle Load			
2007		B4	Front	22-170071	Standard Chassis; Without Sport Suspension			
2006	1.8L L4 1781cc; Base	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2006-2000		B14 (PSS)	Front and Rear	47-080416	Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 920kg Axle Load			
2006-2000		B16 (PSS9)	Front and Rear	48-080422	Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 920kg Axle Load			
2006-2000		B4	Front	22-145550		Rear	19-145570	
2006-2000		B6 (HD)	Front	35-046370	Excludes S-Line Suspension Package	Rear	24-060349	Excludes S-Line Suspension Package
2006-2000		B8 (SP)	Front	35-046387		Rear	24-060356	
2005-2004	1.8L L4 1781cc	B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
2003-2000		B12 (Pro-Kit)	Front and Rear	46-189608	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 920kg Axle Load			
Audi V8 Quattro								
1994-1990		B4	Front	21-030390				
1994-1990		B6 (HD)	Front	34-003701		Rear	24-020657	Without Ride Height Adjustability
1994-1990		B8 (SP)	Front	34-003695		Rear	24-020664	Excludes leveling suspension
Austin Mini								
1966-1963		B8 (SP)	Front	24-181464		Rear	24-181471	
Austin Mini 850								
1967-1963		B8 (SP)	Front	24-181464		Rear	24-181471	
Austin Mini Cooper								
1969-1963		B8 (SP)	Front	24-181464		Rear	24-181471	



Years	Application	Series	Front			Rear		
BMW 1 Series M								
2011		B1 (Tuning)	Front and Rear	50-174546	With Electronic Suspension			
2011		B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2011		Bilstein Clubsport	Front and Rear	48-223539	Front Lowered Height: 10-35mm, up to 1020kg Axle Load; Rear Lowered Height: 20-35mm, up to 1190kg Axle Load; With Uniball Joint Bearing			
BMW 118i								
2013	Base	B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013	Urban Line	B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013	Sport Line	B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013-2012	Base; Coupe	B4				Rear	19-152769	Standard Chassis
						Rear	19-152790	Sport Suspension
2012		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
BMW 120i								
2012, 2010-2007	Style	B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2012, 2010-2007	Dynamic	B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2011, 2006-2005		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2010-2007	Base	B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2010-2005	Hatchback	B4				Rear	19-144221	Standard Chassis
						Rear	19-144238	Sport Suspension
2010-2005		B4	Front Left	22-144249	Standard Chassis			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Right	22-144270	Sport Suspension			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 120i (continued)								
2010-2007	Style	B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension	Rear	26-181936	
2010-2007	Dynamic	B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension	Rear	26-181936	
2010-2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension	Rear	26-181936	
2010-2007		B6 (10-Way Adjustable)	Front Right	31-181921	Excludes M-Technics Sport Suspension			
2010-2005		B8 (SP)	Front Left	35-115939	With M-Technics Sport Suspension	Rear	24-115957	With M-Technics Sport Suspension
			Front Right	35-115946	With M-Technics Sport Suspension			
2006-2005		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension	Rear	26-181936	
			Front Right	31-181921	Excludes M-Technics Sport Suspension			
BMW 125i								
2010-2009		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2010-2009		B4	Front Left	22-144249	Standard Chassis			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Right	22-144270	Sport Suspension			
2010-2009	Hatchback	B4				Rear	19-144221	Standard Chassis
						Rear	19-144238	Sport Suspension
2010		B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010-2009		B8 (SP)	Front Left	35-115939	With M-Technics Sport Suspension	Rear	24-115957	With M-Technics Sport Suspension
			Front Right	35-115946	With M-Technics Sport Suspension			
2009		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension	Rear	26-181936	
			Front Right	31-181921	Excludes M-Technics Sport Suspension			
BMW 128i								
2013-2008		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2013-2008	Convertible	B12 (Pro-Kit)	Front and Rear	46-180520	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 945kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2013-2008		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			



Years	Application	Series	Front			Rear		
BMW 128i (continued)								
2013-2008		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013		B4	Front Left	22-152749	Standard Chassis	Rear	19-152769	Standard Chassis
			Front Right	22-152756	Standard Chassis	Rear	19-152790	Sport Suspension
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152787	Sport Suspension			
2013-2008		B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2013-2012		B6 (HD)	Front Left	35-115908	With M-Technics Sport Suspension	Rear	24-115926	With M-Technics Sport Suspension
			Front Right	35-115915	With M-Technics Sport Suspension			
2013-2008		B8 (SP)	Front Left	35-115939	With M-Technics Sport Suspension	Rear	24-115957	With M-Technics Sport Suspension
			Front Right	35-115946	With M-Technics Sport Suspension			
2012-2008	Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2012-2008	Convertible	B4	Front Left	22-152749	Standard Chassis			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152787	Sport Suspension			
2012-2008		B4				Rear	19-152769	Standard Chassis
						Rear	19-152790	Sport Suspension
2012-2008	Coupe	B4	Front Left	22-152749	Standard Chassis			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152787	Sport Suspension			
2011-2008		B16 (PSS10)	Front and Rear	48-131636				
2011-2008		B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				
BMW 130i								
2010-2007	Base	B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2010-2006	Hatchback	B4				Rear	19-144221	Standard Chassis
						Rear	19-144238	Sport Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 130i (continued)								
2010-2006		B4	Front Left	22-144249	Standard Chassis			
			Front Left	22-144256	Sport Suspension			
			Front Right	22-144263	Standard Chassis			
			Front Right	22-144270	Sport Suspension			
2010-2007	Base	B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2010-2006		B8 (SP)	Front Right	35-115946	With M-Technics Sport Suspension	Rear	24-115957	With M-Technics Sport Suspension
2006		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2006		B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
BMW 135i								
2014-2008		B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2013-2008		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013-2008		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013		B4	Front Left	22-152749	Standard Chassis	Rear	19-152769	Standard Chassis
			Front Right	22-152756	Standard Chassis	Rear	19-152790	Sport Suspension
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152787	Sport Suspension			
2013-2008		B6 (10-Way Adjustable)	Front Left	31-181914		Rear	26-181936	
			Front Right	31-181921				
2013-2012		B6 (HD)	Front Left	35-115908	With M-Technics Sport Suspension	Rear	24-115926	With M-Technics Sport Suspension
			Front Right	35-115915	With M-Technics Sport Suspension			
2013-2008		B8 (SP)	Front Left	35-115939	With M-Technics Sport Suspension	Rear	24-115957	With M-Technics Sport Suspension
			Front Right	35-115946	With M-Technics Sport Suspension			
2012-2008	Coupe	B12 (Pro-Kit)	Front and Rear	46-180537	Without Ride Height Adjustability			
2012-2011, 2008		B4				Rear	19-152769	Standard Chassis
						Rear	19-152790	Sport Suspension



Years	Application	Series	Front			Rear		
BMW 135i (continued)								
2012-2011, 2008	Coupe	B4	Front Left	22-152749	Standard Chassis			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152787	Sport Suspension			
2012-2011, 2008	Convertible	B4	Front Left	22-152749	Standard Chassis			
			Front Right	22-152756	Standard Chassis			
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152787	Sport Suspension			
2011-2008		B16 (PSS10)	Front and Rear	48-131636				
2011-2008		B6 (HD)	Front Left	35-115908		Rear	24-115926	
			Front Right	35-115915				
2010-2009	Convertible	B4	Front Left	22-152749	Standard Chassis	Rear	19-152769	Standard Chassis
			Front Right	22-152756	Standard Chassis	Rear	19-152790	Sport Suspension
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152787	Sport Suspension			
2010-2009	Hatchback	B4	Front Left	22-144249	Standard Chassis	Rear	19-144221	Standard Chassis
			Front Left	22-144256	Sport Suspension	Rear	19-144238	Sport Suspension
			Front Right	22-144263	Standard Chassis			
			Front Right	22-144270	Sport Suspension			
2010-2009	Coupe	B4	Front Left	22-152749	Standard Chassis	Rear	19-152769	Standard Chassis
			Front Right	22-152756	Standard Chassis	Rear	19-152790	Sport Suspension
			Front Left	22-152770	Sport Suspension			
			Front Right	22-152787	Sport Suspension			
BMW 135is								
2013		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2013		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013		B4				Rear	19-152769	Standard Chassis
						Rear	19-152790	Sport Suspension
BMW 1500								
1964-1961		B6 (HD)	Front	34-632192		Rear	24-632133	
1964-1961		Motorsports				Rear	24-604277	Race Model

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 1600								
1971-1964		B6 (HD)	Front	34-632192		Rear	24-632133	
1971-1964		Motorsports				Rear	24-604277	Race Model
BMW 1600-2								
1971-1968		B6 (HD)	Front	34-632192		Rear	24-632133	
1971-1966		Motorsports				Rear	24-604277	Race Model
1967-1966		B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1967-1966		B8 (SP)	Front	34-000250		Rear	24-001182	
BMW 1600ti								
1968-1966		B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1968-1966		B8 (SP)	Front	34-000250		Rear	24-001182	
1968-1966		Motorsports				Rear	24-604277	Race Model
BMW 1602								
1971-1967		B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1971-1967		B8 (SP)	Front	34-000250		Rear	24-001182	
1971-1967		Motorsports				Rear	24-604277	Race Model
BMW 1800								
1971-1963		B6 (HD)	Front	34-632192		Rear	24-632133	
1971-1963		Motorsports				Rear	24-604277	Race Model
BMW 1800ti								
1967-1964		B6 (HD)	Front	34-632192		Rear	24-632133	
1967-1964		Motorsports				Rear	24-604277	Race Model
BMW 1802								
1971		B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632133	
1971		B8 (SP)	Front	34-000250		Rear	24-001182	
1971		Motorsports				Rear	24-604277	Race Model
BMW 2000								
1972-1966		B6 (HD)	Front	34-632192		Rear	24-632140	
1972-1966		Motorsports				Rear	24-604277	Race Model
BMW 2000c								
1970-1965		B6 (HD)	Front	34-632192		Rear	24-632140	
1970-1965		Motorsports				Rear	24-604277	Race Model



Years	Application	Series	Front			Rear		
BMW 2000cs								
1970-1965		B6 (HD)	Front	34-632192		Rear	24-632140	
1970-1965		Motorsports				Rear	24-604277	Race Model
BMW 2000ti								
1971-1966		B6 (HD)	Front	34-632192		Rear	24-632140	
1971-1966		Motorsports				Rear	24-604277	Race Model
BMW 2000tii								
1972-1968		B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1972-1968		B8 (SP)	Front	34-000250		Rear	24-001182	
1972-1968		Motorsports				Rear	24-604277	Race Model
BMW 2002								
1976-1966		B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1976-1966		B8 (SP)	Front	34-000250		Rear	24-001182	
1976-1966		Motorsports				Rear	24-604277	Race Model
BMW 2002ti								
1971-1968		B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1971-1968		B8 (SP)	Front	34-000250		Rear	24-001182	
1971-1968		Motorsports				Rear	24-604277	Race Model
BMW 2002tii								
1974-1971		B6 (HD)	Front	34-000236		Rear	24-008037	
			Front	34-632192		Rear	24-632140	
1974-1971		B8 (SP)	Front	34-000250		Rear	24-001182	
1974-1971		Motorsports				Rear	24-604277	Race Model
BMW 2500								
1971-1968		B6 (HD)	Front	34-000243	With 51 mm Outside Strut Diameter			
1971-1968		B8 (SP)				Rear	24-008198	
BMW 2800								
1974-1968		B6 (HD)	Front	34-000243		Rear	24-008136	
1974-1968		B8 (SP)				Rear	24-008198	
BMW 2800CS								
1971-1968		B6 (HD)	Front	34-000243				
BMW 3.0CS								
1974		B6 (HD)	Front	34-000243		Rear	24-008136	

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 3.0CS (continued)								
1973-1971		B6 (HD)				Rear	24-008136	
BMW 3.0CSi								
1974		B6 (HD)	Front	34-000243		Rear	24-008136	
1973-1971		B6 (HD)				Rear	24-008136	
BMW 3.0S								
1974-1971		B6 (HD)	Front	34-000243				
1974-1971		B8 (SP)				Rear	24-008198	
BMW 3.0Si								
1976-1975, 1971		B6 (HD)	Front	34-000243				
1976		B8 (SP)	Front	34-193020		Rear	24-008198	
1976		Variable depending on application	Front	34-003268	B8 (SP); SetOption: Variable depending on application			
1975, 1971		B8 (SP)				Rear	24-008198	
BMW 318i								
1999-1994	Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1998-1991		B1 (OEM Components)	Front	12-116829				
1998		B12 (Pro-Kit)	Front and Rear	BTS-7508				
1998-1994	Sedan	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998-1994	Sedan; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998-1993		B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1998-1992		B16 (PSS9)	Front and Rear	48-080347	E36 Chassis; Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load; Spacers required for several wheel/tire combinations			
1998-1993		B4	Front Left	22-044198	Includes European 3/96-02	Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204	From 6/92 To 98			
1998-1992	Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			



Years	Application	Series	Front			Rear		
BMW 318i (continued)								
1998-1993		B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1998-1993		B8 (SP)	Front Left	35-044024	From 6/92 To 98	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 98			
1997-1994	4 Dr.; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1993		B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1993	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1992	w/ E36 Body	B1 (OEM Components)				Rear	12-117109	
1992	4 Dr.; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1992	Convertible; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-000156	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1992	Sedan; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
1992	Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1992	Sedan	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1992	Sedan; w/ E36 Body; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45-50mm, up to 830kg Axle load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1992	w/ E36 Body	B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1992	w/ E30 Body	B4	Front Left	22-044150	E36 Chassis; From 91 To 5/92			
1992		B4	Front Right	22-044167	From 91 To 5/92			
1992	w/ E36 Body	B4	Front Left	22-044198	Includes European 3/96-02	Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204	From 6/92 To 98			
1992	w/ E36 Body	B6 (HD)	Front Left	35-044000	From 6/92 To 98	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 98			
1992-1991		B6 (HD)	Front Right	22-003805	From 91 To 5/92			
			Front Left	22-003799	From 91 To 5/92			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 318i (continued)								
1992	w/ E30 Body	B8 (SP)	Front	34-003350		Rear	24-020275	
1992		B8 (SP)	Front Left	22-003812	From 91 To 5/92	Rear	24-027250	
			Front Right	22-003829	From 91 To 5/92			
			Front Left	35-044024	From 6/92 To 98			
			Front Right	35-044031	From 6/92 To 98			
1991, 1985	Sedan	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
			Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
1991	Convertible	B12 (Pro-Kit)	Front and Rear	46-000156	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1991		B4	Front Left	22-044150	E36 Chassis; From 91 To 5/92			
			Front Right	22-044167	From 91 To 5/92			
1991		B8 (SP)	Front Left	22-003812	From 91 To 5/92	Rear	24-027250	
			Front Right	22-003829	From 91 To 5/92	Rear	24-020275	
			Front	34-003350				
1985-1984	Coupe	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1985-1984		B4	Front	21-030499	With 45 mm Outside Strut Diameter	Rear	19-019819	
1985-1984		B6 (HD)	Front	34-181522	With 45 mm Outside Strut Diameter	Rear	24-020282	
1985-1984		B8 (SP)	Front	34-003343	With 45 mm Outside Strut Diameter	Rear	24-020275	
BMW 318is								
1999-1993		B1 (OEM Components)				Rear	12-117109	
1999-1998		B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1999-1993	w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1999-1992	Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			



Years	Application	Series	Front			Rear		
BMW 318is (continued)								
1997-1993		B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1997-1992		B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1997-1992		B16 (PSS9)	Front and Rear	48-080347	E36 Chassis; Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load; Spacers required for several wheel/tire combinations			
1997-1992		B4	Front Left	22-044198		Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204				
1997-1992		B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1997-1992		B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1992	w/ E36 Body	B1 (OEM Components)				Rear	12-117109	
1992	w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-000736	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1992	w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
1992		B12 (Pro-Kit)	Front and Rear	BTS-7508				
1992-1991	Coupe	B12 (Pro-Kit)	Front and Rear	46-000118	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1992	w/ E36 Body; w/ Standard Trans.	B12 (Sportline)	Front and Rear	46-000750	Front Lowered Height: 45mm, up to 830kg Axle Load; Rear Lowered Height: 15mm, up to 1070kg Axle Load			
1992	w/ E30 Body	B6 (HD)				Rear	24-007382	With M-Technics Sport Suspension
1991		B12 (Pro-Kit)	Front and Rear	46-180803	Front Lowered Height: 30-40mm, up to 805kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 45 mm Outside Strut Diameter			
1991		B4	Front Left	22-044150				
1991		B6 (HD)				Rear	24-007382	With M-Technics Sport Suspension
1991		B8 (SP)	Front	34-003350		Rear	24-020275	

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 318ti								
1999-1995		B1 (OEM Components)	Front	12-116829				
1999-1995		B12 (Pro-Kit)	Front and Rear	46-180988	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1999-1995		B16 (PSS9)	Front and Rear	48-080408	Front Lowered Height: 30-50mm; Rear Lowered Height: 20-40mm; Spacers required for several wheel/tire combinations			
1999-1995		B4	Front Left	22-044198	Includes European 3/96-02	Rear	19-027531	
			Front Right	22-044204				
1999-1995	Hatchback; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
				Front Right	22-172525	With M-Technics Sport Suspension		
1999-1995		B6 (HD)	Front Left	35-044000		Rear	24-020282	
			Front Right	35-044017				
1999-1995		B8 (SP)	Front Left	35-044024		Rear	24-020275	
			Front Right	35-044031				
BMW 320i								
2005-2001, 1995-1992		B1 (OEM Components)				Rear	12-117109	
2005-2001		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2005-2001	Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
				Front Right	22-139948	With M-Technics Sport Suspension		
2005-2001	Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
				Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension		
2005-2001		B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
1995-1993		B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995-1992	Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
				Front Right	22-172525	With M-Technics Sport Suspension		



Years	Application	Series	Front			Rear		
BMW 320i (continued)								
1992		B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181039	up to 05/92			
1983-1977		B4	Front	21-030420		Rear	19-019802	
1983-1977		B6 (HD)	Front	34-001219		Rear	24-006125	
			Front	34-002230	Sport Suspension			
1983-1977		B8 (SP)	Front	34-186350		Rear	24-184618	
BMW 323Ci								
2000		B1 (OEM Components)				Rear	12-117109	
2000		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135121			
2000	Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000		B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2000		B16 (PSS10)	Front and Rear	48-126380				
2000		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2000		B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2000	w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2000	Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2000	Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 323Ci (continued)								
2000		B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2000		B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
BMW 323i								
2011-2006		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2011-2006		B4				Rear	19-135052	Sport Suspension
2011-2006		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension; Standard Chassis	Rear	26-181936	Excludes M-Technics Sport Suspension; Standard Chassis
			Front Right	31-181921	Excludes M-Technics Sport Suspension; Standard Chassis			
2011-2006		B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2006, 2001-1999		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135121			
2001, 1998-1997		B1 (OEM Components)				Rear	12-117109	
2001	Sedan	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2001-1999	Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2001, 1999		B6 (HD)				Rear	24-027243	
2001, 1999		B8 (SP)				Rear	24-027250	
2001-1999	Sedan	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
2000-1999		B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2000		B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			



Years	Application	Series	Front			Rear		
BMW 323i (continued)								
2000	Wagon	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000	Sedan	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000		B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2000-1998		B16 (PSS10)	Front and Rear	48-126380				
2000		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2000		B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2000	Wagon; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2000-1999	Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2000	Wagon	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2000		B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2000		B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
2000	Wagon	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
1999-1998	Convertible	B12 (Pro-Kit)	Front and Rear	46-180964	Front Lowered Height: 30mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1999	Sedan; w/ E46 Body	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
1999	Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-180957				

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 323i (continued)								
1999	Sedan; w/ E46 Body	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
1999	Sedan; w/ E36 Body	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1999-1998	Convertible	B12 (Sportline)	Front and Rear	46-181060	Front Lowered Height: 45-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1999	w/ E36 Body	B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1999	w/ E46 Body	B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
1999	w/ E46 Body	B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
1999-1998	Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1999	w/ E36 Body	B4	Front Left	22-044198				
			Front Right	22-044204				
1999	w/ E46 Body	B4	Front Right	22-103109				
			Front Left	22-103093				
1999		B4				Rear	19-103150	With M-Technics Sport Suspension
1999	w/ E46 Body	B6 (HD)	Front Left	35-115045				
			Front Right	35-115052				
1999	w/ E36 Body	B6 (HD)	Front Left	35-044000				
			Front Right	35-044017				
1999	w/ E46 Body	B8 (SP)	Front Left	35-115069				
			Front Right	35-115076				
1999	w/ E36 Body	B8 (SP)	Front Left	35-044024				
			Front Right	35-044031				
1998	Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998		B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			



Years	Application	Series	Front			Rear		
BMW 323i (continued)								
1998-1997	Sedan	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1998		B4	Front Left	22-044198		Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204				
1998		B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1998		B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1997		B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
BMW 323is								
1999-1998		B1 (OEM Components)				Rear	12-117109	
1999-1998		B12 (Pro-Kit)	Front and Rear	46-180957				
1999-1998		B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1999-1998		B16 (PSS10)	Front and Rear	48-126380				
1999-1998	Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1999-1998		B4	Front Left	22-044198		Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204				
1999-1998		B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1999-1998		B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
BMW 323ti								
2000-1999		B1 (OEM Components)				Rear	12-117109	
2000-1999	Hatchback	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
BMW 325								
1988-1986		B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
BMW 325 (continued)								
1988-1986		B4				Rear	19-019819	
1988-1986		B6 (HD)				Rear	24-020282	
1988-1986		B8 (SP)				Rear	24-020275	
BMW 325Ci								
2006-2001	Coupe	B1 (OEM Components)				Rear	12-117109	
2006-2001	Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006-2001	Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006-2001	Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006-2001		B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2006-2001		B16 (PSS10)	Front and Rear	48-126380				
2006-2001		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2006-2001	w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2006-2001		B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2006-2001	Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2006-2001	Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2006-2001		B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				



Years	Application	Series	Front			Rear		
BMW 325Ci (continued)								
2006-2001		B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
BMW 325e								
1987-1985	Sedan	B12 (Pro-Kit)	Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1987-1984		B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1987-1984		B4	Front	21-030505		Rear	19-019819	
1987-1984		B6 (HD)	Front	34-001363		Rear	24-020282	
1987-1984		B8 (SP)	Front	34-003350		Rear	24-020275	
BMW 325es								
1987-1986		B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1987-1986		B4	Front	21-030505		Rear	19-019819	
1987-1986		B6 (HD)	Front	34-001363		Rear	24-020282	
1987-1986		B8 (SP)	Front	34-003350		Rear	24-020275	
BMW 325i								
2011	Base	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2010-2005		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2010-2006		B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2010-2006		B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2010-2006		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2010-2007		B4				Rear	19-135052	Sport Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 325i (continued)								
2010-2006		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension; Standard Chassis	Rear	26-181936	Excludes M-Technics Sport Suspension; Standard Chassis
			Front Right	31-181921	Excludes M-Technics Sport Suspension; Standard Chassis			
2010-2006		B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2006		B16 (PSS10)	Front and Rear	48-131636				
2006		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2006		B4	Front Right	22-135049	Sport Suspension	Rear	19-135021	Standard Chassis
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135018				
			Front Left	22-135032	Sport Suspension			
2006		B6 (HD)	Front Left	35-120377	Excludes M-Technics Sport Suspension	Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-120384	Excludes M-Technics Sport Suspension			
2005-2001		B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2005-2001		B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005-2001	Wagon	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005-2001	Sedan	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005-2001		B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2005-2001		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2005-2001	Wagon	B4				Rear	19-103112	
2005-2001	Wagon; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2005-2001		B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				



Years	Application	Series	Front			Rear		
BMW 325i (continued)								
2005-2001	Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2005-2001	Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2005-2001	Wagon	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2005-2001		B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2005-2001		B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
1997-1995		B1 (OEM Components)				Rear	12-117109	
1997-1996		B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997-1996	Sedan	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1995-1994	Sedan	B12 (Pro-Kit)	Front and Rear	46-180957				
1995-1994	4 Dr.; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1995-1994	Convertible	B12 (Pro-Kit)	Front and Rear	46-180964	Front Lowered Height: 30mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1995-1994	Convertible	B12 (Sportline)	Front and Rear	46-181060	Front Lowered Height: 45-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1995-1994	Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1995-1994		B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 325i (continued)								
1995-1992		B16 (PSS9)	Front and Rear	48-080347	E36 Chassis; Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load; Spacers required for several wheel/tire combinations			
1995-1992	Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1995-1994		B4	Front Left	22-044198	Includes European 3/96-02	Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204	From 6/92 To 95			
1995-1994	Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1995-1994		B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1995-1994		B8 (SP)	Front Left	35-044024	From 6/92 To 95	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 95			
1994		B1 (OEM Components)	Front	12-116829		Rear	12-117109	
1993-1992	w/ E36 Body	B1 (OEM Components)				Rear	12-117109	
1993-1991		B1 (OEM Components)	Front	12-116829				
1993-1992	4 Dr.; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1993-1992	Sedan; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1993	Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-180957				
1993-1992	Convertible; w/ E30 Body	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1993	Sedan; w/ E36 Body	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1993-1992	w/ E36 Body	B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1993		B4				Rear	19-103150	With M-Technics Sport Suspension
1993-1992	w/ E36 Body	B4	Front Left	22-044198	Includes European 3/96-02			
			Front Right	22-044204	From 6/92 To 95			
1993-1992	w/ E36 Body	B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			



Years	Application	Series	Front			Rear		
BMW 325i (continued)								
1993		B8 (SP)				Rear	24-027250	
1993-1992	w/ E36 Body	B8 (SP)	Front Left	35-044024	From 6/92 To 95			
			Front Right	35-044031	From 6/92 To 95			
1992	Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-180957	From 6/92			
1992	Sedan; w/ E36 Body	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
			Front and Rear	46-181039	up to 05/92			
1992		B4	Front Left	22-044174	From 1/92 To 5/92	Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044181	From 1/92 To 5/92			
1992		B6 (HD)	Front Left	22-181619	From 1/92 To 5/92			
			Front Right	22-181626	From 1/92 To 5/92			
1992		B8 (SP)	Front Left	22-181633	From 1/92 To 5/92	Rear	24-027250	
			Front Right	22-181640	From 1/92 To 5/92			
1991-1987	Sedan	B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
			Front and Rear	46-000101	Front Lowered Height: 30-40mm, up to 825kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1991-1989	Coupe	B12 (Pro-Kit)	Front and Rear	46-000163	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; With 51 mm Outside Strut Diameter			
1991-1987	Convertible	B12 (Pro-Kit)	Front and Rear	46-000132	Front Lowered Height: 30-40mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 945kg Axle Load; With 51 mm Outside Strut Diameter			
1991-1987		B4	Front	21-030505		Rear	19-019819	
1991-1987		B6 (HD)	Front	34-001363		Rear	24-020282	
1991-1987		B8 (SP)	Front	34-003350		Rear	24-020275	
BMW 325iX								
1991-1988		B4				Rear	19-019819	
1991-1989	Sedan	B4	Front	21-216381	Standard Chassis			
1991-1988		B6 (HD)	Front	34-002513		Rear	24-020282	
BMW 325is								
1995-1992		B1 (OEM Components)				Rear	12-117109	

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 325is (continued)								
1995-1993		B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				
1995-1992		B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1995-1992		B16 (PSS9)	Front and Rear	48-080347	E36 Chassis; Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load; Spacers required for several wheel/tire combinations			
1995-1992	Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1995-1993		B4	Front Left	22-044198		Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204	From 6/92 To 95			
1995-1993		B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Right	35-044017	From 6/92 To 95			
1995-1993		B8 (SP)	Front Left	35-044024	From 6/92 To 95	Rear	24-027250	
			Front Right	35-044031	From 6/92 To 95			
1992		B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957	From 6/92			
1992		B12 (Sportline)	Front and Rear	46-181039	up to 05/92			
1992		B4	Front Left	22-044174	From 1/92 To 5/92	Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044181	From 1/92 To 5/92			
			Front Left	22-044198				
			Front Right	22-044204	From 6/92 To 95			
1992		B6 (HD)	Front Left	35-044000	From 6/92 To 95	Rear	24-027243	
			Front Left	22-181619	From 1/92 To 5/92			
			Front Right	35-044017	From 6/92 To 95			
			Front Right	22-181626	From 1/92 To 5/92			
1992		B8 (SP)	Front Left	35-044024	From 6/92 To 95	Rear	24-027250	
			Front Left	22-181633	From 1/92 To 5/92			
			Front Right	35-044031	From 6/92 To 95			
			Front Right	22-181640	From 1/92 To 5/92			
1991-1987		B4	Front	21-030505		Rear	19-019819	
1991-1987		B6 (HD)	Front	34-001363		Rear	24-020282	
1991-1987		B8 (SP)	Front	34-003350		Rear	24-020275	



Years	Application	Series	Front			Rear		
BMW 325xi								
2006	Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2006	Wagon	B12 (Pro-Kit)	Front and Rear	46-180629	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2006		B4	Front Left	22-214287				
			Front Right	22-214294				
2006		B6 (HD)	Front Left	35-142454		Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-142461				
2006		B8 (SP)	Front Left	35-142478		Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-142485				
2005-2001		B1 (OEM Components)				Rear	12-117109	
2005-2001	Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2005-2001		B4	Front Left	22-220578				
			Front Right	22-220585				
2005-2001	Sedan	B4				Rear	19-220598	Standard Chassis
2005-2001		B6 (HD)	Front Left	22-052810				
			Front Right	22-052827				
2005-2001		B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2005-2001		Variable depending on application				Rear	24-024532	
BMW 328Ci								
2000		B1 (OEM Components)				Rear	12-117109	
2000		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135121			
2000		B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000		B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000		B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 328Ci (continued)								
2000		B16 (PSS10)	Front and Rear	48-126380				
2000		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2000		B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2000	w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2000	Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2000		B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2000		B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
BMW 328i								
2014	Sedan	B16 (Ride Control)	Front and Rear	49-224658	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Must Purchase 31306792211; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load; With Electronic Suspension			
			Front and Rear	49-224658	Excludes Electronic Suspension; Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load			
2014		B6 (HD)	Front	35-217480	Excludes Electronic Suspension; Excludes M-Technics Sport Suspension			
2014	Sedan	B6 (HD)				Rear	24-217859	Excludes Electronic Suspension; Excludes M-Technics Sport Suspension
2014		B8 (SP)	Front	35-217862	Excludes Electronic Suspension; OK with M-Technics O.E. Spring			
2014	Sedan	B8 (SP)				Rear	24-217873	Excludes Electronic Suspension; OK with M-Technics O.E. Spring
2013-2012	Convertible	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2013-2012	Coupe	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			



Years	Application	Series	Front			Rear		
BMW 328i (continued)								
2013-2007	Coupe	B12 (Pro-Kit)	Front and Rear	46-180643	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 930kg Axle Load ; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2013-2007	Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2013-2012	Sedan	B14 (PSS)	Front and Rear	47-217522	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Must Purchase 31306792211; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load; With Electronic Suspension			
			Front and Rear	47-217522	Excludes Electronic Suspension; Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load			
2013	Convertible	B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013	Coupe	B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013-2012	Sedan	B16 (PSS10)	Front and Rear	48-217170	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Must Purchase 31306792211; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load; With Electronic Suspension			
			Front and Rear	48-217170	Excludes Electronic Suspension; Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load			
2013-2012	Sedan	B16 (Ride Control)	Front and Rear	49-224658	Excludes Electronic Suspension; Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load			
			Front and Rear	49-224658	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Must Purchase 31306792211; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load; With Electronic Suspension			
2013-2007		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013-2007	Convertible	B4				Rear	19-135052	Sport Suspension
						Rear	19-145266	Standard Chassis
2013-2007	Coupe	B4				Rear	19-136592	Standard Chassis
						Rear	19-136622	Sport Suspension
2013-2012	Sedan	B6 (HD)	Front	35-217480	Excludes Electronic Suspension; Excludes M-Technics Sport Suspension	Rear	24-217859	Excludes Electronic Suspension; Excludes M-Technics Sport Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 328i (continued)								
2013-2012	Coupe; w/ E92 Body	B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2013-2012	Sedan	B8 (SP)	Front	35-217862	Excludes Electronic Suspension; OK with M-Technics O.E. Spring	Rear	24-217873	Excludes Electronic Suspension; OK with M-Technics O.E. Spring
2013-2012	Convertible; w/ E93 Body	B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2012-2007	Wagon	B12 (Pro-Kit)	Front and Rear	46-180582	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2012-2007	Wagon	B12 (Sportline)	Front and Rear	46-180742	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1175kg Axle Load			
2012-2007		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2012-2007	Wagon	B4				Rear	19-135052	Sport Suspension
2012-2007		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension; Standard Chassis	Rear	26-181936	Excludes M-Technics Sport Suspension; Standard Chassis
			Front Right	31-181921	Excludes M-Technics Sport Suspension; Standard Chassis			
2012	Wagon; w/ E91 Body	B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2011-2007		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2011-2007		B16 (PSS10)	Front and Rear	48-131636				
2011-2007		B4	Front Right	22-135049	Sport Suspension	Rear	19-135021	Standard Chassis
			Front Left	22-135001				
			Front Right	22-135018				
			Front Left	22-135032	Sport Suspension			
2011-2007	Sedan	B4				Rear	19-135052	Sport Suspension
2011-2007		B6 (HD)	Front Left	35-120377	Excludes M-Technics Sport Suspension	Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-120384	Excludes M-Technics Sport Suspension			
2011-2007		B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			



Years	Application	Series	Front			Rear		
BMW 328i (continued)								
2010-2007	Convertible; w/ E93 Body	B4	Front Left	22-145246	Standard Chassis			
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145277	Sport Suspension			
			Front Right	22-145284	Sport Suspension			
2010-2007	Coupe; w/ E92 Body	B4	Front Left	22-136572	Standard Chassis			
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136602	Sport Suspension			
			Front Right	22-136619	Sport Suspension			
2000		B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2000-1999		B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-135121			
2000		B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000		B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2000		B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2000		B16 (PSS10)	Front and Rear	48-126380				
2000-1999		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2000		B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2000-1999	Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2000-1999	Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2000		B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2000		B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 328i (continued)								
2000-1999	Sedan	B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
1999	w/ E46 Body	B1 (OEM Components)				Rear	12-117109	
1999	w/ E36 Body	B1 (OEM Components)				Rear	12-117109	
1999		B1 (OEM Components)	Front	12-117260				
1999-1996	Convertible	B12 (Pro-Kit)	Front and Rear	46-180964	Front Lowered Height: 30mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1115kg Axle Load			
1999	Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	46-180957				
1999	4 Dr.; Sedan; w/ E36 Body	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1999	Sedan; w/ E46 Body	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
1999	Sedan; w/ E46 Body	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
1999	Sedan; w/ E36 Body	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1999-1996	Convertible	B12 (Sportline)	Front and Rear	46-181060	Front Lowered Height: 45-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
1999	w/ E46 Body	B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
1999	w/ E36 Body	B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1999	w/ E46 Body	B16 (PSS10)	Front and Rear	48-126380				
1999-1996	Convertible; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1999	w/ E36 Body	B4	Front Left	22-044198				
			Front Right	22-044204				
1999	w/ E46 Body	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				



Years	Application	Series	Front			Rear		
BMW 328i (continued)								
1999	w/ E36 Body	B6 (HD)	Front Left	35-044000				
			Front Right	35-044017				
1999		B6 (HD)				Rear	24-027243	
1999	w/ E46 Body	B6 (HD)	Front Left	35-115045				
			Front Right	35-115052				
1999	w/ E36 Body	B8 (SP)	Front Left	35-044024				
			Front Right	35-044031				
1999	w/ E46 Body	B8 (SP)	Front Left	35-115069				
			Front Right	35-115076				
1999		B8 (SP)				Rear	24-027250	
1998-1996		B1 (OEM Components)	Front	12-116829		Rear	12-117109	
1998-1996	4 Dr.; Sedan	B12 (Pro-Kit)	Front and Rear	BTS-7508				
1998-1996	Sedan	B12 (Pro-Kit)	Front and Rear	46-180957				
1998-1996	Sedan	B12 (Sportline)	Front and Rear	46-000767	Front Lowered Height: 40-50mm, up to 900kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1998-1996		B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1998-1996		B16 (PSS9)	Front and Rear	48-080347	E36 Chassis; Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load; Spacers required for several wheel/tire combinations			
1998-1996	Sedan; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1998-1996		B4	Front Left	22-044198	Includes European 3/96-02	Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204				
1998-1996		B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1998-1996		B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
BMW 328i xDrive								
2013-2009		B4	Front Left	22-214287				
			Front Right	22-214294				
2012-2009	Wagon	B12 (Pro-Kit)	Front and Rear	46-180629	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 328i xDrive (continued)								
2011-2009	Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2011-2009		B6 (HD)	Front Left	35-142454		Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-142461				
2011-2009		B8 (SP)	Front Left	35-142478				
			Front Right	35-142485				
BMW 328is								
1999-1996		B1 (OEM Components)				Rear	12-117109	
1999-1996		B12 (Pro-Kit)	Front and Rear	BTS-7508				
			Front and Rear	46-180957				
1999-1996		B14 (PSS)	Front and Rear	47-124813	Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load			
1999-1996	Coupe; w/ E36 Body	B4	Front Left	22-172518	With M-Technics Sport Suspension			
			Front Right	22-172525	With M-Technics Sport Suspension			
1999-1996		B4	Front Left	22-044198	Includes European 3/96-02	Rear	19-103150	With M-Technics Sport Suspension
			Front Right	22-044204				
1999-1996		B6 (HD)	Front Left	35-044000		Rear	24-027243	
			Front Right	35-044017				
1999-1996		B8 (SP)	Front Left	35-044024		Rear	24-027250	
			Front Right	35-044031				
1998-1996		B16 (PSS9)	Front and Rear	48-080347	E36 Chassis; Front Lowered Height: 35-55mm, up to 930kg Axle Load; Rear Lowered Height: 20-40mm, up to 1130kg Axle Load; Spacers required for several wheel/tire combinations			
BMW 328xi								
2008-2007	Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2008-2007	Wagon	B12 (Pro-Kit)	Front and Rear	46-180629	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1200kg Axle Load			
2008-2007		B4	Front Left	22-214287				
			Front Right	22-214294				
2008-2007		B6 (HD)	Front Left	35-142454		Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-142461				



Years	Application	Series	Front			Rear		
BMW 328xi (continued)								
2008-2007		B8 (SP)	Front Left	35-142478		Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-142485				
BMW 330Ci								
2006-2001	Coupe	B1 (OEM Components)				Rear	12-117109	
2006, 2004-2001		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135121			
2006, 2004-2001	Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006, 2004-2001	Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006, 2004-2001	Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2006, 2004-2001		B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2006, 2004-2001		B16 (PSS10)	Front and Rear	48-126380				
2006, 2004-2001		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2006-2001	w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
			Front Right	22-139948	With M-Technics Sport Suspension			
2006, 2004-2001		B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2006-2001	Convertible	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2006-2001	Coupe	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2006, 2004-2001		B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 330Ci (continued)								
2006, 2004-2001		B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
2005	Base	B1 (OEM Components)	Front	12-117260				
2005	Base	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135121			
2005	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 25mm, up to 970kg Axle Load; Rear Lowered Height: 10mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Convertible	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 40mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base; Coupe	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 30-35mm, up to 935kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2005	Base	B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2005	Base	B16 (PSS10)	Front and Rear	48-126380				
2005	Base	B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2005	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2005	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2005		B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
2005	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
2004-2001		B1 (OEM Components)	Front	12-117260				
BMW 330i								
2007		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			



Years	Application	Series	Front			Rear			
BMW 330i (continued)									
2007-2006		B12 (Pro-Kit)	Front and Rear	46-180551	Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability				
2007-2006		B12 (Sportline)	Front and Rear	46-180728	Front Lowered Height: 45-50mm, up to 955kg Axle Load; Rear Lowered Height: 35mm, up to 1135kg Axle Load; Without Ride Height Adjustability				
2007-2006		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load				
2007-2006		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load				
2007		B4				Rear	19-135052	Sport Suspension	
2007-2006		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension; Standard Chassis	Rear	26-181936	Excludes M-Technics Sport Suspension; Standard Chassis	
			Front Right	31-181921	Excludes M-Technics Sport Suspension; Standard Chassis				
2007-2006		B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension	
			Front Right	35-120414	With M-Technics Sport Suspension				
2006		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543				
			N/A	14-230615	For use in conjunction with kit # 49-135121				
2006		B16 (PSS10)	Front and Rear	48-131636					
2006		B4	Front Right	22-135049	Sport Suspension	Rear	19-135021	Standard Chassis	
			Front Left	22-135001		Rear	19-135052	Sport Suspension	
			Front Right	22-135018					
			Front Left	22-135032	Sport Suspension				
2006		B6 (HD)	Front Left	35-120377	Excludes M-Technics Sport Suspension	Rear	24-120395	Excludes M-Technics Sport Suspension	
			Front Right	35-120384	Excludes M-Technics Sport Suspension				
2005-2001		B1 (OEM Components)				Rear	12-117109		
2005	Base	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543				
			N/A	14-230615	For use in conjunction with kit # 49-135121				
2005	Base	B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability				
2005	Base	B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability				

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 330i (continued)								
2005	Base	B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2005	Base	B16 (PSS10)	Front and Rear	48-126380				
2005	Base	B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2005	Base	B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2005-2001	Sedan; w/ E46 Body	B4	Front Right	22-139948	With M-Technics Sport Suspension			
2005	Base; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
2005	M; Sedan; w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
2005	Sedan	B6 (10-Way Adjustable)	Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
2005	Base; Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension			
2005	Base	B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2005	Base	B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
2005		B8 (SP)	Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
2004-2001		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135121			
2004-2001		B12 (Pro-Kit)	Front and Rear	46-180018	Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004-2001		B12 (Sportline)	Front and Rear	46-180117	Front Lowered Height: 45-50mm, up to 935kg Axle Load; Rear Lowered Height: 20-25mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2004-2001		B14 (PSS)	Front and Rear	47-126848	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			
2004-2001		B16 (PSS10)	Front and Rear	48-126380				
2004-2001		B16 (Ride Control)	Front and Rear	49-135121	Front Lowered Height: 35-50mm, up to 1030kg Axle Load; Rear Lowered Height: 25-40mm, up to 1190 kg Axle Load			



Years	Application	Series	Front			Rear		
BMW 330i (continued)								
2004-2001		B4	Front Right	22-103109		Rear	19-103150	With M-Technics Sport Suspension
			Front Left	22-103093				
2004-2001	w/ E46 Body	B4	Front Left	22-139931	With M-Technics Sport Suspension			
2004-2001	Sedan	B6 (10-Way Adjustable)	Front Left	31-181884	Standard Chassis; With M-Technics Sport Suspension	Rear	26-181905	Standard Chassis; With M-Technics Sport Suspension
			Front Right	31-181891	Standard Chassis; With M-Technics Sport Suspension			
2004-2001		B6 (HD)	Front Left	35-115045		Rear	24-027243	
			Front Right	35-115052				
2004-2001		B8 (SP)	Front Left	35-115069		Rear	24-027250	
			Front Right	35-115076				
			Front Left	35-115106	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
			Front Right	35-115113	Shortened Shock Absorber 45mm; With M-Technics Sport Suspension			
BMW 330xi								
2006	Sedan	B12 (Pro-Kit)	Front and Rear	46-180605	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1045kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
2006		B4	Front Left	22-214287				
			Front Right	22-214294				
2006		B6 (HD)	Front Left	35-142454		Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-142461				
2006		B8 (SP)	Front Left	35-142478		Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-142485				
2005-2001		B1 (OEM Components)	Front	12-117260		Rear	12-117109	
2005-2001	Sedan	B12 (Pro-Kit)	Front and Rear	46-180032	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 20-25mm, up to 1250kg Axle Load			
2005-2001		B4	Front Left	22-220578		Rear	19-220598	Standard Chassis
			Front Right	22-220585				
2005-2001		B6 (HD)	Front Left	22-052810				
			Front Right	22-052827				
2005-2001		B8 (SP)	Front Left	22-052834				
			Front Right	22-052841				
2005-2001		Variable depending on application				Rear	24-024532	

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 335d								
2011-2009		B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2011-2009		B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2011-2009		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2011-2009		B16 (PSS10)	Front and Rear	48-131636				
2011-2009		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2011-2009		B4	Front Right	22-135049	Sport Suspension	Rear	19-135021	Standard Chassis
			Front Left	22-135001		Rear	19-135052	Sport Suspension
			Front Right	22-135018				
			Front Left	22-135032	Sport Suspension			
2011-2009		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension; Standard Chassis	Rear	26-181936	Excludes M-Technics Sport Suspension; Standard Chassis
			Front Right	31-181921	Excludes M-Technics Sport Suspension; Standard Chassis			
2011-2009		B6 (HD)	Front Left	35-120377	Excludes M-Technics Sport Suspension	Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-120384	Excludes M-Technics Sport Suspension			
2011-2009		B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
BMW 335i								
2014	Sedan	B16 (Ride Control)	Front and Rear	49-224658	Excludes Electronic Suspension; Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load			
			Front and Rear	49-224658	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Must Purchase 31306792211; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load; With Electronic Suspension			
2014		B6 (HD)	Front	35-217480	Excludes Electronic Suspension; Excludes M-Technics Sport Suspension			
2014	Sedan	B6 (HD)				Rear	24-217859	Excludes Electronic Suspension; Excludes M-Technics Sport Suspension
2014	Sedan	B8 (SP)				Rear	24-217873	Excludes Electronic Suspension; OK with M-Technics O.E. Spring
2014		B8 (SP)	Front	35-217862	Excludes Electronic Suspension; OK with M-Technics O.E. Spring			
2013-2012	Convertible	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			



Years	Application	Series	Front			Rear		
BMW 335i (continued)								
2013-2012	Coupe	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2013-2007	Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2013	Convertible	B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013-2012	Sedan	B14 (PSS)	Front and Rear	47-217522	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Must Purchase 31306792211; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load; With Electronic Suspension			
			Front and Rear	47-217522	Excludes Electronic Suspension; Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load			
2013	Coupe	B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013-2012	Sedan	B16 (PSS10)	Front and Rear	48-217170	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Must Purchase 31306792211; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load; With Electronic Suspension			
			Front and Rear	48-217170	Excludes Electronic Suspension; Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load			
2013-2012	Sedan	B16 (Ride Control)	Front and Rear	49-224658	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Must Purchase 31306792211; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load; With Electronic Suspension			
			Front and Rear	49-224658	Excludes Electronic Suspension; Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1120kg Axle Load			
2013-2007	Convertible	B4				Rear	19-135052	Sport Suspension
						Rear	19-145266	Standard Chassis
2013-2007	Coupe	B4				Rear	19-136592	Standard Chassis
						Rear	19-136622	Sport Suspension
2013-2012	Sedan	B6 (HD)	Front	35-217480	Excludes Electronic Suspension; Excludes M-Technics Sport Suspension	Rear	24-217859	Excludes Electronic Suspension; Excludes M-Technics Sport Suspension
2013-2012	Coupe; w/ E92 Body	B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2013-2012	Convertible; w/ E93 Body	B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 335i (continued)								
2013-2012	Sedan	B8 (SP)	Front	35-217862	Excludes Electronic Suspension; OK with M-Technics O.E. Spring	Rear	24-217873	Excludes Electronic Suspension; OK with M-Technics O.E. Spring
2012-2007	Coupe	B12 (Pro-Kit)	Front and Rear	46-180650	Front Lowered Height: 35mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 1090kg Axle Load; Without Ride Height Adjustability			
2012-2007		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2012-2007		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension; Standard Chassis	Rear	26-181936	Excludes M-Technics Sport Suspension; Standard Chassis
			Front Right	31-181921	Excludes M-Technics Sport Suspension; Standard Chassis			
2011-2007		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2011-2007	Sedan	B12 (Pro-Kit)	Front and Rear	46-180568	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 25mm, up to 1135kg Axle Load; Without Ride Height Adjustability			
2011-2007		B16 (PSS10)	Front and Rear	48-131636				
2011-2007		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2011-2007	Sedan	B4				Rear	19-135052	Sport Suspension
2011-2007		B4	Front Right	22-135049	Sport Suspension	Rear	19-135021	Standard Chassis
			Front Left	22-135001				
			Front Right	22-135018				
			Front Left	22-135032	Sport Suspension			
2011-2007		B6 (HD)	Front Left	35-120377	Excludes M-Technics Sport Suspension	Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-120384	Excludes M-Technics Sport Suspension			
2011-2007		B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2010-2007	Coupe; w/ E92 Body	B4	Front Left	22-136572	Standard Chassis			
			Front Right	22-136589	Standard Chassis			
			Front Left	22-136602	Sport Suspension			
			Front Right	22-136619	Sport Suspension			
2010-2007	Convertible; w/ E93 Body	B4	Front Left	22-145246	Standard Chassis			
			Front Right	22-145253	Standard Chassis			
			Front Left	22-145277	Sport Suspension			
			Front Right	22-145284	Sport Suspension			



Years	Application	Series	Front			Rear		
BMW 335i xDrive								
2013	Coupe	B4	Front Left	22-214287				
			Front Right	22-214294				
2013-2012	Coupe; w/ E92 Body	B8 (SP)				Rear	24-120425	With M-Technics Sport Suspension
2012-2009		B4	Front Left	22-214287				
			Front Right	22-214294				
2011-2009		B6 (HD)	Front Left	35-142454		Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-142461				
2011-2009		B8 (SP)	Front Left	35-142478		Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-142485				
BMW 335is								
2013-2012	Coupe	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2013-2012	Convertible	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2013-2011	Coupe	B12 (Pro-Kit)	Front and Rear	46-180650	For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 990kg Axle Load; Rear Lowered Height: 25mm, up to 1090kg Axle Load			
2013-2011	Convertible	B12 (Pro-Kit)	Front and Rear	46-180674	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 10-15mm, up to 1200kg Axle Load			
2013-2011		B16 (Ride Control)	Front and Rear	49-131543	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			
2013-2011	Convertible	B4				Rear	19-135052	Sport Suspension
						Rear	19-145266	Standard Chassis
2013-2011	Coupe	B4				Rear	19-136592	Standard Chassis
						Rear	19-136622	Sport Suspension
2013-2011		B6 (HD)	Front Left	35-120377	Excludes M-Technics Sport Suspension	Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-120384	Excludes M-Technics Sport Suspension			
2013-2012	Convertible; w/ E93 Body	B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2013-2012	Coupe; w/ E92 Body	B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
2012-2011		B14 (PSS)	Front and Rear	47-120471	Front Lowered Height: 30-50mm, up to 1020kg Axle Load; Rear Lowered Height: 30-50mm, up to 1200kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 335is (continued)								
2012-2011		B6 (10-Way Adjustable)	Front Left	31-181914	Excludes M-Technics Sport Suspension; Standard Chassis	Rear	26-181936	Excludes M-Technics Sport Suspension; Standard Chassis
			Front Right	31-181921	Excludes M-Technics Sport Suspension; Standard Chassis			
2011		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-131543			
2011		B16 (PSS10)	Front and Rear	48-131636				
2011		B4	Front Left	22-135001		Rear	19-135021	Standard Chassis
			Front Right	22-135018				
2011		B8 (SP)	Front Left	35-120407	With M-Technics Sport Suspension	Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-120414	With M-Technics Sport Suspension			
BMW 335xi								
2008-2007		B4	Front Left	22-214287				
			Front Right	22-214294				
2008-2007		B6 (HD)	Front Left	35-142454		Rear	24-120395	Excludes M-Technics Sport Suspension
			Front Right	35-142461				
2008-2007		B8 (SP)	Front Left	35-142478		Rear	24-120425	With M-Technics Sport Suspension
			Front Right	35-142485				
BMW 524td								
1986-1985		B6 (HD)				Rear	24-007276	Parameter 270/100
BMW 525i								
2009-2004		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135169			
2009-2004		B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2009-2004		B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2007-2001		B1 (OEM Components)	Front	12-117260				
2007-2004		B14 (PSS)	Front and Rear	47-111165	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2007-2004		B16 (PSS10)	Front and Rear	48-135498				



Years	Application	Series	Front			Rear		
BMW 525i (continued)								
2007-2004		B16 (Ride Control)	Front and Rear	49-135169	Excludes Electronic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2007-2004		B4	Front	22-138361		Rear	19-138381	
2007-2004		B6 (HD)	Front	35-109631		Rear	24-109642	
2007-2004		B8 (SP)				Rear	24-109666	
2007-2004		Variable depending on application	Front	35-109655	B8 (SP); SetOption: Variable depending on application			
2003-2001	Sedan	B12 (Pro-Kit)	Front and Rear	46-180841	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load			
2003-2001	Wagon	B12 (Pro-Kit)	Front and Rear	46-180896	Except Electronic Adjustable Suspension; For Vehicles With Pneumatic Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; With Ride Height Control			
			Front and Rear	46-180872	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 25-30mm, up to 1390kg Axle Load			
2003-2001	Sedan	B12 (Sportline)	Front and Rear	46-180926	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003-2001	Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
2003-2001		B16 (PSS9)	Front and Rear	48-104692				
2003-2001	4 Dr.; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2003-2001	4 Dr.; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2003-2001	Wagon; w/ Coil Rear Springs	B4				Rear	19-106649	
2003-2001		B4	Front	22-111074				
2003-2001		B6 (HD)	Front	35-114062				
2003-2001	4 Dr.; Sedan	B6 (HD)				Rear	24-028288	
2003-2001	4 Dr.; Wagon	B6 (HD)				Rear	24-060615	

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 525i (continued)								
2003-2001	4 Dr.; Wagon	B8 (SP)				Rear	24-060967	
2003-2001	4 Dr.; Sedan	B8 (SP)				Rear	24-028295	
2003-2001		B8 (SP)	Front	35-114079				
1995-1989	Sedan; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190918	For Vehicles Without Ride Height Control; Front Lowered Height: 25-35mm, up to 970kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; use with 2.5inch dust cap and 22mm nut			
1995-1989	w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190901	For Vehicles Without Ride Height Control; Front Lowered Height: 25-35mm, up to 970kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
1995-1990	Sedan; w/ Coil Rear Springs	B12 (Sportline)	Front and Rear	46-190932	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front and Rear	46-190949	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; use with 2.5inch dust cap and 22mm nut			
1995-1989	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1995-1991		B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1995-1993	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-012218	
1995-1993		B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1995-1992		B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
1995-1992, 1990	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95



Years	Application	Series	Front			Rear		
BMW 525i (continued)								
1992-1989		B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1991	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	
1991-1989		B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012478	
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
1990-1989		B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
			Front	21-030253	Standard Chassis			
1989	Sedan; w/ Coil Rear Springs	B12 (Sportline)	Front and Rear	46-190932	Front Lowered Height: 45-50mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front and Rear	46-190949	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; use with 2.5inch dust cap and 22mm nut			
BMW 525xi								
2007-2006		B1 (OEM Components)	Front	12-117260				
2007-2006		B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension	Rear	24-141789	Except Electronic Adjustable Suspension
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2007-2006		B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension	Rear	24-141819	Except Electronic Adjustable Suspension
			Front Left	35-141792	Except Electronic Adjustable Suspension			
BMW 528e								
1988-1982		B4	Front	21-030512		Rear	19-020174	
1988-1982		B6 (C)	Front	F4-P36-0239-H0				
1988-1982		B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1988-1982		B8 (SP)	Front	34-181546		Rear	24-006071	

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 528i								
2013-2011		B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1320kg Axle Load			
2013		B6 (HD)	Front Right	24-178495	Except Electronic Adjustable Suspension	Rear	24-176255	Except Electronic Adjustable Suspension
2013-2011		B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
2012-2011		B12 (Pro-Kit)	Front and Rear	46-195104	Excludes Electronic Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1310kg Axle Load; Without Ride Height Adjustability			
2012-2011		B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2010-2008, 2000		B1 (OEM Components)	Front	12-117260				
2010-2008		B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2010-2008		B14 (PSS)	Front and Rear	47-111165	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2010-2008		B16 (PSS10)	Front and Rear	48-135498				
2010-2008		B16 (Ride Control)	Front and Rear	49-135169	Excludes Electronic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2010-2008		B4	Front	22-138361		Rear	19-138381	
2010-2008		B6 (HD)	Front	35-109631		Rear	24-109642	
2010-2008		B8 (SP)				Rear	24-109666	
2010-2008		Variable depending on application	Front	35-109655	B8 (SP); SetOption: Variable depending on application			
2000-1997	Sedan	B12 (Pro-Kit)	Front and Rear	46-180841	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load			



Years	Application	Series	Front			Rear			
BMW 528i (continued)									
2000-1999	Wagon	B12 (Pro-Kit)	Front and Rear	46-180896	Except Electronic Adjustable Suspension; For Vehicles With Pneumatic Suspension; Front Lowered Height: 30mm, up to 1065kg Axle Load; With Ride Height Control				
			Front and Rear	46-180872	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 25-30mm, up to 1390kg Axle Load				
2000-1997	Sedan	B12 (Sportline)	Front and Rear	46-180926	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load				
2000-1997	Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load				
2000-1997		B16 (PSS9)	Front and Rear	48-104692					
2000-1997		B4	Front	22-111074					
2000-1997	4 Dr.; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346		
2000-1999	Wagon; w/ Coil Rear Springs	B4				Rear	19-106649		
2000-1999	4 Dr.; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341		
2000-1999	4 Dr.; Wagon	B6 (HD)				Rear	24-060615		
2000-1999		B6 (HD)	Front	35-114062					
2000-1997	4 Dr.; Sedan	B6 (HD)				Rear	24-028288		
2000-1997	4 Dr.; Sedan	B8 (SP)				Rear	24-028295		
2000-1999	4 Dr.; Wagon	B8 (SP)				Rear	24-060967		
2000-1999		B8 (SP)	Front	35-114079					
1998-1997		B6 (HD)	Front	35-114062					
1998-1997		B8 (SP)	Front	35-114079					
1981-1979		B4				Rear	F4-BNE-2016-BE		
1981-1979		B6 (C)	Front	F4-P36-0228-H0					
1981-1979		B6 (HD)				Rear	24-007306		
1981-1979		B8 (SP)	Front	34-193020					
1981-1979		Variable depending on application	Front	34-003268	B6 (HD); SetOption: Variable depending on application				



Years	Application	Series	Front			Rear		
BMW 528i xDrive								
2010-2009		B1 (OEM Components)	Front	12-117260				
2010-2009		B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension	Rear	24-141789	Except Electronic Adjustable Suspension
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2010-2009		B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension	Rear	24-141819	Except Electronic Adjustable Suspension
			Front Left	35-141792	Except Electronic Adjustable Suspension			
BMW 528xi								
2008		B1 (OEM Components)	Front	12-117260				
2008		B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension	Rear	24-141789	Except Electronic Adjustable Suspension
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2008		B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension	Rear	24-141819	Except Electronic Adjustable Suspension
			Front Left	35-141792	Except Electronic Adjustable Suspension			
BMW 530i								
2009-2004		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135169			
2009-2004		B12 (Pro-Kit)	Front and Rear	46-181107	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1245 Axle Load; Without Ride Height Adjustability			
2009-2004		B12 (Sportline)	Front and Rear	46-181190	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2009-2004		B16 (Ride Control)	Front and Rear	49-135169	Excludes Electronic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2007-2001		B1 (OEM Components)	Front	12-117260				
2007-2004		B14 (PSS)	Front and Rear	47-111165	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2007-2004		B16 (PSS10)	Front and Rear	48-135498				
2007-2004		B4	Front	22-138361		Rear	19-138381	
2007-2004		B6 (HD)	Front	35-109631		Rear	24-109642	
2007-2004		B8 (SP)				Rear	24-109666	



Years	Application	Series	Front			Rear		
BMW 530i (continued)								
2007-2004		Variable depending on application	Front	35-109655	B8 (SP); SetOption: Variable depending on application			
2003-2001	Sedan	B12 (Pro-Kit)	Front and Rear	46-180841	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1065kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load			
2003-2001	Sedan	B12 (Sportline)	Front and Rear	46-180926	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003-2001	Sedan	B14 (PSS)	Front and Rear	47-100763	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load			
2003-2001		B16 (PSS9)	Front and Rear	48-104692				
2003-2001		B4	Front	22-111074				
2003-2001	4 Dr.; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2003-2001		B6 (HD)	Front	35-114062		Rear	24-060615	
2003-2001	4 Dr.; Sedan	B6 (HD)				Rear	24-028288	
2003-2001		B8 (SP)	Front	35-114079		Rear	24-060967	
2003-2001	Sedan	B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Sport Suspension			
2003-2001	4 Dr.; Sedan	B8 (SP)				Rear	24-028295	
1995-1994	Sedan; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190871	For Vehicles Without Ride Height Control; Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
1995-1994	Wagon; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190888	Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
1995-1994	Sedan; w/ Coil Rear Springs	B12 (Sportline)	Front and Rear	46-190932	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front and Rear	46-190949	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; use with 2.5inch dust cap and 22mm nut			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 530i (continued)								
1995-1994	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1995-1994		B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1995-1994	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-012218	
1995-1994		B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1995-1994	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1995-1994		B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
1978-1977		B4				Rear	F4-BNE-2016-BE	
1978-1977		B6 (C)	Front	F4-P36-0228-H0				
1978-1977		B6 (HD)				Rear	24-007306	
1978-1977		B8 (SP)	Front	34-193020				
1978-1977		Variable depending on application	Front	34-003268	B6 (HD); SetOption: Variable depending on application			
1976-1975		B6 (HD)	Front	34-000243		Rear	24-007306	
BMW 530xi								
2007-2006		B1 (OEM Components)	Front	12-117260				
2007-2006		B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2007-2006	Sedan; w/ E60 Body	B6 (HD)				Rear	24-141789	Except Electronic Adjustable Suspension
2007-2006		B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension			
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2007-2006	Wagon; w/ E61 Body	B8 (SP)				Rear	24-120708	Except Electronic Adjustable Suspension



Years	Application	Series	Front			Rear		
BMW 530xi (continued)								
2007-2006	Sedan; w/ E60 Body	B8 (SP)				Rear	24-141819	Except Electronic Adjustable Suspension
BMW 533i								
1984-1983		B4	Front	21-030512		Rear	19-020174	
1984-1983		B6 (C)	Front	F4-P36-0239-H0				
1984-1983		B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1984-1983		B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 535i								
2013-2011		B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1320kg Axle Load			
2013		B6 (HD)	Front Right	24-178495	Except Electronic Adjustable Suspension	Rear	24-176255	Except Electronic Adjustable Suspension
2013-2011		B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
2012-2011		B12 (Pro-Kit)	Front and Rear	46-195111	Excludes Electronic Suspension; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Rear Lowered Height: 30mm, up to 1310kg Axle Load; Without Ride Height Adjustability			
2012-2011		B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2010-2008		B1 (OEM Components)	Front	12-117260				
2010-2008		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135169			
2010-2009	Wagon	B12 (Pro-Kit)	Front and Rear	46-181138	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load			
2010-2008		B14 (PSS)	Front and Rear	47-111165	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2010-2008		B16 (PSS10)	Front and Rear	48-135498				
2010-2009	Sedan	B16 (Ride Control)	Front and Rear	49-135169	Excludes Electronic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 535i (continued)								
2010-2009	Wagon; w/ E61 Body	B4				Rear	19-145747	Standard Chassis
2010-2008		B4	Front	22-138361		Rear	19-138381	
2010-2008		B6 (HD)	Front	35-109631		Rear	24-109642	
2010-2008		B8 (SP)				Rear	24-109666	
2010-2008		Variable depending on application	Front	35-109655	B8 (SP); SetOption: Variable depending on application			
2008		B16 (Ride Control)	Front and Rear	49-135169	Excludes Electronic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
1993-1989		B12 (Pro-Kit)	Front and Rear	46-190888	From Chassis # 199008 To # 199209; Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-190871	For Vehicles Without Ride Height Control; Front Lowered Height: 25-35mm, up to 1060kg Axle Load; Rear Lowered Height: 20-30mm, up to 1300kg Axle Load; Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
1993-1989	Sedan; w/ Coil Rear Springs	B12 (Sportline)	Front and Rear	46-190932	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front and Rear	46-190949	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; use with 2.5inch dust cap and 22mm nut			
1993-1989	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1993-1991		B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1993-1989		B6 (HD)	Front	34-030219	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012218	
			Front	34-030226	Use with 2.5 dust cap and 22mm nut. Stem 73mm X 16mm.			
			Front	34-030233	use with 1.125inch dust cap stem 46mm 14			
1993-1992		B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.			
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			



Years	Application	Series	Front			Rear		
BMW 535i (continued)								
1993-1990	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-014861	From 8/90 To 95
1991-1989		B8 (SP)	Front	34-030189	Use with 2.5 dust cap and 19mm nut. Stem 70mm X 14mm.	Rear	24-012478	
			Front	34-030196	use with 2.5inch dust cap and 22mm nut			
			Front	34-030202	use with 1.125inch dust cap stem 46mm 14			
1990-1989		B4	Front	21-031182	use if dust cap is 1.125" and stem is 14mm X 46mm long			
			Front	21-030246	use with 2.5inch dust cap and 19mm nut			
			Front	21-031199	use with 2.5inch dust cap and 22mm nut			
			Front	21-030253	Standard Chassis			
1988-1985		B4	Front	21-030512		Rear	19-020174	
1988-1985		B6 (C)	Front	F4-P36-0239-H0				
1988-1985		B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1988-1985		B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 535i GT								
2013	w/ Coil Rear Springs	B4				Rear	19-195353	Excludes Electronic Suspension; Standard Suspension
2013		B4	Front Left	19-195339	Excludes Electronic Suspension; Standard Suspension			
			Front Right	19-195346	Excludes Electronic Suspension; Standard Suspension			
2012-2010		B4	Front Left	19-195339	Excludes Electronic Suspension; Standard Suspension	Rear	19-195353	Excludes Electronic Suspension; Standard Suspension
			Front Right	19-195346	Excludes Electronic Suspension; Standard Suspension			
2012-2010		B6 (HD)	Front Left	24-193580	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-178617	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-193597	Except Electronic Adjustable Suspension; Standard Chassis			
BMW 535i GT xDrive								
2013-2011		B4				Rear	19-195353	Excludes Electronic Suspension; Standard Suspension
BMW 535i xDrive								
2010-2009		B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2010-2009	Sedan; w/ E60 Body	B6 (HD)				Rear	24-141789	Except Electronic Adjustable Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 535i xDrive (continued)								
2010-2009	Wagon; w/ E61 Body	B8 (SP)				Rear	24-120708	Except Electronic Adjustable Suspension
2010-2009	Sedan; w/ E60 Body	B8 (SP)				Rear	24-141819	Except Electronic Adjustable Suspension
2010-2009		B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension			
			Front Left	35-141792	Except Electronic Adjustable Suspension			
BMW 535is								
1988		B4	Front	21-030512		Rear	19-020174	
1988		B6 (C)	Front	F4-P36-0239-H0				
1988		B6 (HD)	Front	34-002339		Rear	24-006088	
						Rear	24-007276	Parameter 270/100
1988		B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 535xi								
2008		B6 (HD)	Front Left	35-141761	Except Electronic Adjustable Suspension			
			Front Right	35-141778	Except Electronic Adjustable Suspension			
2008	Sedan; w/ E60 Body	B6 (HD)				Rear	24-141789	Except Electronic Adjustable Suspension
2008		B8 (SP)	Front Right	35-141808	Except Electronic Adjustable Suspension			
			Front Left	35-141792	Except Electronic Adjustable Suspension			
2008	Sedan; w/ E60 Body	B8 (SP)				Rear	24-141819	Except Electronic Adjustable Suspension
2008	Wagon; w/ E61 Body	B8 (SP)				Rear	24-120708	Except Electronic Adjustable Suspension
BMW 540i								
2003-1998		B1 (OEM Components)	Front	12-117260				
2003-1999	Wagon	B12 (Pro-Kit)	Front and Rear	46-180902	Except Electronic Adjustable Suspension; For Vehicles With Pneumatic Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; With Ride Height Control			
2003-1999	Sedan; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
2003-1997	Sedan	B14 (PSS)	Front and Rear	47-111264	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-50mm, up to 1105kg Axle Load; Front Lowered Height: 25-50mm, up to 1105kg Axle Load			
2003-1997		B16 (PSS9)	Front and Rear	48-104555				



Years	Application	Series	Front			Rear		
BMW 540i (continued)								
2003-1999	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	22-111081				
2003-1999	Wagon; w/ Coil Rear Springs	B4				Rear	19-106649	
2003-1999	4 Dr.; Wagon; w/ Air Rear Springs; w/ Coil Front Springs	B4				Rear	19-132341	
2003-1997	4 Dr.; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-067346	
2003-1999		B6 (HD)	Front	35-114086				
2003-1997	4 Dr.; Sedan	B6 (HD)				Rear	24-028288	
2003-1999	4 Dr.; Wagon	B6 (HD)				Rear	24-060615	
2003-1999	4 Dr.; Wagon	B8 (SP)				Rear	24-060967	
2003-1997	4 Dr.; Sedan	B8 (SP)				Rear	24-028295	
2003-1999		B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Sport Suspension			
1998-1997		B12 (Pro-Kit)	Front and Rear	46-180858	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1290kg Axle Load; Without Ride Height Adjustability			
1998-1997		B4	Front	22-111081				
1998-1997		B6 (HD)	Front	35-114086		Rear	24-060615	
1998-1997		B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Sport Suspension	Rear	24-060967	
1995-1994		B4	Front	21-031199	use with 2.5inch dust cap and 22mm nut			
1995-1994	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-020068	
1995-1994		B6 (HD)	Front	34-030226		Rear	24-012218	
1995-1994		B8 (SP)	Front	34-030196		Rear	24-014861	
BMW 545i								
2006-2004		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135169			
2006-2004		B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 545i (continued)								
2006-2004		B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2006-2004		B16 (Ride Control)	Front and Rear	49-135169	Excludes Electronic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2005-2004		B1 (OEM Components)	Front	12-117260				
2005-2004		B14 (PSS)	Front and Rear	47-111165	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2005-2004		B16 (PSS10)	Front and Rear	48-135498				
2005-2004		B4	Front	22-138361		Rear	19-138381	
2005-2004		B6 (HD)	Front	35-109631		Rear	24-109642	
2005-2004		B8 (SP)				Rear	24-109666	
2005-2004		Variable depending on application	Front	35-109655	B8 (SP); SetOption: Variable depending on application			
BMW 550i								
2013-2011		B16 (PSS10)	Front and Rear	48-177580	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1250kg Axle Load; Rear Lowered Height: 10-30mm, up to 1320kg Axle Load			
2013		B6 (HD)	Front Right	24-178495	Except Electronic Adjustable Suspension	Rear	24-176255	Except Electronic Adjustable Suspension
2013-2011		B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension	Rear	24-178525	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
2012-2011		B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-176255	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2010-2006		B1 (OEM Components)	Front	12-117260				
2010-2006		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-135169			
2010-2006		B12 (Pro-Kit)	Front and Rear	46-181121	Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Without Ride Height Adjustability			



Years	Application	Series	Front			Rear		
BMW 550i (continued)								
2010-2006		B12 (Sportline)	Front and Rear	46-181206	Except Electronic Adjustable Suspension; Front Lowered Height: 45-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1300kg Axle Load; Without Ride Height Adjustability			
2010-2006		B14 (PSS)	Front and Rear	47-111165	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2010-2006		B16 (PSS10)	Front and Rear	48-135498				
2010-2006		B16 (Ride Control)	Front and Rear	49-135169	Excludes Electronic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1300kg Axle Load			
2010-2006		B4	Front	22-138361		Rear	19-138381	
2010-2006		B6 (HD)	Front	35-109631		Rear	24-109642	
2010-2006		B8 (SP)				Rear	24-109666	
2010-2006		Variable depending on application	Front	35-109655	B8 (SP); SetOption: Variable depending on application			
BMW 550i GT								
2013-2010		B4	Front Left	19-195339	Excludes Electronic Suspension; Standard Suspension	Rear	19-195353	Excludes Electronic Suspension; Standard Suspension
			Front Right	19-195346	Excludes Electronic Suspension; Standard Suspension			
2012-2010		B6 (HD)	Front Left	24-193580	Except Electronic Adjustable Suspension; Standard Chassis	Rear	24-178617	Except Electronic Adjustable Suspension; Standard Chassis
			Front Right	24-193597	Except Electronic Adjustable Suspension; Standard Chassis			
2010		B1 (OEM Components)	Front	12-117260				
BMW 550i GT xDrive								
2013-2010		B4				Rear	19-195353	Excludes Electronic Suspension; Standard Suspension
BMW 630CSi								
1978		B4				Rear	F4-BNE-2016-BE	
1978		B6 (HD)	Front	34-002292		Rear	24-008020	
1978		B8 (SP)	Front	34-193020				
1977		B4				Rear	F4-BNE-2016-BE	From 10/77 To 9/82
1977		B6 (HD)	Front	34-002292	From 10/77 To 9/82	Rear	24-008020	From 10/77 To 9/82
1977		B8 (SP)	Front	34-193020	From 10/77 To 9/82			
BMW 633CSi								
1984-1983		B4	Front	21-030512		Rear	19-020174	



Years	Application	Series	Front			Rear		
BMW 633CSi (continued)								
1984-1983		B6 (C)	Front	F4-P36-0239-H0				
1984-1983		B6 (HD)	Front	34-002339		Rear	24-006088	
1984-1983		B8 (SP)	Front	34-181546		Rear	24-006071	
1982-1978		B4				Rear	F4-BNE-2016-BE	From 10/77 To 9/82
1982-1978		B6 (HD)	Front	34-002292	From 10/77 To 9/82	Rear	24-008020	From 10/77 To 9/82
1982-1978		B8 (SP)	Front	34-193020	From 10/77 To 9/82			
BMW 635CSi								
1989-1985		B4	Front	21-030512		Rear	19-020174	
1989-1985		B6 (C)	Front	F4-P36-0239-H0				
1989-1985		B6 (HD)	Front	34-002339		Rear	24-006088	
1989-1985		B8 (SP)	Front	34-181546		Rear	24-006071	
BMW 640i								
2012		B6 (HD)				Rear	24-202961	Excludes Electronic Suspension; Standard Chassis
2012	Convertible	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis			
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Coupe	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis			
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Coupe	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
2012	Convertible	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
2012		B8 (SP)				Rear	24-202992	Excludes Electronic Suspension; With M-Technics Sport Suspension
BMW 645Ci								
2005-2004	Convertible	B12 (Pro-Kit)	Front and Rear	46-181169	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 25-30mm, up to 1270kg Axle Load			
2005-2004	Coupe	B12 (Pro-Kit)	Front and Rear	46-181152	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 25-30mm, up to 1170kg Axle Load			



Years	Application	Series	Front			Rear		
BMW 645Ci (continued)								
2005-2004		B16 (PSS9)	Front and Rear	48-123952	Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1270kg Axle Load			
			Front and Rear	F4-GM5-C395-H0	Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1270kg Axle Load; Standard Chassis			
2005-2004		B6 (HD)				Rear	24-112703	
2005-2004		B8 (SP)	Front	35-112716		Rear	24-112727	
2005-2004		Variable depending on application	Front	35-109655	B6 (HD); SetOption: Variable depending on application			
BMW 650i								
2012		B6 (HD)				Rear	24-202961	Excludes Electronic Suspension; Standard Chassis
2012	Coupe	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis			
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Convertible	B6 (HD)	Front Left	24-178488	Except Electronic Adjustable Suspension; Standard Chassis			
			Front Right	24-178495	Except Electronic Adjustable Suspension; Standard Chassis			
2012	Coupe	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
2012		B8 (SP)				Rear	24-202992	Excludes Electronic Suspension; With M-Technics Sport Suspension
2012	Convertible	B8 (SP)	Front Left	24-178501	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
			Front Right	24-178518	Except Electronic Adjustable Suspension; With M-Technics Sport Suspension			
2010-2006	Convertible	B12 (Pro-Kit)	Front and Rear	46-181169	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 25-30mm, up to 1270kg Axle Load			
2010-2006	Coupe	B12 (Pro-Kit)	Front and Rear	46-181152	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 25-30mm, up to 1170kg Axle Load			
2010-2006		B16 (PSS9)	Front and Rear	48-123952	Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1270kg Axle Load			
			Front and Rear	F4-GM5-C395-H0	Front Lowered Height: 30-50mm, up to 1070kg Axle Load; Rear Lowered Height: 30-50mm, up to 1270kg Axle Load; Standard Chassis			
2010-2006		B6 (HD)				Rear	24-112703	

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 650i (continued)								
2010-2006		B8 (SP)	Front	35-112716		Rear	24-112727	
2010-2006		Variable depending on application	Front	35-109655	B6 (HD); SetOption: Variable depending on application			
2006		B1 (OEM Components)	Front	12-117260				
BMW 733i								
1984-1982		B6 (C)				Rear	F4-B46-0722-H0	
1984-1982		B6 (HD)	Front	34-002315		Rear	24-007214	
1984-1982		B8 (SP)	Front	34-193020				
1981-1978		B6 (HD)	Front	34-002315				
BMW 735i								
1992-1990		B12 (Pro-Kit)	Front and Rear	46-189455	Except Electronic Adjustable Suspension; Front Lowered Height: 25-35mm, up to 1110kg Axle Load; Rear Lowered Height: 25-30mm, up to 1280kg Axle Load; Self leveling system will not work once shock is installed			
1992-1991	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1992-1991		B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1992-1988	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1992-1991		B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1990-1987	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	
1990-1989		B4	Front	21-031137	From 3/88 To 6/90			
			Front	34-100608	Except Electronic Adjustable Suspension			
1990		B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-003688	From 7/90 To 6/94			
1990		B8 (SP)	Front	34-181560	From 7/90 To 6/94			
			Front	34-030189	From 3/88 To 6/90			
1989-1988		B12 (Pro-Kit)	Front and Rear	46-189448	Except Electronic Adjustable Suspension; Front Lowered Height: 25-35mm, up to 1110kg Axle Load; Rear Lowered Height: 25-30mm, up to 1280kg Axle Load; Self leveling system will not work once shock is installed			
1989		B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
1989-1988		B8 (SP)	Front	34-030189	From 3/88 To 6/90			



Years	Application	Series	Front			Rear		
BMW 735i (continued)								
1988		B4	Front	21-031120	From 87 To 2/88			
			Front	21-031137	From 3/88 To 6/90			
			Front	34-100608	Except Electronic Adjustable Suspension			
1988		B6 (HD)	Front	34-181553	From 87 To 2/88	Rear	24-011488	
			Front	34-003534	From 3/88 To 6/90			
1987	w/ E32 Body	B12 (Pro-Kit)	Front and Rear	46-189448	Except Electronic Adjustable Suspension; Front Lowered Height: 25-35mm, up to 1110kg Axle Load; Rear Lowered Height: 25-30mm, up to 1280kg Axle Load; Self leveling system will not work once shock is installed			
1987		B4	Front	21-031120	From 87 To 2/88			
1987		B6 (HD)	Front	34-181553	From 87 To 2/88	Rear	24-011488	
1986-1985		B6 (C)				Rear	F4-B46-0722-H0	
1986-1985		B6 (HD)	Front	34-002315		Rear	24-007214	
1986-1985		B8 (SP)	Front	34-193020				
BMW 735iL								
1992-1990		B12 (Pro-Kit)	Front and Rear	46-189455	Except Electronic Adjustable Suspension; Front Lowered Height: 25-35mm, up to 1110kg Axle Load; Rear Lowered Height: 25-30mm, up to 1280kg Axle Load; Self leveling system will not work once shock is installed			
1992-1991	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1992-1991		B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1992-1988	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1992-1991		B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1990-1989		B4	Front	21-031137	From 3/88 To 6/90			
			Front	34-100608	Except Electronic Adjustable Suspension			
1990-1988	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	
1990		B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-003688	From 7/90 To 6/94			
1990		B8 (SP)	Front	34-181560	From 7/90 To 6/94			
			Front	34-030189				
1989-1988		B12 (Pro-Kit)	Front and Rear	46-189448	Except Electronic Adjustable Suspension; Front Lowered Height: 25-35mm, up to 1110kg Axle Load; Rear Lowered Height: 25-30mm, up to 1280kg Axle Load; Self leveling system will not work once shock is installed			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 735iL (continued)								
1989		B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
1989-1988		B8 (SP)	Front	34-030189				
1988		B4	Front	21-031120	From 87 To 2/88			
			Front	21-031137	From 3/88 To 6/90			
			Front	34-100608	Except Electronic Adjustable Suspension			
1988		B6 (HD)	Front	34-181553	From 87 To 2/88	Rear	24-011488	
			Front	34-003534	From 3/88 To 6/90			
BMW 740i								
2001-1997, 1995	w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-189479	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1230kg Axle Load; Rear Lowered Height: 25mm, up to 1370kg Axle Load			
2001-1997, 1995	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
2001-1997, 1995		B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
2001-1997, 1995-1994	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
2001-1997, 1995		B6 (HD)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
1994-1993		B12 (Pro-Kit)	Front and Rear	46-189462	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 25mm, up to 1280kg Axle Load; Self leveling system will not work once shock is installed			
1994		B4				Rear	19-028675	From 7/94 To 01
1994-1993	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1994		B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
						Rear	24-011488	
1994-1993	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1994-1993		B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1993		B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	



Years	Application	Series	Front			Rear			
BMW 740iL									
2001-1995	w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-189479	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1230kg Axle Load; Rear Lowered Height: 25mm, up to 1370kg Axle Load				
2001-1995		B4	Front Left	22-045034	Standard Chassis				
			Front Right	22-045041	Standard Chassis				
2001-1995	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01	
2001-1995	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front Left	35-041696	From 7/94 To 01				
			Front Right	35-041702	From 7/94 To 01				
2001-1995		B6 (HD)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control	
1994-1993	w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-189462	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 25mm, up to 1280kg Axle Load; Self leveling system will not work once shock is installed				
1994		B4				Rear	19-028675	From 7/94 To 01	
1994-1993	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94			Rear	19-028637
1994	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front Left	35-041696	From 7/94 To 01			Rear	24-011488
			Front Right	35-041702	From 7/94 To 01				
1994		B6 (HD)	Front	34-003688	From 7/90 To 6/94			Rear	24-021388
1994-1993	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front	34-181560	From 7/90 To 6/94			Rear	24-015271
1993		B6 (HD)	Front	34-003688	From 7/90 To 6/94				
1993	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-011488		
BMW 745Li									
2005-2002		B4	Front Left	22-184283	Standard Chassis				
			Front Right	22-184306	Standard Chassis				
2005-2002	w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis	
2005-2002	w/ Air Rear Springs	B4 (Air)				Rear Right	44-191832	With Self Leveling Rear Suspension; Without electronic damping control	
						Rear Left	44-191825	With Self Leveling Rear Suspension; Without electronic damping control	

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 745i								
2005-2002		B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2005-2002	w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2005-2002	w/ Air Rear Springs	B4 (Air)				Rear Right	44-191832	With Self Leveling Rear Suspension; Without electronic damping control
						Rear Left	44-191825	With Self Leveling Rear Suspension; Without electronic damping control
BMW 750Li								
2008-2006		B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
2008-2006	w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
BMW 750i								
2008-2006	w/ Coil Rear Springs	B4				Rear	19-172743	Standard Chassis
2008-2006		B4	Front Left	22-184283	Standard Chassis			
			Front Right	22-184306	Standard Chassis			
BMW 750iL								
2001-1995	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028675	From 7/94 To 01
2001-1995		B4	Front Left	22-045034	Standard Chassis			
			Front Right	22-045041	Standard Chassis			
2001-1995		B6 (HD)				Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
2001-1994	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front Left	35-041696	From 7/94 To 01			
			Front Right	35-041702	From 7/94 To 01			
1994-1991	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	21-031144	From 7/90 To 6/94	Rear	19-028637	
1994		B4				Rear	19-028675	From 7/94 To 01
1994		B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-021388	E38 Chassis; From 7/94 To 02; Without electronic damping control
						Rear	24-011488	
1994-1991		B8 (SP)	Front	34-181560	From 7/90 To 6/94			
1994-1988	w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)				Rear	24-015271	From 3/88 To 6/94
1993-1991		B6 (HD)	Front	34-003688	From 7/90 To 6/94	Rear	24-011488	
1990-1988	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	19-028637	



Years	Application	Series	Front			Rear		
BMW 750iL (continued)								
1990-1989		B4	Front	21-031137	From 3/88 To 6/90			
			Front	34-100608	Except Electronic Adjustable Suspension			
1990		B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
			Front	34-003688	From 7/90 To 6/94			
1990		B8 (SP)	Front	34-181560	From 7/90 To 6/94			
			Front	34-030189				
1989		B6 (HD)	Front	34-003534	From 3/88 To 6/90	Rear	24-011488	
1989-1988		B8 (SP)	Front	34-030189				
1988		B4	Front	21-031120	From 87 To 2/88			
			Front	21-031137	From 3/88 To 6/90			
			Front	34-100608	Except Electronic Adjustable Suspension			
1988		B6 (HD)	Front	34-181553	From 87 To 2/88	Rear	24-011488	
			Front	34-003534	From 3/88 To 6/90			
BMW 760Li								
2008-2006	w/ Coil Front Springs	B4	Front Left	22-184283	Standard Chassis			
BMW 760i								
2006-2004		B4	Front Left	22-184283	Standard Chassis			
BMW 840Ci								
1997-1994		B12 (Pro-Kit)	Front and Rear	46-188106	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1150kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
1997-1994		B8 (SP)	Front	34-110096		Rear	24-108096	
BMW 850CSi								
1995-1994		B12 (Pro-Kit)	Front and Rear	46-188106	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1150kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
1995-1994		B8 (SP)	Front	34-110096		Rear	24-108096	
BMW 850Ci								
1999-1993		B12 (Pro-Kit)	Front and Rear	46-188106	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1150kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			
1997-1993		B8 (SP)	Front	34-110096		Rear	24-108096	
BMW 850i								
1992-1991		B12 (Pro-Kit)	Front and Rear	46-188106	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 1150kg Axle Load; Rear Lowered Height: 15-20mm, up to 1200kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW 850i (continued)								
1992-1991		B8 (SP)	Front	34-110096		Rear	24-108096	
BMW Bavaria								
1974-1972		B6 (HD)	Front	34-000243				
BMW L6								
1987		B6 (HD)	Front	34-002339				
BMW M3								
2012-2008		B1 (Tuning)	Front and Rear	50-174546	With Electronic Suspension			
2012-2008	Convertible	B12 (Pro-Kit)	Front and Rear	46-180704	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546; With or Without Electronic Suspension, Electronic Suspension will be inoperative.			
2012-2008	Coupe; w/ E92 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2012-2008	Coupe; w/ E92 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2012-2008	Convertible; w/ E93 Body	B16 (PSS10)	Front and Rear	48-145701	Except for vehicles with Electronic Damping Control; Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load			
2012-2008		B6 (DampTronic)	Front Left	31-224550	With EDC; With Electronic Suspension Control	Rear	26-224572	With EDC; With Electronic Suspension Control
			Front Right	31-224567	With EDC; With Electronic Suspension Control			
2012-2008		B6 (HD)	Front Left	35-143321	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143349	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143338	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2012-2008		B8 (SP)	Front Left	35-143291	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546	Rear	24-143318	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546
			Front Right	35-143307	With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			



Years	Application	Series	Front			Rear		
BMW M3 (continued)								
2012-2008		Bilstein Clubsport	Front and Rear	48-223539	Front Lowered Height: 15-30mm, up to 1020kg Axle Load; Rear Lowered Height: 15-30mm, up to 1190kg Axle Load; With Uniball Joint Bearing; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2011-2008	Sedan; w/ E90 Body	B12 (Pro-Kit)	Front and Rear	46-180698	Front Lowered Height: 20mm, up to 1060kg Axle Load; Rear Lowered Height: 15mm, up to 1190kg Axle Load; Without Ride Height Adjustability			
2011-2008	Sedan; w/ E90 Body	B16 (PSS10)	Front and Rear	48-145701	Recommended Front Lowering Range: 10-35mm, up to 1060kg Axle Load; Recommended Rear Lowering Range: 20-35mm, up to 1270kg Axle Load; With or Without Electronic Damping Control, Vehicles Equipped With EDC Must Purchase 50-174546			
2006-2001	Coupe	B1 (OEM Components)				Rear	12-117109	
2006-2001		B12 (Pro-Kit)	Front and Rear	46-000613	Front Lowered Height: 20mm, up to 990kg Axle Load; Only with Original Strut Spacer 31 32 1 139 423; Rear Lowered Height: 10mm, up to 1170kg Axle Load			
2006-2001		B16 (PSS10)	Front and Rear	48-126687				
2006-2001		B6 (HD)	Front Left	35-142102		Rear	24-143998	
			Front Right	35-142119				
2006-2001		Bilstein Clubsport	Front and Rear	48-213660	Front Lowered Height: 35-40mm, up to 990kg Axle Load; Rear Lowered Height: 35-40mm, up to 1170kg Axle Load			
1999-1996		B12 (Pro-Kit)	Front and Rear	46-000781	Front Coil Spring Inside Diameter Must Be 106 mm; Front Lowered Height: 25mm, up to 920kg Axle Load; Rear Lowered Height: 15mm, up to 1130kg Axle Load			
1999-1996		B16 (PSS9)	Front and Rear	48-115674				
1999-1995		B8 (SP)	Front Left	35-105855				
			Front Right	35-105862				
1999-1994		Bilstein Clubsport	Front and Rear	48-215855	Front Lowered Height: 35-40mm, up to 930kg Axle Load; Rear Lowered Height: 35-40mm, up to 1130kg Axle Load			
1999-1996		Motorsports	Front Right	K4-VE3-64175M0	Group N			
			Front Left	K4-VE3-64173M0	Group N			
1999-1995		Variable depending on application				Rear	24-024532	
1995		B12 (Pro-Kit)	Front and Rear	46-188427	Front Coil Spring Inside Diameter Must Be 116 mm			
1995		B16 (PSS9)	Front and Rear	48-115766				



Years	Application	Series	Front			Rear		
BMW M3 (continued)								
1995	Base	Motorsports	Front Right	K4-VE3-64175M0	Group N			
			Front Left	K4-VE3-64173M0	Group N			
1991-1988		B6 (HD)	Front	34-001363		Rear	24-020282	
1991-1988		B8 (SP)	Front	34-003350		Rear	24-020275	
1991-1988		Motorsports	Front	34-046296	Group N	Rear	24-000642	Group N
BMW M5								
2003-2001		B14 (PSS)	Front and Rear	47-111264	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-50mm, up to 1105kg Axle Load; Front Lowered Height: 25-50mm, up to 1105kg Axle Load			
2003-2000		B16 (PSS9)	Front and Rear	48-104555				
2003-1999		B8 (SP)	Front	35-114093	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Sport Suspension	Rear	24-028295	Except Electronic Adjustable Suspension; For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; With M-Technics Sport Suspension
2000		B14 (PSS)	Front and Rear	47-111264	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-50mm, up to 1105kg Axle Load; Rear Lowered Height: 20-50mm, up to 1225kg Axle Load; Spacers required for several wheel/tire combinations			
1988		B6 (HD)	Front	34-002421		Rear	24-006088	
1988		B8 (SP)	Front	34-181546				
BMW M6								
1988-1987		B6 (HD)	Front	34-002339				
BMW Z3								
2002-1999	M Roadster	B1 (OEM Components)	Front	12-116829				
2002-1999	M Coupe	B1 (OEM Components)	Front	12-116829				
2002-1999	Coupe	B1 (OEM Components)	Front	12-116829				
2002-1996		B1 (OEM Components)				Rear	12-117109	
2002-2001	3.0i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2002-1999	Coupe	B12 (Pro-Kit)	Front and Rear	46-189516	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2002-2001	2.2i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			



Years	Application	Series	Front			Rear		
BMW Z3 (continued)								
2002-1999	Roadster	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2002-1999	Coupe	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
2002-1998	Roadster	B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				
2002-1999	M Coupe	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
2002-1999	M Roadster	B6 (HD)	Front Left	35-043935		Rear	24-027182	
			Front Right	35-043942				
2002-1999	M Roadster	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
2002-1999	Coupe	B8 (SP)	Front Left	35-044024		Rear	24-028172	
			Front Right	35-044031				
2002-1998	Roadster	B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
2002-1999	M Coupe	B8 (SP)	Front Left	35-044048		Rear	24-027304	
			Front Right	35-044055				
2000	2.0i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
2000-1998	2.8i	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1998	1.9L L4 1895cc; Roadster	B12 (Pro-Kit)	Front and Rear	46-189493	Front Lowered Height: 30mm, up to 755kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1998	2.8L L6 2793cc; Roadster	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1997	2.8L L6 2793cc	B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1997		B12 (Pro-Kit)	Front and Rear	46-189509	Front Lowered Height: 30mm, up to 830kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1997-1996	1.9L L4 1895cc	B12 (Pro-Kit)	Front and Rear	46-189493	Front Lowered Height: 30mm, up to 755kg Axle Load; Rear Lowered Height: 30mm, up to 870kg Axle Load			
1997-1996		B4	Front Left	22-158819		Rear	19-158839	
			Front Right	22-158826				



Years	Application	Series	Front			Rear		
BMW Z3 (continued)								
1997-1996		B8 (SP)	Front Left	35-044024		Rear	24-023863	
			Front Right	35-044031				
BMW Z4								
2013	sDrive20i	B4				Rear	19-183916	Except Electronic Adjustable Suspension
2012-2011	sDrive35is	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2012-2011	sDrive35i	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2012	sDrive28i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2012-2011	sDrive35i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2012-2011		B4				Rear	19-183916	Except Electronic Adjustable Suspension
2012-2011	sDrive35i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2012	sDrive28i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2012	sDrive28i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2012-2011	sDrive35i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2011	sDrive30i	B12 (Pro-Kit)	Front and Rear	46-181268	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 800kg Axle Load; Rear Lowered Height: 15mm, up to 970kg Axle Load; Without Ride Height Adjustability			
2011	sDrive30i	B4	Front Left	22-183897	Except Electronic Adjustable Suspension			
			Front Right	22-183903	Except Electronic Adjustable Suspension			



Years	Application	Series	Front			Rear		
BMW Z4 (continued)								
2011	sDrive30i	B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2011	sDrive30i	B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2010-2009	sDrive35i; w/ E89 Body	B12 (Pro-Kit)	Front and Rear	46-181275	Except Electronic Adjustable Suspension; Front Lowered Height: 20mm, up to 870kg Axle Load; Rear Lowered Height: 20mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
2010	sDrive30i; w/ E89 Body	B12 (Pro-Kit)	Front and Rear	46-181268	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 800kg Axle Load; Rear Lowered Height: 15mm, up to 970kg Axle Load; Without Ride Height Adjustability			
2010-2009		B16 (PSS10)	Front and Rear	48-169998				
2010-2009		B4	Front Left	22-183897	Except Electronic Adjustable Suspension	Rear	19-183916	Except Electronic Adjustable Suspension
			Front Right	22-183903	Except Electronic Adjustable Suspension			
2010-2009		B6 (HD)	Front Left	35-170631	Except Electronic Adjustable Suspension	Rear	24-170659	Except Electronic Adjustable Suspension
			Front Right	35-170648	Except Electronic Adjustable Suspension			
2010-2009		B8 (SP)	Front Left	35-170662	Except Electronic Adjustable Suspension	Rear	24-170680	Except Electronic Adjustable Suspension
			Front Right	35-170679	Except Electronic Adjustable Suspension			
2009	sDrive30i; w/ E89 Body	B12 (Pro-Kit)	Front	46-181268	Except Electronic Adjustable Suspension; Front Lowered Height: 25mm, up to 800kg Axle Load; Rear Lowered Height: 15mm, up to 970kg Axle Load; Without Ride Height Adjustability			
2008-2006	Roadster 3.0i	B12 (Pro-Kit)	Front and Rear	46-181237	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2006	Coupe 3.0si	B12 (Pro-Kit)	Front and Rear	46-181251	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 20mm, up to 890kg Axle Load			
2008-2007	3.0si	B12 (Pro-Kit)	Front and Rear	46-181237	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2006	M Coupe	B12 (Pro-Kit)	Front and Rear	46-000033	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 855kg Axle Load; Rear Lowered Height: 10mm, up to 935kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
BMW Z4 (continued)								
2008-2006	Roadster 3.0si	B12 (Pro-Kit)	Front and Rear	46-181237	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2006	M Roadster	B12 (Pro-Kit)	Front and Rear	46-000033	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 855kg Axle Load; Rear Lowered Height: 10mm, up to 935kg Axle Load			
2008-2007	2.5si	B12 (Pro-Kit)	Front and Rear	46-181237	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2006	M Coupe	B16 (PSS10)	Front and Rear	48-141635				
2008-2006	M Roadster	B16 (PSS10)	Front and Rear	48-141635				
2008-2006	Roadster 3.0si	B16 (PSS9)	Front and Rear	48-104739				
2008-2006	Roadster 3.0i	B16 (PSS9)	Front and Rear	48-104739				
2008-2006	Coupe 3.0si	B16 (PSS9)	Front and Rear	48-104739				
2008-2006	Roadster 3.0si	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2008-2006	Coupe 3.0si	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2008-2006	Roadster 3.0i	B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2008-2006	Roadster 3.0si	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2008-2006	M Coupe	B6 (HD)	Front Left	35-141662		Rear	24-141680	
			Front Right	35-141679				
2008-2006	Coupe 3.0si	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2008-2006	Roadster 3.0i	B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2008-2006	M Roadster	B6 (HD)	Front Left	35-141662		Rear	24-141680	
			Front Right	35-141679				
2008-2007	2.5si	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2008-2006	Roadster 3.0i	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				



Years	Application	Series	Front			Rear		
BMW Z4 (continued)								
2008-2006	Roadster 3.0si	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2008-2006	Coupe 3.0si	B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
2008-2007	3.0si	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2006	2.5i	B12 (Pro-Kit)	Front and Rear	46-181237	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2006	3.0i	B12 (Pro-Kit)	Front and Rear	46-181237	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2006	2.5i	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2006	3.0i	B8 (SP)	Front Left	35-124115				
			Front Right	35-124122				
2005-2003		B12 (Pro-Kit)	Front and Rear	46-181237	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2005-2003		B16 (PSS9)	Front and Rear	48-104739				
2005-2003		B4	Front Left	22-164568		Rear	19-158983	
			Front Right	22-164575				
2005-2003		B6 (HD)	Front Right	35-124108		Rear	24-104906	
			Front Left	35-124092				
2005-2003		B8 (SP)	Front Left	35-124115		Rear	24-104937	
			Front Right	35-124122				
Buick Century								
2005-1997		B6 (C)				Rear	35-153382	
1996	Special	4600 Series	Front	35-132462				
1996, 1989-1984	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1995-1994	Custom	4600 Series				Rear	24-010191	
1995-1994		4600 Series	Front	35-132462				
1993-1990, 1983-1982		4600 Series	Front	35-132462		Rear	24-010191	
1989-1984	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1986-1984	T-Type	4600 Series	Front	35-132462		Rear	24-010191	
1984	Olympia Limited	4600 Series	Front	35-132462		Rear	24-010191	

Passenger Cars



Years	Application	Series	Front			Rear		
Buick Century (continued)								
1981-1980	Limited	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981-1980	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981-1980	Sport	B6 (HD)	Front	24-009492				
1981-1980	Limited	B6 (HD)	Front	24-009492				
1981-1980	Limited	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1981-1980	Sport	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1980, 1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980, 1975	Base	B6 (HD)	Front	24-009492				
1980, 1975	Base	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979-1976		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1979-1976		B6 (HD)	Front	24-009492				
1979-1976		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1975	Custom	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Special	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1975	Special	B6 (HD)	Front	24-009492				
1975	Custom	B6 (HD)	Front	24-009492				
1975	Special	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1975	Custom	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1974-1973	Luxus	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1974-1973	Luxus	B6 (HD)	Front	24-009492				
1974-1973	Luxus	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Buick Commercial Chassis								
1996-1991		AK Series				Rear	F4-BE5-E250-M0	
Buick Electra								
1984-1980	Park Avenue	AK Series				Rear	F4-BE5-E250-M0	
1984-1980	Limited	AK Series				Rear	F4-BE5-E250-M0	



Years	Application	Series	Front			Rear		
Buick Electra (continued)								
1984-1980	Limited	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1984-1980	Park Avenue	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979-1978		AK Series				Rear	F4-BE5-E250-M0	
1979-1978		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977	225	AK Series				Rear	F4-BE5-E250-M0	
1977	225	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Buick Estate Wagon								
1983-1975		AK Series				Rear	F4-BE5-E250-M0	
1983-1980		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979-1975		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Buick LaCrosse								
2008-2005		B6 (C)				Rear	35-153382	
Buick LeSabre								
1996-1992	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1996-1992		B6 (HD)	Front	24-015165				
1991	4 Dr.; Limited; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1991	4 Dr.; Custom; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)				Rear	24-015172	
1991	4 Dr.; Custom; Sedan	B6 (HD)	Front	24-015165				
1991	4 Dr.; Limited; Sedan	B6 (HD)	Front	24-015165				
1990-1988, 1986	Estate Wagon	AK Series				Rear	F4-BE5-E250-M0	
1990-1988, 1986	Estate Wagon	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1987	Estate Wagon; w/ Coil Rear Springs	Variable depending on application				Rear	24-009294	
1985-1977		AK Series				Rear	F4-BE5-E250-M0	

Passenger Cars



Years	Application	Series	Front			Rear		
Buick LeSabre (continued)								
1985, 1981-1977		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1985, 1981-1979	Limited	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1985, 1978-1977	Custom	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1984-1983		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1982	Limited Edition F/E	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1982	4 Dr.; Custom; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1982	4 Dr.; Limited; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1982		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1981-1977	Base	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
Buick Regal								
2004-1997		B6 (C)				Rear	35-153382	
1987-1984, 1981-1975		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987-1984, 1981-1975		B6 (HD)	Front	24-009492				
1987-1975		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1983-1982		AK Series				Rear	F4-BE5-E250-M0	
1983	T-Type	AK Series	Front	F4-BE3-E249-M0				
1983-1982	Limited	AK Series	Front	F4-BE3-E249-M0				
1983-1982	Base	AK Series	Front	F4-BE3-E249-M0				
1983	T-Type	B6 (HD)	Front	24-009492				
1983-1982	Limited	B6 (HD)	Front	24-009492				
1983-1982	Base	B6 (HD)	Front	24-009492				
1982	Sport	AK Series	Front	F4-BE3-E249-M0				
1982	Limited Turbo	AK Series	Front	F4-BE3-E249-M0				
1982	Limited Turbo	B6 (HD)	Front	24-009492				



Years	Application	Series	Front			Rear		
Buick Regal (continued)								
1982	Sport	B6 (HD)	Front	24-009492				
Buick Roadmaster								
1996-1991		AK Series				Rear	F4-BE5-E250-M0	
1996	Limited Collector's Edition	B6 (HD)	Front	24-015165		Rear	24-015172	
1996	Collector's Edition	B6 (HD)	Front	24-015165		Rear	24-015172	
1996	Estate Wagon Collector's Edition	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1996-1992		Variable depending on application				Rear	24-009294	B8 (SP); SetOption: Variable depending on application
1996	Collector's Edition	Variable depending on application	Front	24-011044	B8 (SP); SetOption: Variable depending on application			
1996	Limited Collector's Edition	Variable depending on application	Front	24-011044	B8 (SP); SetOption: Variable depending on application			
1995-1992	Base	Variable depending on application	Front	24-011044	B8 (SP); SetOption: Variable depending on application			
1995-1992	Limited	Variable depending on application	Front	24-011044	B8 (SP); SetOption: Variable depending on application			
1995-1992	Estate Wagon	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1994-1992	Base	B6 (HD)	Front	24-015165		Rear	24-015172	
1994-1992	Limited	B6 (HD)	Front	24-015165		Rear	24-015172	
1991		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B8 (SP); SetOption: Variable depending on application
Buick Skylark								
1985-1984, 1982-1980		4600 Series	Front	35-132462		Rear	24-010191	
1983	Sport	4600 Series	Front	35-132462		Rear	24-010191	
1983	Custom	4600 Series	Front	35-132462		Rear	24-010191	
1983	Limited	4600 Series	Front	35-132462		Rear	24-010191	
1967-1964		B6 (HD)	Front	24-029728	Exc. sportswagon and HD suspension package			
Buick Special								
1967-1964		B6 (HD)	Front	24-029728				
Cadillac Brougham								
1990-1987		AK Series				Rear	F4-BE5-E250-M0	
1990-1987		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application

Passenger Cars



Years	Application	Series	Front			Rear		
Cadillac Catera								
2001-1997		B12 (Pro-Kit)	Front and Rear	46-192813	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1155kg Axle Load; Without Ride Height Adjustability			
2001-1997		B4	Front	22-044808		Rear	19-028613	
2001-1997		B6 (HD)	Front	35-044253		Rear	24-022606	
2001-1997		B8 (SP)	Front	35-044260		Rear	24-022583	
Cadillac DeVille								
1990-1985		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1984-1980		AK Series				Rear	F4-BE5-E250-M0	
1984-1980		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Cadillac Fleetwood								
1990-1980	Base	AK Series				Rear	F4-BE5-E250-M0	
1990-1989	d'Elegance	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1990-1986, 1984-1980	Base	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1987, 1985	75 Formal	AK Series				Rear	F4-BE5-E250-M0	
1987, 1985	75	AK Series				Rear	F4-BE5-E250-M0	
1987	75	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1987	75 Formal	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1986-1980	Brougham	AK Series				Rear	F4-BE5-E250-M0	
1986-1980	Brougham d'Elegance	AK Series				Rear	F4-BE5-E250-M0	
1986	Brougham d'Elegance	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1986	Brougham	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1985	Brougham d'Elegance	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1985		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1985	Brougham	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application



Years	Application	Series	Front			Rear		
Cadillac Fleetwood (continued)								
1984-1980		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1984-1980	Brougham	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1984-1980	Brougham d'Elegance	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
Cadillac Seville								
1979-1976		AK Series	Front	F4-BE3-E249-M0				
1979-1976		B6 (HD)	Front	24-009492				
Chevrolet Astra								
2008-2007	Comfort	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Confort	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2007	Sport	B12 (Pro-Kit)	Front and Rear	46-182135	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1075kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Essentia	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2007	Elegance	B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Essentia	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	Confort	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2007	Sport	B12 (Sportline)	Front and Rear	46-182173	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1025kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2007	Comfort	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008-2007	Elegance	B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Chevrolet Astra (continued)								
2008-2000		B6 (HD)				Rear	24-027823	
2008-2000		B8 (SP)				Rear	24-027830	
2005-2003, 2000		B12 (Pro-Kit)	Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
			Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2005-2000		B12 (Sportline)	Front and Rear	46-188939	Front Lowered Height: 45-50mm, up to 965kg Axle Load; Rear Lowered Height: 30mm, up to 895kg Axle Load			
2002-2001	Comfort	B12 (Pro-Kit)	Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2002-2001	Base	B12 (Pro-Kit)	Front and Rear	46-188946	Front Lowered Height: 30mm, up to 935kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2002-2001		B12 (Pro-Kit)	Front and Rear	46-188960	Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
Chevrolet Bel Air								
1957-1955		B6 (HD)	Front	24-186254		Rear	AK3502	
Chevrolet Camaro								
2013, 2010		B16 (PSS10)	Front and Rear	48-191845	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2012-2011	LS	B16 (PSS10)	Front and Rear	48-191845	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2012-2011	1SS	B16 (PSS10)	Front and Rear	48-191845	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2012-2011	LT	B16 (PSS10)	Front and Rear	48-191845	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2012-2011	SS	B16 (PSS10)	Front and Rear	48-191845	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2012	ZL1	B16 (PSS10)	Front and Rear	48-191845	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2012-2011	2SS	B16 (PSS10)	Front and Rear	48-191845	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2002-1998	Coupe; Z28 SS	B12 (Pro-Kit)	Front and Rear	46-200402	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002-1994	Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002-1998	Coupe; Z28	B12 (Pro-Kit)	Front and Rear	46-200402	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002-1994		B6 (HD)	Front	24-024068		Rear	24-024075	
1993	Indianapolis 500 Pace Car	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1993	Coupe; Z28	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			



Years	Application	Series	Front			Rear			
Chevrolet Camaro (continued)									
1993	Base; Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm				
1993	Z28	B6 (HD)					Rear	24-024075	
1993	Base	B6 (HD)					Rear	24-024075	
1993		B6 (HD)	Front	24-024068					
1992-1984		B6 (HD)	Front	35-125228			Rear	24-192934	
1992-1982		B8 (SP)					Rear	24-225397	
1983-1982	Z28	B6 (HD)	Front	35-125228					
1983-1982		B6 (HD)					Rear	24-192934	
1983-1982	Berlinetta	B6 (HD)	Front	35-125228					
1983-1982	Sport	B6 (HD)	Front	35-125228					
1982	Z28 Indianapolis 500 Pace Car	B6 (HD)	Front	35-125228					
1981-1977, 1973-1972		B6 (HD)					Rear	24-001564	
1981-1978		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application				
1977	Z28	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application				
1977	Rally Sport	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application				
1977	Base	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application				
1976-1975, 1971-1970		B6 (HD)	Front	24-029728			Rear	24-001564	
1976-1975, 1973-1970		Drag Series	Front	24-221467					
1974	LT	B6 (HD)					Rear	24-001564	
1974	Base	B6 (HD)					Rear	24-001564	
1974	Base	Drag Series	Front	24-221467					
1974	LT	Drag Series	Front	24-221467					
1972	Z28	B6 (HD)	Front	24-029728					
1969, 1967		B6 (HD)	Front	24-029728					
1969	SS	B6 (HD)					Rear	AK2073	Mono-Leaf Rear
							Rear	AK2074	Multi-Leaf Rear
1969	Base	B6 (HD)					Rear	AK2073	Mono-Leaf Rear
							Rear	AK2074	Multi-Leaf Rear
1969		Drag Series	Front	24-221467			Rear	24-221474	Mono-Leaf Rear
							Rear	24-221481	Multi-Leaf Rear

Passenger Cars



Years	Application	Series	Front			Rear		
Chevrolet Camaro (continued)								
1968	Base	B6 (HD)	Front	24-029728		Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1968	Base	Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
1967		Drag Series				Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
Chevrolet Caprice								
1996-1993, 1984-1979		AK Series				Rear	F4-BE5-E250-M0	
1996-1991		B6 (HD)	Front	24-015165		Rear	24-015172	
1996-1993		Variable depending on application	Front	24-011044	B8 (SP); SetOption: Variable depending on application	Rear	24-009294	B8 (SP); SetOption: Variable depending on application
1992-1985, 1977-1975	Classic	AK Series				Rear	F4-BE5-E250-M0	
1992-1991	Classic LTZ	AK Series				Rear	F4-BE5-E250-M0	
1992-1991	Classic LTZ	Variable depending on application				Rear	24-009294	B8 (SP); SetOption: Variable depending on application
1992-1991		Variable depending on application	Front	24-011044	B8 (SP); SetOption: Variable depending on application			
1992-1991	Classic	Variable depending on application				Rear	24-009294	B8 (SP); SetOption: Variable depending on application
1990-1986	Classic Brougham	AK Series				Rear	F4-BE5-E250-M0	
1990-1987	Classic LS Brougham	AK Series				Rear	F4-BE5-E250-M0	
1990-1989, 1986	Classic Brougham	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1990-1989, 1986-1985, 1977-1976	Classic	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1990-1989	Classic LS Brougham	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1988-1987	Classic LS Brougham	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1988-1987, 1975	Classic	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1988-1987	Classic Brougham	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1988-1987, 1975, 1972- 1966		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1984-1982		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application



Years	Application	Series	Front			Rear		
Chevrolet Caprice (continued)								
1981, 1978-1976	Classic Estate	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1981-1978	Classic	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1981-1979		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977-1976	Classic Landau	AK Series				Rear	F4-BE5-E250-M0	
1977-1976	Classic Landau	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1976-1975	Classic Sport	AK Series				Rear	F4-BE5-E250-M0	
1976	Classic Sport	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1975	Classic Sport	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Chevrolet Celebrity								
1989-1988, 1983-1982		4600 Series	Front	35-132462		Rear	24-010191	
1987-1986	Eurosport	4600 Series	Front	35-132462		Rear	24-010191	
1987, 1985	Base	4600 Series	Front	35-132462		Rear	24-010191	
1986	Base	4600 Series	Front	35-132462		Rear	24-010191	Straight rod
1985	Classic	4600 Series	Front	35-132462		Rear	24-010191	
1985	Eurosport	4600 Series	Front	35-132462		Rear	24-010191	Straight rod
1984		4600 Series	Front	35-132462		Rear	24-010191	Straight rod
Chevrolet Chevelle								
1973		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Except Wagon
1973		B6 (HD)	Front	24-009492				
1973	2 Dr.; Coupe	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1973	4 Dr.; Sedan	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1972	Concours Estate	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Base	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Greenbrier	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Malibu	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972	Concours	AK Series				Rear	F4-BE5-E250-M0	Except Wagon

Passenger Cars



Years	Application	Series	Front			Rear		
Chevrolet Chevelle (continued)								
1972	Nomad	AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1972-1968	Concours	B6 (HD)	Front	24-131506				
1972, 1970-1968	2 Dr.; Convertible; Malibu	B6 (HD)	Front	24-131506				
1972-1968	2 Dr.; Hardtop; Malibu	B6 (HD)	Front	24-131506				
1972-1968	SS	B6 (HD)	Front	24-131506				
1972-1968	4 Dr.; Malibu; Sedan	B6 (HD)	Front	24-131506				
1972-1971, 1968	Base	B6 (HD)	Front	24-131506				
1972-1971, 1968	Base	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1972-1968	Concours	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1972-1968	SS	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1972, 1970-1968	2 Dr.; Convertible; Malibu	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1972-1968	2 Dr.; Hardtop; Malibu	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1972-1968	4 Dr.; Malibu; Sedan	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1971-1968		AK Series				Rear	F4-BE5-E250-M0	Except Wagon
1971	4 Dr.; Hardtop; Malibu	B6 (HD)	Front	24-131506				
1971	4 Dr.; Hardtop; Malibu	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1970	2 Dr.; Base; Hardtop	B6 (HD)	Front	24-131506				
1970	2 Dr.; Base; Convertible	B6 (HD)	Front	24-131506				
1970	4 Dr.; Base; Sedan	B6 (HD)	Front	24-131506				
1970	2 Dr.; Base; Convertible	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1970	4 Dr.; Base; Sedan	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1970	2 Dr.; Base; Hardtop	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1969-1968	300 Deluxe	B6 (HD)	Front	24-131506				
1969-1968	300 Deluxe	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application



Years	Application	Series	Front			Rear		
Chevrolet Chevelle (continued)								
1968	2 Dr.; 300; Coupe	B6 (HD)	Front	24-131506				
1968	2 Dr.; 300; Coupe	Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1967	300	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1967-1965	Deluxe	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1967-1964	SS	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1967	300 Deluxe; 4 Dr.; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1967	Base	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1967	2 Dr.; 300 Deluxe; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1966-1964	2 Dr.; Base; Convertible	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1966-1964	4 Dr.; Base; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
1966-1964	2 Dr.; Base; Sedan	B6 (HD)	Front	24-029728		Rear	AK2080	With HD rear
Chevrolet Chevy								
2010-1995		B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
2010-1995		B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
Chevrolet Chevy II								
1968		B6 (HD)	Front	24-131506		Rear	AK2071	With single leaf rear suspension
1968		Variable depending on application				Rear	24-009294	With Multi leaf rear suspension
Chevrolet Chevy Monza								
2003		B12 (Pro-Kit)	Front and Rear	46-189011	Front Lowered Height: 30mm, up to 790kg Axle Load; Rear Lowered Height: 30mm, up to 700kg Axle Load			
2003		B12 (Sportline)	Front and Rear	46-189004	Front Lowered Height: 45-50mm, up to 790kg Axle Load; Rear Lowered Height: 25mm, up to 700kg Axle Load			
Chevrolet Citation								
1983-1980		4600 Series	Front	35-132462		Rear	24-010191	
Chevrolet Citation II								
1984		4600 Series	Front	35-132462		Rear	24-010191	
Chevrolet Corvette								
2013-2006	Base	B6 (HD)	Front	24-029759		Rear	24-029766	
2013-2012	Z06	B6 (HD)	Front	24-029759		Rear	24-029766	
2013	427	B6 (HD)	Front	24-029759		Rear	24-029766	

Passenger Cars



Years	Application	Series	Front			Rear		
Chevrolet Corvette (continued)								
2013	LT	B6 (HD)	Front	24-029759		Rear	24-029766	
2013-2010	Grand Sport	B6 (HD)	Front	24-029759		Rear	24-029766	
2013-2009	Z06	B8 (SP)	Front	24-029773		Rear	24-029780	
2013-2010	Grand Sport	B8 (SP)	Front	24-029773		Rear	24-029780	
2013-2009	Base	B8 (SP)	Front	24-029773		Rear	24-029780	
2013	LT	B8 (SP)	Front	24-029773		Rear	24-029780	
2013	427	B8 (SP)	Front	24-029773		Rear	24-029780	
2011	Z06	B6 (HD)				Rear	24-029766	
2011	Z06 Carbon	B6 (HD)				Rear	24-029766	
2011	Z06 Carbon	B8 (SP)	Front	24-029773		Rear	24-029780	
2008	427 Limited Edition Z06	B6 (HD)	Front	24-029759				
2008-1997		B8 (SP)	Front	24-029773		Rear	24-029780	
2005, 2000-1997		B6 (HD)	Front	24-029759		Rear	24-029766	
2004-2001	Base	B6 (HD)	Front	24-029759				
2004-2001		B6 (HD)				Rear	24-029766	
2003	50th Anniversary Edition Pace Car	B6 (HD)	Front	24-029759				
2003	50th Anniversary Edition	B6 (HD)	Front	24-029759				
1996, 1989		B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1996		B8 (SP)	Front	24-184861	Z51 with 17in wheels	Rear	24-184878	Z51 with 17in wheels
1995-1990	Base	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1995-1992	ZR-1	B6 (HD)	Front	20-070274		Rear	20-070281	With selective ride
1995	Base	B8 (SP)	Front	24-184861	Z51 with 17in wheels	Rear	24-184878	Z51 with 17in wheels
1994-1990	Base	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1993	40th Anniversary Edition	B6 (HD)	Front	24-020534	Excludes Z51	Rear	24-020541	Excludes Z51
1993	40th Anniversary Edition	B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1991-1990	ZR-1	B6 (HD)	Front	20-070007	With selective ride	Rear	20-070014	With selective ride
1989		B8 (SP)	Front	24-011778	Z51 with 17in wheels	Rear	24-011785	Z51 with 17in wheels
1988		B6 (HD)	Front	24-011310	Excludes Z51	Rear	24-020541	Excludes Z51
1988		B8 (SP)				Rear	24-011785	Z51 with 17in wheels
1987-1984		4600 Series				Rear	24-192927	Excludes Z51
1987-1984		B6 (HD)	Front	24-002288				
1987-1984		B8 (SP)				Rear	24-184588	
1982-1975		B6 (HD)	Front	24-009461		Rear	24-184649	All models
1982-1975		B8 (SP)	Front	24-184526	All models	Rear	24-184571	All models



Years	Application	Series	Front			Rear		
Chevrolet Corvette (continued)								
1974-1963		B6 (HD)	Front	24-009461		Rear	24-184649	
1974-1963		B8 (SP)	Front	24-184526		Rear	24-184571	
1962-1953		B6 (HD)	Front	24-002837	All models	Rear	24-004930	All models
Chevrolet Cruze								
2013-2011		B14 (PSS)	Front and Rear	47-171725	Front Lowered Height: 30-50mm, up to 1220kg Axle Load; Rear Lowered Height: 20-40mm, up to 1020kg Axle Load			
2013-2011		B4	Front Left	22-183644	Standard Suspension	Rear	19-183633	Standard Suspension
			Front Right	22-183651	Standard Suspension			
2013-2011		B6 (HD)	Front Left	35-171669	Standard Suspension	Rear	24-171687	Standard Suspension
			Front Right	35-171676	Standard Suspension			
2013-2011		B8 (SP)	Front Left	35-171690	Sport Suspension; Without IDS suspension	Rear	24-171717	Sport Suspension; Without IDS suspension
			Front Right	35-171706	Sport Suspension; Without IDS suspension			
Chevrolet Impala								
2010-2000		B6 (C)				Rear	35-153382	
1996-1994, 1985-1975		AK Series				Rear	F4-BE5-E250-M0	
1996-1994, 1985-1981, 1976		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1980-1977, 1975-1965		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1980-1977, 1975	Base	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1977	Custom	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1975	Sport	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
Chevrolet Malibu								
1983-1982	4 Dr.; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983-1973		B6 (HD)	Front	24-009492				
1983-1982	4 Dr.; Sedan	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1981	2 Dr.; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1981-1980, 1978	4 Dr.; Base; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	2 Dr.; Base; Coupe	AK Series	Front	F4-BE3-E249-M0				
1981-1978	Classic Landau	AK Series	Front	F4-BE3-E249-M0				

Passenger Cars



Years	Application	Series	Front			Rear		
Chevrolet Malibu (continued)								
1981	2 Dr.; Classic; Coupe	AK Series	Front	F4-BE3-E249-M0				
1981-1980, 1978	4 Dr.; Classic; Sedan	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981-1975	4 Dr.; Classic; Sedan	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1981	2 Dr.; Coupe	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1981-1975	4 Dr.; Base; Sedan	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1980-1979, 1977	2 Dr.; Coupe; Sport	AK Series				Rear	F4-BE5-E250-M0	
1980-1979	Sport	AK Series	Front	F4-BE3-E249-M0				
1980-1979	Classic Sport	AK Series	Front	F4-BE3-E249-M0				
1980-1976	2 Dr.; Classic Landau; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1980-1979, 1977	2 Dr.; Classic Sport; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1980-1979, 1977	2 Dr.; Coupe; Sport	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1980-1976	2 Dr.; Classic Landau; Coupe	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1980-1979, 1977	2 Dr.; Classic Sport; Coupe	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979, 1977-1975	4 Dr.; Base; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979, 1977-1976	4 Dr.; Classic Landau; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979, 1976-1975	2 Dr.; Base; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1979	Police	AK Series	Front	F4-BE3-E249-M0				
1979	Base	AK Series	Front	F4-BE3-E249-M0				
1979, 1977-1975	4 Dr.; Classic; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979	Landau	AK Series	Front	F4-BE3-E249-M0				
1979	4 Dr.; Police; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979	4 Dr.; Sedan; Sport	AK Series				Rear	F4-BE5-E250-M0	
1979	4 Dr.; Classic Sport; Sedan	AK Series				Rear	F4-BE5-E250-M0	
1979, 1976	4 Dr.; Landau; Sedan	AK Series				Rear	F4-BE5-E250-M0	



Years	Application	Series	Front			Rear		
Chevrolet Malibu (continued)								
1979, 1976-1975	2 Dr.; Classic; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1979, 1976	2 Dr.; Coupe; Landau	AK Series				Rear	F4-BE5-E250-M0	
1979	Classic	AK Series	Front	F4-BE3-E249-M0				
1979	4 Dr.; Police; Sedan	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979	4 Dr.; Classic Sport; Sedan	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979-1978, 1976-1975	2 Dr.; Base; Coupe	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979, 1976	2 Dr.; Coupe; Landau	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979, 1976	4 Dr.; Landau; Sedan	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979, 1977-1976	4 Dr.; Classic Landau; Sedan	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979-1978, 1976-1975	2 Dr.; Classic; Coupe	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979	4 Dr.; Sedan; Sport	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1978	2 Dr.; Base; Coupe	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1978	2 Dr.; Classic; Coupe	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977-1975		AK Series	Front	F4-BE3-E249-M0				
1967-1964		B6 (HD)	Front	24-029728				
Chevrolet Monte Carlo								
2007-2000		B6 (C)				Rear	35-153382	
1988-1975		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1988-1973		B6 (HD)	Front	24-009492				
1988-1975		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1974-1973		AK Series	Front	F4-BE3-E249-M0				
Chevrolet Nova								
1974-1973		AK Series	Front	F4-BE3-E249-M0				
1974-1973	Base	B6 (HD)				Rear	AK2071	With single leaf rear suspension
1974-1973		B6 (HD)	Front	24-009492				

Passenger Cars



Years	Application	Series	Front			Rear		
Chevrolet Nova (continued)								
1972-1970		AK Series				Rear	F4-BE5-E250-M0	With Multi leaf rear suspension
1972-1969		B6 (HD)	Front	24-131506		Rear	AK2071	With single leaf rear suspension
1972-1970		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application; With Multi leaf rear suspension
1969		Variable depending on application				Rear	24-009294	With Multi leaf rear suspension
Chevrolet Two-Ten Series								
1957-1955		B6 (HD)	Front	24-186254		Rear	AK3502	
Chrysler 300								
2014-2013	Base	B6 (HD)	Front Right	24-199452	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
2014-2012	RWD; S	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
2014-2012	S	B6 (HD)	Front Right	24-199452	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
2014-2012	C	B6 (HD)	Front Right	24-199452	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
2014-2013	Base; RWD	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
2014-2011	C; RWD	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
2013	Touring	B6 (HD)	Front Right	24-199452	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
2013	RWD; Touring	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
2012	Limited; RWD	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
2012	Limited	B6 (HD)	Front Right	24-199452	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
2012	Base	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
			Front Right	24-199452	Excludes Self-Leveling			
2011	Touring	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
2011		B6 (HD)	Front Right	24-199452	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
2011	Limited	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
2011	Base	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
2010-2005	Limited; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2010-2005	C SRT8; RWD	Variable depending on application	Front Left	24-144766	B6 (C)			
2010-2005	C; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2010-2005	Base; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2010-2005	RWD; Touring	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			



Years	Application	Series	Front			Rear		
Chrysler 300 (continued)								
2010-2005	C SRT8	Variable depending on application	Front Right	24-144773	B6 (C)	Rear	24-144780	B6 (C); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
2010-2007	C Lujo; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2010	RWD; S	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2009	RWD; Signature Series	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2009-2008	LX; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2007	C Heritage Edition II; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2006	C Heritage; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
Chrysler Crossfire								
2008-2007, 2004		B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2008-2004		B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 15-35mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2008-2004		B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 15-30mm, up to 905kg Axle Load; Rear Lowered Height: 10-30mm, up to 850kg Axle Load			
2006-2005	Limited	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2006-2005	Base	B12 (Pro-Kit)	Front and Rear	46-000682	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2006-2004		B6 (HD)	Front	24-109987		Rear	24-109994	
Chrysler PT Cruiser								
2010, 2008-2001		B14 (PSS)	Front and Rear	47-087187				
2009	LX	B14 (PSS)	Front and Rear	47-087187				
2009	Touring	B14 (PSS)	Front and Rear	47-087187				
2009	Limited	B14 (PSS)	Front and Rear	47-087187				

Passenger Cars



Years	Application	Series	Front			Rear		
Daewoo Lanos								
2002-1999		B4				Rear	19-019956	
Dodge Challenger								
2013	SXT	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
			Front Right	24-199452	Excludes Self-Leveling			
2013	R/T	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
			Front Right	24-199452	Excludes Self-Leveling			
2012-2011	SRT	B12 (Pro-Kit)	Front and Rear	46-234360	Front Lowered Height: 12.5mm; Rear Lowered Height: 25mm			
2012-2011	RT	B12 (Pro-Kit)	Front and Rear	46-234360	Front Lowered Height: 12.5mm; Rear Lowered Height: 25mm			
2012-2011	R/T	B12 (Pro-Kit)	Front and Rear	46-234360	Front Lowered Height: 12.5mm; Rear Lowered Height: 25mm			
2012-2011	SRT8	B12 (Pro-Kit)	Front and Rear	46-234360	Front Lowered Height: 12.5mm; Rear Lowered Height: 25mm			
2012	R/T Classic	B12 (Pro-Kit)	Front and Rear	46-234360	Front Lowered Height: 12.5mm; Rear Lowered Height: 25mm			
2012	SXT	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
			Front Right	24-199452	Excludes Self-Leveling			
2012-2011	R/T	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
			Front Right	24-199452	Excludes Self-Leveling			
2011	SE	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
			Front Right	24-199452	Excludes Self-Leveling			
2010-2009	R/T	B12 (Pro-Kit)	Front and Rear	46-228857	Excludes Self-Leveling; Front Lowered Height: 45mm; Rear Lowered Height: 45mm			
2010-2009	SRT8	B12 (Pro-Kit)	Front and Rear	46-228857	Excludes Self-Leveling; Front Lowered Height: 20mm; Rear Lowered Height: 20mm			
2010-2009	SE	B12 (Pro-Kit)	Front and Rear	46-228857	Excludes Self-Leveling; Front Lowered Height: 45mm; Rear Lowered Height: 45mm			
2010-2009	SRT8	Variable depending on application	Front Left	24-144766	B6 (C)	Rear	24-144780	B6 (C); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (C)			
2010-2009	R/T; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2010-2009	RWD; SE	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2010-2009	RWD; SXT	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2008		B12 (Pro-Kit)	Front and Rear	46-228857	Excludes Self-Leveling; Front Lowered Height: 20mm; Rear Lowered Height: 20mm			



Years	Application	Series	Front			Rear		
Dodge Challenger (continued)								
2008		Variable depending on application	Front Left	24-144766	B6 (C)	Rear	24-144780	B6 (C); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (C)			
Dodge Charger								
2013-2011	RWD; SXT Plus	B12 (Pro-Kit)	Front and Rear	46-228864	Excludes Self-Leveling; Front Lowered Height: 30mm; Rear Lowered Height: 35mm			
2013-2011	RWD; SXT	B12 (Pro-Kit)	Front and Rear	46-228864	Excludes Self-Leveling; Front Lowered Height: 30mm; Rear Lowered Height: 35mm			
2013-2011	R/T; RWD	B12 (Pro-Kit)	Front and Rear	46-228864	Excludes Self-Leveling; Front Lowered Height: 30mm; Rear Lowered Height: 35mm			
2013-2011	RWD; SE	B12 (Pro-Kit)	Front and Rear	46-228864	Excludes Self-Leveling; Front Lowered Height: 30mm; Rear Lowered Height: 35mm			
2013	RWD; SXT	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
			Front Right	24-199452	Excludes Self-Leveling			
2013	RWD; SE	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
			Front Right	24-199452	Excludes Self-Leveling			
2013	R/T; RWD	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling			
			Front Right	24-199452	Excludes Self-Leveling			
2012	RWD; SXT	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
			Front Right	24-199452	Excludes Self-Leveling			
2012-2011	SE	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
			Front Right	24-199452	Excludes Self-Leveling			
2012-2011	R/T; RWD	B6 (HD)	Front Left	24-199445	Excludes Self-Leveling	Rear	24-216951	Excludes Self-Leveling
			Front Right	24-199452	Excludes Self-Leveling			
2010-2006	RWD; SXT	B12 (Pro-Kit)	Front and Rear	46-234377	Excludes Self Leveling (Nivomat) Suspension; Front Lowered Height: 35mm; Rear Lowered Height: 43mm			
2010-2006	R/T; RWD	B12 (Pro-Kit)	Front and Rear	46-234377	Excludes Self Leveling (Nivomat) Suspension; Front Lowered Height: 35mm; Rear Lowered Height: 43mm			
2010-2006	RWD; SE	B12 (Pro-Kit)	Front and Rear	46-234377	Excludes Self Leveling (Nivomat) Suspension; Front Lowered Height: 35mm; Rear Lowered Height: 43mm			
2010-2006	SRT8	Variable depending on application	Front Left	24-144766	B6 (C)	Rear	24-144780	B6 (C); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (C)			
2010-2006	R/T; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2010-2006	RWD; SE	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			



Years	Application	Series	Front			Rear		
Dodge Charger (continued)								
2010-2006	RWD; SXT	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2008-2007	SRT8 Super Bee	Variable depending on application	Front Left	24-144766	B6 (C)	Rear	24-144780	B6 (C); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (C)			
2007-2006	Base; RWD	B12 (Pro-Kit)	Front and Rear	46-234377	Excludes Self Leveling (Nivomat) Suspension; Front Lowered Height: 35mm; Rear Lowered Height: 43mm			
2007-2006	Base; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2006	Daytona R/T; RWD	B12 (Pro-Kit)	Front and Rear	46-234377	Excludes Self Leveling (Nivomat) Suspension; Front Lowered Height: 35mm; Rear Lowered Height: 43mm			
2006	Daytona R/T; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
Dodge Magnum								
2008-2006	SRT8	Variable depending on application	Front Left	24-144766	B6 (C)	Rear	24-144780	B6 (C); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (C)			
2008-2006	RWD; SXT	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2008-2006	R/T; RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2008-2006	RWD; SE	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
2005	RWD	Variable depending on application	Front Left	24-144766	B6 (HD)	Rear	24-144780	B6 (HD); If vehicle is equipped with self leveling (Nivomat) suspension the rear ride height may reduce approximately 10mm
			Front Right	24-144773	B6 (HD)			
Eagle Talon								
1994-1990	AWD; TSi	B4				Rear	19-063379	
1994-1990	FWD; TSi	B4				Rear	19-063362	
1994-1990		B4	Front	F4-VNE-4780-BK				
1994-1993	DL	B4				Rear	19-063362	
1994-1993	ES	B4				Rear	19-063362	
1992-1990	Base	B4				Rear	19-063362	
Fiat 500								
2013	Turbo	B14 (PSS)	Front and Rear	47-228078	Front Lowered Height: 20-40mm, up to 830kg Axle Load; Rear Lowered Height: 20-40mm, up to 640kg Axle Load			



Years	Application	Series	Front			Rear		
Fiat 500 (continued)								
2013	Lounge	B14 (PSS)	Front and Rear	47-228078	Front Lowered Height: 20-40mm, up to 830kg Axle Load; Rear Lowered Height: 20-40mm, up to 640kg Axle Load			
2013	c Pop	B14 (PSS)	Front and Rear	47-228078	Front Lowered Height: 20-40mm, up to 830kg Axle Load; Rear Lowered Height: 20-40mm, up to 640kg Axle Load			
2013	Sport	B14 (PSS)	Front and Rear	47-228078	Front Lowered Height: 20-40mm, up to 830kg Axle Load; Rear Lowered Height: 20-40mm, up to 640kg Axle Load			
2013	c Lounge	B14 (PSS)	Front and Rear	47-228078	Front Lowered Height: 20-40mm, up to 830kg Axle Load; Rear Lowered Height: 20-40mm, up to 640kg Axle Load			
2013	Abarth	B14 (PSS)	Front and Rear	47-228078	Front Lowered Height: 20-40mm, up to 830kg Axle Load; Rear Lowered Height: 20-40mm, up to 640kg Axle Load			
2013	Pop	B14 (PSS)	Front and Rear	47-228078	Front Lowered Height: 20-40mm, up to 830kg Axle Load; Rear Lowered Height: 20-40mm, up to 640kg Axle Load			
2012		B14 (PSS)	Front and Rear	47-228078	Front Lowered Height: 20-40mm, up to 830kg Axle Load; Rear Lowered Height: 20-40mm, up to 640kg Axle Load			
Fiat Grande Punto								
2008	Dynamic	B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Active	B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Sport Turbo	B12 (Pro-Kit)	Front and Rear	46-188137	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Dynamic Turbo	B12 (Pro-Kit)	Front and Rear	46-188137	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008	Sport	B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008-2007		B12 (Sportline)	Front and Rear	46-188168	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
			Front and Rear	46-188175	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
2008-2007		B8 (SP)	Front Left	35-140238		Rear	24-140256	
			Front Right	35-140245				



Years	Application	Series	Front			Rear		
Fiat Grande Punto (continued)								
2007		B12 (Pro-Kit)	Front and Rear	46-188120	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 950kg Axle Load			
Fiat Stilo								
2007		B12 (Sportline)	Front and Rear	46-191038	Front Lowered Height: 45-50mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2007		B8 (SP)				Rear	24-067928	
Ford Contour								
2000-1998	SE	B4	Front	22-045614		Rear	22-045621	
2000-1998	Power	B4	Front	22-045614		Rear	22-045621	
2000-1998	Base	B4	Front	22-045614		Rear	22-045621	
2000-1998	LX	B4	Front	22-045614		Rear	22-045621	
1998	Sport	B4	Front	22-045614		Rear	22-045621	
1998	GL	B4	Front	22-045614		Rear	22-045621	
1997-1995		B4	Front	22-045614		Rear	22-045621	
Ford Crown Victoria								
2002-1992		B6 (C)	Front	24-184731		Rear	24-184755	
2002-1992		B6 (HD)	Front	24-014953		Rear	24-014960	
Ford Custom 500								
1977-1975	Ranch Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
Ford Fairmont								
1982-1981	4 Dr.; Futura; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981	4 Dr.; Futura; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980-1978	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979-1978	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
Ford Fiesta								
2013		B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2012-2011	Hatchback; SE	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2012-2011	SES	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			



Years	Application	Series	Front			Rear		
Ford Fiesta (continued)								
2010-2003		B12 (Pro-Kit)	Front and Rear	46-190123	Front Lowered Height: 35mm, up to 860kg Axle Load ; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2010-2003		B4	Front Right	22-111777				
			Front Left	22-111760				
Ford Focus								
2014-2013	ST	B14 (PSS)	Front and Rear	47-232952	Front Lowered Height: 15-30mm, up to 1100kg Axle Load; Rear Lowered Height: 15-30mm, up to 1025kg Axle Load			
2014-2012	Titanium	B14 (PSS)	Front and Rear	47-196568	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 30-50mm, up to 1025kg Axle Load			
2014-2012	SE	B14 (PSS)	Front and Rear	47-196568	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 30-50mm, up to 1025kg Axle Load			
2014-2012	S	B14 (PSS)	Front and Rear	47-196568	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 30-50mm, up to 1025kg Axle Load			
2014	ST	B6 (HD)				Rear	24-232968	
2014-2013	ST	B8 (SP)				Rear	24-232975	
2013	Titanium Plus	B14 (PSS)	Front and Rear	47-196568	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 30-50mm, up to 1025kg Axle Load			
2013	SE Plus	B14 (PSS)	Front and Rear	47-196568	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 30-50mm, up to 1025kg Axle Load			
2013	S	B4	Front Left	22-217134	Standard Chassis	Rear	19-217154	
			Front Right	22-217141	Standard Suspension			
2013	SE	B4	Front Left	22-217134	Standard Chassis	Rear	19-217154	
			Front Right	22-217141	Standard Suspension			
2013		B4	Front Left	22-220530	Sport Suspension			
			Front Right	22-220547	Sport Suspension			
2013	Titanium	B4	Front Left	22-217134	Standard Chassis	Rear	19-217154	
			Front Right	22-217141	Standard Suspension			
2013	Electric	B4	Front Left	22-217134	Standard Chassis	Rear	19-217154	
			Front Right	22-217141	Standard Suspension			
2013	Electric	B6 (HD)	Front Left	29-196500	Standard Chassis			
			Front Right	29-196517	Standard Chassis			
2013	S	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2013	Titanium	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			

Passenger Cars



Years	Application	Series	Front			Rear		
Ford Focus (continued)								
2013	ST	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-232968	
			Front Right	29-196517	Standard Chassis			
2013	SE	B6 (HD)	Front Left	29-196500	Standard Chassis	Rear	24-196529	
			Front Right	29-196517	Standard Chassis			
2013	SE Plus	B8 (SP)				Rear	24-196550	
2013-2012		B8 (SP)	Front Left	29-196531				
			Front Right	29-196548				
2013-2012	S	B8 (SP)				Rear	24-196550	
2013	Titanium Plus	B8 (SP)				Rear	24-196550	
2013-2012	Titanium	B8 (SP)				Rear	24-196550	
2013-2012	SE	B8 (SP)				Rear	24-196550	
2012	SEL	B14 (PSS)	Front and Rear	47-196568	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 30-50mm, up to 1025kg Axle Load			
2012		B4	Front Left	22-217134	Standard Chassis	Rear	19-217154	
			Front Right	22-217141	Standard Suspension			
			Front Left	22-220530	Sport Suspension			
			Front Right	22-220547	Sport Suspension			
2012	S	B6 (HD)				Rear	24-196529	
2012	SEL	B6 (HD)				Rear	24-196529	
2012	Titanium	B6 (HD)				Rear	24-196529	
2012		B6 (HD)	Front Left	29-196500	Standard Chassis			
			Front Right	29-196517	Standard Chassis			
2012	SE	B6 (HD)				Rear	24-196529	
2012	SEL	B8 (SP)				Rear	24-196550	
2011-2008		B4				Rear	19-065878	
2011-2007	S	B8 (SP)				Rear	24-066662	
2011-2009	SEL	B8 (SP)				Rear	24-066662	
2010-2007	Sport	B8 (SP)				Rear	24-066662	
2010-2007	Ambiente	B8 (SP)				Rear	24-066662	
2010-2007	ST	B8 (SP)				Rear	24-066662	
2007, 2004-2000	SE; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007	SES; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			



Years	Application	Series	Front			Rear		
Ford Focus (continued)								
2007	5 Dr.; Hatchback; SES	B4				Rear	19-065878	
2007, 2004-2000	4 Dr.; SE; Sedan	B4				Rear	19-065878	
2007	ST	B4				Rear	19-065878	
2007	5 Dr.; Hatchback; SE	B4				Rear	19-065878	
2007	S	B4				Rear	19-065878	
2007, 2004-2000	SE; Wagon	B4				Rear	19-065885	
2007	3 Dr.; Hatchback; SES	B4				Rear	19-065878	
2007	4 Dr.; SES; Sedan	B4				Rear	19-065878	
2007	3 Dr.; Hatchback; SE	B4				Rear	19-065878	
2007	SES; Wagon	B4				Rear	19-065885	
2007, 2004-2000	SE; Wagon	B6 (HD)				Rear	24-066679	
2007	SES; Wagon	B6 (HD)				Rear	24-066679	
2007, 2004-2000	SE; Sedan	B8 (SP)				Rear	24-066662	
2007-2005	SE Tipico	B8 (SP)				Rear	24-066662	
2007	SES; Sedan	B8 (SP)				Rear	24-066662	
2007-2005	LX Austero	B8 (SP)				Rear	24-066662	
2007	Hatchback; SE	B8 (SP)				Rear	24-066662	
2007	Hatchback; SES	B8 (SP)				Rear	24-066662	
2006-2005	ZXW	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2006-2000	ZX3	B4				Rear	19-065878	
2006-2005	ZX4 ST	B4				Rear	19-065878	
2006-2002	ZX5	B4				Rear	19-065878	
2006-2005	ZX4	B4				Rear	19-065878	
2006-2005	ZXW	B4				Rear	19-065885	
2006-2005	Wagon; ZXW	B6 (HD)				Rear	24-066679	
2006-2005	ZX4	B8 (SP)				Rear	24-066662	
2006-2005	ZX4 ST	B8 (SP)				Rear	24-066662	
2006-2000	ZX3	B8 (SP)				Rear	24-066662	
2006-2002	ZX5	B8 (SP)				Rear	24-066662	
2005	LX Austero	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			

Passenger Cars



Years	Application	Series	Front			Rear
Ford Focus (continued)						
2005-2002	ZX5	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability	
2005-2000	ZX3	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability	
2005	SE Tipico	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability	
2005	ZX4 ST	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability	
2005	ZX4	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability	
2005	ZXW	B16 (PSS9)	Front and Rear	48-080453	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 25-45mm, up to 960kg Axle Load	
2005-2002	ZX5	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations	
2005	ZX4	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations	
2005	ZX4 ST	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations	
2005-2000	ZX3	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations	
2005-2000		B4	Front Right	22-051219		
			Front Left	22-051226		
2005-2000		B6 (HD)	Front Left	35-051398		
			Front Right	35-051404		
2005-2000		B8 (SP)	Front Left	35-051411		
			Front Right	35-051428		
2004-2003	Mid	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability	



Years	Application	Series	Front			Rear		
Ford Focus (continued)								
2004-2002	ZTW	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2004-2003	High	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004-2000	LX	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004-2000	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004-2000	ZTS	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004-2002	SVT	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2004-2002	SVT	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations			
2004-2000	ZTS	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations			
2004-2000	4 Dr.; SE; Sedan	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations			
2004-2000	SE; Wagon	B16 (PSS9)	Front and Rear	48-080453	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 25-45mm, up to 960kg Axle Load			
2004-2002	ZTW	B16 (PSS9)	Front and Rear	48-080453	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 25-45mm, up to 960kg Axle Load			
2004-2000	LX	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations			
2004-2002	ZTW	B4			Rear	19-065885		
2004-2000	LX	B4			Rear	19-065878		
2004-2002	SVT	B4			Rear	19-065878		
2004-2000	ZTS	B4			Rear	19-065878		

Passenger Cars



Years	Application	Series	Front			Rear		
Ford Focus (continued)								
2004-2002	Wagon; ZTW	B6 (HD)				Rear	24-066679	
2004-2003	Mid	B8 (SP)				Rear	24-066662	
2004-2003	High	B8 (SP)				Rear	24-066662	
2004-2000	LX	B8 (SP)				Rear	24-066662	
2004-2000	ZTS	B8 (SP)				Rear	24-066662	
2004-2002	SVT	B8 (SP)				Rear	24-066662	
2002-2001	S2; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2002	Base	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	Street	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002	Manual	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002-2001	S2; Sedan	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2002-2001	S2; Wagon	B16 (PSS9)	Front and Rear	48-080453	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 25-45mm, up to 960kg Axle Load			
2002-2001	4 Dr.; S2; Sedan	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations			
2002	Street	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations			
2002-2001	4 Dr.; S2; Sedan	B4				Rear	19-065878	
2002	Street	B4				Rear	19-065878	
2002-2001	S2; Wagon	B4				Rear	19-065885	
2002-2001	S2; Wagon	B6 (HD)				Rear	24-066679	
2002	Manual	B8 (SP)				Rear	24-066662	
2002	Street	B8 (SP)				Rear	24-066662	
2002	Base	B8 (SP)				Rear	24-066662	
2002-2001	S2; Sedan	B8 (SP)				Rear	24-066662	



Years	Application	Series	Front			Rear		
Ford Focus (continued)								
2001	Street; Wagon	B12 (Pro-Kit)	Front and Rear	46-181367	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2001	Sedan; Street	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2001	Street; Wagon	B16 (PSS9)	Front and Rear	48-080453	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 25-45mm, up to 960kg Axle Load			
2001	4 Dr.; Sedan; Street	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations			
2001	4 Dr.; Sedan; Street	B4				Rear	19-065878	
2001	Street; Wagon	B4				Rear	19-065885	
2001	Street; Wagon	B6 (HD)				Rear	24-066679	
2001	Sedan; Street	B8 (SP)				Rear	24-066662	
2000	Sony Limited Edition	B12 (Pro-Kit)	Front and Rear	46-181343	Front Lowered Height: 30mm, up to 915kg Axle Load; Rear Lowered Height: 30mm, up to 905kg Axle Load; Without Ride Height Adjustability			
2000	Sony Limited Edition	B16 (PSS9)	Front and Rear	48-080460	Front Lowered Height: 30-50mm, up to 965kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load; Spacers required for several wheel/tire combinations			
2000	Sony Limited Edition	B4				Rear	19-065878	
2000	Sony Limited Edition	B8 (SP)				Rear	24-066662	
Ford Fusion								
2011-2010	SE	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2011	FWD; Sport	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2011-2010	Hybrid	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2011-2007	S	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2011-2007	FWD; SEL	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2010	FWD; Sport	B6 (HD)	Front Right	24-102575		Rear	24-102582	

Passenger Cars



Years	Application	Series	Front			Rear		
Ford Fusion (continued)								
2009-2007	FWD; SE	B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2006		B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
Ford Gran Torino								
1976-1975	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1976-1975	Squire	B6 (C)	Front	24-184731		Rear	24-184755	
Ford Granada								
1982	4 Dr.; L; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982-1981	4 Dr.; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; GL; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980-1978	4 Dr.; ESS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980-1977	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1980-1977	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Leaf Rear Springs	B6 (C)	Front	24-184731		Rear	24-184755	
Ford LTD								
1982-1979	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982-1975	Country Squire	B6 (C)	Front	24-184731		Rear	24-184755	
1982-1981	S	B6 (C)	Front	24-184731		Rear	24-184755	
1982-1980	4 Dr.; Crown Victoria; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982-1975	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982-1975	Base	B6 (HD)	Front	24-014953		Rear	24-014960	
1982-1980	Country Squire	B6 (HD)	Front	24-014953		Rear	24-014960	
1982-1980	S	B6 (HD)	Front	24-014953		Rear	24-014960	
1980	4 Dr.; S; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1980	4 Dr.; S; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979	4 Dr.; Landau; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1979-1975	Landau	B6 (HD)	Front	24-014953		Rear	24-014960	
1976-1975	Brougham	B6 (HD)	Front	24-014953		Rear	24-014960	
Ford LTD Crown Victoria								
1991-1987		B6 (C)				Rear	24-184755	
Ford LTD II								
1979-1977		B6 (HD)	Front	24-014953		Rear	24-014960	
1977	4 Dr.; S; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	



Years	Application	Series	Front			Rear		
Ford LTD II (continued)								
1977	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1977	Squire	B6 (C)	Front	24-184731		Rear	24-184755	
Ford Maverick								
1977	4 Dr.; Base; Sedan; w/ Coil Front Springs; w/ Leaf Rear Springs	B6 (C)	Front	24-184731		Rear	24-184755	
Ford Mustang								
2014	Shelby GT500	B6 (HD)	Front	35-212676				
2013-2011	Shelby GT500	B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2013-2011	Coupe; GT	B12 (Pro-Kit)	Front and Rear	46-228871	Front Lowered Height: 25mm; Rear Lowered Height: 30mm			
2013-2012		B6 (HD)	Front	35-212676		Rear	24-122245	
2011	Base	B6 (HD)	Front	35-212676				
2011	GT	B6 (HD)	Front	35-212676				
2011		B6 (HD)				Rear	24-122245	
2011	Shelby GT500	B6 (HD)	Front	35-128717				
2010-2007	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-228888	Front Lowered Height: 35mm; Rear Lowered Height: 38mm			
2010-2005		B12 (Pro-Kit)	Front and Rear	F4-SE5-F351-H0	Front Lowered Height: 15mm; Rear Lowered Height: 38mm			
2010-2007	Coupe; GT	B12 (Pro-Kit)	Front and Rear	46-228888	Front Lowered Height: 35mm; Rear Lowered Height: 38mm			
2010-2005		B6 (HD)	Front	35-128717		Rear	24-122245	
2009-2008	Bullitt; Coupe	B12 (Pro-Kit)	Front and Rear	46-228888	Front Lowered Height: 35mm; Rear Lowered Height: 38mm			
2006-2005	Coupe	B12 (Pro-Kit)	Front and Rear	46-228888	Front Lowered Height: 35mm; Rear Lowered Height: 38mm			
2004	Convertible; GT Base	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004-1994	Coupe; GT	B12 (Pro-Kit)	Front and Rear	46-234391	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Convertible; GT Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004	Coupe; GT Base	B12 (Pro-Kit)	Front and Rear	46-234391	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004-2003, 2001-1994	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004-2003	Coupe; Mach I	B12 (Pro-Kit)	Front and Rear	46-234391	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004-2003, 2001-1994	Base; Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2004-2003	Mach I	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap

Passenger Cars



Years	Application	Series	Front			Rear		
Ford Mustang (continued)								
2004-2003, 2001-1994		B6 (HD)	Front	35-041382				
2004	GT Base	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004-2003, 2001-1994	GT	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004	GT Equipado	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004-2003, 2001, 1999	SVT Cobra	B6 (HD)				Rear	24-185356	
2004-2003, 2001-1994	Base	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
2004-2003, 2001, 1999	SVT Cobra	B8 (SP)	Front	35-045939		Rear	24-185974	
2004-1994		Drag Series	Front	35-221449		Rear	24-229258	
2003, 2001- 1998	Convertible; Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2003, 2001- 1998	Equipado	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
2003	SVT Cobra 10th Anniversary	B6 (HD)				Rear	24-185356	
2003	SVT Cobra 10th Anniversary	B8 (SP)	Front	35-045939		Rear	24-185974	
2002	Convertible	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2002		B6 (HD)	Front	35-041382		Rear	24-064187	
						Rear	24-021494	Axle Wrap
2001, 1999	Coupe; SVT Cobra	B12 (Pro-Kit)	Front and Rear	46-234384	Front Lowered Height: 35mm; Rear Lowered Height: 35mm			
2001	Coupe; GT Bullitt	B12 (Pro-Kit)	Front and Rear	46-234391	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
2001	GT Bullitt	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
2000	Coupe; SVT Cobra R	B12 (Pro-Kit)	Front and Rear	46-234384	Front Lowered Height: 35mm; Rear Lowered Height: 35mm			
2000	SVT Cobra R	B6 (HD)				Rear	24-185356	
2000	SVT Cobra R	B8 (SP)	Front	35-045939		Rear	24-185974	
1998	Convertible; Semi- Equipado	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1998	Semi-Equipado	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
1997-1996	Convertible; High	B12 (Pro-Kit)	Front and Rear	BTS-7504	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			



Years	Application	Series	Front			Rear		
Ford Mustang (continued)								
1997-1996	High	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
1995	Coupe; GTS	B12 (Pro-Kit)	Front and Rear	46-234391	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1995	GTS	B6 (HD)				Rear	24-064187	
						Rear	24-021494	Axle Wrap
1993-1987	GT; Hatchback	B12 (Pro-Kit)	Front and Rear	46-228895	Front Lowered Height: 30mm; Rear Lowered Height: 25mm			
1993-1987	5.0L V8 302 CID; Convertible; LX	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1993-1987	Convertible; GT	B12 (Pro-Kit)	Front and Rear	BTS-7506	Front Lowered Height: 30mm; Rear Lowered Height: 20mm			
1993	SVT Cobra R	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1993	SVT Cobra	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1993-1987	GT	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1993-1987	5.0L V8 302 CID; LX	B6 (HD)	Front	35-041382		Rear	24-021487	
						Rear	24-021494	Axle Wrap
1993-1987		Drag Series	Front	35-221449		Rear	24-221450	
Ford Mustang II								
1978-1974		B6 (HD)	Front	24-185035				
Ford Thunderbird								
1988-1983	Base	B6 (HD)				Rear	24-010412	
1988-1983	Sport	B6 (HD)				Rear	24-010412	
1988-1983	LX	B6 (HD)				Rear	24-010412	
1986-1984	Elan	B6 (HD)				Rear	24-010412	
1985-1984	Fila	B6 (HD)				Rear	24-010412	
1983	Heritage	B6 (HD)				Rear	24-010412	
1982-1980		B6 (HD)				Rear	24-010412	
1979-1977, 1972-1967		B6 (HD)	Front	24-014953		Rear	24-014960	
						Rear	AK2074	
1976-1973		B6 (HD)	Front	24-014953		Rear	AK2074	
Ford Torino								
1976-1975	4 Dr.; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1976-1975		B6 (HD)	Front	24-014953		Rear	24-014960	
Honda Accord								
2002-1998		B6 (HD)				Rear	24-185721	

Passenger Cars



Years	Application	Series	Front			Rear		
Honda Accord (continued)								
2002-1998		B8 (SP)	Front	24-065801		Rear	24-185738	
1997-1995	DX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1997-1995	EX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1997-1995	LX	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1997	SE	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1997	SE	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1997-1996	Value Package	B6 (HD)	Front	24-023719	From 9/93 To 97			
1997-1995, 1993	LX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1997-1995, 1993	DX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1997-1995, 1993	EX	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1996	25th Anniversary Edition	B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1996	25th Anniversary Edition	B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1994-1993		B4	Front Left	19-062853	From 9/93 To 97	Rear	19-028811	From 9/93 To 97
			Front Right	19-062860	From 9/93 To 97			
1994		B6 (HD)	Front	24-023719	From 9/93 To 97	Rear	24-021142	From 9/93 To 97
1993-1992, 1990		B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1993	10th Anniversary	B6 (HD)	Front	24-023719	From 9/93 To 97			
1991	SE	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1991	LX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1991	EX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1991	DX	B6 (HD)	Front Left	24-017213	From 9/89 To 8/93	Rear	24-017237	From 9/89 To 8/93
			Front Right	24-017220	From 9/89 To 8/93			
1989-1987	LXi	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1989-1987	LX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			



Years	Application	Series	Front			Rear		
Honda Accord (continued)								
1989-1987	DX	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1989	SEi	B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1989	SEi	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89	Rear	24-017237	From 9/89 To 8/93
			Front Left	24-017213	From 9/89 To 8/93			
			Front Right	24-017220	From 9/89 To 8/93			
1989	LXi	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89	Rear	24-017237	From 9/89 To 8/93
			Front Left	24-017213	From 9/89 To 8/93			
			Front Right	24-017220	From 9/89 To 8/93			
1989	DX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89	Rear	24-017237	From 9/89 To 8/93
			Front Left	24-017213	From 9/89 To 8/93			
			Front Right	24-017220	From 9/89 To 8/93			
1989	LX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89	Rear	24-017237	From 9/89 To 8/93
			Front Left	24-017213	From 9/89 To 8/93			
			Front Right	24-017220	From 9/89 To 8/93			
1988-1987	LX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1988-1987	LXi	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1988-1987	DX	B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			
1986		B4	Front Left	19-062730	From 86 To 8/89	Rear	19-063171	From 86 To 8/89
			Front Right	19-062747	From 86 To 8/89			
1986		B6 (HD)	Front Left	24-011358	38mm OD lower mount; From 86 To 8/89	Rear	24-010894	From 86 To 8/89
			Front Right	24-011365	38mm OD lower mount; From 86 To 8/89			

Passenger Cars



Years	Application	Series	Front			Rear		
Honda CRX								
1991	HF	B4				Rear	19-063195	
1991, 1989	Si	B4				Rear	19-063195	
1991-1990		B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990		B4				Rear	19-063195	
1989	Base	B4				Rear	19-063195	
1989	Si	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1989	Base	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1988	Si	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	DX	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	DX	B8 (SP)				Rear	24-023412	
1988	Si	B8 (SP)				Rear	24-023412	
Honda Civic								
2005-2002	Si	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2005-2002	Si	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2005-2003	EX	B6 (HD)				Rear	24-114240	
2005-2003	GX	B6 (HD)				Rear	24-114240	
2005-2003	DX	B6 (HD)				Rear	24-114240	
2005-2003	LX	B6 (HD)				Rear	24-114240	
2005-2004	Value Package	B6 (HD)				Rear	24-114240	
2005-2003	HX	B6 (HD)				Rear	24-114240	
2005-2002	Si	B6 (HD)				Rear	24-114240	
2005-2004	Value Package	B8 (SP)	Front Right	35-114260				
2005-2003	GX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005-2003	EX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005-2002	Si	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				



Years	Application	Series	Front			Rear		
Honda Civic (continued)								
2005-2003	HX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005-2002	LX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2005-2003	DX	B8 (SP)	Front Left	35-114253				
			Front Right	35-114260				
2004-2002	SiR	B14 (PSS)	Front and Rear	47-118768	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2004-2002	SiR	B16 (PSS9)	Front and Rear	48-118804	Front Lowered Height: 20-35mm up to 955kg Axle Load; Rear Lowered Height: 15-35mm, up to 850kg Axle Load			
2002	EX	B8 (SP)	Front Right	35-114260				
2002	GX	B8 (SP)	Front Right	35-114260				
2002	DX	B8 (SP)	Front Right	35-114260				
2002	HX	B8 (SP)	Front Right	35-114260				
2000-1996	HX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000-1998	GX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000-1996	CX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000-1996	EX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000-1996	LX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000-1996	DX	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
2000		B4	Front	19-062938	Exc. Hybrid			
2000		B6 (HD)	Front	24-023368	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
2000		B8 (SP)	Front	24-185646	Exc. Hybrid			
1999	Value Package	B12 (Pro-Kit)	Front and Rear	BTS-7502	Front Lowered Height: 50mm; Rear Lowered Height: 40mm			
1999-1996	CX	B4	Front	19-062938	Exc. Hybrid			
1999-1996	EX	B4	Front	19-062938	Exc. Hybrid			
1999-1998	GX	B4	Front	19-062938	Exc. Hybrid			
1999-1996	LX	B4	Front	19-062938	Exc. Hybrid			
1999-1996	DX	B4	Front	19-062938	Exc. Hybrid			
1999	Si	B4	Front	19-062938	Exc. Hybrid			
1999-1996	HX	B4	Front	19-062938	Exc. Hybrid			
1999-1996	DX	B6 (HD)	Front	24-023368	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999-1996	CX	B6 (HD)	Front	24-023368	Exc. Hybrid	Rear	24-023375	Exc. Hybrid

Passenger Cars



Years	Application	Series	Front			Rear		
Honda Civic (continued)								
1999	Si	B6 (HD)	Front	24-023368	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999-1998	GX	B6 (HD)	Front	24-023368	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999-1996	LX	B6 (HD)	Front	24-023368	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999-1996	EX	B6 (HD)	Front	24-023368	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999-1996	HX	B6 (HD)	Front	24-023368	Exc. Hybrid	Rear	24-023375	Exc. Hybrid
1999	Si	B8 (SP)	Front	24-185646	Exc. Hybrid			
1999-1996	HX	B8 (SP)	Front	24-185646	Exc. Hybrid			
1999-1996	CX	B8 (SP)	Front	24-185646	Exc. Hybrid			
1999-1996	LX	B8 (SP)	Front	24-185646	Exc. Hybrid			
1999-1998	GX	B8 (SP)	Front	24-185646	Exc. Hybrid			
1999-1996	EX	B8 (SP)	Front	24-185646	Exc. Hybrid			
1999-1996	DX	B8 (SP)	Front	24-185646	Exc. Hybrid			
1995-1993	EX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1995-1992	LX	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1995-1992	DX; Sedan	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1995-1992		B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1995-1992		B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1992	EX	B12 (Pro-Kit)	Front and Rear	46-190208	Front Lowered Height: 30mm, up to 835kg Axle Load; Rear Lowered Height: 30mm, up to 750kg Axle Load			
1991-1989	Si	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991-1990	EX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991-1989	DX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991-1989	Base	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991-1989	LX	B12 (Pro-Kit)	Front and Rear	BTS-7512				
1991-1990	EX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1991	DX	B4				Rear	19-063195	



Years	Application	Series	Front			Rear		
Honda Civic (continued)								
1991-1989	Si	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1991-1989	LX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1991	4 Dr.; DX; Sedan	B4	Front Left	19-062778				
			Front Right	19-062785				
1991	Base	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1991	3 Dr.; DX; Hatchback	B4	Front Left	19-062778				
			Front Right	19-062785				
1991	Base	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	3 Dr.; DX; Hatchback	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991-1990	EX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991-1989	Si	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991-1989	LX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1991	4 Dr.; DX; Sedan	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990-1988	3 Dr.; Base; Hatchback	B4	Front Left	19-062778				
			Front Right	19-062785				
1990-1989	Base	B4				Rear	19-063195	
1990-1989	DX	B4	Front Left	19-062778		Rear	19-063195	
			Front Right	19-062785				
1990-1989	3 Dr.; Base; Hatchback	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1990-1989	DX	B6 (HD)	Front Right	24-013802		Rear	24-013826	
			Front Left	24-013819				
1988	Base	B12 (Pro-Kit)	Front and Rear	BTS-7513				
1988	LX	B12 (Pro-Kit)	Front and Rear	BTS-7513				
1988	DX	B12 (Pro-Kit)	Front and Rear	BTS-7513				

Passenger Cars



Years	Application	Series	Front			Rear		
Honda Civic (continued)								
1988	DX	B4	Front Left	19-062778				
			Front Right	19-062785				
1988	LX	B4	Front Left	19-062778				
			Front Right	19-062785				
1988	DX	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	LX	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	3 Dr.; Base; Hatchback	B6 (HD)	Front Right	24-013802				
			Front Left	24-013819				
1988	DX	B8 (SP)				Rear	24-023412	Exc. Wagon
1988	3 Dr.; Base; Hatchback	B8 (SP)				Rear	24-023412	Exc. Wagon
1988	LX	B8 (SP)				Rear	24-023412	Exc. Wagon
1987-1985	Base	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1987-1984	CRX	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1987-1985	CRX Si	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1987-1985	CRX HF	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1984	CRX 1.5	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
1984	DX	B4	Front Left	22-047281		Rear	19-063164	
			Front Right	22-047298				
Honda Civic del Sol								
1997-1994	VTEC	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1997-1993	Si	B4	Front Left	19-062839		Rear	19-063195	
			Front Right	19-062846				
1997-1993	Si	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				
1997-1994	VTEC	B6 (HD)	Front Left	24-016032		Rear	24-016056	
			Front Right	24-016049				



Years	Application	Series	Front			Rear		
Honda Fit								
2012	Sport	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2012	Base	B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
2011-2009		B14 (PSS)	Front and Rear	47-165854	Front Lowered Height: 0-30mm; Rear Lowered Height: 0-30mm			
Honda Prelude								
2001-1997	Base	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
2001-1997	Base	B6 (HD)	Front Right	24-016797	Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
2001-1997	Base	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1996-1995		B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1996-1995		B6 (HD)	Front Right	24-016797	Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
1996-1995		B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1994-1992	Si	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1994-1993	VTEC	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1994-1992	S	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1994-1993	VTEC	B6 (HD)	Front Right	24-016797	Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
1994-1992	Si	B6 (HD)	Front Right	24-016797	Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
1994-1992	S	B6 (HD)	Front Right	24-016797	Will not fit SH model unless standard ID	Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID
1994-1991	Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			

Passenger Cars



Years	Application	Series	Front			Rear		
Honda Prelude (continued)								
1994-1993	VTEC	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1994-1992	S	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1991	Si	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062730	From 88 To 8/91			
			Front Right	19-062747	From 88 To 8/91			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1991	2.0 Si	B4	Front Right	19-062907	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Left	19-062730	From 88 To 8/91			
			Front Right	19-062747	From 88 To 8/91			
			Front Left	19-062891	From 9/91 To 01; Will not fit SH model unless standard ID			
1991	Si	B6 (HD)			Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID	
1991	2.0 Si	B6 (HD)			Rear	24-016759	From 9/91 To 01; Will not fit SH model unless standard ID	
1991	2.0 Si	B8 (SP)	Front Left	24-017756	From 9/91 To 01; Will not fit SH model unless standard ID			
			Front Right	24-017763	From 9/91 To 01; Will not fit SH model unless standard ID			
1990-1988	2.0 S	B4	Front Left	19-062730	From 88 To 8/91			
			Front Right	19-062747	From 88 To 8/91			
1990-1988	2.0 Si	B4	Front Left	19-062730	From 88 To 8/91			
			Front Right	19-062747	From 88 To 8/91			
Honda S2000								
2009-2000		B14 (PSS)	Front and Rear	47-080386	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
2009-2000		B16 (PSS9)	Front and Rear	48-088657	Front Lowered Height: 10-35mm, up to 710kg Axle Load; Rear Lowered Height: 10-35mm, up to 840kg Axle Load			
Hyundai Accent								
1999-1998		B4	Front Right	22-047359	From 7/94 To 99			
			Front Left	22-047342	From 7/94 To 99			
1997-1996		B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97



Years	Application	Series	Front			Rear		
Hyundai Accent (continued)								
1995	Base	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
1995	L	B4	Front Right	22-047359	From 7/94 To 99	Rear Left	22-048820	From 7/94 To 4/97
			Front Left	22-047342	From 7/94 To 99	Rear Right	22-048837	From 7/94 To 4/97
Hyundai Elantra								
2013	GT	B6 (HD)	Front Left	35-193654		Rear	24-193672	
			Front Right	35-193661				
2013	GT GL	B6 (HD)	Front Left	35-193654		Rear	24-193672	
			Front Right	35-193661				
2013	GT GLS	B6 (HD)	Front Left	35-193654		Rear	24-193672	
			Front Right	35-193661				
2013	GT SE	B6 (HD)	Front Left	35-193654		Rear	24-193672	
			Front Right	35-193661				
2000-1996		B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
Hyundai Genesis Coupe								
2013-2010		B14 (PSS)	Front and Rear	47-193680	Front Lowered Height: 20-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-30mm, up to 1050kg Axle Load			
2013-2010		B6 (HD)	Front	35-196389		Rear	24-196390	
2013-2010		B8 (SP)	Front	35-197348		Rear	24-193702	
Hyundai Sonata								
2010-2006		B4	Front	19-221519		Rear	19-214481	
Hyundai Tiburon								
2008-2003		B12 (Pro-Kit)	Front and Rear	46-190284	Front Lowered Height: 30mm, up to 1015kg Axle Load; Rear Lowered Height: 30mm, up to 880kg Axle Load			
2008-2003		B12 (Sportline)	Front and Rear	46-190291	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
2008	GT Limited	B14 (PSS)	Front and Rear	47-107991	Front Lowered Height: 30-50mm, up to 1015kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load			
2008	GT	B14 (PSS)	Front and Rear	47-107991	Front Lowered Height: 30-50mm, up to 1015kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load			
2008	GS	B14 (PSS)	Front and Rear	47-107991	Front Lowered Height: 30-50mm, up to 1015kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Hyundai Tiburon (continued)								
2008	SE	B14 (PSS)	Front and Rear	47-107991	Front Lowered Height: 30-50mm, up to 1015kg Axle Load; Rear Lowered Height: 30-50mm, up to 880kg Axle Load			
2008	GS	B16 (PSS9)	Front and Rear	48-108041				
2008	GT	B16 (PSS9)	Front and Rear	48-108041				
2008	SE	B16 (PSS9)	Front and Rear	48-108041				
2008	GT Limited	B16 (PSS9)	Front and Rear	48-108041				
2007-2003		B14 (PSS)	Front and Rear	47-107991	From 02/03; Front Lowered Height: 30-50mm, up to 1015kg Axle Load; GK Chassis; Rear Lowered Height: 30-50mm, up to 880kg Axle Load			
2007-2003		B16 (PSS9)	Front and Rear	48-108041	From 02/03; GK Chassis			
2001-1997		B4	Front Left	22-047328		Rear Left	22-048868	
			Front Right	22-047335		Rear Right	22-048875	
Infiniti G20								
2002	Base	B6 (HD)	Front	24-017824	P11 Chassis			
2002		B6 (HD)				Rear	24-023443	
2001-1999		B6 (HD)	Front	24-017824	P11 Chassis	Rear	24-023443	
Infiniti G35								
2008-2007	Journey	B14 (PSS)	Front and Rear	47-101623	Front Lowered Height: 35-45mm, up to 975kg Axle Load; Rear Lowered Height: 35-45mm, up to 975kg Axle Load			
2008-2007	Sport	B14 (PSS)	Front and Rear	47-101623	Front Lowered Height: 35-45mm, up to 975kg Axle Load; Rear Lowered Height: 35-45mm, up to 975kg Axle Load			
2008-2004	Base	B14 (PSS)	Front and Rear	47-101623	Front Lowered Height: 35-45mm, up to 975kg Axle Load; Rear Lowered Height: 35-45mm, up to 975kg Axle Load			
2008-2007	Sport	B16 (PSS10)	Front and Rear	48-146142				
2008-2004	Base	B16 (PSS10)	Front and Rear	48-146142				
2008-2007	Journey	B16 (PSS10)	Front and Rear	48-146142				
2006-2004	Base	Variable depending on application	Front Left	24-101561		Rear	24-101585	
			Front Right	24-101578				
2003		B14 (PSS)	Front and Rear	47-101623	Front Lowered Height: 35-45mm, up to 975kg Axle Load; Rear Lowered Height: 35-45mm, up to 975kg Axle Load			
2003		B16 (PSS10)	Front and Rear	48-146142				



Years	Application	Series	Front			Rear		
Infiniti G35 (continued)								
2003		Variable depending on application	Front Left	24-101561		Rear	24-101585	
			Front Right	24-101578				
Infiniti G37								
2012-2009	Coupe; Journey	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	Sport	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012	Premier	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012-2010	Base; Coupe	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2012-2011	IPL	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2011-2009	Coupe; Sport	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2009	Base	B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
2008		B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			
Jaguar S-Type								
2008-2007, 2004-2003		B4	Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
			Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
2008-2007, 2005-2003	Base	B4	Front	24-065955	From 4/02; Standard Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-067447	From 4/02; Sport Suspension	Rear	24-066457	From 4/02; Standard Suspension
2008-2006, 2004-2003	4.2L V8 4196cc; Base	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2008-2003	R	B4 (ACD)	Front	20-070854	Sport Suspension; With electronic (CATS) suspension	Rear	20-070885	Sport Suspension; With electronic (CATS) suspension
2008-2003	3.0L V6 183 CID; Base	B4 (ACD)	Front	20-070748	Sport Suspension; With electronic (CATS) suspension	Rear	20-070779	Sport Suspension; With electronic (CATS) suspension
2006-2005	R	B4	Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
			Front	24-067430	Sport Suspension	Rear	24-067720	Sport Suspension
2006	Base	B4	Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-067720	Sport Suspension
			Front	24-067430	Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-067447	From 4/02; Sport Suspension	Rear	24-066457	From 4/02; Standard Suspension



Years	Application	Series	Front			Rear		
Jaguar S-Type (continued)								
2005	Sport	B4	Front	24-067287	Standard Suspension	Rear	24-067713	Standard Suspension
			Front	24-065955	From 4/02; Standard Suspension	Rear	24-067720	Sport Suspension
			Front	24-067430	Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-067447	From 4/02; Sport Suspension	Rear	24-066457	From 4/02; Standard Suspension
2002		B4	Front	24-065955	From 4/02; Standard Suspension	Rear	24-026628	From 00 To 4/02; Standard Suspension
			Front	24-067447	From 4/02; Sport Suspension	Rear	24-067454	From 4/02; Sport Suspension
			Front	24-024921	From 00 To 4/02; Standard Suspension	Rear	24-066457	From 4/02; Standard Suspension
2002-2000		B4 (ACD)	Front	20-070632	Sport Suspension; With Electronic Suspension	Rear	20-070649	Sport Suspension; With Electronic Suspension
2002-2000		B6 (HD)	Front	24-067799	From 00 To 4/02	Rear	24-067782	From 00 To 4/02
2001-2000		B4	Front	24-024921	From 00 To 4/02; Standard Suspension	Rear	24-026628	From 00 To 4/02; Standard Suspension
Jaguar X-Type								
2008-2007	Wagon	B4				Rear	24-062275	Standard Chassis
2008-2007, 2004-2002		B4	Front	22-053619	Standard Suspension	Rear	24-029810	Sport Suspension
			Front	22-053626	Sport Suspension			
2008-2007, 2004-2002		B6 (HD)	Front	35-051497		Rear	24-066761	
2006-2005	Base; Wagon	B4				Rear	24-062275	Standard Chassis
2006-2005	Base	B4	Front	22-053619	Standard Suspension	Rear	24-029810	Sport Suspension
			Front	22-053626	Sport Suspension			
2006-2005	Base	B6 (HD)	Front	35-051497		Rear	24-066761	
Jaguar XJ								
1971-1968		B6 (HD)	Front	24-024457	For Vehicles Without Ride Height Control	Rear	24-024464	For Vehicles Without Ride Height Control
Jaguar XJ12								
1996-1994		B4				Rear	24-018586	
1979-1973		B6 (HD)	Front	24-024457		Rear	24-024464	
Jaguar XJ6								
1997-1995		B4	Front	24-018616		Rear	24-018586	
1994		B4				Rear	24-018586	
1994-1993		B6 (HD)	Front	24-018043		Rear	24-018050	
1992-1987	Base	B6 (HD)	Front	24-018043		Rear	24-018050	
1992-1990	Sovereign	B6 (HD)	Front	24-018043		Rear	24-018050	
1986	Base	B6 (HD)	Front	24-018043	From 10/86	Rear	24-018050	From 10/86
			Front	24-024457	To 9/86	Rear	24-024464	To 9/86
1985	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
1984-1972		B6 (HD)	Front	24-024457		Rear	24-024464	



Years	Application	Series	Front			Rear		
Jaguar XJ8								
2009-2004		B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2003-2002	Base	B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
			Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023757	Standard Suspension
2003-2002	Base	B4 (ACD)	Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
			Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
2001-1998		B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
			Front	24-023740	Excludes Electronic Suspension; Standard Suspension	Rear	24-023757	Standard Suspension
2001-1998		B4 (ACD)	Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
			Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
Jaguar XJR								
2009-2007		B4 (ACD)				Rear	20-114503	With electronic (CATS) suspension
2009-2004		B4 (Air)	Front	44-069483	With standard or sport suspension	Rear	44-069506	With standard or sport suspension
2003-1998		B4	Front	24-023726	Sport Suspension	Rear	24-023733	Sport Suspension
						Rear	24-023757	Standard Suspension
2003-1998		B4 (ACD)	Front	20-070434	With electronic (CATS) suspension	Rear	20-070441	With electronic (CATS) suspension
			Front	20-070502	Sport Suspension; With electronic (CATS) suspension	Rear	20-070519	Sport Suspension; With electronic (CATS) suspension
1997-1995		B6 (HD)	Front	24-067249	X306 Chassis	Rear	24-185806	X306 Chassis
Jaguar XJS								
1996-1992, 1990-1987, 1985-1976		B6 (HD)	Front	24-024457		Rear	24-024464	
1991	Classic Collection	B6 (HD)	Front	24-024457		Rear	24-024464	
1986	Base	B6 (HD)	Front	24-024457		Rear	24-024464	
Jaguar XK								
2013-2007	Convertible	B4 (ACD)	Front	20-114435	With electronic (CATS) suspension			
2013-2010		B4 (ACD)				Rear	20-114428	With electronic (CATS) suspension
2012-2007	Coupe	B4	Front	24-067263	Excludes CATS Electronic Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
			Front	24-114455	Except Electronic Adjustable Suspension			
2009-2007		B4 (ACD)	Front	20-114411	With electronic (CATS) suspension	Rear	20-114428	With electronic (CATS) suspension
Jaguar XK8								
2006-1997		B4				Rear	24-067270	



Years	Application	Series	Front			Rear		
Jaguar XK8 (continued)								
2006-1997	Convertible	B4	Front	24-067263	Excludes CATS Electronic Suspension			
2006-2003		B4 (ACD)	Front	20-070830	With electronic (CATS) suspension	Rear	20-070847	With electronic (CATS) suspension
2002-1997		B4 (ACD)	Front	20-070540	With electronic (CATS) suspension	Rear	20-070557	With electronic (CATS) suspension
Jaguar XKR								
2013-2007	Convertible	B4 (ACD)	Front	20-114510	With electronic (CATS) suspension	Rear	20-114527	With electronic (CATS) suspension
2012-2007	Coupe	B4	Front	24-114455	Except Electronic Adjustable Suspension	Rear	24-114462	Except Electronic Adjustable Suspension
2009-2008	Base	B4 (ACD)	Front	20-114497	With electronic (CATS) suspension			
2007		B4 (ACD)	Front	20-114497	With electronic (CATS) suspension			
2006-2003		B4 (ACD)	Front	20-070816	With electronic (CATS) suspension	Rear	20-070823	With electronic (CATS) suspension
Kia Forte								
2012	SX	B4	Front Left	22-196408				
			Front Right	22-196415				
2012	EX	B4	Front Left	22-196408				
			Front Right	22-196415				
2012	LX	B4	Front Left	22-196408				
			Front Right	22-196415				
2011-2010		B4	Front Left	22-196408				
			Front Right	22-196415				
Lexus GS300								
2005-1998		B4	Front	19-221502	Standard Chassis	Rear	19-214405	For Vehicles Without Pneumatic Suspension; Standard Chassis
2005-1998		B6 (HD)	Front	24-027434		Rear	24-027441	
2005-1998		B8 (SP)	Front	24-028028		Rear	24-028035	
2002-1998		B14 (PSS)	Front and Rear	47-083011	Front Lowered Height: 20-45mm; Rear Lowered Height: 20-45mm			
1997-1993		B6 (HD)	Front	24-027434		Rear	24-018708	Except Electronic Adjustable Suspension; Standard Chassis
			Front	24-018692	Except Electronic Adjustable Suspension; Standard Chassis			
1997-1993		B8 (SP)	Front	24-020251	Except Electronic Adjustable Suspension; Sport Suspension	Rear	24-020268	Except Electronic Adjustable Suspension; Sport Suspension
Lexus GS400								
2000-1998		B14 (PSS)	Front and Rear	47-083011	Front Lowered Height: 20-45mm; Rear Lowered Height: 20-45mm			
2000-1998		B6 (HD)	Front	24-027434		Rear	24-027441	
2000-1998		B8 (SP)	Front	24-028028		Rear	24-028035	



Years	Application	Series	Front			Rear		
Lexus GS430								
2005-2001		B6 (HD)	Front	24-027434		Rear	24-027441	
2005-2001		B8 (SP)	Front	24-028028		Rear	24-028035	
2002-2001		B14 (PSS)	Front and Rear	47-083011	Front Lowered Height: 20-45mm; Rear Lowered Height: 20-45mm			
Lexus IS300								
2005-2001		B6 (HD)	Front	24-060486		Rear	24-060493	
Lexus LS400								
2000-1995	w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-027342	Celsior (Exc. air leveling)	Rear	24-027359	
Lincoln Continental								
1983-1982, 1980, 1972-1968		B6 (C)	Front	24-184731		Rear	24-184755	
1979-1973		B6 (C)	Front	24-184731				
1979-1975		B6 (HD)				Rear	AK2074	
Lincoln MKZ								
2010-2007		B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
Lincoln Mark IV								
1976-1973		B6 (C)	Front	24-184731				
1976-1973		B6 (HD)				Rear	AK2074	
Lincoln Mark V								
1979-1977		B6 (HD)				Rear	AK2074	
Lincoln Town Car								
2002-1990	Signature	B6 (C)	Front	24-184731		Rear	24-184755	
2002-2001	Cartier L	B6 (C)	Front	24-184731		Rear	24-184755	
2002-1990	4 Dr.; Executive; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
2002-2001	Executive L	B6 (C)	Front	24-184731		Rear	24-184755	
2002-1990	Cartier	B6 (C)	Front	24-184731		Rear	24-184755	
2000-1999, 1990	Executive	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1999	Signature	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1999	Cartier	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1997, 1995-1990	Touring Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1996	Anniversary	B6 (C)	Front	24-184731		Rear	24-184755	
1995-1990	Cypress	B6 (C)	Front	24-184731		Rear	24-184755	
1995-1990	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	

Passenger Cars



Years	Application	Series	Front			Rear		
Lincoln Town Car (continued)								
1994	Tournament Edition	B6 (C)	Front	24-184731		Rear	24-184755	
1993	Jack Nicklaus	B6 (C)	Front	24-184731		Rear	24-184755	
1990-1987	Base	B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
1989-1982		B6 (C)	Front	24-184731		Rear	24-184755	
1986-1982		B6 (HD)	Front	24-014953	Firm Ride	Rear	24-014960	
Lincoln Zephyr								
2006		B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
Mazda 2								
2013	Sport	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2013	Touring	B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
2012-2011		B14 (PSS)	Front and Rear	47-167490	Front Lowered Height: 25-40mm, up to 850kg Axle Load; Rear Lowered Height: 20-40mm, up to 765kg Axle Load			
Mazda 3								
2013-2012	GS-SKY	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2010	I Touring	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2007	S	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2008	GT	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2008	GX	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2007	i	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2010	Grand Touring	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2007	Mazdaspeed	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 10-25mm, up to 1100kg Axle Load; Rear Lowered Height: 5-25mm, up to 1090kg Axle Load			



Years	Application	Series	Front			Rear		
Mazda 3 (continued)								
2013-2010	I Touring	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2007	S	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2008	GX	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2007	Mazdaspeed	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 10-25mm, up to 1100kg Axle Load; Rear Lowered Height: 5-25mm, up to 1090kg Axle Load			
2013-2007	i	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2010	Grand Touring	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2008	GT	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013-2012	GS-SKY	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2013	i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2013	S	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2013	Mazdaspeed	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2013	S	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2013	Mazdaspeed	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2013	i	B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2012-2008	GS	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2012-2008	GS	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2012-2010		B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				

Passenger Cars



Years	Application	Series	Front			Rear		
Mazda 3 (continued)								
2012-2010		B8 (SP)	Front Left	35-110767		Rear	24-196550	
			Front Right	35-110774				
2011	Sport GT	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2011	Sport GS	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2011	Sport GX	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2011	Sport GX	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2011	Sport GS	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2011	Sport GT	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2009-2007	Mazdaspeed	B12 (Pro-Kit)	Front and Rear	46-190321	Front Lowered Height: 25mm, up to 1070kg Axle Load; Rear Lowered Height: 15mm, up to 915kg Axle Load			
2009-2008	GX	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2009-2004	i	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2009-2008	GS	B12 (Pro-Kit)	Front and Rear	46-190307	Front Lowered Height: 30mm, up to 955kg Axle Load; Rear Lowered Height: 30mm, up to 915kg Axle Load			
2009-2008	GT	B4	Front Right	22-112880	Standard Chassis	Rear	19-112893	Standard Chassis
			Front Left	22-112811	Standard Chassis			
2009-2007	S	B4	Front Right	22-112880	Standard Chassis	Rear	19-112893	Standard Chassis
			Front Left	22-112811	Standard Chassis			
2009-2008	GX	B4	Front Right	22-112880	Standard Chassis	Rear	19-112893	Standard Chassis
			Front Left	22-112811	Standard Chassis			
2009-2008	GS	B4	Front Right	22-112880	Standard Chassis	Rear	19-112893	Standard Chassis
			Front Left	22-112811	Standard Chassis			
2009-2007	i	B4	Front Right	22-112880	Standard Chassis	Rear	19-112893	Standard Chassis
			Front Left	22-112811	Standard Chassis			
2009-2004		B6 (HD)	Front Left	35-110736		Rear	24-215220	
			Front Right	35-110743				



Years	Application	Series	Front			Rear		
Mazda 3 (continued)								
2009-2004		B8 (SP)	Front Left	35-110767		Rear	24-215237	
			Front Right	35-110774				
2006-2004		B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2006-2004		B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 25-40mm, up to 1100kg Axle Load ; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2006-2004		B4	Front Right	22-112880	Standard Chassis	Rear	19-112893	Standard Chassis
			Front Left	22-112811	Standard Chassis			
Mazda 3 Sport								
2012		B6 (HD)				Rear	24-196529	
2012		B8 (SP)				Rear	24-196550	
Mazda 6								
2008	GT	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2008	GS	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007-2004	S; Sedan	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007-2004	i	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007-2004	S; Wagon	B12 (Pro-Kit)	Front and Rear	46-192653	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1100kg Axle Load			
2007-2004	Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
2007-2003		B6 (HD)	Front Left	24-102568	GG/GY Chassis	Rear	24-102582	GG/GY Chassis
			Front Right	24-102575	GG/GY Chassis			
2003		B12 (Pro-Kit)	Front and Rear	46-192646	Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load			
Mazda 626								
1980-1979		B6 (HD)				Rear	24-001540	Rennen Model/Firmer Setting
Mazda MX-5								
2008-2006		B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mazda MX-5 Miata								
2013	Grand Touring	B14 (PSS)	Front and Rear	47-131811	Front Lowered Height: 30-50mm, up to 680kg Axle Load; Rear Lowered Height: 30-50mm, up to 705kg Axle Load			
2013	Sport	B14 (PSS)	Front and Rear	47-131811	Front Lowered Height: 30-50mm, up to 680kg Axle Load; Rear Lowered Height: 30-50mm, up to 705kg Axle Load			
2013	Club	B14 (PSS)	Front and Rear	47-131811	Front Lowered Height: 30-50mm, up to 680kg Axle Load; Rear Lowered Height: 30-50mm, up to 705kg Axle Load			
2012	Grand Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	GT	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	GS	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	GX	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	Touring	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012	Sport	B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2012-2006		B14 (PSS)	Front and Rear	47-131811	Front Lowered Height: 30-50mm, up to 680kg Axle Load; Rear Lowered Height: 30-50mm, up to 705kg Axle Load			
2011-2006		B12 (Pro-Kit)	Front and Rear	46-190345	Front Lowered Height: 30-35mm, up to 720kg Axle Load; Rear Lowered Height: 30mm, up to 720kg Axle Load			
2011-2008	Sport	B6 (HD)	Front	24-131742		Rear	24-131759	
2011-2008	Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2011-2008	Grand Touring	B6 (HD)	Front	24-131742		Rear	24-131759	
2011-2008	Sport	B8 (SP)	Front	24-131766		Rear	24-131773	
2011-2008	Grand Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2011-2008	Touring	B8 (SP)	Front	24-131766		Rear	24-131773	
2010-2008	Grand Touring	B16 (PSS10)	Front and Rear	48-131841				
2010-2008	Touring	B16 (PSS10)	Front and Rear	48-131841				
2010-2008	Sport	B16 (PSS10)	Front and Rear	48-131841				
2009-2008	SV	B16 (PSS10)	Front and Rear	48-131841				



Years	Application	Series	Front			Rear		
Mazda MX-5 Miata (continued)								
2009-2008	SV	B6 (HD)	Front	24-131742		Rear	24-131759	
2009-2008	SV	B8 (SP)	Front	24-131766		Rear	24-131773	
2007-2006		B16 (PSS10)	Front and Rear	48-131841				
2007-2006		B6 (HD)	Front	24-131742		Rear	24-131759	
2007-2006		B8 (SP)	Front	24-131766		Rear	24-131773	
Mazda Miata								
2005-2004, 2001	Base	B14 (PSS)	Front and Rear	47-083004	Front Lowered Height: 20-40mm; Rear Lowered Height: 15-35mm			
2005-2004, 2001	LS	B14 (PSS)	Front and Rear	47-083004	Front Lowered Height: 20-40mm; Rear Lowered Height: 15-35mm			
2005-1999		B16 (PSS9)	Front and Rear	48-086097	Front Lowered Height: 35-50mm, up to 655kg Axle Load; Rear Lowered Height: 35-45mm, up to 665kg Axle Load			
2005-1999		B6 (HD)	Front	24-065580		Rear	24-065597	
2005-1999		B8 (SP)	Front	24-065504		Rear	24-065511	
2003-2002, 2000-1999		B14 (PSS)	Front and Rear	47-083004	Front Lowered Height: 20-40mm; Rear Lowered Height: 15-35mm			
1997-1990		B6 (HD)	Front	24-014885		Rear	24-014892	
Mazda RX-7								
1995-1993		B6 (HD)	Front Right	24-017787		Rear	24-015509	
			Front Left	24-017794				
1991-1987		B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1986	GXL	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
1986	Base	B6 (HD)	Front	34-050149	The original strut housing must be modified to use this insert	Rear	24-012140	
Mazda RX-8								
2011-2004		B12 (Pro-Kit)	Front and Rear	46-190338	Front Lowered Height: 25-30mm, up to 860kg Axle Load; Rear Lowered Height: 25mm, up to 1030kg Axle Load			
2011-2009	R3	B6 (HD)	Front	24-110044		Rear	24-110051	
2011-2008	Sport	B6 (HD)	Front	24-110044		Rear	24-110051	
2011-2008	Grand Touring	B6 (HD)	Front	24-110044		Rear	24-110051	
2011-2004		B8 (SP)	Front	24-110068		Rear	24-110075	
2010-2008	Grand Touring	B16 (PSS9)	Front and Rear	48-110297				
2010-2008	Sport	B16 (PSS9)	Front and Rear	48-110297				
2010-2009	R3	B16 (PSS9)	Front and Rear	48-110297				
2009-2008	Touring	B16 (PSS9)	Front and Rear	48-110297				

Passenger Cars



Years	Application	Series	Front			Rear		
Mazda RX-8 (continued)								
2009-2008	Touring	B6 (HD)	Front	24-110044		Rear	24-110051	
2007-2004		B16 (PSS9)	Front and Rear	48-110297				
2007-2004		B6 (HD)	Front	24-110044		Rear	24-110051	
Mercedes-Benz 180D								
1961-1960		B4	Front	24-000024		Rear	24-000123	
Mercedes-Benz 190C								
1965-1963		B4	Front	24-005272		Rear	24-005371	
1965-1963		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 190D								
1989-1984		B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			
1989-1984		B4	Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension; Without Ride Height Adjustability
			Front	22-003621	Heavy Duty Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-001924	Off-road Suspension	Rear	24-184540	Standard Chassis; Without Ride Height Adjustability
			Front	22-002006	Sport Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
						Rear	24-013901	Sport Suspension
1989-1984		B4 (Steering Damper)	Front	18-140651				
1989-1984		B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1989-1984		B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 190DC								
1965-1963		B4	Front	24-005272		Rear	24-005371	
1965-1963		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 190E								
1993-1984		B12 (Pro-Kit)	Front and Rear	46-181404	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 40mm, up to 880kg Axle Load; Rear Lowered Height: 30-40mm, up to 940kg Axle Load			



Years	Application	Series	Front			Rear		
Mercedes-Benz 190E (continued)								
1993-1988, 1985-1984		B4	Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension; Without Ride Height Adjustability
			Front	22-003621	Heavy Duty Suspension	Rear	24-013840	Heavy Duty Suspension
			Front	22-001924	Off-road Suspension	Rear	24-184540	Standard Chassis; Without Ride Height Adjustability
			Front	22-002006	Sport Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
						Rear	24-013901	Sport Suspension
1993-1984		B4 (Steering Damper)	Front	18-140651				
1993-1984		B6 (HD)	Front	22-100412		Rear	24-100427	For Vehicles Without Ride Height Control
1993-1988, 1985-1984		B8 (SP)	Front	22-003652		Rear	24-014700	
1987	2.6	B4	Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension; Without Ride Height Adjustability
			Front	22-003621	Heavy Duty Suspension	Rear	24-013840	Heavy Duty Suspension
1987-1986		B4	Front	22-001924	Off-road Suspension	Rear	24-184540	Standard Chassis; Without Ride Height Adjustability
			Front	22-002006	Sport Suspension	Rear	24-013789	For Vehicles Without Ride Height Control; Off-road Suspension
						Rear	24-013901	Sport Suspension
1987-1986	2.3-16	B4	Front	22-003621	Excludes Self-Leveling	Rear	24-013840	Excludes Self-Leveling
1987-1986	2.3	B4	Front	22-001993	Standard Suspension	Rear	24-014052	Standard Suspension; Without Ride Height Adjustability
			Front	22-003621	Heavy Duty Suspension	Rear	24-013840	Heavy Duty Suspension
1987-1986	2.3-16	B8 (SP)	Front	22-003652	Excludes Self-Leveling	Rear	24-014700	Excludes Self-Leveling
1987-1986	2.3	B8 (SP)	Front	22-003652		Rear	24-014700	
1987	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 200								
1968-1966		B4	Front	24-005272		Rear	24-005371	
1968-1966		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 200D								
1968-1966		B4	Front	24-005272		Rear	24-005371	
1968-1966		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 220								
1973-1968		B4	Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
			Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
1973-1968		B4 (Steering Damper)	Front	18-002461				



Years	Application	Series	Front			Rear		
Mercedes-Benz 220D								
1973-1968		B4	Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
			Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
1973-1968		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 220S								
1959-1956		B4	Front	24-000024		Rear	24-000123	
Mercedes-Benz 230								
1978-1977		B4	Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
			Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
1978-1974, 1969-1966		B4 (Steering Damper)	Front	18-002461				
1978-1977		B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1976-1974		B4	Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
			Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
1969-1966		B4	Front	24-005272		Rear	24-005371	
Mercedes-Benz 230S								
1967-1966		B4	Front	24-005272		Rear	24-005371	
1967-1966		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 230SL								
1966-1963		B4	Front	24-005296		Rear	24-005395	
1966-1963		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 240D								
1983-1977		B4	Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
			Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
1983-1974		B4 (Steering Damper)	Front	18-002461				
1983-1977		B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
1976-1974		B4	Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
			Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
Mercedes-Benz 250								
1970-1968		B4	Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
			Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
1970-1968		B4 (Steering Damper)	Front	18-002461				



Years	Application	Series	Front			Rear		
Mercedes-Benz 250C								
1972-1970		B4	Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
			Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
1972-1970		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 250S								
1967-1966		B4	Front	24-005272		Rear	24-005371	
1967-1966		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 250SE								
1967-1966		B4	Front	24-005272		Rear	24-005371	
1967-1966		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 250SL								
1967		B4	Front	24-005296		Rear	24-005395	
1967		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 260E								
1989-1987		B1 (OEM Components)	Front	11-101406				
1989-1987		B4	Front	22-001856	Standard Suspension	Rear	24-015189	Standard Suspension
			Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension			
1989-1987		B4 (Steering Damper)	Front	18-140651				
1989-1987		B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1989-1987		B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 280								
1976-1973		B4	Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
			Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
1976-1973		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280C								
1976-1973		B4	Front	24-005258	Standard Suspension	Rear	24-005357	Standard Suspension
			Front	24-005265	Heavy Duty Suspension	Rear	24-005364	Heavy Duty Suspension
1976-1973		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280CE								
1981-1978		B4	Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
			Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz 280CE (continued)								
1981-1978		B4 (Steering Damper)	Front	18-002461				
1981-1978		B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
Mercedes-Benz 280E								
1981-1977		B4	Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
			Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
1981-1977		B4 (Steering Damper)	Front	18-002461				
1981-1977		B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
Mercedes-Benz 280S								
1976-1975		B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1971-1968		B4	Front	24-005272		Rear	24-005371	
1971-1968		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280SE								
1980-1977, 1973		B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1972-1971	Base	B4	Front	24-005272		Rear	24-005371	
1972	4.5	B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
1972-1971	Base	B4 (Steering Damper)	Front	18-002461				
1970-1968		B4	Front	24-005272		Rear	24-005371	
1970-1968		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280SEL								
1973, 1971-1968		B4	Front	24-005272		Rear	24-005371	
1973, 1971-1968		B4 (Steering Damper)	Front	18-002461				
1972	Base	B4	Front	24-005272		Rear	24-005371	
1972	Base	B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 280SL								
1971-1968		B4	Front	24-005296		Rear	24-005395	
1971-1968		B4 (Steering Damper)	Front	18-002461				



Years	Application	Series	Front			Rear		
Mercedes-Benz 300CD								
1985-1978		B4	Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
			Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
1985-1978		B4 (Steering Damper)	Front	18-002461				
1985-1978		B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
Mercedes-Benz 300CE								
1993-1988		B1 (OEM Components)	Front	11-101406				
1993-1988		B4	Front	22-001900	Standard Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-003614	Heavy Duty Suspension	Rear	24-016681	Standard Suspension
			Front	22-040534	Sport Suspension	Rear	24-016124	Sport Suspension
1993-1988		B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
1993-1988		B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 300D								
1993-1990, 1987		B4	Front	22-001856	Standard Suspension	Rear	24-015189	Standard Suspension
			Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension			
1993-1991	Sedan; w/ 124.128 Body	B4	Front	F4-V36-4050-H0				
1993-1990, 1987		B4 (Steering Damper)	Front	18-140651				
1993-1990, 1987		B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1993-1990, 1987		B8 (SP)	Front	22-003652		Rear	24-014700	
1987		B1 (OEM Components)	Front	11-101406				
1985-1977		B4	Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
			Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
1985-1977		B4 (Steering Damper)	Front	18-002461				
1985-1977		B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control	Rear	24-005388	For Vehicles Without Ride Height Control
Mercedes-Benz 300E								
1993-1990	Base	B1 (OEM Components)	Front	11-101406				
1993	2.8; Sedan; w/ 124.028 Body	B4	Front	F4-V36-4050-H0				

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz 300E (continued)								
1993-1990	Base	B4	Front	22-001856	Standard Suspension	Rear	24-015189	Standard Suspension
			Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension			
1993	Base; Sedan; w/ 124.032 Body	B4	Front	F4-V36- 4050-H0				
1993	2.8	B4	Front	22-001856	Standard Suspension	Rear	24-015189	Standard Suspension
			Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension			
1993	2.8	B4 (Steering Damper)	Front	18-140651				
1993-1990	Base	B4 (Steering Damper)	Front	18-140651				
1993	2.8	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1993-1990	Base	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1993-1990	Base	B8 (SP)	Front	22-003652		Rear	24-014700	
1993	2.8	B8 (SP)	Front	22-003652		Rear	24-014700	
1992-1990	2.6	B4	Front	22-001856	Standard Suspension	Rear	24-015189	Standard Suspension
			Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension			
1992-1991	2.6; Sedan; w/ 124.026 Body	B4	Front	F4-V36- 4050-H0				
1992-1991	Base; Sedan; w/ 124.030 Body	B4	Front	F4-V36- 4050-H0				
1992-1990	2.6	B4 (Steering Damper)	Front	18-140651				
1992-1990	2.6	B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control
1992-1990	2.6	B8 (SP)	Front	22-003652		Rear	24-014700	
1989-1986		B1 (OEM Components)	Front	11-101406				
1989-1986		B4	Front	22-001856	Standard Suspension	Rear	24-015189	Standard Suspension
			Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
			Front	22-040534	Sport Suspension			
1989-1986		B4 (Steering Damper)	Front	18-140651				
1989-1986		B6 (HD)	Front	22-100436		Rear	24-100441	For Vehicles Without Ride Height Control



Years	Application	Series	Front			Rear		
Mercedes-Benz 300E (continued)								
1989-1986		B8 (SP)	Front	22-003652		Rear	24-014700	
Mercedes-Benz 300SD								
1993-1992		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
			Front	24-016827	Rough Terrain			
			Front	24-016834	Rough Terrain			
1993-1992		B4 (Steering Damper)	Front	18-140644				
1993-1992		B8 (SP)	Front	24-015370		Rear	24-015387	
1985-1981		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1985-1981		B4 (Steering Damper)	Front	18-002461				
1985-1981		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1980-1978		B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
Mercedes-Benz 300SDL								
1987-1986		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1987-1986		B4 (Steering Damper)	Front	18-002461				
1987-1986		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 300SE								
1993-1992		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
			Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
1993-1992		B4 (Steering Damper)	Front	18-140644				
1993-1992		B8 (SP)	Front	24-015370		Rear	24-015387	
1991-1988		B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1991-1988		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1991-1988		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 300SEL								
1991-1988		B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz 300SEL (continued)								
1991-1988		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
1972-1965		B4	Front	24-005074		Rear	24-005340	
1972-1965		B4 (Steering Damper)	Front	18-002461				
Mercedes-Benz 300SL								
1993-1992		B4	Front	22-002327	From Chassis # F054768	Rear	24-013161	
1993-1990		B4 (Steering Damper)	Front	18-140651				
1993-1990		B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
1991		B4	Front	22-003645	Up to chassis number F054767	Rear	24-013161	
			Front	22-002327	From Chassis # F054768			
1990		B4	Front	22-003645	Up to chassis number F054767	Rear	24-013161	
Mercedes-Benz 300TD								
1987		B4	Front	22-001856	Standard Suspension	Rear	24-015189	Standard Suspension
			Front	22-003614	Heavy Duty Suspension	Rear	24-013857	Heavy Duty Suspension
			Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1987		B4 (Steering Damper)	Front	18-140651				
1987		B6 (HD)	Front	22-100436				
1987		B8 (SP)	Front	22-003652		Rear	24-014700	
1985-1979		B4	Front	24-007030	Standard Suspension	Rear	24-007139	Standard Suspension
			Front	24-007047	Heavy Duty Suspension	Rear	24-007146	Heavy Duty Suspension
1985-1979		B4 (Steering Damper)	Front	18-002461				
1985-1979		B6 (HD)	Front	24-005289	For Vehicles Without Ride Height Control			
Mercedes-Benz 300TE								
1993-1990	Base	B4	Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1993-1990	Base	B6 (HD)	Front	22-100436				
1989-1988		B4	Front	22-001917	Off-road Suspension			
			Front	22-040534	Sport Suspension			
1989-1988		B6 (HD)	Front	22-100436				
Mercedes-Benz 350SD								
1991		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control



Years	Application	Series	Front			Rear		
Mercedes-Benz 350SDL								
1991-1990		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1991-1990		B4 (Steering Damper)	Front	18-002461				
1991-1990		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 350SL								
1972		B4	Front	24-007078	Excludes Self-Leveling	Rear	24-005111	Excludes Self-Leveling
Mercedes-Benz 380SE								
1985-1984		B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1985-1984		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1985-1984		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 380SEC								
1983-1982		B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1983-1982		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1983-1982		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 380SEL								
1983-1981		B12 (Pro-Kit)	Front and Rear	46-181398	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1110kg Axle Load; Rear Lowered Height: 30-35mm, up to 1160kg Axle Load			
1983-1981		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1983-1981		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 380SL								
1985-1981		B4	Front	24-007078	Excludes Self-Leveling	Rear	24-005111	Excludes Self-Leveling
Mercedes-Benz 380SLC								
1981		B4	Front	24-007078	Excludes Self-Leveling	Rear	24-005111	Excludes Self-Leveling



Years	Application	Series	Front			Rear		
Mercedes-Benz 400E								
1993-1992		B4				Rear	24-015189	Standard Suspension
						Rear	24-013857	Heavy Duty Suspension
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
Mercedes-Benz 400SE								
1992		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
			Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
1992		B4 (Steering Damper)	Front	18-140644				
1992		B8 (SP)	Front	24-015370		Rear	24-015387	
Mercedes-Benz 420SEL								
1991-1986		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1991-1986		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 450SE								
1976-1973		B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
Mercedes-Benz 450SEL								
1980-1973		B4	Front	24-007054	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-007061	Standard Suspension	Rear	24-011846	Standard Suspension
Mercedes-Benz 450SL								
1980-1973		B4	Front	24-007078	Excludes Self-Leveling	Rear	24-005111	Excludes Self-Leveling
Mercedes-Benz 450SLC								
1980-1973		B4	Front	24-007078	Excludes Self-Leveling	Rear	24-005111	Excludes Self-Leveling
Mercedes-Benz 500E								
1993-1992		B4				Rear	24-015189	Standard Suspension
						Rear	24-013857	Heavy Duty Suspension
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
Mercedes-Benz 500SEC								
1993		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
1993		B8 (SP)	Front	24-015370		Rear	24-015387	
1985-1984		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1985-1984		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control



Years	Application	Series	Front			Rear		
Mercedes-Benz 500SEL								
1993-1992		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
			Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
1993-1992		B4 (Steering Damper)	Front	18-140644				
1993-1992		B8 (SP)	Front	24-015370		Rear	24-015387	
1985-1984		B4	Front	24-005012	Heavy Duty Suspension	Rear	24-005111	Heavy Duty Suspension
			Front	24-011839	Standard Suspension	Rear	24-011846	Standard Suspension
1985-1984		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 500SL								
1993-1992		B4	Front	22-002327	From Chassis # F054768	Rear	24-013161	
1993-1990		B4 (Steering Damper)	Front	18-140651				
1993-1990		B6 (HD)	Front	22-041760	From Chassis # F054768; Without ADS	Rear	24-022576	From Chassis # F054768; Without ADS
1991		B4	Front	22-003645	Up to chassis number F054767	Rear	24-013161	
			Front	22-002327	From Chassis # F054768			
1990		B4	Front	22-003645	Up to chassis number F054767	Rear	24-013161	
Mercedes-Benz 560SEC								
1991-1986		B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1991-1986		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 560SEL								
1991-1986		B4	Front	24-005012	Heavy Duty Suspension			
			Front	24-011839	Standard Suspension			
1991-1986		B8 (SP)	Front	24-015356	For Vehicles Without Ride Height Control	Rear	24-015363	For Vehicles Without Ride Height Control
Mercedes-Benz 560SL								
1989-1986		B4	Front	24-005241	Excludes Self-Leveling	Rear	24-005111	Excludes Self-Leveling
Mercedes-Benz 600SEC								
1993		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
Mercedes-Benz 600SL								
1993		B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
Mercedes-Benz A160								
2005-2000		B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2005-2000		B4	Front	22-049698				

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz A160 (continued)								
2005-2000		B4 (Dampmatic)				Rear	24-067829	
2005-2000		B8 (SP)	Front	22-044105		Rear	24-027465	
Mercedes-Benz A190								
2005-2001		B12 (Pro-Kit)	Front and Rear	46-190383	Front Lowered Height: 20mm, up to 810kg Axle Load; Rear Lowered Height: 20mm, up to 845kg Axle Load			
2005-2001		B4	Front	22-049698				
2005-2001		B4 (Dampmatic)				Rear	24-067829	
2005-2001		B8 (SP)	Front	22-044105		Rear	24-027465	
Mercedes-Benz B180								
2012		B4				Rear	24-110204	Standard Chassis
Mercedes-Benz B200								
2011-2006		B12 (Pro-Kit)	Front and Rear	46-000637	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1005kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2011		B4				Rear	24-110204	Standard Chassis
2011		B4 (DampMatic)	Front	22-215833	Standard Chassis			
2010-2006		B4	Front	22-215840	Sport Suspension	Rear	24-110204	Standard Chassis
2010-2006		B4 (DampMatic)	Front	22-215833	Standard Chassis	Rear	24-110211	Sport Suspension
2010-2006		B6 (HD)	Front	22-215819		Rear	24-120364	
2010-2006		B8 (SP)				Rear	24-120340	
Mercedes-Benz C180								
2013-2012	Sedan	B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
2011		B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
Mercedes-Benz C200								
2013-2012	Sedan	B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
2011		B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			



Years	Application	Series	Front			Rear		
Mercedes-Benz C220								
1997-1994		B12 (Pro-Kit)	Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
1997-1994		B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
1997-1994		B6 (HD)	Front	24-100397		Rear	24-100403	
1996-1994		B4	Front	24-018562		Rear	24-018579	
1996-1994		B4 (Steering Damper)	Front	18-140651				
1996-1994		B8 (SP)	Front	24-018548		Rear	24-018555	
Mercedes-Benz C230								
2009-2008		B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
2009-2008	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2009-2008	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2009-2008	4Matic	B4 (DampMatic)	Front	22-193414	Standard Suspension			
			Front	22-193483	Sport Suspension			
2009-2008		B4 (DampMatic)				Rear	24-166522	Sport Suspension
2009-2008	Base	B4 (DampMatic)	Front	22-196019	Standard Chassis			
2009-2008	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Suspension
2009-2008	Base	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2007-2004		B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
2007-2002		B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2002		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2004		B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007-2002		B6 (HD)	Front	35-053446		Rear	24-068802	
2007-2002		B8 (SP)	Front	35-053453		Rear	24-068819	
2005-2003	Sedan	B12 (Pro-Kit)	Front and Rear	46-181800	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1035kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005-2002	Coupe	B12 (Pro-Kit)	Front and Rear	46-190475	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1070kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			
2005-2003	Sedan	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2003-2002		B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2003-2002		B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2000-1996		B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-181701	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1030kg Axle Load			
			Front and Rear	46-181725	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 990kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2000-1996		B12 (Sportline)	Front and Rear	46-181749	Check Spring Pads; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000-1997		B4	Front	24-018562		Rear	24-018579	



Years	Application	Series	Front			Rear		
Mercedes-Benz C230 (continued)								
2000-1997		B4 (Steering Damper)	Front	18-140651				
2000-1996		B6 (HD)	Front	24-100397		Rear	24-100403	
2000-1997		B8 (SP)	Front	24-018548		Rear	24-018555	
Mercedes-Benz C240								
2005-2003	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			
2005-2003	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2005-2003	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005-2003	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005-2003	Base	B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005-2003	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005-2003	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2005-2003	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2002-2001		B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002-2001	Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002-2001		B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz C240 (continued)								
2002-2001		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002-2001		B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002-2001		B6 (HD)	Front	35-053446		Rear	24-068802	
2002-2001		B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz C250								
2013-2012	Sedan	B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
2013-2012	Sedan; Sport	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2013-2012	Luxury; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2013	Luxury; Sedan	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013	Sedan; Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013-2012	Luxury	B4 (DampMatic)	Front	22-196019	Standard Chassis			
2013-2012	Sport	B4 (DampMatic)	Front	22-196019	Standard Chassis			
2013	Sedan; Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension	Rear	24-141857	Except Electronic Adjustable Suspension
2013	Luxury; Sedan	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension	Rear	24-141857	Except Electronic Adjustable Suspension
2012-2010	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			



Years	Application	Series	Front			Rear		
Mercedes-Benz C250 (continued)								
2012	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2010	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012	Luxury	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2010	Sedan	B4 (DampMatic)				Rear	24-166522	Sport Suspension
2012-2010	4Matic	B4 (DampMatic)	Front	22-193414	Standard Suspension			
			Front	22-193483	Sport Suspension			
2012	Base; Sedan	B4 (DampMatic)	Front	22-196019	Standard Chassis			
2012-2010	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Suspension
2012-2010	Base	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2012	Luxury	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2012	Sport	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2011		B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
2011-2010	Base	B4 (DampMatic)	Front	22-196019	Standard Chassis			
Mercedes-Benz C280								
2009-2008		B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
2009-2008		B4	Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007-2006	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007-2006	Sport	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz C280 (continued)								
2007-2006	Luxury	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007-2006	Luxury	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2006	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2006	Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2006	Luxury	B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2006	Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007-2006	Sport	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007-2006	Luxury	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007-2006	Luxury	B6 (HD)	Front	35-053446		Rear	24-068802	
2007-2006	Luxury	B8 (SP)	Front	35-053453		Rear	24-068819	
2006	Classic	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006	Classic	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			



Years	Application	Series	Front			Rear		
Mercedes-Benz C280 (continued)								
2006	Classic	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2000-1994		B12 (Pro-Kit)	Front and Rear	46-181732	Check Spring Pads; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Ride Height Adjustability			
2000-1994		B4	Front	24-018562		Rear	24-018579	
2000-1994		B4 (Steering Damper)	Front	18-140651				
2000-1994		B6 (HD)	Front	24-100397		Rear	24-100403	
2000-1994		B8 (SP)	Front	24-018548		Rear	24-018555	
Mercedes-Benz C300								
2013-2008		B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
2013		B4 (DampMatic)	Front	22-193414	Standard Suspension			
			Front	22-193483	Sport Suspension			
2012		B4 (DampMatic)	Front	22-193414	Standard Suspension	Rear	24-166522	Sport Suspension
			Front	22-193483	Sport Suspension			
2012		B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2011-2008	Luxury	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2011-2008	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2011-2008	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011-2008	Luxury	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2011	4Matic Sport	B4 (DampMatic)	Front	22-193414	Standard Suspension			
			Front	22-193483	Sport Suspension			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz C300 (continued)								
2011	Sport	B4 (DampMatic)	Front	22-151032	Sport Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151049	Off-road Suspension			
			Front	22-196019	Standard Chassis			
2011	Luxury	B4 (DampMatic)	Front	22-151032	Sport Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151049	Off-road Suspension			
			Front	22-196019	Standard Chassis			
2011		B4 (DampMatic)				Rear	24-166218	Standard Suspension
						Rear	24-166522	Sport Suspension
2011	4Matic Luxury	B4 (DampMatic)	Front	22-193414	Standard Suspension			
			Front	22-193483	Sport Suspension			
2011-2008	4Matic Luxury	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2011-2008	Luxury	B6 (HD)	Front	35-141822		Rear	24-141833	
2011-2008	4Matic Sport	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2011-2008	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2011-2008	Sport	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2011-2008	Luxury	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2010-2008	Base	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2010-2008	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2010-2008	Sport	B16 (PSS10)	Front and Rear	48-141147				
2010-2008	Luxury	B16 (PSS10)	Front and Rear	48-141147				
2010-2008	4Matic Sport	B4 (DampMatic)	Front	22-193414	Standard Suspension	Rear	24-166218	Standard Suspension
			Front	22-193483	Sport Suspension			
2010-2008	4Matic Luxury	B4 (DampMatic)	Front	22-193414	Standard Suspension	Rear	24-166218	Standard Suspension
			Front	22-193483	Sport Suspension			
2010-2008	Luxury	B4 (DampMatic)	Front	22-151032	Sport Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151049	Off-road Suspension	Rear	24-166218	Standard Suspension
			Front	22-196019	Standard Chassis			
2010-2008	Base	B4 (DampMatic)	Front	22-196019	Standard Chassis			



Years	Application	Series	Front			Rear		
Mercedes-Benz C300 (continued)								
2010-2008	4Matic	B4 (DampMatic)	Front	22-193414	Standard Suspension			
			Front	22-193483	Sport Suspension			
2010-2008		B4 (DampMatic)				Rear	24-166522	Sport Suspension
2010-2008	Sport	B4 (DampMatic)	Front	22-151032	Sport Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151049	Off-road Suspension	Rear	24-166218	Standard Suspension
			Front	22-196019	Standard Chassis			
2010-2008	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2010-2008	Base	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
Mercedes-Benz C32 AMG								
2004-2002		B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004-2002		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2004-2002		B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz C320								
2005-2003	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005-2003	Base	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
2005-2003	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005-2003	Base; Coupe	B12 (Pro-Kit)	Front and Rear	46-190482	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1100kg Axle Load; Rear Lowered Height: 20-25mm, up to 1035kg Axle Load			
2005-2003	Base	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz C320 (continued)								
2005-2003	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005-2003	Base	B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005-2003	Base; Sedan	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2005-2003	Base	B4	Front	22-141705		Rear	24-114714	
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005-2003	Elegance	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005-2003	Elegance; Sedan	B4				Rear	24-188111	Off-road Suspension
2005-2003	Base	B6 (HD)	Front	35-053446		Rear	24-068802	
2005-2003	Base	B8 (SP)	Front	35-053453		Rear	24-068819	
2004-2003	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			
2004-2003	Base; Wagon	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
2003	Classic	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Classic	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Classic; Sedan	B4				Rear	24-188111	Off-road Suspension
2003	Classic	B4	Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002	Wagon	B12 (Pro-Kit)	Front and Rear	46-181831	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load; Without Off-road Suspension			



Years	Application	Series	Front			Rear		
Mercedes-Benz C320 (continued)								
2002-2001		B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002-2001	Sedan	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2002-2001		B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002-2001		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2002	Wagon	B4				Rear	24-188111	Off-road Suspension
2002-2001	Sedan	B4				Rear	24-188111	Off-road Suspension
2002-2001		B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension			
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2002-2001		B6 (HD)	Front	35-053446		Rear	24-068802	
2002-2001		B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz C350								
2013-2006	Sedan; Sport	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2013	Sedan; Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2013-2012	Sport	B4 (DampMatic)	Front	22-196019	Standard Suspension			
2013	Sedan; Sport	B8 (SP)	Front	35-141846	Except Electronic Adjustable Suspension	Rear	24-141857	Except Electronic Adjustable Suspension
2012, 2010-2008	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz C350 (continued)								
2012, 2010-2008	Base	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2008	Sport	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			
2012-2008	Sedan	B4 (DampMatic)				Rear	24-166522	Sport Suspension
2012	Base; Sedan	B4 (DampMatic)	Front	22-196019	Standard Suspension			
2012-2008	4Matic	B6 (HD)	Front	35-170815	Sport Suspension; Standard Chassis	Rear	24-170826	Sport Suspension; Standard Chassis
2012, 2010-2008	Base	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2012-2008	Sport	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2011-2008	Sport	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2011-2008	Sport	B4 (DampMatic)	Front	22-151032	Sport Suspension	Rear	24-166539	Off-road Suspension
			Front	22-151049	Off-road Suspension	Rear	24-166218	Standard Suspension
			Front	22-196019	Standard Suspension			
2011-2008	Sport	B6 (HD)	Front	35-141822		Rear	24-141833	
2010-2008	Base	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2010-2008	Sport	B16 (PSS10)	Front and Rear	48-141147				
2010-2008	Base	B4 (DampMatic)	Front	22-196019	Standard Suspension			
2009-2008	Elegance	B12 (Pro-Kit)	Front and Rear	46-180766	Check Spring Pads; Except Electronic Adjustable Suspension; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load; Without Ride Height Adjustability			
2009-2006	Elegance; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2009-2008	Elegance	B14 (PSS)	Front and Rear	47-141179	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1225kg Axle Load			



Years	Application	Series	Front			Rear		
Mercedes-Benz C350 (continued)								
2009-2008	Elegance	B8 (SP)	Front	35-141846	B8 (SP); Except Electronic Adjustable Suspension	Rear	24-141857	B8 (SP); Except Electronic Adjustable Suspension
2007-2006	Sport	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007-2006	Elegance	B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007-2006	Luxury	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007-2006	Luxury; Sedan	B12 (Pro-Kit)	Front and Rear	46-180759	Check Spring Pads; Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2007-2006	Luxury	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2006	Elegance	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2006	Sport	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2006	Luxury	B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2007-2006	Sport	B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			



Years	Application	Series	Front			Rear		
Mercedes-Benz C350 (continued)								
2007-2006	Sport	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007-2006	Luxury	B4	Front	22-141705		Rear	24-114714	
			Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007-2006	Elegance	B4	Front	22-168061	Off-road Suspension	Rear	24-188111	Off-road Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2007-2006	Sport	B6 (HD)	Front	35-053446		Rear	24-068802	
2007-2006	Luxury	B6 (HD)	Front	35-053446		Rear	24-068802	
2007-2006	Luxury	B8 (SP)	Front	35-053453		Rear	24-068819	
2007-2006	Sport	B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz C55 AMG								
2007-2005		B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006-2005		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006-2005		B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz C63 AMG								
2013-2012	Sedan	B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
2011		B1 (OEM Components)	Front	12-225835	Without air or electronic suspension	Rear	12-224623	
			Front	12-225842	With Electronic Suspension Control			
Mercedes-Benz CLA250								
2014	Base	B16 (PSS10)	Front and Rear	48-230971	Front Lowered Height: 30-50mm; Rear Lowered Height: 30-50mm			
2014	Base	B6 (HD)	Front Left	22-223395		Rear	24-223416	
			Front Right	22-223401				
2013		B16 (PSS10)	Front and Rear	48-230971	Front Lowered Height: 30-50mm; Rear Lowered Height: 30-50mm			



Years	Application	Series	Front			Rear		
Mercedes-Benz CLA250 (continued)								
2013		B6 (HD)	Front Left	22-223395		Rear	24-223416	
			Front Right	22-223401				
Mercedes-Benz CLK320								
2005-2004		B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005-2004	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2005-2004	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005-2004		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2005-2004		B4	Front	22-141705	Standard Suspension	Rear	24-114714	Standard Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2005-2004		B6 (HD)	Front	35-053446				
2005-2004	Convertible	B6 (HD)				Rear	24-106290	
2005-2003	Coupe	B6 (HD)				Rear	24-068802	
2005-2004		B8 (SP)	Front	35-053453		Rear	24-068819	
2003	w/ 209.365 Body	B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003	Coupe; w/ 208.465 Body	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2003	Convertible; w/ 208.465 Body	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz CLK320 (continued)								
2003	w/ 208.465 Body	B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2003	Convertible; w/ 209.365 Body	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	Coupe; w/ 209.365 Body	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2003	w/ 209.365 Body	B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2003	w/ 208.465 Body	B4	Front	24-100595		Rear	24-018579	
2003	w/ 209.365 Body	B4	Front	22-141705	Standard Suspension	Rear	24-114714	Standard Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2003	w/ 208.465 Body	B4 (Steering Damper)	Front	18-140651				
2003	Coupe; w/ 209.365 Body	B6 (HD)				Rear	24-068802	
2003	w/ 209.365 Body	B6 (HD)	Front	35-053446				
2003	Coupe; w/ 208.465 Body	B6 (HD)				Rear	24-100403	
2003	w/ 208.465 Body	B6 (HD)	Front	24-025980				
2003	Convertible; w/ 208.465 Body	B6 (HD)				Rear	24-100403	
2003	w/ 209.365 Body	B8 (SP)	Front	35-053453		Rear	24-068819	
2003	w/ 208.465 Body	B8 (SP)	Front	24-025997		Rear	24-018555	
2002-1997	Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2002-1998		B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2002-1997	Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			



Years	Application	Series	Front			Rear		
Mercedes-Benz CLK320 (continued)								
2002-1998		B4	Front	24-100595		Rear	24-018579	
2002-1998		B4 (Steering Damper)	Front	18-140651				
2002-1998		B6 (HD)	Front	24-025980		Rear	24-100403	
2002-1998		B8 (SP)	Front	24-025997		Rear	24-018555	
1997		B6 (HD)				Rear	24-100403	
Mercedes-Benz CLK350								
2009-2006		B12 (Pro-Kit)	Front and Rear	F4-SE5-8872-H2				
			Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2009-2006	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009-2006	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2009-2006		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009-2006		B4	Front	22-141705	Standard Suspension	Rear	24-114714	Standard Suspension
			Front	22-218537	Replaces O.E. Number 203 320 75 30 Only; Sport Suspension			
2009-2006	Coupe	B6 (HD)				Rear	24-068802	
2009-2006	Convertible	B6 (HD)				Rear	24-106290	
2009-2006		B6 (HD)	Front	35-053446				
2009-2006		B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz CLK430								
2003-1999	Convertible	B12 (Pro-Kit)	Front and Rear	46-181794	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			
2003-1999	Coupe	B12 (Pro-Kit)	Front and Rear	46-181770	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load			



Years	Application	Series	Front			Rear		
Mercedes-Benz CLK430 (continued)								
2003-1999		B12 (Pro-Kit)	Front and Rear	46-194695	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1010kg Axle Load; Rear Lowered Height: 30-35mm, up to 1070kg Axle Load			
2003-1999		B4	Front	24-100595		Rear	24-018579	
2003-1999		B4 (Steering Damper)	Front	18-140651				
2003-1999		B6 (HD)	Front	24-025980		Rear	24-100403	
2003-1999		B8 (SP)	Front	24-025997		Rear	24-018555	
Mercedes-Benz CLK500								
2009-2003	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2009-2003	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009-2004	Convertible	B6 (HD)				Rear	24-106290	
2009-2004	Coupe	B6 (HD)				Rear	24-068802	
2006-2003		B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2006-2003		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006-2003		B6 (HD)	Front	35-053446				
2006-2003		B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz CLK55 AMG								
2006-2003	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006-2003		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2006-2003		B8 (SP)	Front	35-053453		Rear	24-068819	



Years	Application	Series	Front			Rear		
Mercedes-Benz CLK55 AMG (continued)								
2005-2003	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2002-2001		B6 (HD)	Front	24-025980		Rear	24-100403	
2002-2001		B8 (SP)	Front	24-025997		Rear	24-018555	
Mercedes-Benz CLK550								
2009-2007		B12 (Pro-Kit)	Front and Rear	46-181817	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1130kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2009-2007	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2009-2007	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009-2007		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009-2007		B6 (HD)	Front	35-053446				
2009-2007	Convertible	B6 (HD)				Rear	24-106290	
2009-2007	Coupe	B6 (HD)				Rear	24-068802	
2009-2007		B8 (SP)	Front	35-053453		Rear	24-068819	
Mercedes-Benz CLK63 AMG								
2009, 2007	Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009	Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz CLK63 AMG (continued)								
2009-2007		B16 (PSS9)	Front and Rear	48-088602	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
2009-2007		B6 (HD)	Front	35-053446		Rear	24-068802	
2009-2007		B8 (SP)	Front	35-053453		Rear	24-068819	
2008	Base; Coupe	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1150kg Axle Load; Spacers required for several wheel/tire combinations; Sport Suspension			
2008	Base; Convertible	B14 (PSS)	Front and Rear	47-100770	For Vehicles Without Ride Height Control; Front Lowered Height: 30-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-50mm, up to 1155kg Axle Load; Spacers required for several wheel/tire combinations; Standard Chassis			
Mercedes-Benz CLS500								
2009-2005		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2009-2005		B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2006		B16 (PSS9)	Front and Rear	48-088763				
2006		B4	Front	24-121781		Rear	24-105927	
2006		B4 (Air)	Front Left	44-104535	Air Suspension	Rear	20-109097	Air Suspension
			Front Right	44-104542	Air Suspension	Rear Left	40-116402	Air Suspension
						Rear Right	40-116419	Air Suspension
2006		B6 (HD)	Front	24-120234				
2006		B8 (SP)	Front	24-120241		Rear	24-120227	
Mercedes-Benz CLS55 AMG								
2006		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2006		B16 (PSS9)	Front and Rear	48-088763				
2006		B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2006		B4	Front	24-121781		Rear	24-105927	
2006		B6 (HD)	Front	24-120234				
2006		B8 (SP)	Front	24-120241		Rear	24-120227	



Years	Application	Series	Front			Rear		
Mercedes-Benz CLS550								
2013-2012	Base	B16 (PSS10)	Front and Rear	48-197441	Front Lowered Height: 30-50mm; Rear Lowered Height: 30-50mm			
2011-2007		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2011-2007		B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2011-2007		B4 (Air)	Front Left	44-104535	Air Suspension	Rear	20-109097	Air Suspension
			Front Right	44-104542	Air Suspension	Rear Left	40-116402	Air Suspension
						Rear Right	40-116419	Air Suspension
2010-2007		B16 (PSS9)	Front and Rear	48-088763				
2010-2007		B4	Front	24-121781		Rear	24-105927	
2010-2007		B6 (HD)	Front	24-120234				
2010-2007		B8 (SP)	Front	24-120241		Rear	24-120227	
Mercedes-Benz CLS63 AMG								
2011-2007		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2011-2010	w/ Coil Front Springs; w/ Coil Rear Springs	B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2010-2007		B16 (PSS9)	Front and Rear	48-088763				
2010-2007		B4	Front	24-121781		Rear	24-105927	
2010-2007		B6 (HD)	Front	24-120234				
2010-2007		B8 (SP)	Front	24-120241		Rear	24-120227	
2009-2007		B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
Mercedes-Benz E280								
2009		B4	Front	24-121798	Without Airmatic DC	Rear	24-105927	Without Airmatic DC
2009		B8 (SP)	Front	24-069076	Without Airmatic DC			
2009		Variable depending on application				Rear	24-069083	Without Airmatic DC
2008-2007		B4	Front	24-105910	Standard Chassis; Without Airmatic DC	Rear	24-105927	Without Airmatic DC
			Front	24-121774	Off-road Suspension; Without Airmatic DC			
			Front	24-121781	Sport Suspension; Without Airmatic DC			



Years	Application	Series	Front			Rear		
Mercedes-Benz E280 (continued)								
2008-2007		B6 (HD)	Front	24-069052	Standard Chassis; Without Airmatic DC	Rear	24-069069	Standard Chassis; Without Airmatic DC
			Front	24-120234	Sport Suspension; Without Airmatic DC			
2008-2007		B8 (SP)	Front	24-120241	Sport Suspension; Without Airmatic DC	Rear	24-120227	Sport Suspension; Without Airmatic DC
2008-2007		Variable depending on application				Rear	24-069083	Sport Suspension; Without Airmatic DC
Mercedes-Benz E300								
1999-1996		B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1999-1996		B4	Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
1999-1996		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1999		B8 (SP)				Rear	24-021579	To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
1999		Variable depending on application	Front	24-021562	B8 (SP); To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability			
1998		B8 (SP)				Rear	24-021579	Without ADS; Without Ride Height Adjustability
1998		Variable depending on application	Front	24-021562	B8 (SP); Without ADS; Without Ride Height Adjustability			
1997-1996		B8 (SP)				Rear	24-021579	Without Ride Height Adjustability
1995		B1 (OEM Components)	Front	11-101406				
1995		B4	Front	22-001856	Standard Chassis	Rear	24-015189	Standard Chassis
			Front	22-003614	Heavy Duty	Rear	24-013857	Heavy Duty
			Front	22-001917	Off-road Suspension	Rear	24-013895	Rough Terrain
			Front	22-040534	Sport Suspension	Rear	24-016124	Sport Suspension
1995		B4 (Steering Damper)	Front	18-140651				
1995		B6 (HD)	Front	22-100436		Rear	24-100441	Standard Chassis
			Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS			
1995		B8 (SP)				Rear	24-014700	Sport Suspension



Years	Application	Series	Front			Rear		
Mercedes-Benz E320								
2009-2006		B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2009-2006		B16 (PSS9)	Front and Rear	48-088763				
2009-2006		B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2009-2006		B4	Front	24-105910	Standard Suspension	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-121798	Avantgarde			
2009-2006		B6 (HD)	Front	24-069052	Standard Chassis	Rear	24-069069	Standard Chassis
			Front	24-120234	Sport Suspension			
2009-2006		B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2009-2006		Variable depending on application				Rear	24-069083	B6 (HD); Sport Suspension
						Rear	24-069083	Avantgarde; B8 (SP)
2005	CDI	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2005-2003	Base	B1 (iRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2005-2004	Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190505	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			
2005-2003	Base; Sedan; w/ 211.065 Body	B12 (Pro-Kit)	Front and Rear	46-181862	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 35-40mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2005, 2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B16 (PSS9)	Front and Rear	48-088763				
2005	CDI	B16 (PSS9)	Front and Rear	48-088763				
2005	CDI	B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2005, 2003	Base; Sedan; w/ Coil Front Springs; w/ Coil Rear Springs	B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2005	Base; Wagon; w/ 211.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-105910	Standard chassis including Avantgarde ; Without Ride Height Adjustability			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2005	Base; Wagon; w/ Coil Rear Springs	B4				Rear	24-068741	Avantgarde; Standard Chassis; With Ride Height Control; Without Airmatic DC
2005	Base; Wagon; w/ Air Rear Springs	B4				Rear	24-068734	Sport Suspension; With Ride Height Control; Without Airmatic DC
2005	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-105910	Standard Chassis	Rear	24-105927	
			Front	24-121798	Avantgarde			
2005	Base; Sedan; w/ 211.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-121774	Off-road Suspension			
2005	CDI	B4	Front	24-105910	Standard Suspension	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-121798	Avantgarde			
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-121781	Sport Suspension; Without Ride Height Adjustability			
2005	Base; Wagon; w/ 211.265 Body; w/ Air Rear Springs	B4 (Air)				Rear	40-076638	Sport Suspension; With Ride Height Control; Without Airmatic DC
2005	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear Left	40-076614	With Airmatic DC
						Rear Right	40-076621	With Airmatic DC
2005	4Matic; Sedan; w/ 211.082 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	19-050027	
2005	Base; Wagon; w/ 211.265 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-102272	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear Left	20-070861	
						Rear Right	20-070878	
2005	Base; Sedan; w/ 211.065 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-102272	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	20-101893	
2005	4Matic; w/ Air Front Springs	B4 (Air)	Front Left	44-181666	With Airmatic DC			
			Front Right	44-181680	With Airmatic DC			
2005	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069069	Standard Chassis
2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-069052	Standard Chassis			
2005	CDI	B6 (HD)	Front	24-069052	Standard Chassis	Rear	24-069069	Standard Chassis
			Front	24-120234	Sport Suspension			



Years	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2005	CDI	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2005	Base; Wagon; w/ 211.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front	24-069076	Sport Suspension			
2005, 2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2005, 2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	Variable depending on application				Rear	24-069083	B6 (HD); Sport Suspension
						Rear	24-069083	Avantgarde; B8 (SP)
2005	CDI	Variable depending on application				Rear	24-069083	B6 (HD); Sport Suspension
						Rear	24-069083	Avantgarde; B8 (SP)
2004	Base; Sedan; w/ 211.065 Body	B16 (PSS9)	Front and Rear	48-088763				
2004	Base; Sedan	B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2004	Base; Wagon; w/ 211.265 Body	B4	Front	24-105910	Standard chassis including Avantgarde ; Without Ride Height Adjustability			
2004	Base	B4	Front	24-121781	Sport Suspension; Without Ride Height Adjustability			
2004	Base; Sedan; w/ 211.065 Body	B4	Front	24-105910	Standard Chassis	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121798	Avantgarde			
2004	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
						Rear	19-050027	With Airmatic DC
2004	Base	B6 (HD)	Front	24-069052	Standard Chassis			
2004	Base; Sedan; w/ 211.065 Body	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069069	Standard Chassis
2004	Base; Wagon; w/ 211.265 Body	B8 (SP)	Front	24-069076	Sport Suspension			
2004	Base; Sedan; w/ 211.065 Body	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2004	Base; Sedan; w/ 211.065 Body	Variable depending on application				Rear	24-069083	B6 (HD); Sport Suspension
						Rear	24-069083	Avantgarde; B8 (SP)
2003	Base; Wagon; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190505	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			

Passenger Cars



Years	Application	Series	Front			Rear			
Mercedes-Benz E320 (continued)									
2003	Base; Sedan; w/ 210.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS				
2003	Base; Wagon; w/ 211.065 Body; w/ Air Rear Springs	B4				Rear	24-068734	Sport Suspension; With Ride Height Control; Without Airmatic DC	
						Rear	24-068741	Avantgarde; Standard Chassis; With Ride Height Control; Without Airmatic DC	
2003	4Matic	B4	Front	24-060905	Standard Chassis; Without ADS				
2003	Base; Wagon; w/ 210.265 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-100540	Standard Chassis; Without ADS				
			Front	24-100571	With sport suspension including Avantgarde; Without ADS				
2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-105910	Standard Chassis	Rear	24-105927		
			Front	24-121774	Off-road Suspension				
			Front	24-121781	Sport Suspension				
			Front	24-121798	Avantgarde				
2003	Base; Sedan; w/ 211.065 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	From chassis number A 334971 / X 108180; With Airmatic DC	Rear Left	40-076614	From chassis number A 334971 / X 108180; With Airmatic DC	
			Front Right	44-102272	From chassis number A 334971 / X 108180; With Airmatic DC	Rear Right	40-076621	From chassis number A 334971 / X 108180; With Airmatic DC	
			Front Right	44-100827	Up to chassis number A334970 and X108179	Rear	20-101893	From 6/03; From chassis number A 334971 / X 108180	
			Front Left	44-100834	Up to chassis number A334970 and X108179	Rear	19-050027	To 6/03; To chassis number A 334970 / X 108179	
2003	Base; Sedan; w/ 211.065 Body; w/ Coil Front Springs; w/ Coil Rear Springs	B6 (HD)	Front	24-069052	Standard Chassis	Rear	24-069069	Standard Chassis	
			Front	24-120234	Sport Suspension				
2003	Base; Sedan; w/ 210.265 Body; w/ Coil Front Springs	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS				
2003	Base; Sedan; w/ 210.265 Body; w/ Coil Rear Springs	B8 (SP)				Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	
2002-1998	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability				
			Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS				
2002-1998	4Matic; Wagon; w/ 210.282 Body	B4	Front	24-060905	Standard Chassis; Without ADS				
2002-1998	4Matic; Sedan; w/ 210.082 Body	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability	



Years	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
2002-2000	Base; Sedan; w/ 210.065 Body	B4				Rear	24-100564	Standard Chassis; Without ADS; Without Ride Height Adjustability
						Rear	24-100588	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
2002-2000	Base	B4	Front	24-100540	Standard Chassis; Without ADS; Without leveling system			
			Front	24-100571	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
2002-2000	Base; Sedan; w/ 210.065 Body	B6 (HD)				Rear	24-062039	Without ADS; Without Ride Height Adjustability
2002-1999	Base; Sedan	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
2002-2000	Base; Sedan; w/ 210.065 Body	Variable depending on application	Front	24-021562	B6 (HD); Without ADS; Without Ride Height Adjustability			
1999	Base	B4	Front	24-100540	From 7/99; From Chassis # A394036; Standard Chassis; Without ADS; Without leveling system			
			Front	24-100540	To 6/99; To chassis number A394035; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
			Front	24-100571	From 7/99; From Chassis # A394036; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
			Front	24-108256	Standard Chassis; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability			
1999	Base; Sedan; w/ 210.065 Body	B4	Front	24-021548	Heavy Duty; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability	Rear	24-100557	To 6/99; To chassis number A394035; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
						Rear	24-100564	From 7/99; From Chassis # A394036; Standard Chassis; Without ADS; Without Ride Height Adjustability
						Rear	24-100588	From 7/99; From Chassis # A394036; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
						Rear	24-108263	Standard Chassis; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
						Rear	24-021555	Heavy Duty; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
1999	Base; Sedan; w/ 210.065 Body	B6 (HD)				Rear	24-062039	From 7/99; From Chassis # F054768; Without ADS; Without Ride Height Adjustability
1999-1998	Base; Sedan	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
1999	Base; Sedan; w/ 210.065 Body	B8 (SP)				Rear	24-021579	To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
1999	Base; Sedan; w/ 210.065 Body	Variable depending on application	Front	24-021562	B8 (SP); To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability			
			Front	24-021562	B6 (HD); From 7/99; From Chassis # A394036; Without ADS; Without Ride Height Adjustability			
1998	Base	B4	Front	24-100540	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability			
			Front	24-108256	Standard Chassis; Without ADS; Without Ride Height Adjustability			
1998	Base; Sedan; w/ 210.065 Body	B4	Front	24-021548	Heavy Duty; Without ADS; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
						Rear	24-108263	Standard Chassis; Without ADS; Without Ride Height Adjustability
						Rear	24-021555	Heavy Duty; Without ADS; Without Ride Height Adjustability
1998	Base; Sedan; w/ 210.065 Body	B8 (SP)				Rear	24-021579	Without ADS; Without Ride Height Adjustability
1998	Base; Sedan; w/ 210.065 Body	Variable depending on application	Front	24-021562	B8 (SP); Without ADS; Without Ride Height Adjustability			
1997-1996		B12 (Pro-Kit)	Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS; Without Ride Height Adjustability			
1997-1996	Sedan	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1997-1996		B4	Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
1997-1996	Sedan	B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1997-1996		B8 (SP)				Rear	24-021579	Without Ride Height Adjustability
1997-1996		Variable depending on application	Front	24-021562	B8 (SP); Without ADS; Without Ride Height Adjustability			
1995-1994		B1 (OEM Components)	Front	11-101406				
1995-1994	Sedan; w/ 124.032 Body	B4	Front	22-001856	Standard Chassis	Rear	24-015189	Standard Chassis
			Front	22-003614	Heavy Duty	Rear	24-013857	Heavy Duty
						Rear	24-013895	Rough Terrain



Years	Application	Series	Front			Rear		
Mercedes-Benz E320 (continued)								
1995-1994	Convertible	B4				Rear	24-016124	Sport Suspension
1995-1994	Sedan	B4	Front	22-001917	Off-road Suspension	Rear	24-016124	Sport Suspension
1995-1994	Wagon; w/ 124.092 Body	B4	Front	22-001856	Standard Chassis			
			Front	22-003614	Heavy Duty			
1995-1994		B4	Front	22-040534	Sport Suspension			
1995-1994	Coupe	B4				Rear	24-016124	Sport Suspension
1995-1994	Coupe; w/ 124.052 Body	B4	Front	22-001900	Standard Chassis	Rear	24-013857	Heavy Duty
			Front	22-003614	Heavy Duty	Rear	24-016681	Standard Chassis
1995-1994	Wagon	B4	Front	22-001917	Off-road Suspension			
1995-1994		B4 (Steering Damper)	Front	18-140651				
1995-1994	Sedan	B6 (HD)				Rear	24-100441	Standard Chassis
1995-1994	Convertible	B6 (HD)				Rear	24-100441	Standard Chassis
1995-1994		B6 (HD)	Front	22-100436				
1995-1994	Coupe	B6 (HD)				Rear	24-100441	Standard Chassis
1995-1994	Sedan; w/ 124.032 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1995-1994		B8 (SP)	Front	22-003652	Sport Suspension			
1995-1994	Coupe; w/ 124.052 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1995	Convertible; w/ 124.066 Body	B8 (SP)				Rear	24-014700	Sport Suspension
1994	Convertible; w/ 124.052 Body	B8 (SP)				Rear	24-014700	Sport Suspension
Mercedes-Benz E350								
2012-2010	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-182074	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1200kg Axle Load; Rear Lowered Height: 30mm, up to 1275kg Axle Load; Standard Chassis; Without Airmatic DC			
2012-2011	Base; Convertible	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2012-2010	Base; Coupe	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load			
2012-2010	Base; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC			
2012-2011	4Matic; Wagon	B6 (HD)				Rear	24-191128	Without Airmatic DC
2012-2011	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC			
2012-2011	Base; Convertible	B8 (SP)	Front	35-141846	B6 (HD)	Rear	24-141857	B6 (HD)
2012-2010	Base; Coupe	B8 (SP)	Front	35-141846	B6 (HD)	Rear	24-141857	B6 (HD)

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz E350 (continued)								
2011-2006	Base	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2011	Bluetec	B1 (IRC)	N/A	14-230615	For use in conjunction with kit # 49-132380			
2011	Bluetec; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC			
2011-2010	Base; Sedan; w/ 212.056 Body	B6 (HD)	Front	35-166863	Standard Chassis	Rear	24-166874	Standard Chassis
2011	4Matic; Sedan; w/ 212.087 Body	B6 (HD)				Rear	24-166874	
2011-2010	Base; Sedan; w/ 212.056 Body	B8 (SP)	Front	35-166887	Includes Avantgarde	Rear	24-166898	Includes Avantgarde
2010	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC	Rear	24-166874	
2009-2006	Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-181879	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; Standard Chassis; Without Airmatic DC			
2009-2006	Base	B16 (PSS9)	Front and Rear	48-088763				
2009-2006	Base; Sedan	B16 (Ride Control)	Front and Rear	49-132380	Front Lowered Height: 30-50mm, up to 1175kg Axle Load; Rear Lowered Height: 30-50mm, up to 1255kg Axle Load; Without Airmatic DC			
2009-2007	Base	B4	Front	24-105910	Standard Chassis	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121781	Sport Suspension			
			Front	24-121798	Avantgarde			
2009-2006	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC
					Rear	19-050027	With Airmatic DC	
2009-2007	Base	B6 (HD)	Front	24-069052	Standard Chassis	Rear	24-069069	Standard Chassis
			Front	24-120234	Sport Suspension			
2009-2007	Base	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2009	Base	Variable depending on application				Rear	24-069083	Avantgarde; B8 (SP)
						Rear	24-069083	B6 (HD); Sport Suspension
2008-2007	Base	Variable depending on application				Rear	24-069083	B6 (HD); Sport Suspension
						Rear	24-069083	Avantgarde; B8 (SP)
2006	Base; Wagon; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-190505	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1160kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			



Years	Application	Series	Front			Rear		
Mercedes-Benz E350 (continued)								
2006	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-190499	For Vehicles Without Ride Height Control; Front Lowered Height: 30-35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm; Without Airmatic DC			
2006	Base	B4	Front	24-121781	Sport Suspension			
2006	Base; Wagon; w/ 211.256 Body	B4	Front	24-105910	Standard chassis including Avantgarde ; Without Ride Height Adjustability			
2006	Base; Sedan; w/ 211.056 Body	B4	Front	24-105910	Standard Chassis	Rear	24-105927	
			Front	24-121774	Off-road Suspension			
			Front	24-121798	Avantgarde			
2006	Base	B6 (HD)	Front	24-069052	Standard Chassis			
2006	Base; Sedan; w/ 211.056 Body	B6 (HD)	Front	24-120234	Sport Suspension	Rear	24-069069	Standard Chassis
2006	Base; Wagon; w/ 211.256 Body	B8 (SP)	Front	24-069076	Sport Suspension			
2006	Base; Sedan; w/ 211.056 Body	B8 (SP)	Front	24-069076	Avantgarde	Rear	24-120227	Sport Suspension
			Front	24-120241	Sport Suspension			
2006	Base; Sedan; w/ 211.056 Body	Variable depending on application				Rear	24-069083	B6 (HD); Sport Suspension
						Rear	24-069083	Avantgarde; B8 (SP)
Mercedes-Benz E420								
1999-1997		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1997		B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1997		B4	Front	24-100540	With sport suspension including Avantgarde; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without Ride Height Adjustability
			Front	24-108256	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
			Front	24-021548	Heavy Duty	Rear	24-021555	Heavy Duty
1997		B8 (SP)				Rear	24-021579	Without Ride Height Adjustability
1995-1994		B4				Rear	24-015189	Standard Chassis
						Rear	24-013857	Heavy Duty
						Rear	24-013895	Rough Terrain
						Rear	24-016124	Sport Suspension
1995-1994	Sedan	B6 (HD)				Rear	24-100441	Standard Chassis

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz E430								
2002-2000	Base	B12 (Pro-Kit)	Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
2002-2000	Base	B4	Front	24-100540	Standard Chassis; Without ADS; Without Ride Height Adjustability	Rear	24-100564	Standard Chassis; Without ADS; Without Ride Height Adjustability
			Front	24-100571	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100588	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
2002-2000	4Matic	B4	Front	24-060905	Standard Chassis; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without Ride Height Adjustability
2002-2000	Base	B6 (HD)				Rear	24-062039	Without ADS; Without Ride Height Adjustability
2002-2000	Base	B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
2002-2000	Base	Variable depending on application	Front	24-021562	B6 (HD); Without ADS; Without Ride Height Adjustability			
1999-1998		B12 (Pro-Kit)	Front and Rear	46-190437	Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; To Chassis # A394035; Without ADS; Without Ride Height Adjustability			
			Front and Rear	46-190444	Check Spring Pads; For Vehicles Without Ride Height Control; From Chassis # A394036; Front Lowered Height: 35mm, up to 1095kg Axle Load; Rear Lowered Height: 30mm, up to 1165kg Axle Load; Without ADS			
1999		B4	Front	24-100540	To 6/99; To chassis number A394035; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100557	To 6/99; To chassis number A394035; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
			Front	24-100540	From 7/99; From Chassis # A394036; Standard Chassis; Without ADS; Without Ride Height Adjustability	Rear	24-100564	From 7/99; From Chassis # A394036; Standard Chassis; Without ADS; Without Ride Height Adjustability
			Front	24-100571	From 7/99; From Chassis # A394036; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100588	From 7/99; From Chassis # A394036; With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
			Front	24-108256	Standard Chassis; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
			Front	24-021548	Heavy Duty; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability	Rear	24-021555	Heavy Duty; To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
1999		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-062039	From 7/99; From Chassis # A394036; Without ADS; Without Ride Height Adjustability
						Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS



Years	Application	Series	Front			Rear		
Mercedes-Benz E430 (continued)								
1999		B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-021579	To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability
						Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS
1999		Variable depending on application	Front	24-021562	B8 (SP); To 6/99; To chassis number A394035; Without ADS; Without Ride Height Adjustability			
			Front	24-021562	B6 (HD); From 7/99; From Chassis # A394036; Without ADS; Without Ride Height Adjustability			
1998		B4	Front	24-100540	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability	Rear	24-100557	With sport suspension including Avantgarde; Without ADS; Without Ride Height Adjustability
			Front	24-108256	Standard Chassis; Without ADS; Without Ride Height Adjustability	Rear	24-108263	Standard Chassis; Without ADS; Without Ride Height Adjustability
			Front	24-021548	Heavy Duty; Without ADS; Without Ride Height Adjustability	Rear	24-021555	Heavy Duty; Without ADS; Without Ride Height Adjustability
1998		B6 (HD)	Front	24-100458	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS	Rear	24-100465	For Vehicles Without Ride Height Control; To Chassis # A394035; Without ADS
1998		B8 (SP)				Rear	24-021579	Without ADS; Without Ride Height Adjustability
1998		Variable depending on application	Front	24-021562	B8 (SP); Without ADS; Without Ride Height Adjustability			
Mercedes-Benz E500								
2005	Base	B4 (Air)	Front Left	44-102265	With Airmatic DC	Rear	20-101893	
			Front Right	44-102272	With Airmatic DC			
2005		B4 (Air)				Rear Left	40-076614	With Airmatic DC
						Rear Right	40-076621	With Airmatic DC
2005	4Matic; Wagon; w/ 211.283 Body	B4 (Air)				Rear Left	20-070861	
						Rear Right	20-070878	
2005-2004	4Matic; w/ Air Front Springs	B4 (Air)	Front Left	44-181666	With Airmatic DC			
			Front Right	44-181680	With Airmatic DC			
2005	4Matic; Sedan; w/ 211.083 Body	B4 (Air)				Rear	19-050027	
2004	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	With Airmatic DC	Rear	20-101893	
			Front Right	44-102272	With Airmatic DC			
2004	4Matic; Sedan; w/ 211.083 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	19-050027	
2004	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear Left	40-076614	With Airmatic DC
						Rear Right	40-076621	With Airmatic DC

Passenger Cars



Years	Application	Series	Front			Rear			
Mercedes-Benz E500 (continued)									
2004	4Matic; Wagon; w/ 211.283 Body; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear Left	20-070861		
						Rear Right	20-070878		
2003	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-102265	From chassis number A 334971 / X 108180; With Airmatic DC	Rear Left	40-076614	From chassis number A 334971 / X 108180; With Airmatic DC	
			Front Right	44-102272	From chassis number A 334971 / X 108180; With Airmatic DC	Rear Right	40-076621	From chassis number A 334971 / X 108180; With Airmatic DC	
			Front Right	44-100827	To 6/03; To chassis number A 334970 / X 108179	Rear	20-101893	From 6/03; From chassis number A 334971 / X 108180	
			Front Left	44-100834	To 6/03; To chassis number A 334970 / X 108179	Rear	19-050027	To 6/03; To chassis number A 334970 / X 108179	
1994		B4				Rear	24-015189	Standard Chassis	
						Rear	24-013857	Heavy Duty	
						Rear	24-013895	Rough Terrain	
						Rear	24-016124	Sport Suspension	
Mercedes-Benz E55 AMG									
2005-2004	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-143657	With Airmatic DC	Rear Left	40-076676	With Airmatic DC	
			Front Right	44-143664	With Airmatic DC	Rear Right	40-076683	With Airmatic DC	
						Rear	20-070915	With Airmatic DC	
2002-1999		B8 (SP)	Front	24-062046	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	Rear	24-062053	For Vehicles Without Ride Height Control; From Chassis # A394036; Without ADS	
Mercedes-Benz E550									
2012-2011	Base; Convertible	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load				
2012-2010	Base; Coupe	B14 (PSS)	Front and Rear	47-141179	Front Lowered Height: 10-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 1225kg Axle Load				
2012	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC				
2012-2011	Base; Convertible	B8 (SP)	Front	35-141846	B6 (HD)	Rear	24-141857	B6 (HD)	
2012-2010	Base; Coupe	B8 (SP)	Front	35-141846	B6 (HD)	Rear	24-141857	B6 (HD)	
2011-2010	Base; Sedan	B16 (PSS10)	Front and Rear	48-166560	Front Lowered Height: 30-55mm; Rear Lowered Height: 30-50mm; Standard Chassis; Without Airmatic DC				
2011-2010	4Matic	B6 (HD)	Front	35-191117	Without Airmatic DC	Rear	24-166874		
2011-2010	Base; Sedan; w/ 212.072 Body	B6 (HD)	Front	35-166863		Rear	24-166874		
2011-2010	Base; Sedan; w/ 212.072 Body	B8 (SP)	Front	35-166887	Includes Avantgarde	Rear	24-166898	Includes Avantgarde	
2009-2007	4Matic; Sedan	B4 (Air)	Front Left	44-181666	With Airmatic DC	Rear Left	40-076614	With Airmatic DC	
			Front Right	44-181680	With Airmatic DC	Rear Right	40-076621	With Airmatic DC	
						Rear	19-050027	With Airmatic DC	



Years	Application	Series	Front			Rear		
Mercedes-Benz E63 AMG								
2011-2010		B8 (SP)	Front	35-166887				
Mercedes-Benz R320								
2009-2007	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2009-2007		B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2009-2007	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
Mercedes-Benz R350								
2012-2007		B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2011-2007	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2011-2007	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2006		B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2006		B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
			Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS	Rear	40-148359	With ADS
Mercedes-Benz R500								
2008-2007		B4 (Air)	Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS			
2007	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2007	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
						Rear	40-148359	With ADS
2006		B4	Front	24-166621	Standard Suspension	Rear	24-144889	
2006		B4 (Air)	Front	44-111533	With ADS	Rear	24-167659	With ADS
			Front	44-121167	For Vehicles With Pneumatic Suspension; With ADS	Rear	40-148359	With ADS
Mercedes-Benz R63 AMG								
2007		B4 (Air)	Front	44-111533	With ADS	Rear	24-121934	With ADS
			Front	44-121167	With ADS	Rear	40-148359	With ADS
Mercedes-Benz S320								
1999-1994		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
			Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
1999-1994		B4 (Steering Damper)	Front	18-140644				
1999-1994		B8 (SP)	Front	24-015370		Rear	24-015387	

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz S350								
1995-1994		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
			Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
1995-1994		B4 (Steering Damper)	Front	18-140644				
1995-1994		B8 (SP)	Front	24-015370		Rear	24-015387	
Mercedes-Benz S420								
1999-1994		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
			Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
1999-1994		B4 (Steering Damper)	Front	18-140644				
1999-1994		B8 (SP)	Front	24-015370		Rear	24-015387	
Mercedes-Benz S430								
2005-2003	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	44-042301	Non ABC
2005-2003	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Non ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC			
2005-2003	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC			
			Front Right	44-051525	Non ABC			
2002	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Non ABC	Rear	44-042301	Non ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
2001-2000		B4 (Air)	Front	44-042295	Non ABC	Rear	44-042301	Non ABC
2001-2000	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
Mercedes-Benz S500								
2006-2003	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC			
2006-2003	4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front Left	44-051518	Non ABC			
			Front Right	44-051525	Non ABC			



Years	Application	Series	Front			Rear		
Mercedes-Benz S500 (continued)								
2006-2003	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	44-042301	Non ABC
2002	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-042301	Non ABC
			Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
2001	Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-042301	Non ABC
2001-2000	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-045357	For special armored vehicles with armored vehicle class B7; Without ABC	Rear	44-045821	For special armored vehicles with armored vehicle class B7; Without ABC
			Front	44-047023	For special armored vehicles with armored vehicle class B4; Without ABC	Rear	44-046972	For special armored vehicles with armored vehicle class B4; Without ABC
2000	Base	B4 (Air)	Front	44-042295	Airmatic Suspension; Non ABC	Rear	44-042301	Non ABC
1999-1994		B4	Front	24-017060	Standard Suspension	Rear	24-017077	Standard Suspension
			Front	24-016827	Rough Terrain	Rear	24-016834	Rough Terrain
1999-1998		B4 (Steering Damper)	Front	18-140644				
1999-1994		B8 (SP)	Front	24-015370		Rear	24-015387	
1997-1994	4 Dr.; Sedan; w/ 140.051 Body	B4 (Steering Damper)	Front	18-140644				
Mercedes-Benz S550								
2012	Base	B4 (Air)	Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model			
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2011-2007	Base	B4 (Air)	Front	44-109462		Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7			
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model			
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2011-2007		B4 (Air)				Rear Left	44-109479	
						Rear Right	44-109486	



Years	Application	Series	Front			Rear		
Mercedes-Benz S550 (continued)								
2011-2007	4Matic	B4 (Air)	Front Right	44-110475				
			Front Left	44-110482				
Mercedes-Benz S600								
2012		B4 (Air)	Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model			
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
2011-2007		B4 (Air)	Front	44-109462		Rear Left	44-109479	
			Front Right	44-110499	For special armored vehicles with armored vehicle class B7	Rear Right	44-109486	
			Front Left	44-110505	For special armored vehicles with armored vehicle class B7	Rear Left	44-192075	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Right	44-140779	For special armored vehicles with armored vehicle class B7; Pullman model	Rear Right	44-192082	Armored Vehicles; For Vehicles With Pneumatic Suspension
			Front Left	44-140786	For special armored vehicles with armored vehicle class B7; Pullman model			
Mercedes-Benz SL320								
1997-1994		B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
1997-1994		B4	Front	22-002327		Rear	24-013161	
1997-1994		B4 (Steering Damper)	Front	18-140651				
1997-1994		B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
Mercedes-Benz SL500								
2002-1994		B12 (Pro-Kit)	Front and Rear	46-193926	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without ADS			
2002-1994		B4	Front	22-002327		Rear	24-013161	
2002-1994		B4 (Steering Damper)	Front	18-140651				
2002-1994		B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
Mercedes-Benz SL600								
2002-1994		B6 (HD)	Front	22-041760	Without ADS	Rear	24-022576	Without ADS
Mercedes-Benz SLK230								
2004-1997		B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			



Years	Application	Series	Front			Rear		
Mercedes-Benz SLK230 (continued)								
2004-1997		B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004-1997		B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004-1998		B4	Front	24-100878		Rear	24-100885	
2004-1998		B4 (Steering Damper)	Front	18-140651				
2004-1998		B6 (HD)	Front	24-024648		Rear	24-024655	
2004-1998		B8 (SP)	Front	24-025256		Rear	24-025263	
Mercedes-Benz SLK250								
2012		B4				Rear	24-218245	Standard Chassis
Mercedes-Benz SLK280								
2008-2006		B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2008-2006		B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2008-2006		B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2008-2006		B4	Front	22-164858		Rear	24-188050	Standard Chassis
2008-2006		B6 (HD)	Front	35-113430		Rear	24-113441	
2008-2006		B8 (SP)	Front	35-113454		Rear	24-113465	
Mercedes-Benz SLK300								
2011-2009		B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2011-2009		B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2011-2009		B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2011-2009		B4	Front	22-164858		Rear	24-188050	Standard Chassis
2011-2009		B6 (HD)	Front	35-113430		Rear	24-113441	
2011-2009		B8 (SP)	Front	35-113454		Rear	24-113465	
Mercedes-Benz SLK32 AMG								
2004-2002		B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mercedes-Benz SLK32 AMG (continued)								
2004-2002		B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004-2002		B4	Front	24-100878		Rear	24-100885	
2004-2002		B4 (Steering Damper)	Front	18-140651				
2004-2002		B6 (HD)	Front	24-024648		Rear	24-024655	
2004-2002		B8 (SP)	Front	24-025256		Rear	24-025263	
Mercedes-Benz SLK320								
2004-2001		B12 (Pro-Kit)	Front and Rear	46-181756	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 845kg Axle Load; Rear Lowered Height: 30mm, up to 820kg Axle Load			
2004-2001		B14 (PSS)	Front and Rear	47-119536	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004-2001		B16 (PSS9)	Front and Rear	48-119542	Front Lowered Height: 35-55mm, up to 905kg Axle Load; Rear Lowered Height: 35-55mm, up to 850kg Axle Load			
2004-2001		B4	Front	24-100878		Rear	24-100885	
2004-2001		B4 (Steering Damper)	Front	18-140651				
2004-2001		B6 (HD)	Front	24-024648		Rear	24-024655	
2004-2001		B8 (SP)	Front	24-025256		Rear	24-025263	
Mercedes-Benz SLK350								
2012		B4				Rear	24-218245	Standard Chassis
2011-2005		B12 (Pro-Kit)	Front and Rear	46-182050	Check Spring Pads; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 910kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2011-2005		B14 (PSS)	Front and Rear	47-116115	Front Lowered Height: 35-45mm, up to 910kg Axle Load; Rear Lowered Height: 35-45mm, up to 940kg Axle Load; Without Sport Suspension			
2011-2005		B16 (PSS9)	Front and Rear	48-116077	For vehicles without sport package			
2011-2005		B4	Front	22-164858		Rear	24-188050	Standard Chassis
2011-2005		B6 (HD)	Front	35-113430		Rear	24-113441	
2011-2005		B8 (SP)	Front	35-113454		Rear	24-113465	
Mercedes-Benz SLK55 AMG								
2010-2005		B8 (SP)	Front	35-113454		Rear	24-113465	
Mercury Colony Park								
1991-1987		B6 (C)	Front	24-184731		Rear	24-184755	



Years	Application	Series	Front			Rear		
Mercury Comet								
1977-1975	4 Dr.; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
Mercury Cougar								
1988-1983, 1980		B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1982-1981	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; LS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; GS; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982, 1977	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1982	4 Dr.; GS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1982-1981	XR-7	B6 (HD)				Rear	24-010412	Exc. electronic or self leveling system
1979-1977, 1974	XR-7	B6 (C)	Front	24-184731		Rear	24-184755	
1979-1977, 1974	XR-7	B6 (HD)	Front	24-014953	Except electronic or self leveling suspension	Rear	24-014960	Exc. self leveling or air suspension
1977	Villager	B6 (C)	Front	24-184731		Rear	24-184755	
1976-1975		B6 (C)	Front	24-184731		Rear	24-184755	
1976		B6 (HD)	Front	24-014953	Except electronic or self leveling suspension	Rear	24-014960	Exc. self leveling or air suspension
Mercury Grand Marquis								
2002-1990		B6 (C)	Front	24-184731		Rear	24-184755	
2002-1990, 1983, 1978-1975		B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1989-1988	LS	B6 (C)	Front	24-184731		Rear	24-184755	
1989-1988	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1989-1984	LS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1989-1987	GS	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1987	4 Dr.; GS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1987-1983	4 Dr.; LS; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1986-1979	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1986-1979	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1986-1984, 1982-1979	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
Mercury Marquis								
1986-1979	4 Dr.; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1986-1983	4 Dr.; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1986-1983	Base	B6 (HD)	Front	24-014953	Air suspension ok			
1982-1978, 1976-1975	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	

Passenger Cars



Years	Application	Series	Front			Rear		
Mercury Marquis (continued)								
1982-1977, 1975		B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1977, 1975	4 Dr.; Brougham; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1976-1975	Colony Park	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Base	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
1976	Brougham	B6 (HD)	Front	24-014953	Air suspension ok	Rear	24-014960	Air suspension ok
Mercury Milan								
2010-2007		B6 (HD)	Front Left	24-102568		Rear	24-102582	
			Front Right	24-102575				
2006		B6 (HD)	Front Left	24-102568		Rear	24-102582	
2006	Premier	B6 (HD)	Front Right	24-102575				
Mercury Monarch								
1980-1977, 1975	4 Dr.; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1976	4 Dr.; Ghia; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1976	Grand Ghia	B6 (C)	Front	24-184731		Rear	24-184755	
1976	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
Mercury Montego								
1976	MX Villager	B6 (C)	Front	24-184731		Rear	24-184755	
1976-1975	4 Dr.; MX; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
1975	Villager	B6 (C)	Front	24-184731		Rear	24-184755	
Mercury Mystique								
2000-1995		B4	Front	22-045614		Rear	22-045621	
Mercury Zephyr								
1983-1982	GS	B6 (C)	Front	24-184731		Rear	24-184755	
1983-1982	Base	B6 (C)	Front	24-184731		Rear	24-184755	
1981-1978	4 Dr.; Base; Sedan	B6 (C)	Front	24-184731		Rear	24-184755	
1981-1978	4 Dr.; Base; Wagon	B6 (C)	Front	24-184731		Rear	24-184755	
Merkur XR4Ti								
1989-1985		B6 (HD)	Front	35-040408		Rear	24-018067	
1989-1985		B8 (SP)	Front	35-040415		Rear	24-018074	
Mini Cooper								
2013-2011	Base; Convertible; w/ R57 Body	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 20mm, up to 855kg Axle Load			



Years	Application	Series	Front			Rear
Mini Cooper (continued)						
2013-2011	John Cooper Works Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 20mm, up to 855kg Axle Load	
2013-2011	Convertible; John Cooper Works; w/ R57 Body	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 20mm, up to 855kg Axle Load	
2013-2011	Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 20mm, up to 855kg Axle Load	
2013-2012	Coupe John Cooper Works	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 25-30mm, up to 755kg Axle Load	
2013-2011	Convertible; S; w/ R57 Body	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 20mm, up to 855kg Axle Load	
2013-2011	Base; Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 25-30mm, up to 755kg Axle Load	
2013-2011	Hatchback; John Cooper Works; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 25-30mm, up to 755kg Axle Load	
2013-2011	S Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 20mm, up to 855kg Axle Load	
2013-2012	Coupe	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 25-30mm, up to 755kg Axle Load	
2013-2012	Coupe S	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 25-30mm, up to 755kg Axle Load	
2013-2011	Hatchback; S; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 25-30mm, up to 755kg Axle Load	
2013	John Cooper Works	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	S	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	John Cooper Works Clubman	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	

Passenger Cars



Years	Application	Series	Front			Rear
Mini Cooper (continued)						
2013	Roadster	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Coupe	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	S Clubman	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Clubman	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Base	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Roadster John Cooper Works	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Coupe S	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Roadster S	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Coupe John Cooper Works	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Roadster S	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Coupe	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	John Cooper Works Clubman	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	Clubman	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	
2013	John Cooper Works	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load	



Years	Application	Series	Front			Rear		
Mini Cooper (continued)								
2013	Base	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2013	Coupe John Cooper Works	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2013	Roadster	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2013	Coupe S	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2013	Roadster John Cooper Works	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2013	S Clubman	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2013	S	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2013	S	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	John Cooper Works Clubman	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	Base	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	John Cooper Works	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			

Passenger Cars



Years	Application	Series	Front			Rear		
Mini Cooper (continued)								
2013	Coupe	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	Coupe John Cooper Works	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	Roadster S	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013, 2008	S Clubman	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	Coupe S	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013, 2008	Clubman	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	Roadster	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	Roadster John Cooper Works	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2013	Roadster John Cooper Works	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	Roadster	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572



Years	Application	Series	Front			Rear		
Mini Cooper (continued)								
2013	Base	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	Coupe S	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	S	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	Roadster S	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	Coupe	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	John Cooper Works Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	Coupe John Cooper Works	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	John Cooper Works	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	S Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2013	Roadster John Cooper Works	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	Roadster	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	S Clubman	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	Coupe John Cooper Works	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	John Cooper Works Clubman	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	Coupe S	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	S	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	Clubman	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572

Passenger Cars



Years	Application	Series	Front			Rear		
Mini Cooper (continued)								
2013	John Cooper Works	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	Coupe	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	Base	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2013	Roadster S	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2012-2011		B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2012-2011		B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; May require part 33 50 6 778 572; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2012-2009		B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2012-2011		B6 (HD)	Front Left	35-139362		Rear Left	24-139380	May require part 33 50 6 778 572
			Front Right	35-139379		Rear Right	24-139397	May require part 33 50 6 778 572
2012	John Cooper Works Clubman	B8 (SP)				Rear Right	24-142311	
2012-2011		B8 (SP)	Front Left	35-142287		Rear Left	24-142304	May require part 33 50 6 778 572
			Front Right	35-142294		Rear Right	24-142311	May require part 33 50 6 778 572
2010-2009	Convertible; S; w/ R57 Body	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2010-2008	Base; Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load			
2010-2008	Hatchback; S; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load			
2010-2008	Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2010-2009	Convertible; John Cooper Works; w/ R57 Body	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2010-2009	Hatchback; John Cooper Works; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load			



Years	Application	Series	Front			Rear		
Mini Cooper (continued)								
2010-2009	Base; Convertible; w/ R57 Body	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2010-2009	John Cooper Works Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2010-2008	S Clubman	B12 (Pro-Kit)	Front and Rear	46-180476	Front Lowered Height: 30mm, up to 905kg Axle Load; Rear Lowered Height: 20mm, up to 855kg Axle Load			
2010-2009		B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2010-2009		B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2010-2009		B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2010-2009		B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2008	Base; Convertible; w/ R52 Body	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2008	Convertible; S; w/ R52 Body	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2008	Base; Convertible; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2008	Convertible; S; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2008	Hatchback; S; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2008	Base; Hatchback; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2008	Clubman	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2008	S Clubman	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2008	Base; Convertible; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mini Cooper (continued)								
2008	S Clubman	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2008	Clubman	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2008	Hatchback; S; w/ R56 Body	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2008	Base; Hatchback; w/ R56 Body	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2008	Convertible; S; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2008	Convertible; S; w/ R52 Body	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2008	Base; Hatchback; w/ R56 Body	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2008	Hatchback; S; w/ R56 Body	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2008	Base; Convertible; w/ R52 Body	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2008	Base; Convertible; w/ R52 Body	B6 (HD)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2008	Convertible; S; w/ R52 Body	B6 (HD)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2008	Base; Hatchback; w/ R56 Body	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2008	S Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2008	Hatchback; S; w/ R56 Body	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2008	Clubman	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	



Years	Application	Series	Front			Rear		
Mini Cooper (continued)								
2008	Hatchback; S; w/ R56 Body	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2008	S Clubman	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2008	Clubman	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2008	Base; Hatchback; w/ R56 Body	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2007	Hatchback; w/ R56 Body	B12 (Pro-Kit)	Front and Rear	46-180469	Front Lowered Height: 25-30mm, up to 905kg Axle Load; Rear Lowered Height: 25-30mm, up to 755kg Axle Load			
2007	Convertible; w/ R52 Body	B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2007	Hatchback; w/ R56 Body	B14 (PSS)	Front and Rear	47-139060	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2007	Convertible; w/ R52 Body	B14 (PSS)	Front and Rear	47-126916	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2007	Convertible; w/ R52 Body	B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2007	Hatchback; w/ R56 Body	B16 (PSS10)	Front and Rear	48-153720	Front Lowered Height: 30-50mm, up to 905kg Axle Load; Rear Lowered Height: 30-50mm, up to 855kg Axle Load			
2007	Hatchback; w/ R56 Body	B4	Front Left	22-170996	Standard Suspension	Rear	19-215990	Standard Suspension
			Front Right	22-171009	Standard Suspension	Rear	19-216003	Sport Suspension
			Front Left	22-215895	Sport Suspension			
			Front Right	22-215949	Sport Suspension			
2007	Convertible; w/ R52 Body	B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2007	Convertible; w/ R52 Body	B6 (HD)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2007	Hatchback; w/ R56 Body	B6 (HD)	Front Left	35-139362		Rear Left	24-139380	
			Front Right	35-139379		Rear Right	24-139397	
2007	Hatchback; w/ R56 Body	B8 (SP)	Front Left	35-142287		Rear Left	24-142304	
			Front Right	35-142294		Rear Right	24-142311	
2006-2003		B12 (Pro-Kit)	Front and Rear	46-180452	Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Mini Cooper (continued)								
2006-2003		B14 (PSS)	Front and Rear	47-126916	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2006-2003		B16 (PSS10)	Front and Rear	48-136648	Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2006-2003		B4	Front Left	22-119186		Rear	19-119205	
			Front Right	22-119193				
2006-2003		B6 (HD)	Front Left	35-103233		Rear	24-103251	
			Front Right	35-103240				
2002		B12 (Pro-Kit)	Front and Rear	46-180452	From 03/2002; Front Lowered Height: 30mm, up to 890kg Axle Load; Rear Lowered Height: 30mm, up to 800kg Axle Load			
2002		B14 (PSS)	Front and Rear	47-126916	From 03/2002; Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 760kg Axle Load			
2002		B16 (PSS10)	Front and Rear	48-136648	From 03/2002; Front Lowered Height: 30-50mm, up to 890kg Axle Load; Rear Lowered Height: 30-50mm, up to 800kg Axle Load			
2002		B4	Front Left	22-119186	From 03/2002	Rear	19-119205	
			Front Right	22-119193	From 03/2002			
2002		B6 (HD)	Front Left	35-103233	From 03/2002	Rear	24-103251	
			Front Right	35-103240	From 03/2002			
Mini Cooper Countryman								
2013	Hot Chili	B4	Front Left	22-213709		Rear Left	19-213729	
			Front Right	22-213716		Rear Right	19-213736	
2013	Base	B4	Front Left	22-213709		Rear Left	19-213729	
			Front Right	22-213716		Rear Right	19-213736	
2013	S ALL4	B4	Front Left	22-213709		Rear Left	19-213729	
			Front Right	22-213716		Rear Right	19-213736	
2013	S	B4	Front Left	22-213709		Rear Left	19-213729	
			Front Right	22-213716		Rear Right	19-213736	
2013-2011		B6 (HD)	Front Left	35-195382		Rear Left	24-195409	
			Front Right	35-195399		Rear Right	24-195416	
2012-2011		B4	Front Left	22-213709		Rear Left	19-213729	
			Front Right	22-213716		Rear Right	19-213736	
Mitsubishi 3000GT								
1999-1991	VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)



Years	Application	Series	Front			Rear		
Mitsubishi 3000GT (continued)								
1996-1995	Spyder VR-4	B6 (HD)	Front	34-050224	Will replace electronic dampers but electronics will not function	Rear	24-017428	Will replace electronic dampers but electronics will not function
						Rear	24-017435	non-adjustable suspension (w/o ECS)
Mitsubishi Eclipse								
1994-1990	Base	B4				Rear	19-063362	
1994-1992, 1990	GSX	B4				Rear	19-063379	
1994-1990	GS	B4				Rear	19-063362	
1994-1990	GST	B4				Rear	19-063362	
1994-1990		B4	Front	F4-VNE-4780-BK				
Mitsubishi Galant								
2003-1999		B4				Rear	19-063423	
1993, 1989		B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992-1990	GS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992-1990	LS	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992-1991	GSR	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992-1990	Base	B4	Front	F4-VNE-4780-BK		Rear	19-028859	
1992-1991	VR-4	B6 (HD)				Rear	24-012614	
1992-1990	GSX	B6 (HD)				Rear	24-012614	
Mitsubishi Lancer								
2014-2008	Evolution GSR	B16 (PSS10)	Front and Rear	48-227186	Front Lowered Height: 40-50mm; Rear Lowered Height: 30-50mm			
2014-2008	Evolution MR	B16 (PSS10)	Front and Rear	48-227186	Front Lowered Height: 40-50mm; Rear Lowered Height: 30-50mm			
2011-2010	Evolution MR Touring	B16 (PSS10)	Front and Rear	48-227186	Front Lowered Height: 40-50mm; Rear Lowered Height: 30-50mm			
2009	Evolution RS	B16 (PSS10)	Front and Rear	48-227186	Front Lowered Height: 40-50mm; Rear Lowered Height: 30-50mm			
2006	Evolution SE	B16 (PSS9)	Front and Rear	48-086424	Front Lowered Height: 40-50mm, up to 1015kg Axle Load; Rear Lowered Height: 40-50mm, up to 900kg Axle Load			
2006-2003	Evolution	B16 (PSS9)	Front and Rear	48-086424	Front Lowered Height: 40-50mm, up to 1015kg Axle Load; Rear Lowered Height: 40-50mm, up to 900kg Axle Load			
2006-2005	Evolution MR	B16 (PSS9)	Front and Rear	48-086424	Front Lowered Height: 40-50mm, up to 1015kg Axle Load; Rear Lowered Height: 40-50mm, up to 900kg Axle Load			
2006-2005	Evolution RS	B16 (PSS9)	Front and Rear	48-086424	Front Lowered Height: 40-50mm, up to 1015kg Axle Load; Rear Lowered Height: 40-50mm, up to 900kg Axle Load			



Years	Application	Series	Front			Rear		
Mitsubishi Lancer (continued)								
2006-2004	Evolution	B6 (HD)	Front	35-118435	Evo 8	Rear	24-118446	Evo 8
2006	Evolution SE	B6 (HD)	Front	35-118435	Evo 8	Rear	24-118446	Evo 8
2006-2005	Evolution MR	B6 (HD)	Front	35-118435	Evo 8	Rear	24-118446	Evo 8
2006-2005	Evolution RS	B6 (HD)	Front	35-118435	Evo 8	Rear	24-118446	Evo 8
2006-2004	Evolution	B8 (SP)	Front	35-118459	Evo 8	Rear	24-118460	Evo 8
2006	Evolution SE	B8 (SP)	Front	35-118459	Evo 8	Rear	24-118460	Evo 8
2006-2005	Evolution RS	B8 (SP)	Front	35-118459	Evo 8	Rear	24-118460	Evo 8
2006-2005	Evolution MR	B8 (SP)	Front	35-118459	Evo 8	Rear	24-118460	Evo 8
Mitsubishi Mirage								
2001-1997		B4	Front Left	22-047779				
			Front Right	22-047786				
Nissan 240SX								
1998-1995		B6 (HD)				Rear	24-019163	
Nissan 280ZX								
1982-1979		B6 (HD)				Rear	24-000574	
Nissan 300ZX								
1996-1990		B6 (HD)	Front Left	24-014816	Z32 Chassis			
			Front Right	24-014823	Z32 Chassis			
1989-1984	Base	B6 (HD)	Front	34-002643		Rear	24-011167	
1989-1984	2+2	B6 (HD)	Front	34-002643		Rear	24-011167	
1989-1984	Turbo	B6 (HD)	Front	34-002629				
Nissan 350Z								
2009-2003		B12 (Pro-Kit)	Front and Rear	46-190529	Front Lowered Height: 30mm, up to 975kg Axle Load; Rear Lowered Height: 30mm, up to 975kg Axle Load			
2009-2003		B14 (PSS)	Front and Rear	47-101623	Front Lowered Height: 35-45mm, up to 975kg Axle Load; Rear Lowered Height: 35-45mm, up to 975kg Axle Load			
2008-2003		B16 (PSS10)	Front and Rear	48-146142				
2007-2006	Base	Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
2005-2003		Variable depending on application	Front Left	24-101561	Z33 Chassis	Rear	24-101585	Z33 Chassis
			Front Right	24-101578	Z33 Chassis			
Nissan 370Z								
2013-2009		B16 (PSS10)	Front and Rear	48-165815	Front Lowered Height: 25-40mm, up to 980kg Axle Load ; Rear Lowered Height: 0-40mm, up to 1000kg Axle Load			



Years	Application	Series	Front			Rear		
Nissan GT-R								
2013-2009		B4 (DampTronic)	Front Left	24-193238	With Electronic Suspension	Rear	24-193221	With Electronic Suspension
			Front Right	24-193245	With Electronic Suspension			
Nissan Maxima								
2003-2000		B4	Front Right	22-167033	Standard Chassis	Rear	19-167046	Standard Chassis
			Front Left	22-167026	Standard Chassis			
Oldsmobile 98								
1987-1977	w/ Coil Front Springs; w/ Coil Rear Springs	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Oldsmobile Custom Cruiser								
1977-1975		AK Series	Front	F4-BE3-E249-M0				
Oldsmobile Cutlass								
1997	Base	AK Series				Rear	F4-BE5-E250-M0	
1997	Base	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1987-1985, 1981-1973		B6 (HD)	Front	24-009492				
1981	Brougham	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	LS	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981	Brougham	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1981	LS	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1980, 1975		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980-1978, 1975-1973		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1979-1978		AK Series				Rear	F4-BE5-E250-M0	
1977-1976	Colonnade S	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	Colonnade	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977	442	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977-1976	S	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977-1976	Colonnade S	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977	442	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application

Passenger Cars



Years	Application	Series	Front			Rear		
Oldsmobile Cutlass (continued)								
1977-1976	S	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977	Colonnade	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1972-1971	Base	B6 (HD)	Front	24-131506				
1972	Cruiser	B6 (HD)	Front	24-131506				
1970-1968		B6 (HD)	Front	24-131506				
1967	Base	B6 (HD)	Front	24-029728				
1967	Holiday	B6 (HD)	Front	24-029728				
1966-1964		B6 (HD)	Front	24-029728				
Oldsmobile Cutlass Calais								
1984-1978		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1984-1978		B6 (HD)	Front	24-009492				
1984-1978		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Oldsmobile Cutlass Ciera								
1994-1991, 1989-1987, 1983-1982		4600 Series	Front	35-132462		Rear	24-010191	
1990, 1986-1985	GT	4600 Series	Front	35-132462		Rear	24-010191	
1990	Base	4600 Series	Front	35-132462		Rear	24-010191	
1990	SL	4600 Series	Front	35-132462		Rear	24-010191	
1986-1985	Holiday	4600 Series	Front	35-132462		Rear	24-010191	
1986-1984	Brougham	4600 Series	Front	35-132462		Rear	24-010191	
1986-1984	LS	4600 Series	Front	35-132462		Rear	24-010191	
1986-1985	ES	4600 Series	Front	35-132462		Rear	24-010191	
1985-1984	Cruiser LS	4600 Series	Front	35-132462		Rear	24-010191	
Oldsmobile Cutlass Cruiser								
1994	S	4600 Series	Front	35-132462		Rear	24-010191	
1994	Base	4600 Series	Front	35-132462		Rear	24-010191	
1993-1987		4600 Series	Front	35-132462		Rear	24-010191	
1983-1980		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1983-1980		B6 (HD)	Front	24-009492				
1983-1980		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application



Years	Application	Series	Front			Rear		
Oldsmobile Cutlass Salon								
1987-1985, 1981-1979, 1977-1975		AK Series	Front	F4-BE3- E249-M0		Rear	F4-BE5- E250-M0	
1987-1985, 1981-1975		B6 (HD)	Front	24-009492				
1987-1985, 1981-1979, 1977-1975		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1978	Base	AK Series	Front	F4-BE3- E249-M0		Rear	F4-BE5- E250-M0	
1978	Brougham	AK Series	Front	F4-BE3- E249-M0		Rear	F4-BE5- E250-M0	
1978	Brougham	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1978	Base	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Oldsmobile Cutlass Supreme								
1987-1978		AK Series	Front	F4-BE3- E249-M0		Rear	F4-BE5- E250-M0	
1987-1973		B6 (HD)	Front	24-009492				
1987-1978, 1974-1973		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977	Brougham	AK Series				Rear	F4-BE5- E250-M0	
1977-1976	Colonnade	AK Series				Rear	F4-BE5- E250-M0	
1977-1975		AK Series	Front	F4-BE3- E249-M0				
1977	Brougham	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977-1976	Colonnade	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1975	Base	AK Series				Rear	F4-BE5- E250-M0	
1975	Hurst	AK Series				Rear	F4-BE5- E250-M0	
1975	Base	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1975	Hurst	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1972-1968		B6 (HD)	Front	24-131506				
Oldsmobile Cutlass Tiara								
1976		AK Series	Front	F4-BE3- E249-M0		Rear	F4-BE5- E250-M0	
1976		B6 (HD)	Front	24-009492				

Passenger Cars



Years	Application	Series	Front			Rear		
Oldsmobile Cutlass Tiara (continued)								
1976		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Oldsmobile Delta 88								
1987-1977		AK Series				Rear	F4-BE5-E250-M0	
1987-1982, 1979-1977		Variable depending on application	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1981-1980	Royale	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
1981-1980		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1981-1980	Base	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
1981-1980	Royale Brougham	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
Oldsmobile F85								
1972-1968		AK Series				Rear	F4-BE5-E250-M0	
1972-1968		B6 (HD)	Front	24-131506				
1972-1968		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1967-1966, 1964		B6 (HD)	Front	24-029728				
1965	Base	B6 (HD)	Front	24-029728				
Oldsmobile Intrigue								
2002-1998		B6 (C)				Rear	35-153382	
Oldsmobile Omega								
1984-1980		4600 Series	Front	35-132462		Rear	24-010191	
Oldsmobile Toronado								
1985-1979		B6 (HD)	Front	24-009409				
Pontiac 6000								
1988-1984		4600 Series	Front	35-132462				
1988-1984	Base	4600 Series				Rear	24-010191	
1988-1986	SE	4600 Series				Rear	24-010191	
1988-1984	LE	4600 Series				Rear	24-010191	
1983	LE	4600 Series	Front	35-132462		Rear	24-010191	
1983	Base	4600 Series	Front	35-132462		Rear	24-010191	
1982		4600 Series	Front	35-132462		Rear	24-010191	



Years	Application	Series	Front			Rear		
Pontiac Bonneville								
1986-1982		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1986-1983		B6 (HD)	Front	24-009492				
1986-1982		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1982	Brougham	B6 (HD)	Front	24-009492				
Pontiac Firebird								
2002-2000, 1997-1994	Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002-2000	Coupe; Formula	B12 (Pro-Kit)	Front and Rear	46-200402	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002-2000	Coupe; Trans Am	B12 (Pro-Kit)	Front and Rear	46-200402	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
2002-1999, 1997-1995, 1993		B6 (HD)	Front	24-024068		Rear	24-024075	
1999-1998	Coupe	B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
			Front and Rear	46-200402	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1998	Trans Am	B6 (HD)				Rear	24-024075	
1998		B6 (HD)	Front	24-024068				
1998	Base	B6 (HD)				Rear	24-024075	
1998	Formula	B6 (HD)				Rear	24-024075	
1994	Formula	B6 (HD)	Front	24-024068				
1994	Trans Am	B6 (HD)	Front	24-024068				
1994		B6 (HD)				Rear	24-024075	
1994	Base	B6 (HD)	Front	24-024068				
1993		B12 (Pro-Kit)	Front and Rear	BTS-7501	Front Lowered Height: 30mm; Rear Lowered Height: 30mm			
1992-1982		B6 (HD)	Front	35-125228		Rear	24-192934	
1992-1982		B8 (SP)				Rear	24-225397	
1981-1970	Trans Am	B6 (HD)				Rear	24-001564	
1981-1972	Formula	B6 (HD)				Rear	24-001564	
1981-1977	Base	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
1981-1977	Trans Am	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
1981-1977	Formula	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
1976-1975		B6 (HD)	Front	24-029728				
1976-1970		Drag Series	Front	24-221467				

Passenger Cars



Years	Application	Series	Front			Rear		
Pontiac Firebird (continued)								
1969-1968		B6 (HD)				Rear	AK2073	Mono-Leaf Rear
						Rear	AK2074	Multi-Leaf Rear
1969-1968		Drag Series	Front	24-221467		Rear	24-221474	Mono-Leaf Rear
						Rear	24-221481	Multi-Leaf Rear
Pontiac GTO								
1972-1968		AK Series				Rear	F4-BE5-E250-M0	
1972-1968		B6 (HD)	Front	24-131506				
1972-1968		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1967-1964		B6 (HD)	Front	24-029728				
Pontiac Grand Am								
1980-1978, 1975		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1980-1978, 1975		B6 (HD)	Front	24-009492				
1980-1978, 1975		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Pontiac Grand Prix								
2008-1997		B6 (C)				Rear	35-153382	
1987-1977, 1975		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1987-1977, 1975		B6 (HD)	Front	24-009492				
1987-1977, 1975		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1976	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1976	Base	B6 (HD)	Front	24-009492				
1976	Base	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Pontiac LeMans								
1981-1978, 1975	Base	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1981-1975	Base	B6 (HD)	Front	24-009492				
1981-1978, 1975-1968		Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977-1976	2 Dr.; Base; Coupe	AK Series				Rear	F4-BE5-E250-M0	
1977-1976	Base	AK Series	Front	F4-BE3-E249-M0				
1977-1976	4 Dr.; Base; Sedan	AK Series				Rear	F4-BE5-E250-M0	



Years	Application	Series	Front			Rear		
Pontiac LeMans (continued)								
1977-1975	Sport	AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	
1977-1975	Sport	B6 (HD)	Front	24-009492				
1977	Safari	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977-1976	2 Dr.; Base; Coupe	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977-1976	4 Dr.; Base; Sedan	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1977-1976	Sport	Variable depending on application				Rear	24-009294	B6 (HD); SetOption: Variable depending on application
1972, 1970, 1968		B6 (HD)	Front	24-131506				
1971-1970	Sport	AK Series				Rear	F4-BE5-E250-M0	
1971	Sport	B6 (HD)	Front	24-131506				
1971, 1969	Base	B6 (HD)	Front	24-131506				
1967-1964		B6 (HD)	Front	24-029728				
Pontiac Parisienne								
1986-1983		AK Series				Rear	F4-BE5-E250-M0	
1986-1983		Variable depending on application	Front	24-011044	SetOption: Variable depending on application	Rear	24-009294	B6 (HD); SetOption: Variable depending on application
Pontiac Phoenix								
1984-1980		4600 Series	Front	35-132462		Rear	24-010191	
Pontiac Tempest								
1967-1964		B6 (HD)	Front	24-029728				
Porsche 356B								
1963-1960		B6 (HD)	Front	B46-0164		Rear	B46-0174	
Porsche 356C								
1965-1964		B6 (HD)	Front	B46-0164		Rear	B46-0174	
Porsche 356SC								
1965-1964		B6 (HD)	Front	B46-0164		Rear	B46-0174	
Porsche 911								
2012-2011	Carrera GTS; Coupe	B16 (DampTronic)	Front and Rear	49-115604	(PASM) Dampronic; Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 15-35mm, up to 1180kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear
Porsche 911 (continued)						
2012	Carrera 4 GTS	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic; Front Lowered Height: 25-35mm; Rear Lowered Height: 15-35mm	
			Front and Rear	49-135985	(PASM) Damptronic; Firmer Setting; Front Lowered Height: 15-35mm; Rear Lowered Height: 15-35mm	
2012-2007	Targa 4S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic; Front Lowered Height: 25-35mm; Rear Lowered Height: 15-35mm	
			Front and Rear	49-135985	(PASM) Damptronic; Firmer Setting; Front Lowered Height: 15-35mm; Rear Lowered Height: 15-35mm	
2012-2007	Turbo	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic; Comfort Setting; Front Lowered Height: 25-35mm; Rear Lowered Height: 15-35mm	
			Front and Rear	49-135985	(PASM) Damptronic; Front Lowered Height: 15-35mm; Rear Lowered Height: 15-35mm	
2012	Carrera S; w/ 991 Body	B16 (DampTronic)	Front and Rear	49-216042	Front Lowered Height: 20-40mm; Rear Lowered Height: 20-40mm; With PASM Electronic Suspension Package; Without PDCC Active Stabilizer Control	
			Front and Rear	49-216042	Front Lowered Height: 20-40mm; Must Purchase 11-223900; Rear Lowered Height: 20-40mm; With PASM Electronic Suspension Package; With PDCC Active Stabilizer Control	
2012	Carrera; w/ 991 Body	B16 (DampTronic)	Front and Rear	49-216042	Front Lowered Height: 20-40mm; Rear Lowered Height: 20-40mm; With PASM Electronic Suspension Package; Without PDCC Active Stabilizer Control	
			Front and Rear	49-216042	Front Lowered Height: 20-40mm; Must Purchase 11-223900; Rear Lowered Height: 20-40mm; With PASM Electronic Suspension Package; With PDCC Active Stabilizer Control	
2012-2007	Targa 4	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic; Front Lowered Height: 25-35mm; Rear Lowered Height: 15-35mm	
			Front and Rear	49-135985	(PASM) Damptronic; Firmer Setting; Front Lowered Height: 15-35mm; Rear Lowered Height: 15-35mm	
2012-2011	Turbo S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic; Comfort Setting; Front Lowered Height: 25-35mm; Rear Lowered Height: 15-35mm	
			Front and Rear	49-135985	(PASM) Damptronic; Front Lowered Height: 15-35mm; Rear Lowered Height: 15-35mm	
2012-2011	Carrera GTS; Convertible	B16 (DampTronic)	Front and Rear	49-115604	(PASM) Damptronic; Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 15-35mm, up to 1220kg Axle Load	



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
2012-2006	Carrera 4	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic; Front Lowered Height: 25-35mm; Rear Lowered Height: 15-35mm			
			Front and Rear	49-135985	(PASM) Damptronic; Firmer Setting; Front Lowered Height: 15-35mm; Rear Lowered Height: 15-35mm			
2012-2006	Carrera 4S	B16 (DampTronic)	Front and Rear	49-135817	(PASM) Damptronic; Front Lowered Height: 25-35mm; Rear Lowered Height: 15-35mm			
			Front and Rear	49-135985	(PASM) Damptronic; Firmer Setting; Front Lowered Height: 15-35mm; Rear Lowered Height: 15-35mm			
2012	Carrera; w/ 991 Body	B16 (PSS10)	Front and Rear	48-216036	Excludes PASM Electronic Suspension Package; Front Lowered Height: 20-40mm; Rear Lowered Height: 20-40mm			
2012	Carrera S; w/ 991 Body	B16 (PSS10)	Front and Rear	48-216036	Excludes PASM Electronic Suspension Package; Front Lowered Height: 20-40mm; Rear Lowered Height: 20-40mm			
2012-2011	Carrera GTS	B16 (PSS9)	Front and Rear	48-115575				
2012-2007	Carrera 4	B4	Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012-2007	Targa 4S	B4	Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012-2007	Carrera 4S	B4	Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension			

Passenger Cars



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
2012-2007	Targa 4	B4	Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012	Carrera 4 GTS	B4	Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension			
2012	Carrera; Coupe; w/ 991 Body	B4				Rear	24-219952	Excludes PASM Electronic Suspension Package; Standard Chassis
2012	Carrera S; Coupe; w/ 991 Body	B4				Rear	24-219952	Excludes PASM Electronic Suspension Package; Standard Chassis
2012	Carrera S; Coupe; w/ 991 Body	B4 (DampTronic)				Rear	26-219998	Sport Suspension; With PASM
						Rear	26-219974	Standard Chassis; With PASM
2012	Carrera; Coupe; w/ 991 Body	B4 (DampTronic)				Rear	26-219998	Sport Suspension; With PASM
						Rear	26-219974	Standard Chassis; With PASM
2012-2011	Turbo S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012-2007	Turbo	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012-2007	Targa 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012-2006	Carrera 4	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			
2012	Carrera 4 GTS	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package			
			Front Right	35-135944	Excludes PASM Electronic Suspension Package			



Years	Application	Series	Front			Rear
Porsche 911 (continued)						
2012-2006	Carrera 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package	
			Front Right	35-135944	Excludes PASM Electronic Suspension Package	
2012-2007	Targa 4S	B6 (HD)	Front Left	35-135937	Excludes PASM Electronic Suspension Package	
			Front Right	35-135944	Excludes PASM Electronic Suspension Package	
2012-2007	Turbo	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension	
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension	
2012-2007	Targa 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension	
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension	
2012-2006	Carrera 4	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension	
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension	
2012-2006	Carrera 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension	
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension	
2012-2011	Turbo S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension	
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension	
2012	Carrera 4 GTS	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension	
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension	
2012-2007	Targa 4S	B8 (SP)	Front Right	35-135920	Excludes PASM Electronic Suspension Package; Sport Suspension	
			Front Left	35-135913	Excludes PASM Electronic Suspension Package; Sport Suspension	
2011	GT2 RS	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic; Front Lowered Height: 10-30mm, up to 675kg Axle Load; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	
2011-2010, 2008-2007	GT3	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic; Front Lowered Height: 10-30mm, up to 675kg Axle Load; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	

Passenger Cars



Years	Application	Series	Front			Rear
Porsche 911 (continued)						
2011, 2008-2007	GT3 RS	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic; Front Lowered Height: 10-30mm, up to 675kg Axle Load; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	
2011-2005	Carrera S; Coupe	B16 (DampTronic)	Front and Rear	49-115604	(PASM) Damptronic; Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 15-35mm, up to 1180kg Axle Load	
2011-2006	Carrera S; Convertible	B16 (DampTronic)	Front and Rear	49-115604	(PASM) Damptronic; Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 15-35mm, up to 1220kg Axle Load	
2011-2006	Carrera; Convertible	B16 (DampTronic)	Front and Rear	49-115604	(PASM) Damptronic; Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 15-35mm, up to 1220kg Axle Load	
2011-2008	GT2	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic; Front Lowered Height: 10-30mm, up to 675kg Axle Load; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	
2011	GT3 RS 4.0	B16 (DampTronic)	Front and Rear	49-145489	(PASM) Damptronic; Front Lowered Height: 10-30mm, up to 675kg Axle Load; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	
2011-2005	Carrera; Coupe	B16 (DampTronic)	Front and Rear	49-115604	(PASM) Damptronic; Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 15-35mm, up to 1180kg Axle Load	
2011-2010, 2008-2007	GT3	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	
2011-2007	Turbo	B16 (PSS10)	Front and Rear	48-136013		
2011	GT3 RS 4.0	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	
2011	GT2 RS	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	
2011	Carrera 4S	B16 (PSS10)	Front and Rear	48-135887		
2011	Carrera 4	B16 (PSS10)	Front and Rear	48-135887		
2011, 2008-2007	GT3 RS	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load	
2011	Turbo S	B16 (PSS10)	Front and Rear	48-136013		



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
2011-2006	Carrera	B16 (PSS9)	Front and Rear	48-115575				
2011-2005	Carrera S	B16 (PSS9)	Front and Rear	48-115575				
2011-2007	Carrera S	B4	Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
2011-2007	Carrera	B4	Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
			Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension	Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
2011-2007, 2005	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2011-2007	Carrera 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2011-2007	Targa 4S	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2011-2007, 2005	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2011-2007	Targa 4	B4 (DampTronic)	Front Right	22-147554	With PASM	Rear	26-147543	With PASM
			Front Left	22-147561	With PASM			
2011-2007, 2005	Carrera	B4 (DampTronic)	Front	22-147530	With PASM	Rear	26-147543	With PASM
2011	Turbo S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2011-2007	Turbo	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2011-2007	Carrera	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2011-2007	Carrera 4	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2011-2007, 2005	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2011-2007	Carrera 4S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
			Front Right	35-135876	PASM; Standard Chassis			
2011-2005	Carrera S	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2011-2006	Carrera	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2011-2006	2 Dr.; Carrera 4S; Convertible	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
2011-2007	Carrera 4S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2011	Turbo S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2011-2007	Carrera	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2011-2007, 2005	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2011-2007	Turbo	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2011-2007	Carrera 4	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
			Front Right	35-135852	PASM; Sport Suspension			
2011-2006	Carrera	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2011-2005	Carrera S	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2011	GT3 RS 4.0	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011-2010, 2008-2007	GT3	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011, 2008-2007	GT3 RS	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011	GT2 RS	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2011, 2008-2007	GT3 RS	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011-2008	GT2	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011	GT2 RS	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011-2010, 2008-2007	GT3	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2011	GT3 RS 4.0	Motorsports (Reservoir)	Front	33-124254	Race Setting			
2010-2007	Targa 4	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
2010-2007	Targa 4S	B16 (PSS10)	Front and Rear	48-136013	Club Sport			



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
2010-2006	Carrera 4	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
			Front and Rear	48-135887				
2010-2006	Carrera 4S	B16 (PSS10)	Front and Rear	48-136013	Club Sport			
			Front and Rear	48-135887				
2010-2007	Targa 4S	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2010-2007	Targa 4	B8 (DampTronic)				Rear	26-118284	PASM; Sport Suspension
2009-2008	GT2	B16 (PSS10)	Front and Rear	48-145459	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2009-2008	GT2	Bilstein Clubsport	Front and Rear	48-218412	Front Lowered Height: 10-30mm, up to 675kg Axle Load; PASM (Electronic Suspension) will be disabled upon installation of kit; Rear Lowered Height: 10-30mm, up to 1105kg Axle Load			
2006	Carrera S	B4	Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension			
2006	Carrera	B4	Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension			
2006		B4				Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
						Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
2006	Carrera 4	B4	Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension			

Passenger Cars



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
2006	Carrera 4S	B4	Front Left	22-147493	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Right	22-147509	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front Left	22-147516	Excludes PASM Electronic Suspension Package; Sport Suspension			
			Front Right	22-147523	Excludes PASM Electronic Suspension Package; Sport Suspension			
2006	Carrera S	B4 (DampTronic)	Front	22-147530	With PASM			
2006	Carrera	B4 (DampTronic)	Front	22-147530	With PASM			
2006		B4 (DampTronic)			Rear	26-147543	With PASM	
2006	Carrera 4	B4 (DampTronic)	Front Right	22-147554	With PASM			
			Front Left	22-147561	With PASM			
2006	Carrera 4S	B4 (DampTronic)	Front Right	22-147554	With PASM			
			Front Left	22-147561	With PASM			
2006	Carrera 4	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis			
			Front Right	35-135876	PASM; Standard Chassis			
2006	Carrera	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis			
2006	Carrera 4S	B6 (DampTronic)	Front Left	35-135869	PASM; Standard Chassis			
			Front Right	35-135876	PASM; Standard Chassis			
2006		B6 (DampTronic)			Rear	26-118260	PASM; Standard Chassis	
2006	Carrera S	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis			
2006		B8 (DampTronic)			Rear	26-118284	PASM; Sport Suspension	
2006	Carrera	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension			
2006	Carrera 4S	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension			
			Front Right	35-135852	PASM; Sport Suspension			
2006	Carrera 4	B8 (DampTronic)	Front Left	35-135845	PASM; Sport Suspension			
			Front Right	35-135852	PASM; Sport Suspension			
2006	Carrera S	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension			
2005	Carrera S; Convertible; w/ 997 Body	B16 (DampTronic)	Front and Rear	49-115604	(PASM) Dampronic; Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 15-35mm, up to 1220kg Axle Load			



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
2005	Carrera; Convertible; w/ 997 Body	B16 (DampTronic)	Front and Rear	49-115604	(PASM) Damptronic; Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 15-35mm, up to 1220kg Axle Load			
2005	Turbo S	B16 (PSS10)	Front and Rear	48-186346	Front Lowered Height: 25-35mm, up to 825kg Axle Load; Rear Lowered Height: 15-20mm, up to 1250kg Axle Load			
2005	Carrera; w/ 996 Body	B16 (PSS10)	Front and Rear	48-186322				
2005-2002	Carrera 4S	B16 (PSS10)	Front and Rear	48-186339				
2005-2001	Turbo	B16 (PSS10)	Front and Rear	48-186346	Front Lowered Height: 25-35mm, up to 825kg Axle Load; Rear Lowered Height: 15-20mm, up to 1250kg Axle Load			
2005	Carrera; w/ 997 Body	B16 (PSS9)	Front and Rear	48-115575				
2005-2002	Carrera 4S	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2005	Carrera S; w/ 997 Body	B4	Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension			
2005	Carrera; w/ 996 Body	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
			Front	22-147448	Standard Chassis	Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
						Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
2005	Carrera; w/ 997 Body	B4	Front	22-147455	Excludes PASM Electronic Suspension Package; Standard Chassis			
			Front	22-147462	Excludes PASM Electronic Suspension Package; Sport Suspension			
2005	Carrera S; w/ 996 Body	B4				Rear	24-113359	Sport Suspension
						Rear	24-147477	Excludes PASM Electronic Suspension Package; Standard Chassis
						Rear	24-147484	Excludes PASM Electronic Suspension Package; Sport Suspension
2005	Carrera; w/ 997 Body	B6 (DampTronic)	Front	35-118251	PASM; Standard Chassis	Rear	26-118260	PASM; Standard Chassis
2005	Carrera; w/ 996 Body	B6 (HD)	Front	22-046123		Rear	24-029933	
2005-2001	Turbo	B6 (HD)	Front	22-052568		Rear	24-068116	
2005-2002	Carrera 4S	B6 (HD)	Front	22-052568		Rear	24-029933	
2005	Carrera; w/ 997 Body	B6 (HD)	Front	35-118213	Standard Suspension	Rear	24-118224	Standard Suspension
2005	Turbo S	B6 (HD)	Front	22-052568		Rear	24-068116	

Passenger Cars



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
2005	Carrera; w/ 997 Body	B8 (DampTronic)	Front	35-118275	PASM; Sport Suspension	Rear	26-118284	PASM; Sport Suspension
2005-2001	Turbo	B8 (SP)	Front	22-052728		Rear	24-068598	
2005	Turbo S	B8 (SP)	Front	22-052728		Rear	24-068598	
2005	Carrera; w/ 997 Body	B8 (SP)	Front	35-118237	Sport Suspension	Rear	24-118248	Sport Suspension
2005-2002	Carrera 4S	B8 (SP)	Front	22-052728		Rear	24-029940	
2005	Carrera; w/ 996 Body	B8 (SP)	Front	22-046130		Rear	24-029940	
2005-2004, 2001	GT3	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2005-2002	GT2	Motorsports	Front	34-046012	Race Setting	Rear	27-029732	Race Setting
2005-2004, 2001	GT3	Motorsports (Reservoir)	Front	33-616957	VLN Setting	Rear	27-124260	Race Setting
2005-2002	GT2	Motorsports (Reservoir)				Rear	27-124260	Race Setting
2004-1999	Carrera 4	B16 (PSS10)	Front and Rear	48-186339				
2004-1999	Carrera	B16 (PSS10)	Front and Rear	48-186322				
2004	40th Anniversary Edition	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
						Rear	24-147644	Standard Chassis
2004-1999	Carrera 4	B4	Front	22-113344	Sport Suspension	Rear	24-113359	Original spring seat must be reused; Sport Suspension
2004-2002	Targa	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
2004-1999	Carrera	B4	Front	22-113337	Sport Suspension	Rear	24-113359	Sport Suspension
			Front	22-147448	Standard Chassis	Rear	24-147644	Standard Chassis
2004-2001	Carrera	B6 (HD)	Front	22-046123		Rear	24-029933	
2004-2003	Carrera 4	B6 (HD)				Rear	24-029933	
2004-2003	AWD; Carrera 4	B6 (HD)	Front	22-052568				
2004-2001	Carrera	B8 (SP)	Front	22-046130		Rear	24-029940	
2004-2003	AWD; Carrera 4	B8 (SP)	Front	22-052728				
2004-2003	Carrera 4	B8 (SP)				Rear	24-029940	
2002-2001	Carrera 4	B6 (HD)	Front	22-052568		Rear	24-029933	
2002-2001	Carrera 4	B8 (SP)	Front	22-052728		Rear	24-029940	
2000-1999	Carrera 4	B6 (HD)	Front	22-052568				
2000-1999		B6 (HD)				Rear	24-029933	
2000-1999	Carrera	B6 (HD)	Front	22-046123				
2000-1999	Carrera	B8 (SP)	Front	22-046130				
2000-1999		B8 (SP)				Rear	24-029940	
2000-1999	Carrera 4	B8 (SP)	Front	22-052728				



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
1998, 1995		B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1998-1995		B16 (PSS10)	Front and Rear	48-132688				
1998-1995		B6 (HD)	Front Left	35-116486		Rear	24-061308	
			Front Right	35-116493				
			Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1998-1995		B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1997-1996, 1994	Targa	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997-1996	Carrera 4S	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997-1996	Carrera 4	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1997-1996	Carrera	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	Carrera 4; w/ 993 Body	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	Speedster; w/ 993 Body	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	RS America; w/ 993 Body	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994	Carrera 2; w/ 993 Body	B12 (Pro-Kit)	Front and Rear	46-193605	Front Lowered Height: 30mm, up to 760kg Axle Load; Rear Lowered Height: 30mm, up to 1080kg Axle Load			
1994-1992	Carrera 2	B16 (PSS10)	Front and Rear	48-132633				
1994-1992	Carrera 4	B16 (PSS10)	Front and Rear	48-132633				
1994-1992	RS America	B16 (PSS10)	Front and Rear	48-137539	Front Lowered Height: 20-40mm; Rear Lowered Height: 20-40mm; Walter Rohrl Setting			
1994-1993	Turbo 3.6	B16 (PSS10)	Front and Rear	48-132633				
1994	Targa	B6 (HD)	Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			

Passenger Cars



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
1994	Carrera 2; w/ 993 Body	B6 (HD)	Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1994-1992	Carrera 2	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1994-1992	Carrera 4	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1994-1992	RS America	B6 (HD)				Rear	F4-B46-1487-H0	
1994	Carrera 4; w/ 993 Body	B6 (HD)	Front Left	35-046929	Standard Chassis			
			Front Right	35-046936	Standard Chassis			
1994-1993	Turbo 3.6	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1994	Carrera 4; w/ 993 Body	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1994	Targa	B8 (SP)	Front Left	35-195276	Sport Suspension	Rear	24-195294	Sport Suspension
			Front Right	35-195283	Sport Suspension			
1994	Carrera 2; w/ 993 Body	B8 (SP)				Rear	24-195294	Sport Suspension
1992	Turbo	B16 (PSS10)	Front and Rear	48-132633				
1992	Turbo	B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1991		B16 (PSS10)	Front and Rear	48-132633				
1991		B6 (HD)	Front Left	35-052777		Rear	24-015479	
			Front Right	35-052784				
1990	Coupe	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_01467; To Chassis # 96MS4_10518			
1990	Convertible	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_50777; To Chassis # 96MS4_60466			
1990	Targa	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_30299; To Chassis # 96MS4_40240			
1990		B6 (HD)	Front Left	35-052777		Rear	24-017350	
			Front Right	35-052784				



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
1989	Carrera 4	B16 (PSS10)	Front and Rear	48-132626	Front Lowered Height: 20-40mm up to 780kg Axle Load; Rear Lowered Height: 20-40mm, up to 1150kg Axle Load; To Chassis # 96MS4_01467; To Chassis # 96MS4_10518			
1989	Speedster	B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front	34-050019	For vehicles equipped with OE Bilsteins (green)	Rear	24-001694	
			Front Right	35-001287				
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1989	Speedster; w/ 911 Body	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1989	Carrera 4	B6 (HD)	Front Left	35-052777		Rear	24-017350	
			Front Right	35-052784				
1989, 1987	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front	34-050019	For vehicles equipped with OE Bilsteins (green); From 4/85	Rear	24-001694	
			Front Right	35-001287				
			Front	34-001141	For vehicles equipped with OE Boge (black); From 4/85			
1989-1987	Targa; Turbo Carrera	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1989, 1987	Carrera; Coupe	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1989, 1987	Turbo Carrera	B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front	34-050019		Rear	24-001694	
			Front Right	35-001287				
1989, 1987	Coupe; Turbo Carrera	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1989-1986	Carrera	B8 (SP)	Front	34-050491	For vehicles equipped with OE Bilsteins (green); From 4/85; Group 1 Racing			
			Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); From 4/85; Sport Street			
1989-1986, 1977-1976	Turbo Carrera	B8 (SP)	Front	34-050491	Group 1 Racing			
			Front	34-050507	Sport Street			

Passenger Cars



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
1989	Speedster	B8 (SP)	Front	34-050491	For vehicles equipped with OE Bilsteins (green); Group 1 Racing			
			Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); Sport Street			
1989-1986	Turbo Carrera	Motorsports	Front Right	35-587736		Rear	24-595452	
			Front Left	35-587743				
1989	Speedster	Rallye				Rear	F4-B46-0180-H0	
1988	Coupe	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1988, 1986, 1977-1976		B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front Right	35-001287		Rear	24-001694	
						Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1988, 1986	Carrera	B6 (HD)	Front	34-050019	For vehicles equipped with OE Bilsteins (green); From 4/85			
			Front	34-001141	For vehicles equipped with OE Boge (black); From 4/85			
1988, 1986	Turbo Carrera	B6 (HD)	Front	34-050019				
1987, 1985-1981, 1974		B6 (HD)				Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1987	Base	Motorsports	Front Right	35-587736		Rear	24-595452	
			Front Left	35-587743				
1985	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front	34-050019	For vehicles equipped with OE Bilsteins (green); From 4/85	Rear	24-001694	
			Front Right	35-001287				
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001141	For vehicles equipped with OE Boge (black); From 4/85			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally; To 3/85			
1985	Carrera	B8 (SP)	Front	34-050491	For vehicles equipped with OE Bilsteins (green); From 4/85; Group 1 Racing			
			Front	34-001134	For vehicles equipped with OE Boge (black); To 3/85			
			Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); From 4/85; Sport Street			



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
1984, 1974	Carrera	B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front Right	35-001287		Rear	24-001694	
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1984, 1974	Carrera	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
1983	2 Dr.; Convertible; SC	B6 (HD)	Front	34-050019	For vehicles equipped with OE Bilsteins (green)			
			Front Right	35-001287				
1983	Convertible; SC	B6 (HD)	Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting	Rear	24-009737	Metric 14; Rally Setting
1983	SC	B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001694	
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1983-1981	SC	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1983	2 Dr.; Convertible; SC	B8 (SP)	Front	34-050491	For vehicles equipped with OE Bilsteins (green); Group 1 Racing			
			Front	34-050507	For vehicles equipped with OE Bilsteins (green); Sport Street			
1982-1981	SC	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009751	Sport Street
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-001694	
1980-1978, 1973-1972		B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009751	Sport Street
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally	Rear	24-001694	
						Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
1980-1978		B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	For vehicles equipped with OE Boge (black); Group 1 Racing			
1977-1976	S	B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1977-1976	Turbo Carrera	B6 (HD)	Front	34-050019		Rear	24-009737	Metric 14; Rally Setting
			Front	34-612200	For vehicles equipped with OE Bilsteins (green); Rally Setting			



Years	Application	Series	Front			Rear		
Porsche 911 (continued)								
1977-1976, 1974	S	B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
1975		B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front Right	35-001287		Rear	24-001694	
			Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-009676	Club Sport Model; For vehicles equipped with OE Boge (black); Metric 14; Race Setting
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1975, 1973- 1972		B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
			Front	34-001165	Club Sport; For vehicles equipped with OE Boge (black)			
1974	S	B6 (HD)	Front Left	35-001270		Rear	24-009751	Sport Street
			Front Right	35-001287		Rear	24-001694	
			Front	34-001127	For vehicles equipped with OE Boge (black)			
			Front	34-001158	For vehicles equipped with OE Boge (black); Rally			
1973	S	B6 (HD)	Front Left	35-001270				
			Front Right	35-001287				
1971-1969		B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1971-1969		B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
1968		B6 (HD)	Front	P36-0111				
1968	Base	B6 (HD)				Rear	24-001670	
1968	L	B6 (HD)				Rear	24-001670	
1967-1965		B6 (HD)	Front	P36-0111		Rear	24-001670	
Porsche 912								
1969		B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001670	
1968-1965		B6 (HD)	Front	P36-0111		Rear	24-001670	
Porsche 914								
1976-1970		B6 (HD)	Front	34-001127	For vehicles equipped with OE Boge (black)	Rear	24-001793	
1976-1970		B8 (SP)	Front	34-001134	For vehicles equipped with OE Boge (black)			
Porsche 924								
1988-1987		B6 (HD)	Front	34-001042		Rear	24-020527	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			



Years	Application	Series	Front			Rear		
Porsche 924 (continued)								
1982-1980		B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
1979-1977		B6 (HD)	Front	34-001042		Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black); Parameter 150/95			
Porsche 928								
1995-1993, 1991-1985		B6 (HD)	Front	24-009669		Rear	24-009744	
1984-1978		B6 (HD)				Rear	24-009744	
Porsche 944								
1991		B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
1990	S2	B6 (HD)				Rear	24-020527	
1990		B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1989-1986	Base	B6 (HD)	Front	34-001042	For vehicles equipped with OE Boge (black)			
1989-1987		B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1986		B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1985		B6 (HD)	Front	34-001042	For vehicles equipped with OE Boge (black)	Rear	24-020527	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1984		B6 (HD)	Front	34-001042	For vehicles equipped with OE Boge (black)	Rear	24-020527	From 9/84
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)	Rear	24-001618	To 8/84

Passenger Cars



Years	Application	Series	Front			Rear		
Porsche 944 (continued)								
1983		B6 (HD)	Front	34-001042	For vehicles equipped with OE Boge (black)	Rear	24-001618	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
Porsche 968								
1995-1992		B6 (HD)	Front	34-001042	For bolted struts only; For vehicles equipped with OE Boge (black)	Rear	24-020527	
Porsche Boxster								
2012-2010, 2008-2005		B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2012-2010, 2008-2005		B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012-2010, 2008-2005		B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012-2010, 2008-2005		B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011-2010, 2007-2005		B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2011-2010, 2008-2005		B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2011-2010, 2008-2005		B6 (HD)	Front	35-122180		Rear	35-122197	
2011-2010, 2008-2005		B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2011-2010, 2008-2005		B8 (SP)	Front	35-122203		Rear	35-122210	
2009, 2003-2001	Base	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2009, 2003-2001	S	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2009	Base	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2009	S	B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			



Years	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2009	S	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2009	Base	B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2009	Base	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2009	S	B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2009-2008	Base	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2009-2008	S	B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2009	Base	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2009	S	B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2009	S	B6 (HD)	Front	35-122180		Rear	35-122197	
2009	Base	B6 (HD)	Front	35-122180		Rear	35-122197	
2009	Base	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2009	S	B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2009	Base	B8 (SP)	Front	35-122203		Rear	35-122210	
2009	S	B8 (SP)	Front	35-122203		Rear	35-122210	
2004	Base; w/ 987 Body	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2004	S; w/ 987 Body	B12 (Pro-Kit)	Front and Rear	46-190673	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2004	Base; w/ 986 Body	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2004	Base; w/ 986 Body	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2004	S; w/ 986 Body	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2004	S Special Edition	B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Porsche Boxster (continued)								
2004-1997		B4	Front	22-113313		Rear	22-113320	
2004-1997		B6 (HD)	Front	22-046215		Rear	22-046222	
2004-1997		B8 (SP)	Front	22-046239		Rear	22-046246	
2003-2001	Roadster	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
2003-1997		B16 (PSS9)	Front and Rear	48-181440	Front Lowered Height: 15-35mm, up to 775kg Axle Load; Rear Lowered Height: 10-30mm, up to 920kg Axle Load			
2000	2.7L H6 2687cc; Roadster	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
1999	w/ 986 Body	B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
1998-1997		B12 (Pro-Kit)	Front and Rear	46-193803	Front Lowered Height: 25mm, up to 775kg Axle Load; Rear Lowered Height: 25mm, up to 940kg Axle Load			
Porsche Cayman								
2012-2006		B12 (Pro-Kit)	Front and Rear	46-190697	Excludes PASM Electronic Suspension Package; Front Lowered Height: 30mm, up to 785kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load			
2012-2006		B16 (DampTronic)	Front and Rear	49-122046	(PASM) Damptronic; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012-2006		B16 (PSS9)	Front and Rear	48-121897	Excludes PASM Electronic Suspension Package; Front Lowered Height: 25-45mm, up to 775kg Axle Load; Rear Lowered Height: 25-45mm, up to 940kg Axle Load			
2012-2006		B4	Front	22-147578	Excludes PASM Electronic Suspension Package	Rear	22-147585	Excludes PASM Electronic Suspension Package
2011-2006		B4 (DampTronic)	Front	22-147592	With PASM	Rear	22-147608	With PASM
2010-2006		B6 (DampTronic)	Front	35-122111	(PASM) Damptronic	Rear	35-122128	(PASM) Damptronic
2010-2006		B6 (HD)	Front	35-122180		Rear	35-122197	
2010-2006		B8 (DampTronic)	Front	35-122135	(PASM) Damptronic	Rear	35-122142	(PASM) Damptronic
2010-2006		B8 (SP)	Front	35-122203		Rear	35-122210	
Rolls Royce Camargue								
1987-1981		B6 (HD)	Front	24-014298				
1980-1975		B6 (HD)	Front	24-014298		Rear	24-014304	



Years	Application	Series	Front			Rear		
Rolls Royce Corniche								
2002-2000, 1985-1980		B6 (HD)	Front	24-014298				
1979-1975		B6 (HD)	Front	24-014298		Rear	24-014304	up to chassis number 49999
1974-1971		B6 (HD)	Front	24-014298		Rear	24-014304	
Rolls Royce Corniche II								
1992-1986		B6 (HD)	Front	24-014298				
Rolls Royce Corniche IV								
1995-1993		B6 (HD)	Front	24-014298				
Rolls Royce Corniche S								
1995		B6 (HD)	Front	24-014298				
Rolls Royce Silver Shadow								
1970-1966		B6 (HD)	Front	24-014298		Rear	24-014304	
Rolls Royce Silver Shadow II								
1980		B6 (HD)	Front	24-014298				
Rolls Royce Silver Spirit								
1990-1981		B6 (HD)	Front	24-014298				
Rolls Royce Silver Spur								
1990-1981		B6 (HD)	Front	24-014298				
Saab 9-3								
2010, 2007- 2004		B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2009-2008	2.0T	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2009-2008	Aero	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2003	SE	B6 (HD)	Front Left	35-102502		Rear	24-027571	
			Front	34-031049				
2003	Linear	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2003	Arc	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2003	Vector	B6 (HD)	Front Left	35-102502	Standard Suspension	Rear	24-102520	Standard Suspension
			Front Right	35-102519	Standard Suspension			
2003	SE	B8 (SP)	Front	34-031056		Rear	24-027588	
2002-1999		B6 (HD)	Front	34-031049		Rear	24-027571	
2002-1999		B8 (SP)	Front	34-031056		Rear	24-027588	

Passenger Cars



Years	Application	Series	Front			Rear		
Saab 9-5								
2009-2005, 2003	Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2009-2003	Wagon	B12 (Pro-Kit)	Front and Rear	46-194404	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2009	Aero	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2009	2.3t	B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2009	2.3t	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2009	Aero	B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2008-2002		B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
2008-2002		B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
2004	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2004	Arc; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2004	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194381	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2002-2001	Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; To Chassis # YS3ES55CD1			
			Front and Rear	46-194381	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2002	2.3t; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
			Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			



Years	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2002	Aero; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
			Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2002	Arc; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
			Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2002	Linear; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
			Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2001	Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load; To Chassis # YS3ES55CD1			
			Front and Rear	46-194404	From Chassis # YS3ES55CD2; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2001		B6 (HD)	Front	35-051688	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027083	
			Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan			
2001		B8 (SP)	Front	35-051695	From 9/01; From Chassis Number YS3ES55CD2 for Wagon; From Chassis Number YSES55CD2 for Sedan	Rear	24-027090	
			Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSES55CD1 for Sedan			
2000	2.3t; Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2000	SE; Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
2000	Aero; Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Saab 9-5 (continued)								
2000	Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
2000-1999		B6 (HD)	Front	35-043713	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSE55CD1 for Sedan	Rear	24-027083	
2000-1999		B8 (SP)	Front	35-043881	To 8/01; Up to Chassis Number YSEES55CD1 for Wagon; Up to Chassis Number YSE55CD1 for Sedan	Rear	24-027090	
1999	Sedan	B12 (Pro-Kit)	Front and Rear	46-194374	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load			
1999	Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-194398	Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1125kg Axle Load			
Saab 900								
1998, 1995-1994	2 Dr.; Convertible; S	B4	Front	21-031274				
1998, 1995	2 Dr.; Convertible; SE Turbo	B4	Front	21-031274				
1998	S Turbo	B4	Front	21-031267				
1998-1995		B4				Rear	19-061276	
1998	4 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1998, 1995-1994	4 Dr.; Hatchback; S	B4	Front	21-031267				
1998, 1995	2 Dr.; Hatchback; SE Turbo	B4	Front	21-031267				
1998-1995		B6 (HD)	Front	34-030936		Rear	24-025386	
1997-1996	2 Dr.; Convertible	B4	Front	21-031274				
1997-1996	2 Dr.; Hatchback	B4	Front	21-031267				
1997-1996	4 Dr.; Hatchback	B4	Front	21-031267				
1995	SE	B4	Front	21-031267				
1995-1994	2 Dr.; Hatchback; S	B4	Front	21-031267				
1994	4 Dr.; Hatchback; SE	B4	Front	21-031267				
1994	SE	B4				Rear	19-061276	
1994	Turbo Commemorative Edition	B4	Front	19-019536		Rear	19-019543	
1994	Turbo	B4	Front	19-019536		Rear	19-019543	
1994	2 Dr.; Convertible; SE	B4	Front	21-031274				
1994	SE Turbo	B4	Front	21-031267		Rear	19-061276	
1994	S	B4				Rear	19-061276	



Years	Application	Series	Front			Rear		
Saab 900 (continued)								
1994	SE	B6 (HD)	Front	34-030936		Rear	24-025386	
1994	SE Turbo	B6 (HD)	Front	34-030936		Rear	24-025386	
1994	S	B6 (HD)	Front	34-030936		Rear	24-025386	
1994	Turbo	B6 (HD)	Front	24-181501		Rear	24-003971	
1994	Turbo Commemorative Edition	B6 (HD)	Front	24-181501		Rear	24-003971	
1993-1979		B4	Front	19-019536		Rear	19-019543	
1993-1979		B6 (HD)	Front	24-181501		Rear	24-003971	
Saab 9000								
1998, 1987		B4	Front	19-019536				
1998, 1994, 1991-1989, 1987		B6 (HD)	Front	22-205438	From Chassis Number H 101 5470; From Chassis Number H 800 0556			
1997-1995, 1993-1992, 1988		B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1997-1995, 1993-1992, 1988		B6 (HD)	Front	22-040343		Rear	24-017855	
			Front	22-205438	From Chassis Number H 101 5470; From Chassis Number H 800 0556			
1994	Aero	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CS	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CSE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CSE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CS Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CDE Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CDE	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1994	CDE	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CDE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	Aero	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CS	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CSE Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1994	CSE	B6 (HD)	Front	22-040343		Rear	24-017855	



Years	Application	Series	Front			Rear		
Saab 9000 (continued)								
1994	CS Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1991, 1989	Base	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991-1990	Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991	CD Turbo	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991-1989	S	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991-1989	CD	B4	Front	19-019536		Rear	19-029382	
			Front	22-045713				
1991-1990	Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1991, 1989	Base	B6 (HD)	Front	22-040343		Rear	24-017855	
1991-1989	CD	B6 (HD)	Front	22-040343		Rear	24-017855	
1991	CD Turbo	B6 (HD)	Front	22-040343		Rear	24-017855	
1991-1989	S	B6 (HD)	Front	22-040343		Rear	24-017855	
1986		B4	Front	19-019536				
			Front	22-045706	Standard Chassis; To Chassis Number H 101 5469; To Chassis Number H 800 0555			
Saab 95								
1973-1969, 1966-1965		B4	Front	19-019505				
1968-1967	Base	B4	Front	19-019505				
Saab 96								
1973-1969, 1966-1965		B4	Front	19-019505				
1968-1967	Base	B4	Front	19-019505				
Saab 99								
1980-1979		B4	Front	19-019505		Rear	19-019543	
1978-1975, 1972		B4	Front	19-019505				
1974	LE	B4	Front	19-019505				
1974-1973	EMS	B4	Front	19-019505				
1974-1973	Base	B4	Front	19-019505				
Saturn Astra								
2009-2008		B12 (Pro-Kit)	Front and Rear	46-182128	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			



Years	Application	Series	Front			Rear		
Saturn Astra (continued)								
2009-2008		B12 (Sportline)	Front and Rear	46-182166	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 960kg Axle Load; Rear Lowered Height: 30mm, up to 860kg Axle Load			
Scion FR-S								
2014-2013		B14 (PSS)	Front and Rear	47-228337	Front Lowered Height: 10-30mm, up to 876kg Axle Load; Rear Lowered Height: 10-30mm, up to 943kg Axle Load			
2014-2013		B16 (PSS10)	Front and Rear	48-228299	Front Lowered Height: 10-30mm, up to 876kg Axle Load; Rear Lowered Height: 10-30mm, up to 943kg Axle Load			
2014-2013		B6 (HD)	Front Left	35-228370		Rear	24-228398	
			Front Right	35-228387				
2014-2013		B8 (SP)	Front Left	35-228417		Rear	24-228435	
			Front Right	35-228424				
Seat Cordoba								
2009-2003		B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009-2003		B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009-2003		B4	Front	22-105813		Rear	19-109572	
Seat Ibiza								
2009-2004		B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009-2004		B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 30-50mm, up to 960kg Axle Load; Rear Lowered Height: 30-45mm, up to 835kg Axle Load			
2009-2004		B4	Front	22-105813		Rear	19-109572	
Seat Leon								
2012-2010		B4				Rear	19-127439	
2009		B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Seat Leon (continued)								
2009		B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009	Stylance	B12 (Sportline)	Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009-2007		B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2009-2007		B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009-2007		B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2009-2007		B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-127439	
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2009-2007		B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
			Front	35-113751	With 50mm Outside Strut Diameter			
2009-2007		B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
			Front	35-113768	With 50mm Outside Strut Diameter			
2009-2007		Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	Cupra	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear
Seat Leon (continued)						
2008-2007	Reference	B12 (Pro-Kit)	Front and Rear	46-000217	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182364	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
2008-2007	2.0T FSI	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
2008, 2006	Stylance	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-000217	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182364	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
2008-2007	Stylance	B12 (Sportline)	Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	



Years	Application	Series	Front			Rear
Seat Leon (continued)						
2008	Cupra	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
2008-2007	Reference	B12 (Sportline)	Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
2008-2007	2.0T FSI	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
2007	2.0L L4 1984cc 121 CID; Reference	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
2007	2.0L L4 1984cc 121 CID; Stylance	B12 (Pro-Kit)	Front and Rear	46-000217	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182364	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
2007	Sport Up WTCC	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	



Years	Application	Series	Front			Rear
Seat Leon (continued)						
2007	Sport	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
2007	Sport Up	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
2007	Stylance	B12 (Pro-Kit)	Front and Rear	46-000200	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182371	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 965kg Axle Load; With 55mm Outside Strut Diameter	
2007	Sport	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
2007	Sport Up WTCC	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
2007	Sport Up	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	



Years	Application	Series	Front			Rear
Seat Leon (continued)						
2007	2.0L L4 1984cc 121 CID; Reference	B12 (Sportline)	Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
2006	FR Last Edition	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load	
2006-2005	FR	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load	
2006-2003	Cupra R	B12 (Pro-Kit)	Front and Rear	46-187994	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load	
2006-2005	FR	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load	
2006-2003	Cupra R	B12 (Sportline)	Front and Rear	46-180278	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10mm, up to 1000kg Axle Load	
2006	Stylance	B12 (Sportline)	Front and Rear	46-000224	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-000262	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-182340	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-182357	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter	
2006	FR Last Edition	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load	
2006	Stylance	B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter	



Years	Application	Series	Front			Rear		
Seat Leon (continued)								
2006	Stylance	B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006	Stylance	B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006	FR	B4				Rear	19-140032	Off-road Suspension
2006	FR Last Edition	B4				Rear	19-140032	Off-road Suspension
2006	Stylance	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2006	Cupra R	B4				Rear	19-140032	Off-road Suspension
2006	Cupra R	B6 (HD)	Front	35-046370		Rear	24-026239	
2006	Stylance	B6 (HD)	Front	35-108177	With 50mm Outside Strut Diameter	Rear	24-172936	
			Front	35-113751	With 50mm Outside Strut Diameter			
2006	FR Last Edition	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	FR	B6 (HD)	Front	35-044079		Rear	24-026239	
2006	FR Last Edition	B8 (SP)	Front	35-044086		Rear	24-026246	
2006	Stylance	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
			Front	35-113768	With 50mm Outside Strut Diameter			
2006	Cupra R	B8 (SP)	Front	35-046387		Rear	24-026246	
2006	FR	B8 (SP)	Front	35-044086		Rear	24-026246	
2006	Stylance	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 10-20mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2005	Stylance	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2005	Stylance	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2005-2001		B4				Rear	19-140032	Off-road Suspension
2005-2003	Cupra R	B6 (HD)	Front	35-046370				
2005	Stylance	B6 (HD)	Front	35-044079				
2005	FR	B6 (HD)	Front	35-044079				

Passenger Cars



Years	Application	Series	Front			Rear		
Seat Leon (continued)								
2005-2003		B6 (HD)				Rear	24-026239	
2005-2003		B8 (SP)				Rear	24-026246	
2005-2003	Cupra R	B8 (SP)	Front	35-046387				
2005	FR	B8 (SP)	Front	35-044086				
2005	Stylance	B8 (SP)	Front	35-044086				
2004-2003	Signo	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2004-2003	Stella	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2004-2003	Sport	B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2004-2003	Stella	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004-2003	Sport	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004-2003	Signo	B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2004-2003	Sport	B6 (HD)	Front	35-044079				
2004-2003	Stella	B6 (HD)	Front	35-044079				
2004-2003	Signo	B6 (HD)	Front	35-044079				
2004-2003	Signo	B8 (SP)	Front	35-044086				
2004-2003	Sport	B8 (SP)	Front	35-044086				
2004-2003	Stella	B8 (SP)	Front	35-044086				
2002-2001		B12 (Pro-Kit)	Front and Rear	46-182326	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 985kg Axle Load			
2002-2001		B12 (Sportline)	Front and Rear	46-180261	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2002-2001		B6 (HD)	Front	35-044079		Rear	24-026239	
2002-2001		B8 (SP)	Front	35-044086		Rear	24-026246	



Years	Application	Series	Front			Rear		
Seat Toledo								
2006	w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-194763	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194770	Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 55mm Outside Strut Diameter			
2006	Reference; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-194749	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194756	Front Lowered Height: 30mm, up to 1022kg Axle Load; Rear Lowered Height: 30mm, up to 1050kg Axle Load; With 55mm Outside Strut Diameter			
2006		B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006		B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006		B16 (PSS9)	Front and Rear	48-113793	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1095kg Axle Load; With 50mm Outside Strut Diameter			
2006	Stylance	B4				Rear	19-127439	
2006		B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2006	Stylance	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2006	Stylance	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2005-2001		B12 (Pro-Kit)	Front and Rear	46-188014	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 982kg Axle Load; Rear Lowered Height: 20-25mm, up to 1000kg Axle Load			
2005-2001		B12 (Sportline)	Front and Rear	46-180285	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2005-2001		B4				Rear	19-140032	Off-road Suspension
2005-2001		B6 (HD)	Front	35-044079		Rear	24-026239	
2005-2001		B8 (SP)	Front	35-044086		Rear	24-026246	

Passenger Cars



Years	Application	Series	Front			Rear		
Smart Crossblade								
2004		B14 (PSS)	Front and Rear	47-107632	Front Lowered Height: 10-30mm, up to 465kg Axle Load; Rear Lowered Height: 10-30mm, up to 610kg Axle Load; Spacers required for several wheel/tire combinations			
Smart Fortwo								
2013-2011	Pure	B4	Front	22-145697		Rear	24-126793	Must reuse O.E. spring seat
2013-2011	Passion Cabrio	B4	Front	22-145697		Rear	24-126793	Must reuse O.E. spring seat
2013, 2011	Brabus	B4	Front	22-145697		Rear	24-126793	Must reuse O.E. spring seat
2013-2012	MHD	B4	Front	22-145697				
2013	Sharpred	B4	Front	22-145697				
2013-2011	Passion	B4	Front	22-145697		Rear	24-126793	Must reuse O.E. spring seat
2012-2011	Passion	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2012-2011	Pure	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2012-2011	Passion Cabrio	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2012	Pearlgrey	B4	Front	22-145697				
2011	Brabus	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2011	Brabus Cabrio	B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2011	Brabus Cabrio	B4	Front	22-145697		Rear	24-126793	Must reuse O.E. spring seat
2010-2008		B14 (PSS)	Front and Rear	47-165403	Front Lowered Height: 10-20mm, up to 440kg Axle Load; Rear Lowered Height: 10-30mm, up to 660kg Axle Load			
2010-2008		B4	Front	22-145697		Rear	24-126793	Must reuse O.E. spring seat
Smart Roadster								
2004		B14 (PSS)	Front and Rear	47-107632	Front Lowered Height: 10-30mm, up to 465kg Axle Load; Rear Lowered Height: 10-30mm, up to 610kg Axle Load; Spacers required for several wheel/tire combinations			
Subaru BRZ								
2014-2013	Premium	B14 (PSS)	Front and Rear	47-228337	Front Lowered Height: 10-30mm, up to 876kg Axle Load; Rear Lowered Height: 10-30mm, up to 943kg Axle Load			
2014-2013	Limited	B14 (PSS)	Front and Rear	47-228337	Front Lowered Height: 10-30mm, up to 876kg Axle Load; Rear Lowered Height: 10-30mm, up to 943kg Axle Load			



Years	Application	Series	Front			Rear		
Subaru BRZ (continued)								
2014-2013	Limited	B16 (PSS10)	Front and Rear	48-228299	Front Lowered Height: 10-30mm, up to 876kg Axle Load; Rear Lowered Height: 10-30mm, up to 943kg Axle Load			
2014-2013	Premium	B16 (PSS10)	Front and Rear	48-228299	Front Lowered Height: 10-30mm, up to 876kg Axle Load; Rear Lowered Height: 10-30mm, up to 943kg Axle Load			
2014-2013	Limited	B6 (HD)	Front Left	35-228370		Rear	24-228398	
			Front Right	35-228387				
2014-2013	Premium	B6 (HD)	Front Left	35-228370		Rear	24-228398	
			Front Right	35-228387				
2014-2013	Limited	B8 (SP)	Front Left	35-228417		Rear	24-228435	
			Front Right	35-228424				
2014-2013	Premium	B8 (SP)	Front Left	35-228417		Rear	24-228435	
			Front Right	35-228424				
2013	Base	B14 (PSS)	Front and Rear	47-228337	Front Lowered Height: 10-30mm, up to 876kg Axle Load; Rear Lowered Height: 10-30mm, up to 943kg Axle Load			
2013	Base	B16 (PSS10)	Front and Rear	48-228299	Front Lowered Height: 10-30mm, up to 876kg Axle Load; Rear Lowered Height: 10-30mm, up to 943kg Axle Load			
2013	Base	B6 (HD)	Front Left	35-228370		Rear	24-228398	
			Front Right	35-228387				
2013	Base	B8 (SP)	Front Left	35-228417		Rear	24-228435	
			Front Right	35-228424				
Subaru Impreza								
2012-2010	WRX Limited	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2012-2008	WRX STI	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2012-2008	WRX	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2012-2011	WRX STI Limited	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011-2009	WRX Premium	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			
2011-2008	2.5i	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear
Subaru Impreza (continued)						
2011-2010	2.5i Premium	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010	WRX STI Special Edition	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2010-2009	2.5 GT	B16 (PSS10)	Front and Rear	48-155830	Front Lowered Height: 20-40mm, up to 1050kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load	
2007-2005	WRX STI	B16 (PSS9)	Front and Rear	48-123525		
2007-2006	WRX TR	B16 (PSS9)	Front and Rear	48-101288		
2007-2006	2.5i	B16 (PSS9)	Front and Rear	48-101288		
2007-2004	WRX	B16 (PSS9)	Front and Rear	48-101288	Requires 01-03 rear upper mounts; Requires 15mm rear wheel spacers	
2007-2005	Outback Sport	B16 (PSS9)	Front and Rear	48-101288		
2007-2006	WRX Limited	B16 (PSS9)	Front and Rear	48-101288		
2005-2002	RS	B16 (PSS9)	Front and Rear	48-101288		
2004-2002	TS	B16 (PSS9)	Front and Rear	48-101288		
2004	WRX STI	B16 (PSS9)	Front and Rear	48-101288	Requires 01-03 rear upper mounts; Requires 15mm rear wheel spacers	
2004-2001	Outback	B16 (PSS9)	Front and Rear	48-101288		
2003-2002	WRX	B16 (PSS9)	Front and Rear	48-101288	Requires 15mm rear wheel spacers	
2001	L	B16 (PSS9)	Front and Rear	48-101288		
2001-1998	RS	B16 (PSS9)	Front and Rear	48-086035	Front Lowered Height: 50mm; Rear Lowered Height: 35mm	
Subaru Legacy						
2009-2008	3.0 R Limited	B6 (HD)	Front Left	35-118305		
			Front Right	35-118312		
2009-2008	2.5i	B6 (HD)	Front Left	35-118305		
			Front Right	35-118312		
2009	3.0 R	B6 (HD)	Front Left	35-118305		
			Front Right	35-118312		
2009-2008	2.5i Limited	B6 (HD)	Front Left	35-118305		
			Front Right	35-118312		



Years	Application	Series	Front			Rear		
Subaru Legacy (continued)								
2009-2008	GT Limited	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2009-2007	GT spec.B	B6 (HD)	Front Left	35-118305		Rear	24-118323	
			Front Right	35-118312				
2008	2.5i Special Edition	B6 (HD)	Front Left	35-118305				
			Front Right	35-118312				
2006	GT spec.B	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension	Rear	24-118323	
			Front Right	35-118312				
2006	GT	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2006	2.5i	B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2005		B6 (HD)	Front Left	35-118305	Exc. outback and air suspension; Non spec B must convert to spec B upper mounts			
			Front Right	35-118312	Exc. outback and air suspension; Non spec b must upgrade to spec b upper mounts			
2004-2000		B6 (HD)				Rear	24-101707	
1999-1996	GT	B4	Front Left	22-048028				
			Front Right	22-048035				
1999	Limited 30th Anniversary	B4	Front Left	22-048028				
			Front Right	22-048035				
1999	L 30th Anniversary	B4	Front Left	22-048028				
			Front Right	22-048035				
1999	SUS 30th Anniversary	B4	Front Left	22-048028				
			Front Right	22-048035				
1999-1995	L	B4	Front Left	22-048028				
			Front Right	22-048035				
1998-1995	Postal	B4	Front Left	22-048028				
			Front Right	22-048035				
1998	GT Limited	B4	Front Left	22-048028				
			Front Right	22-048035				
1998-1995	Brighton	B4	Front Left	22-048028				
			Front Right	22-048035				

Passenger Cars



Years	Application	Series	Front			Rear		
Subaru Legacy (continued)								
1997	Outback Limited	B4	Front Left	22-048028				
1997-1995	LSi	B4	Front Left	22-048028				
			Front Right	22-048035				
1996-1995	LS	B4	Front Left	22-048028				
			Front Right	22-048035				
1995	Base	B4	Front Left	22-048028				
			Front Right	22-048035				
Suzuki Aerio								
2007		B4	Front Left	22-212986	Standard Chassis	Rear Left	22-213686	Standard Chassis
			Front Right	22-212993	Standard Chassis	Rear Right	22-213693	Standard Chassis
2006	Base	B4				Rear Left	22-213686	Standard Chassis
						Rear Right	22-213693	Standard Chassis
2006-2002		B4	Front Left	22-212986	Standard Chassis			
			Front Right	22-212993	Standard Chassis			
2006	GLS	B4				Rear Left	22-213686	Standard Chassis
						Rear Right	22-213693	Standard Chassis
2006	GL	B4				Rear Left	22-213686	Standard Chassis
						Rear Right	22-213693	Standard Chassis
2006	Premium	B4				Rear Left	22-213686	Standard Chassis
						Rear Right	22-213693	Standard Chassis
2005-2002	S	B4				Rear Left	22-213686	Standard Chassis
						Rear Right	22-213693	Standard Chassis
2005-2004	LX	B4				Rear Left	22-213686	Standard Chassis
						Rear Right	22-213693	Standard Chassis
2003-2002	GS	B4				Rear Left	22-213686	Standard Chassis
						Rear Right	22-213693	Standard Chassis
Suzuki Swift								
2010-2007		B6 (HD)	Front Right	22-222138		Rear	24-222143	
			Front Left	22-222121				
Toyota Camry								
1996		B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1995	DX	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1995	XLE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96



Years	Application	Series	Front			Rear		
Toyota Camry (continued)								
1995	LE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1995	SE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96	Rear Right	22-049599	From 92 To 7/96
1994	SE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96			
			Front Right	F4-VNE-E029-BA				
1994	DX	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96			
			Front Right	F4-VNE-E029-BA				
1994	LE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96			
			Front Right	F4-VNE-E029-BA				
1994	XLE	B4	Front Left	22-048325	From 9/94 To 7/96	Rear Left	22-049582	From 92 To 7/96
			Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Right	22-049599	From 92 To 7/96
			Front Right	22-048332	From 9/94 To 7/96			
			Front Right	F4-VNE-E029-BA				
1993	DX	B4	Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Left	22-049582	From 92 To 7/96
			Front Right	F4-VNE-E029-BA		Rear Right	22-049599	From 92 To 7/96
1993-1992	LE	B4	Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Left	22-049582	From 92 To 7/96
			Front Right	F4-VNE-E029-BA		Rear Right	22-049599	From 92 To 7/96
1993-1992	XLE	B4	Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Left	22-049582	From 92 To 7/96
			Front Right	F4-VNE-E029-BA		Rear Right	22-049599	From 92 To 7/96
1993-1992	SE	B4	Front Left	F4-VNE-E028-BA	Exc. all trac	Rear Left	22-049582	From 92 To 7/96
			Front Right	F4-VNE-E029-BA		Rear Right	22-049599	From 92 To 7/96
1992	DLX	B4	Front Right	F4-VNE-E029-BA		Rear Right	22-049599	From 92 To 7/96

Passenger Cars



Years	Application	Series	Front			Rear		
Toyota Camry (continued)								
1991-1990, 1988	Base	B4				Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1991-1988	4 Dr.; LE; Sedan	B4				Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1991-1988	4 Dr.; DLX; Sedan	B4				Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1989	4 Dr.; Base; Sedan	B4				Rear	F4-PNE-3111-BH	Strut housings must be servicable type
1987	4 Dr.; Sedan	B4				Rear	F4-PNE-3111-BH	Strut housings must be servicable type
Toyota Celica								
1993-1989	ST	B4				Rear Left	22-049506	From 10/89 To 93
1993-1989	GT	B4				Rear Left	22-049506	From 10/89 To 93
1993-1989	GTS	B4				Rear Left	22-049506	From 10/89 To 93
Toyota Corolla								
2008-2003		B12 (Pro-Kit)	Front and Rear	46-182265	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 970kg Axle Load			
2008	S	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2008	LE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2008	CE	B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2007-2003		B6 (HD)	Front Left	35-053460		Rear	24-069243	
			Front Right	35-053477				
2002-1998, 1996-1994		B4	Front Right	22-048196		Rear Left	22-049469	
						Rear Right	22-049476	
1997, 1993	Base	B4	Front Right	22-048196		Rear Left	22-049469	
						Rear Right	22-049476	
1997, 1993	LE	B4	Front Right	22-048196		Rear Left	22-049469	
						Rear Right	22-049476	
1997, 1993	DX	B4	Front Right	22-048196		Rear Left	22-049469	
						Rear Right	22-049476	
1992-1990	Base	B4				Rear Left	22-049384	
1992-1988	LE	B4				Rear Left	22-049384	
1992-1988	DLX	B4				Rear Left	22-049384	
1991-1988	GTS	B4	Front	21-031373		Rear Left	22-049384	Must have servicable strut housing
1991-1988	SR5	B4				Rear Left	22-049384	



Years	Application	Series	Front			Rear		
Toyota Corolla (continued)								
1988	FX	B4				Rear Left	22-049384	
1988	FX16	B4				Rear Left	22-049384	
1988	FX16 GTS	B4				Rear Left	22-049384	Must have servicable strut housing
1987-1985	Sport SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
						Rear	24-001540	Rennen Model/Firmer Setting
1987-1985	Sport GTS	B6 (HD)	Front	34-000984		Rear	24-003193	
						Rear	24-001540	Rennen Model/Firmer Setting
1985-1984	Sport DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1985-1984	DLX	B6 (HD)	Front	34-000984		Rear	24-003193	
1984	Sport SR5	B6 (HD)	Front	34-000984		Rear	24-003193	
1983-1979		B6 (HD)	Front	34-000984		Rear	24-003193	
Toyota MR2								
1995-1991		B6 (HD)	Front Left	35-040170		Rear Left	35-040194	
			Front Right	35-040187		Rear Right	35-040200	
Toyota Supra								
1998-1993		B6 (HD)	Front	AK1242		Rear	AK1243	
1992-1986		B6 (HD)	Front	24-011259	From 6/86 To 91	Rear	24-011266	From 6/86 To 91
Volkswagen Beetle								
2013	TDI	B14 (PSS)	Front and Rear	47-158283	Front Lowered Height: 20-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 870kg Axle Load; With 55mm Outside Strut Diameter			
2013	Base	B14 (PSS)	Front and Rear	47-158283	Front Lowered Height: 20-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 870kg Axle Load; With 55mm Outside Strut Diameter			
2013	Turbo	B14 (PSS)	Front and Rear	47-158283	Front Lowered Height: 20-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 870kg Axle Load; With 55mm Outside Strut Diameter			
2012		B14 (PSS)	Front and Rear	47-158283	Front Lowered Height: 20-30mm, up to 1110kg Axle Load; Rear Lowered Height: 10-30mm, up to 870kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2012		B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012	Turbo	B6 (HD)				Rear	24-222198	With Multi-link Rear Axle
2012		B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2010-2009	2.5L L5 2480cc 151 CID; Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2010-2009	2.5L L5 2480cc 151 CID; Comfortline; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2010-2009	Base	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2010-2009	Base	B16 (PSS9)	Front and Rear	48-080651				
2010-2008		B4				Rear	19-140032	Off-road Suspension
2010-2009	Base	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2010-2009	Base	B6 (HD)	Front	35-044079		Rear	24-026239	
2010-2009	Base	B8 (SP)	Front	35-044086		Rear	24-026246	
2009	2.0L L4 1984cc 121 CID; Cabrio; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009-2008	2.5L L5 2480cc 151 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009	2.5L L5 2480cc 151 CID; Hatchback; Trendline	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009-2008, 2006-2003	Cabrio	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			
2009-2008	2.5L L5 2480cc 151 CID; Hatchback; Sport GLX	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2009-2008, 2006-1999	2.0L L4 1984cc 121 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Years	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2008, 2006	2.5; 2.5L L5 2480cc 151 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5L L5 2480cc 151 CID; Hatchback; SE	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.0L L4 1984cc 121 CID; Hatchback; Hot Wheels	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	10 Anos; 2.0L L4 1984cc 121 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5L L5 2480cc 151 CID; Hatchback; Hot Wheels	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	2.5L L5 2480cc 151 CID; Hatchback; S	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	10 Anos; 2.5L L5 2480cc 151 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2008	SE	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2008	S	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2008	SE	B16 (PSS9)	Front and Rear	48-080651				
2008	S	B16 (PSS9)	Front and Rear	48-080651				
2008	SE	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2008	S	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2008	SE	B6 (HD)	Front	35-044079		Rear	24-026239	
2008	S	B6 (HD)	Front	35-044079		Rear	24-026239	
2008	SE	B8 (SP)	Front	35-044086		Rear	24-026246	
2008	S	B8 (SP)	Front	35-044086		Rear	24-026246	
2007	2.0L L4 1984cc 121 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2007		B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear				
Volkswagen Beetle (continued)										
2007	2.5L L5 2480cc 151 CID; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
2007-2000, 1998		B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations					
2007-2005, 2001-2000, 1998		B16 (PSS9)	Front and Rear	48-080651						
2007-2000, 1998		B4	Front	22-045744	Standard Suspension			Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension			Rear	19-029177	Sport Suspension
						Rear	19-140032	Off-road Suspension		
2007-2004		B6 (HD)	Front	35-044079				Rear	24-026239	
2007-2000, 1998		B8 (SP)	Front	35-044086				Rear	24-026246	
2006, 2002- 2001	2.0L L4 1984cc 121 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
2006, 1998	1.9L L4 1896cc 116 CID; Hatchback; TDI	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
2006	2.0L L4 1984cc 121 CID; Hatchback; Sport GLX	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
2005-2003	Convertible; GL	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load					
2005-2002	1.8L L4 1781cc; Hatchback; Turbo S	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
2005	1.9L L4 1896cc 116 CID; GLS TDI; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
2005-2002	1.8L L4 1781cc; GLS Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load					



Years	Application	Series	Front			Rear
Volkswagen Beetle (continued)						
2005-2003	Convertible; GLS	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load	
2005-2001	1.8L L4 1781cc; GLX Sport Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2005-1999	1.8L L4 1781cc; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2005-1999	2.0L L4 1984cc 121 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2004-1999	1.9L L4 1896cc 116 CID; GLS; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2004-1999	1.9L L4 1896cc 116 CID; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2004	GLX	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load	
2004-2002	GLX	B16 (PSS9)	Front and Rear	48-080651		
2004-2002, 1999	GL	B16 (PSS9)	Front and Rear	48-080651		
2004-2002, 1999	GLS	B16 (PSS9)	Front and Rear	48-080651		
2004-2002	Turbo S	B16 (PSS9)	Front and Rear	48-080651	Will require wheel spacers	
2003	2.0L L4 1984cc 121 CID; GLS Edición especial; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load	
2003	Convertible; GLX	B12 (Pro-Kit)	Front and Rear	46-184023	Front Lowered Height: 25mm, up to 1050kg Axle Load; Rear Lowered Height: 25mm, up to 870kg Axle Load	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2003-2000	1.8L L4 1781cc; GLX; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003	2.0L L4 1984cc 121 CID; GLS Sport; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003-1999	1.8L L4 1781cc; GL; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2003		B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2002-2001	1.9L L4 1896cc 116 CID; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			



Years	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2002-2001	1.8L L4 1781cc; Hatchback; Sport	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2002	Sport	B16 (PSS9)	Front and Rear	48-080651				
2002-2001		B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
2001-2000	1.8L L4 1781cc; GLX Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
2001-2000	1.8L L4 1781cc; GLS Turbo; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000361	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
			Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
2000		B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1999-1998	2.0L L4 1984cc 121 CID; Base; Hatchback	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	2.0L L4 1984cc 121 CID; Hatchback; Lujo	B12 (Pro-Kit)	Front and Rear	46-000378	Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 850kg Axle Load			
1999	GLS	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
1999	GL	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
1999	Lujo	B4				Rear	19-140032	Off-road Suspension
1999	GL	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
						Rear	19-140032	Off-road Suspension
1999	GLS	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
						Rear	19-140032	Off-road Suspension
1999	Base	B4				Rear	19-140032	Off-road Suspension
1999	Base	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1999	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1999	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			



Years	Application	Series	Front			Rear		
Volkswagen Beetle (continued)								
1999	Lujo	B6 (HD)	Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1999	GLS	B8 (SP)	Front	35-044086		Rear	24-026246	
1999	GL	B8 (SP)	Front	35-044086		Rear	24-026246	
1998		B6 (HD)	Front	35-044079		Rear	24-026239	
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1979-1973		B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
			Front	34-000403	For Vehicles With Rebuildable Struts Only; For vehicles equipped with OE Boge (black)			
1979-1968		B8 (SP)				Rear	24-000345	CV Axle rear IRS
1972-1968		B6 (HD)	Front	24-006200	Ball joint front	Rear	24-006347	CV Axle rear IRS
1967-1966		4600 Series				Rear	24-181488	Swing Axle
1967-1966		B6 (HD)	Front	24-006200	Ball joint front			
1965-1950		4600 Series	Front	24-000321	Link pin front; To 7/65	Rear	24-181488	Swing Axle
1965		B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles); To 7/65			
1964-1953		B8 (SP)	Front	B46-0956VW	Front Lowered Height: 2-4in (with welded adjusters or "cut and turn" not spindles)			
Volkswagen CC								
2013-2011		B4				Rear	19-151069	Standard Chassis
						Rear	19-151083	Sport Suspension
2012	Lux	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux Plus	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux Limited	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012-2009	Sport	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2012	Lux Plus	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012-2009	Sport	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux Limited	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2012	Lux	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2012	Lux Limited	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2012	Executive	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2012	Lux Plus	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2012-2011	Sport	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2012	Lux	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Executive	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012-2011	Sport	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Lux Limited	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Lux Plus	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2012	Lux Limited	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	



Years	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2012-2011	Sport	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2012	Lux Plus	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2012	Executive	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2012	Lux	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Highline V6	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011-2009	VR6 4Motion	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sportline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011-2009	Luxury	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sportline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011-2009	Luxury	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2011	Highline V6	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2011	Highline	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2011	Luxury	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2011	VR6 4Motion	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2011	Sportline	B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter			
2011	Highline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Luxury	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Sportline	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	VR6 4Motion	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Highline V6	B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2011	Highline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Highline V6	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Luxury	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	VR6 4Motion	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2011	Sportline	B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2010-2009	VR6	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	VR6 Sport	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	VR6	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
Volkswagen CC (continued)								
2010-2009	VR6 Sport	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009		B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
2010-2009		B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010-2009		B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
Volkswagen Cabrio								
2002-1995		B12 (Pro-Kit)	Front and Rear	46-190062	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-193285	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2002-1999, 1997-1995		B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
2002-1999, 1997-1995		B16 (PSS9)	Front and Rear	48-080569				
2002-1999, 1997-1995		B4	Front	22-045010	Plus Axle	Rear	19-019741	
2002-1999, 1997-1995		B6 (HD)	Front	35-043911		Rear	24-015240	
2002-1999, 1997-1995		B8 (SP)	Front	35-043928				
2002-1999, 1997-1995		Variable depending on application				Rear	24-015295	B8 (SP)
1998	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998	Base	B16 (PSS9)	Front and Rear	48-080569				
1998	GLS	B16 (PSS9)	Front and Rear	48-080569				
1998	GLS	B4				Rear	19-019741	
1998		B4	Front	22-045010	Plus Axle			
1998	Base	B4				Rear	19-019741	
1998	Base	B6 (HD)	Front	35-043911		Rear	24-015240	
1998	GLS	B6 (HD)	Front	35-043911		Rear	24-015240	
1998	Base	B8 (SP)	Front	35-043928				
1998	GLS	B8 (SP)	Front	35-043928				

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Cabrio (continued)								
1998	Base	Variable depending on application				Rear	24-015295	B8 (SP)
1998	GLS	Variable depending on application				Rear	24-015295	B8 (SP)
Volkswagen Cabriolet								
1993-1985		B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1993-1985		B4	Front	21-030338		Rear	19-019550	
1993-1985		B6 (HD)	Front	34-001370				
1993-1985		B8 (SP)	Front	34-184530				
Volkswagen Corrado								
1995-1990		B12 (Pro-Kit)	Front and Rear	46-190093	Base Axle; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 25mm, up to 710kg Axle Load			
			Front and Rear	46-190109	Front Lowered Height: 25-30mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 25mm, up to 710kg Axle Load			
1994-1992	SLC	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994-1993	SLC	B16 (PSS9)	Front and Rear	48-080569	Front Lowered Height: 30-50mm, up to 950kg Axle Load; Rear Lowered Height: 0-10mm, up to 710kg Axle Load; Spacers required for several wheel/tire combinations			
1994-1992	SLC	B4	Front	22-045027				
1994-1992	SLC	B6 (HD)	Front	35-043911				
1994-1993	SLC	B8 (SP)	Front	35-043928		Rear	24-015530	
1994-1992	SLC	Variable depending on application				Rear	24-015295	B6 (HD)
1992	G60	B14 (PSS)	Front and Rear	47-124844	Front Lowered Height: 30-50mm, up to 950kg Axle Load; Rear Lowered Height: 0-10mm, up to 710kg Axle Load; Spacers required for several wheel/tire combinations			
1992-1990		B16 (PSS9)	Front and Rear	48-080569	Front Lowered Height: 30-50mm, up to 950kg Axle Load; Rear Lowered Height: 0-10mm, up to 710kg Axle Load; Spacers required for several wheel/tire combinations			
1992	G60	B4	Front	22-041234		Rear	19-019963	
1992	G60	B6 (HD)	Front	35-002147		Rear	24-014175	
1992	G60	B8 (SP)	Front	35-003878				
1992	SLC	B8 (SP)	Front	35-043928				
1992		B8 (SP)				Rear	24-015530	



Years	Application	Series	Front			Rear		
Volkswagen Corrado (continued)								
1991-1990		B14 (PSS)	Front and Rear	47-124844	Front Lowered Height: 30-50mm, up to 950kg Axle Load; Rear Lowered Height: 0-10mm, up to 710kg Axle Load; Spacers required for several wheel/tire combinations			
1991-1990		B4	Front	22-041234		Rear	19-019963	
1991-1990		B6 (HD)	Front	35-002147		Rear	24-014175	
1991-1990		B8 (SP)	Front	35-003878		Rear	24-015530	
Volkswagen Dasher								
1981-1974		B4	Front	21-030406	With 50mm Outside Strut Diameter			
Volkswagen Derby								
2009-1995		B12 (Pro-Kit)	Front and Rear	46-190819	Front Lowered Height: 30mm, up to 865kg Axle Load; Rear Lowered Height: 30mm, up to 790kg Axle Load			
2009-1995		B8 (SP)	Front	22-041364		Rear	24-021197	
Volkswagen Eos								
2012	Komfort; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2012	Executive; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2012	Lux; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2012	Komfort	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Lux	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Executive	B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Executive	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Lux	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Komfort	B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2012	Lux	B6 (HD)				Rear	24-137867	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2012	Executive	B6 (HD)				Rear	24-137867	
2012	Komfort	B6 (HD)				Rear	24-137867	
2012	Lux	B8 (SP)				Rear	24-137874	
2012	Komfort	B8 (SP)				Rear	24-137874	
2012	Executive	B8 (SP)				Rear	24-137874	
2011-2009	Comfortline; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011-2008	w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011-2008	Komfort; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011	Highline; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2011-2007		B14 (PSS)	Front and Rear	47-140868	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011-2007		B16 (PSS10)	Front and Rear	48-139137	Front Lowered Height: 30-50mm, up to 1190kg Axle Load; Rear Lowered Height: 30-50mm, up to 1060kg Axle Load			
2011-2008	Lux	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2011-2008	Komfort	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2011-2007		B6 (HD)				Rear	24-137867	
2011-2007		B8 (SP)				Rear	24-137874	
2008	Turbo; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2008	VR6	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2008	Turbo	B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
2007	2.0T; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2007	Base; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-184368	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1080kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			



Years	Application	Series	Front			Rear		
Volkswagen Eos (continued)								
2007	3.2; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2007	2.0T; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184375	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1130kg Axle Load; Rear Lowered Height: 25mm, up to 1000kg Axle Load			
2007		B4	Front	22-131614	With 50mm Outside Strut Diameter	Rear	19-164915	
Volkswagen Fastback								
1973-1968		B6 (HD)	Front	24-632188		Rear	24-006347	
1967-1966		B6 (HD)	Front	24-632188				
Volkswagen Fox								
1993-1987		B6 (HD)	Front	34-030059				
Volkswagen GTI								
2013		B14 (PSS)	Front and Rear	47-158283	Excludes Electronic Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2013-2010		B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2013-2011		B6 (HD)	Front	35-158714	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	33-158723	Except Electronic Adjustable Suspension
			Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2013-2011		B8 (SP)	Front	35-158745	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-158756	Except Electronic Adjustable Suspension
			Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2012-2010		B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2012-2010		B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012-2010	Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012-2010		B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012-2010	Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012-2010		Bilstein Clubsport	Front and Rear	48-215909	Disconnect DCC; Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2010		B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	33-158723	Except Electronic Adjustable Suspension
			Front	35-158714	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
			Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2010		B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-158756	Except Electronic Adjustable Suspension
			Front	35-158745	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
			Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
Volkswagen GTI (continued)								
2009-2006		B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 20-25mm, up to 1040kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009-2006		B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009-2008, 2006		B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009-2006		B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-140025	Standard Chassis
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-140012	Standard Chassis; With 55mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2009-2008, 2006		B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
			Front	35-113751	With 50mm Outside Strut Diameter			
2009-2008, 2006		B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
			Front	35-113768	With 50mm Outside Strut Diameter			
2009-2006		Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007	Base	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2007		B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	
2007	Base	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2007	Base	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2007		B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf								
2013-2012	R	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1140kg Axle Load; Rear Lowered Height: 10-30mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2013-2012	TDI	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2013-2012	Base	B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2013-2012	Base	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2013-2012	Sportline	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2013-2012	TDI	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2013-2012	Trendline	B4				Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2013-2012	Comfortline	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2013-2012	Comfortline TDI	B4				Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2013-2012	Highline TDI	B4				Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2013-2010	Base	B6 (HD)	Front	35-158714	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	33-158723	Except Electronic Adjustable Suspension
			Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2013-2012	TDI	B6 (HD)	Front	35-158714	With 55mm Outside Strut Diameter	Rear	33-158723	Except Electronic Adjustable Suspension
			Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2013-2010	TDI	B8 (SP)	Front	35-158745	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-158756	Except Electronic Adjustable Suspension
			Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2013-2010	Base	B8 (SP)	Front	35-158745	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-158756	Except Electronic Adjustable Suspension
			Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2013-2010	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2013-2012	R	Bilstein Clubsport	Front and Rear	48-215909	Disconnect DCC; Front Lowered Height: 20-30mm, up to 1140kg Axle Load; Rear Lowered Height: 10-30mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012-2010	Hatchback; TDI	B12 (Pro-Kit)	Front and Rear	46-184481	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-184498	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-187956	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2012	TDI	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2012	Hatchback; TDI	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012	Base; Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012	Hatchback; TDI	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012	Base	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	TDI	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	Base; Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2012	R	B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 10-30mm, up to 1140kg Axle Load; Rear Lowered Height: 10-30mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2012	Highline	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2012-2010	Hatchback; Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2012-2010	Base	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012-2010	Comfortline; Hatchback	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012-2010	Hatchback; Highline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Comfortline TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012-2011	Sportline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2012	Highline TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; TDI Highline	B12 (Pro-Kit)	Front and Rear	46-184481	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-184498	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-187956	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	

Passenger Cars



Years	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2011	Hatchback; TDI Comfortline	B12 (Pro-Kit)	Front and Rear	46-184481	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-184498	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1010kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-187956	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 940kg Axle Load; With 55mm Outside Strut Diameter	
2011	TDI Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Front Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter	



Years	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2011	TDI Highline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187949	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Front Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter	
2011	Trendline	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
2011	Highline	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
2011	Comfortline	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
2011	Base	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
2011	Hatchback; TDI Highline	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	
2011	TDI	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2011	Sportline	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2011		B12 (Sportline)	Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2011	Hatchback; TDI Comfortline	B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
2011-2010	Hatchback	B14 (PSS)	Front and Rear	47-158276	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2011-2010		B14 (PSS)	Front and Rear	47-158283	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011-2010		B16 (PSS10)	Front and Rear	48-158176	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			
2011-2010	Hatchback	B16 (PSS10)	Front and Rear	48-156745	Except Electronic Adjustable Suspension; Front Lowered Height: 20-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 50mm Outside Strut Diameter			
2011-2010		B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Suspension; With 50mm Outside Strut Diameter	Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011-2010	TDI	B6 (HD)	Front	35-158714	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	33-158723	Except Electronic Adjustable Suspension
			Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2011	Hatchback; TDI Comfortline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front		Rear
Volkswagen Golf (continued)					
2011	Hatchback; TDI Highline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1140kg Axle Load; Rear Lowered Height: 20-40mm, up to 1040kg Axle Load; With 55mm Outside Strut Diameter
2010		B12 (Sportline)	Front and Rear	46-188069	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter
			Front and Rear	46-183774	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter
2006-2002	GTI 1.8T	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load
2006-2000		B12 (Pro-Kit)	Front and Rear	BTS-7509	
2006-2004	GL	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load
2006-2003	Europa	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load
2006-2004	GLS	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load
2006, 2004	GLS TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load
2006, 2004	GLS TDI; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability
2006-2002	GTI 1.8T	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2006-1999	GLS	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2006-2000	GL	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2006, 2004	GLS TDI	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2006-2003	Europa	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2006-2005, 2003-2000		B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2006-2005, 2003-2000		B16 (PSS9)	Front and Rear	48-080651				
2006-2003	Europa	B4				Rear	19-140032	Off-road Suspension
2006-2005, 2003-2000		B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2006-2005, 2003-2000	w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2006-2005, 2003-2000		B6 (HD)	Front	35-044079		Rear	24-026239	
2006-2005, 2003-2000		B8 (SP)	Front	35-044086		Rear	24-026246	
2005, 1999	TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Years	Application	Series	Front			Rear
Volkswagen Golf (continued)						
2005-2004	1.8L L4 1781cc; GTI	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load	
2005-2003	Trendline	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load	
2005-2003	Comfortline	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load	
2005-2002	GTI VR6	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability	
2005, 1999	TDI; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability	
2005-2003	Trendline	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability	
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005-2003	Comfortline	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability	
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005-1999	GTI	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability	
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load	
2005-2002	GTI VR6	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability	
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2005, 1999	TDI	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2005-2003	Trendline	B4				Rear	19-140032	Off-road Suspension
2005-2003	Comfortline	B4				Rear	19-140032	Off-road Suspension
2005-2000	GTI	B4				Rear	19-140032	Off-road Suspension
2004	GL TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2004	GL TDI; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2004	GL TDI	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2004	GL	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2004	R32	B14 (PSS)	Front and Rear	47-080416	Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1080kg Axle Load			
2004	GL TDI	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2004	GTI 1.8T	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2004	GTI VR6	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2004, 1999	GLS	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2004	GLS TDI	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2004	GLS TDI	B16 (PSS9)	Front and Rear	48-080651				
2004, 1999	GLS	B16 (PSS9)	Front and Rear	48-080651				
2004	GTI VR6	B16 (PSS9)	Front and Rear	48-080651				
2004	R32	B16 (PSS9)	Front and Rear	48-080422	Front Lowered Height: 30-50mm, up to 1110kg Axle Load; Rear Lowered Height: 30-50mm, up to 1080kg Axle Load			
2004	GL	B16 (PSS9)	Front and Rear	48-080651				
2004	GTI 1.8T	B16 (PSS9)	Front and Rear	48-080651				
2004	GL TDI	B16 (PSS9)	Front and Rear	48-080651				
2004	GLS TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GL TDI	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2004	GTI VR6; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GLS	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2004	GLS TDI	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2004, 1999	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GTI VR6	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2004	GTI 1.8T; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GL TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004	GL	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2004	GTI 1.8T	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2004	GTI 1.8T	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GLS TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2004, 1999	GLS	B6 (HD)	Front	35-044079		Rear	24-026239	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2004	GTI VR6	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GL TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	GL	B6 (HD)	Front	35-044079		Rear	24-026239	
2004	R32	B6 (HD)	Front	35-046370		Rear	24-060349	
2004, 1999	GLS	B8 (SP)	Front	35-044086		Rear	24-026246	
2004	GLS TDI	B8 (SP)	Front	35-044086		Rear	24-026246	
2004	GL	B8 (SP)	Front	35-044086		Rear	24-026246	
2004	GL TDI	B8 (SP)	Front	35-044086		Rear	24-026246	
2004	R32	B8 (SP)	Front	35-046387		Rear	24-060356	
2004	GTI VR6	B8 (SP)	Front	35-044086		Rear	24-026246	
2004	GTI 1.8T	B8 (SP)	Front	35-044086		Rear	24-026246	
2003-2000	1.9L L4 1896cc 116 CID; GLS; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003	GTI 20th Anniversary	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003-2000	1.9L L4 1896cc 116 CID; GL; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003-2000	1.9L L4 1896cc 116 CID; GLS; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2003-2001	GTI Turbo	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003-2000	2.0L L4 1984cc 121 CID; GL	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2003-2000	1.9L L4 1896cc 116 CID; GL; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2003-2000	2.0L L4 1984cc 121 CID; GLS	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2003	GTI 20th Anniversary	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
2003-2001	GTI Turbo	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
2003-2001	GTI Turbo	B4				Rear	19-140032	Off-road Suspension
2002-2000	Verano	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002	GTI 337	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002-2000	Base	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002-2000	Lujo	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002-2000	Confort	B12 (Pro-Kit)	Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2002-2000	Verano	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002-2000	Lujo	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
2002-2000	Confort	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002	GTI 337	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			
2002-2000	Base	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002-2000	Confort	B4				Rear	19-140032	Off-road Suspension
2002-2000	Verano	B4				Rear	19-140032	Off-road Suspension
2002-2000	Lujo	B4				Rear	19-140032	Off-road Suspension
2002-2000	Base	B4				Rear	19-140032	Off-road Suspension
2001-2000	1.8L L4 1781cc; GTI GLS	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001-2000	GTI GLX	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability			
2001-2000	1.8L L4 1781cc; GLS	B12 (Pro-Kit)	Front and Rear	46-180339	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load			
2001-2000	GTI GLS	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability			
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load			



Years	Application	Series	Front		Rear
Volkswagen Golf (continued)					
2001-2000	GTI GLX	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 25-30mm, up to 1000kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load; Without Ride Height Adjustability
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 950kg Axle Load; Rear Lowered Height: 10-15mm, up to 1000kg Axle Load
1999	GL; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	BTS-7509	
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load
1999	1.9L L4 1896cc 116 CID; GL; w/ A4 Body; w/ Automatic Trans.	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability
1999	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509	
1999	GTI	B12 (Pro-Kit)	Front and Rear	BTS-7509	
1999	2.8L V6 2792cc; GTI	B12 (Pro-Kit)	Front and Rear	46-180322	Front Lowered Height: 30mm, up to 1050kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load; Without Ride Height Adjustability
1999	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509	
			Front and Rear	46-180346	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 925kg Axle Load
1999	GL; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load
1999	Wolfsburg Edition; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load
1999	GL; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability
			Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load
1999	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers
1999	GL; w/ A4 Body	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1999	TDI	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
1999, 1993	GL; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1999	GTI	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
1999	TDI	B16 (PSS9)	Front and Rear	48-080651				
1999	GL; w/ A4 Body	B16 (PSS9)	Front and Rear	48-080651				
1999	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080569				
1999, 1993	GL; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				
1999	GTI	B16 (PSS9)	Front and Rear	48-080651				
1999	Wolfsburg Edition; w/ A3 Body	B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1999	GTI VR6	B4				Rear	19-140032	Off-road Suspension
1999	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
1999	GTI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
1999	Wolfsburg Edition	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
1999	GL; w/ A4 Body	B4	Front	22-045751	Sport Suspension	Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
						Rear	19-140032	Off-road Suspension
1999	TDI	B4	Front	22-045751	Sport Suspension	Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
1999	MI	B4				Rear	19-140032	Off-road Suspension
1999	GL; w/ A3 Body	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1999	GLS	B4	Front	22-045751	Sport Suspension	Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
1999	GTI	B4	Front	22-045751	Sport Suspension	Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
						Rear	19-140032	Off-road Suspension
1999		B4	Front	22-045744	Standard Suspension			
1999	GL; w/ A3 Body	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1999	Wolfsburg Edition	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1999	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GTI	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GL; w/ A4 Body	B6 (HD)	Front	35-044079		Rear	24-026239	
1999, 1993	GL; w/ A3 Body	B8 (SP)	Front	35-043928	Plus Axle			
1999	GTI	B8 (SP)	Front	35-044086		Rear	24-026246	
1999	GL; w/ A4 Body	B8 (SP)	Front	35-044086		Rear	24-026246	
1999	Wolfsburg Edition	B8 (SP)	Front	35-043928	Plus Axle			
1999	TDI	B8 (SP)	Front	35-044086		Rear	24-026246	
1999	Wolfsburg Edition	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1999, 1993	GL; w/ A3 Body	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1998-1995	GTI VR6	B12 (Pro-Kit)	Front and Rear	BTS-7510				
1998-1996		B12 (Sportline)	Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998-1996, 1994, 1987	GTI	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998-1995	GTI VR6	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998-1994, 1992-1987	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998-1997	K2	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998-1997	K2	B16 (PSS9)	Front and Rear	48-080569				
1998-1994, 1992-1990	GL	B16 (PSS9)	Front and Rear	48-080569				
1998-1996, 1994	GTI	B16 (PSS9)	Front and Rear	48-080569				
1998-1995	GTI VR6	B16 (PSS9)	Front and Rear	48-080569				
1998-1994		B4	Front	22-045010	Plus Axle	Rear	19-124681	Off-road Suspension
1998-1996, 1994	GTI	B4				Rear	19-019963	
1998-1997	K2	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
1998-1995	GL	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
1998-1996, 1994	GTI	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1998-1997	K2	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1998-1995	GTI VR6	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1998-1994	GL	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1998-1996	GTI VR6	B8 (SP)	Front	35-043928	Plus Axle			
1998-1996, 1994	GTI	B8 (SP)	Front	35-043928	Plus Axle			
1998-1994	GL	B8 (SP)	Front	35-043928	Plus Axle			
1998-1997	K2	B8 (SP)	Front	35-043928	Plus Axle			
1998-1997	K2	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1998-1995	GTI VR6	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1998-1996, 1994	GTI	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1998-1994	GL	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1997	Trek	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	Jazz	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1997	Trek	B16 (PSS9)	Front and Rear	48-080569				
1997	Jazz	B16 (PSS9)	Front and Rear	48-080569				
1997	Trek	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
1997	Jazz	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
1997	Jazz	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1997	Trek	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1997	Trek	B8 (SP)	Front	35-043928	Plus Axle			
1997	Jazz	B8 (SP)	Front	35-043928	Plus Axle			
1997	Jazz	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1997	Trek	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1995-1994		B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995		B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1995	Celebration Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	City	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	Sport	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	Sport	B16 (PSS9)	Front and Rear	48-080569				
1995	Celebration Edition	B16 (PSS9)	Front and Rear	48-080569				
1995	City	B16 (PSS9)	Front and Rear	48-080569				
1995	Celebration Edition	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
1995	City	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
1995	Sport	B4	Front	22-045027	Off-road Suspension	Rear	19-019741	
1995	Sport	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1995	Celebration Edition	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1995	City	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1995	Sport	B8 (SP)	Front	35-043928	Plus Axle			
1995	GTI VR6	B8 (SP)	Front	35-043928	Plus Axle			
			Front	F4-VN3-4172-H0				
1995	Celebration Edition	B8 (SP)	Front	35-043928	Plus Axle			
1995	City	B8 (SP)	Front	35-043928	Plus Axle			
1995	City	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1995	Sport	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1995	Celebration Edition	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1994		B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1994	Limited Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	Limited Edition	B16 (PSS9)	Front and Rear	48-080569				
1994	Limited Edition	B4	Front	22-041142	Base Axle; To 8/94	Rear	19-019741	
			Front	22-045027	Off-road Suspension			
1994	GL	B4	Front	22-041142	Base Axle; To 8/94	Rear	19-019741	
			Front	22-045027	Off-road Suspension			
1994	Limited Edition	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle	Rear	24-015240	Plus Axle
1994	Limited Edition	B8 (SP)	Front	35-043928	Plus Axle			
1994	Limited Edition	Variable depending on application				Rear	24-015295	B8 (SP); Plus Axle
1993	GL	B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1993	CL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1993-1988	Base	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1993	GL; w/ A3 Body	B12 (Pro-Kit)	Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1993	GTI	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1993	GL; w/ A2 Body	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1993	GL; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1993-1990		B4				Rear	19-124681	Off-road Suspension
1993	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	Base Axle; For bolted struts only			
1993	GL; w/ A3 Body	B4	Front	22-045027	Off-road Suspension			
			Front	22-045010	Plus Axle			



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1993	GL	B6 (HD)	Front	34-001028				
			Front	35-002147				
1993	GL; w/ A3 Body	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-006569	Base Axle
			Front	35-181590	Base Axle; For bolted struts only	Rear	24-015240	Plus Axle
1993	w/ A2 Body	B8 (SP)				Rear	24-015042	
1993-1990	GL	B8 (SP)	Front	35-003663				
1993	GL; w/ A2 Body	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1992-1987	GTI 16-Valve	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1992-1987	GL	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1992-1990	GTI 8-Valve	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1992-1990	GTI 8-Valve	B16 (PSS9)	Front and Rear	48-080569				
1992-1990	GTI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1992-1990	GTI 16-Valve	B4	Front	21-030468		Rear	19-019963	
			Front	22-041142	For bolted struts only			
1992-1990	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only			
1992-1990	GTI 8-Valve	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only			
1992-1990	GTI 16-Valve	B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				
1992-1990	GTI 8-Valve	B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				
1992-1990	GL	B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				
1992-1990		B8 (SP)				Rear	24-015042	
1992-1990	GTI 8-Valve	B8 (SP)	Front	35-003663				
1992-1990	GTI 16-Valve	B8 (SP)	Front	35-003663				
1992-1990	GTI 16-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Golf (continued)								
1992-1990	GTI 8-Valve	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1992-1990	GL	Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
1992-1990		Motorsports				Rear	24-006552	Group N
1989-1988	Base	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1989-1985		B16 (PSS9)	Front and Rear	48-080569				
1989-1987	GTI 16-Valve	B4				Rear	19-019963	
1989-1987		B4	Front	21-030468		Rear	19-124681	Off-road Suspension
			Front	22-041142	For bolted struts only			
1989-1987	GL	B4				Rear	19-019741	
1989-1988	Base	B4				Rear	19-019741	
1989-1985		B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				
1989-1985		B8 (SP)	Front	35-003663		Rear	24-015042	
1989-1985		Motorsports	Front	F4-VE3-4406-M1	Group A (Asphalt)	Rear	K4-BE3-60068T0	Group B Racing
						Rear	24-006552	Group N
1988-1987	GT	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1988-1987	GT	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1988-1987	GT	B4				Rear	19-019741	
1987	GTI	B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1987	GTI	B4				Rear	19-019741	
1986-1985		B12 (Pro-Kit)	Front and Rear	46-189950	Front Lowered Height: 30-40mm, up to 840kg Axle Load; Rear Lowered Height: 30-35mm, up to 740kg Axle Load			
1986-1985		B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1986-1985		B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
Volkswagen Golf City								
2010-2007		B4				Rear	19-140032	Off-road Suspension
Volkswagen Jetta								
2013-2012	GLI	B4				Rear	19-127439	Excludes Electronic Suspension
2013-2012	SEL	B4				Rear	19-127439	Excludes Electronic Suspension



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2013	Hybrid SEL	B4				Rear	19-127439	Excludes Electronic Suspension
2013-2011	S; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2013	Hybrid SE	B4				Rear	19-127439	Excludes Electronic Suspension
2013-2011	SE; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2013-2012	TDI Premium	B4				Rear	19-127439	Excludes Electronic Suspension
2013-2012	Sedan; TDI	B4				Rear	19-127439	Excludes Electronic Suspension
2013-2011	TDI; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2013	Hybrid	B4				Rear	19-127439	Excludes Electronic Suspension
2013-2011	S; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2013-2011	SE; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2013-2011	SE; Wagon	B6 (HD)	Front	35-158714	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	33-158723	Except Electronic Adjustable Suspension
			Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2013-2011	S; Wagon	B6 (HD)	Front	35-158714	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	33-158723	Except Electronic Adjustable Suspension
			Front	35-158707	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2013-2011	S; Wagon	B8 (SP)	Front	35-158745	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-158756	Except Electronic Adjustable Suspension
			Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			
2013-2011	SE; Wagon	B8 (SP)	Front	35-158745	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-158756	Except Electronic Adjustable Suspension
			Front	35-158738	Except Electronic Adjustable Suspension; With 50mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2012-2011	TDI; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter	
2012, 2005	Sedan; TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012	GLI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2012	Trendline; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2012	S; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012	Sedan; Trendline; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012	GLI; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012	SEL; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2012	Sedan; TDI Premium; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012	S; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2012	SE; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2012	TDI Premium; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2012	SE; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012, 2005	TDI; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2012	SEL; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012	TDI Premium	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012-2011	S	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012	GLI	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2012-2011	TDI	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012-2011	SE	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012-2011	SEL	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012	Trendline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter			
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2012-2011	Comfortline; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2012	Highline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	SE; Sedan; w/ A5 Body	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012	Trendline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2012	S; Sedan; w/ A5 Body	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	GLI; Sedan; w/ A5 Body	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012	Comfortline TDI; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2012	Sedan; TDI Premium; w/ A5 Body	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012	Sportline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Sedan; Trendline	B4				Rear	19-127439	Excludes Electronic Suspension
2012	SEL; Sedan; w/ A5 Body	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012	Active	B4				Rear	19-127439	Excludes Electronic Suspension
2012	Sedan; Trendline; w/ A5 Body	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	Sedan; TDI; w/ A5 Body	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2012-2011	Highline; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2012	Highline TDI; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2012	Sedan; Sportline	B4				Rear	19-127439	Excludes Electronic Suspension
2012	Comfortline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
2012	Style	B4				Rear	19-127439	Excludes Electronic Suspension
2012	Sport	B4				Rear	19-127439	Excludes Electronic Suspension
2012	SE; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	SEL; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	S; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012-2011	S	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	GLI	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012, 2005	Sedan; TDI; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012-2011	TDI	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	Sedan; TDI Premium; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012	Trendline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	Sedan; Trendline; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2012-2011	SE	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012-2011	SEL	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	GLI; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2012	TDI Premium	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2012	SEL; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	SE; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	GLI	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	TDI Premium	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	GLI; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012-2011	TDI	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	S; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	Sedan; TDI Premium; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012-2011	S	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	Sedan; Trendline; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012	Trendline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012-2011	SE	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012, 2005	Sedan; TDI; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2012-2011	SEL	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2012	TDI Premium	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	Highline TDI; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012, 2009-2008, 2006	GLI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2012	Comfortline TDI; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2012-2009, 2006	Sedan; TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter	
2011	TDI Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter	
2011	TDI Highline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184511	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 50mm Outside Strut Diameter	
			Front and Rear	46-187970	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25-30mm, up to 1120kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load; With 55mm Outside Strut Diameter	
2011-2006	Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2011-2006	w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter	
2011	Base	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	
2011	TDI Comfortline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter	



Years	Application	Series	Front			Rear	
Volkswagen Jetta (continued)							
2011	TDI Highline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter		
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter		
2011	Highline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter		
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter		
2011	Sportline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter		
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter		
2011	Comfortline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter		
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter		
2011	Sportline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter		
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter		
2011	Highline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter		
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter		
2011	Bicentenario; Sedan	B4				Rear	19-127439 Excludes Electronic Suspension
2011	TDI Highline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter		
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter		

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	Comfortline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	SEL; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2011	SEL; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	Base; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2011	Sedan; TDI Highline	B4				Rear	19-127439	Excludes Electronic Suspension
2011	Sedan; Sport	B4				Rear	19-127439	Excludes Electronic Suspension
2011	Sedan; Style	B4				Rear	19-127439	Excludes Electronic Suspension
2011	TDI Comfortline; Wagon	B4	Front	22-183712	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-183729	Except Electronic Adjustable Suspension; Standard Chassis; With 55mm Outside Strut Diameter			
2011	Sedan; w/ A5 Body	B4	Front	22-131607	Except Electronic Adjustable Suspension; Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Except Electronic Adjustable Suspension; Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Except Electronic Adjustable Suspension; Sport Suspension; With 55mm Outside Strut Diameter			
2011	Sedan; TDI Comfortline	B4				Rear	19-127439	Excludes Electronic Suspension
2011	Active; Sedan	B4				Rear	19-127439	Excludes Electronic Suspension
2011	Comfortline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	TDI Comfortline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	TDI Highline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011-2006	Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2011	Highline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2011	Base	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	Sportline	B6 (HD)	Front	35-108177	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-172936	Except Electronic Adjustable Suspension
2011	TDI Highline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	Base	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	Highline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	Comfortline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011	Sportline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011-2006	Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2011	TDI Comfortline	B8 (SP)	Front	35-108191	Except Electronic Adjustable Suspension; With 55mm Outside Strut Diameter	Rear	24-178006	Except Electronic Adjustable Suspension
2011-2009	Comfortline; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011-2009	Highline; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sedan; TDI Highline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2011	Sedan; TDI Comfortline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2010	TDI Cup Edition	B12 (Pro-Kit)	Front and Rear	46-184313	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2010-2008	Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2010	Sedan; TDI	B12 (Pro-Kit)	Front and Rear	46-184313	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	TDI; Wagon	B12 (Pro-Kit)	Front and Rear	46-184214	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010	TDI Cup Edition	B12 (Sportline)	Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2010-2008	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	Sedan; TDI	B12 (Sportline)	Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2010-2008	SEL	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010-2008	SE	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010-2009	TDI	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010-2008	Wolfsburg Edition	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010-2008		B16 (PSS10)	Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2010-2008	S	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2010-2009	SEL; Sedan	B4				Rear	19-127439	
2010	City	B4				Rear	19-127439	
2010-2009	SE; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	SE; Wagon	B4				Rear	19-139333	Standard Chassis
						Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2010-2009	Highline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010-2009	Sedan; Trendline	B4				Rear	19-127439	
2010-2009	S; Sedan	B4				Rear	19-127439	
2010-2008	Wolfsburg Edition	B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
2010-2009	TDI	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010-2009, 2006	Sedan; TDI	B4				Rear	19-127439	
2010	Clasico	B4				Rear	19-127439	
2010-2009	Highline; Sedan	B4				Rear	19-127439	



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010-2009	S	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010	S; Wagon	B4				Rear	19-139333	Standard Chassis
						Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2010-2009	SEL	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010	Trendline; Wagon	B4				Rear	19-139333	Standard Chassis
						Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2010	TDI; Wagon	B4				Rear	19-139333	Standard Chassis
						Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2010-2006	Sedan; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2010-2009	SE; Sedan	B4				Rear	19-127439	
2010	Highline; Wagon	B4				Rear	19-139333	Standard Chassis
						Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2010	SEL; Wagon	B4				Rear	19-139333	Standard Chassis
						Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2010, 2006	GLI	B4				Rear	19-127439	
2010	TDI Cup Edition	B4				Rear	19-127439	
2010-2009	SE	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2010-2009	SEL; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010	Comfortline; Wagon	B4				Rear	19-139333	Standard Chassis
						Rear	19-183749	Except Electronic Adjustable Suspension; Standard Chassis
2010	Base	B4				Rear	19-127439	
2010-2009	S; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010-2009	Comfortline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010-2009	Trendline; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
2010-2009	Comfortline; Sedan	B4				Rear	19-127439	
2010-2009	TDI; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2010-2009	SEL; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010-2009	Comfortline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010-2009	SE; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010-2009	S; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010-2008	SE	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2010-2009	TDI; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010-2009	Highline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010-2008	S	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2010-2009	TDI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2010-2008	Wolfsburg Edition	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2010-2009	Trendline; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2010-2008		B6 (HD)				Rear	24-172936	
2010-2008	SEL	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2010-2009	SEL; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010-2009	TDI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2010-2008	Wolfsburg Edition	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2010-2009	Trendline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010-2009	Highline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010-2009	S; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010-2009	TDI; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010-2008	S	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2010-2008	SEL	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2010-2008	SE	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2010-2008		B8 (SP)				Rear	24-178006	
2010-2009	Comfortline; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2010-2009	SE; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2010-2009	SEL; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter	
2010-2008	Wolfsburg Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter	
2010	TDI Cup Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter	
2010-2009	S; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter	
2010-2009	Sedan; Trendline	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter	
2009-2006	GLI	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009	2.0L L4 1968cc 120 CID; Sedan; TDI	B12 (Pro-Kit)	Front and Rear	46-184313	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009-2006	Europa	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009	2.0L L4 1984cc 121 CID; SEL; Sedan	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009	Turbo	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter	
2009, 2007-2006	GLI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter	

Passenger Cars



Years	Application	Series	Front		Rear
Volkswagen Jetta (continued)					
2009	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2009	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2009	2.0L L4 1984cc 121 CID; SEL; Sedan	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2009	Turbo	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2009-2006	Europa	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2009	Turbo	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2009-2007	GLI; Sedan	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2009-2006	Sedan; TDI	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2009-2006	TDI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2009-2005	Europa; Sedan	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2009-2007	GLI	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2009-2005	Trendline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009-2005	Sedan; Trendline	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009	Sedan; Turbo	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009-2005	Europa	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009-2008	GLI	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009	SE; Wagon	B4				Rear	19-139333	Standard Chassis
2009	Turbo	B4				Rear	19-127439	
2009	SEL; Wagon	B4				Rear	19-139333	Standard Chassis
2009	S; Wagon	B4				Rear	19-139333	Standard Chassis
2009	Comfortline; Wagon	B4				Rear	19-139333	Standard Chassis
2009-2008	GLI	B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
2009	Highline; Wagon	B4				Rear	19-139333	Standard Chassis
2009	TDI; Wagon	B4				Rear	19-139333	Standard Chassis
2009	Trendline; Wagon	B4				Rear	19-139333	Standard Chassis
2009-2008, 2006	Europa	B4				Rear	19-127439	
2009-2008	GLI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2009-2008	GLI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2009	Turbo	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008-2007, 2005	TDI	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2008-2006	Trendline	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008-2006	2.0T	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2008	GLI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load			
2008-2007, 2005	TDI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2008-2006	Trendline	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2008-2006	2.0T	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter			
2008, 2006	2.0T	B4				Rear	19-127439	
2008	2.5; Wagon; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
2008	SE	B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
2008	S	B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
2008	TDI	B4				Rear	19-127439	
2008	2.5; Wagon	B4				Rear	19-139333	Standard Chassis
2008	2.5; Sedan	B4				Rear	19-127439	
2008, 2006	Trendline	B4				Rear	19-127439	
2008	SEL	B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
2008	2.5; Wagon; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2008	2.5; Wagon; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2008	2.5; Sedan	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008, 2006	2.0T	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	S	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2008	SEL	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2007-2006		B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007		B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
2007-2006		B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2007-2006		B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2007		Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006	Soccer 1	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Sedan; TDI; w/ Automatic Dual Clutch Trans.	B12 (Pro-Kit)	Front and Rear	46-184313	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	475 Aniversario	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Winter 1	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2006	Soccer 2	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front		Rear
Volkswagen Jetta (continued)					
2006	Sedan; TDI	B12 (Pro-Kit)	Front and Rear	46-184290	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter
2006	Soccer 2	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2006	Sedan; TDI	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
			Front and Rear	46-183811	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2006	Winter 2	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2006	475 Aniversario	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2006	Winter 1	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2006	Soccer 1	B12 (Sportline)	Front and Rear	46-183804	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 45-50mm, up to 1005kg Axle Load; With 55mm Outside Strut Diameter
2006	Soccer 2	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2006	Sedan; Winter 1	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2006	Sedan; Winter 2	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2006	Winter 1	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2006	Winter 2	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2006	Sedan; Soccer 1	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	475 Aniversario	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	Sedan; Soccer 2	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	Soccer 1	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2006	475 Aniversario; Sedan	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2006	475 Aniversario	B4				Rear	19-127439	
2006	Soccer 1	B4				Rear	19-127439	
2006	Value Edition	B4				Rear	19-127439	
2006		B4	Front	22-131614	With 55mm Outside Strut Diameter			
2006	Winter 1	B4				Rear	19-127439	
2006	Soccer 2	B4				Rear	19-127439	
2006	Winter 2	B4				Rear	19-127439	
2006	2.5	B4				Rear	19-127439	
2006	Value Edition	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2006-2005	2.5	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2005-2002	1.8L L4 1781cc; Sedan; Sportline	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005-2004	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2005-2004	1.8L L4 1781cc; GLI; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			

Passenger Cars



Years	Application	Series	Front		Rear
Volkswagen Jetta (continued)					
2005-2000	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load
2005-2000	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load
2005-2001	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load
2005-2001	2.0L L4 1984cc 121 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load
2005-2002	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load
2005-2003	1.8L L4 1781cc; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load
2005	2.0L L4 1984cc 121 CID; Sedan; Special Edition	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load
2005	GLS TDI; Sedan; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load
2005	GLS TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509	
2005	GLI	B12 (Pro-Kit)	Front and Rear	BTS-7509	
2005	GL TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509	
2005	GL TDI; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load
2005	GLS	B12 (Pro-Kit)	Front and Rear	BTS-7509	
2005-2000	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load
2005	GL	B12 (Pro-Kit)	Front and Rear	BTS-7509	
2005-2003	1.8L L4 1781cc; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2005	2.0L L4 1984cc 121 CID; Sedan; Summer Edition	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	GLS TDI; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2005-2002	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	GL TDI; Sedan; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Limited Edition; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2005-2002	2.0L L4 1984cc 121 CID; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2005	Europa	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2005-2000	2.0L L4 1984cc 121 CID; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	Special Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2005-2002	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	Limited Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2005	Comfortline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2005	GLI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2005-2004	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	

Passenger Cars



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2005	Sportline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005-2002	GL; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	1.9L L4 1896cc 116 CID; GLS TDI; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005-2000	1.8L L4 1781cc; GLS; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005-2002	2.0L L4 1984cc 121 CID; Europa; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Sedan; Special Edition	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	GLS TDI; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	1.9L L4 1896cc 116 CID; GL TDI; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Sedan; Summer Edition	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005-2001	GLS; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	2.0L L4 1984cc 121 CID; Limited Edition; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005	Summer Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005-2002	1.8L L4 1781cc; Sedan; Sportline	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2005-2003	1.8L L4 1781cc; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	



Years	Application	Series	Front		Rear
Volkswagen Jetta (continued)					
2005-2004	1.8L L4 1781cc; GLI; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load
2005	Trendline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 40-45mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load
2005	GL TDI; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load
2005-2000	2.0L L4 1984cc 121 CID; GL; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load
2005	Limited Edition; Sedan	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2005	Special Edition	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2005, 2001	GLS	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations
2005	Sportline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2005	GLS TDI	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations
2005	2.5; w/ A5 Body	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2005	Limited Edition	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2005	GL TDI	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations

Passenger Cars



Years	Application	Series	Front		Rear
Volkswagen Jetta (continued)					
2005	GLI	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations
2005	Comfortline; Sedan	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2005	Sedan; Summer Edition	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2005	2.5; Sedan; w/ A5 Body	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2005	Comfortline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2005	Sedan; Sportline	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2005, 2001	GL	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations
2005	Summer Edition	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter
2005	Sedan; Special Edition	B14 (PSS)	Front and Rear	47-128347	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2005	TDI	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2005	2.5	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter
			Front and Rear	48-135238	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter
2005, 2001	GLS	B16 (PSS9)	Front and Rear	48-080651	



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	GLS TDI	B16 (PSS9)	Front and Rear	48-080651				
2005	GL TDI	B16 (PSS9)	Front and Rear	48-080651				
2005	GLI	B16 (PSS9)	Front and Rear	48-080651				
2005, 2001	GL	B16 (PSS9)	Front and Rear	48-080651				
2005	2.5; Sedan; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2005	GL; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	TDI	B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
2005	GL TDI	B4	Front	22-045744	Standard Suspension			
			Front	22-045751	Sport Suspension			
2005	GLI	B4	Front	22-045744	Standard Suspension			
			Front	22-045751	Sport Suspension			
2005	GL TDI; Wagon	B4				Rear	19-068633	Standard Chassis
2005-2002	GL; Wagon	B4				Rear	19-068633	Standard Chassis
2005-2001	4 Dr.; GLS; Sedan	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2005	GLI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	Sedan; TDI; w/ A5 Body	B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2005-2002	Sportline	B4				Rear	19-140032	Off-road Suspension
2005	2.5	B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
2005	4 Dr.; GLI; Sedan	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2005	Summer Edition	B4				Rear	19-140032	Off-road Suspension
2005	GLS TDI; Wagon	B4				Rear	19-068633	Standard Chassis
2005	GLS; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	GL TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005-2004	Comfortline	B4				Rear	19-140032	Off-road Suspension
2005-2002	Trendline	B4				Rear	19-140032	Off-road Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005-2002	4 Dr.; GL; Sedan	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2005	GLS TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2005	4 Dr.; GLS TDI; Sedan	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2005	GLS	B4	Front	22-045744	Standard Suspension			
			Front	22-045751	Sport Suspension			
2005	Limited Edition	B4				Rear	19-140032	Off-road Suspension
2005	GLS TDI	B4	Front	22-045744	Standard Suspension			
			Front	22-045751	Sport Suspension			
2005-2001	GLS; Wagon	B4				Rear	19-068633	Standard Chassis
2005	GL	B4	Front	22-045744	Standard Suspension			
			Front	22-045751	Sport Suspension			
2005	4 Dr.; GL TDI; Sedan	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2005	Special Edition	B4				Rear	19-140032	Off-road Suspension
2005-2002	Europa	B4				Rear	19-140032	Off-road Suspension
2005	GLI	B6 (HD)	Front	35-044079				
2005	TDI	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2005	GLS TDI	B6 (HD)	Front	35-044079				
2005-2002	GL; Wagon	B6 (HD)				Rear	24-064095	
2005	4 Dr.; GL TDI; Sedan	B6 (HD)				Rear	24-026239	
2005	2.5; Sedan; w/ A5 Body	B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter			
2005	GL	B6 (HD)	Front	35-044079				
2005	GLS TDI; Wagon	B6 (HD)				Rear	24-064095	
2005	GL TDI; Wagon	B6 (HD)				Rear	24-064095	
2005-2002	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-026239	
2005-2001	GLS; Wagon	B6 (HD)				Rear	24-064095	
2005	GLS	B6 (HD)	Front	35-044079				
2005-2001	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-026239	
2005	2.5	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2005	4 Dr.; GLS TDI; Sedan	B6 (HD)				Rear	24-026239	
2005	4 Dr.; GLI; Sedan	B6 (HD)				Rear	24-026239	
2005	GL TDI	B6 (HD)	Front	35-044079				



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2005	GL TDI; Wagon	B8 (SP)				Rear	24-064101	
2005	4 Dr.; GLS TDI; Sedan	B8 (SP)				Rear	24-026246	
2005	GLS TDI	B8 (SP)	Front	35-044086				
2005	GLS TDI; Wagon	B8 (SP)				Rear	24-064101	
2005	GL TDI	B8 (SP)	Front	35-044086				
2005	2.5	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2005	4 Dr.; GL TDI; Sedan	B8 (SP)				Rear	24-026246	
2005-2002	4 Dr.; GL; Sedan	B8 (SP)				Rear	24-026246	
2005-2001	4 Dr.; GLS; Sedan	B8 (SP)				Rear	24-026246	
2005	4 Dr.; GLI; Sedan	B8 (SP)				Rear	24-026246	
2005	GLI	B8 (SP)	Front	35-044086				
2005	2.5; Sedan; w/ A5 Body	B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter			
2005-2002	GL; Wagon	B8 (SP)				Rear	24-064101	
2005	GL	B8 (SP)	Front	35-044086				
2005	GLS	B8 (SP)	Front	35-044086				
2005-2001	GLS; Wagon	B8 (SP)				Rear	24-064101	
2005	TDI	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2005	TDI	Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1095kg Axle Load; With 55mm Outside Strut Diameter			
2004-2000		B12 (Pro-Kit)	Front and Rear	BTS-7509				
2004-2002	TDI; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2004-2002	2.8L V6 2792cc; GLS; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2004	1.8L L4 1781cc; GLI 50 Aniversario; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2004-2002	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2004	2.0L L4 1984cc 121 CID; Europa 50 Aniversario; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2004	2.0L L4 1984cc 121 CID; Europa 50 Aniversario; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004	1.8L L4 1781cc; GLI 50 Aniversario; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004-2002	Sedan; TDI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2004-2002	Europa	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2004-2000	1.9L L4 1896cc 116 CID; Sedan; TDI	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2004	Europa 50 Aniversario	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2004	Comfortline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2004	GLI 50 Aniversario	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2004-2002	Trendline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2004-2002	Sportline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2004-2002	GLI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2004-2002, 2000		B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations	
2004-2002, 2000		B16 (PSS9)	Front and Rear	48-080651		
2004-2001		B4	Front	22-045744	Standard Suspension	
	Front		22-045751	Sport Suspension		



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2004-2002	GLI	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2004	Europa 50 Aniversario	B4				Rear	19-140032	Off-road Suspension
2004	GLI 50 Aniversario	B4				Rear	19-140032	Off-road Suspension
2004-2002	4 Dr.; Sedan; TDI	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2004-2002	TDI; Wagon	B4				Rear	19-068633	Standard Chassis
2004-2000	w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
2004-2001		B6 (HD)	Front	35-044079				
2004-2002	GLI	B6 (HD)				Rear	24-026239	
2004-2002	TDI; Wagon	B6 (HD)				Rear	24-064095	
2004-2002	4 Dr.; Sedan; TDI	B6 (HD)				Rear	24-026239	
2004-2002	4 Dr.; Sedan; TDI	B8 (SP)				Rear	24-026246	
2004-2002	TDI; Wagon	B8 (SP)				Rear	24-064101	
2004-2002	GLI	B8 (SP)				Rear	24-026246	
2004-2001		B8 (SP)	Front	35-044086				
2003-2002	2.0L L4 1984cc 121 CID; Confortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Europa Wolfsburg; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2003	Wagon; Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2003-2002	2.0L L4 1984cc 121 CID; Variant Trendline; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Edicion Limitada; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Jazz; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Sedan; Trendline Wolfsburg	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2003-2002	2.0L L4 1984cc 121 CID; Variant Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2003, 2001	1.8L L4 1781cc; Sedan; Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Highline; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Highline; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	Jazz	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2003	Trendline Wolfsburg	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2003, 2001	1.8L L4 1781cc; Sedan; Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	Edicion Limitada	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2003	GLX	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2003-2002	Highline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Jazz; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003	Sedan; Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	
2003	2.0L L4 1984cc 121 CID; Europa Wolfsburg; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2003-2002	Comfortline	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30- 35mm, up to 1000kg Axle Load	



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2003	2.0L L4 1984cc 121 CID; Edicion Limitada; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Europa Wolfsburg	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003-2002	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	2.0L L4 1984cc 121 CID; Sedan; Trendline Wolfsburg	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2003	Edicion Limitada	B4			Rear	19-140032	Off-road Suspension	
2003-2002	Variant Trendline	B4			Rear	19-140032	Off-road Suspension	
2003	Trendline Wolfsburg	B4			Rear	19-140032	Off-road Suspension	
2003	Jazz	B4			Rear	19-140032	Off-road Suspension	
2003-2002	Variant Trendline; Wagon	B4			Rear	19-068633	Standard Chassis	
2003	GLX	B4			Rear	19-029429	Standard Suspension	
					Rear	19-029177	Sport Suspension	
2003-2002	Variant Comfortline	B4			Rear	19-140032	Off-road Suspension	
2003-2002	Variant Comfortline; Wagon	B4			Rear	19-068633	Standard Chassis	
2003-2002	Comfortline	B4			Rear	19-140032	Off-road Suspension	
2003	4 Dr.; Sedan; Wolfsburg Edition	B4			Rear	19-029429	Standard Suspension	
					Rear	19-029177	Sport Suspension	
2003	Europa Wolfsburg	B4			Rear	19-140032	Off-road Suspension	
2003-2002	Highline	B4			Rear	19-140032	Off-road Suspension	
2003	Wagon; Wolfsburg Edition	B4			Rear	19-068633	Standard Chassis	
2003	4 Dr.; Sedan; Wolfsburg Edition	B6 (HD)			Rear	24-026239		
2003	GLX	B6 (HD)			Rear	24-026239		
2003	Wagon; Wolfsburg Edition	B6 (HD)			Rear	24-064095		
2003-2002	Variant Comfortline; Wagon	B6 (HD)			Rear	24-064095		
2003-2002	Variant Trendline; Wagon	B6 (HD)			Rear	24-064095		
2003	Wagon; Wolfsburg Edition	B8 (SP)			Rear	24-064101		

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2003	GLX	B8 (SP)				Rear	24-026246	
2003	4 Dr.; Sedan; Wolfsburg Edition	B8 (SP)				Rear	24-026246	
2003-2002	Variant Comfortline; Wagon	B8 (SP)				Rear	24-064101	
2003-2002	Variant Trendline; Wagon	B8 (SP)				Rear	24-064101	
2002	GLX; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1000kg Axle Load			
2002-2000	2.0L L4 1984cc 121 CID; GL Confort; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2002-2001	GL Confort	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002-2001	GLX VR6	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002-2000	2.0L L4 1984cc 121 CID; GL Confort; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002-2001	GLX; Sedan	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2002-2000	GL Confort	B4				Rear	19-140032	Off-road Suspension
2002-2001	GLX; Wagon	B4				Rear	19-068633	Standard Chassis
2002-2001	4 Dr.; GLX; Sedan	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2002-1999	GLX VR6	B4				Rear	19-140032	Off-road Suspension
2002-2001	GLX; Wagon	B6 (HD)				Rear	24-064095	
2002-2001	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-026239	
2002-2001	GLX; Wagon	B8 (SP)				Rear	24-064101	
2002-2001	4 Dr.; GLX; Sedan	B8 (SP)				Rear	24-026246	
2001-2000	1.8L L4 1781cc; GLS Turbo; Sedan	B12 (Pro-Kit)	Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
2001	2.8L V6 2792cc; GLS; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load			



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
2001-2000	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
			Front and Rear	46-180384	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GLS Variant; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2001	GLX; Wagon; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180421	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1000kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GLS Wolfsburg; Sedan	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GL Variant; Wagon	B12 (Pro-Kit)	Front and Rear	46-180414	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 1020kg Axle Load	
2001-2000	1.8L L4 1781cc; GLS Turbo; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	GLS Wolfsburg	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	GL	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	GLS Turbo	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	TDI	B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
2001	2.0L L4 1984cc 121 CID; GLS Wolfsburg; Sedan	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2001	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations; Will require wheel spacers			
2001	GLX	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2001, 1999	TDI	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations			
2001, 1999	TDI	B16 (PSS9)	Front and Rear	48-080651				
2001	GLX	B16 (PSS9)	Front and Rear	48-080651				
2001	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080651	Will require wheel spacers			
2001	GLS Variant; Wagon	B4				Rear	19-068633	Standard Chassis
2001	GL Variant	B4				Rear	19-140032	Off-road Suspension
2001	GLS Wolfsburg	B4				Rear	19-140032	Off-road Suspension
2001	GL Variant; Wagon	B4				Rear	19-068633	Standard Chassis
2001-2000	GLS Turbo	B4				Rear	19-140032	Off-road Suspension
2001	GLS Variant	B4				Rear	19-140032	Off-road Suspension
2001	GL	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2001	Wolfsburg Edition	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2001	TDI	B4				Rear	19-029429	Standard Suspension
						Rear	19-029177	Sport Suspension
2001	GL	B6 (HD)				Rear	24-026239	
2001	Wolfsburg Edition	B6 (HD)				Rear	24-026239	
2001	GLS Variant; Wagon	B6 (HD)				Rear	24-064095	
2001	GL Variant; Wagon	B6 (HD)				Rear	24-064095	
2001	TDI	B6 (HD)				Rear	24-026239	
2001	GL	B8 (SP)				Rear	24-026246	
2001	GL Variant; Wagon	B8 (SP)				Rear	24-064101	
2001	Wolfsburg Edition	B8 (SP)				Rear	24-026246	
2001	TDI	B8 (SP)				Rear	24-026246	



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
2001	GLS Variant; Wagon	B8 (SP)				Rear	24-064101	
2000		B12 (Sportline)	Front and Rear	46-180315	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
2000-1999	GLS VR6	B4				Rear	19-140032	Off-road Suspension
2000		B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
2000		B6 (HD)	Front	35-044079		Rear	24-026239	
2000		B8 (SP)	Front	35-044086		Rear	24-026246	
1999	TDI	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	GLS; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	2.0L L4 1984cc 121 CID; GLS; Sedan; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
1999	GL; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	Sedan; TDI; w/ Standard Trans.	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
1999	GLX; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	BTS-7509				
1999	2.0L L4 1984cc 121 CID; GL; Sedan; w/ A4 Body	B12 (Pro-Kit)	Front and Rear	46-180377	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 970kg Axle Load; Rear Lowered Height: 30mm, up to 960kg Axle Load			
1999	1.9L L4 1896cc 116 CID; TDI; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
1999	GLX; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1999	2.0L L4 1984cc 121 CID; GLS; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load			
1999	TDI	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability			

Passenger Cars



Years	Application	Series	Front			Rear
Volkswagen Jetta (continued)						
1999	GL; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load	
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load	
1999	Wolfsburg Edition	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load	
1999	GLS; w/ A3 Body	B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load	
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load	
1999	GLS; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability	
1999	2.0L L4 1984cc 121 CID; GL; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180308	For Vehicles Without Ride Height Control; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load	
1999	GL; w/ A4 Body	B12 (Sportline)	Front and Rear	46-180315	Front Lowered Height: 45-50mm, up to 1000kg Axle Load; Rear Lowered Height: 30-35mm, up to 1000kg Axle Load; Without Ride Height Adjustability	
1999	GLS; w/ A4 Body	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations	
1999	GL; w/ A4 Body	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations	
1999, 1996	Wolfsburg Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers	
1999	GLS; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers	
1999	GL; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers	
1999	GLX; w/ A3 Body	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers	
1999	GLX; w/ A4 Body	B14 (PSS)	Front and Rear	47-124851	Front Lowered Height: 25-45mm, up to 1060kg Axle Load; Rear Lowered Height: 20-40mm, up to 1010kg Axle Load; Spacers required for several wheel/tire combinations	
1999	GLX; w/ A4 Body	B16 (PSS9)	Front and Rear	48-080651		
1999, 1996	Wolfsburg Edition	B16 (PSS9)	Front and Rear	48-080569		



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1999	GLX; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				
1999	GL; w/ A4 Body	B16 (PSS9)	Front and Rear	48-080651				
1999	GLS; w/ A4 Body	B16 (PSS9)	Front and Rear	48-080651				
1999	GLS; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				
1999	GL; w/ A3 Body	B16 (PSS9)	Front and Rear	48-080569				
1999	GLS; w/ A4 Body	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
						Rear	19-140032	Off-road Suspension
1999	TDI	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
1999	GL; w/ A3 Body	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle			
1999	CL	B4				Rear	19-140032	Off-road Suspension
1999-1998, 1996	Wolfsburg Edition	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1999	GLS Confort	B4				Rear	19-140032	Off-road Suspension
1999	GLS; w/ A3 Body	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
			Front	22-045010	Plus Axle			
1999	VR6 Carat	B4				Rear	19-140032	Off-road Suspension
1999	TDI; w/ A4 Body	B4				Rear	19-140032	Off-road Suspension
1999	Wolfsburg Edition; w/ A3 Body	B4	Front	22-045010	Plus Axle			
1999	GLX; w/ A3 Body	B4	Front	22-045010	Plus Axle			
1999	Base	B4				Rear	19-140032	Off-road Suspension
1999	GL; w/ A4 Body	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
						Rear	19-140032	Off-road Suspension
1999	GLX; w/ A4 Body	B4	Front	22-045744	Standard Suspension	Rear	19-029429	Standard Suspension
			Front	22-045751	Sport Suspension	Rear	19-029177	Sport Suspension
						Rear	19-140032	Off-road Suspension
1999, 1996	Wolfsburg Edition	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1999	TDI	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GL; w/ A3 Body	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1999	GL; w/ A4 Body	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GLS; w/ A3 Body	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1999	GLX; w/ A4 Body	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GLX; w/ A3 Body	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1999	GLS; w/ A4 Body	B6 (HD)	Front	35-044079		Rear	24-026239	
1999	GL; w/ A3 Body	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1999	GLS; w/ A4 Body	B8 (SP)	Front	35-044086		Rear	24-026246	
1999	TDI	B8 (SP)	Front	35-044086		Rear	24-026246	
1999	GLS; w/ A3 Body	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1999	GL; w/ A4 Body	B8 (SP)	Front	35-044086		Rear	24-026246	
1999, 1996	Wolfsburg Edition	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1999	GLX; w/ A4 Body	B8 (SP)	Front	35-044086		Rear	24-026246	
1999	GLX; w/ A3 Body	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1999	GLX; w/ A3 Body	Variable depending on application				Rear	24-015295	B8 (SP)
1999	GLS; w/ A3 Body	Variable depending on application				Rear	24-015295	B8 (SP)
1999	GL; w/ A3 Body	Variable depending on application				Rear	24-015295	B8 (SP)
1999, 1996	Wolfsburg Edition	Variable depending on application				Rear	24-015295	B8 (SP)
1998-1994	GLX	B12 (Pro-Kit)	Front and Rear	BTS-7510				
1998-1993		B12 (Sportline)	Front and Rear	46-190017	Base Axle; Front Lowered Height: 45-50mm, up to 950kg Axle Load; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
			Front and Rear	46-190024	Front Lowered Height: 45-50mm, up to 950kg Axle Load; Plus Axle; Rear Lowered Height: 30-35mm, up to 840kg Axle Load			
1998-1997		B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1998-1997, 1989, 1987-1985		B16 (PSS9)	Front and Rear	48-080569				
1998-1997	TDI	B4	Front	22-045027	Sport Suspension	Rear	19-019741	



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1998-1995	GL	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1998-1993		B4	Front	22-045010	Plus Axle			
1998-1995	GLS	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1998	K2	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1998-1997		B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1998-1997		B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1998-1997		Variable depending on application				Rear	24-015295	B8 (SP)
1997	Jazz	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1996-1994	GLS	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996-1994	GLX	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996-1993	GL	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	Trek	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1996	Trek	B16 (PSS9)	Front and Rear	48-080569				
1996-1994	GLX	B16 (PSS9)	Front and Rear	48-080569				
1996-1990, 1988	GL	B16 (PSS9)	Front and Rear	48-080569				
1996-1994	GLS	B16 (PSS9)	Front and Rear	48-080569				
1996	Trek	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1996-1994	GLX	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1996	Trek	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1996-1994	GLS	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1996-1993	GL	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1996-1993	GL	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1996	GLX	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1996-1994	GLS	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1996	Trek	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1996-1994	GLS	Variable depending on application				Rear	24-015295	B8 (SP)
1996	Trek	Variable depending on application				Rear	24-015295	B8 (SP)
1996-1994	GLX	Variable depending on application				Rear	24-015295	B8 (SP)
1996-1993	GL	Variable depending on application				Rear	24-015295	B8 (SP)
1995-1993		B12 (Pro-Kit)	Front and Rear	46-189981	Base Axle; Front Lowered Height: 30mm, up to 980kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
			Front and Rear	46-190000	Front Lowered Height: 30mm, up to 980kg Axle Load; Plus Axle; Rear Lowered Height: 30mm, up to 840kg Axle Load			
1995	Celebration Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	City	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1995	City	B16 (PSS9)	Front and Rear	48-080569				
1995	Celebration Edition	B16 (PSS9)	Front and Rear	48-080569				
1995	City	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1995	Celebration Edition	B4	Front	22-045027	Sport Suspension	Rear	19-019741	
1995	Celebration Edition	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1995	City	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1995-1994	GLX	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
			Front	F4-VN3-4172-H0				
1995	City	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1995	Celebration Edition	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1995	City	Variable depending on application				Rear	24-015295	B8 (SP)



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1995	Celebration Edition	Variable depending on application				Rear	24-015295	B8 (SP)
1994	Limited Edition	B14 (PSS)	Front and Rear	47-124844	Requires 15mm wheel spacers			
1994	Limited Edition	B16 (PSS9)	Front and Rear	48-080569				
1994	Limited Edition	B4	Front	22-045027	From 9/94; Sport Suspension	Rear	19-019741	From 9/94
1994	GLS	B4	Front	22-045027	From 9/94; Sport Suspension	Rear	19-019741	From 9/94
1994	GL	B4	Front	22-045027	From 9/94; Sport Suspension	Rear	19-019741	From 9/94
1994	Limited Edition	B6 (HD)	Front	35-043911	Plus Axle	Rear	24-015240	
			Front	35-043959	Base Axle			
1994	Limited Edition	B8 (SP)	Front	35-043928	Plus Axle			
			Front	35-043966	Base Axle			
1994	Limited Edition	Variable depending on application				Rear	24-015295	B8 (SP)
1992-1985	1.6L L4 1588cc 97 CID; GL	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1992-1985	1.6L L4 1588cc 97 CID; Base	B12 (Pro-Kit)	Front and Rear	46-189967	Front Lowered Height: 20mm, up to 840kg Axle Load; Rear Lowered Height: 20mm, up to 740kg Axle Load			
1992-1990, 1988	GLI 16-Valve	B16 (PSS9)	Front and Rear	48-080569				
1992-1990, 1988	Carat	B16 (PSS9)	Front and Rear	48-080569				
1992-1990, 1988		B4				Rear	19-124681	Off-road Suspension
1992-1990, 1988	GLI 16-Valve	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only			
1992-1990, 1988	GL	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only			
1992-1990, 1988	Carat	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only			
1992-1990, 1988	Carat	B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				
1992-1990, 1988	GL	B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Jetta (continued)								
1992-1990, 1988	GLI 16-Valve	B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				
1992-1990, 1988	GL	B8 (SP)	Front	35-003663				
1992-1990, 1988		B8 (SP)				Rear	24-015042	
1992-1990, 1988	Carat	B8 (SP)	Front	35-003663				
1992-1990, 1988	GLI 16-Valve	B8 (SP)	Front	35-003663				
1989, 1987- 1985		B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only	Rear	19-124681	Off-road Suspension
1989, 1987- 1985		B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				
1989, 1987- 1985		B8 (SP)	Front	35-003663		Rear	24-015042	
1988	Base	B16 (PSS9)	Front and Rear	48-080569				
1988	Base	B4	Front	21-030468		Rear	19-019741	
			Front	22-041142	For bolted struts only			
1988	Base	B6 (HD)	Front	35-181590	For bolted struts only	Rear	24-006569	
			Front	34-001028				
			Front	35-002147				
1988	Base	B8 (SP)	Front	35-003663				
1984-1980		B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984-1980		B4	Front	21-030338		Rear	19-019550	
1984-1980		B6 (HD)	Front	34-001370		Rear	24-184625	
1984-1980		B8 (SP)	Front	34-184530				
Volkswagen Jetta City								
2009-2007		B4				Rear	19-140032	Off-road Suspension
2009-2007	Wagon	B4				Rear	19-068633	Standard Chassis
2009-2007	Wagon	B6 (HD)				Rear	24-064095	
2009-2007	Wagon	B8 (SP)				Rear	24-064101	
Volkswagen Karmann Ghia								
1974-1968		B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77	Rear	24-006347	
1974-1968		B8 (SP)				Rear	24-000345	CV Axle rear IRS



Years	Application	Series	Front			Rear		
Volkswagen Karmann Ghia (continued)								
1967-1966		4600 Series				Rear	24-181488	From 53 To 8/67; Swing Axle
1967-1965		B6 (HD)	Front	24-006200	Ball joint front; From 8/65 To 77			
1965-1956		4600 Series	Front	24-000321	From 53 To 7/65; Link pin front	Rear	24-181488	From 53 To 8/67; Swing Axle
Volkswagen Lupo								
2009-2005		B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2009-2005		B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2009-2005		B4	Front	22-105813	Standard Chassis	Rear	19-156699	Standard Chassis
Volkswagen Passat								
2010-2008	2.0L L4 1984cc 121 CID; Komfort; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2010	AWD; Highline V6; Wagon	B12 (Pro-Kit)	Front and Rear	46-184443	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; With 55mm Outside Strut Diameter			
2010-2008	2.0L L4 1984cc 121 CID; Komfort; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2010-2009	2.0L L4 1984cc 121 CID; Trendline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2010-2009	2.0L L4 1984cc 121 CID; Comfortline; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2010-2009	2.0L L4 1984cc 121 CID; Highline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2010-2009	2.0L L4 1984cc 121 CID; Highline; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	



Years	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2010-2009	2.0L L4 1984cc 121 CID; Comfortline; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	2.0L L4 1984cc 121 CID; Sedan; Trendline	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
2010-2006		B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010-2006		B16 (PSS10)	Front and Rear	48-135245	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010-2006		B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
2010-2006		B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010-2006		B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
2009-2006	2.0L L4 1984cc 121 CID; 2.0T; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2008	2.0L L4 1984cc 121 CID; Base; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008	2.0L L4 1984cc 121 CID; Sedan; Turbo	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008-2007	2.0L L4 1984cc 121 CID; 2.0T; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008	2.0L L4 1984cc 121 CID; Lux; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	



Years	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2008	2.0L L4 1984cc 121 CID; Turbo; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008	2.0L L4 1984cc 121 CID; Lux; Sedan	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008	AWD; VR6; Wagon	B12 (Pro-Kit)	Front and Rear	46-184443	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; With 55mm Outside Strut Diameter	
2008	2.0L L4 1984cc 121 CID; Base; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2008-2007	3.6; AWD; Wagon	B12 (Pro-Kit)	Front and Rear	46-184443	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1230kg Axle Load; With 55mm Outside Strut Diameter	



Years	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2007	2.0L L4 1984cc 121 CID; Sedan; Wolfsburg Edition	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2007-2006	2.0L L4 1984cc 121 CID; Sedan; Value Edition	B12 (Pro-Kit)	Front and Rear	46-184405	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184412	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2007	2.0L L4 1984cc 121 CID; Value Edition; Wagon	B12 (Pro-Kit)	Front and Rear	46-184429	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1040kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
			Front and Rear	46-184436	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1180kg Axle Load; Rear Lowered Height: 30mm, up to 1130kg Axle Load; With 55mm Outside Strut Diameter	
2005-2003	1.8L L4 1781cc; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
2005, 2002- 2001	2.8L V6 2771cc; GLS 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load	



Years	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2005-2003	1.8L L4 1781cc; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
2005-2002	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
2005-2004	2.0L L4 1967cc 120 CID; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
2005-2002	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
2005-2004	2.0L L4 1967cc 120 CID; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
2005-2001	2.8L V6 2771cc; GLX 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load	
2005-2000	1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
2005-2004	1.8L L4 1781cc; GLS 4 Motion; Wagon	B12 (Pro-Kit)	Front and Rear	46-183972	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Off-road Suspension	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2005-2000	1.8L L4 1781cc; 1.8T; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2005	2.0L L4 1967cc; 120 CID; GL TDI; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2005-1998	GLS	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005-2002	V6 4Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2005-1999	1.8T	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005-2003	GL	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005-2004, 2002-2001	GLS 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2005-1999	V6	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005-1998	FWD; GLX	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005	GL TDI	B14 (PSS)	Front and Rear	47-124806	Front Lowered Height: 35-55mm, up to 1230kg Axle Load; Rear Lowered Height: 35-55mm, up to 1200kg Axle Load			
2005-2001	GLX 4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2005-2001	GLX 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2005-2003	GL	B16 (PSS9)	Front and Rear	48-088749				
2005-2004, 2002-2001	GLS 4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2005-2000	GLS	B16 (PSS9)	Front and Rear	48-088749				
2005-2000	GLX	B16 (PSS9)	Front and Rear	48-088749				
2005-2002	1.8T	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension
2005-2002	V6	B4	Front	19-119922	Standard Chassis	Rear	19-140049	Sport Suspension



Years	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2005-2003	GL	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2005-2001	GLX 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2005-2002	GLS	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2005-2002	GLX	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2005-2004, 2002-2001	GLS 4 Motion	B4	Front	19-119939	For vehicles with sport suspension and standard chassis			
2005	GL TDI	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	Standard Chassis	Rear	19-029443	Standard Suspension
2005-2001	4 Dr.; GLS; Sedan	B6 (HD)				Rear	24-065429	
2005-2001	4 Dr.; GLS; Wagon	B6 (HD)				Rear	24-065443	
2005-2001	4 Dr.; GLX; Sedan	B6 (HD)				Rear	24-065429	
2005-2003	4 Dr.; GL; Sedan	B6 (HD)				Rear	24-065429	
2005-2001	4 Dr.; GLX; Wagon	B6 (HD)				Rear	24-065443	
2005, 2001	GLS 4 Motion	B6 (HD)				Rear	24-065092	
2005, 2001	GLX 4 Motion	B6 (HD)				Rear	24-065092	
2005, 2001		B6 (HD)	Front	24-065122				
2005	GL TDI	B6 (HD)				Rear	24-065429	
2005-2003	4 Dr.; GL; Wagon	B6 (HD)				Rear	24-065443	
2005-2000	GLX; Sedan	B8 (SP)				Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005-2001	GLX 4 Motion	B8 (SP)				Rear	24-065115	
2005-2002	GLX; Wagon	B8 (SP)				Rear	24-065450	Without Off-road Suspension
2005-2000	1.8T; Sedan	B8 (SP)				Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005	GL TDI; Sedan	B8 (SP)				Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005-2003	GL; Sedan	B8 (SP)				Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005-2004, 2002-2001	GLS 4 Motion	B8 (SP)				Rear	24-065115	
2005-2000	GLS; Sedan	B8 (SP)				Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension
2005-2003	GL; Wagon	B8 (SP)				Rear	24-065450	Without Off-road Suspension
2005-2002	GLS; Wagon	B8 (SP)				Rear	24-065450	Without Off-road Suspension
2005-2000	Sedan; V6	B8 (SP)				Rear	24-065436	From Chassis # 3B-YE121 222; Without Off-road Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2004	2.0L L4 1967cc 120 CID; GL; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2004	2.0L L4 1967cc 120 CID; GL; Sedan	B12 (Pro-Kit)	Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2004-2002	W8	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2004-2002	W8	B16 (PSS9)	Front and Rear	48-088688				
2004-2003	GL	B6 (HD)	Front	24-065122				
2004-2002	W8	B6 (HD)				Rear	24-065092	
2004-2002	GLS	B6 (HD)	Front	24-065122				
2004-2002	GLX 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2004-2002	GLX	B6 (HD)	Front	24-065122				
2004, 2002	GLS 4 Motion	B6 (HD)	Front	24-065122		Rear	24-065092	
2003-2000	1.8L L4 1781cc; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension			
2003-2002	1.8L L4 1781cc; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
2001-1999	1.8L L4 1781cc; FWD; GLX; Sedan	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			



Years	Application	Series	Front			Rear
Volkswagen Passat (continued)						
2001-2000	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load	
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension	
			Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension	
2001-2000	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-000439	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
			Front and Rear	46-000446	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1070kg Axle Load; Without Off-road Suspension	
			Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221	
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2001-2000	1.8L L4 1781cc; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-000491	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1070kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-000507	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1175kg Axle Load; Rear Lowered Height: 30mm, up to 1200kg Axle Load			
			Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
			Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
2001-1999	1.8T	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221			
2001	GLX	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-029443	Standard Suspension
2001-2000	V6	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-140049	Sport Suspension
2001-2000	1.8T	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-140049	Sport Suspension
2001	GLS	B4	Front	19-119939	Sport Suspension	Rear	19-140049	Sport Suspension
			Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-029443	Standard Suspension
2001	GLS; Wagon	B8 (SP)				Rear	24-065450	From Chassis # 3B-YE121 222; Without Off-road Suspension
2001	GLX; Wagon	B8 (SP)				Rear	24-065450	From Chassis # 3B-YE121 222; Without Off-road Suspension
2000	4 Motion	B14 (PSS)	Front and Rear	47-086937	Front Lowered Height: 25-45mm, up to 1260kg Axle Load; Rear Lowered Height: 20-40mm, up to 1200kg Axle Load			
2000	4 Motion	B16 (PSS9)	Front and Rear	48-088688				
2000	GLX; Sedan	B4				Rear	19-140049	Sport Suspension
2000	GLX	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-029443	Standard Suspension
2000-1998	GLS; Sedan	B4				Rear	19-140049	Sport Suspension
2000	GLS	B4	Front	19-119922	From Chassis # 3B-YE121 222; Standard Chassis	Rear	19-029443	Standard Suspension



Years	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
2000		B4	Front	19-045771	Sport Suspension			
			Front	22-031167	Standard Suspension			
2000	4 Motion	B6 (HD)	Front	24-065122				
2000	GLX	B6 (HD)	Front	24-020794				Rear
2000	GLS	B6 (HD)	Front	24-020794				Rear
2000	GLX	B8 (SP)	Front	24-020817				Rear
						Rear	F4-BE3-2533-H0	
2000	GLS	B8 (SP)	Front	24-020817				Rear
						Rear	F4-BE3-2533-H0	
2000	4 Motion	B8 (SP)				Rear	24-065115	
1999	1.8L L4 1781cc; FWD; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
			Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
1999	2.8L V6 2771cc; AWD; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-183989	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Off-road Suspension			
1999	1.8L L4 1781cc; AWD; GLX; Wagon	B12 (Pro-Kit)	Front and Rear	46-183972	For Vehicles Without Ride Height Control; From Chassis # 3B-YE121 222; Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1190kg Axle Load; Without Off-road Suspension			
1999-1998	1.8L L4 1781cc; GLS; Wagon	B12 (Pro-Kit)	Front and Rear	46-183965	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1090kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			
			Front and Rear	46-183958	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1020kg Axle Load; Must reuse O.E. spring seat; Rear Lowered Height: 30mm, up to 1080kg Axle Load; To Chassis # 3B-Y-121 222; Without Off-road Suspension			

Passenger Cars



Years	Application	Series	Front			Rear			
Volkswagen Passat (continued)									
1999-1998	1.8L L4 1781cc; GLS; Sedan	B12 (Pro-Kit)	Front and Rear	46-188694	Front Lowered Height: 30mm, up to 1020kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221				
			Front and Rear	46-188700	Front Lowered Height: 30mm, up to 1090kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; To Chassis # 3B_YE121 221				
1999-1998		B16 (PSS9)	Front and Rear	48-088749					
1999	FWD; GLX; Sedan	B4				Rear	19-140049	Sport Suspension	
1999-1998		B4	Front	19-045771	Sport Suspension		Rear	19-029443	Standard Suspension
			Front	22-031167	Standard Suspension				
1999	1.8T	B4				Rear	19-140049	Sport Suspension	
1999	V6	B4				Rear	19-140049	Sport Suspension	
1999-1998		B6 (HD)	Front	24-020794			Rear	24-025324	
1999	AWD; GLX; Wagon	B6 (HD)				Rear	24-065092		
1999-1998		B8 (SP)	Front	24-020817			Rear	24-025331	
						Rear	F4-BE3-2533-H0		
1998	GLX	B4				Rear	19-140049	Sport Suspension	
1997-1996		B4	Front	22-045768			Rear	19-019949	
1997-1996		B6 (HD)	Front	22-040589	Plus Axle		Rear	24-015974	
			Front	22-004062	Base Axle				
1997-1994		B8 (SP)				Rear	24-026017	Without Off-road Suspension	
1995	GLS	B4	Front	22-045768			Rear	19-019949	
1995	GLX	B4	Front	22-045768			Rear	19-019949	
1995	GLS	B6 (HD)	Front	22-040589	Plus Axle		Rear	24-015974	
			Front	22-004062	Base Axle				
1995-1993	GLX	B6 (HD)	Front	22-040589	Plus Axle		Rear	24-015974	
			Front	22-004062	Base Axle				
1994-1993	GLX	B4	Front	22-041234			Rear	19-019949	
1994	Base	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension				
1993	GL	B4	Front	22-041234			Rear	19-019949	
			Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435				
1993	1.8L L4 1788cc 109 CID; Base	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435				
1993	Syncro	B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435		Rear	19-216973	Standard Chassis; To Chassis # 31-P-026 435



Years	Application	Series	Front			Rear		
Volkswagen Passat (continued)								
1993	GL	B6 (HD)	Front	22-040589	Plus Axle	Rear	24-015974	
			Front	22-004062	Base Axle			
1993	GLS	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1993-1991	GL	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1993-1991	Base	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1993	GLX	B8 (SP)				Rear	24-026017	Without Off-road Suspension
1992-1990		B4	Front	21-031502	For Vehicles With Rebuildable Struts Only; Standard Chassis; To Chassis # 31-P-026 435			
1992-1991	Syncro	B4				Rear	19-216973	Standard Chassis; To Chassis # 31-P-026 435
1992	CL	B4	Front	22-041234		Rear	19-019949	
1992-1990	GL	B4	Front	22-041234		Rear	19-019949	
1992	CL	B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
1990		B8 (SP)	Front	22-043085	Base Axle; Without Off-road Suspension	Rear	24-026017	Without Off-road Suspension
Volkswagen Passat CC								
2012-2011		B4				Rear	19-151069	Standard Chassis
						Rear	19-151083	Sport Suspension
2010-2009	Highline V6	B12 (Pro-Kit)	Front and Rear	46-184399	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1170kg Axle Load; Rear Lowered Height: 25mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	Highline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	Sportline	B14 (PSS)	Front and Rear	47-127708	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	Sportline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			
2010-2009	Highline	B16 (PSS10)	Front and Rear	48-135245	Except Electronic Adjustable Suspension; Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1250kg Axle Load; With 55mm Outside Strut Diameter			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Passat CC (continued)								
2010-2009		B4	Front	22-151056	Standard Chassis; With 55mm Outside Strut Diameter	Rear	19-151069	Standard Chassis
			Front	22-151070	Sport Suspension; With 55mm Outside Strut Diameter	Rear	19-151083	Sport Suspension
2010-2009		B6 (HD)	Front	35-122074	With 55mm Outside Strut Diameter	Rear	24-172936	
2010-2009		B8 (SP)	Front	35-122081	With 55mm Outside Strut Diameter	Rear	24-178006	
Volkswagen Polo								
2007-2003		B12 (Pro-Kit)	Front and Rear	46-183927	Front Lowered Height: 30mm, up to 870kg Axle Load; Rear Lowered Height: 30mm, up to 840kg Axle Load			
2007-2003		B12 (Sportline)	Front and Rear	46-183736	Front Lowered Height: 45-50mm, up to 870kg Axle load; Rear Lowered Height: 30-35mm, up to 800kg Axle Load			
2007-2003		B14 (PSS)	Front and Rear	47-146914	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007-2003		B16 (PSS9)	Front and Rear	48-146852	Front Lowered Height: 15-35mm, up to 960kg Axle Load; Rear Lowered Height: 15-30mm, up to 835kg Axle Load; Sport Suspension			
2007-2003		B4	Front	22-105813	Off-road Suspension; Standard Chassis	Rear	19-109572	Off-road Suspension; Standard Chassis
Volkswagen Quantum								
1988-1986	GL	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1988-1986	GL	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1987-1986	Base	B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1987-1986	Base	B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1985-1984		B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
1985-1982		B6 (HD)	Front	34-030059	With 50mm Outside Strut Diameter	Rear	24-000307	
1983		B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019659	From 4/83
						Rear	19-019932	To 3/83
1982		B4	Front	21-030406	With 50mm Outside Strut Diameter	Rear	19-019932	To 3/83
Volkswagen R32								
2008		B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 20-30mm, up to 1210kg Axle Load; Rear Lowered Height: 10-30mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2008		B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			



Years	Application	Series	Front			Rear		
Volkswagen R32 (continued)								
2008		B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
2008		B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
2008		Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
Volkswagen Rabbit								
2009-2006		B12 (Pro-Kit)	Front and Rear	46-184153	Front Lowered Height: 30mm, up to 1150kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194862	Front Lowered Height: 30mm, up to 1080kg Axle Load; Rear Lowered Height: 30mm, up to 1010kg Axle Load; With 55mm Outside Strut Diameter			
2009-2006		B12 (Sportline)	Front and Rear	46-194916	Front Lowered Height: 20-25mm, up to 1130kg Axle Load; Rear Lowered Height: 20mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183767	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
			Front and Rear	46-194909	Front Lowered Height: 45-50mm, up to 1040kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 55mm Outside Strut Diameter			
			Front and Rear	46-183774	Front Lowered Height: 45-50mm, up to 1130kg Axle Load; Rear Lowered Height: 30-35mm, up to 930kg Axle Load; With 50mm Outside Strut Diameter			
2009-2006		B14 (PSS)	Front and Rear	47-127708	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2009-2008		B16 (PSS10)	Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2009-2008	S	B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
2009-2008	S	B4	Front	22-131614	With 55mm Outside Strut Diameter			
2009-2008		B4	Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter	Rear	19-127439	
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2009-2008		B6 (HD)	Front	35-113751	With 50mm Outside Strut Diameter	Rear	24-172936	

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
2009-2008	S	B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter			
2009-2008		B8 (SP)	Front	35-113768	With 50mm Outside Strut Diameter	Rear	24-178006	
2009-2008	S	B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter			
2009-2006		Bilstein Clubsport	Front and Rear	48-215909	Front Lowered Height: 30-40mm, up to 1210kg Axle Load; Rear Lowered Height: 20-40mm, up to 1100kg Axle Load; With 55mm Outside Strut Diameter			
2007-2006		B16 (PSS10)	Front and Rear	48-135245	With 55mm Outside Strut Diameter			
			Front and Rear	48-135238	Front Lowered Height: 30-50mm, up to 1210kg Axle Load; Rear Lowered Height: 30-50mm, up to 1100kg Axle Load; With 50mm Outside Strut Diameter			
2007-2006		B4	Front	22-131614	With 55mm Outside Strut Diameter	Rear	19-127439	
			Front	22-131607	Standard Chassis; With 50mm Outside Strut Diameter			
			Front	22-139184	Sport Suspension; With 50mm Outside Strut Diameter			
			Front	22-139191	Sport Suspension; With 55mm Outside Strut Diameter			
2007-2006		B6 (HD)	Front	35-108177	With 55mm Outside Strut Diameter	Rear	24-172936	
			Front	35-113751	With 50mm Outside Strut Diameter			
2007-2006		B8 (SP)	Front	35-108191	With 55mm Outside Strut Diameter	Rear	24-178006	
			Front	35-113768	With 50mm Outside Strut Diameter			
1984-1975		B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984, 1982-1975		B4	Front	21-030338		Rear	19-019550	
1984, 1982-1975		B6 (HD)	Front	34-001370				
1984, 1982-1975		B8 (SP)	Front	34-184530				
1984-1975		Motorsports				Rear	24-006576	Group N
1983	GTI	B4	Front	21-030338		Rear	19-019550	
1983	L	B4	Front	21-030338		Rear	19-019550	
1983	LS	B4	Front	21-030338		Rear	19-019550	
1983	Wolfsburg Edition	B4	Front	21-030338		Rear	19-019550	
1983	GL	B4	Front	21-030338		Rear	19-019550	
1983	GTI	B6 (HD)	Front	34-001370				



Years	Application	Series	Front			Rear		
Volkswagen Rabbit (continued)								
1983	GL	B6 (HD)	Front	34-001370				
1983	Wolfsburg Edition	B6 (HD)	Front	34-001370				
1983	LS	B6 (HD)	Front	34-001370				
1983	L	B6 (HD)	Front	34-001370				
1983	GTI	B8 (SP)	Front	34-184530				
1983	LS	B8 (SP)	Front	34-184530				
1983	L	B8 (SP)	Front	34-184530				
1983	GL	B8 (SP)	Front	34-184530				
1983	Wolfsburg Edition	B8 (SP)	Front	34-184530				
Volkswagen Rabbit Convertible								
1984-1980		B12 (Pro-Kit)	Front and Rear	46-189943	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30-35mm, up to 630kg Axle Load			
1984-1980		B4	Front	21-030338		Rear	19-019550	
1984-1980		B6 (HD)	Front	34-001370				
1984-1980		B8 (SP)	Front	34-184530				
Volkswagen Scirocco								
1989-1975		B12 (Pro-Kit)	Front and Rear	46-189868	For Vehicles With Rebuildable Struts Only; Front Lowered Height: 30-40mm, up to 785kg Axle Load ; Rear Lowered Height: 30mm, up to 630kg Axle Load			
1988	16-Valve	B4	Front	21-030338		Rear	19-019550	
1988	16-Valve	B6 (HD)	Front	34-001370				
1988	16-Valve	B8 (SP)	Front	34-184530				
1987, 1985-1975		B4	Front	21-030338		Rear	19-019550	
1987, 1985-1975		B6 (HD)	Front	34-001370				
1987, 1985-1975		B8 (SP)	Front	34-184530				
1986	Base	B4	Front	21-030338		Rear	19-019550	
1986	Base	B6 (HD)	Front	34-001370				
1986	Base	B8 (SP)	Front	34-184530				
Volkswagen Squareback								
1973-1968		4600 Series	Front	24-000321		Rear	24-181488	
1973-1966		B6 (HD)	Front	24-632188				
1967-1966		4600 Series	Front	24-000321	Swing Axle	Rear	24-181488	
Volkswagen Super Beetle								
1980-1974		B6 (HD)	Front	34-001042	From 9/73			

Passenger Cars



Years	Application	Series	Front			Rear		
Volkswagen Super Beetle (continued)								
1980-1971		B8 (SP)				Rear	24-000345	
1973		B6 (HD)	Front	34-001042	From 9/73	Rear	24-006347	To 8/73
1972-1971		B6 (HD)				Rear	24-006347	To 8/73
Volkswagen Thing								
1974-1973		B6 (HD)	Front	24-006200		Rear	24-006347	
1974-1973		B8 (SP)				Rear	24-000345	
Volvo 122								
1968-1962	S	B6 (HD)	Front	24-002837		Rear	24-002936	
1961-1959	Base	B6 (HD)	Front	24-002837		Rear	24-002936	
Volvo 142								
1974-1970	Base	B4	Front	19-019420		Rear	19-019635	
1974	GL	B4	Front	19-019420		Rear	19-019635	
1974-1967		B6 (HD)	Front	24-002899				
1972-1971	E	B4	Front	19-019420		Rear	19-019635	
1969-1968	S	B4	Front	19-019420		Rear	19-019635	
Volvo 144								
1974	GL	B4	Front	19-019420		Rear	19-019635	
1974-1970	Base	B4	Front	19-019420		Rear	19-019635	
1974-1967		B6 (HD)	Front	24-002899				
1969-1967	S	B4	Front	19-019420		Rear	19-019635	
Volvo 145								
1974-1970	Base	B4	Front	19-019420		Rear	19-019635	
1969-1968	S	B4	Front	19-019420		Rear	19-019635	
Volvo 164								
1975		B4	Front	19-019420		Rear	19-019635	
1975-1969		B6 (HD)	Front	24-002899				
1974-1973	E	B4	Front	19-019420		Rear	19-019635	
1972-1969	Base	B4	Front	19-019420		Rear	19-019635	
Volvo 1800								
1973-1962		B6 (HD)	Front	24-002837		Rear	24-002936	
Volvo 240								
1993-1990		B4	Front	21-030314		Rear	19-019529	
1993-1991		B6 (HD)	Front	34-030806	Parameter 305/206	Rear	24-002967	
			Front	34-030837	Parameter 350/150			
			Front	34-031520	Parameter 300/175			



Years	Application	Series	Front			Rear		
Volvo 240 (continued)								
1991	Base; Non-ABS; Power Brakes; w/ Disc Front Brakes; w/ Disc Rear Brakes	B6 (HD)	Front	34-181539				
1990		B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-030806	Parameter 305/206			
			Front	34-030837	Parameter 350/150			
			Front	34-031520	Parameter 300/175			
Volvo 242								
1984-1982, 1980-1975		B4	Front	21-030314		Rear	19-019529	
1984-1982, 1980-1975		B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150
			Front	34-031520	Parameter 300/175			
1981	DL	B4	Front	21-030314		Rear	19-019529	
1981	GLT	B4	Front	21-030314		Rear	19-019529	
1981	GL	B4	Front	21-030314		Rear	19-019529	
1981	Turbo	B4	Front	21-030314		Rear	19-019529	
1981		B6 (HD)	Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150
			Front	34-031520	Parameter 300/175			
1981	Turbo	B6 (HD)	Front	34-181539		Rear	24-002967	
1981	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
1981	GL	B6 (HD)	Front	34-181539		Rear	24-002967	
1981	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
Volvo 244								
1989-1982, 1980-1975		B4	Front	21-030314		Rear	19-019529	
1989-1982, 1980-1975		B6 (HD)	Front	34-181539		Rear	24-002967	
			Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150
			Front	34-031520	Parameter 300/175			
1981	DL	B4	Front	21-030314		Rear	19-019529	
1981		B6 (HD)	Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
			Front	34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150
			Front	34-031520	Parameter 300/175			
1981	DL	B6 (HD)	Front	34-181539		Rear	24-002967	

Passenger Cars



Years	Application	Series	Front			Rear		
Volvo 245								
1989-1985, 1983-1982, 1980-1975		B4	Front	21-030314		Rear	19-019529	
1989-1985, 1983-1982, 1980-1975		B6 (HD)	Front	34-181539		Rear	24-002967	
	Front		34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
	Front		34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150	
	Front		34-031520	Parameter 300/175				
1984	Base	B4	Front	21-030314		Rear	19-019529	
1984, 1981		B6 (HD)	Front	34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200
	Front		34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150	
	Front		34-031520	Parameter 300/175				
1984	Base	B6 (HD)	Front	34-181539		Rear	24-002967	
1981	DL	B4	Front	21-030314		Rear	19-019529	
1981	GLT	B4	Front	21-030314		Rear	19-019529	
1981	DL	B6 (HD)	Front	34-181539		Rear	24-002967	
1981	GLT	B6 (HD)	Front	34-181539		Rear	24-002967	
Volvo 262								
1981-1978, 1976		B4	Front	21-030314		Rear	19-019529	
1981-1978, 1976		B6 (HD)	Front	34-181539		Rear	24-002967	
	Front		34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
	Front		34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150	
	Front		34-031520	Parameter 300/175				
Volvo 264								
1982-1976		B4	Front	21-030314		Rear	19-019529	
1982-1976		B6 (HD)	Front	34-181539		Rear	24-002967	
	Front		34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
	Front		34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150	
	Front		34-031520	Parameter 300/175				
Volvo 265								
1981-1976		B4	Front	21-030314		Rear	19-019529	
1981-1976		B6 (HD)	Front	34-181539		Rear	24-002967	
	Front		34-030806	Parameter 305/206	Rear	24-022118	Parameter 275/200	
	Front		34-030837	Parameter 350/150	Rear	33-067230	Parameter 225/150	
	Front		34-031520	Parameter 300/175				
Volvo 740								
1992-1988		B4	Front	21-030543	From 7/88; From Chassis Number 81680	Rear	19-019888	From 7/88; From Chassis Number 81680



Years	Application	Series	Front			Rear		
Volvo 740 (continued)								
1992-1989		B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
			Front	34-030677	From Chassis # 81680; With Rigid Axle; Without Ride Height Adjustability			
1988		B6 (HD)	Front	34-002926	From 7/88; From Chassis Number 81680	Rear	24-012744	From 7/88; From Chassis Number 81680
Volvo 760								
1990-1985		B4	Front	21-030543	From 5/84	Rear	19-019888	
1988-1985		B6 (HD)	Front	34-030677	From Chassis # 81680; Without Ride Height Adjustability			
1984		B4	Front	21-030536	To 4/84	Rear	19-019888	
			Front	21-030543	From 5/84			
1984		B6 (HD)	Front	34-002926	From 5/84 To 7/84	Rear	24-012744	To 4/84
1983		B4	Front	21-030536	To 4/84	Rear	19-019888	
1983		B6 (HD)				Rear	24-012744	To 4/84
Volvo 780								
1990-1987		B4	Front	21-030543	From 5/84	Rear	19-019888	
Volvo 850								
1997	Base	B4				Rear	19-029450	
1997	T-5	B4				Rear	19-029450	
1997	GLT	B4				Rear	19-029450	
1997	R	B4				Rear	19-029450	
1997	T-5	B6 (HD)	Front	22-193377		Rear	24-016407	
1997	R	B6 (HD)	Front	22-193377		Rear	24-016407	
1997	Base	B6 (HD)	Front	22-193377		Rear	24-016407	
1997	GLT	B6 (HD)	Front	22-193377		Rear	24-016407	
1996-1993		B4				Rear	19-029450	
1996-1994		B6 (HD)	Front	22-193377		Rear	24-016407	
1993		B6 (HD)	Front	22-040152		Rear	24-016407	
Volvo 940								
1995-1993, 1991		B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1995-1993, 1991		B6 (HD)	Front	34-002926		Rear	24-012744	Without Independent Rear Suspension
						Rear	24-016629	With Independent Rear Suspension
1992	GL	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1992	T	B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Volvo 940 (continued)								
1992	T	B6 (HD)	Front	34-002926		Rear	24-012744	Without Independent Rear Suspension
						Rear	24-016629	With Independent Rear Suspension
1992	GL	B6 (HD)	Front	34-002926		Rear	24-012744	Without Independent Rear Suspension
						Rear	24-016629	With Independent Rear Suspension
Volvo 960								
1994-1992		B4	Front	21-030543		Rear	19-019888	Without Independent Rear Suspension
1994-1992		B6 (HD)	Front	34-002926		Rear	24-012744	Without Independent Rear Suspension
						Rear	24-016629	With Independent Rear Suspension
Volvo C30								
2013-2011		B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 15-30mm, up to 1100kg Axle Load; Rear Lowered Height: 10-20mm, up to 1090kg Axle Load			
2013-2011		B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 15-30mm, up to 1100kg Axle Load; Rear Lowered Height: 10-20mm, up to 1090kg Axle Load			
2013	T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2013-2012, 2010-2007		B8 (SP)				Rear	24-196550	
2012-2007		B12 (Pro-Kit)	Front and Rear	46-194350	Front Lowered Height: 30mm, up to 1140kg Axle Load; Rear Lowered Height: 30mm, up to 900kg Axle Load			
2012-2007		B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2012, 2010-2007		B6 (HD)				Rear	24-196529	
2011		B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2011		B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2010-2007	T5	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 15-30mm, up to 1100kg Axle Load; Rear Lowered Height: 10-20mm, up to 1090kg Axle Load			
2010-2007	T5	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 15-30mm, up to 1100kg Axle Load; Rear Lowered Height: 10-20mm, up to 1090kg Axle Load			
2010-2008	T5	B6 (HD)	Front Left	35-110736				
			Front Right	35-110743				



Years	Application	Series	Front			Rear		
Volvo C30 (continued)								
2010-2008	T5	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
Volvo C70								
2013-2006		B4	Front Right	22-112880	Standard Chassis	Rear	19-147291	
			Front Left	22-112811	Standard Chassis			
2012		B6 (HD)				Rear	24-142182	
2012		B8 (SP)				Rear	24-142199	
2011-2006		B6 (HD)	Front Left	35-110736		Rear	24-142182	
			Front Right	35-110743				
2011-2006		B8 (SP)	Front Left	35-110767		Rear	24-142199	
			Front Right	35-110774				
2004-1998		B4				Rear	19-029450	
2004-1998		B6 (HD)	Front	22-040152		Rear	24-016407	
Volvo S40								
2012		B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2011		B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2011-2010, 2004	T5	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 35-50mm, up to 1090kg Axle Load			
2011-2010, 2004	T5	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 35-50mm, up to 1090kg Axle Load			
2011, 2004	T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2011	Base	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2011-2010	Addition	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2011		B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2011		B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2010-2006	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Volvo S40 (continued)								
2010-2005	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2010	FWD; T5 R-Design	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2010	2.4i	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 35-50mm, up to 1090kg Axle Load			
2010	2.4i	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 35-50mm, up to 1090kg Axle Load			
2010-2006	2.4i	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2010	Kinetic	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2010	Inspiration	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2010-2005	FWD; T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2010-2006	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2010	FWD; T5	B6 (HD)				Rear	24-196529	
2010	FWD; T5 R-Design	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2010	FWD; T5	B8 (SP)				Rear	24-196550	
2010	FWD; T5 R-Design	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2010-2006	2.4i	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2009-2007	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2009-2007	T5 Addition	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2009-2007	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			



Years	Application	Series	Front			Rear		
Volvo S40 (continued)								
2009-2005		B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 35-50mm, up to 1090kg Axle Load			
2009-2005		B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 35-50mm, up to 1090kg Axle Load			
2009-2007	T5 Kinetic	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2009-2007	T5 Addition	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2009-2007	T5 Inspiration	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2009-2005	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2009-2005	FWD; T5	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2005-2004	i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2005-2004	i	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2005-2004	i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005-2004	i	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2004	T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2004	i	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 35-50mm, up to 1090kg Axle Load			
2004	i	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 35-50mm, up to 1100kg Axle Load; Rear Lowered Height: 35-50mm, up to 1090kg Axle Load			
2004	Base	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2004	LSE	B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2004	T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				

Passenger Cars



Years	Application	Series	Front			Rear		
Volvo S40 (continued)								
2004	T5	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2003-2001		B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
2000		B4	Front Left	22-118684	From 5/99 to 4/00	Rear	19-061283	To 4/00
			Front Right	22-118691	From 5/99 to 4/00	Rear	19-118703	From 5/00
			Front Left	22-120199	From 5/00			
			Front Right	22-120205	From 5/00			
1999		B4	Front Left	22-046819	To 5/99	Rear	19-061283	
			Front Right	22-046802	To 5/99			
Volvo S60								
2009-2002	T5	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2009-2006	2.5T; FWD	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2009-2002	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2009-2006	2.5T; FWD	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2009-2002	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2009-2006	2.5T; FWD	B6 (HD)	Front	35-052210		Rear	24-067935	
2009-2008	T5	B8 (SP)	Front	35-052227				
2009-2008	2.5T; FWD	B8 (SP)	Front	35-052227				
2009-2008		B8 (SP)				Rear	24-067942	
2008-2007	T5 Kinetic	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2008-2007	T5 Inspiration	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2008-2007	T5 Kinetic	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2008-2007	T5 Inspiration	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007-2002	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2007-2006	2.5T; FWD	B8 (SP)	Front	35-052227		Rear	24-067942	
2006	T5 Sport	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2006	T5 Sport	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability



Years	Application	Series	Front			Rear		
Volvo S60 (continued)								
2005-2004	2.4	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2005-2004	2.5T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2005-2004	2.4	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2005-2004	2.5T	B4				Rear	24-193276	Without Ride Height Adjustability
2005-2004	2.4	B6 (HD)	Front	35-052210		Rear	24-067935	
2005-2004	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2005-2004	2.4	B8 (SP)	Front	35-052227		Rear	24-067942	
2005-2004	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2004-2002	2.0T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2004-2002	2.0T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003-2002	2.4T	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2003-2002	Base	B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2003-2002	Base	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003-2002	2.4T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003-2002	Base	B6 (HD)	Front	35-052210		Rear	24-067935	
2003-2002	2.4T	B6 (HD)	Front	35-052210		Rear	24-067935	
2003-2002	2.4T	B8 (SP)	Front	35-052227		Rear	24-067942	
2003-2002	Base	B8 (SP)	Front	35-052227		Rear	24-067942	
2001		B12 (Pro-Kit)	Front and Rear	46-190727	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1110kg Axle Load; Rear Lowered Height: 30mm, up to 1120kg Axle Load			
2001		B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2001		B6 (HD)	Front	35-052210		Rear	24-067935	
2001		B8 (SP)	Front	35-052227		Rear	24-067942	
Volvo S70								
2000-1999	Base	B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000-1999	GLT	B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension

Passenger Cars



Years	Application	Series	Front			Rear		
Volvo S70 (continued)								
2000-1999	T5	B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	GLT SE	B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000-1999	T5	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000-1999	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000-1999	Base	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000	GLT SE	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
1998		B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1998		B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
Volvo S80								
2012-2007	3.2	B12 (Pro-Kit)	Front and Rear	46-190741	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1270kg Axle Load; Rear Lowered Height: 30mm, up to 1210kg Axle Load			
2012-2007	3.2	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2011-2007		B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				
2011-2007	3.2	Variable Depending on Application				Rear	24-143639	B6 (HD)
2009-2008	FWD; T6	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2009-2007	FWD; V8	B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability	Rear	24-143646	Except Electronic Adjustable Suspension; Without Ride Height Adjustability
			Front Right	35-144991	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2006-2004	2.5T	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2006-2004	T6	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2006-2004	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2006-2004	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2005	T6 Premier	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2005-2004	T6	B6 (HD)	Front	35-052210		Rear	24-067935	
2005	T6 Premier	B6 (HD)	Front	35-052210		Rear	24-067935	



Years	Application	Series	Front			Rear		
Volvo S80 (continued)								
2005-2004	T6	B8 (SP)	Front	35-052227		Rear	24-067942	
2005	T6 Premier	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	2.9	B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2004	2.9	B6 (HD)	Front	35-052210		Rear	24-067935	
2004	2.9	B8 (SP)	Front	35-052227		Rear	24-067942	
2003-1999		B4	Front	22-155344	Standard Chassis	Rear	24-193276	Standard Chassis
2003-1999		B6 (HD)	Front	35-052210		Rear	24-067935	
2003-1999		B8 (SP)	Front	35-052227		Rear	24-067942	
Volvo V40								
2004-2000		B4	Front Left	22-120199	From 5/00	Rear	19-118703	From 5/00
			Front Right	22-120205	From 5/00			
1999		B4	Front Left	22-046819	To 5/99	Rear	19-061283	
			Front Right	22-046802	To 5/99			
Volvo V50								
2011		B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2011-2010	T5	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 20-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2011-2010	T5	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 20-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2011	T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2011		B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2011		B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2010-2006	2.4i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2010	2.4i	B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 20-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2010	2.4i	B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 20-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2010-2006	2.4i	B4	Front Right	22-112880		Rear	19-119526	

Passenger Cars



Years	Application	Series	Front			Rear		
Volvo V50 (continued)								
2010-2006	2.4i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2010-2006	2.4i	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2009-2005		B14 (PSS)	Front and Rear	47-121225	Front Lowered Height: 20-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2009-2005		B16 (PSS9)	Front and Rear	48-121262	Front Lowered Height: 20-40mm, up to 1100kg Axle Load; Rear Lowered Height: 20-40mm, up to 1090kg Axle Load			
2008-2005	FWD; T5	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2008-2005	FWD; T5	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2008-2005	FWD; T5	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2008-2005	FWD; T5	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2006-2005	T5 Elegance	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2006-2005	T5 Elegance	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2006-2005	T5 Elegance	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2006-2005	T5 Elegance	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2005	i	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2005	T5 Sport	B12 (Pro-Kit)	Front and Rear	46-182289	For Vehicles Without Ride Height Control; Front Lowered Height: 25mm, up to 1140kg Axle Load; Rear Lowered Height: 25mm, up to 1010kg Axle Load			
2005	i	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				
2005	T5 Sport	B4	Front Right	22-112880		Rear	19-119526	
			Front Left	22-112811				



Years	Application	Series	Front			Rear		
Volvo V50 (continued)								
2005	i	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005	T5 Sport	B6 (HD)	Front Left	35-110736		Rear	24-196529	
			Front Right	35-110743				
2005	T5 Sport	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
2005	i	B8 (SP)	Front Left	35-110767				
			Front Right	35-110774				
Volvo V70								
2010-2008		B6 (HD)	Front Left	35-144960		Rear	24-146135	Except Electronic Adjustable Suspension; Standard Chassis; Without Ride Height Adjustability
			Front Right	35-144977				
2010-2008		B8 (SP)	Front Left	35-144984	Except Electronic Adjustable Suspension; Without Ride Height Adjustability			
2010-2008		Variable Depending on Application				Rear	24-143639	B8 (SP); Except Electronic Adjustable Suspension; Without Ride Height Adjustability
2007-2004	2.5T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007-2004	2.4	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2007-2004	2.4	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007-2004	2.5T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2007-2004	2.4	B6 (HD)	Front	35-052210		Rear	24-067935	
2007-2004	2.5T	B6 (HD)	Front	35-052210		Rear	24-067935	
2007-2004	2.4	B8 (SP)	Front	35-052227		Rear	24-067942	
2007-2004	2.5T	B8 (SP)	Front	35-052227		Rear	24-067942	
2005-2001	T5	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2005-2001	T5	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2005-2001	T5	B6 (HD)	Front	35-052210		Rear	24-067935	
2005-2001	T5	B8 (SP)	Front	35-052227		Rear	24-067942	
2004	R	B8 (SP)	Front	35-052227				
2003-2001	Base	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			

Passenger Cars



Years	Application	Series	Front			Rear		
Volvo V70 (continued)								
2003-2001	2.4T	B12 (Pro-Kit)	Front and Rear	46-190703	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1100kg Axle Load; Rear Lowered Height: 30mm, up to 1170kg Axle Load			
2003-2001	2.4T	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003-2001	Base	B4	Front	22-155344	Without Ride Height Adjustability	Rear	24-193276	Without Ride Height Adjustability
2003-2001	Base	B6 (HD)	Front	35-052210		Rear	24-067935	
2003-2001	2.4T	B6 (HD)	Front	35-052210		Rear	24-067935	
2003-2001	2.4T	B8 (SP)	Front	35-052227		Rear	24-067942	
2003-2001	Base	B8 (SP)	Front	35-052227		Rear	24-067942	
2000	GLT SE	B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	T5	B4	Front	22-230959				
2000-1998	Base	B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000-1998	GLT	B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
2000	GLT SE	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000-1998	GLT	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000-1998	Base	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
2000	GLT SE	B8 (SP)	Front	35-052227				
2000	Base	B8 (SP)	Front	35-052227				
2000	GLT	B8 (SP)	Front	35-052227				
1999-1998	T5	B4				Rear	19-029450	Excludes Self Leveling (Nivomat) Suspension
1999-1998	T5	B6 (HD)	Front	22-040152		Rear	24-016407	Excludes Self Leveling (Nivomat) Suspension
Volvo XC70								
2010-2008		B6 (HD)	Front Left	35-144960				
			Front Right	35-144977				

LIGHT TRUCK & SUV

APPLICATIONS



Years	Application	Series	Front			Rear		
Audi Q5								
2013	Premium Plus	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2013	Premium	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2013	Hybrid Prestige	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2013	Prestige	B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2012-2009		B12 (Pro-Kit)	Front and Rear	46-188083	Except Electronic Adjustable Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1235kg Axle Load; Rear Lowered Height: 25mm, up to 1345kg Axle Load			
2012-2009		B4	Front	19-171593	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-171609	Except Electronic Adjustable Suspension; Standard Chassis
2010-2009	Premium Plus	B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010-2009	Prestige	B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010-2009	Premium	B6 (HD)	Front	24-145961	Excludes Electronic Suspension	Rear	24-145978	Excludes Electronic Suspension
2010-2009	Premium Plus	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010-2009	Prestige	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
2010-2009	Premium	B8 (SP)	Front	24-145985	Excludes Electronic Suspension	Rear	24-145992	Excludes Electronic Suspension
BMW X1								
2013	xDrive35i	B12 (Pro-Kit)	Front and Rear	46-191465	Front Lowered Height: 30mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 1180kg Axle Load			
2013	sDrive28i	B12 (Pro-Kit)	Front and Rear	46-189554	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 940kg Axle Load; Rear Lowered Height: 30mm, up to 1180kg Axle Load			
2013	xDrive28i	B12 (Pro-Kit)	Front and Rear	46-191465	Front Lowered Height: 30mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 1180kg Axle Load			
2013	sDrive28i	B4	Front Left	22-183873				
			Front Right	22-183880				
2013	xDrive35i	B4	Front Left	22-183842				
			Front Right	22-183859				
2013	xDrive28i	B4	Front Left	22-183842				
			Front Right	22-183859				
2013		B4				Rear	19-183862	
2013	xDrive28i	B6 (HD)	Front Right	35-171300				
			Front Left	35-171294				
2013	sDrive28i	B6 (HD)	Front Left	35-171553				
			Front Right	35-171560				
2013		B6 (HD)				Rear	24-171311	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
BMW X1 (continued)								
2013	xDrive35i	B6 (HD)	Front Right	35-171300				
			Front Left	35-171294				
2012		B12 (Pro-Kit)	Front and Rear	46-191465	For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1030kg Axle Load; Rear Lowered Height: 30mm, up to 1180kg Axle Load			
2012		B4	Front Left	22-183842		Rear	19-183862	
			Front Right	22-183859				
2012		B6 (HD)	Front Right	35-171300		Rear	24-171311	
			Front Left	35-171294				
BMW X3								
2013-2011		4600 Series	Front Left	35-197157		Rear	24-197205	
			Front Right	35-197195				
2013-2011		B4	Front Left	22-197672	Standard Chassis	Rear	19-213156	Sport Suspension
			Front Right	22-197689	Standard Chassis	Rear	19-197692	Standard Chassis
			Front Left	22-213136	Sport Suspension			
			Front Right	22-213143	Sport Suspension			
2010	xDrive30i	4600 Series	Front Left	35-114567				
			Front Right	35-114574				
2010		4600 Series				Rear	24-114585	
2010-2004		B12 (Pro-Kit)	Front and Rear	46-189547	For Vehicles Without Pneumatic Suspension; Front Lowered Height: 30-40mm, up to 1177kg Axle Load; Rear Lowered Height: 30mm, up to 1285kg Axle Load			
2010-2004		B4	Front Right	22-123619	Standard Chassis	Rear	19-123622	Standard Chassis
			Front Left	22-123602	Standard Chassis			
2009, 2007, 2005-2004		4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2008	3.0si	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
2006	3.0i	4600 Series	Front Left	35-114567		Rear	24-114585	
			Front Right	35-114574				
BMW X5								
2013-2012	w/ Coil Front Springs; xDrive50i	4600 Series	Front	24-143936	For Vehicles Without Ride Height Control			
2013-2011	w/ Coil Rear Springs; xDrive35i	4600 Series				Rear Left	24-143943	For Vehicles Without Ride Height Control; Without third row seating
						Rear Right	24-143950	For Vehicles Without Ride Height Control; Without third row seating
2013-2011	w/ Coil Front Springs; xDrive35i	4600 Series	Front	24-143936	For Vehicles Without Ride Height Control			



Years	Application	Series	Front			Rear			
BMW X5 (continued)									
2013-2009	w/ Coil Rear Springs; xDrive35d	4600 Series				Rear Left	24-143943	For Vehicles Without Ride Height Control; Without third row seating	
						Rear Right	24-143950	For Vehicles Without Ride Height Control; Without third row seating	
2013-2010	xDrive35d	4600 Series	Front	24-143936	For Vehicles Without Ride Height Control				
2013-2012	w/ Coil Front Springs; xDrive50i	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control				
2013-2009	xDrive35d	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control				
2013-2009	w/ Coil Rear Springs; xDrive35d	4600 Series (Sport)				Rear Left	24-143974	For Vehicles Without Ride Height Control; Without third row seating	
						Rear Right	24-143981	For Vehicles Without Ride Height Control; Without third row seating	
2013-2011	w/ Coil Rear Springs; xDrive35i	4600 Series (Sport)				Rear Left	24-143974	For Vehicles Without Ride Height Control; Without third row seating	
						Rear Right	24-143981	For Vehicles Without Ride Height Control; Without third row seating	
2013-2011	w/ Coil Front Springs; xDrive35i	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control				
2013-2010	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35d	B12 (Pro-Kit)	Front and Rear	46-181220	For Vehicles Without Ride Height Control; Front Lowered Height: 30-40mm, up to 1350kg Axle Load; Rear Lowered Height: 25mm, up to 1755kg Axle Load; Without third row seating				
2013-2011	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive35i	B12 (Pro-Kit)	Front and Rear	46-181220	For Vehicles Without Ride Height Control; Front Lowered Height: 30-40mm, up to 1350kg Axle Load; Rear Lowered Height: 25mm, up to 1755kg Axle Load; Without third row seating				
2013-2010	w/ Coil Front Springs; w/ Coil Rear Springs; xDrive30i	B12 (Pro-Kit)	Front and Rear	46-181220	For Vehicles Without Ride Height Control; Front Lowered Height: 30-40mm, up to 1350kg Axle Load; Rear Lowered Height: 25mm, up to 1755kg Axle Load; Without third row seating				
2013-2012	w/ Coil Front Springs; xDrive50i	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2013-2011	w/ Coil Front Springs; xDrive30i	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2013-2009	w/ Coil Rear Springs; xDrive35d	B4				Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating	
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
2013-2009	w/ Coil Rear Springs; xDrive30i	B4				Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating	
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
2013	w/ Coil Front Springs; xDrive35d	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2013-2011	w/ Coil Front Springs; xDrive35i	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				

Light Trucks and SUVs



Years	Application	Series	Front			Rear			
BMW X5 (continued)									
2013-2011	w/ Coil Rear Springs; xDrive35i	B4				Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating	
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
2012-2009	xDrive35d	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2011	xDrive50i	4600 Series	Front	24-143936	For Vehicles Without Ride Height Control				
2011	xDrive50i	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control				
2011	xDrive50i	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2010	xDrive48i	4600 Series	Front	24-143936	For Vehicles Without Ride Height Control				
2010	xDrive30i	4600 Series	Front	24-143936	For Vehicles Without Ride Height Control				
2010-2009	w/ Coil Rear Springs; xDrive30i	4600 Series				Rear Left	24-143943	For Vehicles Without Ride Height Control; Without third row seating	
						Rear Right	24-143950	For Vehicles Without Ride Height Control; Without third row seating	
2010-2009	xDrive30i	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control				
2010-2009	w/ Coil Rear Springs; xDrive30i	4600 Series (Sport)				Rear Left	24-143974	For Vehicles Without Ride Height Control; Without third row seating	
						Rear Right	24-143981	For Vehicles Without Ride Height Control; Without third row seating	
2010-2009	xDrive48i	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control				
2010-2009	xDrive48i	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2010-2009	xDrive30i	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2009-2007		4600 Series	Front	24-143936	For Vehicles Without Ride Height Control				
2009	3.0si	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control				
2009	3.0si	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating		Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
2009-2007	4.8i Premium; w/ Coil Rear Springs	B4				Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating	
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
2009	4.8i Premium	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2008-2007	3.0si; w/ Coil Rear Springs	4600 Series				Rear Left	24-143943	For Vehicles Without Ride Height Control; Without third row seating	
						Rear Right	24-143950	For Vehicles Without Ride Height Control; Without third row seating	
2008-2007		4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control				



Years	Application	Series	Front			Rear			
BMW X5 (continued)									
2008-2007	3.0si; w/ Coil Rear Springs	4600 Series (Sport)				Rear Left	24-143974	For Vehicles Without Ride Height Control; Without third row seating	
						Rear Right	24-143981	For Vehicles Without Ride Height Control; Without third row seating	
2008-2007	3.0si; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-181220	For Vehicles Without Ride Height Control; Front Lowered Height: 30-40mm, up to 1350kg Axle Load; Rear Lowered Height: 25mm, up to 1755kg Axle Load; Without third row seating				
2008-2007	3.0si; w/ Coil Rear Springs	B4				Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating	
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
2008-2007		B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2006, 2004-2001		4600 Series				Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension	
2006, 2004	3.0i	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension				
			Front Right	35-107439	Sport Suspension; Standard Suspension				
2006, 2004-2002	4.4i Lujo	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension				
			Front Right	35-107439	Sport Suspension; Standard Suspension				
2006, 2004	4.4i	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension				
			Front Right	35-107439	Sport Suspension; Standard Suspension				
2006	4.8is; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension				
			Front Right	35-107439	Sport Suspension; Standard Suspension				
2006, 2004-2003	4.4i Formula 1	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension				
			Front Right	35-107439	Sport Suspension; Standard Suspension				
2006, 2004-2002	4.4i Top Line	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension				
			Front Right	35-107439	Sport Suspension; Standard Suspension				
2006-2001	3.0i; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-189523	For Vehicles Without Pneumatic Suspension; Front Lowered Height: 30mm, up to 1230kg Axle Load; Rear Lowered Height: 30mm, up to 1630kg Axle Load				
2006	4.8is; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension				
			Front Left	22-119278	Sport Suspension; Standard Suspension				



Years	Application	Series	Front			Rear		
BMW X5 (continued)								
2006, 2004-2003	4.4i Formula 1	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006, 2004-2002	4.4i Top Line	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006, 2004-2002	4.4i Lujo	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006, 2004-2001		B4				Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
2006, 2004	3.0i	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2006, 2004	4.4i	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2005, 2000		4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension	Rear	24-107440	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2005, 2000		B4	Front Right	22-119261	Sport Suspension; Standard Suspension	Rear	24-026529	Sport Suspension; Standard Suspension; With or Without Self-Leveling Suspension
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2003-2002	3.0i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2003-2002	4.4i; w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2003-2002	4.6is	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2003-2002	4.4i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2003-2002	4.6is	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			



Years	Application	Series	Front			Rear		
BMW X5 (continued)								
2003-2002	3.0i; w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
2001-2000	w/ Coil Front Springs	4600 Series	Front Left	35-107422	Sport Suspension; Standard Suspension			
			Front Right	35-107439	Sport Suspension; Standard Suspension			
2001-2000	w/ Coil Front Springs	B4	Front Right	22-119261	Sport Suspension; Standard Suspension			
			Front Left	22-119278	Sport Suspension; Standard Suspension			
BMW X6								
2013-2010	xDrive50i	4600 Series	Front	24-143936	For Vehicles Without Ride Height Control			
2013-2010	xDrive35i	4600 Series	Front	24-143936	For Vehicles Without Ride Height Control	Rear Left	24-143943	For Vehicles Without Ride Height Control
						Rear Right	24-143950	For Vehicles Without Ride Height Control
2013-2010	xDrive35i	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control	Rear Left	24-143974	For Vehicles Without Ride Height Control
						Rear Right	24-143981	For Vehicles Without Ride Height Control
2013-2010	xDrive50i	4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control			
2013-2008	w/ Coil Rear Springs; xDrive35i	B12 (Pro-Kit)	Front and Rear	46-187987	For Vehicles Without Ride Height Control; Front Lowered Height: 20mm, up to 1365kg Axle Load; Rear Lowered Height: 20mm, up to 1520kg Axle Load; Without third row seating			
2013-2010	xDrive50i	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating			
2013-2010	xDrive35i	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating	Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating
2010	xDrive35iA	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating	Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating
2010	xDrive50iA	B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating	Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating
2009-2008		4600 Series	Front	24-143936	For Vehicles Without Ride Height Control			
2009-2008	xDrive35i	4600 Series				Rear Left	24-143943	For Vehicles Without Ride Height Control
						Rear Right	24-143950	For Vehicles Without Ride Height Control
2009-2008		4600 Series (Sport)	Front	24-143967	For Vehicles Without Ride Height Control			



Years	Application	Series	Front			Rear			
BMW X6 (continued)									
2009-2008	xDrive35i	4600 Series (Sport)				Rear Left	24-143974	For Vehicles Without Ride Height Control	
						Rear Right	24-143981	For Vehicles Without Ride Height Control	
2009-2008		B4	Front	19-184098	Without Ride Height Adjustability; Without third row seating				
2009	xDrive35iA	B4				Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating	
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
2009	xDrive50iA	B4				Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating	
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
2009-2008	xDrive35i	B4				Rear Left	19-184074	Without Ride Height Adjustability; Without third row seating	
						Rear Right	19-184081	Without Ride Height Adjustability; Without third row seating	
Buick Rainier									
2007-2004		4600 Series	Front	24-103336			Rear	24-103343	
Cadillac Escalade									
2006-2002		4600 Series				Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper	
2000-1999		4600 Series	Front	24-104050	Excludes Electronic Suspension		Rear	24-021791	Excludes Electronic Suspension
2000-1999		Variable depending on application				Rear	24-024211	4600 Series Comfort; Excludes Electronic Suspension; SetOption: Variable depending on application	
Chevrolet Avalanche									
2013	Black Diamond LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package		Rear	24-143806	Excludes Z55 Autoride Suspension Package
2013	Black Diamond LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package		Rear	24-143806	Excludes Z55 Autoride Suspension Package
2013	Black Diamond LT	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"		Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2013	Black Diamond LS	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"		Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2013	Black Diamond LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"	
2013	Black Diamond LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"	
2012-2007	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package		Rear	24-143806	Excludes Z55 Autoride Suspension Package
2012-2007	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package		Rear	24-143806	Excludes Z55 Autoride Suspension Package



Years	Application	Series	Front			Rear		
Chevrolet Avalanche (continued)								
2012-2007	LS	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012-2007	LT	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012-2007	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012-2007	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010-2007	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package
2010-2007	Base	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010-2007	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
Chevrolet Avalanche 1500								
2006-2002		4600 Series	Front	24-065009	Excludes Electronic Suspension	Rear	24-128933	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006-2002		5100 Series	Front	24-185950	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006-2002		5160 Series	Front	25-177411	Crossmember Kit; Excludes Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
						Rear	25-177893	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006-2002		B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
Chevrolet Avalanche 2500								
2006-2002		4600 Series	Front	24-060813		Rear	24-185677	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Avalanche 2500 (continued)								
2006-2002		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2006-2002		5100 Series (Steering Damper)	Front	33-174525				
2006-2002		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
Chevrolet Blazer								
2005	Base	4600 Series				Rear	33-187532	
2005, 1999	Base; RWD	4600 Series	Front	24-187428				
2005, 1999, 1997	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2005, 1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2005-2003	ZR2	4600 Series				Rear	24-018197	
2005, 1999-1995	4WD; Base	4600 Series (Sport)				Rear	24-014137	
2005, 1999	4WD; Base	Variable depending on application	Front	24-014120	4600 Series (Sport)			
2004-2001	LS	4600 Series				Rear	33-187532	
2004-1999	LS; RWD	4600 Series	Front	24-187428				
2004-1999	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2004-2002, 1997	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2004-1996	4WD; LS	4600 Series (Sport)				Rear	24-014137	
2004-1999	4WD; LS	Variable depending on application	Front	24-014120	4600 Series (Sport)			
2002	LTZ	4600 Series				Rear	33-187532	
2002-2001	LT	4600 Series				Rear	33-187532	
2002	LTZ	4600 Series (Sport)				Rear	24-014137	
2001-1999	LT; RWD	4600 Series	Front	24-187428				
2001-1999	AWD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2001-1999	LT; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001-1999	4WD; LS	4600 Series	Front	24-187831				
2001	Trailblazer	4600 Series				Rear	33-187532	



Years	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
2001-1999	Trailblazer	4600 Series (Sport)				Rear	24-014137	
2001-1999	AWD; LS	4600 Series (Sport)				Rear	24-014137	
2001-1999	Trailblazer	Variable depending on application	Front	24-014120	4600 Series (Sport)			
2001-1999	4WD; LT	Variable depending on application	Front	24-014120	4600 Series (Sport)			
2001-1999, 1997-1995	AWD; LT	Variable depending on application	Front	24-014120	4600 Series (Sport)			
2001-1999	AWD; LS	Variable depending on application	Front	24-014120	4600 Series (Sport)			
2000-1995		4600 Series				Rear	33-187532	
1998, 1996-1995	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1998-1995	RWD	4600 Series	Front	24-187428				
1998-1995	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1998-1995	4WD	Variable depending on application	Front	24-014120	4600 Series (Sport)			
1997-1995	AWD; LT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1997	4WD; LT	4600 Series	Front	24-187831				
1994-1992	4WD	4600 Series	Front	24-104050		Rear	24-025027	
1994-1992	RWD	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1994-1992		5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; RWD Rear Lifted Height: 4-5"
1994-1992	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1994-1992	RWD	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1991-1989	4WD	4600 Series	Front	24-009232	Full size			
1991-1989		4600 Series				Rear	24-009331	
1991-1989	4WD	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1991-1989	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1988-1987		4600 Series	Front	24-009232	Full size	Rear	24-009331	
1988-1987		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Blazer (continued)								
1988-1987	w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1974-1973		4600 Series	Front	24-192941	RWD	Rear	24-009331	
			Front	24-009232	4WD			
1972-1969		4600 Series	Front	24-192941	RWD			
			Front	24-009232	4WD			
Chevrolet C10								
1986-1975		4600 Series	Front	24-192941		Rear	24-009331	
Chevrolet C10 Pickup								
1974-1973		4600 Series	Front	24-192941		Rear	24-009331	
1972-1967		4600 Series	Front	24-192941				
Chevrolet C10 Suburban								
1986-1975		4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1974-1973		4600 Series				Rear	24-009331	
Chevrolet C1500								
1999-1988		4600 Series	Front	24-016971		Rear	24-021715	Rear Lowered Height: up to 4in
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-016988	Rear Lifted Height: 0-1"
1999		4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1999-1994, 1989-1988		5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998-1994, 1989-1988	w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1998-1988		4600 Series (Comfort)				Rear	24-014533	
1993-1990	Cheyenne; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1993-1990	WT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1993-1990	454 SS	4600 Series (Comfort)	Front	24-020336				
1993-1990	Silverado; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1993-1990	Silverado	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"



Years	Application	Series	Front			Rear		
Chevrolet C1500 (continued)								
1993-1990	WT	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1993-1990	Cheyenne	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1990	Scottsdale; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336				
1990	Scottsdale	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
Chevrolet C1500 Suburban								
1999-1992		4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-022484	Not the same as O.E.
1999-1992		4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1999-1992		5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
Chevrolet C20								
1986-1975		4600 Series	Front	24-192941				
1986-1975	4 Dr.; Crew Cab Pickup	4600 Series				Rear	24-015875	
1986-1975	2 Dr.; Cab & Chassis	4600 Series				Rear	24-009331	
1986-1975	2 Dr.; Standard Cab Pickup	4600 Series				Rear	24-009331	
1986-1977	2 Dr.; Extended Cab Pickup	4600 Series				Rear	24-009331	
1982-1975	4 Dr.; Cab & Chassis	4600 Series				Rear	24-009331	
1976	2 Dr.; Custom Deluxe; Extended Cab Pickup	4600 Series				Rear	24-009331	
1976-1975	2 Dr.; Cheyenne; Extended Cab Pickup	4600 Series				Rear	24-009331	
1976-1975	2 Dr.; Extended Cab Pickup; Scottsdale	4600 Series				Rear	24-009331	
1975	2 Dr.; Extended Cab Pickup; Silverado	4600 Series				Rear	24-009331	
Chevrolet C20 Pickup								
1974-1973		4600 Series	Front	24-192941		Rear	24-015875	Crew cab only
						Rear	24-009331	Except crew cab
1972-1968		4600 Series	Front	24-192941				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet C20 Suburban								
1986-1975		4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
1974-1973		4600 Series				Rear	24-009331	
Chevrolet C2500								
2000-1988		4600 Series	Front	24-016971		Rear	24-016988	
2000-1988		4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
Chevrolet C2500 Suburban								
1999-1992		4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Torsion Bar front only; Will not replace electronic dampers
Chevrolet C30								
1986-1975		4600 Series	Front	24-192941		Rear	24-015875	
Chevrolet C3500								
2000-1988		4600 Series	Front	24-016971		Rear	24-016988	Including Dually
2000-1988		4600 Series (Comfort)	Front	24-020336		Rear	24-014533	Including Dually
Chevrolet Colorado								
2012-2006	w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2012-2006	w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2005-2004	Z71	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Z71 LS	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Z85 LS; w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Sport	4600 Series	Front	24-186193		Rear	24-186209	
2005-2004	Z85 LS; w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2005-2004	Z85; w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Z85; w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2005-2004	Sport LS	4600 Series	Front	24-186193		Rear	24-186209	
2004	Base; w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2004	LS; w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2004	LS; w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2004	Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
Chevrolet El Camino								
1987-1975		AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			



Years	Application	Series	Front			Rear		
Chevrolet El Camino (continued)								
1987-1973		B6 (HD)	Front	24-009492				
1987-1968		Variable depending on application				Rear	24-009294	SetOption: Variable depending on application
1974-1973	Custom	AK Series	Front	F4-BE3-E249-M0	Air leveling system will not function			
1972-1968		AK Series				Rear	F4-BE5-E250-M0	
1972-1968		B6 (HD)	Front	24-131506				
Chevrolet K10								
1986-1975		4600 Series	Front	24-009232		Rear	24-009331	
1986-1981		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1980-1975	2 Dr.; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980-1975		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"			
Chevrolet K10 Pickup								
1974-1973		4600 Series	Front	24-009232		Rear	24-009331	
1974-1969		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1972-1969		4600 Series	Front	24-009232				
Chevrolet K10 Suburban								
1986-1975		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986-1975		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986-1975		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1974-1973		4600 Series	Front	24-009232		Rear	24-009331	
1974-1973		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
Chevrolet K1500								
1999-1988		4600 Series	Front	24-104050		Rear	24-020435	
1999-1988		4600 Series (Comfort)				Rear	24-020879	
1999-1988		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet K1500 Suburban								
1999-1992		4600 Series	Front	24-104050				
1999-1992		4600 Series (Sport)				Rear	24-020428	Will not replace electronic dampers
1999-1992		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999-1992		Variable depending on application				Rear	24-024211	4600 Series; Excludes Electronic Suspension; SetOption: Variable depending on application
Chevrolet K20								
1986-1975		4600 Series	Front	24-009232		Rear	24-009331	
1986-1985, 1982-1975	2 Dr.; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1986-1985, 1982-1975		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"			
1984-1983		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
Chevrolet K20 Pickup								
1974-1973		4600 Series	Front	24-009232		Rear	24-009331	
1974-1969		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1972-1969		4600 Series	Front	24-009232				
Chevrolet K20 Suburban								
1986-1975		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986-1975		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986-1975		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1974-1973		4600 Series	Front	24-009232		Rear	24-009331	
1974-1973		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
Chevrolet K2500								
2000-1988		4600 Series	Front	24-104050		Rear	24-025683	
2000-1988		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
Chevrolet K2500 Suburban								
1999-1992		4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers



Years	Application	Series	Front			Rear		
Chevrolet K2500 Suburban (continued)								
1999-1992		4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1999-1992		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
Chevrolet K30								
1986-1977		4600 Series	Front	AK2042				
1986-1977		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185576	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-104652	Rear Lifted Height: 2-2.5"
Chevrolet K30 Pickup								
1974-1969		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185576	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-104652	Rear Lifted Height: 2-2.5"
Chevrolet K3500								
2000-1988		4600 Series	Front	24-104050		Rear	24-025683	
1999-1988		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
Chevrolet K5 Blazer								
1986-1985		4600 Series	Front	24-009232	Full size	Rear	24-009331	
1986-1985		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1986-1985	w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1984-1976	RWD	4600 Series	Front	24-192941				
1984-1975		4600 Series				Rear	24-009331	
1984-1976	4WD	4600 Series	Front	24-009232	Full size			
1984-1980	4WD	4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1984-1976	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	4WD; Cheyenne	4600 Series	Front	24-009232	Full size			
1975	Cheyenne; RWD	4600 Series	Front	24-192941				
1975	Scottsdale	4600 Series	Front	24-009232	Full size			
1975	Silverado	4600 Series	Front	24-009232	Full size			
1975	Base	4600 Series	Front	24-192941				
1975	Custom Deluxe	4600 Series	Front	24-009232	Full size			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet K5 Blazer (continued)								
1975	Silverado; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	Custom Deluxe; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	4WD; Cheyenne; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1975	Scottsdale; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
Chevrolet P10 Series								
1967-1963		B6 (HD)	Front	24-011730				
Chevrolet R10								
1987		4600 Series	Front	24-192941		Rear	24-009331	
Chevrolet R10 Suburban								
1988-1987		4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
Chevrolet R1500 Suburban								
1991-1989		4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
Chevrolet R20								
1988		4600 Series	Front	24-192941		Rear	24-015875	
1987	2 Dr.; Standard Cab Pickup	4600 Series				Rear	24-009331	
1987	2 Dr.; Cab & Chassis	4600 Series				Rear	24-009331	
1987		4600 Series	Front	24-192941				
1987	4 Dr.; Crew Cab Pickup	4600 Series				Rear	24-015875	
Chevrolet R20 Suburban								
1988-1987		4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	
Chevrolet R2500								
1989		4600 Series	Front	24-192941		Rear	24-015875	
Chevrolet R2500 Suburban								
1991-1989		4600 Series	Front	24-192941	Will not replace electronic dampers	Rear	24-009331	



Years	Application	Series	Front			Rear		
Chevrolet R30								
1988-1987	Crew Cab Pickup	4600 Series				Rear	24-015875	
1988-1987		4600 Series	Front	24-192941				
Chevrolet R3500								
1991-1989		4600 Series	Front	24-192941				
Chevrolet S10								
2004	LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2004-1994	LS	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2004		4600 Series	Front	24-014106				
2003-1994	ZR2	4600 Series				Rear	24-018197	
2003-1994, 1991	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2003-1994, 1991	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2003-1994	LS; RWD	4600 Series	Front	24-187428				
2003-1994	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2003-2001	ZR5	4600 Series	Front	24-014106				
2003-1994	4WD; LS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2003-1994	LS; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2003-1994, 1991	4WD; Base	4600 Series	Front	24-014106				
2003-1994, 1991	Base; RWD	4600 Series	Front	24-187428				
2003-1994	4WD; LS	4600 Series	Front	24-014106				
2003-1997	ZR2	Variable depending on application	Front	24-014120	4600 Series; SetOption: Variable depending on application			
1996-1994	ZR2; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series; SetOption: Variable depending on application			
1993-1992, 1990-1983	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1993-1992, 1990-1983	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1993-1983		4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1993-1992, 1990-1989	RWD	4600 Series	Front	24-187428				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet S10 (continued)								
1993-1992, 1990-1989	4WD	4600 Series	Front	24-014106				
1991	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1991	Baja	4600 Series	Front	24-014106				
1991	Baja; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1991	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991, 1988- 1983	RWD; Tahoe	4600 Series	Front	24-187428				
1991, 1988- 1983	4WD; Tahoe	4600 Series	Front	24-014106				
1988-1983	2 Dr.; 4WD; Base; Extended Cab Pickup	4600 Series	Front	24-014106				
1988, 1986- 1983	4WD; Durango	4600 Series	Front	24-014106				
1988-1983	2 Dr.; Base; Extended Cab Pickup; RWD	4600 Series	Front	24-187428				
1988, 1986- 1983	Durango; RWD	4600 Series	Front	24-187428				
1988-1983	2 Dr.; 4WD; Base; Standard Cab Pickup	4600 Series	Front	24-014106				
1988-1983	4WD; Sport	4600 Series	Front	24-014106				
1988-1983	RWD; Sport	4600 Series	Front	24-187428				
1988-1983	2 Dr.; Base; RWD; Standard Cab Pickup	4600 Series	Front	24-187428				
1982	w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1982		4600 Series	Front	24-187428		Rear	24-016810	Excludes ZQ8 Sport Suspension Package
Chevrolet S10 Blazer								
1994-1990, 1986-1983	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1994-1983		4600 Series				Rear	33-187532	
1994-1990, 1986-1983	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1994-1990, 1986-1983	4WD	4600 Series (Sport)				Rear	24-014137	
1994-1990, 1986-1983	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			



Years	Application	Series	Front			Rear		
Chevrolet S10 Blazer (continued)								
1989-1987	High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1989-1987	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989-1987	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1989-1987	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1989-1987	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1989-1987	High Country	4600 Series (Sport)				Rear	24-014137	
1989-1987	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1989-1987	4WD; Sport	4600 Series (Sport)				Rear	24-014137	
1989-1987	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989-1987	High Country; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1989-1987	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1988-1987	RWD; Tahoe; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1988-1987	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1988-1987	4WD; Tahoe	4600 Series (Sport)				Rear	24-014137	
1988-1987	4WD; Tahoe; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
Chevrolet Silverado 1500								
2013-2011, 2008		4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2013-2008		5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010	XFE	4600 Series				Rear	24-186841	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2010-2009	WT	4600 Series				Rear	24-186841	Excludes Electronic Suspension
2010-2009	LT	4600 Series				Rear	24-186841	Excludes Electronic Suspension
2010-2009	LTZ	4600 Series				Rear	24-186841	Excludes Electronic Suspension
2010-2009	LS	4600 Series				Rear	24-186841	Excludes Electronic Suspension
2010-2009		4600 Series	Front	24-188227	Excludes Electronic Suspension			
2010-2009	Hybrid	4600 Series				Rear	24-186841	
2007	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	Classic WT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	4WD; Classic WT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	LS	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	LT	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	4WD; Classic LT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic LS	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	Classic LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Classic SS	4600 Series	Front	24-186100	Excludes ZX3 Electronic Suspension	Rear	24-186117	Excludes ZX3 Electronic Suspension
2007	4WD; Classic Hybrid	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	Classic LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	Base	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900			
2007	LTZ	4600 Series	Front	24-188227	Excludes Electronic Suspension; New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	Classic Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic WT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2007	Classic Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2007	4WD; Classic WT	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	4WD; Classic LT	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	WT	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LTZ	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic WT; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2007	Classic LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2007	Base	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	LS	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	4WD; Classic Hybrid	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	4WD; Classic LS	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	Classic LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2007	LT	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	4WD; Classic LT	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic LS	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2007	4WD; Classic WT	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic Hybrid	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	SS	4600 Series	Front	24-186100	Excludes ZX3 Electronic Suspension	Rear	24-186117	Excludes ZX3 Electronic Suspension
2006	4WD; LT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	Base; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	4WD; Hybrid	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; WT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	4WD; LS	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	Base; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2006	4WD; Hybrid	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	4WD; LS	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2006	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2006	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2006	4WD; WT	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	Base; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2006	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2006	4WD; LT	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	4WD; WT	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; LS	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; Hybrid	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2006	4WD; LT	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005-2004	4WD; Hybrid	4600 Series	Front	24-065009	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2003	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005-2003	4WD; Base	4600 Series	Front	24-065009	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2003	LT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005-2004	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005-2003	4WD; LT	4600 Series	Front	24-065009	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2003	SS	4600 Series	Front	24-186100	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-186117	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2003	LS; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005-2003	4WD; LS	4600 Series	Front	24-065009	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2003	LT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2003	LS; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2003	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2004	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
2005-2003	4WD; Base	5100 Series	Front	24-185950	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2005-2003	4WD; LT	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005-2003	LS; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2005-2003	LT; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2005-2003	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2005-2003	4WD; LS	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005-2004	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2005-2004	4WD; Hybrid	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005-2003	4WD; Base	5160 Series	Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005-2003	4WD; LS	5160 Series	Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005	4WD; LT	5160 Series	Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes Quadrateer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
			Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005-2004	4WD; Hybrid	5160 Series	Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	RWD; Z71; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004-2003	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2004	4WD; Z71	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2004-2003	4WD; WT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2004-2003	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2004	RWD; Z71; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2004	4WD; Z71	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2004-2003	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2004-2003	4WD; WT	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2004	RWD; Z71; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2004-2003	4WD; WT	5160 Series	Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2004	4WD; Z71	5160 Series	Front	25-177411	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2004-2003	4WD; LT	5160 Series	Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	4WD	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	Custom; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2002	RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	Custom; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	Custom; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2002	RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2002	4WD	5100 Series	Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2002	4WD	5160 Series	Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001-1999	RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 (continued)								
2001-1999	4WD	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2001-1999	RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2001-1999	4WD	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2001-1999	RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2001-1999	4WD	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
Chevrolet Silverado 1500 HD								
2007-2006, 2001		4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-186575	Use With Overhead Truck Camper
						Rear	24-060820	Excludes ZX3 Electronic Suspension
2007-2006, 2001		5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007-2006, 2001		5100 Series (Steering Damper)	Front	33-174525				
2007-2006, 2001		5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005, 2003-2002		4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper
						Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Silverado 1500 HD (continued)								
2005, 2003-2002		5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005, 2003-2002		5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2005, 2003-2002		5160 Series	Front	25-187618	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
Chevrolet Silverado 2500								
2005		4600 Series				Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper
						Rear	24-060820	Excludes QuadraSteer
2005-2002		5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Excludes QuadraSteer; Rear Lifted Height: 2"
			Front	24-187183	Excludes QuadraSteer; Front Lifted Height: 4-6"	Rear	24-186742	Excludes QuadraSteer; Rear Lifted Height: 0-1"
						Rear	24-186636	Excludes QuadraSteer; Rear Lifted Height: 4"
2005-2002		5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2005-2002		5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes QuadraSteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes QuadraSteer; Rear Lifted Height: 4"
2004-2002		4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-186575	Excludes QuadraSteer; Use With Overhead Truck Camper
						Rear	24-060820	Excludes QuadraSteer
2001-1999		4600 Series	Front	24-060813		Rear	24-186575	Use With Overhead Truck Camper
						Rear	24-060820	
2001-1999		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-186742	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2001-1999		5100 Series (Steering Damper)	Front	33-174525				
2001-1999		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
Chevrolet Silverado 2500 HD								
2014-2011		4600 Series	Front	24-196437		Rear	24-196444	
2014-2011		5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2014-2011		5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2013-2011		5100 Series (Steering Damper)	Front	33-196619				
2010-2001		4600 Series	Front	24-060813		Rear	24-186575	Use With Overhead Truck Camper
						Rear	24-060820	
2010-2001		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-186742	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010-2001		5100 Series (Steering Damper)	Front	33-174525				
2010-2001		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
Chevrolet Silverado 3500								
2007-2001	4WD	4600 Series	Front	24-060813		Rear	24-185677	
2007-2001	RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2007-2006	Base	4600 Series				Rear	24-185677	With Independent Front Suspension
2007-2001	RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007-2006	Base	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007-2001	4WD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-186742	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007-2001		5100 Series (Steering Damper)	Front	33-174525				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Silverado 3500 (continued)								
2007-2001	RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2007-2001	4WD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
2007-2006	Base	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2006	HD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Front Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
2006	HD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
Chevrolet Silverado 3500 HD								
2014-2011		4600 Series	Front	24-196437		Rear	24-196444	
2014-2011		5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2014-2011		5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2013-2011		5100 Series (Steering Damper)	Front	33-196619				
2010-2007		4600 Series	Front	24-060813		Rear	24-185677	
2010-2007		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-186742	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010-2007		5100 Series (Steering Damper)	Front	33-174525				
2010-2007		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
Chevrolet Suburban 1500								
2014-2007	LT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2014-2007	LS	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package



Years	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2014-2007	LT	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2007	LS	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2007	LS	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2007	LT	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010-2007	Base	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2010-2007	Base	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010-2007	Base	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Z71	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2007	Z71	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2007	Z71	5160 Series				Rear	25-177893	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2006-2000		4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006-2000		5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Electronic Suspension; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Electronic Suspension; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006-2000		5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Suburban 1500 (continued)								
2006-2000		B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	Base	5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"			
Chevrolet Suburban 2500								
2013-2007		4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2013-2006, 2001-2000		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2013-2006, 2001-2000		5100 Series (Steering Damper)	Front	33-174525				
2013-2006		5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2006, 2001-2000		4600 Series	Front	24-060813		Rear	24-185677	
2005-2002		4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-185677	Excludes QuadraSteer
2005-2002		5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2005-2002		5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2005-2002		5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2001-2000		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
Chevrolet Tahoe								
2014-2007	LT	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2014-2007	LS	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2014-2007	LS	5100 Series	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2007	LT	5100 Series	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2007	LT	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2007	LS	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2013-2008	Hybrid	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2013-2008	Hybrid	5100 Series	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Light Trucks and SUVs

Years	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2013-2008	Hybrid	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010-2007	Base	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010-2007	Base	5100 Series	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010-2007	Base	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009-2008	Z71	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2009-2008	Z71	5100 Series	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2009-2008	Z71	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2006-2001		4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2006-2001		5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006-2001		5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Years	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2006-2001		B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	Limited	4600 Series	Front	24-026703	Old Body Style GMT400	Rear	24-026727	Old Body Style GMT400; Will not replace electronic dampers
2000	LS	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	4WD; Z71; w/ Leaf Rear Springs; w/ Torsion Front Springs	4600 Series				Rear	24-021791	
2000	Z71	4600 Series	Front	24-104050				
2000	LT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	Base	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	4WD; Z71; w/ Leaf Rear Springs; w/ Torsion Front Springs	4600 Series (Comfort)	Front	24-024129		Rear	24-024136	
2000	LS	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Years	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2000	Base	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	LT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	LT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Years	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
2000	Base	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
					Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket	
2000	LS	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
					Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket	
2000	LT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	LS	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	Base	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
1999-1997	2 Dr.; LT; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999-1997	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	



Years	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1999-1997	4 Dr.; LT; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1999-1997	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999-1995	4WD	4600 Series	Front	24-104050				
1999-1997	Base; RWD; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999-1997	2 Dr.; LS; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999-1997	2 Dr.; LT; RWD; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999-1997	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999-1997	4 Dr.; LS; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1999-1997	2 Dr.; 4WD; LS; Sport Utility	4600 Series				Rear	24-025027	
1999-1997	2 Dr.; LS; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1999-1997	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999-1997	4WD; Base	4600 Series				Rear	24-025027	
1999-1997	2 Dr.; 4WD; LT; Sport Utility	4600 Series				Rear	24-025027	
1999-1997	4 Dr.; 4WD; LS; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1999-1997	4 Dr.; 4WD; LS; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1999-1997	4 Dr.; 4WD; LT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1999-1997	4 Dr.; 4WD; LT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1999-1997	4 Dr.; LT; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999-1997	4 Dr.; 4WD; LS; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1999-1995		5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
						Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
						Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1999-1995	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1999-1997	4 Dr.; LS; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1999-1997	4 Dr.; 4WD; LT; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1996-1995	4 Dr.; 4WD; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	2 Dr.; RWD; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996-1995	4 Dr.; 4WD; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1996	2 Dr.; RWD; Sport Utility; w/ K10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1996-1995	2 Dr.; 4WD; Sport Utility	4600 Series				Rear	24-025027	
1996-1995	4 Dr.; RWD; Sport Utility	4600 Series	Front	24-026703	Will not replace electronic dampers	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers



Years	Application	Series	Front			Rear		
Chevrolet Tahoe (continued)								
1996-1995	4 Dr.; 4WD; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1996-1995	4 Dr.; 4WD; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension	Rear	24-024136	
1996-1995	4 Dr.; 4WD; Sport Utility	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1996-1995	4 Dr.; RWD; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
Chevrolet Trailblazer								
2009-2002	LT	4600 Series	Front	24-103336		Rear	24-103350	
2008	Base	4600 Series	Front	24-103336		Rear	24-103350	
2007-2002	LS	4600 Series	Front	24-103336		Rear	24-103350	
2004-2002	North Face	4600 Series	Front	24-103336		Rear	24-103350	
2003-2002	LTZ	4600 Series	Front	24-103336		Rear	24-103350	
Chevrolet V10								
1987		4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987		4600 Series (Auxiliary)	Front	24-010269				
Chevrolet V10 Suburban								
1988-1987		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988-1987		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988-1987		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
Chevrolet V1500 Suburban								
1991-1989		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991-1989		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991-1989		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
Chevrolet V20								
1987		4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987		4600 Series (Auxiliary)	Front	24-010269				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet V20 Suburban								
1988-1987		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1988-1987		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1988-1987		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
Chevrolet V2500 Suburban								
1991-1989		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991-1989		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991-1989		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
Chevrolet V30								
1988-1987		4600 Series	Front	AK2042				
Chevrolet V3500								
1991-1989		4600 Series	Front	AK2042				
Chrysler Aspen								
2009		4600 Series	Front	24-139106				
2009	Limited	4600 Series				Rear	24-139113	
2008-2007		4600 Series	Front	24-139106		Rear	24-139113	
Dodge D100								
1989-1986, 1975		4600 Series	Front	24-184632	GVW to 8300 lbs			
1979-1976	Custom	4600 Series	Front	24-184632	GVW to 8300 lbs			
Dodge D150								
1993-1980, 1977		4600 Series	Front	24-184632	GVW to 8300 lbs			
1979-1978	Base	4600 Series	Front	24-184632	GVW to 8300 lbs			
Dodge D200								
1980-1975		4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge D250								
1993-1981		4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge D300								
1980-1975		4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs



Years	Application	Series	Front			Rear		
Dodge D300 Pickup								
1974-1972		4600 Series				Rear	24-185158	GVW over 9000lbs
Dodge D350								
1993-1981		4600 Series	Front	24-185165		Rear	24-185158	GVW over 9000lbs
Dodge D50								
1982	Custom; RWD	4600 Series				Rear	24-188203	
1982	Royal	4600 Series				Rear	24-188203	
1982	4WD; Custom	4600 Series				Rear	24-002585	
1982	4WD; Sport	4600 Series				Rear	24-002585	
1982	RWD; Sport	4600 Series				Rear	24-188203	
1982-1979		AK Series	Front	F4-BE3-E249-M0				
1982-1979		B6 (HD)	Front	24-009492				
1981-1979		4600 Series				Rear	24-188203	
Dodge Dakota								
2004	Crew Cab Pickup; RWD; Sport Plus	4600 Series				Rear	24-107013	
2004-2000	Crew Cab Pickup; RWD; Sport	4600 Series				Rear	24-107013	
2004, 2002	4WD; SXT	4600 Series				Rear	24-185240	
2004-2000	4WD; Crew Cab Pickup; Sport	4600 Series				Rear	33-185859	
2004	Extended Cab Pickup; RWD; Sport Plus	4600 Series				Rear	24-065382	
2004	4WD; Sport Plus; Standard Cab Pickup	4600 Series				Rear	24-185240	
2004, 2002, 1997	4WD; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2004-1998	4WD; Base	4600 Series				Rear	24-185240	
2004	4WD; SLT Plus; Standard Cab Pickup	4600 Series				Rear	24-185240	
2004	4WD; Extended Cab Pickup; Sport Plus	4600 Series				Rear	24-185240	
2004-2000	4WD; Crew Cab Pickup; SLT	4600 Series				Rear	33-185859	
2004	Crew Cab Pickup; RWD; SLT Plus	4600 Series				Rear	24-107013	
2004-2000	Crew Cab Pickup; RWD; SLT	4600 Series				Rear	24-107013	
2004	Extended Cab Pickup; RWD; SLT Plus	4600 Series				Rear	24-065382	
2004	4WD; Extended Cab Pickup; SLT Plus	4600 Series				Rear	24-185240	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Dakota (continued)								
2004-2001, 1999-1998	Base; RWD	4600 Series				Rear	24-065382	
2004	RWD; SXT	4600 Series				Rear	24-065382	
2004-2000	4WD; SLT; Standard Cab Pickup	4600 Series				Rear	24-185240	
2004-2000	4WD; Extended Cab Pickup; Sport	4600 Series				Rear	24-185240	
2004, 2002, 1997	RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2004-2000	Extended Cab Pickup; RWD; SLT	4600 Series				Rear	24-065382	
2004	RWD; SLT Plus; Standard Cab Pickup	4600 Series				Rear	24-065382	
2004-2000	Extended Cab Pickup; RWD; Sport	4600 Series				Rear	24-065382	
2004	4WD; Stampede	4600 Series				Rear	24-185240	
2004-2000	RWD; Sport; Standard Cab Pickup	4600 Series				Rear	24-065382	
2004	RWD; Sport Plus; Standard Cab Pickup	4600 Series				Rear	24-065382	
2004-2000	4WD; Extended Cab Pickup; SLT	4600 Series				Rear	24-185240	
2004	RWD; Stampede	4600 Series				Rear	24-065382	
2004-2000	4WD; Sport; Standard Cab Pickup	4600 Series				Rear	24-185240	
2004	4WD; Crew Cab Pickup; SLT Plus	4600 Series				Rear	33-185859	
2004-2000	RWD; SLT; Standard Cab Pickup	4600 Series				Rear	24-065382	
2004	4WD; Crew Cab Pickup; Sport Plus	4600 Series				Rear	33-185859	
2003, 2001-1998	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003, 2001-1998	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003, 2001-1998	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003, 2001-1998	R/T; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003, 2001-1998	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003, 2001-1998	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003, 2001	R/T	4600 Series				Rear	24-065382	



Years	Application	Series	Front			Rear		
Dodge Dakota (continued)								
2003, 2001-1998	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1999-1998	RWD; Sport	4600 Series				Rear	24-065382	
1999-1998	RWD; SLT	4600 Series				Rear	24-065382	
1999-1998	4WD; SLT	4600 Series				Rear	24-185240	
1999-1998	4WD; Sport	4600 Series				Rear	24-185240	
1997	4WD	4600 Series				Rear	24-185240	
1997	RWD	4600 Series				Rear	24-065382	
1996-1994, 1988-1987	RWD	4600 Series	Front	24-184557	Non quad cab			
1996-1987		4600 Series				Rear	24-021753	Quad cab not included
1993-1989	Base; RWD	4600 Series	Front	24-184557	Non quad cab			
1993-1990	S	4600 Series	Front	24-184557	Non quad cab			
1993-1989	RWD; Sport	4600 Series	Front	24-184557	Non quad cab			
1993-1989	LE; RWD	4600 Series	Front	24-184557	Non quad cab			
1991-1989	RWD; SE	4600 Series	Front	24-184557	Non quad cab			
1989	Shelby	4600 Series	Front	24-184557	Non quad cab			
Dodge Durango								
2009	Limited Hybrid	4600 Series	Front	24-139106				
2009	SXT	4600 Series	Front	24-139106				
2009	Adventurer	4600 Series	Front	24-139106				
2008	Limited	4600 Series	Front	24-139106		Rear	24-139113	
2008	SLT	4600 Series	Front	24-139106		Rear	24-139113	
2008	SXT	4600 Series	Front	24-139106		Rear	24-139113	
2008	Adventurer	4600 Series	Front	24-139106		Rear	24-139113	
2007-2004		4600 Series	Front	24-139106		Rear	24-139113	
2003-2002, 2000	RWD; SLT Plus; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003-2002	RWD; SLT Plus	4600 Series				Rear	24-065382	
2003-2000	R/T; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2003-2002	RWD; Sport	4600 Series				Rear	24-065382	
2003-2001	R/T; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003-2002	4WD; SLT Plus; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003-2002, 2000	RWD; Sport; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003-2001	RWD; SLT	4600 Series				Rear	24-065382	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Durango (continued)								
2003-2002, 2000	4WD; Sport; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2003-2002, 2000	4WD; SLT Plus; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2003-2001, 1998	4WD; SLT; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2003-2000	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2003-2000	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-064606				
2003-2002	4WD; Sport; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2001-2000	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
2001	4WD; Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2001-2000	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
2001, 1998	RWD; SLT Plus	4600 Series	Front	24-064606		Rear	24-065382	
2001	Base; RWD	4600 Series				Rear	24-065382	
2000-1999	4WD; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
2000	R/T; RWD	4600 Series	Front	24-064606				
2000-1999	RWD	4600 Series				Rear	24-065382	
1999	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
1999	RWD; w/ Coil Front Springs	4600 Series	Front	24-064606				
1998	w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-027908	
1998	Base; w/ Torsion Bar Front Springs	4600 Series	Front	24-185233				
1998	RWD; SLT	4600 Series	Front	24-064606		Rear	24-065382	
Dodge M300								
1974-1973		B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge M350								
1974		B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	



Years	Application	Series	Front			Rear		
Dodge M375								
1973		B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge M400								
1974		B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge Nitro								
2008	R/T	4600 Series	Front	24-139168		Rear	24-139175	
2008	SLT	4600 Series	Front	24-139168		Rear	24-139175	
2008	SXT	4600 Series	Front	24-139168		Rear	24-139175	
2007		4600 Series	Front	24-139168		Rear	24-139175	
Dodge R300								
1974-1973		B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge R400								
1974		B6 (HD)	Front	24-013185		Rear	F4-B46-1319-W0	
Dodge Ram 1500								
2010-2009	4WD; SLT	4600 Series	Front	24-187343		Rear	24-187350	
2010-2009	4WD; TRX4	4600 Series				Rear	24-187350	
2010-2009	Laramie; RWD	4600 Series	Front	24-187480		Rear	24-187510	
2010-2009	4WD; Sport	4600 Series	Front	24-187343		Rear	24-187350	
2010-2009	RWD; ST	4600 Series	Front	24-187480		Rear	24-187510	
2010-2009	TRX4	4600 Series	Front	24-187343				
2010-2009	4WD; Laramie	4600 Series	Front	24-187343		Rear	24-187350	
2010-2009	TRX	4600 Series	Front	24-187480		Rear	24-187510	
2010-2009	RWD; Sport	4600 Series	Front	24-187480		Rear	24-187510	
2010-2009	RWD; SLT	4600 Series	Front	24-187480		Rear	24-187510	
2010-2009	4WD; ST	4600 Series	Front	24-187343		Rear	24-187350	
2010-2009	4WD; ST	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2010-2009	4WD; Sport	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2010-2009	4WD; SLT	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2010-2009	TRX4	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2010-2009	4WD; Laramie	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2008-2007	Extended Crew Cab Pickup; Laramie; RWD	4600 Series	Front	24-186063	Mega Cab Only	Rear	24-186087	Mega Cab Only

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2008	4WD; Extended Crew Cab Pickup; SXT	4600 Series	Front	24-186070	Mega Cab Only	Rear	24-186094	
2008-2006	4 Dr.; Crew Cab Pickup; SLT	4600 Series				Rear	24-025508	
2008	4 Dr.; Crew Cab Pickup; RWD; SXT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008-2004	RWD; ST; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008	Extended Crew Cab Pickup; RWD; SXT	4600 Series	Front	24-186063	Mega Cab Only	Rear	24-186087	Mega Cab Only
2008	4 Dr.; Crew Cab Pickup; SXT	4600 Series				Rear	24-025508	
2008-2007	Extended Crew Cab Pickup; RWD; SLT	4600 Series	Front	24-186063	Mega Cab Only	Rear	24-186087	Mega Cab Only
2008-2006	4 Dr.; Crew Cab Pickup; RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008	2 Dr.; RWD; SXT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008	4WD	4600 Series	Front	24-186261	Excludes Mega cab			
2008-2006	4 Dr.; Crew Cab Pickup; Laramie	4600 Series				Rear	24-025508	
2008	2 Dr.; SXT; Standard Cab Pickup	4600 Series				Rear	24-025508	
2008-2006	4WD; Extended Crew Cab Pickup; SLT	4600 Series	Front	24-186070	Mega Cab Only	Rear	24-186094	
2008-2006	2 Dr.; RWD; SLT; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2008-2004	ST	4600 Series				Rear	24-025508	
2008-2006	2 Dr.; SLT; Standard Cab Pickup	4600 Series				Rear	24-025508	
2008-2006	4WD; Extended Crew Cab Pickup; Laramie	4600 Series	Front	24-186070	Mega Cab Only	Rear	24-186094	
2008-2007	4 Dr.; Crew Cab Pickup; Laramie; RWD	4600 Series	Front	24-069274				
2008-2007	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5100 Series				Rear	24-191203	Rear Lifted Height: 0-1"
						Rear	33-187228	Rear Lifted Height: 3-5"
						Rear	24-186636	Rear Lifted Height: 2"



Years	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2008-2006	4WD; Extended Crew Cab Pickup; Laramie	5100 Series	Front	24-187213	Front Lifted Height: 6-8"; Mega Cab Only			
			Front	24-185776	Front Lifted Height: 0-2.5"; Mega Cab Only			
			Front	24-066464	Front Lifted Height: 4-5"; Mega Cab Only			
2008-2006	4 Dr.; 4WD; Crew Cab Pickup; SLT	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2008	4 Dr.; 4WD; Crew Cab Pickup; SXT	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2008-2006	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2008	4WD; Extended Crew Cab Pickup; SXT	5100 Series	Front	24-187213	Front Lifted Height: 6-8"; Mega Cab Only			
			Front	24-185776	Front Lifted Height: 0-2.5"; Mega Cab Only			
			Front	24-066464	Front Lifted Height: 4-5"; Mega Cab Only			
2008-2006	2 Dr.; 4WD; SLT; Standard Cab Pickup	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2008-2006	4WD; Extended Crew Cab Pickup; SLT	5100 Series	Front	24-187213	Front Lifted Height: 6-8"; Mega Cab Only			
			Front	24-185776	Front Lifted Height: 0-2.5"; Mega Cab Only			
			Front	24-066464	Front Lifted Height: 4-5"; Mega Cab Only			
2008	2 Dr.; 4WD; SXT; Standard Cab Pickup	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2008-2006	4WD; ST	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SXT	5100 Series				Rear	24-191203	Rear Lifted Height: 0-1"
						Rear	33-187228	Rear Lifted Height: 3-5"
						Rear	24-186636	Rear Lifted Height: 2"
2008-2007	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5100 Series				Rear	24-191203	Rear Lifted Height: 0-1"
						Rear	33-187228	Rear Lifted Height: 3-5"
						Rear	24-186636	Rear Lifted Height: 2"
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2008-2006	4WD; Extended Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"; Mega Cab Only			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2008-2006	4WD; Extended Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"; Mega Cab Only			
2008	4 Dr.; 4WD; Extended Crew Cab Pickup; SXT	5160 Series				Rear	25-187601	Rear Lifted Height: 0-2"
2008-2007	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5160 Series				Rear	25-187601	Rear Lifted Height: 0-2"
2008	4WD; Extended Crew Cab Pickup; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"; Mega Cab Only			
2008-2007	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5160 Series				Rear	25-187601	Rear Lifted Height: 0-2"
2007-2006	4WD; Sport	4600 Series	Front	24-186261	Excludes Mega cab			
2007-2006	Sport	4600 Series				Rear	24-025508	
2007-2006	4WD; ST	4600 Series	Front	24-186261	Excludes Mega cab			
2007-2006	TRX4	4600 Series	Front	24-186261	Excludes Mega cab	Rear	24-025508	
2007-2006	4WD; SLT	4600 Series	Front	24-186261	Excludes Mega cab			
2007-2006	4WD; Laramie	4600 Series	Front	24-186261	Excludes Mega cab			
2007-2006	RWD; Sport; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2007-2006	4WD; Sport	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2007-2006	TRX4	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2007	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2006	4 Dr.; Crew Cab Pickup; Laramie; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2006	Extended Crew Cab Pickup; Laramie; RWD	4600 Series				Rear	24-186087	Mega Cab Only
2006	Extended Crew Cab Pickup; Laramie; RWD; w/ Coil Front Springs	4600 Series	Front	24-186063	Mega Cab Only			
2006	Extended Crew Cab Pickup; RWD; SLT	4600 Series				Rear	24-186087	Mega Cab Only
2006	Extended Crew Cab Pickup; RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-186063	Mega Cab Only			



Years	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2006	2 Dr.; Laramie; Standard Cab Pickup	4600 Series				Rear	24-025508	
2006	2 Dr.; Laramie; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-191203	Rear Lifted Height: 0-1"
						Rear	33-187228	Rear Lifted Height: 3-5"
						Rear	24-186636	Rear Lifted Height: 2"
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-191203	Rear Lifted Height: 0-1"
						Rear	33-187228	Rear Lifted Height: 3-5"
						Rear	24-186636	Rear Lifted Height: 2"
2006	2 Dr.; 4WD; Laramie; Standard Cab Pickup	5100 Series	Front	24-186988	Adjustable Front Lifted Height: 0-2"	Rear	24-185783	Rear Lifted Height: 0-1"
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie; w/ Coil Front Springs; w/ Leaf Rear Springs	5160 Series				Rear	25-187601	Rear Lifted Height: 0-2"
2006	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5160 Series				Rear	25-187601	Rear Lifted Height: 0-2"
2005	Hemi Sport; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005-2004	SLT	4600 Series				Rear	24-025508	
2005	RWD; Rumble Bee; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005-2004	4WD; SLT	4600 Series	Front	24-069281				
2005	Hemi Sport	4600 Series				Rear	24-025508	
2005	Laramie	4600 Series				Rear	24-025508	
2005	4WD; Laramie	4600 Series	Front	24-069281				
2005-2004	4WD; ST	4600 Series	Front	24-069281				
2005	Rumble Bee	4600 Series				Rear	24-025508	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
2005	4WD; Hemi Sport	4600 Series	Front	24-069281				
2005	4WD; Rumble Bee	4600 Series	Front	24-069281				
2005	Laramie; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2005	4WD; Hemi Sport	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005-2004	4WD; SLT	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005	4WD; Laramie	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005	4WD; Rumble Bee	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2005-2004	4WD; ST	5100 Series				Rear	24-185783	Rear Lifted Height: 0-1"
2004	RWD; SLT	4600 Series	Front	24-069274				
2004	SRT-10; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-069274				
2003-2002	4WD	4600 Series	Front	24-069281				
2003-2002	RWD	4600 Series	Front	24-069274				
2003-2002		4600 Series				Rear	24-025508	
2002	Custom	4600 Series	Front	24-069274				
2001-1997	RWD; ST	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001-1997	Laramie; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001-2000, 1996-1994	4WD	4600 Series	Front	24-184915		Rear	24-184922	
2001-1997	RWD; WS	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001-1997	RWD; Sport	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001	Custom	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001-1999	RWD; SLT	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001-1998	R/T	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2001-2000, 1996-1994	4WD	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-191203	Rear Lifted Height: 4"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-185783	Rear Lifted Height: 0-1"
2000-1997	Custom; RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1999-1997	4WD; Sport	4600 Series	Front	24-184915		Rear	24-184922	
1999-1997	4WD; ST	4600 Series	Front	24-184915		Rear	24-184922	
1999-1997	4WD; Laramie	4600 Series	Front	24-184915		Rear	24-184922	
1999-1997	4WD; Laramie	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-191203	Rear Lifted Height: 4"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-185783	Rear Lifted Height: 0-1"
1999-1997	4WD; ST	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-191203	Rear Lifted Height: 4"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-185783	Rear Lifted Height: 0-1"



Years	Application	Series	Front			Rear		
Dodge Ram 1500 (continued)								
1999-1997	4WD; Sport	5100 Series	Front	24-185776	Front Lifted Height: 3"	Rear	24-191203	Rear Lifted Height: 4"
			Front	24-066464	Front Lifted Height: 5-6"	Rear	24-185783	Rear Lifted Height: 0-1"
1998-1997	Lujo	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1997	Runner	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
1996-1994	RWD	4600 Series	Front	24-184847		Rear	24-184854	
Dodge Ram 2500								
2010-2006	4WD; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2010-2008	4WD; SXT	4600 Series	Front	24-186070		Rear	24-186094	
2010-2006	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010-2006	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010-2006	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010-2006	4WD; ST	4600 Series	Front	24-186070		Rear	24-186094	
2010-2008	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010-2006	4WD; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2010-2006	4WD; SLT	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2010-2008	4WD; SXT	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2010-2006	4WD; ST	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2010-2006	4WD; Laramie	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2010-2008	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010-2008	4WD; ST	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010-2008	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010-2008	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			
2010-2008	Power Wagon	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2010-2008	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010-2006	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010-2006	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010-2006	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010-2006	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2008-2006	RWD; SLT Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008	RWD; SLT Big Horn	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2008-2006	4WD; SLT Sport	4600 Series	Front	24-186070		Rear	24-186094	
2008	4WD; SLT Big Horn	4600 Series	Front	24-186070		Rear	24-186094	
2007-2006	RWD; Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007-2006	4WD; Sport	4600 Series	Front	24-186070		Rear	24-186094	
2007-2006	TRX4	4600 Series	Front	24-186070		Rear	24-186094	
2007-2006	4WD; Sport	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2007-2006	TRX4	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2007	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	TRX4	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; Sport	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	Power Wagon	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			



Years	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2007	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007-2006	TRX4	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007-2006	4WD; Sport	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006	SLT Night Runner Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2006	TRX4	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	Power Wagon	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006	4WD; Sport	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2005-2003	RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2005-2003	4WD; Standard Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2005-2003	4WD; Crew Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2005-2003	Cab & Chassis	4600 Series	Front	24-186070		Rear	24-186094	
2005	SLT Daytona	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2005-2004	4WD	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2005-2003	4WD	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2005-2003	4 Dr.; 4WD; Crew Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2005-1994	4WD	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2005-1994	2 Dr.; 4WD; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2003	4WD	4600 Series	Front	24-186070		Rear	24-186094	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Ram 2500 (continued)								
2003	4WD	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464		Rear	24-186636	Rear Lifted Height: 2"
2002-1994	RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2002-1994	4WD	4600 Series				Rear	24-188036	
2002-1994		4600 Series	Front	24-185172	Solid Axle Front			
2002-1994	4WD	5100 Series	Front	24-187213	Front Lifted Height: 6"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	33-187228	Rear Lifted Height: 3-4"
2002-1998	4 Dr.; 4WD; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1999-1995	2 Dr.; 4WD; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
Dodge Ram 3500								
2010-2008	4WD; SXT	4600 Series	Front	24-186070		Rear	24-186094	
2010-2006	4WD; Extended Crew Cab Pickup; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2010-2008, 2006-2003	RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2010-2007	Cab & Chassis; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2010-2007	4WD; Crew Cab Pickup; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2010-2008, 2006	4WD; Extended Crew Cab Pickup; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2010-2008	4WD; Crew Cab Pickup; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2010-2007	4WD; Crew Cab Pickup; ST	4600 Series	Front	24-186070		Rear	24-186094	
2010-2007	4WD; SLT; Standard Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2010-2007	Cab & Chassis; ST	4600 Series	Front	24-186070		Rear	24-186094	
2010-2008	Cab & Chassis; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2010-2007	4WD; ST; Standard Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2010-2008, 2006-2003	4WD	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2010-2008	4WD	5100 Series (Steering Damper)	Front	33-170794	For vehicles with eye style mount			



Years	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2010-2008, 2006-1994	4WD	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2010-2008, 2006	4 Dr.; 4WD; Extended Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010-2008	4 Dr.; 4WD; Crew Cab Pickup; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010-2008	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010-2008, 2006	4 Dr.; 4WD; Extended Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010-2007	4 Dr.; 4WD; Crew Cab Pickup; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010-2007	2 Dr.; 4WD; ST; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010-2008	4 Dr.; 4WD; Crew Cab Pickup; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2010-2008	2 Dr.; 4WD; SLT; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2007	TRX4	4600 Series	Front	24-186070		Rear	24-186094	
2007	RWD; Sport	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	Cab & Chassis; Sport	4600 Series	Front	24-186070		Rear	24-186094	
2007	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	4WD; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2007	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2007	4WD; Crew Cab Pickup; Sport	4600 Series	Front	24-186070		Rear	24-186094	
2007	4WD; Sport; Standard Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2007	4WD; ST	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2007	4WD; Sport	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2007	4WD; Laramie	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2007	TRX4	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2007	4WD; SLT	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2007	TRX4	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; ST	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; Laramie	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; SLT	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4WD; Sport	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
			Front	33-170794	For vehicles with eye style mount			
2007	4 Dr.; 4WD; Crew Cab Pickup; Sport	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2007	2 Dr.; 4WD; Sport; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2007	TRX4	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; Sport	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; ST	5160 Series	Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2007	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2006-2003	4WD; Standard Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2006-2003	Cab & Chassis	4600 Series	Front	24-186070		Rear	24-186094	
2006-2003	4WD; Crew Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2006-2003	4WD	5100 Series (Steering Damper)	Front	24-164870	For vehicles with cantilever style mount			
2006-1994	2 Dr.; 4WD; Standard Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"



Years	Application	Series	Front			Rear		
Dodge Ram 3500 (continued)								
2006-2003	4 Dr.; 4WD; Crew Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2003-2002	2 Dr.; 4WD; Crew Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
2002-1994	RWD	4600 Series	Front	24-184847	Except Solid Axle Front	Rear	24-184854	
2002-1994	4WD	4600 Series				Rear	24-188036	
2002-1994		4600 Series	Front	24-185172	Solid Axle Front			
2002-1994	4WD	5100 Series	Front	24-187213	Front Lifted Height: 6"	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	24-185783	Rear Lifted Height: 0-1"
			Front	24-066464	Front Lifted Height: 4"	Rear	33-187228	Rear Lifted Height: 3-4"
2002-1998	4 Dr.; 4WD; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
1997-1995	2 Dr.; 4WD; Extended Cab Pickup	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
Dodge Ram 50								
1991-1987	4WD	4600 Series				Rear	24-002585	
1991-1987	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-188203	
1991-1986		AK Series	Front	F4-BE3-E249-M0				
1991-1986		B6 (HD)	Front	24-009492				
1986-1983		4600 Series				Rear	24-188203	
1985	Sport	AK Series	Front	F4-BE3-E249-M0				
1985-1983	Custom	AK Series	Front	F4-BE3-E249-M0				
1985-1983	Custom	B6 (HD)	Front	24-009492				
1985	Sport	B6 (HD)	Front	24-009492				
Dodge Ramcharger								
1993-1975	RWD	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
Ford Bronco								
1996-1995	XLT Sport	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
			Front	24-013284	Except Quad Shock Option			
1996-1985	Eddie Bauer	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
			Front	24-013284	Except Quad Shock Option			
1996-1980		4600 Series				Rear	33-188218	
1996-1994, 1992-1984	XLT	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
			Front	24-013284	Except Quad Shock Option			



Years	Application	Series	Front			Rear		
Ford Bronco (continued)								
1996-1990	XL	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
			Front	24-013284	Except Quad Shock Option			
1996-1980		4600 Series (Auxiliary)	Front	24-184809	Frontward mounting of the axle; Quad Shock Option			
1996-1980		5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1996-1980		5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1993-1984	Custom	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
			Front	24-013284	Except Quad Shock Option			
1993	XLT Lariat	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
			Front	24-013284	Except Quad Shock Option			
1992	XLT Nite	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
			Front	24-013284	Except Quad Shock Option			
1983-1982	XLS	4600 Series	Front	24-013284	Except Quad Shock Option			
			Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
1983-1982	XLT Lariat	4600 Series	Front	24-013284	Except Quad Shock Option			
			Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
1983-1980	Custom	4600 Series	Front	24-013284	Except Quad Shock Option			
			Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
1981-1980	Ranger XLT	4600 Series	Front	24-013284	Except Quad Shock Option			
			Front	24-013284	Quad Shock Option; Rearward mounting of the axle			
1977-1966		5100 Series	Front	24-065283	Front Lifted Height: 2-4"	Rear	33-186542	Rear Lifted Height: 2-4"
Ford Bronco II								
1990		4600 Series	Front	24-022361				
1990-1984		5100 Series	Front	24-185493	Front Lifted Height: 4"	Rear	24-185509	Rear Lifted Height: 4"
1988-1984		4600 Series				Rear	24-010184	
Ford Excursion								
2005-2000	RWD	4600 Series	Front	24-185448		Rear	24-185455	
2005-2000	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185462		Rear	24-185479	Rear Lifted Height: 0-1"
2005-2000	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"	Rear	33-151656	Rear Lifted Height: 3-5"
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
			Front	33-187297	Front Lifted Height: 0-2.5"			



Years	Application	Series	Front			Rear			
Ford Excursion (continued)									
2005-2000	RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms				
2005-2000	RWD	5100 Series (Steering Damper)	Front	24-158930					
2005-2000	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848					
Ford Expedition									
2013-2008	Limited; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2013-2008	EL King Ranch; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2013-2008	King Ranch; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2013	XL	4600 Series	Front	24-197717					
2013	EL XLT	4600 Series	Front	24-197717			Rear	24-197724	Excludes Rear Load-Leveling Air Suspension
2013	King Ranch	4600 Series	Front	24-197717					
2013-2011	XL; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2013	EL Limited	4600 Series	Front	24-197717					
2013	XLT	4600 Series	Front	24-197717			Rear	24-197724	Excludes Rear Load-Leveling Air Suspension
2013	EL King Ranch	4600 Series	Front	24-197717					
2013	EL XL	4600 Series	Front	24-197717					
2013-2008	EL Limited; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2013-2011	EL XL; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2013	Limited	4600 Series	Front	24-197717					
2012-2008	EL XLT	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2012-2007		4600 Series	Front	24-197717					
2012-2008	Max Limited; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2012-2008	XLT	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2011	Max XL; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2011-2009	Max King Ranch; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2010-2008	EL Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	
2010-2008	Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford Expedition (continued)								
2010-2008	Max Eddie Bauer; w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension
2008-2007	Eddie Bauer Max	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension
2008	Funkmaster Flex Edition	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension
2007	w/ Coil Rear Springs	4600 Series				Rear	24-197724	Excludes Rear Load-Leveling Air Suspension
2006-2003		4600 Series				Rear	24-131599	
2006	Limited; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	4WD; King Ranch; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	King Ranch; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	4WD; XLS	4600 Series	Front	24-131582				
2006	4WD; XLT Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	RWD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	RWD; XLT Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2006	RWD; XLS	4600 Series	Front	24-107617				
2006	4WD; Eddie Bauer; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	4WD; XLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2006	4WD; Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2005-2003	4WD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-131582				
2005-2003	RWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-107617				
2002-1997	RWD; w/ Coil Rear Springs	4600 Series				Rear	24-185202	Excludes Air Leveling Suspension; Rear Lifted Height: 0-1"
2002-1997	RWD	4600 Series	Front	24-185189				



Years	Application	Series	Front			Rear		
Ford Expedition (continued)								
2002-1997	4WD	4600 Series	Front	24-185219	Excludes Four Corner Air Leveling System			
2002-1997	4WD; w/ Coil Rear Springs	4600 Series				Rear	24-185226	Excludes Four Corner Air Leveling System
2002-1997	4WD; w/ Air Rear Springs	4600 Series				Rear	24-185202	Includes Four Corner Air-Leveling System
2002-1997	RWD; w/ Air Rear Springs	4600 Series				Rear	24-185196	Air Leveling Suspension
2002-1997	RWD; w/ Coil Front Springs; w/ Coil Rear Springs	5100 Series				Rear	24-185530	Rear Lifted Height: 3"
2002-1997	RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
Ford Explorer								
2001-1995	4WD	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001-1995	XLT	4600 Series				Rear	24-021357	Axle Wrap
2001	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift			
2001-2000	Eddie Bauer; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001-2000	Limited; RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001-1999	XLS	4600 Series				Rear	24-021357	Axle Wrap
2001-2000	RWD; XL Fleet	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001-2000, 1998	AWD; Limited	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001-2000, 1998-1995	4 Dr.; Limited; Sport Utility	4600 Series				Rear	24-021357	Axle Wrap
2001-1995	Eddie Bauer	4600 Series				Rear	24-021357	Axle Wrap
2001-2000	XL Fleet	4600 Series				Rear	24-021357	Axle Wrap
2001-2000	RWD; XLT	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001-1998	AWD; Eddie Bauer	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2001-2000	RWD; XLS	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001-1996	AWD; XLT	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000	RWD; Sport	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1999-1995	RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
1999	XL	4600 Series				Rear	24-021357	Axle Wrap
1999	AWD; XLS	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
1998-1995	4 Dr.; Sport Utility; XL	4600 Series				Rear	24-021357	Axle Wrap
1994-1991		4600 Series	Front	24-184762	Non Air Leveling			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford Explorer (continued)								
1994-1991	Eddie Bauer	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1994-1991	XL	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1994-1991	XLT	5100 Series	Front	24-185493	Front Lifted Height: 4"			
1994-1993	Limited	5100 Series	Front	24-185493	Front Lifted Height: 4"			
Ford Explorer Sport Trac								
2005-2001	4WD	4600 Series	Front	24-021333		Rear	24-021340	
2005-2001	RWD	4600 Series				Rear	24-021326	Non Air Leveling
Ford F Super Duty								
1997-1994		4600 Series	Front	F4-BOA-0000119		Rear	AK1193	15000lbs GVW
1993		4600 Series	Front	F4-BOA-0000119		Rear	AK1193	14000lbs GVW
1992-1990		4600 Series	Front	F4-BOA-0000123		Rear	AK1193	14000lbs GVW
Ford F-150								
2013-2009	4WD; XLT	4600 Series	Front	24-187404		Rear	33-187419	
2013-2009	Platinum; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2013-2009	RWD; STX	4600 Series	Front	24-187381		Rear	33-187396	
2013-2009	4WD; Platinum	4600 Series	Front	24-187404		Rear	33-187419	
2013-2009	4WD; STX	4600 Series	Front	24-187404		Rear	33-187419	
2013-2009	4WD; Lariat	4600 Series	Front	24-187404		Rear	33-187419	
2013-2009	RWD; XLT	4600 Series	Front	24-187381		Rear	33-187396	
2013	Limited; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2013-2009	4WD; XL	4600 Series	Front	24-187404		Rear	33-187419	
2013-2009	4WD; King Ranch	4600 Series	Front	24-187404		Rear	33-187419	
2013-2009	King Ranch; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2013-2010	FX2	4600 Series	Front	24-187381		Rear	33-187396	
2013	4WD; Limited	4600 Series	Front	24-187404		Rear	33-187419	
2013-2009	RWD; XL	4600 Series	Front	24-187381		Rear	33-187396	
2013-2009	FX4	4600 Series	Front	24-187404		Rear	33-187419	
2013-2009	Lariat; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2013-2009	King Ranch; RWD	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2013-2009	Platinum; RWD	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2013-2009	4WD; STX	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2013-2009	Lariat; RWD	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2013-2009	4WD; King Ranch	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"



Years	Application	Series	Front			Rear		
Ford F-150 (continued)								
2013-2009	4WD; XL	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2013-2009	4WD; Platinum	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2013-2009	4WD; XLT	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2013	4WD; Limited	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2013-2009	RWD; XLT	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2013-2009	RWD; STX	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2013-2010	FX2	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2013-2009	RWD; XL	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2013-2009	FX4	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2013-2009	4WD; Lariat	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2013	Limited; RWD	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2012-2010	AWD; Harley-Davidson Edition	4600 Series	Front	24-187404		Rear	33-187419	
2012-2010	Harley-Davidson Edition; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2012-2010	AWD; Harley-Davidson Edition	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2012-2010	Harley-Davidson Edition; RWD	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2011	4WD; Lariat Limited	4600 Series	Front	24-187404		Rear	33-187419	
2011	Lariat Limited; RWD	4600 Series	Front	24-187381		Rear	33-187396	
2011	Lariat Limited; RWD	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2011	4WD; Lariat Limited	5100 Series	Front	24-187497	Adjustable Front Lifted Height: 0-2"	Rear	33-187501	Rear Lifted Height: 0-1"
2009	Flotillera	4600 Series	Front	24-187381		Rear	33-187396	
2009	Flotillera	5100 Series	Front	24-187466	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187471	Rear Lifted Height: 0-1"
2008	Limited; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2008-2004	4WD; STX	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008-2007	FX2	4600 Series	Front	24-107617		Rear	24-107624	
2008-2005	King Ranch; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2008-2004	4WD; XLT	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008-2004	RWD; XLT	4600 Series	Front	24-107617		Rear	24-107624	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-150 (continued)								
2008-2004	4WD; Lariat	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008	AWD; Limited	4600 Series	Front	24-109345	Requires the use of the OE spring seat			
2008-2004	FX4	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008-2004	Lariat; RWD	4600 Series	Front	24-107617		Rear	24-107624	
2008-2004	4WD; XL	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008-2005	4WD; King Ranch	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008-2006	Harley-Davidson Edition; RWD	4600 Series	Front	24-107617				
2008-2004	RWD; XL	4600 Series	Front	24-107617		Rear	24-107624	
2008-2006	4WD; Harley-Davidson Edition	4600 Series	Front	24-109345	Requires the use of the OE spring seat	Rear	33-185897	
2008-2004	RWD; STX	4600 Series	Front	24-107617		Rear	24-107624	
2008-2004	FX4	5100 Series	Front	24-122986	Adjustable Front Lifted Height: 0-2"	Rear	33-186009	Rear Lifted Height: 0-2"
2008-2004	4WD; STX	5100 Series	Front	24-122986	Adjustable Front Lifted Height: 0-2"	Rear	33-186009	Rear Lifted Height: 0-2"
2008	AWD; Limited	5100 Series	Front	24-122986	Adjustable Front Lifted Height: 0-2"	Rear	33-186009	Rear Lifted Height: 0-2"
2008-2004	4WD; XL	5100 Series	Front	24-122986	Adjustable Front Lifted Height: 0-2"	Rear	33-186009	Rear Lifted Height: 0-2"
2008-2006	Harley-Davidson Edition; RWD	5100 Series	Front	24-186698	Adjustable Front Lifted Height: 0-2"	Rear	24-186704	Rear Lifted Height: 0"
2008	Limited; RWD	5100 Series	Front	24-186698	Adjustable Front Lifted Height: 0-2"	Rear	24-186704	Rear Lifted Height: 0"
2008-2004	RWD; STX	5100 Series	Front	24-186698	Adjustable Front Lifted Height: 0-2"	Rear	24-186704	Rear Lifted Height: 0"
2008-2007	FX2	5100 Series	Front	24-186698	Adjustable Front Lifted Height: 0-2"	Rear	24-186704	Rear Lifted Height: 0"
2008-2004	RWD; XLT	5100 Series	Front	24-186698	Adjustable Front Lifted Height: 0-2"	Rear	24-186704	Rear Lifted Height: 0"
2008-2004	4WD; XLT	5100 Series	Front	24-122986	Adjustable Front Lifted Height: 0-2"	Rear	33-186009	Rear Lifted Height: 0-2"
2008-2006	4WD; Harley-Davidson Edition	5100 Series	Front	24-122986	Adjustable Front Lifted Height: 0-2"	Rear	33-186009	Rear Lifted Height: 0-2"
2008-2005	4WD; King Ranch	5100 Series	Front	24-122986	Adjustable Front Lifted Height: 0-2"	Rear	33-186009	Rear Lifted Height: 0-2"
2008-2004	Lariat; RWD	5100 Series	Front	24-186698	Adjustable Front Lifted Height: 0-2"	Rear	24-186704	Rear Lifted Height: 0"
2008-2004	RWD; XL	5100 Series	Front	24-186698	Adjustable Front Lifted Height: 0-2"	Rear	24-186704	Rear Lifted Height: 0"
2008-2004	4WD; Lariat	5100 Series	Front	24-122986	Adjustable Front Lifted Height: 0-2"	Rear	33-186009	Rear Lifted Height: 0-2"
2008-2005	King Ranch; RWD	5100 Series	Front	24-186698	Adjustable Front Lifted Height: 0-2"	Rear	24-186704	Rear Lifted Height: 0"



Years	Application	Series	Front			Rear		
Ford F-150 (continued)								
2003-2001	2 Dr.; 4WD; Lariat; Standard Cab Pickup; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2003-2002	Harley-Davidson Edition	4600 Series	Front	24-185189		Rear	24-024792	Rear Lifted Height: 0-1"
2003-1999	4WD; XLT	4600 Series				Rear	AK2284	Heavy Duty
2003-2001	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2003-2001	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-185219				
2003-2001	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				
2003-2001	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2003-2001	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2003-2001	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2003-2001	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2003-2001	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2003-2001	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"
2003-2001	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2003-2001	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2003-2001	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-185219				
2003-2001	King Ranch; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-150 (continued)								
2003-2001	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				
2003-2001	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2003-2001	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2003-2001	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-185189				
2003-2001	2 Dr.; Lariat; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2003-2001	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-185219				
2003-2001	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134				
2003-2001	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2003-1999	4WD; Lariat	4600 Series				Rear	AK2284	Heavy Duty
2003-2001	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-185141	Rear Lifted Height: 0-2"
2003-2001	King Ranch	4600 Series	Front	24-185219		Rear	AK2284	Heavy Duty
2003-1999	4WD; XL	4600 Series				Rear	AK2284	Heavy Duty
2003-2001	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2003-2001	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2003-1999	XL	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2003-1999	Lariat	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2003-1999	XLT	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2003-1999	RWD; XL	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Years	Application	Series	Front			Rear		
Ford F-150 (continued)								
2003-1999	RWD; XLT	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2003-1999	Lariat; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2003-2001	King Ranch	5100 Series				Rear	24-185417	Rear Lifted Height: 0-2"
2003-1999	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2003-1999	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2003-1999	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2003-2002, 2000	Harley-Davidson Edition	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit	Rear	24-185417	Rear Lifted Height: 4-5"
			Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2003-1999	Lightning	Variable depending on application	Front	24-187442	4600 Series; SetOption: Variable depending on application	Rear	24-187459	4600 Series; SetOption: Variable depending on application
2003-1999	Lariat; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2003-2000	Harley-Davidson Edition	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2003-1999	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2003-1999	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2001	Harley-Davidson Edition	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185417	Rear Lifted Height: 4-5"
2000-1999	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2000-1999	4WD; Lariat; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2000-1999	4WD; Base	4600 Series				Rear	AK2284	Heavy Duty
2000-1999	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2000-1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2000	Harley-Davidson Edition	4600 Series				Rear	24-024792	Rear Lifted Height: 0-1"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-150 (continued)								
2000-1999	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2000-1999	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2000	Harley-Davidson Edition; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785				
2000-1999	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2000-1999	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2000-1999	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2000-1999	Base; RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2000-1999	Base	5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
2000-1999	Base; RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1998-1997	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
1998-1997	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
1998-1997	4WD	4600 Series				Rear	AK2284	Heavy Duty
1998-1997	RWD	5100 Series	Front	24-185400	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
1998-1997	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
1998-1997		5100 Series				Rear	24-185417	4WD Rear Lifted Height: 0-2"; RWD Rear Lifted Height: 4-5"
1998-1997	RWD	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
1996, 1992-1980		4600 Series	Front	24-013284	Except Quad Shock Option			
1996, 1992-1985	RWD	4600 Series				Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
						Rear	24-013291	
1996, 1992-1980	4WD	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle	Rear	24-016186	
1996, 1992-1980	4WD	4600 Series (Auxiliary)	Front	24-184809	Frontward mounting of the axle; Quad Shock Option			



Years	Application	Series	Front			Rear		
Ford F-150 (continued)								
1996, 1992-1985		5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1996, 1992-1985	4WD	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1996, 1992-1980	4WD	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995-1993	XL	4600 Series	Front	24-013284	Except Quad Shock Option			
1995	4WD; Eddie Bauer	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle	Rear	24-016186	
1995	Eddie Bauer	4600 Series	Front	24-013284	Except Quad Shock Option			
1995-1993	Lightning	4600 Series				Rear	AK1290	
						Rear	AK2290	Lowered Shackles; Rear Lowered Height 4in
1995-1993	4WD; XLT	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle	Rear	24-016186	
1995-1993	RWD; XL	4600 Series				Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
						Rear	24-013291	
1995-1993	4WD; XL	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle	Rear	24-016186	
1995	4WD; Special	4600 Series	Front	24-013284	Quad Shock Option; Rearward mounting of the axle	Rear	24-016186	
1995-1993	XLT	4600 Series	Front	24-013284	Except Quad Shock Option			
1995	Eddie Bauer; RWD	4600 Series				Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
						Rear	24-013291	
1995	RWD; Special	4600 Series				Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
						Rear	24-013291	
1995-1993	RWD; XLT	4600 Series				Rear	F4-B46-2173-H0	Lowered Shackles; Rear Lowered Height 4in
						Rear	24-013291	
1995	Special	4600 Series	Front	24-013284	Except Quad Shock Option			
1995-1993	4WD; XLT	4600 Series (Auxiliary)	Front	24-184809	Frontward mounting of the axle; Quad Shock Option			
1995	4WD; Special	4600 Series (Auxiliary)	Front	24-184809	Frontward mounting of the axle; Quad Shock Option			
1995-1993	4WD; XL	4600 Series (Auxiliary)	Front	24-184809	Frontward mounting of the axle; Quad Shock Option			
1995	4WD; Eddie Bauer	4600 Series (Auxiliary)	Front	24-184809	Frontward mounting of the axle; Quad Shock Option			
1995	Eddie Bauer	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995	Special	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-150 (continued)								
1995	4WD; Eddie Bauer	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1995-1993	4WD; XL	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1995	4WD; Special	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1995-1993	XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995-1993	XL	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	4WD Rear Lifted Height: 2"; RWD Rear Lifted Height: 2-4"
			Front	24-065283	Front Lifted Height: 6"			
1995-1993	4WD; XLT	5100 Series				Rear	24-065276	Rear Lifted Height: 4"
1995-1993	4WD; XL	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995-1993	4WD; XLT	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	4WD; Eddie Bauer	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1995	4WD; Special	5100 Series (Auxiliary)	Front	24-186513	Auxiliary Shock; Front Lifted Height: 4"			
1984-1980	RWD	4600 Series				Rear	33-188218	
1984-1980	4WD	5100 Series	Front	24-185523	Front Lifted Height: 4"	Rear	24-185530	Rear Lifted Height: 2"
			Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 4"
Ford F-150 Heritage								
2004	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2004	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785		Rear	24-024792	Rear Lifted Height: 0-1"
2004	4WD; XL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2004	4WD; XLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134		Rear	24-185141	Rear Lifted Height: 0-2"
2004	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2004	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-151627	Front Lifted Height: 6" with Crossmember kit			
2004	RWD; XL	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
2004	RWD; XLT	Variable depending on application	Front	24-187442	4600 Series Sport; SetOption: Variable depending on application	Rear	24-187459	4600 Series Sport; SetOption: Variable depending on application
Ford F-250								
1999-1997	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-185134	Light duty (Same body as F-150)			



Light Trucks and SUVs

Years	Application	Series	Front			Rear		
Ford F-250 (continued)								
1999-1997	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024785	Light duty (Same body as F-150)	Rear	AK2283	Light duty (Same body as F-150)
1999	4WD	4600 Series				Rear	AK2284	Light duty (Same body as F-150)
1999-1997	Lobo	5100 Series	Front	24-185523	Excludes Light Duty (Same Body as F-150); Front Lifted Height: 4"			
1999-1997	XLT VIP	5100 Series	Front	24-185523	Excludes Light Duty (Same Body as F-150); Front Lifted Height: 4"			
1999	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-065276	Rear Lifted Height: 3-4"
1999-1997	RWD	5100 Series	Front	24-185523	Excludes Light Duty (Same Body as F-150); Front Lifted Height: 4"			
1998	RWD; XLT	4600 Series				Rear	24-013291	
1998	RWD; XL	4600 Series				Rear	24-013291	
1998-1997	RWD	4600 Series	Front	24-013284	Excludes Light Duty (Same Body as F-150)			
1998	Lariat; RWD	4600 Series				Rear	24-013291	
1998-1997	4WD	4600 Series	Front	24-016179	Excludes Light Duty (Same Body as F-150)	Rear	AK2284	Light duty (Same body as F-150)
1998-1996	XLT VIP	4600 Series				Rear	24-013291	
1998-1996, 1994-1982	4WD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1998	Lobo 50 Aniversario	5100 Series	Front	24-185523	Excludes Light Duty (Same Body as F-150); Front Lifted Height: 4"			
1998-1996, 1994-1984	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1997	Lobo XLT	5100 Series	Front	24-185523	Excludes Light Duty (Same Body as F-150); Front Lifted Height: 4"			
1996-1987	4WD	4600 Series	Front	24-016179				
1996-1980	RWD	4600 Series	Front	24-013284		Rear	24-013291	
1996	XLT VIP	5100 Series	Front	24-185523	Front Lifted Height: 4"			
1996-1980	RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"			
1995	4WD; XLT	4600 Series				Rear	24-016186	
1995	4WD; Special	4600 Series				Rear	24-016186	
1995	Base	4600 Series				Rear	24-013291	
1995	4WD; Eddie Bauer	4600 Series				Rear	24-016186	
1995	4WD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1995	Base	5100 Series	Front	24-185523	Front Lifted Height: 4"			
1995	RWD; Special	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-250 (continued)								
1995	RWD; XLT	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1995	Eddie Bauer; RWD	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1995	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1986-1982		4600 Series	Front	24-016155	From 3/82 To 86; Non Utility			
1983-1980	2 Dr.; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1983-1980	2 Dr.; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1983	4 Dr.; Crew Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
Ford F-250 Super Duty								
2014-2011	4WD	4600 Series	Front	24-186674		Rear	24-185981	
2014-2011	RWD	4600 Series	Front	24-197779		Rear	24-185325	
2014-2011	4WD	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2011, 2008-1999		5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2011	RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2014-2011	4WD	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2011	4WD	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2013-2011	4WD	5100 Series (Steering Damper)	Front	24-196284				
2012-2011, 2004-1999	RWD	5100 Series (Steering Damper)	Front	24-158930				
2010-2005	Lariat; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2010-2005	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2010-2005	4WD; XLT	4600 Series	Front	24-186674		Rear	24-185981	
2010-2005	RWD; XL	4600 Series	Front	24-197779		Rear	24-185325	



Years	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2010-2005	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
2010-2005	4WD; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
2010-2005	RWD; XLT	4600 Series	Front	24-197779		Rear	24-185325	
2010	4WD; Cabela's	4600 Series	Front	24-186674		Rear	24-185981	
2010-2006	Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2010-2005	4WD; XL	4600 Series	Front	24-186674		Rear	24-185981	
2010-2005	Lariat; RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2010	4WD; Cabela's	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2010	Harley-Davidson Edition	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"	Rear	24-062466	Rear Lifted Height: 2-4"
			Front	24-186681	Front Lifted Height: 6"			
2010	Lariat	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2010	XL	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2010-2006	4WD; XLT	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2010-2006	4WD; XL	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2010	XLT	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2010	King Ranch	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2010-2005	RWD; XL	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2010-2006	4WD; King Ranch	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2010-2006	4WD; Lariat	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2010-2005	RWD; XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2010-2005	King Ranch; RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2010-2005	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010-2005	4WD; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010-2006	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010-2005	4WD; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Cabela's	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010-2005	4WD; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010-2005	RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2010-2008	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2010-2005	RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2010-2008	4WD; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2010-2008	4WD; XLT	5100 Series (Steering Damper)	Front	24-196284				
2010-2008	4WD; XL	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Cabela's	5100 Series (Steering Damper)	Front	24-196284				
2010-2005	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2010-2008	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-196284				
2010-2005	Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2010-2005	4WD; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010-2005	4WD; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2010-2005	4WD; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010	4WD; Cabela's	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010-2005	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010-2006	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009-2008	FX4	4600 Series	Front	24-186674		Rear	24-185981	
2009-2008	FX4	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2009-2006	Harley-Davidson Edition	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2009-2008, 2005	FX4	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009-2008	FX4	5100 Series (Steering Damper)	Front	24-196284				
2009-2008, 2005	FX4	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007-2005	4WD; XL	5100 Series (Steering Damper)	Front	33-170862				
2007-2006	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; XLT	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; King Ranch	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2005	FX4	4600 Series	Front	24-186674				
2005	Harley-Davidson Edition; RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2005	4WD; XLT	5100 Series	Front	24-185776	Front Lifted Height: 4"			
			Front	24-186681	Front Lifted Height: 6"			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2005	FX4	5100 Series	Front	24-185776	Front Lifted Height: 4"			
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; King Ranch	5100 Series	Front	24-185776	Front Lifted Height: 4"			
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; XL	5100 Series	Front	24-185776	Front Lifted Height: 4"			
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD	5100 Series	Front	24-186018	Front Lifted Height: 0-2"	Rear	24-186025	Rear Lifted Height: 0-1"
2005	4WD; Lariat	5100 Series	Front	24-185776	Front Lifted Height: 4"			
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Harley-Davidson Edition	5100 Series	Front	24-185776	Front Lifted Height: 4"			
			Front	24-186681	Front Lifted Height: 6"			
2005	4WD; Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2005	Harley-Davidson Edition; RWD	5100 Series (Steering Damper)	Front	24-158930				
2005	FX4	5100 Series (Steering Damper)	Front	33-170862				
2005	Harley-Davidson Edition	5160 Series				Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"			
2004	4WD; Harley-Davidson Edition	4600 Series	Front	33-028187				
2004-2003	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004-1999	4WD	4600 Series				Rear	24-185981	
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2004	King Ranch; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004-2003	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2004	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				



Years	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2004	Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	King Ranch; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Harley-Davidson Edition	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004-2003	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004-1999	4WD	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004-2003	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004-1999	RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-250 Super Duty (continued)								
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4WD; Harley-Davidson Edition	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2003-1999	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187				
2003-1999	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003-1999	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003-1999	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2002-1999	RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2002-1999	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
Ford F-350								
1997	XLT	4600 Series				Rear	24-016186	
1997	XL	4600 Series				Rear	24-016186	
1997-1996	RWD	4600 Series	Front	24-013284		Rear	33-188218	Includes Dual Rear Wheels
						Rear	24-013291	Single Rear Wheel
1997-1986	4WD	4600 Series	Front	24-016179				
1997-1980	RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"			
1996	Base	4600 Series	Front	24-013284				
1996		4600 Series				Rear	24-016186	
1996	Base	5100 Series	Front	24-185523	Front Lifted Height: 4"			
1995-1980	RWD	4600 Series	Front	24-013284		Rear	24-013291	Single Rear Wheel
1995-1982	4WD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-016186	
1995-1985	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-188218	Includes Dual Rear Wheels



Light Trucks and SUVs

Years	Application	Series	Front			Rear		
Ford F-350 (continued)								
1995-1993	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1995	Eddie Bauer; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1995	RWD; Special; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1995-1993	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1995-1993	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1995-1993	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1992-1990	4 Dr.; Crew Cab Pickup; Custom; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1992-1990	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1992-1990	2 Dr.; Custom; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1992-1990	RWD; XLT Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1992-1990	2 Dr.; Custom; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1989-1983	4 Dr.; Crew Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1989-1988, 1981-1980	2 Dr.; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1989-1980	2 Dr.; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"	Rear	24-185530	Rear Lifted Height: 2"
						Rear	24-065276	Rear Lifted Height: 3-4"
1985-1982		4600 Series	Front	24-016155	Including Dually			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty								
2014	4WD	4600 Series	Front	24-186674		Rear	24-185981	
2014	RWD	4600 Series	Front	24-197779		Rear	24-185325	
2014-2004	Crew Cab Pickup; XL	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2005	4WD; Standard Cab Pickup; XLT	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2005	4WD; Standard Cab Pickup; XL	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2011	RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2014-2013	4WD; Platinum	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2005	4WD; Extended Cab Pickup; XLT	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2005	4WD; Extended Cab Pickup; XL	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014	King Ranch	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2004	Extended Cab Pickup; Lariat	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2005	4WD; Crew Cab Pickup; XL	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2005	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2004	Crew Cab Pickup; Lariat	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2005	4WD; Crew Cab Pickup; XLT	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2004	Extended Cab Pickup; XL	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2014-2005	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2004	Extended Cab Pickup; XLT	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2005	4WD; King Ranch	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2014-2004	Standard Cab Pickup; XL	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2004	Crew Cab Pickup; XLT	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2004	Standard Cab Pickup; XLT	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014	Platinum	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2014-2005	4WD; Crew Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2005	4WD; Standard Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2005	4WD; Crew Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2005	4WD; Standard Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2005	4WD; Crew Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2005	4WD; Extended Cab Pickup; XLT	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2005	4WD; King Ranch	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2013	4WD; Platinum	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2005	4WD; Extended Cab Pickup; XL	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2005	4WD; Extended Cab Pickup; Lariat	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2014-2013	4WD; Platinum	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2014-2005	4WD; Standard Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2014-2005	4WD; Crew Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2014-2005	4WD; Extended Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2014-2005	4WD; Crew Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2014-2005	4WD; Extended Cab Pickup; Lariat	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2014-2005	4WD; Standard Cab Pickup; XL	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2014-2005	4WD; Extended Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2014-2005	4WD; Crew Cab Pickup; XLT	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2014-2005	4WD; King Ranch	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2013-2005	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185325	
2013-2005	4WD; Extended Cab Pickup; XL	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013-2005	4WD; Crew Cab Pickup; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013-2012	Cab & Chassis; Lariat; RWD	4600 Series				Rear	24-013291	
						Rear	24-013291	
2013-2005	4WD; Crew Cab Pickup; XLT	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013-2011	King Ranch; RWD	4600 Series				Rear	24-185325	
						Rear	24-185325	
2013-2005	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-185325	
						Rear	24-185325	
2013-2012	Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
						Rear	24-013291	
2013-2005	4WD; Standard Cab Pickup; XL	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013-2005	4WD; Extended Cab Pickup; Lariat	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013-2005	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
						Rear	24-185325	
2013-2005	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
						Rear	24-185325	
2013	Platinum; RWD	4600 Series				Rear	24-185325	
						Rear	24-185325	
2013-2005	4WD; Standard Cab Pickup; XLT	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013-2005	4WD; King Ranch	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013-2005	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
						Rear	24-185325	
2013-2005	4WD; Extended Cab Pickup; XLT	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013	4WD; Platinum	4600 Series	Front	24-186674		Rear	24-185981	
						Rear	24-185981	
2013-2012	Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
						Rear	24-013291	



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2013-2005	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-185325	
2013-2005	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-185325	
2013-2005	4WD; Crew Cab Pickup; XL	4600 Series	Front	24-186674		Rear	24-185981	
2013-2011	RWD	4600 Series	Front	24-197779				
2013-2005	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-185325	
2013	4WD; Platinum	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; King Ranch	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2013-2008	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-196284				
2012-2004	RWD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	24-158930				
2012-2004	Extended Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2012-2004	RWD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	24-158930				
2012-2004	Crew Cab Pickup; RWD; XLT	5100 Series (Steering Damper)	Front	24-158930				
2012-2004	Extended Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2012-2004	Extended Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2012-2004	King Ranch; RWD	5100 Series (Steering Damper)	Front	24-158930				
2012-2004	Crew Cab Pickup; Lariat; RWD	5100 Series (Steering Damper)	Front	24-158930				
2012-2004	Crew Cab Pickup; RWD; XL	5100 Series (Steering Damper)	Front	24-158930				
2011-1999	2 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2011	4 Dr.; Cab & Chassis; Lariat; RWD	4600 Series				Rear	24-013291	
2011-2007, 2005-1999	4 Dr.; Cab & Chassis; RWD; XLT	4600 Series				Rear	24-013291	
2011-2007, 2005-1999	4 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2011	2 Dr.; Cab & Chassis; Lariat; RWD	4600 Series				Rear	24-013291	
2011-1999	2 Dr.; Cab & Chassis; RWD; XL	4600 Series				Rear	24-013291	
2010	4WD; Cabela's	4600 Series	Front	24-186674				
2010-2005	RWD; XLT	4600 Series	Front	24-197779				
2010-2005	King Ranch; RWD	4600 Series	Front	24-197779		Rear	24-185325	
2010-2005	Lariat; RWD	4600 Series	Front	24-197779				
2010-2006	Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2010-2005	RWD; XL	4600 Series	Front	24-197779				
2010	4WD; Cabela's	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2010-2006	Lariat; RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2010-2006	King Ranch; RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2010-2006	Harley-Davidson Edition	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2010-2006	RWD; XLT	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2010-2006	RWD; XL	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
			Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2010-2006	Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010	4WD; Cabela's	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2010-2008	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Cabela's	5100 Series (Steering Damper)	Front	24-196284				
2010	4WD; Cabela's	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2010-2006	Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2009-2008	FX4	4600 Series	Front	24-186674		Rear	24-185981	
2009-2008	FX4	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2009-2008	FX4	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2009-2008	FX4	5100 Series (Steering Damper)	Front	24-196284				
2009-2008	FX4	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2007-2005	4WD; Extended Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; Standard Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; Extended Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; Standard Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; Crew Cab Pickup; XLT	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; Extended Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2007-2006	Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2007-2005	4WD; Crew Cab Pickup; XL	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; King Ranch	5100 Series (Steering Damper)	Front	33-170862				
2007-2005	4WD; Crew Cab Pickup; Lariat	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Harley-Davidson Edition	4600 Series	Front	24-186674		Rear	24-185981	
2005	4WD; Lariat; Standard Cab Pickup	4600 Series	Front	24-186674		Rear	24-185981	
2005	Lariat; RWD; Standard Cab Pickup	4600 Series				Rear	24-185325	
2005-1999	RWD	5100 Series	Front	24-185523	Front Lifted Height: 4"; With stock radius arms			
2005	King Ranch; RWD	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2005	RWD; XLT	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2005	Lariat; Standard Cab Pickup	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2005	4WD; Lariat; Standard Cab Pickup	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2005	Lariat; RWD	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2005	4WD; Harley-Davidson Edition	5100 Series	Front	24-185776	Front Lifted Height: 4"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	24-186018	Front Lifted Height: 0-2"			
			Front	24-186681	Front Lifted Height: 6"			
2005	RWD; XL	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms			
2005	4WD; Harley-Davidson Edition	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Lariat; Standard Cab Pickup	5100 Series (BTS)	Front	F4-SE5-C765-H0	Front Lifted Height: 2"			
2005	4WD; Lariat; Standard Cab Pickup	5100 Series (Steering Damper)	Front	33-170862				
2005	4WD; Harley-Davidson Edition	5100 Series (Steering Damper)	Front	33-170862				
2005	Lariat; RWD; Standard Cab Pickup	5100 Series (Steering Damper)	Front	24-158930				
2005-2004	Harley-Davidson Edition; RWD	5100 Series (Steering Damper)	Front	24-158930				



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2005	4WD; Harley-Davidson Edition	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2005	4WD; Lariat; Standard Cab Pickup	5160 Series	Front	25-187779	Front Lifted Height: 0-2.5"	Rear	25-187786	Rear Lifted Height: 0-2"
			Front	25-177435	Front Lifted Height: 4-6"	Rear	25-177442	Rear Lifted Height: 4"
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4WD; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2004	4WD; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2004	Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	King Ranch; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779		Rear	24-185325	
2004	Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually	Rear	33-185347	
2004	Crew Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	Lariat; RWD; w/ Coil Front Springs	4600 Series	Front	24-197779				
2004	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-197779				
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4 Dr.; 4WD; Crew Cab Pickup; King Ranch; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-197779				
2004	4WD; Harley-Davidson Edition	4600 Series	Front	33-028187	Including Dually	Rear	33-185347	



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2004	Extended Cab Pickup; RWD; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	RWD; Standard Cab Pickup; XL; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4WD; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Standard Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	King Ranch; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4WD; Harley-Davidson Edition	5100 Series	Front	33-185545	Front Lifted Height: 4-6"	Rear	24-186025	Rear Lifted Height: 0-1"
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
			Front	33-187297	Front Lifted Height: 0-2.5"			
2004	4WD; Crew Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; King Ranch	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4WD; Standard Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Extended Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Extended Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4WD; Crew Cab Pickup; XL	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4 Dr.; Crew Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4WD; Extended Cab Pickup; Lariat	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4 Dr.; Crew Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4WD; Crew Cab Pickup; XLT	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2004	4 Dr.; Extended Cab Pickup; Lariat; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4 Dr.; Crew Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2004	4WD; Harley-Davidson Edition	5100 Series (Steering Damper)	Front	24-158848				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2004	4 Dr.; 4WD; Extended Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Extended Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	2 Dr.; 4WD; Standard Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4WD; Harley-Davidson Edition	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Extended Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Crew Cab Pickup; Lariat; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Crew Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4 Dr.; 4WD; Crew Cab Pickup; XLT; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	2 Dr.; 4WD; Standard Cab Pickup; XL; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2004	4WD; King Ranch; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2003-1999	2 Dr.; 4WD; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003-1999	Crew Cab Pickup; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003-1999	2 Dr.; 4WD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003-1999	4 Dr.; 4WD; Extended Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2003-1999	4 Dr.; 4WD; Crew Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	24-185981	Dual Rear Wheels Only
2003-1999	RWD; Standard Cab Pickup; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003-1999	4 Dr.; 4WD; Crew Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003-1999	Extended Cab Pickup; RWD; w/ Coil Front Springs	4600 Series				Rear	24-185325	
2003-1999	RWD; w/ Coil Front Springs	4600 Series	Front	24-197779				
2003-1999	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	Including Dually			
2003-1999	4 Dr.; 4WD; Extended Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series				Rear	33-185347	
2003-1999	4WD; Cab & Chassis	4600 Series				Rear	24-186032	
2003-1999	4 Dr.; 4WD; Crew Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003-1999	4 Dr.; Extended Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2003-1999	4 Dr.; Crew Cab Pickup; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2003-1999	Crew Cab Pickup	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2003-1999	4WD; Crew Cab Pickup	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003-1999	4WD; Standard Cab Pickup	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003-1999	2 Dr.; RWD; Standard Cab Pickup; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-065283	Front Lifted Height: 6"; With stock radius arms	Rear	24-065276	Rear Lifted Height: 0-1"
2003-1999	2 Dr.; 4WD; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003-1999	Standard Cab Pickup	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"
2003-1999	Extended Cab Pickup	5100 Series				Rear	24-062466	Rear Lifted Height: 2-4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-350 Super Duty (continued)								
2003-1999	4WD; Extended Cab Pickup	5100 Series	Front	33-187297	Front Lifted Height: 0-2.5"	Rear	24-186025	Rear Lifted Height: 0-1"
2003-1999	4 Dr.; 4WD; Extended Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185545	Front Lifted Height: 4-6"			
			Front	33-104645	Front Lifted Height: 4-6"; Use with double shock kit			
2003-1999	4 Dr.; 4WD; Crew Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003-1999	Crew Cab Pickup; RWD	5100 Series (Steering Damper)	Front	24-158930				
2003-1999	4 Dr.; 4WD; Extended Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003-1999	RWD; Standard Cab Pickup	5100 Series (Steering Damper)	Front	24-158930				
2003-1999	Extended Cab Pickup; RWD	5100 Series (Steering Damper)	Front	24-158930				
2003-1999	2 Dr.; 4WD; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series (Steering Damper)	Front	24-158848				
2003-1999	4 Dr.; 4WD; Extended Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2003-1999	2 Dr.; 4WD; Standard Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
2003-1999	4 Dr.; 4WD; Crew Cab Pickup; w/ Leaf Front Springs; w/ Leaf Rear Springs	5160 Series	Front	25-188363	Front Lifted Height: 4-6"	Rear	25-188370	Rear Lifted Height: 3-5"
			Front	25-188387	Front Lifted Height: 0-3"	Rear	25-188394	Rear Lifted Height: 0-2"
Ford F-450 Super Duty								
2014-2011	Extended Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2014-2009	4WD; Crew Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2014-2009	4WD; Crew Cab Pickup; XLT	4600 Series				Rear	24-185981	
2014-2009	Crew Cab Pickup; Lariat; RWD	4600 Series				Rear	24-186032	
2014-2011	Extended Cab Pickup; RWD; XLT	4600 Series				Rear	24-186032	
2014-2013	4WD; Platinum	4600 Series				Rear	24-185981	
2014-2009	4WD; Crew Cab Pickup; XL	4600 Series				Rear	24-185981	



Years	Application	Series	Front			Rear		
Ford F-450 Super Duty (continued)								
2014-2011	RWD; Standard Cab Pickup; XLT	4600 Series				Rear	24-186032	
2014-2011	4WD; Lariat; Standard Cab Pickup	4600 Series				Rear	24-185981	
2014-2011	4WD; Extended Cab Pickup; XL	4600 Series				Rear	24-185981	
2014-2011	4WD; Extended Cab Pickup; Lariat	4600 Series				Rear	24-185981	
2014-2009	4WD; Cab & Chassis; Lariat	4600 Series				Rear	24-186032	
2014-2011	Lariat; RWD; Standard Cab Pickup	4600 Series				Rear	24-186032	
2014-2011	Extended Cab Pickup; Lariat; RWD	4600 Series				Rear	24-186032	
2014-2008	Crew Cab Pickup; RWD; XL	4600 Series				Rear	24-186032	
2014-2005		4600 Series	Front	24-186674				
2014-2011	4WD; Standard Cab Pickup; XL	4600 Series				Rear	24-185981	
2014-2011	4WD; Standard Cab Pickup; XLT	4600 Series				Rear	24-185981	
2014-2009	4WD; King Ranch	4600 Series				Rear	24-185981	
2014-2011	4WD; Extended Cab Pickup; XLT	4600 Series				Rear	24-185981	
2014-2011	RWD; Standard Cab Pickup; XL	4600 Series				Rear	24-186032	
2014-2009	Crew Cab Pickup; RWD; XLT	4600 Series				Rear	24-186032	
2014-2009	4WD; Cab & Chassis; XLT	4600 Series				Rear	24-186032	
2014-2009	4WD; Cab & Chassis; XL	4600 Series				Rear	24-186032	
2013-2008	King Ranch; RWD	4600 Series				Rear	24-186032	
2013	Platinum; RWD	4600 Series				Rear	24-186032	
2010-2009	Harley-Davidson Edition; RWD	4600 Series				Rear	24-186032	
2010-2009	4WD; Harley-Davidson Edition	4600 Series				Rear	24-185981	
2008	RWD; XLT	4600 Series				Rear	24-186032	
2008	4WD	4600 Series				Rear	24-185981	
2008	Lariat; RWD	4600 Series				Rear	24-186032	
2007-1999	4WD	4600 Series				Rear	24-186032	
2004-1999	RWD; w/ 176.0 In. Wheelbase	4600 Series				Rear	24-186032	15000lbs GVW
2004-2003, 2001-1999		4600 Series	Front	33-028187	GVW 15000lbs			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford F-450 Super Duty (continued)								
2002	w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	GVW 15000lbs			
Ford F-550 Super Duty								
2012-1999	4WD	4600 Series				Rear	24-186032	
2012-2005		4600 Series	Front	24-186674	GVW 19000Lbs			
2008-1999	RWD	4600 Series				Rear	24-186032	19,000lbs GVW
2004-2003, 2001-1999		4600 Series	Front	33-028187	GVW 19000Lbs			
2002	w/ Leaf Front Springs; w/ Leaf Rear Springs	4600 Series	Front	33-028187	GVW 19000Lbs			
Ford F53								
2013-2012	Base	B6 (HD)	Front	24-187039		Rear	24-187046	
2013-2012	Base	B6 (Steering Damper)	Front	24-067355	Except vehicles with 50 degree wheel cut; Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2011-2006, 2004-1999		B6 (HD)	Front	24-187039		Rear	24-187046	
2011-2008		B6 (Steering Damper)	Front	24-067355	Except vehicles with 50 degree wheel cut; Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2007-2006, 2004-1999		B6 (Steering Damper)	Front	24-067355	Vehicles without O.E. stabilizer must also purchase Bilstein bracket kit			
2005		B6 (HD)				Rear	24-187046	
1997-1988		B6 (C)	Front	24-187015		Rear	24-187022	
1997-1988		B6 (Steering Damper)	Front	24-067355				
Ford Ranchero								
1979-1972		B6 (C)				Rear	24-184755	
1979-1975		Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
Ford Ranger								
2011-1998	4WD; XLT	4600 Series	Front	24-188241		Rear	24-188258	
2011-1998	RWD; XL; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2011-1998	RWD; XLT; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2011-1998	4WD; XL	4600 Series	Front	24-188241		Rear	24-188258	
2011-2006	Sport	4600 Series	Front	24-188241		Rear	24-188258	
2011-2004, 2000-1998	RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
Ford Ranger (continued)								
2011-2004, 2002-1998	RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2009-2005	FX4	4600 Series	Front	24-188241		Rear	24-188258	
2007-2005	STX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2007-2005	STX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2005-2001	Edge	4600 Series	Front	24-188241		Rear	24-188258	
2004	RWD; Tremor; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2004	4WD; Tremor	4600 Series	Front	24-188241		Rear	24-188258	
2004	RWD; Tremor; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	2 Dr.; RWD; Standard Cab Pickup; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	2 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003-2001	2 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003-2001	4 Dr.; Extended Cab Pickup; RWD; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003-2001	2 Dr.; RWD; Standard Cab Pickup; XL; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	4 Dr.; Extended Cab Pickup; RWD; XLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2002-1998	EV	4600 Series	Front	24-188241		Rear	24-188258	
1998	4WD; Splash	4600 Series	Front	24-188241		Rear	24-188258	
1998	RWD; Splash; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1998	RWD; Splash; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1997-1995	STX	4600 Series				Rear	24-184984	
1997-1990		4600 Series	Front	24-022361				
1997-1992	XLT	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford Ranger (continued)								
1997-1995, 1993, 1991-1990	4WD; XLT	4600 Series				Rear	24-184984	
1997-1994	RWD; Splash	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1997-1993	XL	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1997, 1993, 1991	4WD; Sport	4600 Series				Rear	24-184984	
1997-1995, 1993	4WD; XL	4600 Series				Rear	24-184984	
1997, 1993-1992	Sport	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1997-1995	4WD; Splash	4600 Series				Rear	24-184984	
1997-1988		5100 Series	Front	24-185684	Front Lifted Height: 6"	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1995	XL Sport	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1995	4WD; XL Sport	4600 Series				Rear	24-184984	
1994-1990	RWD; STX	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1994, 1992, 1989-1983	4WD	4600 Series				Rear	24-184984	
1993, 1991-1990	4WD; STX	4600 Series				Rear	24-184984	
1993	Splash	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1992-1990	S	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1992	Custom	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1991-1990	RWD; XLT	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1991-1990	4WD; Custom	4600 Series				Rear	24-184984	
1991-1990	Custom; RWD	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1991	RWD; Sport	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1990	S Plus	4600 Series				Rear	24-196277	Rear Lifted Height: 0-1"
1989-1983	RWD	4600 Series				Rear	24-010184	
1987	2 Dr.; Custom; Extended Cab Pickup	5100 Series	Front	24-185684	Front Lifted Height: 6"	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987-1986	2 Dr.; Extended Cab Pickup; XLT	5100 Series	Front	24-185684	Front Lifted Height: 6"	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1987-1983	2 Dr.; Standard Cab Pickup	5100 Series	Front	24-185684	Front Lifted Height: 6"	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"



Years	Application	Series	Front			Rear		
Ford Ranger (continued)								
1987-1986	2 Dr.; Extended Cab Pickup; STX	5100 Series	Front	24-185684	Front Lifted Height: 6"	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; Extended Cab Pickup; XL	5100 Series	Front	24-185684	Front Lifted Height: 6"	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
1986	2 Dr.; Base: Extended Cab Pickup	5100 Series	Front	24-185684	Front Lifted Height: 6"	Rear	24-185509	4WD Rear Lifted Height: 0-1"; RWD Rear Lifted Height: 1-3"
			Front	24-185493	4WD Front Lifted Height: 4-5"; RWD Front Lifted Height: 4-5" with a-arm and lift spindle	Rear	24-065276	4WD Rear Lifted Height: 2-3"; RWD Rear Lifted Height: 4-6"
GMC C15								
1978-1975		4600 Series	Front	24-192941	Except crew cab	Rear	24-009331	
GMC C15 Suburban								
1978-1975		4600 Series	Front	24-192941		Rear	24-009331	
GMC C15/C1500 Pickup								
1974-1973		4600 Series				Rear	24-009331	
GMC C15/C1500 Suburban								
1974-1973		4600 Series				Rear	24-009331	
GMC C1500								
1999		4600 Series	Front	24-016971		Rear	24-021715	Rear Lowered Height: up to 4in
						Rear	24-016988	Rear Lifted Height: 0-1"
1999-1988		4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1999-1988		5100 Series	Front	24-062107	Front Lifted Height: 3" with a-arm and coil style lift; Front Lifted Height: 6" with a-arm, coil and lift spindle style lift	Rear	24-067379	Rear Lifted Height: 3"
1998-1988		4600 Series	Front	24-016971		Rear	24-021715	Rear Lowered Height: up to 4in
			Front	AK2083	Front Lowered Height: up to 4in; Spindle and or spring kit	Rear	24-016988	Rear Lifted Height: 0-1"
1986-1979		4600 Series	Front	24-192941		Rear	24-009331	
GMC C1500 Suburban								
1999-1992		4600 Series	Front	24-022477	Not the same as O.E.	Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-022484	Not the same as O.E.
1999-1992		4600 Series (Comfort)	Front	24-024167	Not the same as O.E.	Rear	24-024174	Not the same as O.E.
1999-1992		5100 Series	Front	24-062107	Front Lifted Height: 3-6"	Rear	24-067379	Rear Lifted Height: 4-5"
1986-1979		4600 Series	Front	24-192941		Rear	24-009331	
GMC C25								
1978-1975	4 Dr.; Cab & Chassis	4600 Series				Rear	24-009331	



Years	Application	Series	Front			Rear		
GMC C25 (continued)								
1978-1975	2 Dr.; Cab & Chassis	4600 Series				Rear	24-009331	
1978-1975	2 Dr.; Extended Cab Pickup	4600 Series				Rear	24-009331	
1978-1975		4600 Series	Front	24-192941				
1978-1975	2 Dr.; Standard Cab Pickup	4600 Series				Rear	24-009331	
1978-1975	Crew Cab Pickup	4600 Series				Rear	24-015875	
GMC C25 Suburban								
1978-1975		4600 Series	Front	24-192941		Rear	24-009331	
GMC C25/C2500 Pickup								
1974-1973		4600 Series				Rear	24-009331	
GMC C25/C2500 Suburban								
1974-1973		4600 Series				Rear	24-009331	
GMC C2500								
2000-1999		4600 Series (Comfort)				Rear	24-014533	
1998-1988		4600 Series	Front	24-016971		Rear	24-016988	
1998-1988		4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1986-1980	2 Dr.; Cab & Chassis	4600 Series				Rear	24-009331	
1986-1979	Crew Cab Pickup	4600 Series				Rear	24-015875	
1986-1983, 1981-1979	2 Dr.; Extended Cab Pickup	4600 Series				Rear	24-009331	
1986-1979		4600 Series	Front	24-192941				
1986-1979	2 Dr.; Standard Cab Pickup	4600 Series				Rear	24-009331	
1982	2 Dr.; Extended Cab Pickup; High Sierra	4600 Series				Rear	24-009331	
1982-1979	4 Dr.; Cab & Chassis	4600 Series				Rear	24-009331	
1982	2 Dr.; Extended Cab Pickup; Sierra Grande	4600 Series				Rear	24-009331	
1982	2 Dr.; Extended Cab Pickup; Sierra Classic	4600 Series				Rear	24-009331	
1979	2 Dr.; Cab & Chassis; Sierra Grande	4600 Series				Rear	24-009331	
1979	2 Dr.; Cab & Chassis; Sierra Classic	4600 Series				Rear	24-009331	
1979	2 Dr.; Base; Cab & Chassis	4600 Series				Rear	24-009331	



Years	Application	Series	Front			Rear		
GMC C2500 Suburban								
1999		4600 Series	Front	24-024228	Excludes Electronic Suspension	Rear	24-024235	Same as O.E.; Torsion Bar front only; Will not replace electronic dampers
1998-1992		4600 Series	Front	24-016971		Rear	24-024235	Same as O.E.; Torsion Bar front only; Will not replace electronic dampers
			Front	24-024228	Excludes Electronic Suspension			
1986-1979		4600 Series	Front	24-192941		Rear	24-009331	
GMC C35								
1978-1975		4600 Series	Front	24-192941		Rear	24-015875	
GMC C35/C3500 Pickup								
1974-1973		4600 Series				Rear	24-015875	
GMC C3500								
2000		4600 Series	Front	24-016971				
2000-1999		4600 Series (Comfort)				Rear	24-014533	
1999-1997, 1991-1988		4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1998-1997, 1991-1988		4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1996-1992	w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-016971		Rear	24-016988	Including Dually
1996-1992	w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series (Comfort)	Front	24-020336		Rear	24-014533	
1986-1979		4600 Series	Front	24-192941		Rear	24-015875	
GMC Caballero								
1986-1978		AK Series	Front	F4-BE3-E249-M0		Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1986-1978		B6 (HD)	Front	24-009492				
1986-1978		Variable depending on application				Rear	24-009294	B6 (HD); Leveling system will not work with this shock; SetOption: Variable depending on application
GMC Canyon								
2012-2006	w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2012-2006	w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Z85 SLE; w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2005-2004	Z71 Fleet	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Z71 SL	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Z71 SLE	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Z85 SL; w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Canyon (continued)								
2005-2004	Z85 SLE; w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2005-2004	Z85 SL; w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2004	SL; w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2004	SLE; w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2004	SLE; w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2004	SL; w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
GMC Envoy								
2009-2007		4600 Series	Front	24-103336				
2009-2007	Denali	4600 Series				Rear	24-103343	
2009-2007	SLT	4600 Series				Rear	24-103350	
2009-2007	SLE	4600 Series				Rear	24-103350	
2006-2002	SLE; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2006-2005	Denali	4600 Series	Front	24-103336		Rear	24-103343	
2006-2002	SLT; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	
2006-2002	SLT; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2006-2002	SLE; w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2006-2002	SLE	4600 Series	Front	24-103336				
2006-2002	SLT	4600 Series	Front	24-103336				
GMC Jimmy								
2005-2002, 2000-1992		4600 Series				Rear	33-187532	
2005		4600 Series (Sport)				Rear	24-014137	
2004-1992	4WD	4600 Series (Sport)				Rear	24-014137	
2001	Diamond Edition	4600 Series				Rear	33-187532	
2001-1998	RWD; SLS; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001	SLT	4600 Series				Rear	33-187532	
2001	SLS	4600 Series				Rear	33-187532	
2001-1998	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				



Years	Application	Series	Front			Rear		
GMC Jimmy (continued)								
2001	SLE	4600 Series				Rear	33-187532	
2001-2000	Diamond Edition; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001-1998	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2001, 1997-1992	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2001-2000, 1995	AWD; SLT	4600 Series (Sport)				Rear	24-014137	
2001-2000	AWD; SLE	4600 Series (Sport)				Rear	24-014137	
2001-1992	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
2000-1998	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2000-1998	4WD; Envoy	4600 Series	Front	24-187831				
2000-1998	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2000-1998	Envoy; RWD	4600 Series	Front	24-187428				
2000-1998	4WD; SLS; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2000	4WD; Diamond Edition; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
2000	AWD; SLS	4600 Series (Sport)				Rear	24-014137	
1999-1998	RWD; SL; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1999-1998	4WD; SL; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1999	AWD	4600 Series (Sport)				Rear	24-014137	
1997-1992	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1995	AWD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1995	AWD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1991-1988		4600 Series	Front	24-009232	Full size	Rear	24-009331	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Jimmy (continued)								
1991-1980		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
1991-1985	w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1987-1983, 1977-1975		4600 Series	Front	24-192941		Rear	24-009331	
			Front	24-009232	Full size			
1984-1983, 1976-1975	4WD; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1982-1978	Sierra Classic	4600 Series				Rear	24-009331	
1982-1978	Base	4600 Series				Rear	24-009331	
1982-1978	Sierra Grande	4600 Series				Rear	24-009331	
1982-1978	High Sierra	4600 Series				Rear	24-009331	
1982-1978		4600 Series	Front	24-192941				
			Front	24-009232	Full size			
1982-1977	4WD; High Sierra; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1982-1977	4WD; Base; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1982-1978	4WD; Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1982-1977	4WD; Sierra Grande; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1977	Sierra Classic; w/ Leaf Front Springs; w/ Leaf Rear Springs	5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1974-1973		4600 Series				Rear	24-009331	
GMC K15								
1978-1975		4600 Series	Front	24-009232		Rear	24-009331	
1978-1975	2 Dr.; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"



Years	Application	Series	Front			Rear		
GMC K15 (continued)								
1978-1975		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"			
GMC K15 Suburban								
1978-1975		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978-1975		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978-1975		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
GMC K15/K1500 Pickup								
1974-1973		4600 Series				Rear	24-009331	
GMC K15/K1500 Suburban								
1974-1973		4600 Series				Rear	24-009331	
GMC K1500								
1999-1988		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1998-1988		4600 Series	Front	24-104050		Rear	24-020435	
1998-1988		4600 Series (Comfort)				Rear	24-020879	
1986-1979		4600 Series	Front	24-009232		Rear	24-009331	
1986-1981		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
1980-1979	2 Dr.; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1980-1979		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"			
GMC K1500 Suburban								
1999-1992		4600 Series	Front	24-104050				
1999-1992		4600 Series (Sport)				Rear	24-020428	Will not replace electronic dampers
1999-1992		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1999-1992		Variable depending on application				Rear	24-024211	4600 Series; Excludes Electronic Suspension; SetOption: Variable depending on application
1986-1979		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986-1979		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC K1500 Suburban (continued)								
1986-1979		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
GMC K25								
1978-1975		4600 Series	Front	24-009232		Rear	24-009331	
1978-1975	2 Dr.; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978-1975	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1978-1975		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"			
GMC K25 Suburban								
1978-1975		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1978-1975		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1978-1975		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
GMC K25/K2500 Pickup								
1974-1969		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
GMC K25/K2500 Suburban								
1974-1973		4600 Series				Rear	24-009331	
GMC K2500								
2000-1988		4600 Series	Front	24-104050		Rear	24-025683	
2000-1988		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1986-1979		4600 Series	Front	24-009232		Rear	24-009331	
1986-1985, 1982-1979		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"			
1986-1985, 1982-1979	2 Dr.; Standard Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"
1985, 1982-1979	2 Dr.; Base; Extended Cab Pickup	5100 Series				Rear	33-186542	Rear Lifted Height: 2-2.5"



Years	Application	Series	Front			Rear		
GMC K2500 (continued)								
1984-1983		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
GMC K2500 Suburban								
1999-1992		4600 Series	Front	24-104050		Rear	24-024198	Will not replace electronic dampers
1999-1992		4600 Series (Sport)				Rear	24-024051	Will not replace electronic dampers
1999-1992		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1986-1979		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1986-1979		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1986-1979		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
GMC K35								
1978-1977		4600 Series	Front	AK2042				
1978-1977		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185576	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-104652	Rear Lifted Height: 2-2.5"
GMC K35/K3500 Pickup								
1974-1969		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185576	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-104652	Rear Lifted Height: 2-2.5"
GMC K3500								
2000		4600 Series	Front	24-104050				
1999-1988		4600 Series	Front	24-104050		Rear	24-025683	
1999-1988		5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-067379	Rear Lifted Height: 2-4"
1986-1979		4600 Series	Front	AK2042				
1986-1979		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	33-185569	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185576	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-104652	Rear Lifted Height: 2-2.5"
GMC PB1000 Series								
1965-1963		B6 (HD)	Front	24-011730				
GMC PB15 Series								
1966		B6 (HD)	Front	24-011730				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC R1500								
1987		4600 Series	Front	24-192941		Rear	24-009331	
GMC R1500 Suburban								
1991-1987		4600 Series	Front	24-192941		Rear	24-009331	
GMC R2500								
1989-1988		4600 Series	Front	24-192941		Rear	24-009331	
1987		4600 Series	Front	24-192941				
1987	2 Dr.; Cab & Chassis	4600 Series				Rear	24-009331	
1987	2 Dr.; Standard Cab Pickup	4600 Series				Rear	24-009331	
GMC R2500 Suburban								
1991-1987		4600 Series	Front	24-192941		Rear	24-009331	
GMC R3500								
1991-1987		4600 Series	Front	24-192941				
1988-1987	Crew Cab Pickup	4600 Series				Rear	24-015875	
GMC S15								
1990-1983	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1990-1983	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1990-1982		4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1982	w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
GMC S15 Jimmy								
1991-1986, 1984-1983	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1991-1986, 1984	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1991-1983		4600 Series				Rear	33-187532	
1991-1986, 1984-1983	4WD	4600 Series (Sport)				Rear	24-014137	
1991-1986, 1984	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1985	High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				



Years	Application	Series	Front			Rear		
GMC S15 Jimmy (continued)								
1985	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1985	RWD; Sierra Classic; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	Gypsy; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1985	Base; RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
1985	High Sierra	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Gypsy	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Sierra Classic	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Base	4600 Series (Sport)				Rear	24-014137	
1985	4WD; Sierra Classic; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	High Sierra; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1985	4WD; Gypsy; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
GMC Sierra 1500								
2013, 2011-2010	XFE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2013, 2011	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2013, 2011-2008	SLE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2013, 2011-2008	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2013, 2011-2008	SLT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension
2013, 2011-2008	SL	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	Excludes Electronic Suspension

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2013-2008	SL	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2013-2008	WT	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2013-2009	Hybrid	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2013-2008	SLT	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2013-2010	XFE	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2013-2008	SLE	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2012	XFE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	SLT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	WT	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	SL	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	SLE	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2012	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension	Rear	24-186841	
2010-2009	Hybrid	4600 Series	Front	24-188227	Excludes Electronic Suspension			
2007	WT	4600 Series	Front	24-188227	New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	Classic SL; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	SLE	4600 Series	Front	24-188227	New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	4WD; Classic SL	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	4WD; Classic Hybrid	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	SLT	4600 Series	Front	24-188227	New Body Style GMT900	Rear	24-186841	Excludes Electronic Suspension
2007	Classic SLE; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	4WD; Classic SLT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	Classic WT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2007	Classic SLT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	4WD; Classic WT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	Classic Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2007	4WD; Classic SLE	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension; Old Body Style GMT800	Rear	24-029056	Excludes ZX3 Electronic Suspension
2007	Classic SL; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic WT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic SLT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic SLE; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2007	Classic SL; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800			
2007	Classic Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800			
2007	Classic WT; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2007	4WD; Classic SLE	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	Classic SLT; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800			
2007	4WD; Classic SL	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	WT	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	SLE	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007	Classic SLE; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift; Old Body Style GMT800			
2007	SLT	5100 Series	Front	24-186940	Excludes Electronic Suspension; Adjustable Front Lifted Height: 0-1.75"; Adjustable Front Lifted Height: 6" when utilizing stock length shock with lift spacer; New Body Style GMT900	Rear	24-186957	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2007	4WD; Classic Hybrid	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	4WD; Classic WT	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	4WD; Classic SLT	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"; Old Body Style GMT800	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2007	4WD; Classic SLE	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic SLT	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic Hybrid	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2007	4WD; Classic SL	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007	4WD; Classic WT	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; SLT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	4WD; WT	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	4WD; SLE	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	RWD; SL; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	4WD; Hybrid	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	4WD; SL	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2006	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2006	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	RWD; SL; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2006	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2006	RWD; SL; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2006	4WD; WT	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	4WD; SL	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2006	4WD; Hybrid	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2006	4WD; SLE	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2006	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2006	4WD; SLT	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2006	4WD; SLT	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; Hybrid	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; WT	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2006	4WD; SLE	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2006	4WD; SL	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005-2002	RWD; WT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005-2002	RWD; SLE; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005	4WD; Hybrid	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005-2002	4WD; SLE	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005-2002	RWD; SLT; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005-2002	4WD; WT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005-2002	Base; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005-2002	4WD; SLT	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005	Hybrid; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2005-2002	4WD; Base	4600 Series	Front	24-065009	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005-2002	Base; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005	Hybrid; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005-2002	RWD; WT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005-2002	RWD; SLE; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005-2002	RWD; SLT; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes Quadrateer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes Quadrateer; Excludes ZX3 Electronic Suspension
2005	Hybrid; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2005-2002	4WD; SLT	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005	4WD; Hybrid	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005-2002	4WD; SLE	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005-2002	4WD; Base	5100 Series	Front	24-185950	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrateer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2005-2002	RWD; SLE; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2005-2002	4WD; WT	5100 Series	Front	24-185950	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2005-2002	RWD; SLT; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2005-2002	RWD; WT; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2005-2002	Base; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2005-2002	4WD; WT	5160 Series	Front	25-177411	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005-2002	4WD; SLT	5160 Series	Front	25-177411	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2005	4WD; Hybrid	5160 Series	Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005-2002	4WD; SLE	5160 Series	Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005-2002	4WD; Base	5160 Series	Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2003-2002	RWD; SL; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2003-2002	4WD; SL	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2003-2002	RWD; SL; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2003-2002	4WD; SL	5100 Series	Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2003-2002	RWD; SL; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2003-2002	4WD; SL	5160 Series	Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2002	HT; RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2002	4WD; HT	4600 Series	Front	24-065009	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	HT; RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2002	4WD; HT	5100 Series	Front	24-185950	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2002	HT; RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			
2002	4WD; HT	5160 Series	Front	25-177411	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2001-1999	4WD	4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
2001-1999	RWD; w/ Coil Front Springs	4600 Series	Front	24-029025	Excludes ZX3 Electronic Suspension	Rear	24-029032	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
2001-1999	RWD; w/ Coil Front Springs	4600 Series (Comfort)	Front	24-029063	Excludes ZX3 Electronic Suspension	Rear	24-029070	Excludes ZX3 Electronic Suspension
2001-1999	RWD; w/ Coil Front Springs	5100 Series	Front	24-151627	Excludes ZX3 Electronic Suspension; Front Lifted Height: 7" with Crossmember Kit	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4-5"
			Front	24-185400	Excludes ZX3 Electronic Suspension; Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift			



Years	Application	Series	Front			Rear		
GMC Sierra 1500 (continued)								
2001-1999	4WD	5100 Series	Front	24-185950	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	33-185590	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Superlift Double Shock Kit	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
			Front	33-186566	Excludes ZX3 Electronic Suspension; Front Lifted Height: 6"; Use with Fabtech Double Shock Kit	Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift			
2001-1999	4WD	5160 Series	Front	25-177411	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-176414	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-176407	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-177428	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
GMC Sierra 1500 HD								
2007-2006, 2001		4600 Series	Front	24-060813	Excludes ZX3 Electronic Suspension	Rear	24-186575	Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
						Rear	24-060820	Excludes ZX3 Electronic Suspension
2007-2006, 2001		5100 Series	Front	24-186735	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	24-187183	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-186742	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
						Rear	24-186636	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2007-2006, 2001		5100 Series (Steering Damper)	Front	33-174525				
2007-2006, 2001		5160 Series	Front	25-187618	Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"
2005, 2003-2002		4600 Series	Front	24-060813	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension	Rear	24-186575	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Use With Overhead Truck Camper
						Rear	24-060820	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension
2005, 2003-2002		5100 Series	Front	24-186735	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 2"
			Front	24-187183	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	24-186742	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-1"
						Rear	24-186636	Excludes QuadraSteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
GMC Sierra 1500 HD (continued)								
2005, 2003-2002		5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2005, 2003-2002		5160 Series	Front	25-187618	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Rear Lifted Height: 0-2"; Rear Lifted Height: 4"
			Front	25-187687	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Excludes ZX3 Electronic Suspension
GMC Sierra 2500								
2004-2002		4600 Series	Front	24-060813	Excludes Quadrasteer	Rear	24-186575	Excludes Quadrasteer; Use With Overhead Truck Camper
						Rear	24-060820	Excludes Quadrasteer
2004-2002		5100 Series	Front	24-186735	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Excludes Quadrasteer; Rear Lifted Height: 2"
			Front	24-187183	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	24-186742	Excludes Quadrasteer; Rear Lifted Height: 0-1"
						Rear	24-186636	Excludes Quadrasteer; Rear Lifted Height: 4"
2004-2002		5100 Series (Steering Damper)	Front	33-174525	Excludes Quadrasteer			
2004-2002		5160 Series	Front	25-187618	Excludes Quadrasteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Quadrasteer; Rear Lifted Height: 0-2"
			Front	25-187687	Excludes Quadrasteer; Front Lifted Height: 4-6"	Rear	25-187694	Excludes Quadrasteer; Rear Lifted Height: 4"
2001-1999		4600 Series	Front	24-060813		Rear	24-186575	Use With Overhead Truck Camper
						Rear	24-060820	
2001-1999		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-186742	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2001-1999		5100 Series (Steering Damper)	Front	33-174525				
2001-1999		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
GMC Sierra 2500 HD								
2014	WT	4600 Series	Front	24-196437		Rear	24-196444	
2014	SLE	4600 Series	Front	24-196437		Rear	24-196444	
2014	SLT	4600 Series	Front	24-196437		Rear	24-196444	
2014	SLT	5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2014	SLE	5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"



Years	Application	Series	Front			Rear		
GMC Sierra 2500 HD (continued)								
2014	WT	5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2013-2011		4600 Series	Front	24-196437		Rear	24-196444	
2013-2011		5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013-2011		5100 Series (Steering Damper)	Front	33-196619				
2013-2011		5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2010-2001		4600 Series	Front	24-060813		Rear	24-186575	Use With Overhead Truck Camper
						Rear	24-060820	
2010-2001		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-186742	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010-2001		5100 Series (Steering Damper)	Front	33-174525				
2010-2001		5160 Series	Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187625	Rear Lifted Height: 0-2"
						Rear	25-187694	Rear Lifted Height: 4"
GMC Sierra 3500								
2007-2001	RWD	4600 Series	Front	24-060813	With Independent Front Suspension	Rear	24-185677	With Independent Front Suspension
2007-2001	4WD	4600 Series	Front	24-060813		Rear	24-185677	
2007-2001	4WD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-186742	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2007-2001	RWD	5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	24-191203	Rear Lifted Height: 2"; With Independent Rear Suspension
			Front	24-187183	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	24-186742	Rear Lifted Height: 0-1"; With Independent Front Suspension
						Rear	24-186636	Rear Lifted Height: 4"; With Independent Front Suspension
2007-2001		5100 Series (Steering Damper)	Front	33-174525				
2007-2001	RWD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift; With Independent Front Suspension	Rear	25-187625	Rear Lifted Height: 0-2"; With Independent Front Suspension
			Front	25-187687	Front Lifted Height: 4-6"; With Independent Front Suspension	Rear	25-187694	Rear Lifted Height: 4"; With Independent Front Suspension
2007-2001	4WD	5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"



Years	Application	Series	Front			Rear		
GMC Sierra 3500 HD								
2014	SLE	4600 Series	Front	24-196437		Rear	24-196444	
2014	SLT	4600 Series	Front	24-196437		Rear	24-196444	
2014	WT	4600 Series	Front	24-196437		Rear	24-196444	
2014	SLT	5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2014	SLE	5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2014	WT	5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2013-2011		4600 Series	Front	24-196437		Rear	24-196444	
2013-2011		5100 Series	Front	24-196451	Front Lifted Height: 0-1.5"	Rear	24-196468	Rear Lifted Height: 0-1"
			Front	24-218023	Front Lifted Height: 4-6"	Rear	24-218030	Rear Lifted Height: 3-4"
2013-2011		5100 Series (Steering Damper)	Front	33-196619				
2013-2011		5160 Series	Front	25-218190	Front Lifted Height: 4-6"	Rear	25-196481	Rear Lifted Height: 0-2"
			Front	25-196474	Front Lifted Height: 0-1.5"	Rear	25-218206	Rear Lifted Height: 3-4"
2010-2007		4600 Series	Front	24-060813		Rear	24-185677	
2010-2007		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-191203	Rear Lifted Height: 2"
			Front	24-187183	Front Lifted Height: 4-6"	Rear	24-186742	Rear Lifted Height: 0-1"
						Rear	24-186636	Rear Lifted Height: 4"
2010-2007		5100 Series (Steering Damper)	Front	33-174525				
2010-2007		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
			Front	25-187687	Front Lifted Height: 4-6"	Rear	25-187694	Rear Lifted Height: 4"
GMC Sierra C3								
2001		4600 Series	Front	24-065009	Excludes ZX3 Electronic Suspension	Rear	24-029056	Excludes ZX3 Electronic Suspension
GMC Sonoma								
2004-1993, 1991		4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
2004	w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
2003-1993, 1991	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
1992	SLE	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1992	4WD; Base; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Sonoma (continued)								
1992	Base	4600 Series				Rear	24-016810	Excludes ZQ8 Sport Suspension Package
1992	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-014106				
GMC Sprint								
1977-1975	Base	AK Series				Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1977-1975		AK Series	Front	F4-BE3-E249-M0				
1977-1975		B6 (HD)	Front	24-009492				
1977-1975	Base	Variable depending on application				Rear	24-009294	B6 (HD); Leveling system will not work with this shock; SetOption: Variable depending on application
1976-1975	SP	AK Series				Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1976	Sierra Madre Del Sur	AK Series				Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1976	Sierra Madre Del Sur	Variable depending on application				Rear	24-009294	B6 (HD); Leveling system will not work with this shock; SetOption: Variable depending on application
1976-1975	SP	Variable depending on application				Rear	24-009294	B6 (HD); Leveling system will not work with this shock; SetOption: Variable depending on application
1975	High Sierra	AK Series				Rear	F4-BE5-E250-M0	Leveling system will not work with this shock
1975	High Sierra	Variable depending on application				Rear	24-009294	B6 (HD); Leveling system will not work with this shock; SetOption: Variable depending on application
GMC Syclone								
1991		4600 Series	Front	24-014106				
GMC Typhoon								
1993-1992		4600 Series	Front	24-187831		Rear	33-187532	
1993-1992		4600 Series (Sport)				Rear	24-014137	
1993-1992		Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
GMC V1500								
1987		4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
GMC V1500 Suburban								
1991-1987		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991-1987		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			



Years	Application	Series	Front			Rear		
GMC V1500 Suburban (continued)								
1991-1987		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
GMC V2500								
1987		4600 Series	Front	24-009232	Square body style	Rear	24-009331	
1987		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock			
GMC V2500 Suburban								
1991-1987		4600 Series	Front	24-009232	Will not replace oe electronic dampers	Rear	24-009331	
1991-1987		4600 Series (Auxiliary)	Front	24-010269	Auxiliary Shock; Will not replace electronic dampers			
1991-1987		5100 Series	Front	33-185552	Front Lifted Height: 6"	Rear	24-187084	Rear Lifted Height: 3-4"
			Front	33-185590	Front Lifted Height: 2-2.5"	Rear	33-185569	Rear Lifted Height: 6"
			Front	24-187077	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 2-2.5"
GMC V3500								
1991-1987		4600 Series	Front	AK2042				
GMC Yukon								
2014-2013	SLT	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2014-2013	SLE	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2014, 2012-2007	SLE	5100 Series	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014, 2012-2007	SLT	5100 Series	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2013	SLT	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2013	SLE	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2013	Hybrid	4600 Series	Front	24-186926	Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Police Package; Excludes Z55 Autoride Suspension Package
2013	SLE	5100 Series	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2013	Hybrid	5100 Series	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"



Years	Application	Series	Front			Rear		
GMC Yukon (continued)								
2013	SLT	5100 Series	Front	24-186940	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2013	Hybrid	5160 Series				Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012-2007	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012-2008	Hybrid	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012-2007	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2012-2008	Hybrid	5100 Series	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012-2008	Hybrid	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012-2007	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2012-2007	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010-2007	Base	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package	Rear	24-186933	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package
2010-2007	Base	5100 Series	Front	24-186940	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2010-2007	Base	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2006-2001	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2006	SL	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper



Light Trucks and SUVs

Years	Application	Series	Front			Rear		
GMC Yukon (continued)								
2006-2001	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper
2006-2001	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006-2001	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006	SL	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Years	Application	Series	Front			Rear		
GMC Yukon (continued)								
2006	SL	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
					Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket	
2006-2000	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
					Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket	
2006-2000	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift			
						Rear	25-187625	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
					Rear	25-177893	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket	
2006-2000	SLT	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Light Trucks and SUVs

Years	Application	Series	Front			Rear		
GMC Yukon (continued)								
2006-2000	SLE	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2006	SL	B3 (OEM Replacement Springs)				Rear	199021	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package; New Body Style GMT800	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; New Body Style GMT800
2000	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"; New Body Style GMT800	Rear	24-185783	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Police Package; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Police Package; Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199021 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
1999	Denali	4600 Series	Front	24-104050				
1999	4WD; SLE; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999	4WD; SLT; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1999	RWD; SLE	4600 Series	Front	24-026703		Rear	24-016988	Rear Lifted Height: 1"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Yukon (continued)								
1999	RWD; SLT	4600 Series	Front	24-026703		Rear	24-016988	Rear Lifted Height: 1"
1999	4WD; SLE	4600 Series	Front	24-104050				
1999	4WD; SLT	4600 Series	Front	24-104050				
1999	4WD; SLT; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1999	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1999	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1999	4WD; SLE; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1999	4WD; SLE; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-185615	Rear Lifted Height: 2-4"
1999	SLE	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1999	RWD; SLE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1999	SLT	5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1999	4WD; SLT; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-185615	Rear Lifted Height: 2-4"
1999	RWD; SLT; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1998	RWD	4600 Series	Front	24-026703		Rear	24-016988	Rear Lifted Height: 1"
						Rear	24-026727	Will not replace electronic dampers
1998	4WD; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1998	4WD	4600 Series	Front	24-104050				
1998	4WD; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1998	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	



Light Trucks and SUVs

Years	Application	Series	Front			Rear		
GMC Yukon (continued)								
1998		5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
						Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1998	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1998	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"	Rear	24-185615	Rear Lifted Height: 2-4"
1997-1995	4 Dr.; RWD; SLT; Sport Utility	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1997-1996	2 Dr.; RWD; SLT; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997-1995	4 Dr.; 4WD; SLE; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997-1996	2 Dr.; RWD; SLT; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997-1995	RWD; SLT	4600 Series				Rear	24-026727	Will not replace electronic dampers
1997-1992	4WD	4600 Series	Front	24-104050		Rear	24-025027	
1997-1995	4 Dr.; 4WD; SLT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997-1995	4 Dr.; 4WD; SLE; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997-1995	4 Dr.; 4WD; SLT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series				Rear	24-021791	
1997-1995	RWD; SLE	4600 Series				Rear	24-026727	Will not replace electronic dampers
1997-1995	4 Dr.; RWD; SLT	4600 Series	Front	24-026703				
1997-1995	4 Dr.; RWD; SLE; Sport Utility	4600 Series				Rear	24-016988	Rear Lifted Height: 1"
1997-1996	2 Dr.; RWD; SLE; Sport Utility; w/ C10706 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC Yukon (continued)								
1997-1996	RWD; SL; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997-1995	4 Dr.; RWD; SLE	4600 Series	Front	24-026703				
1997-1996	2 Dr.; RWD; SLE; Sport Utility; w/ C10516 Body; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-024228				
1997-1995	4 Dr.; 4WD; SLT; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1997-1995	4 Dr.; 4WD; SLT; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1997-1995	4 Dr.; 4WD; SLE; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1997-1995	4 Dr.; 4WD; SLT; Sport Utility; w/ K10516 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1997-1995	4 Dr.; 4WD; SLE; Sport Utility; w/ K10706 Body; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)	Front	24-024129	Excludes Electronic Suspension			
1997-1995	4 Dr.; 4WD; SLE; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series (Comfort)				Rear	24-024136	
1997-1992	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series	Front	33-061399	Front Lifted Height: 4-6"			
1997-1995	4 Dr.; RWD; SLT; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			
1997-1995	4 Dr.; RWD; SLE; Sport Utility; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-062107	Front Lifted Height: 3-6"			



Light Trucks and SUVs

Years	Application	Series	Front			Rear		
GMC Yukon (continued)								
1997-1992		5100 Series				Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
						Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
						Rear	24-067379	4WD Rear Lift Height: 2-4"; 4WD is for the two door only; RWD Rear Lifted Height: 4-5"; RWD is for the four door only
1997-1995	4 Dr.; 4WD; SLE; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
1997-1995	4 Dr.; 4WD; SLT; Sport Utility; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	24-185615	Rear Lifted Height: 2-4"
GMC Yukon XL 1500								
2014, 2012-2007	SLE	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2014, 2012-2007	SLT	4600 Series	Front	24-186926	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package
2014, 2012-2007	SLT	5100 Series	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014, 2012-2007	SLE	5100 Series	Front	24-186940	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2007	SLE	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2014-2007	SLT	5160 Series				Rear	25-177893	Excludes Air Leveling Suspension; Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2013	SLT	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2013	SLE	4600 Series	Front	24-186926	Excludes Z55 Autoride Suspension Package	Rear	24-186834	Excludes Z55 Autoride Suspension Package
2013	SLT	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2013	SLE	5100 Series	Front	24-186940	Excludes Z55 Autoride Suspension Package; Adjustable Front Lifted Height: 0-1.75"	Rear	24-187237	Excludes Z55 Autoride Suspension Package; Rear Lifted Height: 0-1"
2006	SL	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper



Years	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2006-2001	SLE	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006-2001	SLT	4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2006	SL	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006-2001	SLT	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2006-2001	SLE	5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket



Years	Application	Series	Front			Rear				
GMC Yukon XL 1500 (continued)										
2006-2001	SLE	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"		
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift					
2006	SL	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"		
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift					
2006-2001	SLT	5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"		
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift					
2006	SL	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension		
			2006-2001	SLT	B3 (OEM Replacement Springs)			Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension



Years	Application	Series	Front			Rear		
GMC Yukon XL 1500 (continued)								
2006-2001	SLE	B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
2000		4600 Series	Front	24-065009	Excludes Z55 Autoride Suspension Package	Rear	24-143806	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper
2000		5100 Series	Front	24-185950	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	24-185783	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
			Front	24-186643	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-187237	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000		5160 Series	Front	25-177411	Crossmember Kit; Excludes Z55 Autoride Suspension Package; Front Lifted Height: 4-6"	Rear	25-187601	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 5"
			Front	25-176407	Excludes Z55 Autoride Suspension Package; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Excludes Z55 Autoride Suspension Package; Excludes ZW7 Premium Smooth Ride Nivomat Suspension; Rear Lifted Height: 3"
						Rear	25-177893	Excludes Z55 Autoride Suspension Package; If vehicle is equipped with ZW7 Premium Smooth Ride Nivomat Suspension you must purchase Bilstein spring part number 199020 in addition to the damper; Rear Lifted Height: 0-1"; Rear Lifted Height: 5" if using rear stock shock relocation bracket
2000		B3 (OEM Replacement Springs)				Rear	199020	Can be used in conjunction with appropriate Bilstein shock to convert air leveling (Nivomat) vehicles to standard suspension; Except Electronic Adjustable Suspension
GMC Yukon XL 2500								
2013-2007		4600 Series	Front	24-060813	Excludes Electronic Suspension	Rear	24-185677	Excludes Electronic Suspension
2013-2006, 2001-2000		5100 Series	Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Rear Lifted Height: 0-1"
2013-2006, 2001-2000		5100 Series (Steering Damper)	Front	33-174525				
2013-2006		5160 Series	Front	25-187618	Excludes Electronic Suspension; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2006, 2001-2000		4600 Series	Front	24-060813		Rear	24-185677	
2005-2002		4600 Series	Front	24-060813	Excludes QuadraSteer	Rear	24-185677	Excludes QuadraSteer



Years	Application	Series	Front			Rear		
GMC Yukon XL 2500 (continued)								
2005-2002		5100 Series	Front	24-186735	Excludes QuadraSteer; Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185783	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2005-2002		5100 Series (Steering Damper)	Front	33-174525	Excludes QuadraSteer			
2005-2002		5160 Series	Front	25-187618	Excludes QuadraSteer; Front Lifted Height: 0-2.5"	Rear	25-187625	Excludes QuadraSteer; Rear Lifted Height: 0-1"
2001-2000		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"	Rear	25-187625	Rear Lifted Height: 0-1"
Geo Tracker								
1997-1989		4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
Honda CR-V								
2006-2005	SE	4600 Series	Front Left	35-107460				
2006-2005		4600 Series	Front Right	35-107477	Standard Suspension	Rear	24-107488	Standard Suspension
2006-2005	EX	4600 Series	Front Left	35-107460	Standard Suspension			
2006-2005	LX	4600 Series	Front Left	35-107460	Standard Suspension			
2006-2002		B4	Front Left	22-173560		Rear	19-173580	
			Front Right	22-173577				
2004-2002		4600 Series	Front Left	35-107460	Standard Suspension	Rear	24-107488	Standard Suspension
			Front Right	35-107477	Standard Suspension			
2001-1997		4600 Series	Front	24-023382		Rear	24-023399	Standard Suspension
Honda Odyssey								
1998-1995		4600 Series	Front	F4-BE5-2558-H0	Standard Suspension	Rear	24-021067	Standard Suspension
Honda Passport								
2002-1998		4600 Series	Front	24-185363		Rear	24-185370	
1997-1994		4600 Series	Front	24-191180		Rear	24-012652	
Hummer H2								
2009-2004	w/ Coil Rear Springs	4600 Series				Rear	24-185912	
2009-2005, 2003		4600 Series	Front	24-109369		Rear	24-185912	
2009-2004	w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5100 Series				Rear	33-187228	Rear Lifted Height: 5"
2009-2004		5100 Series	Front	24-187206	Front Lifted Height: 6"			
			Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2009-2003		5100 Series (Steering Damper)	Front	33-174525				
2009-2004	w/ Coil Rear Springs; w/ Torsion Bar Front Springs	5160 Series				Rear	25-187625	Rear Lifted Height: 0-2"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Hummer H2 (continued)								
2009-2004		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2004		4600 Series	Front	24-109369				
2003		5100 Series	Front	24-187206	Front Lifted Height: 6"	Rear	33-187228	Rear Lifted Height: 5"
			Front	24-186735	Front Lifted Height: 0-2.5"; Torsion Key Lift			
2003		5160 Series	Front	25-187618	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	25-187625	Rear Lifted Height: 0-2"
Hummer H3								
2010-2006		4600 Series	Front	24-187091		Rear	24-016988	
2010-2006		5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2010-2006		5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
Hummer H3T								
2010-2009		4600 Series	Front	24-187091		Rear	24-016988	
2010-2009		5100 Series	Front	24-186643	Front Lifted Height: 0-2.5"; Torsion Key Lift	Rear	24-185615	Rear Lifted Height: 0-1"
2010-2009		5160 Series	Front	25-176407	Front Lifted Height: 0-2.5"; Torsion Key Lift			
Infiniti QX56								
2010-2004		4600 Series	Front	24-197656				
2010-2004		5100 Series	Front	24-197649	Adjustable Front Lifted Height: 0-2"			
Isuzu Amigo								
1994-1989		4600 Series	Front	24-191180		Rear	24-002585	
Isuzu Ascender								
2007-2003		4600 Series	Front	24-103336		Rear	24-103350	
Isuzu Hombre								
2000-1998	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	4600 Series	Front	24-187428				
2000-1998		4600 Series				Rear	33-187532	
2000-1998	4WD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-187831				
1997-1996		4600 Series	Front	24-187428		Rear	33-187532	
Isuzu Rodeo								
2004-1998		4600 Series	Front	24-185363		Rear	24-185370	
1997-1991		4600 Series	Front	24-191180		Rear	24-012652	
Isuzu Rodeo Sport								
2003-2001		4600 Series	Front	24-185363		Rear	24-185370	



Years	Application	Series	Front			Rear		
Isuzu Trooper								
2002-1996, 1994-1992		4600 Series	Front	24-191197		Rear	24-017398	
1995	LS	4600 Series	Front	24-191197		Rear	24-017398	
1995	S	4600 Series	Front	24-191197		Rear	24-017398	
1995	RS	4600 Series	Front	24-191197		Rear	24-017398	
1991-1987		4600 Series	Front	24-001861		Rear	24-012393	
1986-1984		4600 Series	Front	24-001861		Rear	24-001960	
Isuzu i-280								
2006		4600 Series	Front	24-186193		Rear	24-186209	
Isuzu i-290								
2008-2007		4600 Series	Front	24-186193		Rear	24-186209	
Isuzu i-350								
2006		4600 Series	Front	24-186162		Rear	24-186179	
Isuzu i-370								
2008	w/ Torsion Bar Front Springs	4600 Series	Front	24-186162		Rear	24-186179	
2008	w/ Coil Front Springs	4600 Series	Front	24-186193		Rear	24-186209	
2007		4600 Series	Front	24-186162		Rear	24-186179	
Jeep CJ5								
1983-1982		4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1983-1976		5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1981-1976		4600 Series	Front	AK1066	Front Lifted Height: 2-2.5"	Rear	24-011006	Rear Lifted Height: 2-2.5"
1975		5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
1975	Base	5100 Series	Front	33-186542	Front Lifted Height: 3-4"			
1974-1959		5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
Jeep CJ5A								
1968-1966		5100 Series	Front	33-185606	Front Lifted Height: 2-2.5"	Rear	33-186542	Rear Lifted Height: 2-4"
			Front	33-186542	Front Lifted Height: 3-4"			
Jeep CJ6								
1975-1959		4600 Series				Rear	24-002608	
Jeep CJ7								
1986-1976		4600 Series	Front	AK1066	Front Lifted Height: 0-2.5"	Rear	24-011006	Rear Lifted Height: 0-2.5"
						Rear	24-002608	
1986-1976		5100 Series	Front	33-185606	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Jeep Cherokee								
2001-1994		4600 Series	Front	24-017985		Rear	24-010467	Self leveling system will not work once shock is installed; XJ
2001-1987, 1985-1984		5100 Series	Front	24-185943	Front Lifted Height: 5-6"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-185622	Front Lifted Height: 2-3"	Rear	33-151663	Rear Lifted Height: 5-6"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
2001-1987, 1985-1984		5160 Series	Front	25-187670	Front Lifted Height: 4"	Rear	25-187816	Rear Lifted Height: 4"
1993-1984		4600 Series				Rear	24-010467	Self leveling system will not work once shock is installed; XJ
1993, 1988, 1986-1984	2 Dr.; Sport Utility	4600 Series	Front	24-010450	XJ			
1992-1991	2 Dr.; Sport; Sport Utility	4600 Series	Front	24-010450	XJ			
1992-1989, 1987	2 Dr.; Laredo; Sport Utility	4600 Series	Front	24-010450	XJ			
1992-1989, 1987	2 Dr.; Base; Sport Utility	4600 Series	Front	24-010450	XJ			
1991-1989, 1987	4 Dr.; Laredo; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1991	4 Dr.; Sport; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1991	Briarwood	4600 Series	Front	B46-0046		Rear	B46-0056	
1991, 1987	Limited	4600 Series	Front	B46-0046		Rear	B46-0056	
1991-1989, 1987, 1980-1977	4 Dr.; Base; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1990-1989	Sport	4600 Series	Front	24-010450	XJ			
1990-1989, 1987	2 Dr.; Pioneer; Sport Utility	4600 Series	Front	24-010450	XJ			
1990-1989, 1987	4 Dr.; Pioneer; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1990-1989	4 Dr.; Limited; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1990-1989	2 Dr.; Limited; Sport Utility	4600 Series	Front	24-010450	XJ			
1988, 1986-1984	4 Dr.; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1987, 1982	4 Dr.; Chief; Sport Utility	4600 Series	Front	B46-0046		Rear	B46-0056	
1987	2 Dr.; Chief; Sport Utility	4600 Series	Front	24-010450	XJ			
1986	Base	5100 Series				Rear	24-185639	Rear Lifted Height: 2-3"
						Rear	33-151663	Rear Lifted Height: 5-6"
						Rear	33-066868	Rear Lifted Height: 3.5-4"
1986	Pioneer; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series				Rear	24-185639	Rear Lifted Height: 2-3"
						Rear	33-151663	Rear Lifted Height: 5-6"
						Rear	33-066868	Rear Lifted Height: 3.5-4"



Years	Application	Series	Front			Rear		
Jeep Cherokee (continued)								
1986	Chief	5100 Series				Rear	24-185639	Rear Lifted Height: 2-3"
						Rear	33-151663	Rear Lifted Height: 5-6"
						Rear	33-066868	Rear Lifted Height: 3.5-4"
1986	Laredo	5100 Series				Rear	24-185639	Rear Lifted Height: 2-3"
						Rear	33-151663	Rear Lifted Height: 5-6"
						Rear	33-066868	Rear Lifted Height: 3.5-4"
1986		5100 Series	Front	24-185943	Front Lifted Height: 5-6"			
			Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
1986	Chief	5160 Series				Rear	25-187816	Rear Lifted Height: 4"
1986	Base	5160 Series				Rear	25-187816	Rear Lifted Height: 4"
1986	Laredo	5160 Series				Rear	25-187816	Rear Lifted Height: 4"
1986		5160 Series	Front	25-187670	Front Lifted Height: 4"			
1986	Pioneer; w/ Coil Front Springs; w/ Leaf Rear Springs	5160 Series				Rear	25-187816	Rear Lifted Height: 4"
1983	Pioneer	4600 Series	Front	B46-0046		Rear	B46-0056	
1983-1981		5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
1981	Chief	4600 Series	Front	B46-0046		Rear	B46-0056	
1980	Base	4600 Series	Front	B46-0046				
1977		4600 Series	Front	B46-0046				
Jeep Comanche								
1992-1986		5100 Series	Front	24-185943	Front Lifted Height: 5-6"			
			Front	24-185622	Front Lifted Height: 2-3"			
			Front	24-188197	Front Lifted Height: 3.5-4"			
1992-1986		5160 Series	Front	25-187670	Front Lifted Height: 4"			
Jeep Commander								
2010-2008, 2006		4600 Series	Front	24-186797		Rear	24-186803	
2007	Base	4600 Series	Front	24-186797		Rear	24-186803	
2007	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2007	Limited	4600 Series	Front	24-186797		Rear	24-186803	
Jeep DJ5								
1983-1965		4600 Series				Rear	24-002608	
Jeep DJ6								
1968-1965		4600 Series				Rear	24-002608	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Jeep Gladiator								
1967-1966		4600 Series	Front	24-002561	J3000,J4000,J5000	Rear	B46-0056	
Jeep Grand Cherokee								
2010-2006	Limited	4600 Series	Front	24-186797		Rear	24-186803	
2010-2006	Laredo	4600 Series	Front	24-186797		Rear	24-186803	
2010-2006	Laredo	5100 Series	Front	24-225793	Adjustable Front Lifted Height: .75-2"	Rear	33-225807	Rear Lifted Height: 0-1.5"
2010-2006	Limited	5100 Series	Front	24-225793	Adjustable Front Lifted Height: .75-2"	Rear	33-225807	Rear Lifted Height: 0-1.5"
2010	North Edition	5100 Series	Front	24-225793	Adjustable Front Lifted Height: .75-2"	Rear	33-225807	Rear Lifted Height: 0-1.5"
2010, 2008-2006	Limited Premium	5100 Series	Front	24-225793	Adjustable Front Lifted Height: .75-2"	Rear	33-225807	Rear Lifted Height: 0-1.5"
2010	S Limited	5100 Series	Front	24-225793	Adjustable Front Lifted Height: .75-2"	Rear	33-225807	Rear Lifted Height: 0-1.5"
2009-2006	Overland	4600 Series	Front	24-186797		Rear	24-186803	
2009-2006	Overland	5100 Series	Front	24-225793	Adjustable Front Lifted Height: .75-2"	Rear	33-225807	Rear Lifted Height: 0-1.5"
2006	65th Anniversary Edition	4600 Series	Front	24-186797		Rear	24-186803	
2006	65th Anniversary Edition	5100 Series	Front	24-225793	Adjustable Front Lifted Height: .75-2"	Rear	33-225807	Rear Lifted Height: 0-1.5"
2005		4600 Series	Front	24-186797		Rear	24-186803	
2005		5100 Series	Front	24-225793	Adjustable Front Lifted Height: .75-2"	Rear	33-225807	Rear Lifted Height: 0-1.5"
2004-1999		4600 Series	Front	24-029636		Rear	24-029643	
2004-1999		5100 Series	Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151632	Rear Lifted Height: 3-4"
			Front	24-188197	Front Lifted Height: 3-4"	Rear	33-151649	Rear Lifted Height: 1.5-2"
1998	Limited	4600 Series				Rear	24-017992	
1998	Laredo	4600 Series				Rear	24-017992	
1998		4600 Series	Front	24-017985				
1998	5.9 Limited	4600 Series				Rear	24-017992	
1998-1993		5100 Series	Front	24-185943	Front Lifted Height: 6"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-186216	Front Lifted Height: 3"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-188197	Front Lifted Height: 4"			
1997-1993		4600 Series	Front	24-017985		Rear	24-017992	
Jeep Grand Wagoneer								
1993		5100 Series	Front	24-185943	Front Lifted Height: 6"	Rear	24-186223	Rear Lifted Height: 3-4"
			Front	24-186216	Front Lifted Height: 3"	Rear	33-151618	Rear Lifted Height: 6"
			Front	24-185622	Front Lifted Height: 1.5-2"	Rear	33-151670	Rear Lifted Height: 1.5-2"
			Front	24-188197				



Years	Application	Series	Front			Rear		
Jeep Grand Wagoneer (continued)								
1991-1984		5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
Jeep J10								
1988-1975		4600 Series	Front	B46-0046		Rear	B46-0056	
1988-1981		5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
Jeep J20								
1988-1975		4600 Series	Front	B46-0046		Rear	B46-0056	
1988-1981		5100 Series	Front	33-186542	Front Lifted Height: 3-4"	Rear	33-186542	Rear Lifted Height: 3-4"
Jeep Liberty								
2012, 2010-2009, 2007-2003		4600 Series	Front	24-139168		Rear	24-139175	
2011, 2008	Limited	4600 Series	Front	24-139168		Rear	24-139175	
2011, 2008	Sport	4600 Series	Front	24-139168		Rear	24-139175	
2011	Renegade	4600 Series	Front	24-139168		Rear	24-139175	
2002		4600 Series				Rear	24-139175	
2002	Sport	4600 Series	Front	24-139168				
2002	Limited	4600 Series	Front	24-139168				
Jeep TJ								
2006-2003	Sport	4600 Series	Front	24-024426		Rear	24-024433	
2006-2005, 2003	SE	4600 Series	Front	24-024426		Rear	24-024433	
2006-1997		5100 Series	Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-186810	Front Lifted Height: 0-2"	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift			
2006-1997		5160 Series	Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193138	Front Lifted Height: 0-2.5"			
2004-2003	Sahara	4600 Series	Front	24-024426		Rear	24-024433	
2002-1997		4600 Series	Front	24-024426		Rear	24-024433	



Years	Application	Series	Front			Rear		
Jeep Wagoneer								
1990-1984		4600 Series	Front	B46-0046		Rear	B46-0056	
			Front	24-010450	XJ			
1990-1984		5100 Series	Front	24-185943	Front Lifted Height: 5-6"	Rear	24-185639	Rear Lifted Height: 2-3"
			Front	24-185622	Front Lifted Height: 2-3"	Rear	33-151663	Rear Lifted Height: 5-6"
			Front	24-188197	Front Lifted Height: 3.5-4"	Rear	33-066868	Rear Lifted Height: 3.5-4"
Jeep Wrangler								
2014-2012, 2010-2007		4600 Series	Front	24-141727		Rear	24-141734	
2014		5100 Series	Front	24-146708	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	24-146715	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	33-186887	Long or Short Arm Lift; Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			
2014-2012, 2010-2007		5100 Series (Steering Damper)	Front	24-158428				
2014		5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Front Lifted Height: 1.5-3"; Must use wheel spacers or purchase aftermarket offset wheels	Rear	25-187663	Must use wheel spacers or purchase aftermarket offset wheels; Rear Lifted Height: 2"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2013		5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			



Years	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2013		5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift			
2012, 2008-2007		5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			



Years	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2012, 2008-2007		5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2011	Unlimited Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2011	Unlimited Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2011	Sport	4600 Series	Front	24-141727		Rear	24-141734	
2011	Unlimited Sport	4600 Series	Front	24-141727		Rear	24-141734	
2011	Rubicon	4600 Series	Front	24-141727		Rear	24-141734	
2011	Sahara	4600 Series	Front	24-141727		Rear	24-141734	
2011	Unlimited Rubicon	5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			
2011	Sahara	5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			
2011	Unlimited Sahara	5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			



Years	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2011	Unlimited Sport	5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			
2011	Sport	5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			
2011	Rubicon	5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			
2011	Sahara	5100 Series (Steering Damper)	Front	24-158428				
2011	Unlimited Sport	5100 Series (Steering Damper)	Front	24-158428				
2011	Sport	5100 Series (Steering Damper)	Front	24-158428				
2011	Unlimited Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2011	Rubicon	5100 Series (Steering Damper)	Front	24-158428				
2011	Unlimited Sahara	5100 Series (Steering Damper)	Front	24-158428				
2011	Unlimited Sahara	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2011	Unlimited Rubicon	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift



Years	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2011	Unlimited Sport	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2011	Unlimited X	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2011	Sport	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2011	Rubicon	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2011	Sahara	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2011	70th Anniversary	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift
2011	X	5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift



Years	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2010		5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift			



Years	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2010		5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"
Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift			



Years	Application	Series	Front			Rear			
Jeep Wrangler (continued)									
2009		5100 Series	Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	24-146708	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	24-146715	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	24-186995	Front Lifted Height: 4"; Short Arm Lift	Rear	33-186887	Rear Lifted Height: 4"	
			Front	24-186872	Front Lifted Height: 3.5-5"; Long Arm Lift				
2009		5160 Series	Front	25-187632	Front Lifted Height: 3.5-5"; Long Arm Lift	Rear	25-187649	Long Arm Lift; Rear Lifted Height: 4"	
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	25-187656	Follow lift kit manufacturer's instruction on wheel spacing; Front Lifted Height: 1.5-3"	Rear	25-187663	Follow lift kit manufacturer's instruction on wheel spacing; Rear Lifted Height: 2"	
			Front	25-229738	Front Lifted Height: 3.5-5"; Short Arm Lift	Rear	25-229745	Rear Lifted Height: 4"; Short Arm Lift	
2006-2003	Sport	4600 Series	Front	24-024426	TJ	Rear	24-024433		
2006-2003	SE	4600 Series	Front	24-024426	TJ	Rear	24-024433		
2006-2004	Unlimited	4600 Series	Front	24-024426	TJ	Rear	24-024433		
2006-2003	X	4600 Series	Front	24-024426	TJ	Rear	24-024433		
2006-2005	Unlimited Rubicon	4600 Series	Front	24-024426	TJ	Rear	24-024433		

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Jeep Wrangler (continued)								
2006	65th Anniversary Edition	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2006-1997		5100 Series	Front	24-185257	Front Lifted Height: 3"; Short Arm Lift	Rear	24-185264	Rear Lifted Height: 3"; Short Arm Lift
			Front	24-185943	Front Lifted Height: 5-6"; Long Arm Lift	Rear	33-185514	Rear Lifted Height: 4"; Short Arm Lift
			Front	24-186810	Front Lifted Height: 0-2"	Rear	24-186827	Rear Lifted Height: 0-2"
			Front	24-188180	Front Lifted Height: 4"; Short Arm Lift	Rear	33-185934	Long Arm Lift; Rear Lifted Height: 4-6"
			Front	24-187190	Front Lifted Height: 4.5"; Long Arm Lift			
			Front	24-185929	Front Lifted Height: 4"; Long Arm Lift			
2006-1999		5160 Series	Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift	Rear	25-193121	Rear Lifted Height: 3.5-4.5"
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift	Rear	25-193145	Rear Lifted Height: 0-3"
			Front	25-193138	Front Lifted Height: 0-2.5"	Rear	25-212662	Long Arm Lift; Rear Lifted Height: 6"
2004-2003	Sahara	4600 Series	Front	24-024426	TJ	Rear	24-024433	
2002-1997		4600 Series	Front	24-024426	TJ	Rear	24-024433	
1998-1997		5160 Series	Front	25-194012	Front Lifted Height: 3.5-4.5"; Long Arm Lift	Rear	25-187793	Long Arm Lift; Rear Lifted Height: 5-5.5"
			Front	25-187809	Front Lifted Height: 5-6"; Long Arm Lift			
			Front	25-193114	Front Lifted Height: 3-4.5"; Short Arm Lift			
1995-1987		4600 Series	Front	24-013093		Rear	24-013109	
1995-1987		5100 Series	Front	24-185653	Springover	Rear	24-185660	Rear Lifted Height: 3-4"
			Front	24-064576	Front Lifted Height: 3-4"	Rear	24-064583	Springover
Kia Sorento								
2009-2007	4WD; LX	4600 Series	Front	24-111041				
2009-2007	4WD; EX	4600 Series	Front	24-111041				
2006-2003	4WD	4600 Series	Front	24-111041		Rear	24-111058	Vehicle must be equipped with eyelet to eyelet rear shock not stem to eyelet type; Without Ride Height Adjustability
Kia Sportage								
2002-1999	4WD	B4				Rear	19-214634	Standard Chassis
Land Rover Defender 110								
1993		4600 Series	Front	24-188296		Rear	24-188302	
1993		4600 Series (Steering Damper)	Front	24-022354				
1993		B4	Front	19-061177		Rear	19-061191	



Years	Application	Series	Front			Rear		
Land Rover Defender 90								
1997, 1995-1994		4600 Series	Front	24-188296		Rear	24-188302	
1997, 1995-1994		4600 Series (Steering Damper)	Front	24-022354				
Land Rover Discovery								
2004-2000	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
2004-2000		4600 Series				Rear	24-060479	
2004-2000		4600 Series (Steering Damper)	Front	24-105804				
2004-2000	w/ Coil Rear Springs	B4				Rear	19-061191	
1999	Series II; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-060462				
1999	Series II	4600 Series				Rear	24-060479	
1999	SD	4600 Series	Front	24-188296		Rear	24-027793	
1999	Series II	4600 Series (Steering Damper)	Front	24-105804				
1999	SD	4600 Series (Steering Damper)	Front	24-188272				
1999	SD	B4				Rear	19-061191	
1999	Series II; w/ Coil Rear Springs	B4				Rear	19-061191	
1999	SD	B4 (Steering Damper)	Front	19-061207				
1998-1996		4600 Series	Front	24-188296		Rear	24-027793	
1998-1994		4600 Series (Steering Damper)	Front	24-188272				
1998-1994		B4	Front	19-061177		Rear	19-061184	
1998-1994		B4 (Steering Damper)	Front	19-061207				
1995-1994		4600 Series	Front	24-188296		Rear	24-188302	
Land Rover LR3								
2009-2005		4600 Series	Front	24-136709	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010; With Air Suspension	Rear	24-136716	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010; With Air Suspension
Land Rover LR4								
2013, 2011-2010		4600 Series	Front	24-136709	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010; With Air Suspension	Rear	24-136716	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010; With Air Suspension
2012	Base	4600 Series	Front	24-136709	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010; With Air Suspension			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Land Rover LR4 (continued)								
2012		4600 Series				Rear	24-136716	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010; With Air Suspension
2012	HSE	4600 Series	Front	24-136709	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010			
Land Rover Range Rover								
2012-2006	Supercharged	B4				Rear	44-191177	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2010	Base	B4				Rear	44-191177	For Vehicles With Pneumatic Suspension; With Electronic Suspension
2007	HSE	B4				Rear	44-124748	To Chassis/VIN #7A249757
2006	HSE	B4				Rear	44-124748	
2005-2003		B4				Rear	44-124748	
2002-1995		4600 Series	Front	24-022149		Rear	24-022156	
1994-1993	County	4600 Series	Front	24-188296		Rear	24-188302	
1994	County LWB	4600 Series	Front	24-022149		Rear	24-022156	
1994-1993	County	4600 Series (Steering Damper)	Front	24-188272				
1994-1993	County	B4	Front	19-061177		Rear	19-061184	
1994-1993	County	B4 (Steering Damper)	Front	19-061207				
1993	County LWB	4600 Series	Front	24-021531		Rear	24-021524	
1993	Sport	4600 Series	Front	24-021531		Rear	24-021524	
1992-1987, 1974-1970		4600 Series	Front	24-188296		Rear	24-188302	
1992-1987		4600 Series (Steering Damper)	Front	24-188272				
1992-1987, 1974-1970		B4	Front	19-061177		Rear	19-061184	
1992-1987, 1974-1970		B4 (Steering Damper)	Front	19-061207				
Land Rover Range Rover Sport								
2013-2006		4600 Series	Front	24-141352	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010; With Air Suspension	Rear	24-141369	Except ACE (Electronic Suspension) Equipped Vehicles; Only With RAE500010; With Air Suspension
2013-2006		B4 (Damptronic)	Front	20-146078	For Vehicles With Pneumatic Suspension; With Electronic Suspension	Rear Left	20-146085	For Vehicles With Pneumatic Suspension; With Electronic Suspension
						Rear Right	20-146092	For Vehicles With Pneumatic Suspension; With Electronic Suspension
Lincoln Blackwood								
2002		4600 Series	Front	24-185189		Rear	24-024792	



Years	Application	Series	Front			Rear		
Lincoln Mark LT								
2008-2006	4WD	4600 Series	Front	24-109345		Rear	33-185897	
2008-2006	RWD	4600 Series	Front	24-107617		Rear	24-107624	
Lincoln Navigator								
2013		4600 Series	Front	24-197717	Excludes Load Leveling Suspension			
2012-2007		4600 Series	Front	24-197717	Excludes Load Leveling Suspension	Rear	24-197724	Excludes Load Leveling Suspension
2002-1998	4WD; w/ Air Rear Springs	4600 Series				Rear	24-185202	
2002-1998	RWD; w/ Coil Rear Springs	4600 Series				Rear	24-185196	Excludes Air Leveling Suspension
2002-1998	RWD	4600 Series	Front	24-185189				
Mazda B2300								
2009-2001		4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2009-2001		5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1997, 1994		4600 Series	Front	24-022361		Rear	24-196277	
1996-1995	4WD; Base	4600 Series				Rear	24-184984	
1996-1995	Base; RWD	4600 Series				Rear	24-196277	
1996-1995		4600 Series	Front	24-022361				
1996-1995	SE	4600 Series				Rear	24-196277	
Mazda B2500								
2001	w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001	w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000, 1998		4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000, 1998		5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	SX	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift			
1999	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift			
1999	Troy Lee; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1999	SX	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	Troy Lee; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Mazda B3000								
2007-2005	Base	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2007-2003, 2001	DS	4600 Series	Front	24-188241		Rear	24-188258	
2007-2005	Base	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2004	SE	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2004	SE	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2003	SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2003	SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2002		4600 Series	Front	24-188241		Rear	24-188258	
2001-1998	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	
2001-1998	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2001-1998	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	SX; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000-1999	Troy Lee; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000-1999	Troy Lee; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
2000	SX; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1998	SX	4600 Series	Front	24-188241		Rear	24-188258	
1997	RWD	4600 Series				Rear	24-196277	
1996-1994		4600 Series	Front	24-022361				
1996-1995	Base	4600 Series				Rear	24-184984	
1996-1994	SE	4600 Series				Rear	24-196277	
1994	Base; RWD	4600 Series				Rear	24-196277	
1994	4WD; Base	4600 Series				Rear	24-184984	
Mazda B4000								
2010		4600 Series	Front	24-188241		Rear	24-188258	
2009-2003	SE	4600 Series	Front	24-188241		Rear	24-188258	
2009-2008	Base	4600 Series	Front	24-188241		Rear	24-188258	
2007-2005	4WD; Base	4600 Series	Front	24-188241		Rear	24-188258	
2004-2002	DS	4600 Series	Front	24-188241				



Years	Application	Series	Front			Rear		
Mazda B4000 (continued)								
2004-2002	Base	4600 Series				Rear	24-188258	
2001	SE	4600 Series				Rear	24-188258	
2001		4600 Series	Front	24-188241				
2000	RWD; SE; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
2000	Troy Lee	4600 Series	Front	24-188241		Rear	24-188258	
2000	4WD; SE	4600 Series	Front	24-188241		Rear	24-188258	
2000	RWD; SE; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1999-1998	4WD	4600 Series	Front	24-188241		Rear	24-188258	
1999-1998	RWD; w/ Coil Front Springs	4600 Series	Front	24-196260	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-196277	Rear Lifted Height: 0-1"
1999-1998	RWD; w/ Coil Front Springs; w/ Leaf Rear Springs	5100 Series	Front	24-187107	Front Lifted Height: 3" with a-arm style lift; Front Lifted Height: 6" with a-arm and lift spindle style lift	Rear	24-185509	Rear Lifted Height: 4"
1997	Base	4600 Series				Rear	24-184984	
1997-1994		4600 Series	Front	24-022361				
1997	RWD; SE	4600 Series				Rear	24-196277	
1997	4WD; SE	4600 Series				Rear	24-184984	
1996-1995	SE	4600 Series				Rear	24-184984	
1996-1995	LE; RWD	4600 Series				Rear	24-196277	
1996-1995	4WD; LE	4600 Series				Rear	24-184984	
1994	4WD	4600 Series				Rear	24-184984	
1994	RWD	4600 Series				Rear	24-196277	
Mazda Navajo								
1994-1991		4600 Series	Front	24-184762				
Mercedes-Benz G500								
2008-2002		4600 Series	Front	24-016353				
2008-2002		4600 Series (Comfort)				Rear	24-016360	
2008-2002		B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2008-2002	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-017343	Armored Vehicles
Mercedes-Benz G55 AMG								
2011-2010, 2007-2003		4600 Series	Front	24-016353				
2011-2010, 2007-2003		4600 Series (Comfort)				Rear	24-016360	
2011-2010, 2007-2003		B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
2009-2008	w/ Coil Front Springs	4600 Series	Front	24-016353				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Mercedes-Benz G55 AMG (continued)								
2009-2008	w/ Coil Rear Springs	4600 Series (Comfort)				Rear	24-016360	
2009-2008	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017282	
Mercedes-Benz G550								
2013-2009		4600 Series	Front	24-016353				
2013-2009		4600 Series (Comfort)				Rear	24-016360	
2013		B4	Front	24-017275		Rear	24-017343	Armored Vehicles
						Rear	24-017282	Excludes Armored Vehicles
2012-2009		B4	Front	24-017275	Armored or non armored vehicles	Rear	24-017343	Armored Vehicles
						Rear	24-017282	
Mercedes-Benz G63 AMG								
2013		4600 Series	Front	24-016353				
2013		4600 Series (Comfort)				Rear	24-016360	
2013		B4	Front	24-017275		Rear	24-017282	Excludes Armored Vehicles
Mercedes-Benz GL320								
2009-2007		B4 (Air)	Front	44-156268	With ADS	Rear	24-158657	Without ADS
			Front	44-165062	Without ADS	Rear	24-166997	With ADS
						Rear	40-148342	With or without ADS
Mercedes-Benz GL350								
2011-2010		B4 (Air)	Front	44-156268	With ADS	Rear	24-158657	Without ADS
			Front	44-165062	Without ADS	Rear	24-166997	With ADS
						Rear	40-148342	With or without ADS
Mercedes-Benz GL450								
2011-2007		B4 (Air)	Front	44-156268	With ADS	Rear	24-158657	Without ADS
			Front	44-165062	Without ADS	Rear	24-166997	With ADS
						Rear	40-148342	With or without ADS
Mercedes-Benz GL550								
2011-2008		B4 (Air)	Front	44-156268	With ADS	Rear	24-158657	Without ADS
			Front	44-165062	Without ADS	Rear	24-166997	With ADS
						Rear	40-148342	With or without ADS
Mercedes-Benz GLK280								
2009		4600 Series	Front	35-164418				
2009		B6 (HD)				Rear	24-164429	



Years	Application	Series	Front			Rear		
Mercedes-Benz GLK350								
2013-2009		4600 Series	Front	35-164418				
2013-2009		B6 (HD)				Rear	24-164429	
Mercedes-Benz ML320								
2009-2007	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2009-2007	AWD; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2009-2007	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2009-2007	w/ Air Rear Springs	B4 (Air)				Rear	40-148342	With ADS
2009-2007	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
2003-2001		4600 Series	Front	24-126649		Rear	24-029858	
2003-2001		B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2000		4600 Series	Front	24-126649	From 9/00; From Chassis Number A145272 or X707755	Rear	24-029858	
2000		B4	Front	19-124551	From 9/00; From Chassis Number A145272 or X707755	Rear	19-124568	
			Front	19-132501	To 9/00; To Chassis Number A145271 or X707754	Rear	41-173435	
1999		4600 Series				Rear	24-029858	
1999		B4	Front	19-132501		Rear	19-124568	
						Rear	41-173435	
1998		B4	Front	19-132501				
Mercedes-Benz ML350								
2011-2010, 2008-2007	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2011-2006	AWD; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-193964	Front Lowered Height: 35mm, up to 1400kg Axle Load ; Rear Lowered Height: 35mm, up to 1600kg Axle Load			
2011-2010	Bluetec 4Matic; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension			
2011-2009	w/ Coil Front Springs; w/ Coil Rear Springs	B4				Rear	24-144834	Standard Suspension
2011-2010	AWD; Base; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Mercedes-Benz ML350 (continued)								
2011-2010	Bluetec 4Matic; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS			
2011-2010	AWD; Base; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS			
2011-2007	w/ Air Rear Springs	B4 (Air)				Rear	40-148342	With ADS
2011-2009	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)				Rear	24-166980	With ADS
2009	AWD; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2009	AWD; w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension			
2009	AWD; w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS			
2008-2007	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2008-2007	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
2006		4600 Series	Front	24-124362		Rear	24-124379	
2006		B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2005-2003		4600 Series	Front	24-126649		Rear	24-029858	
2005-2003		B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
Mercedes-Benz ML430								
2001		4600 Series	Front	24-126649		Rear	24-029858	
2001		B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
2000		4600 Series	Front	24-126649	From 9/00; From Chassis Number A145272 or X707755	Rear	24-029858	
2000		B4	Front	19-124551	From 9/00; From Chassis Number A145272 or X707755	Rear	19-124568	
			Front	19-132501	To 9/00; To Chassis Number A145271 or X707754	Rear	41-173435	
1999		4600 Series				Rear	24-029858	
1999		B4	Front	19-132501		Rear	19-124568	
						Rear	41-173435	
Mercedes-Benz ML500								
2007	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	



Years	Application	Series	Front			Rear		
Mercedes-Benz ML500 (continued)								
2007	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2007	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
2007	w/ Air Rear Springs	B4 (Air)				Rear	40-148342	With ADS
2006		4600 Series	Front	24-124362		Rear	24-124379	
2006		B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2005-2002		4600 Series	Front	24-126649		Rear	24-029858	
2005-2002		B4	Front	19-124551		Rear	19-124568	
						Rear	41-173435	
Mercedes-Benz ML55 AMG								
2003-2001		4600 Series	Front	24-126649		Rear	24-029858	
2000		4600 Series	Front	24-126649	From 9/00; From Chassis Number A145272 or X707755	Rear	24-029858	
Mercedes-Benz ML550								
2011-2008	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-124362		Rear	24-124379	
2011-2008	w/ Coil Front Springs; w/ Coil Rear Springs	B4	Front	24-166652	Standard Suspension	Rear	24-144834	Standard Suspension
2011-2008	w/ Air Rear Springs	B4 (Air)				Rear	40-148342	With ADS
2011-2008	w/ Air Front Springs; w/ Air Rear Springs	B4 (Air)	Front	44-156251	With ADS	Rear	24-166980	With ADS
Mercedes-Benz ML63 AMG								
2011-2007		B4 (Air)	Front	44-146108	With ADS	Rear	24-144919	With ADS
						Rear	40-118673	With ADS
Mercury Mountaineer								
2001-1997	RWD	4600 Series	Front	24-021319	For Stock Height Vehicle or Vehicle with 3" Spindle Lift	Rear	24-021326	Non Air Leveling
2001-1997		4600 Series				Rear	24-021357	Axle Wrap
2000-1997	AWD	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
2000-1997	4WD	4600 Series	Front	24-021333	Non Air Leveling	Rear	24-021340	Excludes Air Leveling Suspension
Mitsubishi Montero								
2006-2001		4600 Series	Front	24-062718		Rear	24-062725	
2000		4600 Series	Front	24-017947	Excludes Select Ride Vehicle			
1999-1992		4600 Series	Front	24-017947	Excludes Select Ride Vehicle	Rear	24-017954	Exc. Select ride
1991		4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1990	RS	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Mitsubishi Montero (continued)								
1990-1989	Base	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1990-1989	SP	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1990-1989	LS	4600 Series	Front	24-013369	Exc. Select ride	Rear	24-013376	Exc. Select ride
1987, 1984	Base	4600 Series				Rear	24-013338	
1986-1985, 1983		4600 Series				Rear	24-013338	
Mitsubishi Montero Sport								
2004-2003, 2000		4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2002	ES	4600 Series	Front	24-017947				
2002	Limited	4600 Series	Front	24-017947				
2002		4600 Series				Rear	24-064255	Exc. Select ride
2001	XLS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2001	LS	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2001	ES	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
2001	Limited	4600 Series	Front	24-017947		Rear	24-064255	Exc. Select ride
1999-1997		4600 Series	Front	24-017947		Rear	24-013338	
Nissan Armada								
2013-2005		4600 Series	Front	24-197656				
2013-2005		5100 Series	Front	24-197649	Adjustable Front Lifted Height: 0-2"			
Nissan D21								
1994	SE	4600 Series	Front	24-187824				
1994	Base	4600 Series	Front	24-187824	From 6/86 To 97			
1994	XE	4600 Series	Front	24-187824				
1994		4600 Series				Rear	24-011006	
Nissan Frontier								
2013-2005		4600 Series	Front	24-137430		Rear	24-186155	
2013-2005		5100 Series	Front	24-187053	Adjustable Front Lifted Height: 0-2"	Rear	24-187152	Rear Lifted Height: 0-1"
2004-2002	4WD; SC	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2004-2002	Extended Cab Pickup; RWD; SC	4600 Series	Front	24-185004		Rear	24-184885	
2004-2002	Crew Cab Pickup; RWD; XE	4600 Series	Front	24-187824		Rear	24-185011	
2004-2002	Extended Cab Pickup; RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
2004-2002	Crew Cab Pickup; RWD; SC	4600 Series	Front	24-187824		Rear	24-185011	
2004-2002, 1998	4WD; XE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"



Years	Application	Series	Front			Rear		
Nissan Frontier (continued)								
2004-2002	SVE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2003-2002	Extended Cab Pickup; RWD; SE	4600 Series	Front	24-185004		Rear	24-184885	
2003-2002	Crew Cab Pickup; RWD; SE	4600 Series	Front	24-187824		Rear	24-185011	
2003-2002, 1998	Base	4600 Series	Front	24-185004		Rear	24-184885	
2003-2002, 1998	4WD; SE	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
2001-2000	Crew Cab Pickup; RWD	4600 Series	Front	24-187824		Rear	24-185011	
2001-2000	RWD; Standard Cab Pickup; XE	4600 Series	Front	24-185004		Rear	24-184885	
2001-2000	Extended Cab Pickup; RWD	4600 Series	Front	24-185004		Rear	24-184885	
2001-1999	4WD	4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-021289	Rear Lifted Height: 0-2"
1999	RWD	4600 Series	Front	24-185004		Rear	24-184885	
1998	RWD; SE	4600 Series	Front	24-185004		Rear	24-184885	
1998	RWD; XE	4600 Series	Front	24-185004		Rear	24-184885	
Nissan Juke								
2014	AWD; S	4600 Series				Rear	24-231282	
2014	FWD; SV	4600 Series				Rear	24-227544	
2014	SV	4600 Series	Front Left	35-227526				
			Front Right	35-227533				
2014	FWD; S	4600 Series				Rear	24-227544	
2014	AWD; SV	4600 Series				Rear	24-231282	
2014	FWD; SL	4600 Series				Rear	24-227544	
2014	AWD; SL	4600 Series				Rear	24-231282	
2014	SL	4600 Series	Front Left	35-227526				
			Front Right	35-227533				
2014	S	4600 Series	Front Left	35-227526				
			Front Right	35-227533				
2013-2011	AWD	4600 Series				Rear	24-231282	
2013-2011		4600 Series	Front Left	35-227526				
			Front Right	35-227533				
2013-2011	FWD	4600 Series				Rear	24-227544	
Nissan Pathfinder								
2012-2010, 2005	RWD	4600 Series	Front	24-137430		Rear	24-186919	
2012-2010, 2005	4WD	4600 Series	Front	24-197427		Rear	24-197434	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Nissan Pathfinder (continued)								
2009-2006	4WD; S	4600 Series	Front	24-197427		Rear	24-197434	
2009-2006	LE; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2009-2006	RWD; S	4600 Series	Front	24-137430		Rear	24-186919	
2009-2006	4WD; LE	4600 Series	Front	24-197427		Rear	24-197434	
2009-2006	SE Off-Road	4600 Series	Front	24-197427		Rear	24-197434	
2009-2006	RWD; SE	4600 Series	Front	24-137430		Rear	24-186919	
2009-2006	4WD; SE	4600 Series	Front	24-197427		Rear	24-197434	
2008-2006	LE Luxury; RWD	4600 Series	Front	24-137430		Rear	24-186919	
2008-2006	AWD; SE Premium	4600 Series	Front	24-197427		Rear	24-197434	
2008-2005	AWD; LE Luxury	4600 Series	Front	24-197427		Rear	24-197434	
2008-2006	RWD; SE Premium	4600 Series	Front	24-137430		Rear	24-186919	
2008-2005	AWD; SE Comfort	4600 Series	Front	24-197427		Rear	24-197434	
2008-2006	RWD; SE Comfort	4600 Series	Front	24-137430		Rear	24-186919	
2004	Armada SE	4600 Series	Front	24-197656				
2004	Armada LE	4600 Series	Front	24-197656				
2004	Armada LE	5100 Series	Front	24-197649	Adjustable Front Lifted Height: 0-2"			
2004	Armada SE	5100 Series	Front	24-197649	Adjustable Front Lifted Height: 0-2"			
1995-1988	SE	4600 Series	Front	24-185080		Rear	24-185097	
1995-1994	4WD; LE	4600 Series	Front	24-185080		Rear	24-185097	
1995-1989	4WD; XE	4600 Series	Front	24-185080		Rear	24-185097	
1995-1988	SE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1995-1989	4WD; XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1995-1994	4WD; LE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1988	XE	4600 Series	Front	24-185080		Rear	24-185097	
1988	XE	4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
1987		4600 Series	Front	24-185080		Rear	24-185097	
1987		4600 Series (Sport)	Front	24-012454		Rear	24-020770	Includes V6; Will not replace electronic dampers
Nissan Pickup								
1997, 1995		4600 Series				Rear	24-011006	
1997, 1995	XE	4600 Series	Front	24-187824				
1997, 1995	Base	4600 Series	Front	24-187824	From 6/86 To 97			
1997, 1995	SE	4600 Series	Front	24-187824				
1996	Base	4600 Series	Front	24-187824	From 6/86 To 97	Rear	24-011006	



Years	Application	Series	Front			Rear		
Nissan Pickup (continued)								
1996	XE	4600 Series	Front	24-187824		Rear	24-011006	
1996	SE	4600 Series	Front	24-187824		Rear	24-011006	
Nissan Titan								
2013-2011	RWD; S	4600 Series				Rear	24-185967	
2013-2004		4600 Series	Front	24-197656				
2013-2008	PRO-4X	4600 Series				Rear	24-116244	
2013-2011	RWD; SV	4600 Series				Rear	24-185967	
2013-2011	RWD; SL	4600 Series				Rear	24-185967	
2013-2011	4WD; S	4600 Series				Rear	24-116244	
2013-2011	4WD; SL	4600 Series				Rear	24-116244	
2013-2011	4WD; SV	4600 Series				Rear	24-116244	
2013-2011	RWD; SV	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2013-2011	RWD; S	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2013-2011	4WD; SV	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2013-2011	4WD; SL	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2013-2011	4WD; S	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2013-2011	RWD; SL	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2013-2008	PRO-4X	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2013-2004		5100 Series	Front	24-197649	Adjustable Front Lifted Height: 0-2"			
2010-2008	RWD; SE	4600 Series				Rear	24-185967	
2010-2008	4WD; LE	4600 Series				Rear	24-116244	
2010-2008	4WD; XE	4600 Series				Rear	24-116244	
2010-2008	LE; RWD	4600 Series				Rear	24-185967	
2010-2008	RWD; XE	4600 Series				Rear	24-185967	
2010-2008	4WD; SE	4600 Series				Rear	24-116244	
2010-2008	4WD; SE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2010-2008	4WD; XE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2010-2008	LE; RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2010-2008	RWD; XE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2010-2008	RWD; SE	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
2010-2008	4WD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2009-2007	AWD; LE	4600 Series				Rear	24-116244	
2009-2007	AWD; LE	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"
2007-2004	RWD	4600 Series				Rear	24-185967	
2007-2004	4WD	4600 Series				Rear	24-116244	
2007-2004	4WD	5100 Series				Rear	24-186766	Rear Lifted Height: 0-1"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Nissan Titan (continued)								
2007-2004	RWD	5100 Series				Rear	24-186773	Rear Lifted Height: 0-1"
Nissan Xterra								
2012-2007	RWD; X	4600 Series				Rear	24-187008	
2012-2011	PRO-4X	4600 Series				Rear	24-187121	
2012-2005		4600 Series	Front	24-137430				
2012	SV	4600 Series				Rear	24-187121	
2012-2007	4WD; S	4600 Series				Rear	24-187121	
2012-2007	4WD; X	4600 Series				Rear	24-187121	
2012-2007	RWD; S	4600 Series				Rear	24-187008	
2012-2005		5100 Series	Front	24-187053	Adjustable Front Lifted Height: 0-2"			
2012-2007	4WD; X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2012-2011	PRO-4X	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2012-2007	RWD; S	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2012	SV	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2012-2007	4WD; S	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2012-2007	RWD; X	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2011	4WD; SV	4600 Series				Rear	24-187121	
2011	RWD; SV	4600 Series				Rear	24-187008	
2011	RWD; SV	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2011	4WD; SV	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2010-2007	4WD; SE	4600 Series				Rear	24-187121	
2010-2007	RWD; SE	4600 Series				Rear	24-187008	
2010-2007	Off-Road	4600 Series				Rear	24-187121	
2010-2007	Off-Road	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2010-2007	RWD; SE	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2010-2007	4WD; SE	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2006-2005	4WD	4600 Series				Rear	24-187121	
2006-2005	RWD	4600 Series				Rear	24-187008	
2006-2005	4WD	5100 Series				Rear	24-187169	Rear Lifted Height: 0-1"
2006-2005	RWD	5100 Series				Rear	24-187060	Rear Lifted Height: 0-1"
2004-2000		4600 Series	Front	24-187824	Front Lifted Height: 0-3"	Rear	24-185011	
						Rear	24-184908	Rear Lifted Height: 0-2"; Will not work with stock swaybar. Shock body is too large and will interfere.
Oldsmobile Bravada								
2004-2002	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-103350	



Years	Application	Series	Front			Rear		
Oldsmobile Bravada (continued)								
2004-2002	w/ Air Rear Springs; w/ Coil Front Springs	4600 Series				Rear	24-103343	
2004-2002		4600 Series	Front	24-103336				
2001-1996		4600 Series	Front	24-187831		Rear	33-187532	
2001-1996, 1994-1991		4600 Series (Comfort)	Front	F4-B46-1599-W0		Rear	F4-B46-1599-W0	
2001-1996		4600 Series (Sport)				Rear	24-014137	
2001-1996, 1994-1991		Variable depending on application	Front	24-014120	4600 Series Sport; SetOption: Variable depending on application			
1994-1991		4600 Series	Front	24-187831				
Plymouth Trailduster								
1981-1975	RWD	4600 Series	Front	24-018289	AD100	Rear	24-018296	AD100
Porsche Cayenne								
2014	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension			
			Front Right	24-197076	Excludes Electronic Suspension			
2014	S Hybrid; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension			
			Front Right	24-197076	Excludes Electronic Suspension			
2014	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension			
			Front Right	24-197076	Excludes Electronic Suspension			
2014	Diesel; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension			
			Front Right	24-197076	Excludes Electronic Suspension			
2013	Diesel; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Excludes PASM Electronic Suspension Package
			Front Right	24-197076	Excludes Electronic Suspension			
2013-2011	S Hybrid; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Excludes PASM Electronic Suspension Package
			Front Right	24-197076	Excludes Electronic Suspension			
2013-2011	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Excludes PASM Electronic Suspension Package
			Front Right	24-197076	Excludes Electronic Suspension			
2013-2011	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Excludes PASM Electronic Suspension Package
			Front Right	24-197076	Excludes Electronic Suspension			
2010-2008, 2006-2004	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2010-2008, 2006-2004	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2006-2003	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Porsche Cayenne (continued)								
2006-2003	S; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2006-2004	Base; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
2006-2003	S; w/ Coil Front Springs; w/ Coil Rear Springs	B12 (Pro-Kit)	Front and Rear	46-187918	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 35mm, up to 1466kg Axle Load ; Rear Lowered Height: 35mm, up to 1680kg Axle Load			
Ram 1500								
2013-2011	Laramie; RWD	4600 Series	Front	24-187480		Rear	24-187510	
2013-2011	RWD; SLT	4600 Series	Front	24-187480		Rear	24-187510	
2013-2012	Express; RWD	4600 Series	Front	24-187480		Rear	24-187510	
2013-2011	4WD; Sport	4600 Series	Front	24-187343		Rear	24-187350	
2013-2012	4WD; Express	4600 Series	Front	24-187343		Rear	24-187350	
2013	R/T	4600 Series	Front	24-187480		Rear	24-187510	
2013, 2011	4WD; Tradesman	4600 Series	Front	24-187343		Rear	24-187350	
2013	HFE	4600 Series	Front	24-187480		Rear	24-187510	
2013-2011	RWD; Sport	4600 Series	Front	24-187480		Rear	24-187510	
2013-2011	4WD; Laramie	4600 Series	Front	24-187343		Rear	24-187350	
2013, 2011	RWD; Tradesman	4600 Series	Front	24-187480		Rear	24-187510	
2013-2012	4WD; Laramie Longhorn	4600 Series	Front	24-187343		Rear	24-187350	
2013-2012	Laramie Longhorn; RWD	4600 Series	Front	24-187480		Rear	24-187510	
2013-2011	4WD; SLT	4600 Series	Front	24-187343		Rear	24-187350	
2013-2012	4WD; Express	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2013-2011	4WD; Sport	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2013-2011	4WD; Laramie	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2013-2011	4WD; SLT	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2013-2011	4WD; Laramie Longhorn	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2013, 2011	4WD; Tradesman	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2012-2011	RWD; ST	4600 Series	Front	24-187480		Rear	24-187510	
2012-2011	4WD; ST	4600 Series	Front	24-187343		Rear	24-187350	
2012-2011	4WD; ST	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"



Years	Application	Series	Front			Rear		
Ram 1500 (continued)								
2012-2011	4WD; Big Horn	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2012	4WD; Outdoorsman	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
2011	4WD; SXT	5100 Series	Front	24-187367	Adjustable Front Lifted Height: 0-2.75"	Rear	24-187374	Rear Lifted Height: 0-1"
Ram 2500								
2013	4WD; Tradesman	4600 Series	Front	24-186070		Rear	24-186094	
2013	Laramie Longhorn; RWD	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	4WD; Lone Star	4600 Series	Front	24-186070		Rear	24-186094	
2013	RWD; ST	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	Laramie; RWD	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013-2011	4WD; Laramie Longhorn	4600 Series	Front	24-186070		Rear	24-186094	
2013, 2011	4WD; ST	4600 Series	Front	24-186070		Rear	24-186094	
2013	Big Horn; RWD	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013, 2011	4WD; SXT	4600 Series	Front	24-186070		Rear	24-186094	
2013	RWD; Tradesman	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	Outdoorsman	4600 Series	Front	24-186070		Rear	24-186094	
2013	Lone Star; RWD	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013-2011	4WD; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2013-2011	4WD; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2013	RWD; SLT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	4WD; Big Horn	4600 Series	Front	24-186070		Rear	24-186094	
2013	RWD; SXT	4600 Series	Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	4WD; Big Horn	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2013	4WD; Lone Star	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2013, 2011	4WD; SXT	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2013-2011	4WD; SLT	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ram 2500 (continued)								
2013-2011	4WD; Laramie Longhorn	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2013	Outdoorsman	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2013	4WD; Tradesman	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2013-2011	4WD; Laramie	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2013-2011	4WD; ST	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2013	4WD; Lone Star	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013	4WD; Big Horn	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013	4WD; Tradesman	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013-2011	4WD; ST	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013-2011	Power Wagon	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013	Outdoorsman	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013, 2011	4WD; SXT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013-2011	4WD; Laramie	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013-2011	4WD; Laramie Longhorn	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2013-2011	4WD; SLT	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2012-2011	Outdoorsman; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front



Years	Application	Series	Front			Rear		
Ram 2500 (continued)								
2012-2011	Laramie Longhorn; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012-2011	4WD; Outdoorsman	4600 Series	Front	24-186070		Rear	24-186094	
2012	4WD; ST	4600 Series				Rear	24-186094	
2012-2011	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012-2011	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012-2011	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2012-2011	4WD; Outdoorsman	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2012-2011	4WD; Laramie Longhorn	5100 Series (Steering Damper)	Front	33-170794				
2012-2011	4WD; Laramie	5100 Series (Steering Damper)	Front	33-170794				
2012-2011	4WD; SLT	5100 Series (Steering Damper)	Front	33-170794				
2012-2011	4WD; Outdoorsman	5100 Series (Steering Damper)	Front	33-170794				
2012-2011	Power Wagon	5100 Series (Steering Damper)	Front	33-170794				
2012-2011	4WD; ST	5100 Series (Steering Damper)	Front	33-170794				
2012-2011	4WD; Outdoorsman	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
2011	4WD; SXT	5100 Series (Steering Damper)	Front	33-170794				
Ram 3500								
2013	4WD; Crew Cab Pickup; SLT	4600 Series				Rear	24-186094	
2013	4WD; Extended Crew Cab Pickup; Laramie	4600 Series				Rear	24-186094	
2013	4WD; Laramie Longhorn	4600 Series				Rear	24-186094	
2013	4WD; Crew Cab Pickup; Laramie	4600 Series				Rear	24-186094	
2013	RWD; SLT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	Laramie Longhorn; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ram 3500 (continued)								
2013	RWD; Tradesman	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	4WD; SXT	4600 Series				Rear	24-186094	
2013	4WD; Extended Crew Cab Pickup; ST	4600 Series				Rear	24-186094	
2013	Big Horn; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	4WD; SLT; Standard Cab Pickup	4600 Series				Rear	24-186094	
2013	4WD; Tradesman	4600 Series				Rear	24-186094	
2013	4WD; Crew Cab Pickup; ST	4600 Series				Rear	24-186094	
2013	RWD; ST	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	RWD; SXT	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	4WD; Extended Crew Cab Pickup; SLT	4600 Series				Rear	24-186094	
2013	Laramie; RWD	4600 Series	Front	24-186063	Except Solid Axle Front	Rear	24-186087	Except Solid Axle Front
			Front	24-186070	Solid Axle Front	Rear	24-186094	Solid Axle Front
2013	4WD; Big Horn	4600 Series				Rear	24-186094	
2012-2011	RWD	4600 Series	Front	24-186063	Except Solid Axle Front			
2012-2011	4WD; Extended Crew Cab Pickup; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2012-2011	4WD; Crew Cab Pickup; ST	4600 Series	Front	24-186070		Rear	24-186094	
2012-2011	Cab & Chassis; Laramie	4600 Series	Front	24-186070				
2012-2011	Crew Cab Pickup; RWD; SLT	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2012-2011	Cab & Chassis; SLT	4600 Series	Front	24-186070				
2012-2011	4WD; SLT; Standard Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2012-2011	Extended Crew Cab Pickup; RWD; SLT	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2012-2011	4WD; Extended Crew Cab Pickup; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2012-2011	RWD; SLT; Standard Cab Pickup	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front



Years	Application	Series	Front			Rear		
Ram 3500 (continued)								
2012-2011	Laramie Longhorn; RWD	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2012-2011	Extended Crew Cab Pickup; Laramie; RWD	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2012-2011	Crew Cab Pickup; Laramie; RWD	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2012-2011	4WD; ST; Standard Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
2012-2011	4WD; Laramie Longhorn	4600 Series	Front	24-186070		Rear	24-186094	
2012-2011	4WD; Crew Cab Pickup; SLT	4600 Series	Front	24-186070		Rear	24-186094	
2012-2011	Crew Cab Pickup; RWD; ST	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2012-2011	4WD; Crew Cab Pickup; Laramie	4600 Series	Front	24-186070		Rear	24-186094	
2012-2011	RWD; ST; Standard Cab Pickup	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2012-2011	Cab & Chassis; ST	4600 Series	Front	24-186070				
2012-2011	4WD	5100 Series	Front	24-187213	Front Lifted Height: 6-8"	Rear	24-191203	Rear Lifted Height: 0-1"
			Front	24-185776	Front Lifted Height: 0-2.5"	Rear	33-187228	Rear Lifted Height: 3-5"
			Front	24-066464	Front Lifted Height: 4-5"	Rear	24-186636	Rear Lifted Height: 2"
2012-2011	4WD	5100 Series (Steering Damper)	Front	33-170794				
2012-2011	4WD	5160 Series	Front	25-187595	Front Lifted Height: 0-3"	Rear	25-187601	Rear Lifted Height: 0-2"
			Front	25-197754	Front Lifted Height: 4-6"	Rear	25-197761	Rear Lifted Height: 3-4"
2011	Cab & Chassis; SXT	4600 Series	Front	24-186070				
2011	4WD; Crew Cab Pickup; SXT	4600 Series	Front	24-186070		Rear	24-186094	
2011	Crew Cab Pickup; RWD; SXT	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2011	RWD; SXT; Standard Cab Pickup	4600 Series				Rear	24-186087	Except Solid Axle Front
						Rear	24-186094	Solid Axle Front
2011	4WD; SXT; Standard Cab Pickup	4600 Series	Front	24-186070		Rear	24-186094	
Saab 9-7x								
2009-2005		4600 Series	Front	24-103336		Rear	24-103343	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Suzuki Equator								
2012-2009		4600 Series	Front	24-137430		Rear	24-186155	
2012-2009		5100 Series	Front	24-187053	Adjustable Front Lifted Height: 0-2"	Rear	24-187152	Rear Lifted Height: 0-1"
Suzuki Samurai								
1995-1994, 1991-1988		4600 Series	Front	24-012157		Rear	24-012164	
1993-1992	JA	4600 Series				Rear	24-012164	
1993-1992		4600 Series	Front	24-012157				
Suzuki Sidekick								
1998, 1995-1994, 1992-1991, 1989		4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997-1996, 1993, 1990	JX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997-1996	JX Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997-1996, 1993, 1990	JS	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1997-1996	JLX Sport	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
1993, 1990	JLX	4600 Series	Front	35-003991		Rear	24-015882	Exc. 4 wheel ABS; From 89 To 3/98
Toyota 4Runner								
2013-2010		4600 Series	Front	24-187541		Rear	24-187558	
2013-2010		5100 Series	Front	24-196499	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187174	Rear Lifted Height: 0-2"
2013-2007		5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2013-2011		60mm BTS System	Front	46-227294	Front Lifted Height: 0-2.5"			
2009-2004	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2009-2004		5100 Series	Front	24-186711	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187174	Rear Lifted Height: 0-2"
2009-2007		60mm BTS System	Front	46-227287	Front Lifted Height: 0-2.5"			
2006-2003	Limited; w/ Coil Rear Springs	60mm BTS System	Front	46-227287	Front Lifted Height: 0-2.5"			
2006-2003	SR5	60mm BTS System	Front	46-227287	Front Lifted Height: 0-2.5"			
2006-2003	Sport	60mm BTS System	Front	46-227287	Front Lifted Height: 0-2.5"			
2003	SR5; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2003	Limited; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front	24-188401	Excludes adjustable (X-REAS) suspension	Rear	24-186049	Excludes adjustable (X-REAS) suspension
2003	Limited	5100 Series	Front	24-186711	Adjustable Front Lifted Height: 0-2.5"			



Years	Application	Series	Front			Rear		
Toyota 4Runner (continued)								
2003	SR5	5100 Series	Front	24-186711	Adjustable Front Lifted Height: 0-2.5"			
2003		5100 Series				Rear	33-187174	Rear Lifted Height: 0-2"
2002	4WD; Limited	4600 Series	Front	24-187244				
2002-1997	RWD	4600 Series	Front	24-188234				
2002-1996		4600 Series				Rear	24-024518	
2002, 1996	4WD; SR5	4600 Series	Front	24-187244				
2001-1997	4WD	4600 Series	Front	24-187244				
1996	Limited	4600 Series	Front	24-187244				
1996	4WD; Base	4600 Series	Front	24-187244				
1996	Base; RWD	4600 Series	Front	24-188234				
1996	RWD; SR5	4600 Series	Front	24-188234				
1995-1990		4600 Series	Front	24-014687		Rear	24-014694	
1995-1990		5100 Series	Front	24-185745	Front Lifted Height: 3-4"			
1989-1986		4600 Series	Front	24-011396		Rear	24-011402	
1989-1986		5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1985-1984		4600 Series	Front	24-184601		Rear	24-011402	
Toyota FJ Cruiser								
2014-2010		4600 Series	Front	24-187541		Rear	24-187558	
2014-2010		5100 Series	Front	24-196499	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187174	Rear Lifted Height: 0-2"
2014-2007		5160 Series				Rear	25-177909	Rear Lifted Height: 0-2.5"
2014, 2009-2007		60mm BTS System	Front	46-227287	Front Lifted Height: 0-2.5"			
2013-2010		60mm BTS System	Front	46-227294	Front Lifted Height: 0-2.5"			
2009		4600 Series	Front	24-188401		Rear	24-186049	
2009-2007		5100 Series	Front	24-186711	Adjustable Front Lifted Height: 0-2.5"	Rear	33-187174	Rear Lifted Height: 0-2"
2008-2007	Base	4600 Series	Front	24-188401		Rear	24-186049	
Toyota Land Cruiser								
2011-2008		4600 Series	Front	24-214018	Excludes Air Leveling Suspension; Excludes Electronic Suspension	Rear	24-152938	Excludes Air Leveling Suspension; Excludes Electronic Suspension
2007-1998		4600 Series	Front	24-027397		Rear	24-027403	
1997-1991		4600 Series	Front	24-014779	FJ80	Rear	24-014786	FJ80
1990-1988		4600 Series	Front	24-010047	FJ61/FJ62	Rear	24-011327	FJ60/FJ61/FJ62/HJ60
1987-1985	Base	4600 Series	Front	24-002479		Rear	24-002561	FJ60/HJ60; From 4/80 To 87
			Front	24-010047	FJ61/FJ62	Rear	24-011327	FJ60/FJ61/FJ62/HJ60
1984	Base	4600 Series	Front	24-002479		Rear	24-002561	FJ60/HJ60; From 4/80 To 87

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Toyota Land Cruiser (continued)								
1983-1981	Base; w/ FJ60 Body	4600 Series	Front	24-002479				
1983	Base	4600 Series				Rear	24-002561	FJ60/HJ60; From 4/80 To 87
1982-1981	Base	4600 Series	Front	24-002486	FJ40	Rear	24-002561	FJ60/HJ60; From 4/80 To 87
						Rear	24-002585	FJ40; From 1/75 To 82
1982-1981	Base; w/ FJ40 Body	5100 Series	Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185552	Rear Lifted Height: 4"
1980		4600 Series	Front	24-002486	FJ40	Rear	24-002561	FJ60/HJ60; From 4/80 To 87
						Rear	24-002585	FJ40; From 1/75 To 82
1980-1975	w/ FJ40 Body	5100 Series	Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185552	Rear Lifted Height: 4"
1979-1975		4600 Series	Front	24-002486	FJ40	Rear	24-002585	FJ40; From 1/75 To 82
1974-1960		5100 Series	Front	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"	Rear	33-185606	Front Lifted Height: 4"; Rear Lifted Height: 0-2"
			Front	33-062518	Front Lifted Height: 0-2"	Rear	33-185552	Rear Lifted Height: 4"
1966-1965		4600 Series	Front	24-002486	FJ40			
Toyota Pickup								
1995-1986	4WD; DLX	4600 Series	Front	24-011396		Rear	24-011402	
1995-1986	4WD; SR5	4600 Series	Front	24-011396		Rear	24-011402	
1995-1986	DLX; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1995-1989	Base	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1995-1986	RWD; SR5	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1995-1990	4WD; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1995-1991	4WD; DLX	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1990-1986	2 Dr.; 4WD; DLX; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1990-1986	2 Dr.; 4WD; DLX; Extended Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1989-1986	2 Dr.; 4WD; Extended Cab Pickup; SR5	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1989-1986	2 Dr.; 4WD; SR5; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1988-1986	4WD; Base	4600 Series	Front	24-011396		Rear	24-011402	



Years	Application	Series	Front			Rear		
Toyota Pickup (continued)								
1988-1986	Base; RWD	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1988	SR5 Turbo	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1988-1986	2 Dr.; 4WD; Base; Standard Cab Pickup	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987-1986	Base Turbo	4600 Series	Front	24-011396		Rear	24-011402	
1987-1986	LN55 DLX	4600 Series				Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1987-1986	4WD; SR5 Turbo	4600 Series	Front	24-011396		Rear	24-011402	
1987-1986	RWD; SR5 Turbo	4600 Series	Front	24-184830	Includes Dual Rear Wheels	Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1987-1986	2 Dr.; 4WD; Extended Cab Pickup; SR5 Turbo	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1987-1986	Base Turbo	5100 Series	Front	24-185745	Front Lifted Height: 3-4"	Rear	24-185752	Rear Lifted Height: 3-4"
1985	SR5 Turbo	4600 Series	Front	24-184601		Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1985-1984	Base; RWD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1985-1984	SR5	4600 Series	Front	24-184601				
1985-1984	4WD; Base	4600 Series				Rear	24-011402	
1985-1984	RWD; SR5; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1985-1984	RWD; SR5	4600 Series				Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1985	SR5 Turbo; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1985	DLX Turbo	4600 Series	Front	24-184601		Rear	24-011402	
1985-1984	4WD; DLX	4600 Series				Rear	24-011402	
1985-1984	4WD; SR5	4600 Series				Rear	24-011402	
1985-1984	Base	4600 Series	Front	24-184601				
1985-1984	DLX; RWD	4600 Series				Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1985-1984	DLX	4600 Series	Front	24-184601				
1985-1984	Base; RWD	4600 Series				Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Toyota Pickup (continued)								
1985-1984	DLX; RWD; w/ Leaf Rear Springs; w/ Torsion Bar Front Springs	4600 Series	Front	24-184830	Includes Dual Rear Wheels			
1984	LN56	4600 Series				Rear	24-188203	Single Rear Wheel
						Rear	24-002585	Dual Rear Wheels
1983-1981	RWD; SR5	4600 Series				Rear	24-188203	Single Rear Wheel
1983-1979	Base	4600 Series				Rear	24-188203	Single Rear Wheel
1983-1979	DLX; RWD	4600 Series				Rear	24-188203	Single Rear Wheel
1983-1981	4WD; SR5	4600 Series				Rear	24-002585	
1983-1979		4600 Series	Front	24-184601				
1983-1979	4WD; DLX	4600 Series				Rear	24-002585	
1983-1981	4WD; SR5	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1983-1979	4WD; DLX	5100 Series				Rear	33-186542	Rear Lifted Height: 3"
1980-1979	SR5	4600 Series				Rear	24-188203	Single Rear Wheel
1978-1974		4600 Series				Rear	24-188203	Single Rear Wheel
Toyota RAV4								
2012	Sport	B4				Rear	19-164687	
2012	Base	B4				Rear	19-164687	
2012	Limited	B4				Rear	19-164687	
2011-2006		B4				Rear	19-164687	
2005-2000		B4	Front Right	22-151100		Rear	19-151113	
			Front Left	22-151094				
2000-1996		4600 Series	Front	34-030615	After 97 must verify that strut units are not sealed type	Rear	24-021203	
2000-1996		B8 (SP)	Front	34-030622	Verify that strut units are "serviceable" non-sealed type	Rear	24-021210	
Toyota Sequoia								
2014-2011	SR5	4600 Series				Rear	33-187266	Excludes Electronic Suspension
2014-2011	Platinum; w/ Coil Rear Springs	4600 Series				Rear	33-187266	Excludes Electronic Suspension
2014-2011	Limited	4600 Series				Rear	33-187266	Excludes Electronic Suspension
2014-2008		4600 Series	Front	24-187251	Excludes Electronic Suspension			
2014-2011	Platinum; w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2014-2011	SR5	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2014-2011	Limited	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2014-2008		5100 Series	Front	24-187275	Adjustable Front Lifted Height: 0-2.5"			
2010-2008	w/ Coil Rear Springs	4600 Series				Rear	33-187266	Excludes Electronic Suspension



Years	Application	Series	Front			Rear		
Toyota Sequoia (continued)								
2010-2008	w/ Coil Rear Springs	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2008	SR5 Premium	4600 Series				Rear	33-187266	Excludes Electronic Suspension
2008	SR5 Premium	5100 Series				Rear	33-187280	Rear Lifted Height: 0-1"
2007-2001		4600 Series	Front	24-185387	Excludes Electronic Suspension	Rear	24-185813	Excludes Electronic Suspension; Rear Lifted Height: 0-1"
2007-2001		5100 Series	Front	24-188265	Adjustable Front Lifted Height: 0-2.5"			
Toyota T100								
1998	4WD	4600 Series	Front	24-184892		Rear	24-184908	
1998	RWD	4600 Series	Front	24-021272		Rear	24-021289	
1997-1993	4WD; SR5	4600 Series	Front	24-184892		Rear	24-184908	
1997-1993	RWD; SR5	4600 Series	Front	24-021272		Rear	24-021289	
1997-1996	4WD; DLX	4600 Series	Front	24-184892		Rear	24-184908	
1997-1996	DLX; RWD	4600 Series	Front	24-021272		Rear	24-021289	
1997-1994	Base	4600 Series	Front	24-021272		Rear	24-021289	
1995	One-Ton DLX	4600 Series				Rear	24-021289	
1993	4WD; Base	4600 Series	Front	24-184892		Rear	24-184908	
1993	Base; RWD	4600 Series	Front	24-021272		Rear	24-021289	
1993	One-Ton	4600 Series				Rear	24-021289	
Toyota Tacoma								
2013-2005	Base; RWD	4600 Series	Front Left	24-185042	5 Lug Wheel	Rear	24-185073	5 Lug Wheel
			Front Right	24-185066	5 Lug Wheel			
2013-2005	4WD; Base	4600 Series	Front	24-188401		Rear	24-186056	
2013-2005	Pre Runner	4600 Series	Front	24-188401	6 Lug Wheel	Rear	24-186056	6 Lug Wheel
2013-2005	Pre Runner	5100 Series	Front	24-186711	Adjustable Front Lifted Height: 0-2.5"	Rear	24-186728	Rear Lifted Height: 0-1"
2013-2005	4WD; Base	5100 Series	Front	24-186711	Adjustable Front Lifted Height: 0-2.5"	Rear	24-186728	Rear Lifted Height: 0-1"
2013-2005	4WD; Base	5160 Series				Rear	25-177343	Rear Lifted Height: 0-1"
2013-2005	Pre Runner	5160 Series				Rear	25-177343	6 Lug Wheel; Rear Lifted Height: 0-1"
2004-1998	Pre Runner	4600 Series	Front	24-022842	6 Lug Wheel	Rear Left	24-184960	6 Lug Wheel
						Rear Right	24-184977	6 Lug Wheel
2004	4WD; Base	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
2004	Base; RWD	4600 Series	Front	24-184991	5 Lug Wheel	Rear	24-026758	5 Lug Wheel
2003-1995	DLX; RWD	4600 Series	Front	24-184991	5 Lug Wheel	Rear	24-026758	5 Lug Wheel

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Toyota Tacoma (continued)								
2003-1998, 1995	4WD; DLX	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
2000-1998, 1995	SR5	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
2000-1998	Limited	4600 Series	Front	24-022842		Rear Left	24-184960	
						Rear Right	24-184977	
1997-1996	4WD; DLX	4600 Series	Front	24-022842		Rear Right	24-184977	
1997-1996	SR5	4600 Series	Front	24-022842		Rear Right	24-184977	
1997-1996		4600 Series				Rear Left	24-184960	
Toyota Tundra								
2013	Base	4600 Series	Front	24-186230		Rear	24-186247	
2013	Limited	4600 Series	Front	24-186230		Rear	24-186247	
2013	Base	5100 Series	Front	24-186964		Rear	24-186971	Rear Lifted Height: 0-1"
2013	Limited	5100 Series	Front	24-186964		Rear	24-186971	Rear Lifted Height: 0-1"
2012-2007		4600 Series	Front	24-186230		Rear	24-186247	
2012-2007		5100 Series	Front	24-186964	Adjustable Front Lifted Height: 0.875-2.5"	Rear	24-186971	Rear Lifted Height: 0-1"
2006-2000		4600 Series	Front	24-185387		Rear	24-185394	
2006-2000		5100 Series	Front	24-188265	Adjustable Front Lifted Height: 0-2.5"	Rear	24-100144	Rear Lifted Height: 0-1"
2006, 2004	4 Dr.; Extended Cab Pickup; Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
2006, 2004	4 Dr.; Extended Cab Pickup; SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
2006, 2004	Base	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
2005	2 Dr.; Standard Cab Pickup	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
2005	4 Dr.; Extended Cab Pickup	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
2004	2 Dr.; SR5; Standard Cab Pickup	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
2003-2002, 2000		5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
2001	Base	5100 Series (BTS)	Front	BTS-7514				
2001	Limited	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
2001	SR5	5100 Series (BTS)	Front	BTS-7514	Front Lifted Height: 0-2.25"			
Volkswagen Amarok								
2012-2011		4600 Series	Front	24-195690		Rear	24-195706	



Years	Application	Series	Front			Rear		
Volkswagen Amarok (continued)								
2012-2011		B4	Front	22-220554		Rear	19-220567	
Volkswagen Rabbit Pickup								
1983-1980		B4	Front	21-030338				
1983-1980		B6 (HD)				Rear	24-027618	
Volkswagen Tiguan								
2013-2012	SEL	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2013-2012	S	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2013-2012	SE	B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
2012	SEL	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2012	S	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2012	SE	4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2011-2009		4600 Series				Rear	24-146944	Except Electronic Adjustable Suspension
2011-2009		B4	Front	22-183750	Except Electronic Adjustable Suspension; Standard Chassis	Rear	19-170732	Except Electronic Adjustable Suspension; Standard Chassis
Volkswagen Touareg								
2014		4600 Series	Front Left	24-197069	Excludes Electronic Suspension			
			Front Right	24-197076	Excludes Electronic Suspension			
2013	TDI Lux; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Except Electronic Adjustable Suspension
			Front Right	24-197076	Excludes Electronic Suspension			
2013	TDI Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Except Electronic Adjustable Suspension
			Front Right	24-197076	Excludes Electronic Suspension			
2013	TDI Executive; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Except Electronic Adjustable Suspension
			Front Right	24-197076	Excludes Electronic Suspension			
2013	V6 Executive; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Except Electronic Adjustable Suspension
			Front Right	24-197076	Excludes Electronic Suspension			
2013	Hybrid; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Except Electronic Adjustable Suspension
			Front Right	24-197076	Excludes Electronic Suspension			
2013	V6 Lux; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Except Electronic Adjustable Suspension
			Front Right	24-197076	Excludes Electronic Suspension			
2013	V6 Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Except Electronic Adjustable Suspension
			Front Right	24-197076	Excludes Electronic Suspension			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2013	TDI Sport; w/ Coil Rear Springs	B4				Rear	19-189680	Excludes Electronic Suspension; Standard Chassis
						Rear	19-189710	Excludes Electronic Suspension; Sport Suspension
2013	V6 Executive; w/ Coil Front Springs	B4	Front Left	19-189666	Excludes Electronic Suspension; Standard Chassis			
			Front Right	19-189673	Excludes Electronic Suspension; Standard Chassis			
			Front Left	19-189697	Excludes Electronic Suspension; Sport Suspension			
			Front Right	19-189703	Excludes Electronic Suspension; Sport Suspension			
2013	TDI Sport; w/ Coil Front Springs	B4	Front Left	19-189666	Excludes Electronic Suspension; Standard Chassis			
			Front Right	19-189673	Excludes Electronic Suspension; Standard Chassis			
			Front Left	19-189697	Excludes Electronic Suspension; Sport Suspension			
			Front Right	19-189703	Excludes Electronic Suspension; Sport Suspension			
2013	Hybrid; w/ Coil Rear Springs	B4				Rear	19-189680	Excludes Electronic Suspension; Standard Chassis
						Rear	19-189710	Excludes Electronic Suspension; Sport Suspension
2013	TDI Executive; w/ Coil Front Springs	B4	Front Left	19-189666	Excludes Electronic Suspension; Standard Chassis			
			Front Right	19-189673	Excludes Electronic Suspension; Standard Chassis			
			Front Left	19-189697	Excludes Electronic Suspension; Sport Suspension			
			Front Right	19-189703	Excludes Electronic Suspension; Sport Suspension			
2013	V6 Executive; w/ Coil Rear Springs	B4				Rear	19-189680	Excludes Electronic Suspension; Standard Chassis
						Rear	19-189710	Excludes Electronic Suspension; Sport Suspension
2013	V6 Lux; w/ Coil Rear Springs	B4				Rear	19-189680	Excludes Electronic Suspension; Standard Chassis
						Rear	19-189710	Excludes Electronic Suspension; Sport Suspension
2013	V6 Lux; w/ Coil Front Springs	B4	Front Left	19-189666	Excludes Electronic Suspension; Standard Chassis			
			Front Right	19-189673	Excludes Electronic Suspension; Standard Chassis			
			Front Left	19-189697	Excludes Electronic Suspension; Sport Suspension			
			Front Right	19-189703	Excludes Electronic Suspension; Sport Suspension			



Years	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2013	Hybrid; w/ Coil Front Springs	B4	Front Left	19-189666	Excludes Electronic Suspension; Standard Chassis			
			Front Right	19-189673	Excludes Electronic Suspension; Standard Chassis			
			Front Left	19-189697	Excludes Electronic Suspension; Sport Suspension			
			Front Right	19-189703	Excludes Electronic Suspension; Sport Suspension			
2013	TDI Executive; w/ Coil Rear Springs	B4				Rear	19-189680	Excludes Electronic Suspension; Standard Chassis
						Rear	19-189710	Excludes Electronic Suspension; Sport Suspension
2013	TDI Lux; w/ Coil Rear Springs	B4				Rear	19-189680	Excludes Electronic Suspension; Standard Chassis
						Rear	19-189710	Excludes Electronic Suspension; Sport Suspension
2013	V6 Sport; w/ Coil Rear Springs	B4				Rear	19-189680	Excludes Electronic Suspension; Standard Chassis
						Rear	19-189710	Excludes Electronic Suspension; Sport Suspension
2013	V6 Sport; w/ Coil Front Springs	B4	Front Left	19-189666	Excludes Electronic Suspension; Standard Chassis			
			Front Right	19-189673	Excludes Electronic Suspension; Standard Chassis			
			Front Left	19-189697	Excludes Electronic Suspension; Sport Suspension			
			Front Right	19-189703	Excludes Electronic Suspension; Sport Suspension			
2013	TDI Lux; w/ Coil Front Springs	B4	Front Left	19-189666	Excludes Electronic Suspension; Standard Chassis			
			Front Right	19-189673	Excludes Electronic Suspension; Standard Chassis			
			Front Left	19-189697	Excludes Electronic Suspension; Sport Suspension			
			Front Right	19-189703	Excludes Electronic Suspension; Sport Suspension			
2012	V6 Executive; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	TDI Executive; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension			
			Front Right	24-197076	Excludes Electronic Suspension			
2012	V6 Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	Hybrid; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2012	TDI Sport; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	V6 Lux; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012	TDI Lux; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series				Rear	24-197083	Except Electronic Adjustable Suspension
2012-2010	w/ Coil Rear Springs	B4				Rear	19-189680	Excludes Electronic Suspension; Standard Chassis
						Rear	19-189710	Excludes Electronic Suspension; Sport Suspension
2012-2010	w/ Coil Front Springs	B4	Front Left	19-189666	Excludes Electronic Suspension; Standard Chassis			
			Front Right	19-189673	Excludes Electronic Suspension; Standard Chassis			
			Front Left	19-189697	Excludes Electronic Suspension; Sport Suspension			
			Front Right	19-189703	Excludes Electronic Suspension; Sport Suspension			
2011	w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	24-197069	Excludes Electronic Suspension	Rear	24-197083	Except Electronic Adjustable Suspension
			Front Right	24-197076	Excludes Electronic Suspension			
2010	VR6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2010	VR6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2010-2009	3.0L V6 2967cc 181 CID; TDI	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2010-2009	Comfortline	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2010-2009	Highline	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2010	VR6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009-2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				



Years	Application	Series	Front			Rear		
Volkswagen Touareg (continued)								
2009-2005	Base; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2009-2005	Base	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	V6 TDI	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009	Execline	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009-2004	V6	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2009-2004	V6 Premium	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2008-2004	V8	B12 (Pro-Kit)	Front and Rear	46-187901	For Vehicles Without Pneumatic Suspension; For Vehicles Without Ride Height Control; Front Lowered Height: 30mm, up to 1510kg Axle Load; Rear Lowered Height: 30mm, up to 1670kg Axle Load			
2004	V6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2004	V8; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series	Front Left	35-110552		Rear	24-110570	
			Front Right	35-110569				
2004	V6; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
2004	V8; w/ Coil Front Springs; w/ Coil Rear Springs	4600 Series (Sport)	Front Left	35-110583		Rear	24-110600	
			Front Right	35-110590				
Volvo XC90								
2013, 2011, 2009-2003		4600 Series	Front	35-146995		Rear	24-147002	Leveling system will not function when shocks are installed
2013-2003		B4	Front	22-170729	Standard Chassis; Without Ride Height Adjustability			
2012, 2010		4600 Series	Front	35-146995				
2012, 2010	3.2	4600 Series				Rear	24-147002	Leveling system will not function when shocks are installed

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Volvo XC90 (continued)								
2010	V8	4600 Series				Rear	24-147002	Leveling system will not function when shocks are installed
2010	Base	4600 Series				Rear	24-147002	Leveling system will not function when shocks are installed
Chevrolet Astro								
2005-1985		4600 Series				Rear	24-010474	
2005-1990	AWD	4600 Series	Front	24-021364				
2005-1985	RWD	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
Chevrolet Express 1500								
2013-2003	RWD	4600 Series				Rear	24-024815	
2002-1996		4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
Chevrolet Express 2500								
2013-2006		4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
2005-2004		4600 Series				Rear	24-221948	GVW over 7,300lbs
2005-2004	RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
2003	RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
2002-1996		4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
Chevrolet Express 3500								
2013-2003		4600 Series	Front	24-187435		Rear	24-221948	
2002-1996		4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-221948	
			Front	24-024808				
Chevrolet Express 4500								
2013-2009		4600 Series	Front	24-187435		Rear	24-221948	
Chevrolet G10								
1995-1975		4600 Series	Front	24-010252				
1995-1978		4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
Chevrolet G10 Van								
1974-1971		4600 Series	Front	24-010252				
Chevrolet G20								
1995-1993, 1988-1987, 1982-1975		4600 Series	Front	24-010252				
1995-1978		4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Years	Application	Series	Front			Rear		
Chevrolet G20 (continued)								
1992-1991	Chevy Van	4600 Series	Front	24-010252	Use with long tie rod end on outer and short tie rod end on inner			
1992-1989, 1986-1983	Sportvan	4600 Series	Front	24-010252				
1992-1989, 1986-1983	Beauville	4600 Series	Front	24-010252				
1990-1989	Chevy Van	4600 Series	Front	24-010252	Use with short tie rod end on outer and long tie rod end on inner			
1986-1985	Chevy Van	4600 Series	Front	24-010252	Used as long tie rod end on outer			
1984-1983	Chevy Van	4600 Series	Front	24-010252	Used as short tie rod end on outer and inner			
1984-1983	Bonaventure	4600 Series	Front	24-010252				
Chevrolet G20 Van								
1974-1971		4600 Series	Front	24-010252				
Chevrolet G30								
1996	Hi-Cube	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Beauville	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Chevy Van	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1995-1975		4600 Series	Front	24-010252	Including Dually	Rear	24-011419	Class C ok; Dual Rear Wheels Only
1995-1978	Hi-Cube	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995-1978	Beauville	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1995-1978	Chevy Van	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
1984-1983	Bonaventure	4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
Chevrolet G30 Van								
1974-1971		4600 Series	Front	24-010252	Including Dually			
Chevrolet Lumina APV								
1996-1990		4600 Series	Front	35-132462		Rear	24-010191	
Chevrolet P10								
1980-1975		4600 Series				Rear	24-015875	
1980-1975		B6 (HD)	Front	24-011730				
Chevrolet P10 Van								
1974-1968		B6 (HD)	Front	24-011730				
Chevrolet P20								
1989-1975		4600 Series				Rear	24-015875	
1989-1975		B6 (HD)	Front	24-011730				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Chevrolet P20 (continued)								
1989-1984		B6 (Steering Damper)	Front	24-026451				
Chevrolet P20 Van								
1974-1973		B6 (HD)	Front	24-011730				
Chevrolet P30								
1999-1975		4600 Series				Rear	24-015875	
1999-1975		B6 (HD)	Front	24-011730				
1999-1984		B6 (Steering Damper)	Front	24-026451				
Chevrolet P30 Van								
1974-1973		B6 (HD)	Front	24-011730				
Chevrolet Zafira								
2005-2003		B6 (HD)				Rear	24-029896	
2002	Base	B6 (HD)				Rear	24-029896	
Chrysler Grand Voyager								
2002-1995		B4				Rear	19-065212	Excludes Self-Leveling; Standard Chassis
2000-1995		4600 Series				Rear	24-015226	Excludes Self-Leveling; Standard Chassis
Chrysler Town & Country								
2007-1990		B4				Rear	19-065212	Excludes Self-Leveling; Standard Chassis
2000-1990		4600 Series				Rear	24-015226	Excludes Self-Leveling; Standard Chassis
Chrysler Voyager								
2008-1995		B4				Rear	19-065212	Excludes Self-Leveling; Standard Chassis
2000-1995		4600 Series				Rear	24-015226	Excludes Self-Leveling; Standard Chassis
Dodge B100								
1980-1975		4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
Dodge B100 Van								
1974-1971		4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
Dodge B150								
1994-1981		4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs
Dodge B1500								
1998-1995		4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW to 8300 lbs



Years	Application	Series	Front			Rear		
Dodge B200								
1980-1975		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B200 Van								
1974-1971		4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1974-1972	Maxi Wagon	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
1974-1971	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
Dodge B250								
1994-1981		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B2500								
1998-1995		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B300								
1980-1975		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B300 Van								
1974-1971		4600 Series	Front	24-184632	GVW to 8300 lbs	Rear	24-184670	GVW up to and above 8300lbs
1974-1971	Sportsman	4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
Dodge B350								
1994-1981		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge B3500								
1998-1995		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge Caravan								
2007-1984		B4				Rear	19-065212	Excludes Self-Leveling; Standard Chassis
2000-1984		4600 Series				Rear	24-015226	Excludes Self-Leveling; Standard Chassis
Dodge Grand Caravan								
2007-1995		B4				Rear	19-065212	Excludes Self-Leveling; Standard Chassis
2000-1995		4600 Series	Front	24-015226	Excludes Self-Leveling; Standard Chassis			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Dodge Ram 1500 Van								
2003-1995		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge Ram 2500 Van								
2003-1996		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge Ram 3500 Van								
2003-1996		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000lbs	Rear	24-184670	GVW up to and above 8300lbs
			Front	24-184632	GVW to 8300 lbs			
Dodge Sprinter 2500								
2009-2007	w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2009-2007	w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2009-2007	w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2009-2007	w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2006-2003	w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006-2003	w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006-2003	w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2006-2003	w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2006-2005	Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006-2005	Cab & Chassis	B4	Front	22-214768				
2006-2003	w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006-2003	w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006-2005	Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2004-2003		B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
Dodge Sprinter 3500								
2009-2007	w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)



Years	Application	Series	Front			Rear		
Dodge Sprinter 3500 (continued)								
2009-2007	w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2009-2007	w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2009-2007	w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2006-2003	w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006-2003	w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006-2005	w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2006-2003	w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006-2005	Cab & Chassis	B4	Front	22-214768				
2006-2003	w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006-2005	w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2006-2005	Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2005	Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2004-2003		B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
Ford Aerostar								
1997-1990	Base	4600 Series	Front	AK1088		Rear	AK1089	
1997-1990	XLT	4600 Series	Front	AK1088		Rear	AK1089	
1997-1990	XLT Plus	4600 Series	Front	AK1088		Rear	AK1089	
1997-1991	XLT Sport	4600 Series	Front	AK1088		Rear	AK1089	
1994-1991	XL Sport	4600 Series	Front	AK1088		Rear	AK1089	
1994-1990	XL	4600 Series	Front	AK1088		Rear	AK1089	
1994-1990	Eddie Bauer	4600 Series	Front	AK1088		Rear	AK1089	
1994-1990	XL Plus	4600 Series	Front	AK1088		Rear	AK1089	
1989		4600 Series	Front	AK1088		Rear	AK1089	
1988-1986		4600 Series	Front	AK1088		Rear	AK1081	
Ford E-100 Econoline								
1983	XL	4600 Series				Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1983		4600 Series	Front	F4-B46-1325				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Ford E-100 Econoline (continued)								
1983	Custom	4600 Series				Rear	B46-1326	Standard Suspension
1982-1981		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1980-1975		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
Ford E-100 Econoline Club Wagon								
1983, 1977		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1982	Custom	4600 Series				Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1982	Base	4600 Series				Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1982	Chateau	4600 Series				Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1982, 1976		4600 Series	Front	F4-B46-1325				
1981		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1980-1978, 1975		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1976	Custom	4600 Series				Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1976	Chateau	4600 Series				Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
1976	Northland	4600 Series				Rear	B46-1326	Standard Suspension; Used on passenger side with power steering and both sides with manual steering
1976	Base	4600 Series				Rear	B46-1326	Standard Suspension; Used on driver side with power steering only
Ford E-150								
2013-2003		5100 Series (Steering Damper)	Front	24-174534				
2013	Base	Variable depending on application				Rear	33-176840	4600 Series
2013	XL	Variable depending on application				Rear	33-176840	B6 (C); Class C Motorhome
						Rear	33-176840	4600 Series; Excludes Class C Motorhome
2013		Variable depending on application	Front	33-187563	4600 Series			



Years	Application	Series	Front			Rear		
Ford E-150 (continued)								
2013	XLT	Variable depending on application				Rear	33-176840	B6 (C); Class C Motorhome
						Rear	33-176840	4600 Series; Excludes Class C Motorhome
2012-2008		Variable depending on application	Front	33-187563	4600 Series	Rear	33-176840	4600 Series
2006		4600 Series				Rear	33-017204	Standard Suspension
2006	Chateau	4600 Series	Front	24-184816	Standard Suspension			
2006	XLT	4600 Series	Front	24-184816	Standard Suspension			
2006	XL	4600 Series	Front	24-184816	Standard Suspension			
2005-2003		4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
Ford E-150 Club Wagon								
2005-2003		4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2005-2003		5100 Series (Steering Damper)	Front	24-174534				
Ford E-150 Econoline								
2008		Variable depending on application	Front	33-187563	4600 Series	Rear	33-176840	4600 Series
2002-1992		4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2002-1997		5100 Series (Steering Damper)	Front	24-174534				
1991-1983		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
1982	Custom	4600 Series				Rear	B46-1326	Standard Suspension; w/Power Steering
1982	Chateau	4600 Series				Rear	B46-1326	Standard Suspension
1982		4600 Series	Front	F4-B46-1325				
1982	Base	4600 Series				Rear	B46-1326	Standard Suspension; w/Power Steering
1981, 1976-1975		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; Used on driver-side inner for manual steering and passenger inner for all models
1980-1977		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension; w/Power Steering
Ford E-150 Econoline Club Wagon								
2002-1992		4600 Series	Front	24-184816	Standard Suspension	Rear	33-017204	Standard Suspension
2002-1997		5100 Series (Steering Damper)	Front	24-174534				
1991-1975		4600 Series	Front	F4-B46-1325		Rear	B46-1326	Standard Suspension
Ford E-250								
2013-2003		5100 Series (Steering Damper)	Front	24-174534				



Years	Application	Series	Front			Rear		
Ford E-250 (continued)								
2013		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
2012-2003		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2012-2003		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
Ford E-250 Econoline								
2002-1997		5100 Series (Steering Damper)	Front	24-174534				
2002-1992		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2002-2001		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2000-1992	XL	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2000-1992	Base	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
1991-1975		4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
Ford E-250 Econoline Club Wagon								
1991-1975		4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
Ford E-250 Super Duty								
2005-2004		5100 Series (Steering Damper)	Front	24-174534				
2005-2004		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2005-2004		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
Ford E-350								
2003		5100 Series (Steering Damper)	Front	24-174534				
2003		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2003		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
Ford E-350 Club Wagon								
2005-2003		5100 Series (Steering Damper)	Front	24-174534				
2005-2003		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome



Years	Application	Series	Front			Rear		
Ford E-350 Club Wagon (continued)								
2005-2003	XLT	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2005-2003	XL	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2005-2003	Chateau	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
Ford E-350 Econoline								
2008-2007, 2002-1992		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2008-2007, 2002-2001		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2002-1997		5100 Series (Steering Damper)	Front	24-174534				
2000-1992	Base	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2000-1992	XL	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
1991-1975		4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
Ford E-350 Econoline Club Wagon								
2002-1997		5100 Series (Steering Damper)	Front	24-174534				
2002-1992		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2002-1992	XLT	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2002-1992	Chateau	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2002-2001	XL	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2000-1992	Custom	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
1998-1992	XLT HD	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome



Years	Application	Series	Front			Rear		
Ford E-350 Econoline Club Wagon (continued)								
1998-1994	XL HD	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
1996-1992	Chateau HD	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
1993-1992	Custom HD	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
1991-1977		4600 Series	Front	24-184656	Standard Suspension	Rear	24-184663	Standard Suspension
Ford E-350 Super Duty								
2013-2004		5100 Series (Steering Damper)	Front	24-174534				
2013	Base	Variable depending on application	Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
			Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
2013	XL	Variable depending on application	Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
			Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
2013	XLT	Variable depending on application	Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
			Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
2012-2004		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2012-2006	Base	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2012-2006	XLT	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2012-2006	XL	Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
2005-2004		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
Ford E-450 Econoline Super Duty								
2002-2000		5100 Series (Steering Damper)	Front	24-174534				
2002-2000		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2002-2000		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome



Years	Application	Series	Front			Rear		
Ford E-450 Econoline Super Duty Stripped								
2002-2000		5100 Series (Steering Damper)	Front	24-174534				
2002-2000		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2002-2000		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
Ford E-450 Super Duty								
2013-2003		5100 Series (Steering Damper)	Front	24-174534				
2012-2003		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2012-2003		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
Ford E-450 Super Duty Stripped Chassis								
2003		5100 Series (Steering Damper)	Front	24-174534				
2003		B6 (HD)	Front	33-187570	Class C Motorhome	Rear	33-176857	Class C Motorhome
2003		Variable depending on application	Front	33-187563	4600 Series; Excludes Class C Motorhome	Rear	33-176840	4600 Series; Excludes Class C Motorhome
			Front	33-187563	B6 (C); Class C Motorhome	Rear	33-176840	B6 (C); Class C Motorhome
Freightliner Sprinter 2500								
2012-2007	w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2012-2007	w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2012-2007	w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2012-2007	w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2006-2002	w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006-2002	w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2006-2002	w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006-2005	Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006-2002	w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2006-2002	w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006-2002	w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Freightliner Sprinter 2500 (continued)								
2006-2005	Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006-2005	Cab & Chassis	B4	Front	22-214768				
2004-2002		B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
Freightliner Sprinter 3500								
2012-2007	w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2012-2007	w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2012-2007	w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
2012-2007	w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2006-2005	w/ 118.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2006-2002	w/ 140.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006-2002	w/ 158.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2006-2002	w/ 140.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2006-2005	w/ 118.0 In. Wheelbase	B4				Rear	19-064529	Single Rear Wheel
2006-2005	Standard Cargo Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2006-2005	Cab & Chassis	B4	Front	22-214768				
2006-2002	w/ 158.0 In. Wheelbase	B4				Rear	19-100180	with Dual Rear Wheels (DRW)
2005	Standard Passenger Van	B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
2004-2002		B4	Front	22-214751	Excludes Super High Ceiling Models			
			Front	22-214768	Super High Ceiling Model			
GMC G15								
1978-1975		4600 Series	Front	24-010252				
1978		4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
GMC G1500								
1995-1979		4600 Series	Front	24-010252				
1995-1979		4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels



Years	Application	Series	Front			Rear		
GMC G25								
1978-1975		4600 Series	Front	24-010252				
1978		4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
GMC G2500								
1995-1979		4600 Series	Front	24-010252				
1995-1979		4600 Series (Auxiliary)				Rear	24-010269	without dual rear wheels
GMC G35								
1978-1975		4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
GMC G3500								
1996	Vandura Special	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Rally Camper Special	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Magnavan	4600 Series	Front	24-024808		Rear	24-024815	GVW up to 7300lbs
1996	Rally STX	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Rally	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1996	Vandura	4600 Series				Rear	24-024815	96 VIN# HAS "T"; Class C; From 96 To 2/97; GMT600 Chassis
1995-1979		4600 Series				Rear	24-011419	Class C ok; Dual Rear Wheels Only
GMC P15								
1978-1975		4600 Series				Rear	24-015875	
1978-1975		B6 (HD)	Front	24-011730				
GMC P15/P1500 Van								
1974-1973		4600 Series				Rear	24-015875	
1974-1967		B6 (HD)	Front	24-011730				
GMC P1500								
1980-1979		4600 Series				Rear	24-015875	
1980-1979		B6 (HD)	Front	24-011730				
GMC P25								
1978-1975		4600 Series				Rear	24-015875	
1978-1975		B6 (HD)	Front	24-011730				
GMC P25/P2500 Van								
1974-1973		4600 Series				Rear	24-015875	
1974-1973		B6 (HD)	Front	24-011730				

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
GMC P2500								
1989-1979		4600 Series				Rear	24-015875	
1989-1979		B6 (HD)	Front	24-011730				
1989-1984		B6 (Steering Damper)	Front	24-026451				
GMC P35								
1978-1975		4600 Series				Rear	24-015875	
1978-1975		B6 (HD)	Front	24-011730				
GMC P35/P3500 Van								
1974-1973		4600 Series				Rear	24-015875	
1974-1973		B6 (HD)	Front	24-011730				
GMC P3500								
1999-1979		4600 Series				Rear	24-015875	
1999-1979		B6 (HD)	Front	24-011730				
1999-1984		B6 (Steering Damper)	Front	24-026451				
GMC Safari								
2005-1994, 1992-1990	AWD	4600 Series	Front	24-021364				
2005-1985		4600 Series				Rear	24-010474	
2004-2003, 1994-1985	Base; RWD	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
2004-1998, 1994	RWD; SLE	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
2004-1998, 1994-1987	RWD; SLT	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
2002-1998, 1987-1985	RWD; SL	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
1998, 1994, 1990-1985	RWD; SLX	Variable depending on application	Front	24-011044	SetOption: Variable depending on application			
1993	AWD; SLT	4600 Series	Front	24-021364				
1993	AWD; Base	4600 Series	Front	24-021364				
1993	AWD; SLE	4600 Series	Front	24-021364				
1993-1985	RWD; SLE	Variable depending on application	Front	24-011044	B6 (HD); SetOption: Variable depending on application			
GMC Savana 1500								
2013-2012	LS; RWD	4600 Series				Rear	24-024815	
2013-2012	LT; RWD	4600 Series				Rear	24-024815	
2013-2012	Base; RWD	4600 Series				Rear	24-024815	
2011-2003	RWD	4600 Series				Rear	24-024815	



Years	Application	Series	Front			Rear		
GMC Savana 1500 (continued)								
2002-1996		4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-024815	
GMC Savana 2500								
2013	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
2013	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
2013	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
2012	Base	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
2012	LS	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
2012		4600 Series				Rear	24-221948	GVW over 7,300lbs
2012	LT	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
2011-2006		4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
2005-2003	RWD	4600 Series	Front	24-187435	GVW over 7,300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
2002		4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-221948	GVW over 7,300lbs
2001-1996		4600 Series	Front	24-025652	GVW up to and over 7300lbs	Rear	24-024815	GVW up to 7300lbs
						Rear	24-221948	GVW over 7,300lbs
GMC Savana 3500								
2013	LT	4600 Series	Front	24-187435		Rear	24-221948	
2013	LS	4600 Series	Front	24-187435		Rear	24-221948	
2013	Base	4600 Series	Front	24-187435		Rear	24-221948	
2012	Base	4600 Series	Front	24-187435	Includes Class C			
2012	LS	4600 Series	Front	24-187435	Includes Class C			
2012	LT	4600 Series	Front	24-187435	Includes Class C			
2012		4600 Series				Rear	24-221948	
2011-2003		4600 Series	Front	24-187435	Includes Class C	Rear	24-221948	
2002-1996		4600 Series	Front	24-025652	GVW to 7300lbs	Rear	24-221948	
			Front	24-024808	Class C			
GMC Savana 4500								
2013-2009		4600 Series	Front	24-187435		Rear	24-221948	
Mazda 5								
2010-2006		B4	Front Right	22-112880	Standard Chassis			
			Front Left	22-112811	Standard Chassis			

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Mercedes-Benz Sprinter 2500								
2012-2010	w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2012-2010	w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2012-2010	w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2012-2010	w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
Mercedes-Benz Sprinter 3500								
2012-2010	w/ 170.0 In. Wheelbase	4600 Series				Rear	24-177702	with Dual Rear Wheels (DRW)
2012-2010	w/ 144.0 In. Wheelbase	4600 Series				Rear	24-167161	Single Rear Wheel
2012-2010	w/ 144.0 In. Wheelbase	B4	Front	22-184238	Single Rear Wheel	Rear	19-171579	Single Rear Wheel
2012-2010	w/ 170.0 In. Wheelbase	B4	Front	22-184245	with Dual Rear Wheels (DRW)	Rear	19-169279	with Dual Rear Wheels (DRW)
Oldsmobile Silhouette								
1996-1990		4600 Series	Front	35-132462	A-Platform based Van	Rear	24-010191	Leveling system will not function when shocks are installed
Plymouth Grand Voyager								
2000-1988		4600 Series				Rear	24-015226	Excludes Self-Leveling; Standard Chassis
2000-1988		B4				Rear	19-065212	Excludes Self-Leveling; Standard Chassis
Plymouth PB300								
1980-1975		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
Plymouth PB350								
1983-1981		4600 Series	Front	24-014014	Front axle 4000Lbs; GVW over 9000Lbs			
Plymouth Voyager								
2000-1988		4600 Series				Rear	24-015226	Excludes Self-Leveling; Standard Chassis
2000-1984		B4				Rear	19-065212	Excludes Self-Leveling; Standard Chassis
Pontiac Trans Sport								
1996-1990		4600 Series	Front	35-132462		Rear	24-010191	Leveling system will not function when shock is installed
Seat Alhambra								
2008		B12 (Pro-Kit)	Front and Rear	46-193865	Front Lowered Height: 30mm, up to 1260kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2008-2002		B6 (HD)	Front	35-103509	Sport Suspension	Rear	24-103527	Sport Suspension
2008-2002		B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension



Years	Application	Series	Front			Rear		
Seat Alhambra (continued)								
2007, 2005-2002	Sport	B12 (Pro-Kit)	Front and Rear	46-193865	Front Lowered Height: 30mm, up to 1260kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2007, 2005	Reference	B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2006		B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
2004-2002	Stella	B12 (Pro-Kit)	Front and Rear	46-193858	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 20-25mm, up to 1355kg Axle Load			
Toyota Previa								
1997-1991		B6 (HD)				Rear	24-018753	With Double Wishbone Axle
Volkswagen EuroVan								
2009-2006, 2004		4600 Series	Front	22-142429	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	24-109116	
2009-2006	1.9L L4 1896cc 116 CID	B12 (Pro-Kit)	Front and Rear	46-192141	Front Lowered Height: 30mm, up to 1550kg Axle Load; Rear Lowered Height: 30mm, up to 1720kg Axle Load			
2009-2006, 2004		B4	Front	22-140098	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension	Rear	19-140100	
2009-2006, 2004		B8 (SP)	Front	22-142436	Not For Equipment Version 1BH; Not For Equipment Version 1BV; Without Sport Suspension			
2004	2.5L L5 2461cc 150 CID	B12 (Pro-Kit)	Front and Rear	46-192158	Front Lowered Height: 30mm, up to 1710kg Axle Load; Rear Lowered Height: 30mm, up to 1720kg Axle Load			
2003-1999, 1996, 1994-1993		4600 Series	Front	24-019118		Rear	24-214230	
2003-1999, 1997-1993		B12 (Pro-Kit)	Front and Rear	46-192134	Front Lowered Height: 40-45mm, up to 1600kg Axle Load; Rear Lowered Height: 45mm, up to 1490kg Axle Load			
2003-1999		B4	Front	19-028514		Rear	19-028521	
1997, 1995		4600 Series	Front	24-019118				
1995	Base	4600 Series				Rear	24-214230	
1995	Transport	4600 Series				Rear	24-214230	
1995	GLS	4600 Series				Rear	24-214230	
1993	CL	B4	Front	19-028514		Rear	19-028521	
1993	MV	B4	Front	19-028514		Rear	19-028521	
1993	GL	B4	Front	19-028514		Rear	19-028521	

Light Trucks and SUVs



Years	Application	Series	Front			Rear		
Volkswagen Sharan								
2008-2002		B12 (Pro-Kit)	Front and Rear	46-192172	Front Lowered Height: 30mm, up to 1240kg Axle Load; Rear Lowered Height: 30mm, up to 1355kg Axle Load			
2008-2002		B4	Front	22-046796	Standard Chassis			
2008-2002		B6 (HD)	Front	35-103509	Standard Chassis	Rear	24-103527	Standard Chassis
2008-2002		B8 (SP)	Front	35-103516	Sport Suspension	Rear	24-103534	Sport Suspension
Volkswagen Transporter								
1969-1968		4600 Series	Front	24-000321				
1967-1955		4600 Series	Front	24-000321		Rear	24-181488	
Volkswagen Vanagon								
1991-1986	Campmobile	4600 Series	Front	24-008204		Rear	24-008303	
1991-1989	Carat	4600 Series	Front	24-008204		Rear	24-008303	
1991-1986	GL	4600 Series	Front	24-008204		Rear	24-008303	
1991-1990	Base	4600 Series	Front	24-008204		Rear	24-008303	
1991-1990	Base	B4	Front	19-020198		Rear	19-020075	
1991-1989	Carat	B4	Front	19-020198		Rear	19-020075	
1991-1986	GL	B4	Front	19-020198		Rear	19-020075	
1991-1986	Campmobile	B4	Front	19-020198		Rear	19-020075	
1986	L	4600 Series	Front	24-008204		Rear	24-008303	
1986	L	B4	Front	19-020198		Rear	19-020075	
1985-1980		4600 Series	Front	24-008204		Rear	24-008303	
1985-1980		B4	Front	19-020198		Rear	19-020075	
Workhorse P30								
2005-2000		4600 Series				Rear	24-015875	
2005-2000		B6 (HD)	Front	24-011730				
2005-2000		B6 (Steering Damper)	Front	24-026451				

MEDIUM AND HEAVY DUTY TRUCK

APPLICATIONS



Medium and Heavy Duty Trucks

Years	Application	Series	Front			Rear		
Chevrolet C4500 Kodiak								
2009-2004		B6 (HD)	Front	24-186650		Rear	24-153256	Pin to Pin Mounting Type
						Rear	24-186667	Eye to Eye Mounting Type
Chevrolet C5500 Kodiak								
2009-2004		B6 (HD)	Front	24-186650		Rear	24-153256	Pin to Pin Mounting Type
						Rear	24-186667	Eye to Eye Mounting Type
GMC C4500 Topkick								
2009-2004		B6 (HD)	Front	24-186650		Rear	24-153256	Pin to Pin Mounting Type
						Rear	24-186667	Eye to Eye Mounting Type
GMC C5500 Topkick								
2009-2004		B6 (HD)	Front	24-186650		Rear	24-153256	Pin to Pin Mounting Type
						Rear	24-186667	Eye to Eye Mounting Type
Workhorse P32								
2005-1999		4600 Series				Rear	24-015875	
2005-1999		B6 (HD)	Front	24-011730				
2005-1999		B6 (Steering Damper)	Front	24-026451				
Workhorse W20								
2009-2005		B6 (HD)	Front	24-153249		Rear	24-153256	
2004-2001		B6 (HD)	Front	24-186629		Rear	24-186537	
Workhorse W22								
2009-2005		B6 (HD)	Front	24-153249		Rear	24-153256	
2004-2001		B6 (HD)	Front	24-186629		Rear	24-186537	
Workhorse W24								
2009-2005		B6 (HD)	Front	24-153249		Rear	24-153256	

CUSTOM FIT
SHOCKS



CUSTOM FIT

EYE TO EYE

Part Number	Description	Travel	Collapsed Length	Extended Length	Mounting Upper	Mounting Lower	Sleeves	Boot	Valving	Shaft Diameter
33-186566	5" 5125 Off-Road	5.4"	11.1"	16.5"	EB1*	EB1*	1/2"	No	223/90	14mm
33-062518	6.5" 5125 Off-Road	6.5"	12.0"	18.5"	EB1*	EB1*	1/2"	Yes	255/70	14mm
33-233970	7" 5125 Off-Road	7.4"	13.0"	20.4"	EB1*	EB1*	1/2"	Yes	255/70	14mm
33-230313	8" 5125 Off-Road	8.0"	13.7"	21.7"	EB1*	EB1*	1/2"	Yes	170/60	14mm
33-185590	8" 5125 Off-Road	7.9"	13.6"	21.5"	EB1*	EB1*	1/2"	Yes	255/70	14mm
33-230443	8.5" 5125 Off-Road	8.4"	14.1"	22.5"	EB1*	EB1*	1/2"	Yes	170/60	14mm
33-185606	8.5" 5125 Off-Road	8.4"	14.1"	22.5"	EB1*	EB1*	1/2"	Yes	255/70	14mm
33-186542	9" 5125 Off-Road	9.3"	15.1"	24.4"	EB1*	EB1*	1/2"	Yes	255/70	14mm
33-230320	9" 5125 Off-Road	9.3"	15.1"	24.4"	EB1*	EB1*	1/2"	Yes	360/80	14mm
33-214672	9.5" 5125 Off-Road	9.6"	15.4"	25.0"	EB1*	EB1*	1/2"	Yes	201/87	14mm
33-104645	10" 5125 Off-Road	10.0"	15.9"	25.9"	EB1*	EB1*	1/2"	Yes	170/60	14mm
33-185552	10" 5125 Off-Road	10.0"	15.9"	25.9"	EB1*	EB1*	1/2"	Yes	255/70	14mm
33-230344	10" 5125 Off-Road	10.0"	15.9"	25.9"	EB1*	EB1*	1/2"	Yes	360/80	14mm
33-186559	11" 5125 Off-Road	11.0"	17.0"	28.0"	EB1*	EB1*	1/2"/12mm	Yes	170/60	14mm
33-104652	11" 5125 Off-Road	11.0"	17.0"	28.0"	EB1*	EB1*	1/2"/12mm	Yes	255/70	14mm
33-230382	12" 5125 Off-Road	11.8"	17.9"	29.7"	EB1*	EB1*	1/2"	Yes	170/60	14mm
33-185569	12" 5125 Off-Road	11.8"	17.9"	29.7"	EB1*	EB1*	1/2"	Yes	255/70	14mm
33-185576	14" 5125 Off-Road	14.1"	20.8"	34.9"	EB1*	EB1*	1/2"	No	255/70	14mm

STEM TO EYE

33-230306	4.5" 5125 Off-Road	4.5"	9.4"	13.9"	Stem	EB1*	1/2"/12mm	Yes	360/80	14mm
24-214681	5" 5125 Off-Road	4.9"	10.5"	15.4"	Stem	EB1*	1/2"	Yes	176/74	14mm
33-230405	5.7" 5125 Off-Road	5.7"	10.7"	16.4"	Stem	EB1*	1/2"/12mm	Yes	360/80	14mm
33-186504	6.65" 5125 Off-Road	6.6"	11.8"	18.4"	Stem	EB1	No	Yes	366/240	14mm
24-185684	7.6" 5125 Off-Road	7.7"	12.8"	20.5"	Stem	EB1*	1/2"/12mm	Yes	224/100	14mm
24-065283	8.2" 5125 Off-Road	8.2"	13.3"	21.5"	Stem	EB1*	1/2"/12mm	Yes	398/94	14mm
33-230450	8.6" 5125 Off-Road	8.6"	14.3"	22.9"	Stem	EB1*	1/2"/12mm	Yes	360/80	14mm
33-230337	9.4" 5125 Off-Road	9.4"	15.0"	24.4"	Stem	EB1*	1/2"/12mm	Yes	255/70	14mm
33-230412	9.2" 5125 Off-Road	9.2"	15.2"	24.4"	Stem	EB1*	1/2"/12mm	Yes	360/80	14mm
24-214667	10" 5125 Off-Road	9.9"	16.1"	26.0"	Stem	EB1*	1/2"	Yes	178/94	14mm
33-230351	10.2 5125 Off-Road	10.3"	16.1"	26.4"	Stem	EB1*	1/2"/12mm	Yes	255/70	14mm
33-230368	10.4 5125 Off-Road	10.1"	16.3"	26.4"	Stem	EB1*	1/2"/12mm	Yes	360/80	14mm
33-230375	11.2" 5125 Off-Road	11.2"	17.1"	28.3"	Stem	EB1*	1/2"/12mm	Yes	255/70	14mm
33-230429	11.2" 5125 Off-Road	11.2"	17.1"	28.3"	Stem	EB1*	1/2"/12mm	Yes	360/80	14mm
33-230399	11.5 5125 Off-Road	11.5"	17.9"	29.4"	Stem	EB1*	1/2"/12mm	Yes	255/70	14mm
33-230436	12.2" 5125 Off-Road	12.2"	18.7"	30.9"	Stem	EB1*	1/2"/12mm	Yes	255/70	14mm



CUSTOM FIT REMOTE RESERVOIR

EYE TO EYE

Part Number	Description	Travel	Collapsed Length	Extended Length	Mounting Upper	Mounting Lower	Sleeves	Boot	Valving	Shaft Diameter
25-187878	6.3" 5165 Reservoir	6.3"	11.0"	17.3"	EB1*	EB1*	1.2"	No	360/80	14mm
25-187861	7.5" 5165 Reservoir	7.5"	12.3"	19.8"	EB1*	EB1*	1.2"	No	170/60	14mm
25-187885	7.5" 5165 Reservoir	7.5"	12.3"	19.8"	EB1*	EB1*	1.2"	No	255/70	14mm
25-176223	8.8" 5165 Reservoir	8.8"	13.6"	22.4"	EB1*	EB1*	1.2"	No	170/60	14mm
25-176230	8.8" 5165 Reservoir	8.8"	13.6"	22.4"	EB1*	EB1*	1.2"	No	255/70	14mm
25-176124	9.4" 5165 Reservoir	9.4"	14.2"	23.6"	EB1*	EB1*	1.2"	No	170/60	14mm
25-176117	9.4" 5165 Reservoir	9.4"	14.2"	23.6"	EB1*	EB1*	1.2"	No	255/70	14mm
25-176100	9.4" 5165 Reservoir	9.4"	14.2"	23.6"	EB1*	EB1*	1.2"	No	360/80	14mm
25-177510	9.8" 5165 Reservoir	9.8"	14.6"	24.4"	EB1*	EB1*	1.2"	No	255/70	14mm
25-177503	9.8" 5165 Reservoir	9.8"	14.6"	24.4"	EB1*	EB1*	1.2"	No	360/80	14mm
25-187700	11.3" 5165 Reservoir	11.0"	16.4"	27.4"	EB1*	EB1*	1.2"	No	170/60	14mm
25-187717	11.3" 5165 Reservoir	11.0"	16.4"	27.4"	EB1*	EB1*	1.2"	No	255/70	14mm
25-187724	11.3" 5165 Reservoir	11.0"	16.4"	27.4"	EB1*	EB1*	1.2"	No	360/80	14mm
25-175783	11.6" 5165 Reservoir	11.6"	16.9"	28.5"	EB1*	EB1*	1.2"	No	255/70	14mm
25-187731	13.1" 5165 Reservoir	13.1"	17.9"	31.0"	EB1*	EB1*	1.2"	No	170/60	14mm
25-187748	13.1" 5165 Reservoir	13.1"	17.9"	31.0"	EB1*	EB1*	1.2"	No	255/70	14mm
25-187755	14.2" 5165 Reservoir	14.2"	20.7"	34.9"	EB1*	EB1*	1.2"	No	170/60	14mm
25-187762	14.2" 5165 Reservoir	14.2"	20.7"	34.9"	EB1*	EB1*	1.2"	No	255/70	14mm
STEM TO EYE										
25-177497	7.4" 5165 Reservoir	7.4"	11.8"	19.2"	Stem	EB1*	1.2"/12mm	No	366/240	14mm
25-177480	8.4" 5165 Reservoir	8.4"	12.8"	21.2"	Stem	EB1*	1.2"/12mm	No	366/240	14mm
25-177473	8.8" 5165 Reservoir	8.8"	13.2"	22.0"	Stem	EB1*	1.2"/12mm	No	366/240	14mm

ROAD RACE

APPLICATIONS



MOTORSPORTS SERIES

Model	Year	Series	Front Shock	Valving Rebound / Compression	Body (Steel)	Note	Rear Shock	Valving Rebound / Compression	Body	Note
BMW										
E36 M3	95-'99	Motorsports	Left K4-VE3-05778M9 Right K4-VE3-05779M9	3000/3000 3000/3000	S Threaded Body S Threaded Body		K4-BE3-05551T9	2000/2000	S Conventional Body	
CHEVROLET										
Camaro	82-'92	Motorsports	AK1049	1620/920	S Conventional Body		AK1050	2500/1000	S Conventional Body	
Corvette	84-'87	Motorsports	AK1030	3600/1350	S Conventional Body		AK1031	5400/1600	S Conventional Body	
		Motorsports HD	AK1040	4100/1450	S Conventional Body		AK1041	6200/1200	S Conventional Body	
	'88	Motorsports	AK1034	3600/1350	S Conventional Body		AK1035	5400/1600	S Conventional Body	
PORSCHE										
911 RSR	Insert 63-'89	Motorsports	F4-RE3-5049-H0	1610/1600	S Cartridge Only		K4-BE5-59545H0	1800/1700	S Threaded Body	
		Motorsports	Left K4-V36-58774H0 Right K4-V36-58773H0	1610/1600 1610/1600	S Threaded Body S Threaded Body	1,2	K4-BE5-59545H0	1800/1700	S Threaded Body	3
		Motorsports	AK1130	1410/1020	S Conventional Body					
924 Race	77-'82	Motorsports	AK1131	1410/1020	S Conventional Body					
		Motorsports								
934	Insert 76-'77	Motorsports	K4-VS-1812H0	2000/1700	S Cartridge Only		K4-BE5-61732M9	2200/1800	S Threaded Body	
		Motorsports	Left K4-VE3-62298M0 Right K4-VE3-62299M0	2000/1700 2000/1700	S Threaded Body S Threaded Body		K4-BE5-61732M9	2200/1800	S Threaded Body	
		Motorsports								
944 Turbo	"Turbo Cup" "Firehawk"	Motorsports	Left K4-VE3-62512M0 Right K4-VE3-62513M0	3800/1500 3800/1500	S Threaded Body S Threaded Body		24-593762	5650/2180	S Threaded Body	
		Motorsports HD	Left K4-VE3-59374H0 Right K4-VE3-59375H0	6000/1800 6000/1800	S Threaded Body S Threaded Body		K4-BE3-59636T0	4000/2000	S Conventional Body	
		Motorsports HD								
964 RS	89-'92	Motorsports	Left F4-V36-0155-H0 Right F4-V36-0156-H0	2590/840 2590/840	S Threaded Body S Threaded Body		F4-B46-1487-H0	415/237	S Threaded Body	
		Motorsports								
964	Original Cup Car Only 89-'94	Motorsports	Left K4-V36-59118H0 Right K4-V36-59117H0	2200/670 2200/670	S Threaded Body S Threaded Body		K4-BE5-04887-T0	3790/1720	S Threaded Body	
		Motorsports								
993 RSR	Insert 95-'98	Motorsports	K4-XDE-05767T1	2370/960	S Cartridge Only					
		Motorsports	Left K4-VE3-05767TL Right K4-VE3-05767TR	2370/960 2370/960	S Threaded Body S Threaded Body					
		Motorsports								
964 RSR	89-'94	Motorsports					K4-BE5-05760T1	4020/2160	S Threaded Body	
993	95-'98	Motorsports	Left K4-VE3-05186TL Right K4-VE3-05186TR	2200/900 2200/900	S Threaded Body S Threaded Body		F4-BE5-2353-T1	2900/1900	S Threaded Body	
		Motorsports								
996	99-'05	Motorsports	K4-VE3-61084M0	1850/950	S Threaded Body		F4-BE5-2540-T0	3000/2000	S Threaded Body	
996 GT3	02-'05	Motorsports	F4-VSE-0030091	N/A (Adj.)	S Threaded Body		F4-VSE-0030664	N/A (Adj.)	A Threaded Body	
		Motorsports (RES)	F4-VR3-C425-M0	N/A (Adj.)	S Threaded Body		F4-BR5-C426-M0	N/A (Adj.)	S Threaded Body	
997 Cup Car	05-'11	Motorsports	F4-VSE-0030091	N/A (Adj.)	S Threaded Body		F4-VSE-0030664	N/A (Adj.)	A Threaded Body	
		Motorsports (RES)	F4-VR3-C425-M0	N/A (Adj.)	S Threaded Body		F4-BR5-C426-M0	N/A (Adj.)	S Threaded Body	
VOLKSWAGEN										
Golf II Group A (Asphalt)	85-'92	Motorsports	F4-VE3-4406-M0	3000/1200	S Threaded Body	4	F4-BE5-2738-M0	3000/1000	S Threaded Body	4
Golf II Group B	85-'92	Motorsports	F4-VE3-4141-H0	3000/1200	S Conventional Body		K4-BE3-60068T0	3000/1000	S Conventional Body	
Rabbit Group I Rallye	74-'84	Motorsports	F4-V36-0059-H0	2700/1000	S Conventional Body		F4-B46-0657-H1	150/45	S Conventional Body	
Rabbit Group II Race	74-'84	Motorsports	35-603207	230/80	S Threaded Body	4	F4-B46-0653-H0	208/72	S Threaded Body	4

NOTES

A-Aluminum
S-Steel
1-Replaces struts with S calipers only
2-Upper spring seat is original Porsche part (954 341 211 00)
3-Upper spring seat is original Porsche part (954 333 529 00)
4-Threaded body racing units can only be used with 68mm ID race springs

MOTOR HOME

CHASSIS LISTINGS



MOTORHOME CHASSIS LISTINGS

Model	Year	Setting	Front Shock	Old Part #	Note	Rear Shock	Old Part #	Note	
CHEVROLET / GMC MOTORHOMES									
Motorhomes (Standard Suspension)									
Express / Savannah 4500	09-'14	B6	24-187435	F4-BE5-G611-H0		24-221948			
Express / Savannah 3500	Class C	03-'14	B6	24-187435	F4-BE5-G611-H0	24-221948			
		3/'97-'02	B6	24-024808	F4-BE5-2480-H1	24-221948			
		96-2/'97	B6	24-024808	F4-BE5-2480-H1	24-024815	F4-BE5-2481-H0		
G3500 / G30	Class C (Dual rear wheel models)	75-'96	B6	24-010252	F4-B46-1025-H0	24-011419	F4-B46-1141-H0		
GMC FWD Motorhome		72-'78	B6	24-009409	F4-B46-0940-H1	24-213004	B46-0950	16	
C4500 Kodiak/C5500 Kodiak/Endura	With pin-to-pin rear	04-'11	B6	24-186650	F4-BE5-C253-H0	24-153256	F4-BE5-F325-H0		
		With eye-to-eye rear	04-'11	B6	24-186650	F4-BE5-C253-H0	24-186667	F4-BE5-C254-H0	34
P10/P1500/P20/P2500/P30/P3500/P32/P37 Motorhome			73-'00	B6	24-011730	F4-B46-1173-H4	24-015875	F4-B46-1587-H3	
		84-'00	Steering Damper	24-026451	F4-BE3-2645-H0				
P40 (MACK TRUCK)		89-'94	B6			24-015875	F4-B46-1587-H3		
P72	Air Suspension	95-'99	B6	24-184885	F4-B46-2067-H0	F4-B46-2068-M0			
	Spring Suspension	95-'99	B6	24-017312	F4-B46-1731-M1	24-017329	F4-B46-1732-H1		
P1500		63-'72	B6	24-011730	F4-B46-1173-H4				
DODGE MOTORHOMES									
Motorhomes (Standard Suspension)									
B100/B200/B300	(GVW to 8300 lbs.) CLASS C	70-'00	B6	24-184632	F4-B46-0925-H0	28	24-184670	F4-B46-1137-H1	
MB/BF/Mini Motorhome									
B200/B300	(GVW over 9000 lbs.) CLASS C	70-'00	B6	24-014014	F4-B46-1401-H1	28	24-184670	F4-B46-1137-H1	
MB/BF Mini Motorhome									
M&R 300/400/500/600		73-'81	B6	24-013185	F4-B46-1318-M0		F4-B46-1319-W0		
Sprinter 2500	Standard Suspension	07-'09	B4	22-184238			19-171579	F4-BNE-H157-BG	
		4600					24-167161	F4-BE5-G716-H0	
		Camper Suspension	B4	22-184245			19-169279	F4-BNE-G927-BG	
			4600				24-177702	F4-BE5-H770-H0	
		Single Rear Wheel Without Super High Ceiling or Cab & Chassis model	03-'06	B4	22-214751			19-064529	F4-BNE-6452-BC
			B4	22-214768			19-064529	F4-BNE-6452-BC	
		Single Rear Wheels	4600				24-167161	F4-BE5-G716-H0	
		Dual Rear Wheel Without Super High Ceiling or Cab & Chassis model	B4	22-214751			19-100180	F4-BNE-A018-BC	
			22-214768						
		Dual Rear Wheels	4600				24-177702	F4-BE5-H770-H0	
		Sprinter 3500	Standard Suspension	07-'09	B4	22-184238			19-169163
4600							24-167161	F4-BE5-G716-H0	
Heavy Duty and Camper Suspension	B4			22-184245			19-169163	F4-BNE-G916-BG	
	4600						24-177702	F4-BE5-H770-H0	
Single Rear Wheel Without Super High Ceiling or Cab & Chassis model	03-'06			B4	22-214751			19-064529	F4-BNE-6452-BC
	B4			22-214768			19-064529	F4-BNE-6452-BC	
Single Rear Wheels	4600						24-167161	F4-BE5-G716-H0	
Dual Rear Wheel Without Super High Ceiling or Cab & Chassis model	B4			22-214751			19-100180	F4-BNE-A018-BC	
	22-214768								
Dual Rear Wheels	4600						24-177702	F4-BE5-H770-H0	
FORD MOTORHOMES									
Motorhomes (Standard Suspension)									
E33/E200/E250/E300/E350/E450	CLASS C	08-'14	B6-C	33-187563	F4-BE5-H340-H0		33-176840	F4-BE5-H684-H0	
			B6	33-187570	F4-BE5-H341-H0		33-176857	F4-BE5-H685-H0	
	CLASS C	92-'07	B6-C	33-187563	F4-BE5-H340-H0		33-176840	F4-BE5-H684-H0	



CLASS C		B6	33-187570	F4-BE5-H341-H0	33-176857	F4-BE5-H685-H0	
	75-'91	B6	24-184656	F4-B46-1105-H1	24-184663	F4-B46-1106-H1	
	97-'14	Steering Damper	24-174534	F4-BE5-H453-H0			
F53	Class "A" Motorhome Chassis V10	98-'14	B6	24-187039	F4-BE5-E631-H0	24-187046	F4-BE5-E632-H0
08-'11 except vehicles with 50 degree wheel cut	Vehicles without o.e. stabilizer, use bracket kit		Steering Damper	24-067355	F4-BE3-6735-H1	B4-BOA-0000213	
	Class "A" Motorhome Chassis (V8)	88-'97	B6	24-187015	F4-BE5-E629-H0	24-187022	F4-BE5-E630-H0
	Vehicles without o.e. stabilizer, use bracket kit		Steering Damper	24-067355	F4-BE3-6735-H1	B4-BOA-0000213	

FORETRAVEL MOTORHOMES

Motorhomes (Standard Suspension)

U-225 / U-240	92-'95	B6	24-196635	F4-BE5-A314-H0	24-196642	F4-BE5-A315-H0
U-270 / U-295 / U-300 / U-320	92-'04	B6	24-018685	F4-B46-1868-M1	24-018685	F4-B46-1868-M1
U-280	92-'96	B6	24-018685	F4-B46-1868-M1	24-018685	F4-B46-1868-M1

FREIGHTLINER MOTORHOMES

Motorhomes (Standard Suspension)

FL50 / FL60	96-'99	B6	24-186490	F4-BE5-2960-H0	F4-BE5-2961-H0		
M-Line	88-'95	B6	24-013185	F4-B46-1318-M0	F4-B46-1319-W0		
MC22/MC28 FRED Chassis	05-'08	B6	24-197007		24-197014		
Powerliner	97-'02	B6			24-186483	F4-BE5-2581-H0 16	
V-Line Air Suspension	94-'98	B6	24-020725	F4-B46-2072-M0	24-020732	F4-B46-2073-M0	
V-Line Spring Suspension	(Except VC26RD/V917/VB22RD) DIESEL PUSHER	90-'97	B6	24-186414	F4-B46-1725-H2	24-020930	F4-B46-2093-M1
X-Line Air Suspension	Mono Beam Front	02-'12	B6	33-187525	F4-BE5-G835-H0	24-186483	F4-BE5-2581-H0
	Mono Beam Front	7/97-'02	B6	33-025452	F4-BE5-2545-M0	24-186452	F4-BE5-2546-H0
	Mono Beam Front	95-6/97	B6	24-186445	F4-B46-2146-M0	24-186469	F4-B46-2147-M0
XC Airliner	(Airliner Rear 02-'11)	02-'11	B6	33-187525	F4-BE5-G835-H0	24-065412	F4-BE5-6541-H0
X-Line Spring Suspension		89-'97	B6	24-017299	F4-B46-1729-M0	F4-B46-1319-W0	
Sprinter 2500	Standard Suspension	07-'13	B4	22-184238		19-171579	F4-BNE-H157-BG
	Standard Suspension		4600		24-167161	F4-BE5-G716-H0	
	Camper Suspension		B4	22-184245		19-169279	F4-BNE-G927-BG
	Camper Suspension		4600		24-177702	F4-BE5-H770-H0	
	Single Rear Wheel Without Super High Ceiling or Cab & Chassis model	02-'06	B4	22-214751		19-064529	F4-BNE-6452-BC
	Single Rear Wheel With Super High Ceiling or Cab & Chassis model		B4	22-214768		19-064529	F4-BNE-6452-BC
	Single Rear Wheels		4600		24-167161	F4-BE5-G716-H0	
	Dual Rear Wheel Without Super High Ceiling or Cab & Chassis model		B4	22-214751		19-100180	F4-BNE-A018-BC
	Dual Rear Wheel With Super High Ceiling or Cab & Chassis model			22-214768			
	Dual Rear Wheels		4600		24-177702	F4-BE5-H770-H0	
Sprinter 3500	Standard Suspension	07-'13	B4	22-184238		19-169163	F4-BNE-G916-BG
	Standard Suspension		4600		24-167161	F4-BE5-G716-H0	
	Heavy Duty and Camper Suspension		B4	22-184245		19-169163	F4-BNE-G916-BG
	Heavy Duty and Camper Suspension		4600		24-177702	F4-BE5-H770-H0	
	Single Rear Wheel Without Super High Ceiling or Cab & Chassis model	02-'06	B4	22-214751		19-064529	F4-BNE-6452-BC
	Single Rear Wheel With Super High Ceiling or Cab & Chassis model		B4	22-214768		19-064529	F4-BNE-6452-BC
	Single Rear Wheels		4600		24-167161	F4-BE5-G716-H0	
	Dual Rear Wheel Without Super High Ceiling or Cab & Chassis model		B4	22-214751		19-100180	F4-BNE-A018-BC
	Dual Rear Wheel With Super High Ceiling or Cab & Chassis model			22-214768			
	Dual Rear Wheels		4600		24-177702	F4-BE5-H770-H0	



ISUZU MOTORHOMES

Motorhomes (Standard Suspension)						
NPR	(GVW 13,250 lbs.)	87-'95	B6	AK1250		AK1251

JOHN DEERE MOTORHOMES

Motorhomes (Standard Suspension)						
Class "A" Motorhome						
Chassis		86-'88	B6	24-013185	F4-B46-1318-M0	F4-B46-1319-W0

MERCEDES-BENZ MOTORHOMES (also see Dodge)

Motorhomes (Standard Suspension)						
Sprinter 2500	Standard Suspension	10-'13	B4	22-184238		19-171579 F4-BNE-H157-BG
	Standard Suspension		4600		24-167161 F4-BE5-G716-H0	
	Camper Suspension	4600	B4	22-184245		19-169279 F4-BNE-G927-BG
	Camper Suspension			24-177702 F4-BE5-H770-H0		
Sprinter 3500	Standard Suspension	10-'13	B4	22-184238		19-169163 F4-BNE-G916-BG
	Standard Suspension		4600		24-167161 F4-BE5-G716-H0	
	Heavy Duty and Camper Suspension	4600	B4	22-184245		19-169163 F4-BNE-G916-BG
	Heavy Duty and Camper Suspension			24-177702 F4-BE5-H770-H0		

MONACO (ROADMASTER CHASSIS) MOTORHOMES

Motorhomes (Standard Suspension)						
Ambassador / Cayman / Knight / Neptune	(R4R / RR4R)	02-'11	B6	24-186582	F4-BE5-A974-H0	24-186599 F4-BE5-A975-H0
Diplomat / Endeavor	(RR8R chassis) 4 frt / 4 rear shocks	04-'11	B6-C	24-186605	F4-BE5-B402-H0	24-186612 F4-BE5-B403-H0
Camelot / Diplomat / Imperial / Windsor / Sceptor	(RR8S chassis)	02-'11	B6-C	24-187305	F4-BE5-F627-H0	16 24-187305 F4-BE5-F627-H0
		90-'01	B6-C	24-187336	F4-BE5-F664-H0	24-187336 F4-BE5-F664-H0
		08-'11	B6-C	24-187138	F4-BE5-E687-H0	16 24-187145 F4-BE5-E688-H0
Dynasty / Executive / Navigator / Signature	(S-series chassis)	02-'07	B6	24-187312	F4-BE5-F628-H0	16 24-187312 F4-BE5-F628-H0
		90-'01	B6-C	24-187312	F4-BE5-F628-H0	16 24-187312 F4-BE5-F628-H0
			B6	24-187329	F4-BE5-F629-H0	16 24-187329 F4-BE5-F629-H0
La Palma / Monarch / Vacationer	F53 Chassis	98-'14	B6	24-187039	F4-BE5-E631-H0	24-187046 F4-BE5-E632-H0
			Steering Damper	24-067355	F4-BE3-6735-H1	B4-BOA-0000213
		88-'97	B6	24-187015	F4-B46-1439-H1	24-187022 F4-BE5-E630-H0
			Steering Damper	24-067355	F4-BE3-6735-H1	B4-BOA-0000213
La Palma / Monarch / Vacationer	W20 / W22 Chassis	05-'11	B6	24-153249	F4-BE5-F324-H0	24-153256 F4-BE5-F325-H0
		01-'04	B6	24-186629	F4-BE5-B492-H0	24-186537 F4-BE5-A011-H0

MOR / RYDE MOTORHOMES Torsional elastic suspension / poly-butyl (synthetic rubber springs)

Motorhomes (Standard Suspension)						
Single Axle System with 4 positions		86-'89	B6			16 24-186421 F4-B46-2023-H0
Single Axle System with 2 positions		90-'92	B6			24-013987 F4-B46-1398-W0
P30 Single Axle System with 2 positions		90-'92	B6			24-015875 F4-B46-1587-H3
Tag Axle System - Combined with Drive Axle		87-'90	B6			24-013987 F4-B46-1398-W0

SAFARI (BEAVER & MAGNUM CHASSIS) MOTORHOMES

Motorhomes (Standard Suspension)						
GM P30 Chassis		95-'97	B6	24-011730	F4-B46-1173-H4	24-015875 F4-B46-1587-H3
Isuzu NPR	(GVW 13,250 lbs)	92-'94	B6	AK1250		AK1251
Magnum Chassis	(8 air bag system)	98-'06	B6	24-020930	F4-B46-2093-M1	24-020930 F4-B46-2093-M1
Blue Max / Blue Streak/Velvet	(4bag or Torsional Elastic)	92-'04	B6	24-186438	F4-B46-2092-H1	24-020930 F4-B46-2093-M1
Cheetah		00-'04	B6	24-186438	F4-B46-2092-H1	24-020930 F4-B46-2093-M1
Zanzabar		00-'04	B6	24-186438	F4-B46-2092-H1	24-020930 F4-B46-2093-M1

SPARTAN MOTORHOMES (STEER AXLE APPLICATIONS - FRONT)

Motorhomes (Standard Suspension)						
Tuthill Suspensions				Bilstein #	Bilstein Old #	Spartan #
Alpine / Summit		97-'00	B6	24-186414	F4-B46-1725-H2	0377-SS5
EC 2000	Air Suspension	94-'97	B6	24-184885	F4-B46-2067-H0	24-184885
	Leaf Spring Suspension K100 (SPRING)	94-'99	B6	24-017312	F4-B46-1731-M1	B46-1731



K2 / K3 / Mountain Master / MC 2000				Bilstein #	Bilstein Old #	Spartan #
510AR	Air Frt I-Beam	91-'95	B6	24-186407	F4-B46-1593-H0	0345-SS5
1906F	Air Frt I-Beam	96-'04	B6	24-021500	F4-B46-2150-M0	0357-SS5
IFS1200 & IFS1260	Air IFS(GVWF under 13000#)	97-'04	B6	24-186476	F4-BE5-2564-H0	24-186476
IFS1360	Air IFS(GVWF over 13k# & under 14k#)	98-'05	B6	24-027625	F4-BE5-2762-W0	0474-SS5-001
IFS1460	Air IFS(GVWF over 14k# & under 16k#)	05-'12	B6	24-191241	F4-BE5-C671-M0	
IFS1660	Air IFS(1st Generation GVWF over 16k# & under 18k#)	04-'05	B6	F4-BE5-C671-M0		
IFS1660	Air IFS(2nd Generation GVWF over 16k# & under 18k#)	06-'12	B6	24-191234	F4-BE5-C433-M0	

Hendrickson Suspension

K2/K3/Mountain Master				Bilstein #	Bilstein Old #	Spartan #
AirTek	Air Frt I-Beam 1st Generation	08-'09	B6	24-191210	F4-BE5-C423-M0	
	Air Frt I-Beam 2nd Generation	2009	B6	24-191272	F4-BE5-E085-M0	
	Air Frt I-Beam 3rd Generation Newmar Allstar	2009	B6	24-191302	F4-BE5-E339-M0	
Air IFS	(GVWF under 12000#)	08-'09	B6	24-191265	F4-BE5-D480-M0	

SPARTAN MOTORHOMES (AXLE APPLICATIONS - REAR)

Motorhomes (Standard Suspension)

Tuthill Suspensions				Bilstein #	Bilstein Old #	Spartan #
Alpine / Summit		97-'00	B6	24-186414	F4-B46-1725-H2	0377-SS5
EC 2000	Air Suspension	94-'97	B6	F4-B46-2068-M0		B46-2068
	Leaf Spring Suspension K100 (SPRING)	94-'99	B6	24-017329	F4-B46-1732-H1	

K2 / K3 / Mountain Master / MC 2000

Hendrickson Suspensions				Bilstein #	Bilstein Old #	Spartan #
102AR	Air Drive Axle Suspension	91-'95	B6	24-015943	F4-B46-1594-H0	0346-SS5
240AR	Air Drive Axle Suspension	96-'08	B6	24-186780	F4-BE5-D656-H0	0485-SS5-001

Hendrickson Suspensions

K2/K3/Mountain Master				Bilstein #	Bilstein Old #	Spartan #
HAS	Air Drive Axle Suspension	08-'11	B6	24-191227	F4-BE5-C424-M0	
HTB	Air Drive Axle Suspension	08-'11	B6	24-191258	F4-BE5-D235-M0	

SPARTAN MOTORHOMES (AUXILIARY AXLE APPLICATIONS - REAR)

Hendrickson Suspensions

Tuthill Suspensions				Bilstein #	Bilstein Old #	Spartan #
Auxiliary Axle 12,000#		08-'11	B6	24-191289	F4-BE5-E171-M0	

Tuthill Suspensions				Bilstein #	Bilstein Old #	Spartan #
Auxiliary Axle 12,000#		09-'11	B6	24-191296	F4-BE5-E300-M0	

Spartan Chassis I.D. (Fourth letter designation in VIN code): M=Mountain Master
 N=IC P=EC 2000 R=KC
 1000 W=EC 2000

Model Year Setting Front Shock Old Part # Note Rear Shock Old Part # Note

TOYOTA MOTORHOMES

Motorhomes (Standard Suspension)

Mini Motorhome	<i>Includes 1 ton dually</i>	84-'95	B6	24-184830	F4-B46-1772-H0	24-002585	F4-B46-0258-H1		
----------------	------------------------------	--------	----	-----------	----------------	-----------	----------------	--	--

VOLKSWAGEN MOTORHOMES

Motorhomes (Standard Suspension)

Winnebago Rialta	<i>(Eurovan based) H-Series</i>	93-'03	B6	24-019118	F4-B46-1911-H2				
------------------	---------------------------------	--------	----	-----------	----------------	--	--	--	--

P30 / P32	<i>Widetrack IFS</i>	00-'05	B6	24-011730	F4-B46-1173-H4	24-015875	F4-B46-1587-H3		
			Steering Damper	24-026451	F4-BE3-2645-H0				

W24		05-'10	B6	24-153249	F4-BE5-F324-H0	24-153256	F4-BE5-F325-H0		
-----	--	--------	----	-----------	----------------	-----------	----------------	--	--

W20 / W22		05-'11	B6	24-153249	F4-BE5-F324-H0	24-153256	F4-BE5-F325-H0		
		01-'04	B6	24-186629	F4-BE5-B492-H0	24-186537	F4-BE5-A011-H0		



TRAILER / 5TH WHEEL CHASSIS LISTINGS

Model	Year	Setting	Rear Shock	Old Part #	Note
Fleetwood Trailers					
Avion Trailer	92-'01	B6	F4-B36-1625-W0		16
TRAILER/5TH WHEEL WITH DEXTER AXLES					
Multiple applications, Check manual for axle type or reference Col/EXT length		B6	24-064194		

16 - Axle requires four shock absorbers.

28 - Vehicles with GVW of 9000 lbs. or over, must use 24-014014 which is longer than 24-184632.

33 - Tag Axle requires two additional shock absorbers.

34 - Use regular chassis application on drive axle.

35 - Tag axles systems (rear position only), use OE application on drive axle.

Shocks are listed for standard chassis as supplies by manufacturer. Some motorhomes utilize tag axles or modified rear suspensions which may preclude use of shocks listed.

BILSTEIN®



OFF-ROAD SHOCKS

LIFTED TRUCKS • JEEPS • SUVs
RACING • ROCK • SAND



Bilstein Gas Pressure Shock Absorbers
ThyssenKrupp Bilstein of America

ADDITIONAL CATALOGS
AVAILABLE FROM

BILSTEIN®

BILSTEIN Off-Road Shocks Catalog

Part No. PP2458

BILSTEIN Oval Track Motorsports Shocks

Part No. PP2450

BILSTEIN® SHOCK ABSORBERS



OV AL TR ACK

Bilstein Gas Pressure Shock Absorbers
ThyssenKrupp Bilstein of America





See products online



ThyssenKrupp Bilstein of America
14102 Stowe Drive
Poway, California 92064
WEST: 1.800.537.1085
bilsteinUS.com

A company of ThyssenKrupp Technologies

